

Heather Pailey

HELLOmynameisHeather.com

Pamper the little ones in your life with soft and easy-to-sew bibs made from your favorite designer fabrics.



# GETTING STARTED

- READ THROUGH ENTIRE PATTERN BEFORE STARTING.
- See Glossary for definition of terms (designated with single asterisks throughout instructions).
- Change thread on machine to match fabric.
- Note that Illustrations are not always to scale.

# MATERIALS LIST

- 1/2 yd. cotton or laminated cotton fabric\*
- 1/2 yd. flannel, cotton or laminated cotton fabric for lining\*
- 1 snap set or 1" of hook & loop tape (such as Velcro™)
- Ribbon scraps—washable (optional)
- Thread


#### **HELPFUL TOOLS**

Pins, scissors, tape, needle, water-soluble pen (or marking pencil), snap-setting tool, iron

\* Line bibs with soft flannel or make them reversible. Laminated cottons are easy to sew with—and wipeable! Follow manufacturer's care instructions for pinning, laundering & pressing laminated fabrics. By popular demand, Heather has re-released her Freshcut™ fabric collection which now includes a variety of laminated cottons & cotton flannels in addition to the beloved Freshcut™ cotton fabrics from the original release.


### INSTRUCTIONS

**A. Assemble Pattern** - Carefully cut out paper pattern pieces A & B. Overlap piece A onto piece B, matching gray dotted lines & tape together.




**B. Cut Out Pieces** - Cut 1 Bib of fabric & Cut 1 Bib of lining fabric. Mark\* center fronts & snap placement.

**C. Embellish Bib (optional)** - If desired, arrange ribbon on Bib front & stitch in place. Make sure ribbon ends extend into seam allowance area so ends will be concealed by seam in finished Bib. Some embellishment ideas:



D. Stitch Bib - With right sides together, pin Bib pieces together. Stitch around perimeter of Bib, leaving 2-3" unstitched at one side, as shown. Back-stitch\* at beginning & end of stitching to secure thread



E. Clip & Notch Curves - Carefully (0) clip inside curves and notch outside curves of seam allowance. On front & back of Bib, fold back 1/8" seam allowance clip inside curves & near opening in notch outside curves side of Bib & press. fold seam allowance back 1/8" at opening & press


F. Turn, Press & Close -Turn Bib right-side-out through opening at side. Press, following manufacturer's care instructions. Hand-stitch opening closed with whip-stitch\* or ladderstitch\*.

**G. Top-Stitch\* Bib** - Top-stitch\* around perimeter of Bib, 1/4" from outer edge.




H. Attach Snaps or Hook & Loop Tape - Following manufacturer's instructions, attach snap parts to Bib. Aim male half of snap to back of Bib & female half of snap to front of Bib so Bib will overlap at back of neck when snapped close. For hook & loop tape, cut 1" length & center pieces over snap placement marks on Bib pattern; place soft half of tape on back of Bib and scratchy half of tape on front of Bib.

NOTE: Make sure snaps or tape pieces are secure and will not scratch baby's neck nor present a choking hazard.



NOTE: Launder and press finished bibs according to fabric manufacturer's care instructions.


#### ENJOY!



# GLOSSARY in alphabetical order

**Back-Stitch (machine sewing)** - Add strength to a seam by sewing in reverse for a few stitches at the beginning and end of that seam.

Ladder-Stitch - Ideal for holding two folded edges together. Insert threaded needle into folded edge and poke it back out one stitchlength further. Slip needle through opposite fold, slide it one stitch-length inside fold and poke it back out. Repeat




ladder-stitch

until seam is closed. Pull stitches snugly so folded edges meet and thread doesn't show. Great for closing stuffed objects.

Mark - There are many ways to place construction marks on fabric. I prefer to slightly clip the seam allowance where possible to show the placement of a mark. My second preference is to mark the location with a water-soluble marker. Third, I use tailor's tacks—with a needle and thread, stitch a loose stitch for each mark. Leave a long tail of thread so thread mark can be removed when project is completed. Other methods include chalk, pencils, tracing wheels or pins.

**Top-Stitch** - A stitched line that runs parallel to a fold or seam. Top-stitching is decorative, but it also helps hold layers of a project together. Sometimes a double needle is used and/or thicker thread.



**Whip-Stitch** - Join two pieces by stitching from one to the other with the needle perpendicular to edges being joined.

whip-stitch


#### METRIC CONVERSION CHART

	IMPERIAL	METRIC		TO CONVERT	INTO	MULTIPLY BY
	1/8 in	3.2 mm		inches	centimeters	2.54
	1/4 in	6.4 mm		yards	meters	1.0936
_	EXTRA HELP	12 inches = 1 foot 3 feet = 1 yard				

© 2012 Heather Bailey - Heather Bailey, LLC DO NOT DUPLICATE. No part of this pattern may be reproduced in print or electronically, nor may the pattern or resulting design be manufactured for sale. A print-out may be made from the downloaded pattern file by an individual for her own personal use.

THIS PATTERN IS FOR PERSONAL USE\* ONLY. For commercial licensing opportunities, please contact: info@HeatherBailey.com

The information and instructions in this pattern are presented in good faith. Because the publisher has no control over the choice of materials or the correct following of procedures, no warranty is given nor results guaranteed. Visit HeatherBailey.com for a list of links and resources to assist you with technical inquiries. **Made in the U.S.A.** 



Overlap piece A onto piece B, matching dotted line, and tape together

Overlap piece A onto piece B, matching dotted line, and tape together (piece B) HELLOmynameisHeather.com 1/8" seam allowances included slobber monkey BABY BIB Cut 1 of Lining Fabric © Heather Bailey Cut 1 of Fabric grainline Center Front © Heather Bailey DO NOT DUPLICATE