



Shenzhen Rigao Technology Co.,Ltd

Factory Add.: 2/F,Bldg. B, Shimei Industrial Park, Sanhe Village, Dalang, Longhua, Baoan, Shenzhen,China
Indian Branch Office: 133 Apna Bazar, Nehru Nagar, New Delhi-110065(India)
Contact Person:Mr. Peter Xiao Cell phone: +91 8588094467 E-mail: peter@sunhighcn.com.cn,
Website: www.sunhighcn.com.cn, <http://en.sunhighcn.com>

Shenzhen Rigao Technology Co., Ltd, established in 2005, integrates R&D, manufacturing and marketing of lithium ion battery, polymer lithium ion battery, portable mobile power and charger. As a high-tech enterprise, we have been specializing in the application of polymer lithium ion battery and cylindrical lithium ion battery. Our factory is located in Shenzhen with an area of 3,000 square meters. We have more than 200 well-trained production technicians. At present, our products are widely exported to Southeast Asia, West Europe and North America. We offer our customers high-quality lithium ion battery products through our continuous technology innovation. Rigao technology has made great development in the couple of years, passing ISO 9001 certification, further more, obtaining CE and RoHS certifications. Based on advanced technology and high quality products, We have confidence to make "RIG" a well known brand in the near future. The teammate is our engine; the quality is our vitality; the efficiency is our prosperity; and win-win result is our guideline!" In the beginning of 2012, our sales office with warehouse in India established. With the enough stock in New Delhi, we can accept the small order Qty from the retailers and make sure the fast delivery. With the high quality and competitive price, we are looking forward to do business with importers/distributors/wholesalers/retailers and others who want to cooperate with us.

Product Catalogue

- (1) Mobile phone battery**
- (2) Li-polymer battery**
- (3) Mobile power bank**
- (4) Cylinder battery**
- (5) Ultrasonic Generator**
- (6) Battery Holder**



Shenzhen Rigao Technology Co.,Ltd

Factory Add.: 2/F,Bldg. B, Shimei Industrial Park, Sanhe Village, Dalang, Longhua, Baoan, Shenzhen,China

Indian Branch Office: 133 Apna Bazar, Nehru Nagar, New Delhi-110065(India)

Contact Person:Mr. Peter Xiao Cell phone: +91 8588094467 E-mail: peter@sunhighcn.com.cn, sunhighbatteries@gmail.com

Website: www.sunhighcn.com.cn, http://en.sunhighcn.com

Product Catalogue (1)

Mobile Phone Battery

Brand	Model	Capacity (mAh)	Fit Mobile Phone
Nokia	BL-5C	1050	1100/1108/1110/1112/1116/1200/1208/1209/1255/1315/1508/1600/1650/1680c/1681c
			2112/2272/2275/2280/2300/2300c/2310/2355/2600/2610/2610b/2626
			2320c/2323c/2330c/2135/2255/2700c/2730c/3650/3610a/3610f/3660
			3100/3105/3120/3125/3150/3109/3109c/3110c/3110Evolve/3120/3125/3555
			6030/6085/6086/6108/6130/6130i/6175i/6178i/6225/6230/6230i/6330
			6263/6267/6268/6270/6555/6600/6620/6630/6631/6670/6680/6681/6682/6820/6822
			7600/7610/E50/E60/N70/N71/N72/N91/N91 -8G/N-gage/M868/5130XM
	BL-4C	800	1006/1202/1508/1661/1265(CDMA)/1325(CDMA)/2220s/2650/2651/2652/2690/3108/ 6300/ 3500c
			5100/5310/ 6100 /6101/6102i/6103/6012/6120/6125/6126/6130/6131/6131i/6133/ 6136/ 6170
			6066/6066(CDMA)/6088(CDMA)/6260/6301/7200/7270/7705/7205 -INWEIGUE/8208c/X2-00
	BL-5B	800	3220/3230/5070/5140/5140i/5200/5208/5300/5320/5500/5320XM/5320DIXM
	BP-6M	950	6020/6021/6060/6060V/6070/6080/6120/6120c/6120ci/6122/6122c/6210/7260/7360/ N90/N80
	BL-6F	1050	6151/6233/6280/6288/3250/9300/ N73 /N93
	BL-4J	950	N78/N79/ N95 8GB
	BL-5K	1050	C6 C6-00/C6-01/C6-02
	BL-5J	1200	N85 /N86/N868MP/C7/C7-00/2610S
	BL-4D	1100	5230/5233/5228/5800IXM/ 5800XM /5802XM/5800W/5900XM/X6/N900/N900(RX-51)
	BL-5CT	1000	N97Mini /n97mini(gold)/N97(HK)/E5/E5(HK)
	BP-5M	850	5220XM /6303C/6303CI/6730/6730Classic/6730C/C5(HK)/X5 -00/X5-01
	BL-6U	800	5610XM/5700XM/6110C/6220C/6110NAVIGATOR/6500S/7379/ 7390 /8600LUNA
	BL-4B	650	8820
	BL-5BT	800	1209/2505/2630/2660/2760/5000/6111/7070/7088/7370/7373/7500PRISM/ N76
	BL-6Q	850	2600C /2608/7510A/7510S/N75
	BL-4U	950	6700/ 6700C
	BL-4CT	750	3120c /6212/6600S/8800ARTE/8800SAPPHIREARTE/8800CARBONARTE/8900/E66
	BL-4S	750	5310XM /6600F/7210C/7210S/7310C
	BL-6P	800	2680S/2608C/ 3600S /6208C/6280C/7100S/7610C/7610S
BL-5U	800	6500C /7900/7900PRISN	
BL-5F	900	8900E /2660C	
BP-4L	1400	6210N/6210S/6210SI/6260S/6290/6710N/E65/N93I/ N95 /N96/N98/N99/C5-01	
BP-6MT	950	E52/E55/ E61I /E63/E73/E75/E90/E95/N97/6650T-MOBILE	
BL-6X	700	E51/ N81 /N82/N82(8G)	
BP-5L	1200	N73I/BL-5X/8800/ 8800SIROCCO /8860	
Motorola	BX40	700	7710/9500
	BR50	700	V8A/BX40/ V8 /U8/U9/V9/V9M
	BN70	650	V3CA/BR50/ V3 /V3C/V3L/V3IE/U6/MS500
	BS-6X	900	I856/MT710/xt806/i856/MT810/MT820/ BN70
	BN80	950	XT800/XT80/ BS6X
	SNN5699A	650	ME600/MT720/ BN80
	BC70	900	E398A/SNN5699A/E398ROKRE1/E369/K700
	BT50	700	E6A/BC70/A1800/ E6 E6A/T180/Z8/Z9/Z10/ADRENTUREV750
			V191/VE538/W156/W170/W205/W206/W208/W210/W218/W220/W230/W355/W360/W371/W375/W388/W510
	5X	1500	V360 ABT60/A1200/A1200E/A1200R/A1208/A732/A810/C168/C168I/E1070/E2/E770/E9/K3/Q8/Q9/V1050
	EX300	1150	Defy MB525,MB520 Bravo, DEFY+, Droid 3 / XT862 / Milestone 3 / XT883,MB526,ME525,MOTO ME525,Jordan, Electrify,Motorola XT532
	SNN5683A	800	EX112, EX115, EX300
	BC520	650	A760 /A630/A728/A768/A780/E680/E680I/E680G/V300/V400/V500/V501/V525/V545/V600/V620/V635
	BP-6X	900	L6A /BK60/A1600/C257/C261/E6/E8/K1M/K1/K2/L2/EM30/L6I/L7C/L7E/L71/L72/L8/L9/MS900/V3X/Z6W
	L7	800	A853/A855/B21/ME501/XT701/XT702
X828	650	BC60/C257/C261/K1/K2/L6/L8/Z3	
		X828A/D830/E840/E848/F589/F639/U100/U108/U308/U600/U608/X820/X828	
		M608A/E740/E748/F110/F118/F339/G618/J218/J600/J608/J758/L600/L608/M608/M618/T339	
E590	650	E590A/E590/E598/D610/D618/F678/F679/M3510	

Samsung	I718	1100	I718A/I718/I718+I710/I600/I607/I608/I708
	W559	800	W559/B108/F278/F400/F408/J800/J808/L700/L708/L708E/T739/ZV60/M7500/M7600/S7220/L700/F270/S3830
	I8520	1200	B7300/B7330/B7610/B7620/S8500/W799/I5700/I8320/I6410/F859/M3710/I7680/I8520/B7300C
	D888	900	B5702C/B5712/D880/D988/W599/W618/W619/W629
	S5200	700	S5200/S5200C
	S5830	1350	GALAXY ACE, Galaxy Fit S5670
	S5570	1200	S5750/S5330/S7230 ,S5570,S5570 Galaxy Mini i5510,S5750E,S7230E,7530
	C3300	1000	B100i, B200, M120, E117, E1410, C5212, F480, F310, B2100, E1160, E2120, E2130, C3212, C5130, E2152, C3303,
	M350	1000	T669 M350 T359 T479 R630
	S5660	1400	I579 S5660 S5670 i569 S5838 S5830
	S5230	1000	S5230,U940,U948,F488E,M8910
	S3310	880	S3310, U800, U900
	M600	800	M608,M618,J608,J600, J610, M610, C3053, B3313, B3210,F110,F118,J210,J218,G610,G618
	X200	800	X200, S109, 6130, 6140, E-250, M-200, Solar Guru, Guru 1070, 1125, 1210
	I560	900	i560/3610s/i6320c/i568
	I550	950	i550A/I550W/I558/I688/I8510C/D780/D788/G810/G818E/W699/C36610C
	D840	700	D848A/M359/D848
	B7300	1200	B7330/B7610/B7620/B7300C/W799/i8910/i329/i8350/i5700
	X208	700	B308/B508/C120/C128/C130/C158/C168/C188/C258/C268/C288/C308/C408/CC01/D520/D528/D720
			D728/E218/E251/E258/E388/E428/E500/E508/E870/E878/E900/E908/F258/F369/F379/F399/F509/F519
			L258/M128/318/M620/M628/M110/S139/S169/S179/S199/S209/S269/S399/X208BH+/W5
	F488	800	W569A/W569/A767/F480/F488/L878/W509/I620/920SC
	D808	700	D808/D800
	U908	650	Z248B/E958/F309//609/J208/J758/L168/L170/S659/S7330/U808/U808E/U900/U908/Z240/Z248
	I458	850	i450A/I450/I458/W299/Z450/Z458
	I9000	1100	GT-I9000/I9008/SGH-T959/I9088/i897/I909/SANXINGB7350
	G608	700	G600A/F268/F330/F338/F490/F498/F669/G400/G408/G508E/G600/G608/J400/J408/J630/S3600/S3600C
	U708	900	U708A/F490/U700/Z720/Z728/Z370/Z378/Z560/Z568
	D828	800	D828A/E239/D820/D828/P300/P308/P520/Z510/Z518
	F700	800	F700A/F700/F708/M800/M8800/M8800C
	E788	800	D908A/D900/D908I/E488/E498/E690/E780/E788/M359
	J700	700	E578A/E570/E578/J700/J708/T509
	E398	650	AnycallE398/J618
L768	650	SAM-L768A/SL-L768/L760/L768	
G800	850	G800A/G800/F488E/G800/G808/G808E/L870/L878E/U940/U948/W159	
Sony-Ericsson	BST-36	650	J300cA /J300C/K310/K510/T258/W200C/Z310/Z320/Z550/Z558
	BST-38	850	W580C/W580I/W760C/W902/W980/W995/Z770I/C510/W980i
			S500cA/C902/C905/K770/K858/K850/R300I/R306C/S302C/S500C/ S500I /S550/T303C/T650I/T658
	BST-43	700	S001 /U100/T715
	BST-41	1000	X1 /GX1/X10mini/x10minipro/x2mini/x2i/XPERIAX10/X1A
	BST-30	750	T238A /F500/J200/J210/K300/K500/K506/K508/K700C/T220/T230/T238/T290/Z208/Z500
	BST-37	850	W550C/W550I/W600C/W700/W710C/W800C/W810/Z300/Z520C/Z710/Z750
			K750A+ /D750I/J100/J110/J220/J230/K200/K220/K608/600C/K610C/K618/750C/K758C/S600C/V600/W350
	BST-33	950	K790A+/C702/G502/G700/G900/K530I/k550/k618/k630/k660/k790/F305/K800/K810/M600/M608/P990/T700
V800 /V802/W300/W302/W595C/W610/W660/W715/W830/W850/W880/W890/W898/W900I/W950/W958/W960I/Z Z610/Z780/Z800C			
EP-500	800	U5/ U5I /U8I/X8/E15i/EP500	
BST-39	800	W910iA /C902C/G702/R300/W380C/W908/W910I/Z555I/T707	
Oppo	F15	1100	OPPOF15/OPPOBLP515
	F29	950	OPPOF29/OPPOBLP509
	U529	800	OPPOU529/BLT013/U525
	A100	800	BBKA103/A109/BBKI188/T009/A201/Z101/P51/A103/A109/A105/a203
	F19	1500	OPPOF19
	A90	700	OPPOA90/OPPOA105K/BLT005/A520
	T9	1250	OPPOT9/505
LG	G632	650	C636/G632/G639/KG108/KG208/KG238/KG248/KX116/KX166/KX206/KX236
	KU990	800	KU990A/LP580A/CU915VU/CU920/KC910/KB770/KE998/KU800/KU990/KW838
	KP100	700	KU380/CE110/KP115/LG330/KM330/KP160/KC186/KP108/KP190/LGKX216/KX186/KX218/KX191
	LX370	650	L370/GS290/GW300/TB200/GS920/IP-430N
	GD580	650	GD580/SV800/KH8000/IP-470N
	KG70	750	KG70/KG70C/KE800/KE970/KF600/KF690/KF700/KF755/KU970/M280
	GD510	780	GD510/KV700/GD880mini/GD880/GD510E/GIP-550N
	GM310	750	BL20E/GD310/GM310/GS500V/KM570/KV600/KV800/GD550/GIP-570N
	GW820	1200	GW820/GM750/GW880/GW620/GD888/GX200/GX500/GT540/GW825V/IP-400N
	KE770	550	KE770A/LP410A/AX271/KE770/KF510/KG200/KG238/KG275/KG276/KG270/KG278/KG300/
	KF350	750	KF500/KP500/KC780/KC550/KF700/IP-470R/KP500
	KM380	650	IP-330G/KF240/KF300E/KM380/KX266/KT520/KS360/KM501/KT500LG/GM210/KF245/KF300/KM385/KM386
	GD900	800	BL40/BL40E/GD900/GD900E/LB420/GW505/GIP-520N
GC900	850	GC900/GM730E/GT500/GT505E/UX700/LGIP-580N	

	RD3500	700	RD3500, RD6100, RD3600, GB105, 110, KP106, GB210
	P970	1100	P970 Optimus
	P990	1500	P990 P925 P920 P993 P999 M735 Optimus 3D Optiums 2X Thrill 4G G2X
	KF900	950	GD300S GW520 GW525 KF900 KM555e KS500 KS660 Neon 2 GW370 Banter AX265 UX265
	P500	1500	GW620 /P500 /GW880,GW800,GW820
	KF690	800	KC550/KF700/KF690/KP500/KF700/KF690/KC550/KC780/KC560/KP800/KX500/LGIP -570A/KV500/kp502
VODAPHONE	V125	800	V125, 225
SPICE	M4242	1200	M4242, M4250
	M5151	800	M-5151, 4580, 6363
	M4580	800	M4580
	M5161	800	M5161
	M5252	800	M5252
	S580	750	S5, S580, S590
MIROMAX	Q3	800	Q3, Q1, Q2, Q5,G522
	X1I	1000	X1i, C2i, X1i Plus,X1u/X2
	X250	800	X 250,SPI M5252
	X225	700	X 225,K217
	X115	1200	X 115,
LAVA	KKT22	800	KKT22
	KKT34	800	KKT34
	KKT11	1000	KKT11
	KKT24	800	KKT24
	KKT23C	800	KKT23C
	KKT26	800	KKT26
	KKT30	800	KKT30
KENDENDA	M1	800	M1
	M2	800	M2
KARBON	K444	1800	K444
	K447	630	K447
Blackberry	C-S2	800	8700/8700G/8700C/8300/8320/8310/8330/8520/9707/C -S2
	M-S1	1000	9900/9000A/9700/M-S1
	C-X2	900	8800/8820/8830/8700G/8700V/C-X2
	D-X1	1000	8900/9500/8530/8920/9530/9550(D-X1)
	C-M2	850	8100/8110/8120/8130/8220(C-M2)
HTC	T5555	800	T5555/HTC Hdmini/bb92100/G9
	P860	1100	P860/P3650
	G3	1000	G3/A6262
	G1	1100	DREA160/HTCG1/HTCDREAM
	T8585	900	T8585/HTCTOUCH/HD2/HTCLEO
	S1	1050	S500/S505/S700/P3450/VX6900/ELFO0160
	G12	1000	G12/S510/G11
	G11	1000	S710E/G11
	G5/G7	1100	A8180/A8181/G5/G7/T8188/T9188
	G16	1050	HTC G16
	G13	900	G13 /HD7
	S900	800	P3700/P3702/S910W/HTCP3700/S900/DIAM160
	G14	1100	G14/Z710e/Sensation Pyramid
	G15	1100	A7272/G15
	G6	1200	A6288/G6/A6363/G8
	S600	1050	S600/S610/Touch DUAL/P5500/P5520
	G2	1100	HTC G2/A6161/A6188/HTC SAPP160
	G15	1000	HTC C510e/G15
	A8188	1100	HTCA8188/T9199/HERO200/EVO4G/XV6975/T8388/S521
	G10	1000	HTCG10 A9191/A9192
	S710	1000	HTCS710d/S710
	T7373	850	T7373
	A9393	1000	BB96100/T3366/G2W/HTC 7 Mozart(T8698)/HTC A7272 Desire/ A9393/T8698/S710D/S710E/BG32100
	565	1100	565/310/566/568/575/585/586/595/596/C500/C550/C577/C600/P660/P3470/SPVC500/SPVC550/C600/T2222/T2223
	T8282	1100	T8282X/T8288
	T8585	1050	T8585/T8588
	T4242	1050	Touch Cruise 2009/T4242
	T5353/G4	1050	TOPA160/T5388/T3333/HTC TOUCH BLACKSTONE/G4
	C750	800	C750
	Coolpad	7360	800
F61		800	F61/F61t/DELLmili3T1
E200		1000	D280/D500/D510/D520/D550/E200/E210
F608		1000	F608/F603/E230/S66
N900		700	N900/N900+N900C/N900S/N91/N92/F668/F800/F801/CPLD-37
	K302	700	K302/K302+BK-N-33

BBK	i266	800	i289C/i508/i518/k203M/BBKi266/i531/v205/i606/v206/I267/I509/k203m
	i589	1000	K118 K119 i589/k201/k202/i530/k13
	i289	800	I288 I399 I289 I8 I288B
	i536	700	BK-B-37/i536
	v303	850	BK-B-36/v303
ZTC	U230	1100	U230
	N600	750	N600/X850/F156/F152/F106/F105
	N760	1100	N760
	V880	1100	U880 N880 V880
K-touch	A612	700	A612/A615/A635/A650/A689/A996/B832/B833/B835/B836/B851/B891/B892/B921/B925/B926 D90/D92/D95/D170/D171/D172/D173/D175/S585
	A908	800	A901/A902/A905/A906/908
Lenovo	LePhone	1200	Lephone 3GW100 W101 C8600
	A60	950	A60
	TD80	950	TD30t/TD80t/A910/P650WG
	E320	750	E200/E206/E216/E217/E260C/E317/E320/E328/E355/E369/E520/i301/i316ii320/i389/i360/i370/i389/i399/ i55/i716/i721/i750/i807/i910/P719/P612/P809/S320/S360/S50/S600/S660/S70/V350/V600/V80/V826
Huawei	C5700	800	C5700/5600/C5110
	U8800	1000	U8800 C8800
	U8860	1300	U8860
	C8300	1000	C8300/C6200
MIUI	M10	1450	M10 MIUI M1



Shenzhen Rigao Technology Co.,Ltd

Factory Add.: 2/F,Bldg. B, Shimei Industrial Park, Sanhe Village, Dalang, Longhua, Baoan, Shenzhen,China

Indian Branch Office: 133 Apna Bazar, Nehru Nagar, New Delhi-110065(India)

Contact Person:Mr. Peter Xiao Cell phone: +91 8588094467 E-mail: peter@sunhighcn.com.cn, sunhighbatteries@gmail.com

Website: www.sunhighcn.com.cn, http://en.sunhighcn.com

Product Catalogue (2)

Li-polymer Battery

No.	Model	Typical model	Typical capacity	Nimimal capacity	Impedanc e	Nominal voltage	Dimension		
			mAh	mAh	m Ω	V	Thickness (mm)	Width (mm)	Length (mm)
1	RIG XX0950	450950P	120mAh	110mAh	≤ 260	3.7V	4.4	9.5	50.0
2	RIG XX1020	301020P	35mAh	30mAh	≤ 600	3.7V	3.0	10.0	20.0
3		401020P	60mAh	55mAh	≤ 350	3.7V	4.0	10.0	20.0
4	RIG XX1028	031028P	40mAh	35mAh	≤ 700	3.7V	3.0	10.5	28.0
5	RIG XX1030	301030P	65mAh	60mAh	≤ 350	3.7V	3.0	10.5	30.0
6		401030P	85mAh	80mAh	≤ 400	3.7V	4.0	10.5	30.0
7	RIG XX1033	031033P	45mAh	40mAh	≤ 600	3.7V	3.0	10.5	33.0
8	RIG XX1124	041124P	60mAh	50mAh	≤ 550	3.7V	4.0	11.5	24.0
9		451124P	85mAh	75mAh	≤ 500	3.7V	4.5	11.5	24.0
10	RIG XX1131	361131P	85mAh	75mAh	≤ 350	3.7V	3.6	11.0	31.0
11	RIG XX1148	061148P	230mAh	215mAh	≤ 130	3.7V	6.0	11.5	48.0
12	RIG XX1213	451213P	40mAh	35mAh	≤ 700	3.7V	4.5	12.0	13.0
13	RIG XX1219	051219P	80mAh	70mAh	≤ 380	3.7V	5.0	12.0	19.0
14		061219L	75mAh	70mAh	≤ 350	3.7V	5.2	12.5	19.0
15		061219H	90mAh	80mAh	≤ 320	3.7V	6.4	12.0	19.0
16	RIG XX1221	041221P	60mAh	50mAh	≤ 450	3.7V	4.0	12.0	21.0
17		051221P	80mAh	70mAh	≤ 380	3.7V	5.0	12.0	21.0
18		651221P	110mAh	100mAh	≤ 300	3.7V	6.6	12.0	21.0
19	RIG XX1225	031225P	55mAh	50mAh	≤ 500	3.7V	3.0	12.2	25.0
20		381225P	75mAh	65mAh	≤ 400	3.7V	3.8	12.0	25.0
21		041225P	80mAh	70mAh	≤ 350	3.7V	4.0	12.0	25.0
22		051225L	100mAh	85mAh	≤ 320	3.7V	4.7	12.2	25.0
23		051225H	110mAh	100mAh	≤ 280	3.7V	5.3	12.2	25.0
24		061225P	120mAh	110mAh	≤ 260	3.7V	6.0	12.2	25.0
25		651225P	130mAh	130mAh	≤ 280	3.7V	6.5	12.2	25.0
26	RIG XX1229	481229P	130mAh	115mAh	≤ 280	3.7V	4.9	12.0	28.5
27		031230P	75mAh	70mAh	≤ 400	3.7V	3.0	12.0	30.0
28		351230P	85mAh	75mAh	≤ 350	3.7V	3.5	12.0	30.0

29	RIG XX1230	041230P	100mAh	92mAh	≤300	3.7V	4.1	12.0	30.0
30		451230P	135mAh	131mAh	≤300	3.7V	4.4	11.8	30.0
31		051230P	130mAh	120mAh	≤220	3.7V	5.0	12.2	30.0
32		551230P	140mAh	130mAh	≤200	3.7V	5.6	12.2	30.0
No.	Model	Typical model	Typical capacity	Nimimal capacity	Impedanc e	Nominal voltage	Dimension		
			mAh	mAh	mΩ	V	Thickness (mm)	Width (mm)	Length (mm)
33	RIG XX1235	031235P	90mAh	80mAh	≤300	3.7V	3.0	12.2	35.0
34		041235P	120mAh	100mAh	≤260	3.7V	4.0	12.0	35.0
35		451235P	130mAh	120mAh	≤220	3.7V	4.5	12.0	35.0
36		051235P	150mAh	150mAh	≤180	3.7V	5.2	12.2	35.0
37		551235P	180mAh	170mAh	≤180	3.7V	5.5	12.2	35.0
38		061235P	190mAh	170mAh	≤180	3.7V	6.0	12.2	35.0
39		651235P	200mAh	180mAh	≤150	3.7V	6.5	12.2	35.0
40		071235P	240mAh	220mAh	≤130	3.7V	7.0	12.2	35.0
41	RIG XX1245	031245P	120mAh	110mAh	≤280	3.7V	3.0	12.2	45.0
42		501245P	210mAh	200mAh	≤140	3.7V	5.0	12.2	45.0
43	RIG XX1320	351320P	55mAh	50mAh	≤600	3.7V	3.5	13.0	20.0
44	RIG XX1323	271323P	50mAh	38mAh	≤600	3.7V	2.9	13.0	23.0
45	RIG XX1422	041422P	85mAh	80mAh	≤350	3.7V	4.0	14.0	22.0
46	RIG XX1429	351429P	100mAh	90mAh	≤300	3.7V	3.5	14.0	29.0
47		041429P	120mAh	110mAh	≤260	3.7V	4.0	14.0	29.0
48		041429H	140mAh	130mAh	≤200	3.7V	4.2	14.0	29.0
49		051429P	150mAh	140mAh	≤180	3.7V	5.0	14.0	29.0
50		551429P	200mAh	180mAh	≤180	3.7V	5.5	14.2	29.0
51		061429P	180mAh	170mAh	≤200	3.7V	6.0	14.0	29.0
52	RIG XX1430	401430P	135mAh	130mAh	≤180	3.7V	4.0	14.0	30.0
53		451430P	155mAh	150mAh	≤200	3.7V	4.5	14.0	30.0
54	RIG XX1435	111435P	340mAh	330mAh	≤100	3.7V	9.0	14.0	35.0
55	RIG XX1515	041515P	50mAh	45mAh	≤550	3.7V	4.0	15.0	15.0
56	RIGXX1518	451518P	70mAh	60mAh	≤400	3.7V	4.5	15.0	18.0
57		551518P	100mAh	90mAh	≤300	3.7V	5.5	15.0	18.0
58		651518P	120mAh	110mAh	≤280	3.7V	6.5	15.0	18.0
59	RIG XX1525	031525P	80mAh	75mAh	≤350	3.7V	3.0	15.0	25.0
60	RIG XX1531	041531P	120mAh	120mAh	≤240	3.7V	4.0	15.0	31.0
61	RIG XX1621	051621P	120mAh	110mAh	≤350	3.7V	5.0	16.0	21.0
62	RIG XX1624	281624P	60mAh	50mAh	≤520	3.7V	2.8	16.0	24.0
63		351624P	100mAh	90mAh	≤300	3.7V	3.5	16.0	24.0
64		051624P	140mAh	130mAh	≤200	3.7V	5.0	16.0	24.0
65	RIG XX1725	451725P	125mAh	120mAh	≤200	3.7V	4.5	17.0	25.0

No.	Model	Typical model	Typical capacity	Nimimal capacity	Impedanc e	Nominal voltage	Dimension		
			mAh	mAh	m Ω	V	Thickness	Width	Length
66	RIG XX1730	031730P	100mAh	100mAh	≤ 300	3.7V	3.1	17.0	30.0
67		041730P	170mAh	160mAh	≤ 180	3.7V	4.0	17.0	30.5
68		451730P	190mAh	180mAh	≤ 180	3.7V	4.7	17.0	30.0
69		051730P	200mAh	190mAh	≤ 170	3.7V	5.0	17.0	30.0
70		551730P	230mAh	210mAh	≤ 160	3.7V	5.5	17.0	30.0
71	RIG XX1745	041745P	250mAh	240mAh	≤ 150	3.7V	4.1	16.8	44.0
72	RIG XX1842	031842P	180mAh	170mAh	≤ 150	3.7V	3.2	18.2	30.0
73		041842P	250mAh	240mAh	≤ 120	3.7V	4.2	18.0	42.0
74		051842P	330mAh	310mAh	≤ 100	3.7V	5.0	18.2	42.0
75	RIG XX1958	471958P	480mAh	450mAh	≤ 80	3.7V	4.8	19.3	58.5
76	RIG XX2024	042024P	140mAh	140mAh	≤ 200	3.7V	4.0	19.8	23.5
77	RIG XX2025	032025P	110mAh	100mAh	≤ 290	3.7V	3.0	20.0	25.0
78		042025P	150mAh	150mAh	≤ 180	3.7V	4.0	20.0	25.0
79		422025H	180mAh	170mAh	≤ 150	3.7V	4.3	20.0	25.0
80		052025P	180mAh	160mAh	≤ 200	3.7V	5.0	20.0	25.0
81		552025P	240mAh	200mAh	≤ 150	3.7V	5.5	20.2	25.0
82		062025P	250mAh	240mAh	≤ 150	3.7V	6.0	20.2	25.0
83		092025P	360mAh	340mAh	≤ 120	3.7V	8.7	20.2	25.0
84	RIG XX2030	032030P	130mAh	120mAh	≤ 260	3.7V	3.0	20.0	30.0
85		382030P	180mAh	170mAh	≤ 170	3.7V	3.8	20.0	30.0
86		042030P	200mAh	180mAh	≤ 150	3.7V	4.0	20.0	30.0
87		052030P	260mAh	240mAh	≤ 150	3.7V	5.0	20.0	30.0
88		552030P	280mAh	260mAh	≤ 120	3.7V	5.5	20.0	30.0
89		062030P	300mAh	280mAh	≤ 110	3.7V	6.0	20.0	30.0
90		072030P	350mAh	350mAh	≤ 100	3.7V	7.0	20.3	30.3
91	RIG XX2035	032035P	150mAh	140mAh	≤ 180	3.7V	3.1	20.0	35.0
92		352035P	190mAh	180mAh	≤ 150	3.7V	3.5	20.0	35.0
93		042035P	240mAh	220mAh	≤ 150	3.7V	4.0	19.8	35.0
94		052035P	320mAh	300mAh	≤ 100	3.7V	5.0	20.0	35.0
95		532035P	340mAh	320mAh	≤ 100	3.7V	5.3	20.2	35.0
96		062035P	400mAh	380mAh	≤ 90	3.7V	6.0	20.0	35.0
97	RIG XX2040	402040P	290mAh	280mAh	≤ 90	3.7V	4.0	20.0	40.0
98		602040P	430mAh	420mAh	≤ 70	3.7V	6.0	20.0	40.0
99	RIG XX2058	582058P	660mAh	650mAh	≤ 70	3.7V	5.8	20.0	58.0
100	RIG	072060P	760mAh	750mAh	≤ 40	3.7V	7.0	20.2	60.0
101	RIG XX2246	042246P	350mAh	330mAh	≤ 100	3.7V	4.1	22.3	46.0
102	RIG XX2248	492248P	470mAh	450mAh	≤ 90	3.7V	4.9	22.0	48.0
103		532248P	500mAh	480mAh	≤ 80	3.7V	5.3	22.5	48.0
104	RIG XX2294	082294P	1200mAh	1150mAh	≤ 50	3.7V	6.2	21.5	92.0

No.	Model	Typical model	Typical capacity	Nimimal capacity	Impedanc e	Nominal voltage	Dimension		
			mAh	mAh	m Ω	V	Thickness	Width	Length
105	RIG XX2328	042328P	220mAh	200mAh	≤ 180	3.7V	4.0	23.0	28.0
106	RIG XX2336	072336P	500mAh	500mAh	≤ 80	3.7V	7.0	23.0	36.0
107	RIG XX2339	062339P	400mAh	420mAh	≤ 90	3.7V	6.3	23.0	38.0
108		072339P	500mAh	520mAh	≤ 75	3.7V	7.4	23.0	38.0
109		082339P	600mAh	610mAh	≤ 60	3.7V	8.4	23.0	38.0
110	RIG XX2359	052359P	650mAh	620mAh	≤ 70	3.7V	5.0	23.0	59.0
111	RIG XX2382	092382P	1800mAh	1700mAh	≤ 50	3.7V	9.0	23.0	82.0
112	RIG XX2530	382530P	240mAh	230mAh	≤ 150	3.7V	3.8	25.0	30.0
113		452530P	300mAh	280mAh	≤ 150	3.7V	4.5	25.0	30.0
114		052530P	320mAh	300mAh	≤ 150	3.7V	5.0	25.0	30.0
115		552530P	380mAh	350mAh	≤ 80	3.7V	5.5	25.0	30.0
116		062530P	400mAh	380mAh	≤ 100	3.7V	6.0	25.0	30.0
117		652530P	440mAh	420mAh	≤ 100	3.7V	6.5	25.0	30.0
118		072530P	420mAh	400mAh	≤ 100	3.7V	7.0	25.2	30.0
119		102530P	700mAh	700mAh	≤ 70	3.7V	10.0	25.0	30.0
120	RIG XX2535	032535P	220mAh	200mAh	≤ 180	3.7V	3.0	25.0	35.0
121		352535P	260mAh	240mAh	≤ 150	3.7V	3.5	25.0	35.0
122		382535P	320mAh	300mAh	≤ 120	3.7V	3.8	25.0	35.0
123		042535P	320mAh	300mAh	≤ 150	3.7V	4.0	25.0	35.0
124		052535P	400mAh	380mAh	≤ 100	3.7V	5.0	25.0	35.0
125		062535P	500mAh	480mAh	≤ 80	3.7V	6.0	25.0	35.0
126		652535P	500mAh	480mAh	≤ 80	3.7V	6.4	25.0	35.0
127		752535P	550mAh	530mAh	≤ 80	3.7V	7.5	25.0	35.0
128		RIG XX2540	452540P	420mAh	400mAh	≤ 80	3.7V	4.5	25.0
129	062540P		550mAh	530mAh	≤ 80	3.7V	6.0	25.0	40.0
130	RIG XX2543	432543P	440mAh	400mAh	≤ 90	3.7V	4.3	25.0	43.0
131	RIG XX2627	652525P	350mAh	350mAh	≤ 70	3.7V	6.6	26.0	26.0
132	RIG XX2749	072749P	900mAh	860mAh	≤ 70	3.7V	7.0	27.0	49.0
133	RIG XX27100	0827100P	1650mAh	1600mAh	≤ 50	3.7V	7.8	27.3	101.0
134		0827100P	1850mAh	1800mAh	≤ 50	3.7V	7.7	27.3	101.0
135	RIG XX2835	082835P	750mAh	730mAh	≤ 75	3.7V	8.0	28.0	35.0
136	RIG XX2840	072840P	800mAh	750mAh	≤ 75	3.7V	7.0	28.0	40.0
137	RIG XX2851	072851P	1000mAh	950mAh	≤ 60	3.7V	7.0	28.0	51.0
138	RIG XX2890	082890P	1800mAh	1750mAh	≤ 50	3.7V	8.0	27.0	87.0
139		082890P	2000mAh	1950mAh	≤ 50	3.7V	8.0	27.0	87.0
140	RIG XX2927	552927P	280mAh	260mAh	≤ 100	3.7V	5.2	29.0	27.0
141	RIG XX2937	062937P	600mAh	580mAh	≤ 80	3.7V	6.0	29.0	37.0
142	RIG	1029102P	3100mAh	3200mAh	≤ 30	3.7V	10.0	29.8	101.0

No.	Model	Typical model	Typical capacity	Nimimal capacity	Impedanc e	Nominal voltage	Dimension		
			mAh	mAh	m Ω	V	Thickness	Width	Length
143	RIG XX3030	453030P	370mAh	360mAh	≤ 85	3.7V	4.5	30.0	30.0
144		063030P	480mAh	450mAh	≤ 80	3.7V	6.0	30.0	30.0
145	RIG XX3035	303035P	290mAh	280mAh	≤ 120	3.7V	3.0	30.0	35.0
146		403035P	390mAh	380mAh	≤ 90	3.7V	4.0	30.0	35.0
147		603035P	620mAh	600mAh	≤ 70	3.7V	6.0	30.0	35.0
148		803035P	850mAh	820mAh	≤ 60	3.7V	8.0	30.0	35.0
149	RIG XX3040	353040P	380mAh	350mAh	≤ 80	3.7V	3.5	30.0	40.0
150		043040P	450mAh	420mAh	≤ 80	3.7V	4.0	30.0	40.0
151		053040P	560mAh	530mAh	≤ 80	3.7V	5.0	30.0	40.0
152		523040P	600mAh	580mAh	≤ 80	3.7V	5.3	30.0	40.0
153		553040P	600mAh	580mAh	≤ 80	3.7V	5.5	30.0	40.0
154		753040P	850mAh	850mAh	≤ 60	3.7V	7.5	30.0	40.0
155	RIG XX3048	033048P	380mAh	360mAh	≤ 100	3.7V	3.0	30.0	48.0
156		353048P	450mAh	420mAh	≤ 90	3.7V	3.5	30.0	48.0
157		043048P	540mAh	520mAh	≤ 80	3.7V	4.0	30.0	48.0
158		053048P	700mAh	700mAh	≤ 60	3.7V	5.0	30.0	48.0
159		063048P	880mAh	850mAh	≤ 60	3.7V	6.0	30.0	48.0
160		073048P	1000mAh	950mAh	≤ 60	3.7V	7.0	30.0	48.0
161		753048P	1200mAh	1050mAh	≤ 60	3.7V	7.5	30.0	48.0
162		083048P	1200mAh	1150mAh	≤ 50	3.7V	8.2	30.0	48.0
163		103048P	1500mAh	1400mAh	≤ 50	3.7V	10.0	30.0	48.0
164	RIG XX3049	093049P	1500mAh	1500mAh	≤ 50	3.7V	9.0	30.0	48.5
165	RIG XX3065	073065P	1400mAh	1300mAh	≤ 50	3.7V	7.0	30.0	65.5
166	RIG XX3093	063093P	1200mAh	1250mAh	≤ 40	3.7V	6.0	30.3	93.0
167		063093P	1600mAh	1630mAh	≤ 40	3.7V	6.0	30.3	93.0
168		063093P	1800mAh	1820mAh	≤ 40	3.7V	6.4	30.0	93.0
169	RIG XX30100	0530100P	1300mAh	1350mAh	≤ 50	3.7V	5.5	30.0	100.0
170		5530100P	1600mAh	1600mAh	≤ 40	3.7V	5.3	29.5	100.5
171		6530100P	1800mAh	1800mAh	≤ 40	3.7V	6.6	30.3	100.5
172		6530100P	2000mAh	1950mAh	≤ 40	3.7V	6.5	30.0	100.0
173		6530100H	2100mAh	2050mAh	≤ 30	3.7V	6.5	30.0	100.5
174		1030100P	3200mAh	3250mAh	≤ 30	3.7V	10.0	29.8	101.0
175	RIG	0730150P	2800mAh	2820mAh	≤ 50	3.7V	6.8	30.0	150.0
176	RIG XX3140	033140P	340mAh	340mAh	≤ 80	3.7V	3.1	31.5	41.0
177	RIG XX31134	0831134P	4000mAh	3500mAh	≤ 30	3.7V	8.1	31.0	132.0
178		0931134P	2600mAh	2650mAh	≤ 30	3.7V	7.6	31.0	132.0
179		0931134P	3300mAh	3350mAh	≤ 30	3.7V	8.5	31.0	132.0
180	RIG XX3163	053163P	1000mAh	1030mAh	≤ 60	3.7V	5.5	31.3	63.5
181	RIG XX3239	413239P	460mAh	450mAh	≤ 90	3.7V	4.1	32.0	39.0

No.	Model	Typical model	Typical capacity	Nimimal capacity	Impedanc e	Nominal voltage	Dimension		
			mAh	mAh	m Ω	V	Thickness	Width	Length
182	RIG XX32100	0732100P	2300mAh	2200mAh	≤ 50	3.7V	7.0	32.0	100.0
183		0932100P	2150mAh	2200mAh	≤ 40	3.7V	8.8	32.0	100.0
184		0932100P	2650mAh	2700mAh	≤ 40	3.7V	8.8	32.0	100.0
185	RIG XX3347	053347P	780mAh	750mAh	≤ 50	3.7V	5.0	33.0	47.0
186	RIG XX3365	083365P	1800mAh	1700mAh	≤ 50	3.7V	8.0	33.0	65.0
187		843365P	1900mAh	1850mAh	≤ 50	3.7V	8.5	33.0	65.0
188		103465P	2200mAh	2200mAh	≤ 40	3.7V	9.8	34.0	65.0
189	RIG XX3375	043375P	1000mAh	1000mAh	≤ 50	3.7V	4.0	33.3	75.5
190		083375L	1600mAh	1650mAh	≤ 50	3.7V	7.2	33.0	75.0
191		083375P	1800mAh	1850mAh	≤ 50	3.7V	8.0	33.0	75.0
192		083375H	2100mAh	2100mAh	≤ 50	3.7V	8.0	33.0	75.0
193	RIG XX3436	033436P	320mAh	300mAh	≤ 100	3.7V	3.1	34.2	36.0
194		343436P	360mAh	360mAh	≤ 90	3.7V	3.5	34.2	36.0
195		363436P	380mAh	360mAh	≤ 80	3.7V	3.5	34.5	36.0
196		453436CM2	450mAh	420mAh	≤ 110	3.7V	4.5	34.0	36.0
197		553436P	650mAh	620mAh	≤ 60	3.7V	5.5	34.0	36.0
198		063436P	750mAh	720mAh	≤ 60	3.7V	6.0	34.0	36.0
199	RIG XX3444	103444P	1500mAh	1450mAh	≤ 50	3.7V	10.0	34.3	44.5
200	RIG XX3448	063448P	850mAh	820mAh	≤ 60	3.7V	5.8	34.0	48.0
201		083448P	1250mAh	1200mAh	≤ 50	3.7V	7.8	34.0	48.0
202		103448P	1600mAh	1500mAh	≤ 50	3.7V	9.3	34.5	49.8
203	RIG XX3450	383450P	650mAh	620mAh	≤ 60	3.7V	3.8	34.0	50.0
204		483450P	820mAh	800mAh	≤ 60	3.7V	4.8	34.0	50.0
205		053450P	850mAh	800mAh	≤ 60	3.7V	5.0	34.0	50.0
206		063450L	850mAh	850mAh	≤ 60	3.7V	5.6	34.0	50.0
207		063450P	1100mAh	1050mAh	≤ 60	3.7V	6.0	34.0	50.0
208		083450P	1250mAh	1200mAh	≤ 60	3.7V	7.8	34.2	50.0
209		853450P	1500mAh	1400mAh	≤ 50	3.7V	8.5	34.0	50.0
210		093450P	1050mAh	1050mAh	≤ 50	3.7V	8.7	34.0	50.0
211	103450P	1800mAh	1700mAh	≤ 50	3.7V	10.3	34.5	50.0	
212	RIG XX3452	563452P	650mAh	620mAh	≤ 60	3.7V	3.8	34.0	50.0
213	RIG XX3458	383458P	780mAh	750mAh	≤ 60	3.7V	3.8	34.0	58.0
214	RIG XX3460	033560P	600mAh	580mAh	≤ 80	3.7V	3.2	34.5	60.0
215	RIG XX3465	033465P	580mAh	550mAh	≤ 50	3.7V	3.1	34.2	65.0
216		383465P	850mAh	820mAh	≤ 50	3.7V	3.8	34.0	65.0
217		043465P	800mAh	780mAh	≤ 50	3.7V	4.0	34.0	65.0
218		453465P	1050mAh	1050mAh	≤ 50	3.7V	4.5	34.0	65.0
219		053465P	1150mAh	1050mAh	≤ 50	3.7V	5.0	34.2	65.0
220		063465P	1350mAh	1300mAh	≤ 50	3.7V	6.0	34.0	65.0

No.	Model	Typical model	Typical capacity	Nimimal capacity	Impedanc e	Nominal voltage	Dimension		
			mAh	mAh	m Ω	V	Thickness	Width	Length
221	RIG XX3480	653480P	1800mAh	1750mAh	≤ 40	3.7V	6.4	34.0	80.0
222	RIG XX3555	033555P	520mAh	500mAh	≤ 60	3.7V	3.1	35.2	55.0
223		383555P	700mAh	680mAh	≤ 60	3.7V	3.8	35.0	55.0
224		053555P	950mAh	900mAh	≤ 60	3.7V	5.0	35.0	55.0
225		063555P	1200mAh	1150mAh	≤ 50	3.7V	6.0	35.0	55.0
226	RIG XX3562	383562P	800mAh	780mAh	≤ 60	3.7V	3.8	35.0	62.0
227		423562P	880mAh	840mAh	≤ 60	3.7V	4.2	35.0	62.0
228		053562P	1050mAh	1000mAh	≤ 50	3.7V	5.0	35.0	62.0
229		653562P	1400mAh	1350mAh	≤ 50	3.7V	6.5	35.0	62.0
230	RIG XX3587	583587P	1800mAh	1800mAh	≤ 40	3.7V	5.8	35.3	87.5
231	RIG XX3640	353640P	480mAh	470mAh	≤ 80	3.7V	3.5	36.0	40.0
232	RIG XX3645	033645P	420mAh	400mAh	≤ 90	3.7V	3.0	36.0	45.0
233	RIG XX3651	383651P	700mAh	680mAh	≤ 60	3.7V	3.6	36.0	51.0
234	RIG	5536110P	2200mAh	2200mAh	≤ 50	3.7V	5.6	36.5	107.0
235	RIG XX3740	853740P	1200mAh	1150mAh	≤ 60	3.7V	8.5	37.5	41.0
236	RIG XX3753	353753P	700mAh	650mAh	≤ 55	3.7V	3.5	37.0	53.0
237	RIG XX3759	033759P	600mAh	600mAh	≤ 70	3.7V	3.1	37.3	59.5
238		043759P	900mAh	850mAh	≤ 50	3.7V	4.0	37.0	59.0
239		053759HT	1100mAh	1000mAh	≤ 50	3.7V	5.0	37.0	59.0
240		503759P	1200mAh	1150mAh	≤ 50	3.7V	5.0	37.0	59.0
241		583759HT	1300mAh	1200mAh	≤ 50	3.7V	5.8	37.0	59.0
242		583759P	1400mAh	1300mAh	≤ 50	3.7V	5.8	37.0	59.0
243		603759P	1550mAh	1500mAh	≤ 45	3.7V	6.0	37.0	59.0
244	RIG XX3765	403765P	1000mAh	1000mAh	≤ 60	3.7V	4.0	37.0	65.0
245	RIG XX3767	053767P	1300mAh	1250mAh	≤ 50	3.7V	5.0	37.0	67.0
246		073767L	1500mAh	1450mAh	≤ 50	3.7V	6.5	37.0	67.0
247		073767P	1800mAh	1700mAh	≤ 50	3.7V	7.0	37.0	67.0
248	RIG XX3775	553775P	1500mAh	1400mAh	≤ 50	3.7V	5.5	37.0	75.0
249		063775P	1650mAh	1600mAh	≤ 50	3.7V	6.0	37.0	75.0
250	RIG XX3860	723860P	1850mAh	1800mAh	≤ 60	3.7V	7.2	38.0	60.0
251		803860P	2200mAh	2150mAh	≤ 50	3.7V	8.0	38.0	60.0
252	RIG XX3868	093868P	2500mAh	2400mAh	≤ 35	3.7V	9.0	38.0	68.5
253	RIG XX3954	043954P	850mAh	830mAh	≤ 50	3.7V	4.1	39.0	54.0
254		053954P	1050mAh	1000mAh	≤ 50	3.7V	5.0	39.0	54.0
255		063954P	1300mAh	1200mAh	≤ 50	3.7V	5.8	39.0	54.0
256	RIG	0639104P	2000mAh	2100mAh	≤ 50	3.7V	6.0	39.3	104.5
257	RIG XX4040	824040P	1100mAh	1100mAh	≤ 50	3.7V	7.0	40.0	40.0
258	RIG XX4046	504046P	950mAh	900mAh	≤ 60	3.7V	5.2	40.3	46.5

No.	Model	Typical model	Typical capacity	Nimimal capacity	Impedanc e	Nominal voltage	Dimension		
			mAh	mAh	m Ω	V	Thickness	Width	Length
259	RIG XX4050	054050P	1000mAh	900mAh	≤ 50	3.7V	5.0	40.0	50.0
260		554050P	1100mAh	1000mAh	≤ 50	3.7V	5.5	40.0	50.0
261		064050P	1200mAh	1150mAh	≤ 50	3.7V	6.0	40.0	50.0
262		654050P	1400mAh	1300mAh	≤ 50	3.7V	6.6	40.0	50.0
263		104050P	2200mAh	2100mAh	≤ 50	3.7V	10.0	40.0	50.5
264	RIG XX4065	754065P	1800mAh	1700mAh	≤ 50	3.7V	6.0	40.0	67.0
265	RIG	0640110P	2400mAh	2450mAh	≤ 50	3.7V	6.4	40.3	111.0
266	RIG	0540150P	3500mAh	3550mAh	≤ 30	3.7V	5.1	43.0	153.0
267	RIG XX4163	554163P	1500mAh	1400mAh	≤ 50	3.7V	5.5	41.0	63.0
268	RIG XX4374	074374P	2300mAh	2200mAh	≤ 50	3.7V	7.0	43.3	74.5
269	RIG XX4396	064396P	2500mAh	2400mAh	≤ 50	3.7V	6.0	43.0	96.0
270	RIG XX4452	824452P	2000mAh	1900mAh	≤ 50	3.7V	8.2	44.0	52.0
271	RIG XX4466	584466P	1800mAh	1750mAh	≤ 50	3.7V	6.0	44.5	66.0
272	RIG XX45131	6545131P	4500mAh	4350mAh	≤ 50	3.7V	6.5	45.0	131.0
273		0845131P	5100mAh	5100mAh	≤ 50	3.7V	7.5	45.0	131.0
274	RIG XX4795	054795P	1900mAh	1850mAh	≤ 50	3.7V	5.0	47.0	95.0
275	RIG XX4845	554845P	1300mAh	1275mAh	≤ 50	3.7V	5.5	48.3	45.5
276	RIG XX4852	094852P	2300mAh	2250mAh	≤ 50	3.7V	9.0	48.0	52.0
277	RIG XX4854	434854P	1100mAh	1100mAh	≤ 50	3.7V	4.3	48.0	54.0
278		054854P	1500mAh	1450mAh	≤ 50	3.7V	5.5	48.0	54.0
279		064854P	1600mAh	1500mAh	≤ 50	3.7V	6.0	48.0	54.0
280		794854P	2100mAh	2000mAh	≤ 50	3.7V	7.9	48.5	54.5
281	RIG XX4860	304860P	850mAh	850mAh	≤ 50	3.7V	3.15	48.0	60.0
282	RIG	3848120P	2500mAh	2350mAh	≤ 50	3.7V	3.8	48.0	120.0
283	RIG	0448130P	2600mAh	2600mAh	≤ 50	3.7V	3.8	48.0	131.0
284	RIG XX4968	854968P	3000mAh	2950mAh	≤ 50	3.7V	8.5	49.0	68.0
285	RIG XX5057	555057P	1850mAh	1800mAh	≤ 50	3.7V	5.7	50.0	57.0
286	RIG XX5060	055060P	1550mAh	1450mAh	≤ 50	3.7V	5.0	50.0	60.0
287	RIG XX5065	085065P	2100mAh	2050mAh	≤ 50	3.7V	7.3	50.0	65.0
288		085065P	2600mAh	2600mAh	≤ 50	3.7V	7.8	50.0	65.0
289	RIG XX5070	055070P	1800mAh	1700mAh	≤ 50	3.7V	4.8	49.5	70.0
290	RIG XX5080	035080P	1200mAh	1100mAh	≤ 50	3.7V	3.1	49.5	80.0
291		055080P	2000mAh	1900mAh	≤ 50	3.7V	5.0	50.0	80.0
292		065080P	2400mAh	2300mAh	≤ 50	3.7V	6.0	50.0	80.0
293		085080P	3400mAh	3300mAh	≤ 50	3.7V	8.0	50.0	80.0
294	RIG XX5085	045085P	1700mAh	1600mAh	≤ 50	3.7V	4.0	50.0	85.0
295		055085P	2100mAh	2000mAh	≤ 50	3.7V	5.0	50.0	85.0
296		085085P	3500mAh	3350mAh	≤ 50	3.7V	8.0	50.0	85.0



Shenzhen Rigao Technology Co.,Ltd

Factory Add.: 2/F,Bldg. B, Shimei Industrial Park, Sanhe Village, Dalang, Longhua, Baoan, Shenzhen,China

Indian Branch Office: 133 Apna Bazar, Nehru Nagar, New Delhi-110065(India)

Contact Person:Mr. Peter Xiao Cell phone: +91 8588094467 E-mail: peter@sunhighcn.com.cn, sunhighbatteries@gmail.com

Website: www.sunhighcn.com.cn, <http://en.sunhighcn.com>

Product Catalogue (3)

Mobile Power Bank

Model	Output	Nominal capacity	Dimension(mm) (T*W*L)	Weight
 <p>RG-A1</p>	5V 1000mAh	8800mAh	40.7*40.7*96.2	265g
	5V 1000mAh	7800mAh	15*60*95	178g
	5V 1000mAh	6000mAh	15*61*100	165g
 <p>RG B2 移动电源 MOBILE POWER</p>	5V 1000mAh	5600mAh	12.8*54.5*74.8	118g





	5V 1000mAh	4600mAh	13*61*93	130g
RG-C2	5V 1000mAh	5200mAh	10*38*90	124g
RG-D1	5V 800mAh	2800mAh	22.4*22.5*95.7	82g
RG-Z1	5V 1000mAh	2600mAh	27*150 (D*H)	260g



Shenzhen Rigao Technology Co.,Ltd

Factory Add.: 2/F,Bldg. B, Shimei Industrial Park, Sanhe Village, Dalang, Longhua, Baoan, Shenzhen,China

Indian Branch Office: 133 Apna Bazar, Nehru Nagar, New Delhi-110065(India)

Contact Person:Mr. Peter Xiao Cell phone: +91 8588094467 E-mail: peter@sunhighcn.com.cn, sunhighbatteries@gmail.com

Website: www.sunhighcn.com.cn, <http://en.sunhighcn.com>

Product Catalogue(4)

Cylindrical Lithium-ion Battery

Battery Model	Nominal voltage	Nominal capacity	Dimension		Note
			Diameter	Height	
18650 model	3.7V	2600mAh	18mm	65mm	2C
		2400mAh			2C
		2200mAh			2C
		2000mAh			2C
		1800mAh			2C
18500 model	3.7V	1400mAh	18mm	50mm	2C
		1300mAh			2C
		1100mAh			10-20C
17500 model	3.7V	1100mAh	17mm	50mm	2C
17670 model	3.7V	1400mAh	17mm	67mm	2C
14500 model	3.7V	750mAh	14mm	50mm	2C
		700mAh			
14430 model	3.7V	650mAh	14mm	43mm	2C
26650 model	3.7V	3000mAh	26mm	65mm	25C-30C
		4000mAh			10C-20C
		4200mAh			2C
22430 model	3.7V	1200mAh	22mm	43mm	10C-20C
32650 model	3.7V	5000mAh	32mm	65mm	2C



Shenzhen Rigao Technology Co.,Ltd

Factory Add.: 2/F,Bldg. B, Shimei Industrial Park, Sanhe Village, Dalang, Longhua, Baoan, Shenzhen,China


Indian Branch Office: 133 Apna Bazar, Nehru Nagar, New Delhi-110065(India)

Contact Person:Mr. Peter Xiao Cell phone: +91 8588094467 E-mail: peter@sunhighcn.com.cn,

Website: www.sunhighcn.com.cn, <http://en.sunhighcn.com>

Product Catalogue(5)

Ultrasonic Generator for Cleaning Machinery

Model	Power(W)	Dimension(mm)	Voltage(V)	Frequency (KHz)
GZY-A 	200/1500	330*250*110	AC 180~~265V	20/25/28/40
	1600/2300			
	2400/3000			
	200/1500	370*280*150		
	1600/2300			
	2400/3000			



Shenzhen Rigao Technology Co.,Ltd

Factory Add.: 2/F,Bldg. B, Shimei Industrial Park, Sanhe Village, Dalang, Longhua, Baoan, Shenzhen,China

Indian Branch Office: 133 Apna Bazar, Nehru Nagar, New Delhi-110065(India)

Contact Person:Mr. Peter Xiao Cell phone: +91 8588094467 E-mail: peter@sunhighcn.com.cn, sunhighbatteries@gmail.com

Website: www.sunhighcn.com.cn, <http://en.sunhighcn.com>

Product Catalogue(6)

Battery Holder for Flashlight

Model	Type	Dimension	Output Voltage	Capacity	Material	Color
BH18650	3 x 18650 cell holder 	42D*76H(mm)	11.1V	1800-3000mah	ABS plastic material	black& white
BH14500	3 x AA cell holder 	30D*58H(mm)	4.5V			black& white
BH10440	3 x AAA cell holder 	23D*52H(mm)	4.5V			black, white& blue