

SIS201

All You Need to Know About Security with SAP HANA

Andrea Kristen, Holger Mack / TIP In-Memory Platform
SAP TechEd 2012



Disclaimer

This presentation outlines our general product direction and should not be relied on in making a purchase decision. This presentation is not subject to your license agreement or any other agreement with SAP. SAP has no obligation to pursue any course of business outlined in this presentation or to develop or release any functionality mentioned in this presentation. This presentation and SAP's strategy and possible future developments are subject to change and may be changed by SAP at any time for any reason without notice. This document is provided without a warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement. SAP assumes no responsibility for errors or omissions in this document, except if such damages were caused by SAP intentionally or grossly negligent.

Agenda

SAP in-memory computing and SAP HANA

SAP HANA security

- Security approach
- Security architecture and functions
- Data center integration and compliance

Summary


Q&A



SAP in-memory computing and SAP HANA


Breakthrough innovation with in-memory computing

In-memory computing is a technology that **analyzes massive quantities of data in local memory** so that the result of complex analysis and transactions is available at your fingertips – and business decisions can be executed without delay



Breakthrough analytics

Deliver real-time insight and manage 'big data' with SAP HANA



Amazing new applications

Drive rapid innovation and meet strategic challenges with a new wave of in-memory business applications




Dramatic simplification

Reduce complexity to lower cost and accelerate value delivery from IT

In-memory computing orchestrates technology innovations

Software and hardware innovations now make it possible to deliver on SAP's vision of a real-time enterprise with in-memory business applications


SAP software technology innovations



Hardware innovations




SAP in-memory strategy




This is the current state of planning and may be changed by SAP at any time.

Traditional security architecture




SAP HANA scenarios

HANA as persistence
“classical” architecture
e.g. BW on HANA



Data-mart scenarios
analytics only
e.g. analytics on replicated data from ERP







SAP HANA security

Security approach

SAP HANA – security approach




Secure SAP HANA Landscape




Secure In-Memory Architecture

Secure
In-Memory
Computing



Secure Application Architecture




Secure Data Access and Management



SAP HANA security


Security architecture and functions

SAP HANA – security architecture




SAP HANA – authentication and single sign-on

- User name and password
 - Password policy
- Kerberos
 - Incl. delegation
- SAML
 - Bearer token




SAP HANA – user and role management

- Privileges control what users can do
- Privileges or roles can be assigned to users
- Roles are used to bundle and structure privileges
 - E.g. business roles (Modeler)
 - Role hierarchies




SAP HANA – authorization framework

- System privileges: Authorize execution of administrative actions
- SQL privileges: Authorize access to data and operations on database objects
- Analytical privileges: Authorize read access on views at run-time; row-level access based on dimensions of the respective view (analytical, calculation, attribute)
- Repository privileges: Authorize access in the repository (modeling) at design time




SAP HANA – secure communication and encryption

- Communication encryption
 - SSL
- Encryption at rest
 - On the roadmap



SAP HANA – audit logging (I)

- Logging of critical events for security and compliance
 - Users/roles
 - Authorization
 - Configuration
- Data access logging
 - On the roadmap




SAP HANA – audit logging (II)

Audit logging infrastructure

- Creates audit trails
 - Logging of successful and unsuccessful events
- Audit policies

Audit logging of critical events


- Create/drop user/role
- Create/drop analytic privilege
- Grant/revoke SQL/system/analytic privilege
- Grant/revoke role
- Enable/disable audit policy
- User connects to the database
- Configuration changes
- License key installation



*Audit logging infrastructure
(incl. examples of possible future extensions)*

SAP HANA – security administration

- Security management and administration via SAP HANA Studio
 - Authentication policies
 - User/role management etc.
- SQL interface for user/role management




SAP HANA – application services (I)

Rationale:

Enable application development and deployment – minimize “layers”

- For applications with an http-based UI (browser, mobile apps)
- Applications run directly on SAP HANA, without an additional external application server => minimizes TCO
- Leverages the built-in strengths of the SAP HANA database for the best possible performance



SAP HANA – application services (II)

Application services security is based on the SAP HANA database security model

Authentication and single sign-on

- User name/password (HTTP Basic Authentication)
- SAML, SPNego (Kerberos) and SAP Logon Tickets on roadmap

User and role management

- Based on SAP HANA database user management

Authorization

- Based on SAP HANA database authorization system

Secure communication and encryption

- SSL support (server authentication)




SAP HANA security

Data center integration and compliance

SAP HANA – data center integration

- SAP HANA supports standard interfaces to enable integration with customer security network and datacenter infrastructures
- Secure set-up of SAP HANA appliance and network integration






Summary

Summary

SAP HANA comes with security features that allow implementation of different security policies

SAP HANA is used in different scenarios

Security architecture of the scenario determines security approach



Q+A

Further Information

SAP Public Web

http://help.sap.com/hana_appliance -> Security Guide
<http://experiencehana.com>



Watch SAP TechEd Online

www.sapteched.com/online



Feedback

Please complete your session evaluation for **SIS201**.

Contact information:

Andrea Kristen (andrea.kristen@sap.com),

Holger Mack (holger.mack@sap.com)

Thanks for attending this SAP TechEd session.



No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP AG. The information contained herein may be changed without prior notice.

Some software products marketed by SAP AG and its distributors contain proprietary software components of other software vendors.

Microsoft, Windows, Excel, Outlook, PowerPoint, Silverlight, and Visual Studio are registered trademarks of Microsoft Corporation.

IBM, DB2, DB2 Universal Database, System i, System i5, System p, System p5, System x, System z, System z10, z10, z/VM, z/OS, OS/390, zEnterprise, PowerVM, Power Architecture, Power Systems, POWER7, POWER6+, POWER6, POWER, PowerHA, pureScale, PowerPC, BladeCenter, System Storage, Storwize, XIV, GPFS, HACMP, RETAIN, DB2 Connect, RACF, Redbooks, OS/2, AIX, Intelligent Miner, WebSphere, Tivoli, Informix, and Smarter Planet are trademarks or registered trademarks of IBM Corporation.

Linux is the registered trademark of Linus Torvalds in the United States and other countries.

Adobe, the Adobe logo, Acrobat, PostScript, and Reader are trademarks or registered trademarks of Adobe Systems Incorporated in the United States and other countries.

Oracle and Java are registered trademarks of Oracle and its affiliates.

UNIX, X/Open, OSF/1, and Motif are registered trademarks of the Open Group.

Citrix, ICA, Program Neighborhood, MetaFrame, WinFrame, VideoFrame, and MultiWin are trademarks or registered trademarks of Citrix Systems Inc.

HTML, XML, XHTML, and W3C are trademarks or registered trademarks of W3C®, World Wide Web Consortium, Massachusetts Institute of Technology.

Apple, App Store, iBooks, iPad, iPhone, iPhoto, iPod, iTunes, Multi-Touch, Objective-C, Retina, Safari, Siri, and Xcode are trademarks or registered trademarks of Apple Inc.

IOS is a registered trademark of Cisco Systems Inc.

RIM, BlackBerry, BBM, BlackBerry Curve, BlackBerry Bold, BlackBerry Pearl, BlackBerry Torch, BlackBerry Storm, BlackBerry Storm2, BlackBerry PlayBook, and BlackBerry App World are trademarks or registered trademarks of Research in Motion Limited.

Google App Engine, Google Apps, Google Checkout, Google Data API, Google Maps, Google Mobile Ads, Google Mobile Updater, Google Mobile, Google Store, Google Sync, Google Updater, Google Voice, Google Mail, Gmail, YouTube, Dalvik and Android are trademarks or registered trademarks of Google Inc.

INTERMEC is a registered trademark of Intermec Technologies Corporation.

Wi-Fi is a registered trademark of Wi-Fi Alliance.

Bluetooth is a registered trademark of Bluetooth SIG Inc.

Motorola is a registered trademark of Motorola Trademark Holdings LLC.

Computop is a registered trademark of Computop Wirtschaftsinformatik GmbH.

SAP, R/3, SAP NetWeaver, Duet, PartnerEdge, ByDesign, SAP BusinessObjects Explorer, StreamWork, SAP HANA, and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and other countries.

Business Objects and the Business Objects logo, BusinessObjects, Crystal Reports, Crystal Decisions, Web Intelligence, Xcelsius, and other Business Objects products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Business Objects Software Ltd. Business Objects is an SAP company.

Sybase and Adaptive Server, iAnywhere, Sybase 365, SQL Anywhere, and other Sybase products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Sybase Inc. Sybase is an SAP company.

Crossgate, m@gic EDDY, B2B 360° , and B2B 360° Services are registered trademarks of Crossgate AG in Germany and other countries. Crossgate is an SAP company.

All other product and service names mentioned are the trademarks of their respective companies. Data contained in this document serves informational purposes only. National product specifications may vary.

The information in this document is proprietary to SAP. No part of this document may be reproduced, copied, or transmitted in any form or for any purpose without the express prior written permission of SAP AG.