



 **NOW
BRAND-NEW**

Sortimo

TopSystem

Flexible load security on the vehicle roof

Sortimo TopSystem –

The efficient and customisable roof rack solution

Made in Germany

All Sortimo products and processes conform to the quality standards of the ISO 9001 norm and are certified. In addition our roof rack system has been specially tested to meet the standards of the DIN 75302 norm (Roof racks for passenger cars; safety technology, tests).

Environmentally conscious

The basic frame of the roof rack is made of anodised aluminium and the connecting elements are mainly from stainless steel. This means the Sortimo TopSystem has a reduced unladen weight and at the same time boasts an exceptional level of stability. The transporter therefore consumes less fuel and emits less CO₂.

Research and development

Continuous product development based on customer requirements and current standards is a huge part of Sortimo's make up. The conceptual design and production of the products are conducted in the headquarters at Zusmarshausen, Germany. The product design combines innovative material with the latest technology.

Life time cycle tests

We test the conditions to which our products are subjected in many differing ways over the course of their entire life cycle. Sortimo only brings successfully tested products to the market.

Failure Mode and Effects Analysis

We create synergies already in the design and development phases: Development, construction, production planning and quality management all work very closely together. Based on the possibility of the Failure Mode and Effects Analysis we can guarantee already at this early stage the optimum in quality.

Aerodynamic Tests

With the help of various aerodynamic tests we can guarantee that the Sortimo TopSystem provides a marked reduction in noise when compared with conventional angular constructions.

Convenient accessories

We have developed a large number of accessories for the Sortimo TopSystem. This is how we can meet all our customer's requirements. As a result we can offer markedly more combination possibilities than any other provider on the market.

Sortimo is crashtested

The Sortimo TopSystem has, like all Sortimo products, been crash tested. Our aim is to guarantee you the highest level of safety possible. That is why we crash with 20 G, which is twice what the industrial standards demand.



OUR CRASHTEST VIDEO.
JUST TRY IT OUT.



Download
the free Layar App



Scan the page



Explore the
interactive content

TopSystem

flexible load security on the vehicle roof



Ladder lift rear

The ladder lift is suitable for the convenient transport of heavy ladders. Lifting and lashing of ladders is no longer required thanks to the hydraulic cylinder supported lift system. That way one and multi-part ladders can be conveniently handled from the ground. The ladder lift is available in two basic lengths, 2.5 and 3 meters.



Loading roller

The ideal aid for heavy or large transport goods. The loading roller helps to load and unload goods onto and off of the roof very conveniently.

It is available in all cross profile widths and is positioned in between the side rails.



ProSafe

ProSafe enables the integrated serial production in the TopSystem from Sortimo. ProSafe lashing straps can be hooked into the cross members without any difficulty. Thereby the lashing straps could be used for the loading space as well as for the roof rack.

Cross members

Every TopSystem Cross member, whether the basic or the premium variation, allows a revenue load of 50 kilo / 110 lbs.



Side rail

The aluminium side rail serves the purpose of stability and integrates any amount of cross profiles.

The company logo can be applied to the side rail.



Aluminium Transport tube

The perfect extension of the TopSystem. Can transport long goods dry and secure. The cover/endcap is lockable.

The aluminium transport tube is available in the basic lengths 2, 3 and 5 meters made of plastic.



Lighting systems

Warning lights for securing your work area are the perfect extension for your roof racking system. We provide a warning halogen beacon with plug socket, LED beacon yellow with plug socket and LED beacon yellow with magnetic base/socket.



Load stopper 150

The load stopper 150 consists of corrosion resistant stainless steel, therefore no coating is necessary. It can be used as a transport tube, as a load stopper from the side or even for securing a ladder. In addition it can be retrofitted onto the cross members and has a very good noise behaviour.

INDIVIDUALLY ADAPTABLE
TO MEET YOUR NEEDS!

TopSystem

your advantages at a glance

- ▶ **Everything from one source**
From the market leader for professional load securing.
- ▶ **Flexible adjustment to meet your requirements – extendable at any time**
A retro extension of the roof rack is possible at any time thanks to the modular construction of the system.
- ▶ **Simple and fast assembly**
You can even assemble the Sortimo TopSystem yourself, very simply.
- ▶ **Crashtested**
That is how we guarantee the best possible safety standard for you.
- ▶ **Long service life**
No corrosion is possible as the base frame is made of anodised Aluminium and the connection elements are constructed from stainless steel or respectively coated with a weather-proof layer.
- ▶ **Multifunctional application – thanks to useful accessories**
Whether it is the ladder lift, transport tube or lighting devices, you are best equipped with the various functional adaptations for your TopSystem.
- ▶ **For every van**
Thanks to the flexible construction the Sortimo TopSystem is available for all conventional vehicle types and makes.
- ▶ **Light and yet immensely stable**
You profit from the possibilities offered by maximum load on minimal weight.
- ▶ **Professional load securing with integrated lashing rails**
This allows you to use an integrated system for securing the load. In the vehicle on the floor, wall and vehicle equipment, as well as on your roof rack.
- ▶ **Simple assembly on your new vehicle**
The roof rack system can be removed from your old vehicle and adjusted to fit your new vehicle without any great effort.
- ▶ **3 year guarantee**
Sortimo's tested quality will not let you down.




Sortimo ProSafe – Series load securing

- ▶ **Integrated Load securing**
The ProSafe lashing system is integrated in the cross members, on request.
- ▶ **Everything from one source**
Sortimo offers a complete system: lashing possibilities and necessary accessories from one source.
- ▶ **Simple and safe**
Simply and quickly hooked in, secure retention is guaranteed with ProSafe.



Sortimo TopSystem for small LCVs/vans



2 cross members

- Vehicle specific support legs.
- Available as of 2 cross profiles.
- Mountable with basic cross profiles or rubber protectors and ProSafe-cross member lashing rails.
- Available with hard plastic end caps, side supports or side rails.
- For small LCV's/vans.




1

Basic solution

- 4 support legs with 2 cross members
- Hard plastic end caps
- Low net weight
- Low noise

Mounting time: 30-40 min




2

Standard solution

- 4 support legs with 2 cross members
- Side supports 150 provide side securing of the load
- Low noise
- The integrated ProSafe lashing system enables flexible and optimal load securing

Mounting time: 40-50 min



3

Premium solution

- 4 support legs with 2 cross members
- Aluminium side rail provides stability
- Side rails are mountable onto the closed cross profiles and the ProSafe-cross profiles
- Further cross profiles or loading rollers are mountable
- The integrated ProSafe lashing system enables flexible and optimum load securing

Mounting time: 60-70 min


Sortimo TopSystem for

medium sized LCVs/vans



3 cross members

- Vehicle specific support legs.
- Available as of 3 cross profiles.
- Mountable with basic cross profiles or rubber protectors and ProSafe-cross member lashing rails.
- Available with hard plastic end caps, side supports or side rails.
- For medium sized LCV's/vans.




1

Basic solution

- 6 support legs with 3 cross members
- Sturdy, closed aluminium cross profile with anti-slip grooves/rills
- Hard plastic end caps

Mounting time: 40-50 min




2

Standard solution

- 6 support legs with 3 cross members
- Side securing of load by means of side supports
- Supports are mountable on the closed cross profiles and on the ProSafe-cross profile

Mounting time: 50-60 min



3

Premium solution



- 6 support legs with 3 cross members
- 2 aluminium side rails for optimum load securing
- Variable attachable profile supports
- The integrated ProSafe lashing system enables flexible and optimum load securing

Mounting time: 70-80 min

Sortimo TopSystem for large LCVs/vans

4 cross members

- Vehicle specific support legs.
- Available as of 4 cross profiles.
- Mountable with basic cross profiles or rubber protectors and ProSafe-cross member lashing rails.
- Available with hard plastic end caps, side supports or side rails.
- For large LCV's/vans.



1

Basic solution

- 8 support legs with 4 cross members
- Sturdy and low noise cross profile with anti-slip grooves/rills
- Lightweight and yet enormously sturdy

Mounting time: 50-60 min




2

Standard solution

- 8 support legs with 4 cross members
- Including 8 side supports available for professional load securing
- No corrosion thanks to the aluminium and stainless steel parts

Mounting time: 65-75 min



3

Premium solution

- 8 support legs with 4 cross members
- Aluminium side rail for load securing on the sides
- Extendable at any time with additional cross profiles
- Secure loads optimally with the ProSafe lashing rails

Mounting time: 85-95 min

Sortimo International

At your service – worldwide

Sortimo®

Intelligent Mobility



Argentina

Adolfo E. Seifer
Sortimo Liaison Office South America
Francia 2545
AR - 1642 San Isidro
Tel. +54 11 47238571
Fax +54 11 47239112
seiferar@arnet.com.ar
sortimo.com

Australia

Berreny Pty Ltd
P.O. Box 145
AU - 1680 Ryde, NSW
Tel. +61 290457045
info@sortimo.com.au
sortimo.com.au

Austria

Sortimo GesmbH
Technologiezentrum Linz
Wiener Straße 131, Eingang A
A - 4020 Linz
Tel. +43 810 081045
Fax +43 810 081046
office@sortimo.at
sortimo.at

Belgium

Sortimo BELUX bvba
Schaarbeeklei 491
B - 1800 Vilvoorde
Tel. +32 2 3550370
Fax +32 2 3550371
info@sortimo.be
sortimo.be

Cayman Islands

W. S. M. Wacker Service Mobil Ltd.
P.O.Box 823
KY1 - 1103 Grand Cayman Islands
Tel. +1 345 9168565
sunnycayman@hotmail.com
Sortimo.com

Croatia

Sortis oprema d.o.o. M.Gupca 12.
HR - 10434 Strmec
Tel./Fax ++385(0)1 33 85 775 sasa.
hanic@sortimo-oprema.hr
sortimo-oprema.hr

Czech Republic

TOP CENTRUM
Jaroslav Novák
Rohovládova Bělá 91
CZ - 533 43 Rohovládova Bělá
Tel. +420 466 921292
Fax +420 466 921293
topcentrum@topcentrum.cz
topcentrum.cz

Denmark

FD servis Praha s.r.o.
Kufí 26
CZ - 251 01 Říčany u Prahy
Tel. +420 323 606109
Fax +420 323 606107
info@fdservispraha.cz
fdservispraha.cz

Denmark

Sortimo A/S
Greve Main 24
DK - 2670 Greve
Tel. +45 43 5522 22
Fax +45 43 5522 26
info@sortimo.dk
sortimo.dk

Finland

Suomen Autokaluste Oy
Kaapelikatu 4
FIN - 05800 Hyvinkää
Tel. +358 207 558819
info@sortimo.fi
sortimo.fi

France

Sortimo S.A.R.L.
Aéropark
1 Rue Jean Mermoz Bât C6
F - 95500 Gonesse
Tel. +33 1 39874466
Fax +33 1 39875168
info@sortimo.fr
sortimo.fr

Gulf Cooperation Council

H&C Euro Tech Co. WLL Buidling 268,
Avenue 22 Block 324, Al Fateh
Juffair, Manama
Kingdom of Bahrain
Tel. +973-13688 968
Fax +973-13688 978
info@sortimo-gcc.com
hh-eurotec.com
sortimo-gcc.com

Greece

Stathis Transport Refrigeration
Dounas Theocharis & Co SA
Sindos Industrial Area, Entrance B
P.O. Box 11 34
GR - 570 22 Thessaloniki
Tel. +30 23 10798300
Fax +30 23 10798370
contact@stathis.com.gr
stathis.com.gr

UK and Ireland

Sortimo International Ltd.
14 - 17 Ravenhurst Court
Birchwood, Warrington, Cheshire
GB - WA3 6PN
FREEPHONE: 0800 027 5644
Tel. +44 1925 831636
Fax +44 1925 848232
info@sortimo.co.uk
sortimo.co.uk

Italy

T.I.T. EUROPE SRL
Via Luigi Corradi, 16
I - 05100 TERNI (TR)
Tel. +39 0744 390035
Fax +39 0744 390036
commerciale@titeurope.com

Iceland

RAFVER EHF
Skeifan 3 E-F
P.O. Box 84 33
ISL - 108 Reykjavik
Tel. +35 4 5812333
Fax +35 4 5680215
rafver@rafver.is
rafver.is

Hungary

Hofmann Garázsipari Kft.
Budaörsi út 11
H - 2092 Budakeszi
Tel. +36 23 535831
Fax +36 23 535849
ertekesites@ballun.hu
ballun.hu

Poland

Pappas Auto Magyarországi Kft.
Hunyadi János út. 6.
H - 1117 Budapest
Tel. +36 1 4637400
Fax +36 1 4637409
info@pappas.hu
pappas.hu

Israel

Sortline Ltd.
17 Zvi Bergman St.
Industrial Zone Sgula
IL - 4927974 Petach-Tikva
Tel. +972 3 9052117
Fax +972 3 9052110
info@sortline.co.il
sortline.co.il

Italy

T.I.T. EUROPE SRL
Via Luigi Corradi, 16
I - 05100 TERNI (TR)
Tel. +39 0744 390035
Fax +39 0744 390036
commerciale@titeurope.com

T.I.T. Europe SRL
Via Lussemburgo, 7
37069 Villafranca di Verona (VR)
Green number: 800 855 717
sortimo.it

Japan

MURATEC - KDS CORPORATION
No. 39, Matsuda-cho
Higashi-Kujo, Minami-Ku
JP - 601 8036 Kyoto
Tel. +81 75 681 2761
Fax +81 75 661 2764
workman@kdsjpn.co.jp
kdsjpn.co.jp

Lithuania

Skaida-nf UAB
A. Gostauto 8 - 0224
LT - 01108 Vilnius
Tel. +370 5 2613 443
Fax +370 5 2613 443
skaida.nf@mail.lt

Luxembourg

A.V.U. by Breger S.à.r.l
41a, Z.I. Kehlen
L - 8287 Kehlen
Tel. +352 / 48 99 51 50
Fax +352 / 26 10 25 04
Gsm +352/ 621 318 599
hubert@breger.lu
avu.lu

Netherlands

Sortimo Nederland B.V.
Nijverheidstraat 11
NL - 2861 GX Bergambacht
Tel. +31 182 356060
Fax +31 182 356090
info@sortimo.nl
sortimo.nl

Norway

Sortimo A/S
Ulvenveien 92 A
N - 0581 Oslo
Tel. +47 22 729270
Fax +47 22 729272
firmapost@sortimo.no
sortimo.no

Poland

MobilCar s.c.
Dobrze 26
PL - 56-410 Dobroszyce
Tel. +48 71 3153532
Fax +48 71 3153519
sortimo@mobilcar.pl
mobilcar.pl

Romania

S.C. Total Idea SRL
Str. Comisani nr. 18
Sector 4
RO - 042168 Bucuresti
Tel. +4 0742 368 479
george.anghelus@totalidea.ro
auto-scule.ro

Russia

Forward Service
Ochakovskoe sh. 32
RU - 119530 Moscow
Tel. +7 495 2294476
Fax +7 495 2294476
info@sortimo.ru
sortimo.ru

Serbia

Sorti oprema d.o.o.
Krajiška 21
RS - 11080 Zemun
Tel. +381 11 3076750
Fax +381 11 3076752
sortimo@giulicca.com
sortimo.rs

Slovakia

Technia spol s.r.o.
Komárňanská cesta 72
SK - 940 01 Nové Zámky
Tel. +421 35 6291111
Fax +421 35 6426443
technia@technia.sk
technia.sk

Slovenia

Sortimosi d.o.o.
Gerbičeva 57
1000 Ljubljana
Tel. +386 (0)1 280 88 08
Fax +386 (0)1 280 88 10
sortimo@sortimo.si
sortimo.si

Spain / Portugal

Sortimo Ibérica
Comercio y Servicios S.L.
Ctra. M-106 km 2
P.I. Garza 2 nave 29
ES - 28110 Algete (Madrid)
Tel. +34 902448899
Fax +34 916289100
info@sortimo.es
sortimo.es

South Korea

Rocky Co. Ltd.
4 BL-4 LT Namdong
Industrial Complex
Nandong-Gu
KR - 405-846 Incheon
Tel. +82 32 811 5500
Fax +82 32 813 6670
rocky.co.kr
galantvr4@naver.com

Sweden

Sortimo AB
Argogatan 9
SE - 431 53 Mölndal
Tel. +46 31 761 45 20
Fax +46 31 77699 50
info@sortimo.se
sortimo.se

Switzerland

Walter Rüeegg AG
Sortimo Zentrum
Grabenackerstr. 1
CH - 8156 Oberhasli
Tel. +41 44 8525060
Fax +41 44 8525070
info@sortimo.ch
sortimo.ch

Turkey

DORSER OTOMOTIV A.S.
Cumhuriyet Mah. T.Özal CD.119/A
Çayırova KOCAELİ
Tel. +90 262 658 1022
Fax +90 262 658 1033
info@dorser.com
dorser.com

Ukraine

Maison LLC
18 Teplovozna Str.
UKR - 02081 Kiev
Tel. +380 44 3653020
Fax +380 44 3653021
chief@maison.com.ua
maison.com.ua

USA / North America

(Canada, USA, Mexico)
Sortimo of North America, Inc.
3055 Northwoods Cir
US - Norcross, GA 30071
Tel. 877 812 6994 (toll free)
Tel. +1 404 8126994
Fax +1 404 8129940
info@sortimo.us
sortimo.us

FOR FURTHER INFORMATION,
VISIT US ON SORTIMO.COM.

