

It's time for a change

Toyo Tires enables you to move better; our Japanese roots gives you the latest in mobility both on and off the road. But that's just the beginning. What Toyo really does is empower you to move confidently to new and bigger things, to make a change for the better. Just ask those who have. You see, tyres are not just a part of your vehicle. We believe that what you put on the outside of your car, matters to those on the inside. This is why we make tyres for drivers, not cars.





Go anywhere, any time with the **Open Country A/T II**, a true all-terrain tyre that's surprisingly capable off-road but retains the sealed road sensibilities to keep daily drivers safe and long-distance tourers sane, whether that be in a 4x4 ute, 4WD wagon or soft-roader SUV. Widely regarded as one of the best all-terrain tyres on the market due to its longevity, durability and balanced real-world capabilities, this dependable 4WD tyre is the perfect fit for avid adventurers and novices alike with an aggressive yet functional tread pattern that's got the go to match the show, on – or off-road.

Key driver benefits

- Tread life
- Steering response
- Off-road traction
- Low noise
- Puncture resistance

Suitable fitment

- Toyota Landcruiser 200
- Toyota Hi-Lux
- · Nissan Navara

VIEW MORE FITMENTS ONLINE

Features & Benefits



New tread compound with improved wear resistance

Long tread life



Staggered and scalloped shoulder lugs

Improved off-road traction



New casing profile

More even contact pressure distribution for improved resistance to irregular wear and longer wear life



Two jointless cap plies

High speed durability and puncture resistance



Improved tread design with groove in tread blocks and fringed block edges

Improved off-road traction



Improved off-road traction

Deeper tread depth and more void area compared to Open Country A/T II for improved off-road traction.

Related Product Comparison

In comparison to Open Country AT/II



Open Country U/T

- is quieter and more comfortable
- is more suitable for towing
- nas a the best sealed road performance



Open Country R/T

- has stronger off-road traction
- is more puncture resistance
- has a slightly faster wear rate



Open Country M/T

- has the maximum off-road traction
- is more puncture resistance
- has a faster wear rate





dry, tarmac, gravel, grass, mud, clay and sand, so good tyre traction in all conditions is essential" – Jack Monkhouse, Team D-MAX



Performance Rating

- OPEN COUNTRY A/T II
- OPEN COUNTRY U/T
- OPEN COUNTRY R/T



Sizes & Specifications

Tyre Size	Load/ Speed Rating	Light Truck Construction	Ply Rating	Carcass Plies	Tread Depth (mm)	Inflated Dim.		Weight	Max	Max Cold		Measuring	Approved Rim
						O.D. (mm)	O.W. (mm)	(kgs)	Load (kgs)	Pressure (kPa)	UTQG	Rim Width (inch)	Width Codes (inch)
30X9.50R15	104S	Yes	6	2	12.4	750	240	16.6	900	350	-	7.5	6.5 - 8.5
31X10.50R15	1095	Yes	6	2	12.7	775	268	18.2	1030	350	-	8.5	7.0 - 9.0
215/70R15	98H	-		2	9.9	683	221	12.0	750	250	600	6.5	5.5 - 7.0
235/75R15	110R	Yes	8	2	12.4	733	235	15.9	1060	450	-	6.5	6.0 - 7.0
255/70R15	112S	Yes		2	12.6	739	260	17.4	1120	290	-	7.5	7.0 - 8.0
265/70R15	1095	Yes	6	2	12.7	753	272	16.5	1030	350	-	8.0	7.0 - 8.5
215/70R16	96S	-		2	10.0	708	221	11.6	710	240	-	6.5	5.5 - 7.0
225/70R16	102S	Yes	6	2	12.3	722	228	12.6	850	350	-	6.5	6.0 - 7.0
225/75R16	115Q	Yes	10	2	12.3	744	223	17.4	1215	550	-	6	6.0 - 7.0
235/70R16	110R	Yes	8	2	12.4	736	240	13.2	1060	450	-	7.0	6.0 - 7.5
235/85R16	120R	Yes	10	2	12.4	806	235	19.5	1400	550	-	6.5	6.0 - 7.5
245/70R16	118R	Yes	10	2	12.5	750	248	15.3	1320	550	-	7.0	6.5 - 7.5
245/75R16	120S	Yes	10	2	12.5	774	248	19.1	1400	550	-	7.0	6.5 - 8.0
255/70R16	115S	Yes	8	2	12.6	764	260	20.0	1215	450	-	7.5	6.5 - 8.0
265/70R16	121R	Yes	10	2	12.7	778	272	21.9	1450	550	-	8.0	7.0 - 8.5
265/75R16	123R	Yes	10	2	12.7	804	267	21.4	1550	550	-	7.5	7.0 - 8.0
275/70R16	119S	Yes	8	2	12.8	792	279	18.2	1360	450	-	8.0	7.0 - 8.5
285/75R16	126R	Yes	10	2	13.1	834	286	24.0	1700	550	-	8.0	7.5 - 9.0
225/70R17	115S	Yes	10	2	12.3	748	228	16.3	1215	550	-	6.5	6.0 - 7.5

Sizes & Specifications

Tyre Size	Load/ Speed Rating	Light Truck Construction	Ply Rating	Carcass Plies	Tread Depth (mm)	Inflated Dim.		Weight	Max	Max Cold		Measuring	Approved Rim
						O.D. (mm)	O.W. (mm)	(kgs)	Load (kgs)	Pressure (kPa)	UTQG	Rim Width (inch)	Width Codes (inch)
235/60R17	102H	-		2	9.9	714	240	13.9	850	250	600	7.0	6.5 - 8.5
245/65R17	117S	Yes	10	2	12.5	750	248	19.4	1285	550	-	7.0	7.0 - 8.0
245/70R17	114S	Yes	8	2	12.5	776	248	19.5	1180	450	-	7.0	6.5 - 8.0
245/75R17	121S	Yes	10	2	12.5	800	248	20.6	1450	550	-	7.0	6.5 - 7.5
255/65R17	119S	Yes	10	2	12.6	764	260	18.3	1360	550	-	7.5	7.5 - 9.0
265/65R17	120R	Yes	10	2	12.7	776	272	20.5	1400	550	-	8.0	7.5 - 9.5
265/70R17	121S	Yes	10	2	12.7	804	272	22.1	1450	550	-	8.0	7.0 - 8.5
275/65R17	121R	Yes	10	2	12.7	790	279	21.9	1450	550	-	8.0	7.5 - 9.5
285/65R17	121S	Yes	10	2	13.5	802	292	21.5	1450	550	-	8.5	8.0 - 10
285/70R17	121S	Yes	10	2	12.9	832	292	23.8	1450	550	-	8.5	7.5 - 9.0
265/60R18	110R	-		2	10.2	775	272	17.4	1060	250	600	8.0	7.5 - 9.5
285/60R18	120S	-		2	10.8	799	292	23.2	1400	350	-	8.5	8.0 - 10.0
265/50R20	111T	-		2	10.6	774	277	19.1	1090	290	600	8.5	7.5 - 9.5
285/50R20	116T	-		2	10.8	794	297	21.0	1250	290	600	9.0	8.0 - 10.0

TOYO TIRES®

Find a dealer

S Get a price

- **%** 1800 454 065
- Toyo Tyre & Rubber Australia Limited 137-149 Airds Road, Minto, NSW 2566

Visit us at toyotires.com.au