



CONTINUOUS HINGES - MEDIUM GAUGE



- 2" hole spacing.
- 1-1/4" & 1-1/2" Wide: .040 gauge.
- 2" Wide: .045 gauge
- Use with #4/#5 screws, not included.

ORDER #	SIZE	FINISH		PKG.	UNIT
10-000-117	1-1/4" x 72"	US14	NICKEL	100	EACH
10-480-116	1-1/4" x 48"	US3	BR.BRASS	100	EACH
10-360-121	1-1/2" x 36"	US14	NICKEL	100	EACH
10-480-121	1-1/2" x 48"	US14	NICKEL	100	EACH
10-000-121	1-1/2" x 72"	US14	NICKEL	100	EACH
10-480-120	1-1/2" x 48"	US3	BR.BRASS	100	EACH
10-000-120	1-1/2" x 72"	US3	BR.BRASS	100	EACH
10-000-125	2" x 72"	US14	NICKEL	100	EACH
10-000-124	2" x 72"	US3	BR.BRASS	100	EACH


311 CONTINUOUS HINGES - MEDIUM GAUGE



- 2" hole spacing.
- .040 gauge steel.
- Use with #4 x 1/2" flat head wood screws, not included.

ORDER #	SIZE	FINISH		PKG.	UNIT
47-0500	1-1/16" x 72"	US14	NICKEL	10	EA
47-1750	1-1/2" x 72"	US14	NICKEL	10	EA
47-1680	1-1/2" x 72"	PS	PLAIN STL.	10	EA
47-1840	2" x 72"	US3	BR. BRASS	10	EA


SC311 CONTINUOUS HINGES - MEDIUM GAUGE - CARDED



- 2" hole spacing.
- .040 gauge steel.
- Packaged with #4 x 1/2" flat head wood screws.

ORDER #	SIZE	FINISH		PKG.	UNIT
70-0360	1-1/16" x 30"	US3	BR. BRASS	5	EA
70-0600	1-1/16" x 30"	US14	NICKEL	5	EA
70-1440	1-1/2" x 30"	US3	BR. BRASS	5	EA
70-1470	1-1/2" x 30"	US14	NICKEL	5	EA
47-1530	1-1/2" x 48"	US3	BR. BRASS	5	EA
47-1640	1-1/2" x 48"	US14	NICKEL	5	EA


STS311 STAINLESS STEEL CONTINUOUS HINGES - MEDIUM GAUGE



- 2" hole spacing.
- .040 gauge steel
- Use with #4 x 1/2" flat head wood screws, not included.

ORDER #	SIZE	FINISH		PKG.	UNIT
47-8999	1-1/2" x 72"	STS	STAINLESS	10	EA

314 CONTINUOUS HINGES - HEAVY GAUGE



- .060 gauge steel.
- 2" hole spacing.
- Use with #6 x 3/4" flat head wood screws, not included.

ORDER #	SIZE	FINISH		PKG.	UNIT
47-8500	2" x 72"	PS	PLAIN STL.	10	EA
47-8600	2-1/2" x 72"	PS	PLAIN STL.	10	EA
47-8580	2-1/2" x 72"	US14	NICKEL	10	EA
47-8680	3" x 72"	PS	PLAIN STL.	10	EA


NH314 NO HOLE CONTINUOUS HINGES - HEAVY GAUGE



- No hole construction for weld-on applications.
- .060 gauge steel.

ORDER #	SIZE	FINISH		PKG.	UNIT
47-8690	3" x 72"	PS	PLAIN STL.	10	EA

STS314 STAINLESS STEEL CONTINUOUS HINGES - HEAVY GAUGE



- .060 gauge steel;
- 2" hole spacing.
- Use with #6 x 3/4" flat head screws, not incl.

ORDER #	SIZE	FINISH		PKG.	UNIT
47-2911	2" x 72"	STS	STAINLESS	10	EA

CD158 SCREEN DOOR SPRING HINGE - FULL SURFACE



- Hinge size: 3" x 2-1/2".
- Preset spring tension automatically closes lightweight doors.
- 1/card.



ORDER #	FINISH	PKG.	UNIT
74-5610	ZINC	5	CARD

2152 SCREEN DOOR SPRING HINGE - HALF SURFACE



- 2-3/4" x 1-9/16".
- For strong closing action on light to medium weight wood screen doors.
- Spring tension fully adjustable.
- For use in half surface applications.
- Sold by the pair.



ORDER #	FINISH	PKG.	UNIT
38-8200	BRASS	5	PAIR

2154 SCREEN DOOR SPRING HINGE - FULL SURFACE



- 2-3/4" x 3".
- Same features as 2152 pictured above.
- For use in full surface applications.
- Sold 1 each per card, or 1 pair per pack.



ORDER #	FINISH	PKG.	UNIT
74-8848	ZINC	5	EACH
74-8850	BRASS	5	EACH
81-5395	ZINC	5	PAIR
81-5400	BRASS	5	PAIR

I54 HEAVY SCREEN DOOR SPRING HINGE - FULL SURFACE



- 3" x 3".
- For use on heavy wood screen doors.
- Spring tension is fully adjustable.
- For use on full surface applications.
- Sold by the pair.




ORDER #	FINISH	PKG.	UNIT
38-2200	ZINC	5	PR

We offer a huge selection of decorative and functional hardware online. Visit our online catalog today at www.thehardwarehut.com



Hardware Hut.com
a division of Spokane Hardware Supply, Inc.

875 FOLDING SCREEN HINGES - DOUBLE ACTING




- Double acting for two-way screens.
- For 3/4" wood thickness.
- 1 pair per card or pack.



ORDER #	SIZE	FINISH		PKG.	UNIT
73-0200	3/4"	US4	SAT. BRASS	10	CARD

CD150 CAFE DOOR HINGE



- For louver or dwarf doors 3/4" to 1-3/8" thick.
- Adjustment feature to align doors.
- Returns door to center of opening automatically by gravity.
- Holds door open at 90° on either side of opening.
- One set per card or pack with screws.

ORDER #	SIZE	FINISH		PKG.	UNIT
53-0017	-	US4	SAT. BRASS	5	CARD
81-0300	-	US4	SAT. BRASS	10	PK

NON-MORTISE BI-FOLD DOOR HINGE



- Overall Height: 3"
- Pin Diameter: 1/4"
- Leaf Width: 7/8" & 5/8"
- For use on bi-fold doors.
- Made of wrought steel.
- 2 per card with screws.



ORDER #	SIZE	FINISH		PKG.	UNIT
40-2134	3"	US4	SATIN BR.	10	CD

NON-MORTISE BI-FOLD DOOR HINGE



- Overall Height: 3-1/2"
- Pin Diameter: 1/4"
- Leaf Width: 1"
- **NOTE:** Only nickel hinges include mounting screws.



ORDER #	SIZE	FINISH		PKG.	UNIT
H03-03970-144	3-1/2"	NICKEL		1	EACH
H03-03970-9R4	3-1/2"	ANTIQUÉ BRONZE		1	EACH

850 HEAVY DUTY FULL SURFACE HINGE



- For window grilles, steel shutters, iron gates or for general utility heavy duty requirements.
- Not swagged.
- Five knuckles, no holes, welding.
- Fixed pin.
- Screws not included.



ORDER #	SIZE	FINISH		PKG.	UNIT
12-7850	3"	PS	PLAIN STL.	2	EACH
12-8350	4"	PS	PLAIN STL.	2	EACH
12-8550	5"	PS	PLAIN STL.	2	EACH

SHS - One complete source for all of your finish hardware needs.

RESIDENTIAL DOOR HINGES - 5/8" RADIUS CORNER



- Made of steel.
- For use on interior hollow core lightweight doors.
- Non-rising removable steel pin
- Includes screws.

ORDER #	SIZE	FINISH	PKG	UNIT
SGS158-3.5X3.5-US1D	3-1/2"	FLAT BLACK	100	EACH
SGS158-3.5X3.5-US3	3-1/2"	POLISHED BRASS	100	EACH
SGS158-3.5X3.5-US5	3-1/2"	ANTIQU BRASS	100	EACH
SGS158-3.5X3.5-OWB	3-1/2"	OLD WORLD BRNZ.	100	EACH
SGS158-3.5X3.5-US10A	3-1/2"	ANTIQU BRONZE	100	EACH
SGS158-3.5X3.5-US15	3-1/2"	SATIN NICKEL	100	EACH
SGS158-3.5X3.5-US15A	3-1/2"	ANTIQU NICKEL	100	EACH
SGS158-3.5X3.5-US26	3-1/2"	POL. CHROME	100	EACH
SGS158-3.5X3.5-US26D	3-1/2"	BRUSHED CHROME	100	EACH
SGS158-4X4-US1D	4"	FLAT BLACK	100	EACH
SGS158-4X4-US3	4"	POLISHED BRASS	100	EACH
SGS158-4X4-US5	4"	ANTIQU BRASS	100	EACH
SGS158-4X4-OWB	4"	OLD WORLD BRNZ.	100	EACH
SGS158-4X4-US10A	4"	ANTIQU BRONZE	100	EACH
SGS158-4X4-US15	4"	BRUSHED NICKEL	100	EACH
SGS158-4X4-US15A	4"	ANTIQU NICKEL	100	EACH
SGS158-4X4-US26	4"	POL. CHROME	100	EACH
SGS158-4X4-US26D	4"	BRUSHED CHROME	100	EACH

RESIDENTIAL DOOR HINGES - 5/8" RADIUS X SQUARE CORNER



- Made of steel.
- For use on interior hollow core lightweight doors.
- Non-rising removable steel pin; includes screws.
- NOTE: Does NOT match Stanley 4x4 residential hole pattern.

ORDER #	SIZE	FINISH	PKG	UNIT
SGS5810-4X4-US3	4"	POLISHED BRASS	100	EACH
SGS5810-4X4-US5	4"	ANTIQU BRASS	100	EACH
SGS5810-4X4-US10A	4"	ANTIQU BRONZE	100	EACH
SGS5810-4X4-US15	4"	BRUSHED NICKEL	100	EACH
SGS5810-4X4-US15A	4"	ANTIQU NICKEL	100	EACH
SGS5810-4X4-US26D	4"	BRUSHED CHROME	100	EACH


RESIDENTIAL DOOR HINGES - 1/4" RADIUS CORNER



- Made of steel.
- For use on interior hollow core lightweight doors.
- Non-rising removable steel pin.
- Includes screws.

ORDER #	SIZE	FINISH	PKG.	UNIT
SGS114-3.5X3.5-US1D	3-1/2"	FLAT BLACK	100	EACH
SGS114-3.5X3.5-US3	3-1/2"	POL. BRASS	100	EACH
SGS114-3.5X3.5-US5	3-1/2"	ANTIQU BRASS	100	EACH
SGS114-3.5X3.5-OWB	3-1/2"	OLD WORLD BRNZ.	100	EACH
SGS114-3.5X3.5-US10A	3-1/2"	ANTIQU BRONZE	100	EACH
SGS114-3.5X3.5-US15	3-1/2"	SATIN NICKEL	100	EACH
SGS114-3.5X3.5-US15A	3-1/2"	ANTIQU NICKEL	100	EACH
SGS114-3.5X3.5-US26	3-1/2"	POL. CHROME	100	EACH
SGS114-3.5X3.5-US26D	3-1/2"	DULL CHROME	100	EACH
SGS114-3.5X3.5-US3	3-1/2"	POL. BRASS	100	EACH
SGS114-3.5X3.5-US5	3-1/2"	ANTIQU BRASS	100	EACH
SGS114-4X4-US5	4"	ANTIQU BRASS	100	EACH
SGS114-4X4-OWB	4"	OLD WORLD BRNZ.	100	EACH
SGS114-4X4-US10A	4"	ANTIQU BRONZE	100	EACH
SGS114-4X4-US15	4"	SATIN NICKEL	100	EACH
SGS114-4X4-US15A	4"	ANTIQU NICKEL	100	EACH

741 RESIDENTIAL DOOR HINGES - SQUARE CORNER



- For use on lightweight, hollow core interior doors.
- Non-rising removable steel pin.
- Includes screws.

ORDER #	EDP #	SIZE	FINISH	PKG.	UNIT
741 US4 3"	08-1100	3"	SATIN BRASS	50	PR
741 US26D 3-1/2"	08-2090	3-1/2"	SATIN CHROME	50	PR

BALL TIP HINGE SET - FOR PBB PB81/BB81 HINGES




- Set includes hinge pin & 2 ball tips.
- For use with PBB model PB81 & BB81 hinges.

ORDER #	SIZE	FINISH	PKG.	UNIT
BT35 US3	3-1/2"	POL. BRASS	1	SET
BT35 US10B	3-1/2"	OIL RUBBED BRZ.	1	SET
BT40 US3	4"	POL. BRASS	1	SET
BT40 US10B	4"	OIL RUBBED BRZ.	1	SET

This is a comprehensive catalog of our major stock lines but it does not show all available product lines. If there is something you need that is not shown, we may be able to order it. Please call and we will do all we can to help. More products are also available online at www.thehardwarehut.com.


PB81 STANDARD WEIGHT FULL MORTISE HINGES - SQUARE CORNER



ORDER #	SIZE	FINISH	GAUGE	PKG.	UNIT
PB81 3-1/2 US3	3-1/2"	POL. BRASS	.123	3	EACH
PB81 3-1/2 US4	3-1/2"	SATIN BRASS	.123	3	EACH
PB81 3-1/2 US10A	3-1/2"	OIL RUBBED BRZ.	.123	3	EACH
PB81 3-1/2 US26D	3-1/2"	DULL CHROME	.123	3	EACH
PB81 3-1/2 USP	3-1/2"	PRIMED	.123	3	EACH
PB81 4" US3	4"	POL. BRASS	.130	3	EACH
PB81 4" US4	4"	SATIN BRASS	.130	3	EACH
PB81 4" US10A	4"	OIL RUBBED BRZ.	.130	3	EACH
PB81 4" US26D	4"	DULL CHROME	.130	3	EACH
PB81 4" USP	4"	PRIMED	.130	3	EACH
PB81 4-1/2" US3	4-1/2"	POL. BRASS	.134	3	EACH
PB81 4-1/2" US4	4-1/2"	SATIN BRASS	.134	3	EACH
PB81 4-1/2" US10	4-1/2"	SATIN BRONZE	.134	3	EACH
PB81 4-1/2" US10A	4-1/2"	OIL RUBBED BRZ.	.134	3	EACH
PB81 4-1/2" US26	4-1/2"	POL. CHROME	.134	3	EACH
PB81 4-1/2" US26D	4-1/2"	DULL CHROME	.134	3	EACH
PB81 4-1/2" USP	4-1/2"	PRIMED	.134	3	EACH
PB81 4-1/2" US3 NRP	4-1/2"	POL. BRASS	.134	3	EACH
PB81 4-1/2" US4 NRP	4-1/2"	SATIN BR.	.134	3	EACH
PB81 4-1/2" US10 NRP	4-1/2"	SATIN BRONZE	.134	3	EACH
PB81 4-1/2" US10A NRP	4-1/2"	OIL RUBBED BRZ.	.134	3	EACH
PB81 4-1/2" US26D NRP	4-1/2"	DULL CHROME	.134	3	EACH
PB81 4-1/2" USP NRP	4-1/2"	PRIMED	.134	3	EACH
PB81 5" US26D	5"	DULL CHROME	.134	3	EACH

- PB81: Steel based.
- Plain bearing, standard weight, five knuckle.
- Residential & medium-weight low-frequency doors.
- Template screw hole location for use on either wood or hollow metal doors and frames.
- Equipped with easily seated non-rising pins.
- Machine & wood screws included.
- NRP hinges have non-removable pins.

BB81/BB51 STANDARD WEIGHT FULL MORTISE HINGES - BALL BEARING - SQUARE CORNER



ORDER #	SIZE	FINISH	GAUGE	PKG.	UNIT
BB81 4" US3	4"	POL. BRASS	.130	3	EACH
BB81 4" US4	4"	SATIN BRASS	.130	3	EACH
BB81 4" US10A	4"	OIL RUBBED BRZ.	.130	3	EACH
BB81 4" US26D	4"	DULL CHROME	.130	3	EACH
BB81 4" USP	4"	PRIMED	.130	3	EACH
BB81 4-1/2" US3	4-1/2"	POL. BRASS	.134	3	EACH
BB81 4-1/2" US4	4-1/2"	SATIN BRASS	.134	3	EACH
BB81 4-1/2" US10	4-1/2"	SATIN BRONZE	.134	3	EACH
BB81 4-1/2" US10A	4-1/2"	OIL RUBBED BRZ.	.134	3	EACH
BB81 4-1/2" US26D	4-1/2"	DULL CHROME	.134	3	EACH
BB81 4-1/2" US26	4-1/2"	POL. CHROME	.134	3	EACH
BB81 4-1/2" USP	4-1/2"	PRIMED	.134	3	EACH
BB51 4-1/2" US32D	4-1/2"	STAINLESS STEEL	.134	3	EACH
BB81 4-1/2" US3 NRP	4-1/2"	POL. BRASS	.134	3	EACH
BB81 4-1/2" US4 NRP	4-1/2"	SATIN BRASS	.134	3	EACH
BB81 4-1/2" US10 NRP	4-1/2"	SATIN BRONZE	.134	3	EACH
BB81 4-1/2" US10A NRP	4-1/2"	OIL RUBBED BRZ.	.134	3	EACH
BB81 4-1/2" US26D NRP	4-1/2"	DULL CHROME	.134	3	EACH
BB81 4-1/2" USP NRP	4-1/2"	PRIMED	.134	3	EACH
BB81 5" US26D	5"	DULL CHROME	.134	3	EACH

- BB81: Steel based.
- BB51: Stainless Steel based.
- Five knuckle.
- For medium-weight average-frequency doors.
- Template screw hole location for use on either wood or hollow metal doors & frames.
- Equipped with easily seated non-rising pins.
- Machine & wood screws included.
- NRP hinges have non-removable pins.

4B81/4B21 HEAVY WEIGHT FULL MORTISE HINGES - SQUARE CORNER





- 4B81: Steel based; 4B21: Brass based.
- For medium-weight high-frequency doors.
- Template screw hole location for use on either wood or hollow metal doors & frames; Machine & wood screws included.
- NRP hinges have non-removable pins.



ORDER #	SIZE	FINISH	GAUGE	PKG.	UNIT
4B81 4-1/2" US26D	4-1/2"	SATIN CHROME	.180	3	EACH
4B81 4-1/2" US26D NRP	4-1/2"	SATIN CHROME	.180	3	EACH
4B21 4-1/2" US26D NRP	4-1/2"	SATIN CHROME	.180	3	EACH

SC81 SWING CLEAR HINGES




- For full mortise application on square edge doors.
- Ideal for remodeling or new construction.
- Designed to swing doors completely clear or the opening when door is opened 95°.



ORDER #	SIZE	FINISH	GAUGE	PKG.	UNIT
SC81 3-1/2" US26D	3-1/2"	DULL CHROME	.123	3	EACH
SC81 3-1/2" US4	3-1/2"	SATIN BRASS	.123	3	EACH
SC81 4" US26D	4"	DULL CHROME	.130	3	EACH
SC81 4" US4	4"	SATIN BRASS	.130	3	EACH

SINGLE ACTING SPRING HINGES - STANDARD WEIGHT - SQUARE CORNER

- Adjustable tension.
- Full mortise.
- Self closing.
- Non-handed.



- Packed with screws & adjusting wrench (1/box or card).



Recommended Max. Door Weight 4x4 Spring Hinges (for 1-3/8" & 1-3/4" door):


- Up to 60 lbs.- 1 spring hinge & 2 butt hinges.
- Up to 85 lbs.- 2 spring hinges & 1 butt hinge.
- Up to 110 lbs.- 3 spring hinge.

4.5x4.5 Spring Hinges (for 1-3/4" door):

- Up to 70 lbs.- 1 spring hinge & 2 butt hinges.
- Up to 100 lbs.- 2 spring hinges & 1 butt hinge.
- Up to 150 lbs.- 3 spring hinges.

ORDER #	SIZE	FINISH	GAUGE	PKG.	UNIT
SP81 4X4 US26D	4"	DULL CHROME	.130	1	EACH
SP81 4-1/2 US3	4-1/2"	POL. BRASS	.134	1	EACH
SP81 4-1/2 US4	4-1/2"	SATIN BRASS	.134	1	EACH
SP81 4-1/2 US10	4-1/2"	SATIN BRONZE	.134	1	EACH
SP81 4-1/2 US10A	4-1/2"	OIL RUBBED BRZ.	.134	1	EACH
SP81 4-1/2 US26D	4-1/2"	DULL CHROME	.134	1	EACH
SP81 4-1/2 USP	4-1/2"	PRIMED	0.134	1	EACH
SP51 4-1/2 US32D	4-1/2"	SATIN STAINLESS	.134	1	EACH

SINGLE ACTING SPRING HINGES - STANDARD WEIGHT - 5/8 & 1/4 RADIUS CORNER



- Adjustable tension.
- Full mortise, self-closing, non-handed hinges.
- Packed with screws & adjusting wrench (1pair/box).


Maximum Door Size:

- 50 or 70 lbs. - 2ea. 3-1/2" spring hinges & 1 butt hinge.
- 90 lbs. - 3ea 3-1/2" spring hinges.
- 60 or 85 lbs. - 2ea. 4" spring hinges & 1 butt hinge.
- 110 lbs. - 3 ea. 4" spring hinges.



ORDER #	SIZE	RADIUS	FINISH	GAUGE	PKG.	UNIT
LB4311-350-633	3-1/2"	1/4"	SAT. BRASS	.123	1	PR
LB4311-400-633	4"	1/4"	SAT. BRASS	.130	1	PR
LB4312-350-633	3-1/2"	5/8"	SAT. BRASS	.123	1	PR
LB4312-400-633	4"	5/8"	SAT. BRASS	.130	1	PR
TENSION PIN RES	FITS SGS & BOMMER HINGES				1	EA

SINGLE ACTING SPRING HINGES - RESIDENTIAL WEIGHT - SQUARE CORNER



Recommended Maximum Door Weights


3.5"x3.5" Spring Hinges (for 1-3/8" door):

- Up to 40 lbs.- 1 spring hinge & 2 butt hinges.
- Up to 70 lbs. - 2 spring hinges & 1 butt hinge.
- Up to 90 lbs. - 3 spring hinges.




ORDER #	SIZE	FINISH	GAUGE	PKG.	UNIT
RS81 3-1/2 US26D	3-1/2"	DULL CHROME	.100	1	EACH

- 5/8" & 5/8" x SQUARE CORNER



SGS588





SGS558

- SGS558: 5/8" radius corner.
- SGS588: Square corner x 5/8" radius.



ORDER #	SIZE	RADIUS	FINISH	PKG	UNIT
SGS558-4x4-US1D	4"	5/8"	MATTE BLACK	100	EACH
SGS558-4X4-US10A	4"	5/8"	ANTIQUÉ BRONZE	100	EACH
SGS558-4X4-US15	4"	5/8"	SATIN NICKEL	100	EACH
SGS588-4X4-US3	4"	5/8" x SQ	POLISHED BRASS	100	EACH
SGS588-4X4-US10A	4"	5/8" x SQ	ANTIQUÉ BRONZE	100	EACH
SGS588-4X4-US15	4"	5/8" x SQ	SATIN NICKEL	100	EACH
SGS588-4X4-US26D	4"	5/8" x SQ	BRUSHED CHROME	100	EACH
TENSION PIN RES	FITS SGS AND BOMMER HINGES			1	EACH

DOUBLE ACTING SPRING FLOOR PIVOT



- Malleable iron & steel mechanism; ball bearing.
- Horizontal type with floor plate.
- Hold-open at approximately 85°.
- Adjustable spring tension.
- Non-handed.
- Packed 1 set per box with wood screws, side plates, back plates, and top pivot.



ORDER #	FOR DOORS	FINISH		PKG.	UNIT
7811-632	1-3/8" - 1-3/4"	US3	BR. BRASS	1	SET
7811-633	1-3/8" - 1-3/4"	US4	SAT. BRASS	1	SET


DOUBLE ACTING SPRING FLOOR PIVOT



- Ball bearing, double-acting mechanism.
- Holds open at approximately 85°.
- Non-handed, adjustable tension.
- Packed one set per box with wood screws, side plates, back plates, and top pivot.

ORDER #	FOR DOORS	FINISH		PKG.	UNIT
DASH95U10B	1-3/8" - 1-3/4"	US10B	OIL RUB BRZ	1	SET
DASH95U15	1-3/8" - 1-3/4"	US15	SAT. NICKEL	1	SET


DOUBLE ACTING SPRING GATE PIVOT



- Surface pivot, flat gate bracket & flat jamb bracket.
- Adjustable spring tension; non handed.
- Max. Gate Size: 36" wide x 2-1/2" thick; 75 lbs.
- Gate brackets for door not less than 1" thick.
- Flat jamb bracket: 1-1/4" wide.
- Packed 1 set per box with #12 x 1-1/4" flat head wood screws.

ORDER #	LOAD	FINISH		PKG.	UNIT
7112-603	75 LB.	US2G	ZINC	1	SET
7112-633	75 LB.	US4	SATIN BR.	1	SET

DOUBLE ACTING GRAVITY GATE PIVOT




- Steel; non handed.
- Hold open at 90°.
- Door weight closes door.
- Max. Door Size: 30" wide; 75 lbs.
- Door brackets: flat type for door 7/8" to 1-5/8" thick.
- Jamb brackets: flat type 1-1/4" wide.



ORDER #	LOAD	FINISH		PKG.	UNIT
7512-603	50 LB.	US2G	ZINC	1	SET
7512-633	50 LB.	US4	SATIN BR.	1	SET

DOUBLE ACTING SPRING HINGES - FULL SURFACE




- Doors will open either direction & return to closed position.
- Fits into standard full mortise cutout in hollow metal door.
- Door flange is mortised into edge of door.
- Jamb flange surface applied to face of frame.
- Steel material.
- Non-handed.
- Packed with all wood screws.



Item Number		2 Hinges		3 Hinges		Door Height
		Door Weight Lbs.	Door Width	Door Weight Lbs.	Door Width	
3029-3	3023-3	35	2'-0"	39	2'-8"	5'-0"
3029-4	3023-4	60	2'-4"	75	3'-0"	6'-8"
3029-5	3023-5	65	2'-8"	93	3'-0"	6'-8"
3029-6	3023-6	75	2'-8"	107	3'-0"	7'-0"
3029-7	3023-7	82	3'-0"	120	3'-6"	7'-0"

ORDER #	FOR DOORS	FINISH		PKG.	UNIT
3029-603-3	3/4" - 1"	US2G	ZINC	1	PR
3029-633-3	3/4" - 1"	US4	SAT. BRASS	1	PR
3029-603-4	7/8" - 1-1/4"	US2G	ZINC	1	PR
3029-633-4	7/8" - 1-1/4"	US4	SAT. BRASS	1	PR
3029-601-5	1-1/8" - 1-1/2"	US1D	BLACK	1	PR
3029-603-5	1-1/8" - 1-1/2"	US2G	ZINC	1	PR
3029-633-5	1-1/8" - 1-1/2"	US4	SAT. BRASS	1	PR
3029-601-6	1-1/4" - 1-3/4"	US1D	BLACK	1	PR
3029-603-6	1-1/2" - 1-3/4"	US2G	ZINC	1	PR
3029-633-6	1-1/4" - 1-3/4"	US4	SAT. BRASS	1	PR
3029-633-7	1-3/8" - 2"	US4	SAT. BRASS	1	PR

DOUBLE ACTING SPRING HINGES - HALF SURFACE



- Doors will open either direction & return to closed position.
- Door flange is surface applied to face of door.
- Jamb flange is surface applied to jamb.
- Do not use on doors with hinge edge beveled.
- Steel material.
- Non-template, non-handed.
- Packed with all wood screws.



ORDER #	FOR DOORS	FINISH		PKG.	UNIT
3023-603-3	3/4" - 1"	US2G	ZINC	1	PR.
3023-633-3	3/4" - 1"	US4	SAT. BRASS	1	PR.

REPLACEMENT SPRINGS (FOR 3029 HINGES ABOVE)



ORDER #	FOR USE WITH	PKG.	UNIT
F0-3-7	3" HINGES	1	EACH
F0-4-7	4" HINGES	1	EACH
F0-5-7	5" HINGES	1	EACH
F0-6-7	6" HINGES	1	EACH

TENSION PINS (FOR 3029 HINGES ABOVE)



ORDER #	FOR USE WITH	PKG.	UNIT
F803	3" HINGES	1	EACH
F804	4" HINGES	1	EACH
F805	5" HINGES	1	EACH
F806	6" HINGES	1	EACH

Decorative Hardware

Hinges

Gate/Specialty Hinges

Cabinet Organizers

Drawer Slides

908 HEAVY DUTY TEE HINGES - BULK/CARDED



- Limited lifetime guarantee.
- Bulk - screws not included.
- Carded - 2/card, includes screws.

ORDER #	SIZE	FINISH		PKG.	UNIT
14-5600	4"	US2C	ZINC	10	EACH
14-4920	5"	US2C	ZINC	10	EACH
14-5020	6"	US2C	ZINC	10	EACH
14-5160	8"	US2C	ZINC	10	EACH
78-5035	8"	US2C	ZINC (2/CD)	5	CARD
14-5252	10"	US2C	ZINC	10	EACH

CD909/SP909 DECORATIVE HEAVY TEE HINGES - CARDED / BAGGED



- Limited lifetime finish.
- Bearing design eliminates metal to metal contact.
- 2 per card or 1 per pack, both with screws.

ORDER #	SIZE	FINISH		PKG.	UNIT
78-5300	4"	US1D	BLACK	5	CD
78-5310	6"	US1D	BLACK	5	CD
78-5320	8"	US1D	BLACK	5	CD
15-6490	8"	US1D	BLACK	10	PK

CD900 LIGHT STRAP HINGE - CARDED



- Ideal for use on tool boxes, storage chests & small shed doors.
- Can be used in interior or exterior applications.
- 2 per card with screws.

ORDER #	SIZE	FINISH		PKG.	UNIT
75-3250	3"	US2C	ZINC	10	CD

902 LIFESPAN® HEAVY DUTY STRAP HINGE - BULK



- Limited lifetime guarantee.
- Exclusive bearing design eliminates metal to metal contact.
- Bulk - screws not included.

ORDER #	SIZE	FINISH		PKG.	UNIT
14-1270	4"	US2C	ZINC	10	EACH
14-1370	5"	US2C	ZINC	10	EACH
14-1500	6"	US2C	ZINC	10	EACH
14-1620	8"	US2C	ZINC	10	EACH
14-1720	10"	US2C	ZINC	10	EACH

951 SCREW HOOKS & STRAP HINGES - BULK



- For use to hang doors and gates in surface mounted applications.
- Heavy metal strap pivots & malleable iron screw hook.
- Screws not included.


ORDER #	SIZE	FINISH		PKG.	UNIT
57-2650	#10	US2C	ZINC	1	PR

DUMMY STRAPS - SMOOTH IRON

More gate hinges shown online.



a division of Spokane Hardware Supply, Inc.




- False strap for use with butt hinge.
- The smooth iron hardware is typical of Early American styling with a flat black appearance which simulates the iron as it was originally forged.

ORDER #	LENGTH	WIDTH AT STRAP	FINISH	PKG.	UNIT
AIBBP	14"	1-5/8"	BLACK	1	EACH
AIDBP	18-3/4"	1-5/8"	BLACK	1	EACH

DUMMY STRAPS - ROUGH IRON

DETAIL VIEW




- False strap for use with butt hinge.
- The uneven surface of the rough iron imitates hand hammered metal and natural aging.



ORDER #	LENGTH	WIDTH AT STRAP	FINISH	PKG.	UNIT
RICBP	8-3/4"	1-3/8"	BLACK	1	EACH
RIDBP	14-1/4"	1-3/8"	BLACK	1	EACH
RI1BP	22-1/4"	1-9/16"	BLACK	1	EACH
RI2BP	18-3/4"	1-9/16"	BLACK	1	EACH

STRAP HINGES - SMOOTH IRON

DETAIL VIEW




- Strap width at hinge: 1-5/8in.(41mm)
- Leaf height: 3-1/8in.(79mm)
- Leaf width: 1-3/8in.(35mm)
- Gauge of metal: .120in.(4mm)
- Using three hinges, these straps are suitable for doors 1-3/8in.(35mm) x 32in.(813mm) wide up to 90lbs.



ORDER #	LENGTH	WIDTH AT STRAP	FINISH	PKG.	UNIT
AI5BP	10"	1-5/8"	BLACK	1	EACH
AI8BP	17-3/4"	1-5/8"	BLACK	1	EACH

STRAP HINGES - ROUGH IRON

DETAIL VIEW



- Strap width at hinge: 1-3/8in.(35mm)
- Leaf height: 3-1/8in.(79mm)
- Leaf width: 1-3/8in.(35mm)
- Gauge of metal: .120in.(3mm)
- Using three hinges, these straps are suitable for doors 1-3/8in.(35mm) x 32in.(813mm) wide up to 90lbs.



ORDER #	LENGTH	WIDTH AT STRAP	FINISH	PKG.	UNIT
RI5BP	9"	1-3/8"	BLACK	1	EACH
RI6BP	13"	1-3/8"	BLACK	1	EACH

BUTT HINGES - SMOOTH IRON



- Button tip; Removeable pin.
- Includes mounting screws
- Gauge: Made of .132 gauge steel.



ORDER #	SIZE	FINISH	PKG.	UNIT
TJ5BP	4" x 4"	BLACK	1	EACH