Product S D otlight



Nice | HySecurity **Full-Line Gate** Operator Manufacturer









Residential operators

Simplified gate automation and access for home, farm, and ranch applications

7251/7351 Slide

Durable construction, dependable performance









powered by = 1050US

Apollo Linear Actuator

Trusted value, rugged performance









powered by **=== 636, 936, 1050**

Vanguard 3501 Swing

See the gate, not the opener









powered by = 1050US

TITAN Linear Actuator

Elegant, modular design meets quiet operation









owered by = 936, 1050

Commercial operators

Enabling the free flow of traffic through secure and efficient gate automation

SlideSmart™ DC

Dependable slide gate operator with battery backup









SlideSmart™ CNX

The industry's smartest slide gate operator









SlideSmart™ HD

Move large, heavy gates with ease









SwingSmart™ DC

Dependable swing gate operator with battery backup









SwingSmart™ CNX

The industry's smartest swing gate operator









StrongArmPark™ DC

Proven reliability with support for revenue control










M-Bar / L-Bar

Advanced traffic control solutions









Industrial operators

Powerful, long-lasting, and lowmaintenance automation solutions for the largest and heaviest gates

SlideDriver™

Maximum security combined with extreme durability









SlideDriver™ 200

Ultimate performance and power for the heaviest gates









StrongArm®

Reliable, lowmaintenance multi-lane traffic control









HydraSwing™

Compact power for large swing gates or high-wind applications









SwingRiser[™]

Unique two-axis movement to clear ground obstacles









SmartTouch

HydraLift™

Quickly clear wide traffic lanes at sites with space constraints









HVM operators

Crash-rated perimeter solutions for the highest security environments

HydraWedge™ SM50

Seamless, fast-opening in-ground security









StrongArm® M30/M50

Maximum security and stopping power









powered by SmartTouch

WedgeSmart™ DC

Security plus traffic control in one









Bollards M30/M50

Fixed perimeter security with flexible pedestrian access

10 Models







Control boards

636 Control Board

Basic residential control board

oowered by **636**

1050 Controller

Full featured residential controller

1050US

SmartDC Controller

Full featured commercial controller

powered by SmartDC

SmartCNX™ Controller

Advanced controller with smart phone and HyNet connectivity

powered by SmartCNX

SmartTouch™ Controller

Full featured industrial controller

powered by SmartTouch

BCU1 Controller


Full featured controller for M-Bar / L-Bar

BCU1































Specifications team

Our dedicated team of Specification Sales Engineers are here with consultation and expertise for your project




= 45
combined years of experience

They've hosted...



and trained... 1,500+
22222221 people

They've also specified...



At many different sites!



Hotels










Learn more at hysecurity.com/spec-team

Aviation

Support site

Get instant answers by visiting our technical support site at support.hysecurity.com





Troubleshooting



View by category


Legacy Products

Still need assistance?

We provide professional tech support via our direct phone number – call or text us at 253-201-2918.

Sales team

Our experienced sales staff can assist with price quotes, RMAs, and product selection



Southwest

RSM – Rob Kerben Inside – Mike Anderson Residential – Ron Swartz

Southeast

RSM – David Whortan Inside – Dawn Nichols Residential – Jim Littlejohn

For HVM Sales - Jeff Ferguson

North Central

RSM – Jeremy Brummels Inside – Fred Lin Residential – Jordan Hoel

South Central

RSM – Michael Landino Inside – Ryan Buchanan Residential – Orlando Aguirre

Northwest

RSM – Bob Vetter Inside – Ellen Starcher Residential – Ron Swartz

Northeast

RSM – Tony Molinari Inside – Tracie Thompson Residential – Jordan Hoel

















