



# **STAGING AND PLATFORMS**



*"We're a very creative school – everyone is full of ideas – and our StageTek platforms adapt to almost anything: theatrical presentations, musicals, dance, opera or multi-department events. We're making full use of them."*

*– Chris Krambo, Technical Director  
Los Angeles County High School for the Arts,  
Los Angeles, California*



*Los Angeles County High School for the Arts, Los Angeles, California*



# STAGING AND PLATFORMS



**NEW!**  
PRODUCT

## StageTek® Staging

Pages 118-119

*Easily reconfigures to create the kind of stage you need. Strong decks, interchangeable legs, easy setup.*



## Troupers® Staging

Page 122

*Decks with self-locking, fold-out legs. Perfect for straightforward setups that don't need to be reconfigured often.*



## Stagehand® Staging

Page 123

*Roll it into place and in a few simple steps you have an instant stage - anywhere you need it.*



## StageTek® Seated Risers

Pages 120-121

*No other seated riser system adapts so easily to your needs. Flexible and easy to reconfigure often.*



## Staging/Seated Riser Accessories

Pages 124-125

*Complete the look and keep your performers safe. Rails, Move & Store carts, Stairways, etc.*



## Upper Deck Audience Seating® Tiered Risers

(See our Performing Arts Catalog)

*Large-capacity risers that can be set up and removed in a short period of time. Perfect for black box theaters or gymnasiums.*

## SPECIALTY PLATFORMS & OUTDOOR EVENT STAGING



## STRATA® Event Staging

Page 126

*The rock-solid staging platform that fits over seating, extends stages, goes outside, and gives you a stable platform on virtually any surface.*



## Inflatable Acoustical Shell

Page 126

*This awe-inspiring shell inflates in minutes and provides impressive acoustics to help project sound to a large outdoor crowd.*



## Showmaster® & Vision® Event Staging

Page 127

*Heavy-duty staging design gives rock solid stability and faster setup for large events.*



## Stagemobile® and Showmobile® Mobile Stages

Page 127

*Take your stage anywhere - Fast setup, hydraulic lifting, skid-free decks and plenty of extras.*



Universal Studios, Orlando, Florida


# StageTek® STAGING SYSTEM



PLATFORMS



Audience Seating



## StageTek® STAGING

### *The newest innovation from the most trusted name in staging.*

Everything about StageTek™ is an advancement. The refined, smart design is the result of extensive research, engineering and technical advancements in materials and manufacturing. The result is a staging system that is lighter, stronger, easier to handle and faster to set up. When it comes to stretching your investment across multiple needs, StageTek sets a new standard. For unlimited flexibility, extra legs can be stored on the underside of your deck. We made the legs strong, simple and inexpensive. Compare Wenger's newest advancement in staging to any other option and see for yourself why StageTek is a better all-around platform.

### USAGE

For facilities that require multiple stage setups/configurations for a mix of different performance events

### CONSTRUCTION

- Load rating meets or exceeds building code requirements:
  - **Uniform Load:** 125 lbf/ft<sup>2</sup> (6 kN/m<sup>2</sup>) to 200 lbf/ft<sup>2</sup> (9.6 kN/m<sup>2</sup>) Higher load ratings require a center-leg option
  - **Dynamic Live Load:** Side load of 15% of total Uniform Live Load which equals 600 lbs (2.7 kN) side load on a platform under a total Uniform Live Load of 4,000 lbs (17.8 kN)
  - **Point Load:** 1,500 lbf (6.7 kN) applied via 1" (2.5 cm) diameter pin

- Easy-to-handle sections have lightweight aircraft-grade aluminum frames
- Standard Rectangular Decks have four cast aluminum leg sockets. Legs are quickly secured with the rotation of the knob
- The Frame is designed for safer, easier handling and features rounded contours ergonomically sized for a secure power grip (closed grip)
- Six attractive finish options: Standard Black, Heavy-Duty Black, Black Versalite-Match, Natural Hardboard, Grey Carpet, or Carpet-Ready
- Platform Decks are 3/4" (19 mm) thick and constructed of Group I veneer plywood with a protective laminate on both sides
- The Frame and Edging are fabricated from 4" (102 mm) thick aluminum extrusion
- Standard deck sizes: 3' x 3' (91 x 91 cm), 4' x 4' (1.2 x 1.2 m), 3' x 6' (.9 x 1.8 m), 4' x 8' (1.2 x 2.4 m), 4' x 6' (1.2 x 1.8 m) and 3' x 8' (.9 x 2.4 m). Custom sizes available
- Standard Legs are round and fabricated from 2 1/2" (6 cm) diameter aluminum extrusions and are finished with non-marring cap
- Fixed height legs are available in lengths that result in the following deck heights: 8" (20 cm), 16" (41 cm), 24" (61 cm), 32" (81 cm) and 40" (102 cm). Custom sizes available
- Adjustable Telescopic Legs are available in lengths that result in the following deck heights: 16"-54" (41-137 cm)

### STORAGE

- Move & Store Cart (see page 125)

### ORDERING INFORMATION

Please call your Wenger representative for consultation.



## ADDITIONAL RESOURCES

### Literature available:

(call or download from the web)

Brochure, Product Sheet,  
Tech Sheets



### Web link:

[www.wengercorp.com/stagetek](http://www.wengercorp.com/stagetek)

### Companion Products:

Roll-a-Deck and other StageTek®  
accessories, pages 125



QR Code:  
video demo



## THE WENGER ADVANTAGE

STAGETEK STAGING SYSTEM

**Maximum Flexibility** – Simple, economical, plug-in legs make hundreds of configurations possible.

**Strength & Stability** – Among the highest load ratings of comparable systems.

**Fast, Easy, Intuitive** – Anyone can set up StageTek in minutes. No tools needed.

**Safer** – 20% lighter deck with rounded edges for a comfortable grip. This helps save backs, fingers and toes.

**Less Storage** – Save as much as 50% in storage space with our easy moving storage and transport cart.

**Durable and Repairable** – Fewer parts to fail and a best-in-class warranty.

## ACCESSORIES



### CONNECTORS/BRACKETS

For the most stable staging there may be cases where additional securing is recommended. For those instances we have three types of connectors:

- Leg-to-leg brackets
- Deck-to-leg bracket
- Overlap bracket



### LEG RETENTION CLIPS

Keep your decks and legs together when in storage or during transport. And because the optional connectors are integrated into the underside of your StageTek deck, you don't need an additional cart for your legs.



### GUARDRAILS

Sturdy guardrails that match Wenger staging attach quickly without tools. They meet or exceed most loading and rail-height building code requirements. Special IBC-Compliant guardrails available as well.



### UNIVERSAL MOVE & STORE CART

Compactly stores 6 decks or 6 sets of guardrails. Stable transport through a 3' (0.9 m) doorway.



### STAIRWAYS

Dual-height or Articulating stairways match StageTek staging and come with heavy-duty handrails and safety treads.



### ADA-COMPLIANT RAMPS

Ensure that all performers have the chance to take the stage by adding a strong and stable disability ramp. Made with Versalite decking and legs, this ramp will connect easily with any stage setup you build. See page 124 for more information.

Choose from a variety of flooring options that won't curl or peel like laminated surfaces. The Standard and Heavy-Duty surface options also provide excellent traction, even when wet, and they'll stand up to heavy use for years to come.



Standard surface  
Black (Cracked  
Ice)

Versalite surface  
match Black  
(Moroccan)

Heavy-duty surface  
Black (Quadriple)

Natural hardwood

Carpet (grey)  
or carpet-ready



### FAST AND EASY SETUP

A crew of two can set up your staging in surprisingly little time. The stage strikes just as quickly to be used elsewhere in your facility.

### LEGS LOCK SECURELY INTO PLACE IN SECONDS

StageTek sets up without pins, tools, or separate frame assemblies. Just grab the right length leg and secure it in place with a few quick turns of the knob.



### MULTIPLE LEG LENGTHS OFFER ENDLESS STAGING POSSIBILITIES

A variety of standard leg lengths, plus telescoping and custom leg lengths, lets you set a stage exactly as you envision it. Legs attach securely with the turn of a knob.

**Fixed Height Legs:** Available in 8", 16", 24", 32", and 40" heights. Custom sizes available.

**Telescoping Legs:** Infinitely adjustable between the two dimensions: 16"-28", 24"-40" or 30"-54".

**Adjustable Height Legs:** These legs are infinitely adjustable up or down 2" from the height of the leg.



Fixed height  
legs

Telescoping  
legs

Adjustable  
height  
legs



Los Angeles County High School for the Arts, Los Angeles, California

# StageTek® SEATED RISERS



PLATFORMS

## Ordering Seated Risers

Wenger Seated Risers have been fixtures in facilities and classrooms for decades. The versatility of the StageTek "building blocks" allows you the ability to configure just the right seated risers to fit the size of their groups and the size of their rehearsal rooms.

The combinations and configurations are limitless, but Wenger has put together many standard size sets to make your ordering process easier. This spread shows the common shapes as well as a few sizes. Our website and Set Sheets show many more. Call your Wenger rep to help determine the product and configuration that's right for you.




Charleston County School of the Arts, North Charleston, South Carolina

### SEATED RISER SET BUILDING BLOCKS

Each riser set combines some, or all, of the "building blocks" shown here. The number of building blocks and the number of levels determines the final size of the riser and its capacity.


#### 3' (0.9 m) RISERS:

Platforms are 3' (0.9 m) deep and seating capacity is based on 26" (66 cm) chair spacing.




#### 4' (1.2 m) RISERS:

Platforms are 4' (1.2 m) deep and seating capacity is based on 32" (82 cm) chair spacing.



Go to Wenger's YouTube channel to see setup videos of our Seated Risers.





### STORAGE AND TRANSPORT

Our Move and Store Carts make moving decks and rails easy.



### CREATING DIFFERENT SHAPES WITH ONE SEATED RISER SET

Pie sections are the key to creating different shaped configurations. As illustrated in these sets, one seated riser set can be arranged in several different shapes by changing the position of the pie sections.




## EXAMPLES OF TYPICAL RISER SETS

### 3' (0.9 m) DEPTH


#### SET #515 (ARC SHAPE)

Seating Capacity: **60\***




#### SET #105 (WINGED SHAPE)

Seating Capacity: **72\***




#### SET #145 (HORSESHOE SHAPE)

Seating Capacity: **72\***



#### SET #125 (SEMICIRCLE SHAPE)

Seating Capacity: **104\***




### 4' (1.2 m) DEPTH

#### SET #605 (ARC SHAPE)

*Shown with percussion extension*


Seating Capacity: **60\***



#### SET #1015 (WINGED SHAPE)


*Shown with percussion extension*

Seating Capacity: **44\***




#### SET #625 (HORSESHOE SHAPE)

Seating Capacity: **84\***



#### SET #655 (SEMICIRCLE SHAPE)


Seating Capacity: **64\***



#### SET #155 (RECTANGLE SHAPE)

*Shown with percussion extension*


Seating Capacity: **52\***



#### SET #185 (RECTANGLE SHAPE)

*Shown with percussion extension*


Seating Capacity: **60\***



#### SET #265 (RECTANGLE SHAPE)

*Shown with percussion extension*

Seating Capacity: **96\***



\*Seating capacities are based on one row of chairs on the floor.




Del Norte High School, San Diego, California

## ADDITIONAL RESOURCES

**Literature available:**  
(call or download from the web)

Product Sheet, Tech Sheet and DVD



**Companion Products:**

Staging Accessories, pages 124-125



**Web link:**  
[www.wengercorp.com/staging](http://www.wengercorp.com/staging)

**QR Code:**  
Snap this QR code to view our Stage-hand video on YouTube!



# TROUPER® STAGING & SEATED RISERS

## Trouper® Staging & Seated Risers

The simplest solutions are often exactly what you need. Take Trouper Staging, for example. It's perfect for straightforward setups that don't need to be reconfigured often. But when you do need to change, Trouper Staging's fold-out design makes it easy to do without the hazard of pinch points found in many fold-and-roll stages. The design is simple, but the engineering is definitely not. Trouper staging is built with superior structural integrity and the highest quality materials to ensure reliable operation over a long life.

### USAGE

Simple, solid, staging that sets up easy in many configurations

### CONSTRUCTION

- Four standard deck sizes and elevations with optional dual-height fold-out legs offer flexibility to reconfigure your staging system
- Each deck has six points of contact with the floor for added stability
- Six fixed- or dual-height fold-out legs with six contact points ensure extremely quiet, no-rattle performance
- Load rating meets or exceeds building code requirements
- Sturdy 16-gauge steel frame caps and protects surface finish on ¾" (19 mm) plywood deck
- Deck finish options include: Standard surface Black (Moroccan); or Grey carpeted surface
- Optional Move & Store Carts, skirting, stairs, and guardrails are also available. See pages 124-125 for Trouper accessories



Trouper staging decks have three sets of self-locking fixed-height legs. Dual-height legs available.



PLATFORMS



Trouper Move & Store Carts are available in 12-, 8-, and 6-unit models. 8-unit cart pictured; see website for more information.

Trouper is available in your choice of 2 surface finishes.



Black (Moroccan)



Grey Carpet

### ENDLESS STAGING POSSIBILITIES



### ORDERING INFORMATION

Please call your Wenger representative for consultation.



## ADDITIONAL RESOURCES

**Literature available:**  
(call or download from the web)

Product Sheet, Tech Sheet and Online Videos



### Companion Products:

Staging Accessories,  
pages 124-125



### Web link:

[www.wengercorp.com/staging](http://www.wengercorp.com/staging)

### QR Code:

Snap this QR code to view our Stagehand video on YouTube!



St. Mary's School, Owatonna, Minnesota

# STAGEHAND® STAGING

*Easy one-person setup – with no help, no tools, no trouble.*



## Stagehand® Staging

It's easier to handle than any other one-person setup stage. Just roll it where you need it and the gas-assisted springs help you lower it smoothly and safely into position. And when you're done, it folds up just as easily and nests compactly. It's durable and extremely stable with a full complement of accessories that are easy to add. Pageants. Assemblies. Lectures. Graduations. This is the one stage that's always ready to save you time, space, and money.

### USAGE

Ideal for facilities that frequently stage events and need a system that sets up with fewer staff members

### CONSTRUCTION

- Easiest-to-handle fold-out design ever. Gas-assisted springs and integrated platform-to-leg connectors make setup and takedown fast and intuitive
- All-in-one system with no loose parts
- Camlock unit-to-unit connectors unite modular units into one safe, solid, rattle-free stage
- Load rating meets or exceeds building code requirements• 16-gauge steel frame with 3/4" (19 mm) plywood decks
- 4' x 8' (1.2 m x 2.4 m) decks with 16" (41 cm) and 24" (61 cm) fixed elevations; 16"/24" (41 cm/61 cm) and 24"/32" (61 cm/81 cm) dual-height elevations
- Optional staging accessories are on pages 124-125
- Folds up quickly and easily. Rolls and nests compactly

### ORDERING INFORMATION

Please call your Wenger representative for consultation.

Stagehand is available in your choice of 2 surface finishes.



Black (Moroccan)



Grey Carpet

Stores in small spaces.

Stagehand staging folds up quickly and easily and nests compactly.



# STAGING AND SEATED RISERS ACCESSORIES

## ADJUSTABLE HEIGHT STAIRWAYS

Our exclusive, variable-height stair units lift or lower to a range of stage heights. Easy-to-attach articulating stairways include dual heavy-duty handrails and safety treads on 3'-wide (0.9 m) steps. Available in 3-step, 4-step, 6-step, and 8-step models.




**WORKS WITH:**  
 StageTek®  
 Versalite®  
 Trouper®  
 Showmaster®  
 Stagehand®

- 281A201** 3-step Articulating Stairway for 12" to 24" (31 cm to 61 cm) stage heights, 107 lbs (49 kg) Ready to assemble
  - 281A202** 4-step Articulating Stairway for 16" to 32" (41 cm to 81 cm) stage heights, 122 lbs (55 kg) Ready to assemble
  - 281A203** 6-step Articulating Stairway for 24" to 48" (61 cm to 122 cm) stage heights, 160 lbs (73 kg) Ready to assemble
- Please call your Wenger representative for ordering assistance.*

## FIXED HEIGHT STAIRWAYS

Wenger engineers have specially designed staging stairs to match Wenger staging versatility. Our 2-, 3-, or 4-step units are built with safety treads and permanent dual handrails for onstage safety. Steps are 36" by 11" (99 cm x 28 cm).



**WORKS WITH:**  
 StageTek®  
 Versalite®  
 Trouper®  
 Showmaster®  
 Stagehand®

- 281A100** 2-step Stairway for 16" (41 cm) or 24" (61 cm) stage heights 55 lbs (25 kg)
- 281A101** 3-step Stairway for 24" (61 cm) or 32" (81 cm) stage heights 76 lbs (34 kg)
- 281A102** 4-step Stairway for 32" (81 cm) or 40" (102 cm) stage heights 94 lbs (43 kg)

*Assembly required.*

PLATFORMS




**WORKS WITH:**  
 StageTek®  
 Versalite®  
 Trouper®  
 Showmaster®  
 Stagehand®

Natural  
 Standard Black

## CLOSURE PANELS

Front and side closure panels for Wenger seated risers cover the space between levels and enclose each end to create a finished, built-in look. Panels are finished in Standard Black or Natural to match riser finish. In addition to the great look, these panels keep dust and litter from collecting under risers to keep maintenance to a minimum.




**WORKS WITH:**  
 StageTek®  
 Versalite®  
 Trouper®  
 Showmaster®  
 Stagehand®

## SKIRTING & BACKDROPS

You can quickly add finishing touches to complete your stage with Wenger skirting, backdrops, and frames. Ask your Wenger representative to provide fabric samples to match your performance area color scheme as well as specifications and pricing.

## BACKDROP FRAME

Supports a curtain up to 8' (2.4 m) tall. The frame connects to the guardrail and clamps to the legs of your deck for a secure connection without tools. Can be ordered to fit staging decks 3', 4', 6', and 8' (.9, 1.2, 1.8 and 2.4 m) wide. Requires a guardrail. Curtain attaches with Velcro. Frame folds for compact storage.



**WORKS WITH:**  
 StageTek®  
 Versalite®  
 Trouper®  
 Stagehand®

**These items are customized to your specific application. Please call your Wenger representative for assistance.**



## UNIVERSAL GUARDRAILS

Sturdy guardrails to match Wenger staging and seated risers are designed for easy assembly without tools. These meet or exceed most loading and rail-height building code requirements. A special IBC-Compliant guardrail (shown at right) complies with most 4" (10 cm) sphere building code requirements.

**WORKS WITH:**  
 StageTek®  
 Versalite®  
 Trouper®  
 Stagehand®

- 281A404.100** 3' (0.9 m) Guardrail, 35 lbs (15.9 kg)
- 281A404.101** 4' (1.2 m) Guardrail, 38 lbs (17.2 kg)
- 281A404.104** 5' (1.5 m) Guardrail, 41 lbs (18.6 kg)
- 281A404.102** 6' (1.8 m) Guardrail, 45 lbs (20.4 kg)
- 281A404.103** 8' (2.4 m) Guardrail, 51 lbs (23.1 kg)



*Please call your Wenger representative for assistance ordering IBC-Compliant guardrails.*



# The accessories you need to complete your setup.



## PORTABLE ADA-COMPLIANT DISABILITY RAMP

Wenger portable ramps are strong and stable, and they attach securely to Wenger staging units. This cost-effective ramping solution helps ensure that all performers have an equal chance to take the stage. 4'-wide (122 cm) ramps adjust to the exact height of stage elevation. See page 126 for more information.

## StageTek® ROLL-A-DECK® KIT

StageTek® platforms can be transformed into highly mobile rolling platforms with a simple kit consisting of 4 legs with locking casters and a connection bracket. With this kit your StageTek decks become the perfect drum riser or elevated production platform. Heights over 28" (71 cm) will need cross braces. Guardrails are recommended for elevations over 16" (40 cm).

### 280A550 StageTek Roll-a-Deck Kit (4 legs with casters)

Note: decks not included, example shown below has two kits

WORKS WITH:  
StageTek®



Shown with two 4' x 8' (1.2 m x 2.4 m) StageTek decks and eight 10" (25 cm) leg sets with casters.



## BOX STEPS

- Configured to work with your StageTek Audience Seating
- Reflective edging for low-light environments

Customizable widths and heights. Please call for pricing



WORKS WITH:  
StageTek®



## LEG RETENTION CLIPS

- Can be added to the underside of your StageTek decks
- Each set holds a 4-leg set

### 281A600 Leg Retention Clips, 2 lbs (1 kg)

WORKS WITH:  
StageTek®



## MOVE & STORE CART

Transports and stores 6 StageTek decks or 8 Versalite decks. Holds standard and nonrectangular decks vertically for stable transport through 3' (0.9 m) doorways. Assembly required.

### 113J001 77 lbs (34.9 kg), 2'6" w x 8' d x 5'3" h (0.8 m x 2.4 m x 1.6 m)

Please call your Wenger representative for ordering assistance.

WORKS WITH:  
StageTek®  
Versalite®

## TROUPER® MOVE & STORE CARTS

Move and store as many as 12 Trouper decks at a time. Move & Store Carts move easily down the hall, around corners, and over thresholds. And if you have to go up or down a stairway, two people can carry the decks separately – which is nearly impossible with decks built over heavy wheel assemblies. Assembly required.



8-unit Trouper Cart

WORKS WITH:  
Trouper®

- 130C001 6-unit Cart, 91 lbs (41.3 kg)  
2'6" w x 8' d x 5' h (0.8 m x 2.4 m x 1.5 m)
- 130C002 8-unit Cart, 99 lbs (44.9 kg)  
3'2" w x 8' d x 5'1" h (1 m x 2.4 m x 1.5 m)
- 2289004 12-unit Cart, 110 lbs (49.9 kg)  
2'8" w x 8'4" d x 5' h (0.8 m x 2.5 m x 1.5 m)

Please call your Wenger representative for ordering assistance. 6- and 12-Unit Carts will fit through standard 3' (0.9 m) doorway; 8-Unit Cart requires 3'4" (1 m) doorway.

# SPECIALTY PLATFORMS AND OUTDOOR



R.J. Kinsella Magnet School of Performing Arts, Hartford, Connecticut

## PORTABLE ADA-COMPLIANT DISABILITY RAMP



Wenger's Portable Disability Ramp is the flexible, cost-effective way to provide equal access. It meets all ADAAG (Americans with Disabilities Act Accessibility Guidelines) for disability access including ramp slope, handrail and landing specifications. Configurations include straight, wraparound and switchback. Features include leveling feet for precise adjustment, guardrails and connectors for a tight fit to your Wenger stage. Call your Wenger Representative for details.



Sperry Tents - Seacoast, Gloucester, Massachusetts

## STRATA® EVENT STAGING

STRATA Event Staging is the perfect solution for creating a flat surface over seating or other uneven surfaces. It's offered with a durable, non-slip, weather-resistant surface and a unique system that sets up quickly. Leveled or laydown, it can be used anywhere from a theatre to a flat parking lot to a hillside – even over a pool. Easily installed by a small crew in a fraction of the time of stick-built floors or other “flooring” systems – saving you a small fortune in labor.



Timber Creek High School, Keller, Texas

## STRATA® ORCHESTRA PIT FILLER

Custom-designed to fit the exact specifications of your orchestra pit, STRATA Orchestra Pit Filler installs quickly and easily with a small crew. It provides incredibly strong support while it frees up an amazing amount of space below because of our innovative column-beam design. Our acoustically dampened decks fit snugly against your existing stage to create an integrated surface that is extremely quiet.

- Available for stages as high as 10' (3 m)
- Deck corners are constructed of glass-filled nylon to help eliminate sharp edges
- Deck surface options: natural or painted tempered hardboard, and tongue and groove wood flooring
- Leveling feet on all columns
- Basic system meets a uniform vertical load of 125 psf (57 kg)
- System can meet building code standards of L/360
- Deck surface takes a point load of 500 lb (227kg) on a 2" (5 cm) caster without leaving permanent marks
- Meets side load criteria of states with seismic loading requirements

## INFLATABLE ACOUSTICAL SHELL

This impressive acoustical shell is easy to set up and inflates in less than ten minutes with its quiet, 3-speed air blower. Its tough vinyl shell has been tested and proven to project more high-frequency sound to an audience. Three sizes and over 20 exterior colors to choose from. Fits in a single carrying bag that's only 5' (1.524 m) in diameter.



- Shell is composed of vinyl-coated nylon that is weather-resistant and 100% fire-retardant
- Meets or exceeds all international ISO standards





## SHOWMASTER® STAGING

Rock-solid stability. Incredible versatility. Easy setup. Lasting durability. When you need heavy-duty staging, Showmaster is the foundation that makes great events work. Showmaster's all-in-one design ensures that you can set up faster, with a smaller crew, and with fewer mistakes. Every part is integral to the deck, which means no loose parts and no frames to assemble. It also means no tools to slow you down. Simply adjust the legs and tip each deck into place.

- Set up and take down requires no tools



## VISION® EVENT PLATFORMS

Vision Event Platforms have set the standard for major event staging. Vision's column and truss concept gives you rock solid stability with 70% fewer ground contacts which means faster setup and underside storage space for crates, truck packs, cable runs – just about anything you need to store. The three components – columns, trusses and decks – are all light enough for one person to handle. And once Vision is set up, the aircraft-grade aluminum stage is ready to stand up to the pounding of an action-filled event.



## STAGEMOBILE® MOBILE STAGE

The easy-to-tow, ready-to-go mobile stage solution. Wenger's Stagemobile stage sets up easily anywhere you need an outdoor stage for concerts, ceremonies, dances and rallies. One person can set it up in minutes. All-aluminum construction is designed for years of outdoor use and the weather-resistant stage surface offers safety for your event performers.

- Three stage sizes: 16' x 16' (4.9 m x 4.9 m), 16' x 20' (4.9 m x 6.1 m), and 16' x 24' (4.9 m x 7.3 m). Stage height is 36" (90 cm)



## SHOWMOBILE® MOBILE STAGE AND CANOPY

Tow a full-scale, thrust-style stage anywhere you need to put on a big show. Its cantilevered canopy, state-of-the-art acoustical shell, built-in overhead lighting, leveling jacks, stairways and much more make this an amazing mobile, professional stage.

- Push-button convenience and battery-powered hydraulics lets one person set up an entire Showmobile stage in minutes
- Custom graphics available to personalize your Showmobile







# 2

## EASY WAYS TO FIND YOUR WENGER REPRESENTATIVE

### WENGER TERMS AND CONDITIONS

#### PRICING

Prices are subject to change without notice. Prices shown do not include shipping and handling. In cases where payment will be made using non-U.S. currency, request a current exchange rate. For more information, please contact your Wenger representative. Instruments and accessories shown with specific Wenger products throughout the catalog are not included in the price and they do not come with the purchase of the product.

#### SHIPPING POLICY

Prices shown do not include shipping and handling charges because we do not use a flat rate. In order to provide you the most favorable rate we calculate the cost of each shipment individually based on size and weight. Your Wenger representative is ready to provide you with a full quote, including shipping and handling based on your location and the weight of your order. All weights listed in our catalog are product weights and not shipping weights. For exact shipping and handling charges, please ask your Wenger representative.

#### DELIVERY AND INSTALLATION

Wenger delivery and installation services are two great advantages of buying direct from Wenger. At your option, we will package, ship, and install your order with the care and understanding that only the product manufacturer can provide. Wenger drivers and installers are experienced professionals who are intent on meeting your needs and providing the service you expect. Wenger installation services will ensure that your Wenger investment is in perfect working order from day one and for many years of performance. Please contact your Wenger representative for exact costs for these services.

#### CHANGES/CANCELLATIONS

Any changes or cancellations to orders for standard product require written consent from Wenger. A 25% fee may apply if changes or cancellations occur within 15 days of shipment. Changes and/or cancellations to custom products including Customers Own Material (COM), finish matches, custom colors, rush orders, or modified products are not allowed.

#### DELAYS/STORAGE

Two weeks advance notice is required when any delays in shipment, delivery, or installation beyond the acknowledged ship date are necessary. The costs of storage, rehandling, additional freight, and additional installation or labor costs will be billed to the Purchaser. If goods require storage, transfer to storage will be deemed as shipment to the Purchaser for all purposes including invoicing and payment.

#### RETURNS

Returns are not accepted without written approval from Wenger. All authorized returns are subject to a minimum 20% restocking/rehandling fee which may be higher depending upon the product. Custom products are not returnable.

#### CUSTOMER SERVICE

If you have questions about your Wenger product or have any problems with your order, please call our customer service representatives at 1-800-887-7145.

#### WARRANTY

Wenger products are guaranteed to be free of defects in materials and workmanship for a period as described in the Wenger Warranty statement. For complete warranty information, please contact the Wenger customer service department at 1-800-887-7145 or visit our website at [www.wengercorp.com](http://www.wengercorp.com).

1) Just go to [wengercorp.com](http://wengercorp.com) and click on "Contact Us"



2) or call **1-800-4WENGER** (493-6437). Simply provide your location and we'll connect you to your representative

Nobody understands the challenges and opportunities you deal with every day better than your Wenger representative. They are uniquely qualified to help you find solutions for your specific rehearsal and performance needs.





Valley Christian Schools, San Jose, California



Lakeville South High School, Lakeville, Minnesota



Avon Old Farms School, Avon, Connecticut



Charleston County of the Arts, North Charleston, South Carolina



Lower Lake High School, Lower Lake, California

## We love customer feedback!

All the incredible products in this catalog have in some way been inspired by our customers, and in many cases specific product features can be traced back to the great ideas you've shared. Every day, around the world, we talk with our customers at their facilities, over the phone, at conferences and events, and in our own focus groups. That's how we've gotten to know you and your needs so well, and how we've been able to continuously improve our product line and innovate for an entire industry for decades. Many companies listen to their customers, but at Wenger we also follow through, and this entire catalog is proof positive of that.



*"Wenger's strong tradition of innovation and quality has built a worldwide reputation. Most music teachers at international schools come from the U.S., with first-hand knowledge and experience using Wenger products. Wenger products are the first choice of almost all of us. While Wenger products cost a little more, they last longer. Our school purchased a number of Wenger products, with many features that aid our students' learning. The products are beautiful and we're very happy to have them!"*

– Brent Poling, Director of Performing and Visual Arts,  
International School Bangkok, Thailand



*"I've been a committed Wenger customer for almost 25 years, first as a band director and now as an administrator. I know it's a cliché, but you really do get what you pay for. We've learned our lesson the few times we haven't bought from Wenger. Along with the quality of Wenger products, which is considerable, I appreciate always receiving the highest level of personalized service. I can pick up the phone and talk to anyone I need to...from the shipping department to sales to tech support. I also have my sales rep's cell phone number."*

– Jeff Laird, Director of Secondary Performing Arts  
Aldine Independent School District, Houston, Texas



*"My friends from other districts encouraged me to request Wenger equipment because it will last longer. Other companies make knock-off products that lack the same quality. Everything from Wenger is high quality – the equipment is holding up well. When you put this much time and money into planning a new band room, it's important to buy products you know will last."*

– Tom Finigan, Band Director,  
Colleton County High School, Walterboro, South Carolina



*"The quality and history of Wenger products speaks for itself. It's worth paying a little bit more when you know something is going to last. Wenger equipment is sturdy and very easy to use."*

– Susan Scheibler, Fine Arts Coordinator & Choir Director  
Blue Valley Southwest High School, Overland Park, Kansas



*"When you've purchased products for 40 years, you get rather blunt about it: Wenger products just work! Before becoming a principal, I was a music teacher for 25 years. When choosing between Wenger and another company's product, I'd rather have Wenger. Knowing the quality of the product makes the decision really easy."*

– Michael T. Thorsen, Principal  
Barbara Ingram School of the Arts, Hagerstown, Maryland



The Wenger Brand Promise:

Through our focused understanding of customer needs, Wenger provides innovative, high-value products and services that enable and inspire great performances.

Also from Wenger...

Wenger makes some of the most-trusted equipment for music education programs. We are also well-known for our athletics and professional performing arts products. For more information and a copy of these product catalogs, call 1.800.493.6437 today.



2013-2014 GearBoss® Athletics Catalog




24 pages of rugged equipment solutions for your athletic department. GearBoss products are built with the same functionality and quality that you find in all Wenger products. From lockers and storage to equipment and fund-raising solutions, GearBoss products save you time, space and effort. They're flexible and customizable so your system can change as your program changes.



2013-2014 Performing Arts Catalog

48 pages of professional backstage and on-stage equipment for performing arts facilities of all sizes. Acoustical panels and shells, staging, seating, risers, makeup stations, conductor's equipment and more! From a simple, elegant music stand to a towering Diva® full-stage acoustical shell, Wenger knows what performers and stagehands need. Plus, Wenger products are backed by service and support that are second to none.



Wenger online:

Learn more about Wenger products by visiting our updated website and following us on social media!



QR CODES - Snap these codes at right and other QR codes throughout this catalog for videos and more information on specific products!

www.wengercorp.com



ISO: 9001



SCHEDULE Contract GS-07F-9062G



This catalog was printed with Enviro/Tech Ink



© 2013 Wenger Corporation Printed in the USA 09-13/120M/LT0050K

WENGER CORPORATION 555 Park Drive, PO Box 448 Owatonna, MN 55060-0448 Phone 800.4WENGER (493-6437) Fax 507.455.4258 Parts & Service 800.887.7145

WENGER CORPORATION CANADA OFFICE Phone 800.268.0148

WORLDWIDE Phone 1.507.455.4100 Fax 1.507.774.8576

WEBSITE www.wengercorp.com

Wenger® Your Performance Partner