

STOCK LIST

ESTABLISHED

1913

ALASKAN COPPER

OUR SECOND CENTURY SUPPLYING
CORROSION-RESISTANT METAL PRODUCTS

ALUMINUM

BRASS

BRONZE

COPPER

COPPER-NICKEL

STAINLESS STEEL

SHEET • PLATE • COIL

PIPE • TUBE

ROD • BAR

FITTINGS • FLANGES

EXTRUSIONS

WATERJET CUTTING

ROUTER CUTTING

PLASMA CUTTING

SHEARING

SAWING

COIL PROCESSING

ALASKAN COPPER & BRASS COMPANY

Stainless Steel

Aluminum

FULL SERVICE SUPPLIER OF CORROSION RESISTANT METALS SINCE 1913

www.alaskancopper.com

Seattle, WA 206-623-5800
 Portland, OR 503-238-7171
 San Diego, CA 619-661-0012
 Norfolk, VA 757-227-6325
 Vancouver, BC 604-937-6620
 Toll Free 1-800-552-7661 USA



Seattle Fax 253-796-2771
 Portland Fax 503-238-6849
 San Diego Fax 619-661-0029
 Norfolk Fax 619-661-0029
 Vancouver, BC Fax 604-937-0838
 www.alaskancopper.com

STAINLESS STEEL

ALLOYS 303, 304, 304L, 316, 316L, 317L, 630 (17-4), 309, 310, 321, 347, 6 Moly (AL-6XN, 254SMO, etc.) nickel based (Hastelloys, 625, 800, 20CB3, Monel, etc.), Titanium, Zirconium, Duplex (2205, Ferralium, etc.) and others available upon application and depending upon shape.	
SHEET & PLATE	
2B, #4 Finish	28 Gauge - 7 Gauge
#8 Finish (Mirror)	24 Gauge - 11 Gauge
HRAP Plate	3/16" - 2-1/2"
Diamond Tread Plate	1/8" - 3/8"
RIGIDIZED (Oxford Pattern)	16 Gauge - 14 Gauge
COIL (26" - 72" wide)	28 Gauge - 5/16"
ROUND ROD (12ft rml)	1/8" - 16"
ALL-THREAD (12ft rml)	1/4" - 1-1/4"
BAR (12ft rml)	
Rectangular	1/8" - 2" (thick) x 1/2" - 8" (wide)
Hexagon	3/16" - 3"
Square	1/8" - 5"
PIPE (20ft rml)	
Seamless or Welded:	
Schedules 5s, 10s, 40s, 80s, ASTM A 312	1/2" - 48"
NPS x Gauge and OD x Gauge, ASTM A 778	2" - 48"
TUBING (20ft rml)	
Seamless or Welded: OD x Gauge	
ASTM A 249/A 269	1/8" - 4"
ASTM A 778	2" - 48"
Ornamental:	
Mill, 180 Grit or Mirror Finish, ASTM A 554	(.049" - .250" wall)
Round	5/8" - 3"
Square	3/4" - 6"
Rectangular	3/4" x 1-1/2" - 4" x 6"
FITTINGS	
Threaded: Classes 150 and 3000	1/8" - 4"
Socket Weld: Classes 150, 3000 and 6000	1/8" - 4"
Butt Weld: NPS and OD, ASTM A 774	1/2" - 48"
ASTM A 403, Classes CR and WP	
Belled End	1/2" - 48"
Grooved Ends for Couplings	1/2" - 48"
Threaded Nipples: Sch 40s, Sch 80s	1/8" - 4"
FLANGES	
ANSI B16.5, Classes 150 and 300	1/2" - 12"
Slip-On, Blind, Socketweld, Threaded, Lap joint and Weld Neck	
Lightweight Slip-On, Blind and Backing	
For NPS and OD	1" - 48"
ANGLE (20 - 22ft rml)	3/4" x 3/4" x 1/8" - 8" x 8" x 1/2"
WIRE CLOTH, 36" x Coil	2 Mesh - 200 Mesh
SHIM STOCK, 6" x 50" Rolls	.001" - .031"
FLATTENED & EXPANDED SHEET	
1/2", 3/4" & 1-1/2" Diamonds	#9 (.119"), #13(.080"), #16 (.050"), #18(.040")
BEAM (20 - 22ft rml)	3" - 12"
CHANNEL (20 - 22ft rml)	2" - 15"
TEE BAR (20 - 22ft rml)	1-1/2" - 4"
FASTENERS	
Common Nail	1" - 4-1/2"
Ring Nail	1" - 3-1/2"
NOTE: rml = Random Lengths NOTE: t = thickness w = wall	

ALUMINUM

ALLOYS 1100, 3003, 5052, 5083, 5086, 5383, 5456, 6061, 6063	
SHEET & PLATE	
1100-H14	.032" - 1"
3003-H14	.040" - .125"
5052-H32	.025" - .500"
5083-H116	.063" - 5"
5086-H116	.063" - 2"
5383-H116	.160" - 1"
5456-H116	.100" - 2-1/2"
6061-T6	.063" - .190"
6061-T651	.250" - 9"
MIC 6™ Cast Tooling Plate	.250" - 3-1/2"
Duramold 5™ Cast Tooling Plate	4" - 6"
COIL (36" - 96" wide)	.025" - 3/8"
TREAD PLATE (Single Diamond Pattern)	
3003-H22, Bright	.063" - .250"
5052-H32, Semi-Bright	.100" - .190"
5086-H112	.125" - .250"
6061-T6	.125" - .500"
EMBOSSED TREAD	
5052-H32	.125" - .190"
FLATTENED & EXPANDED	
1/2", 3/4" & 1-1/2" Diamonds	.051", .081", .125"
ROUND ROD	
5086-H111	3/8" - 15"
5456-H111	1/2" - 2-1/2"
6061-T6511	1/4" - 20"
BAR	
Rectangular:	5086-H111 3/16"-3/4"(t) x 1" - 6"(w) 5456-H111 3/16"-5/8"(t) x 1-1/2"-4"(w) 6061-T6511 1/8"- 4"(t) x 1/2"-12"(w)
Square:	5086-H111 1-1/2" - 8" 6061-T6511 1/4" - 8"
CHANNEL	
5456-H111	3" - 9"
6061-T6	2" - 15"
6063-T52	3/4" - 3"
ANGLE	
5086-H111	1"x1"x1/8" - 8"x6"x1/2"
5456-H111	1"x1"x1/8" - 6"x6"x5/8"
6061-T6	1/2"x1/2"x1/16" - 8"x8"x1/2"
6063-T52	1/2"x1/2"x1/8" - 3"x3"x1/4"
SHAPES	
5086-H111 Tee Bar	1-1/2" - 12"
6061-T6 Hull Stiffener	2" x 3"
6061-T6 Tee Bar	1-1/2" - 4"
6063-T52 "G" Shape	1-3/8"
6061-T6 Sch 40 Half Round Pipe & Tube	2" - 3-1/2"
6061-T6 Pen Board	
6061-T6 Pen Board Channel	
6061-T6 Pen Board Stanchion	
PIPE	
Extruded Structural: (Sch 40, Sch 80)	
6061-T6	3/8" - 14"
6063-T52	1/2" - 10"
Drawn Seamless: (Sch 40, Sch 80)	
5086-H32	3/8" - 12"

ALASKAN COPPER INVENTORY IS ADJUSTED TO SERVE THE NEEDS OF OUR CUSTOMERS.
 IF THE MATERIAL OR SIZE IS NOT LISTED HERE, PLEASE CALL, EMAIL OR FAX FOR FURTHER INFORMATION.



ALUMINUM CONTINUED

TUBING		
Square:	5086-H111	1-1/2" - 3" (.250 w)
	6061-T6	1" - 8" (.125"- .500" w)
	6063-T52	3/4" - 4" (.125 w)
Rectangular:	5086-H111	2" x 3" (.188" - .250" w)
	6061-T6	3/4"x1-1/2"-6"x8"(.125"- .500" w)
	6063-T52	3/4" x 1-1/2" - 2" x 6" (.125" w)
Round:	5086-H32	2" - 8" (.250" - .500" w)
	6061-T6	5/8" - 10" (.059" - 1" w)

FITTINGS		
Threaded	6061-T6	1/8" - 4"
Butt Weld	6061-T6	1/2" - 8"
	5086	1/2" - 8"
Flanges	6061 Forged	1" - 12"
	5086 Forged	1" - 12"

BRASS

ALLOYS 230, 260, 270, 356, 360, others available upon application and depending on shape

SHEET & PLATE	
Soft	.025" - .090"
Half-Hard	.010" - 1"
Shim Stock (6" x 100" CTNS)	.001" - .025"
COIL (12" - 36" wide)	.005" - .025"

ROUND ROD (12ft)	
Free Cutting Round	1/16" - 10"

BAR (12ft)	
Rectangular	1/16" - 2" (thick) x 1/4" - 6" (wide)
	Hexagon
Square	1/8" - 3"
Half Oval	3/32" x 3/8" - 3/8" x 2"
Half Round	1/4" x 1/2" - 1/2" x 1"

PIPE (12ft & 20ft)	
Standard (Sch 40) Red Brass C230	1/8" - 12"
Extra Heavy (Sch 80) Red Brass C230	1/8" - 3"

TUBING (12ft & 20ft)	
Round, Seamless Yellow Brass	1/8" - 4" OD (.065" wall)
Round, Seamless Yellow Brass	3/4" - 10-1/4" OD (.125" wall)
Round, Polished Brass Bar Rail	1" - 2" (.050" wall)

FITTINGS	
Threaded, Bronze, NPS Sizes	1/8" - 4"
Polished Brass Bar Rail	Inquire

WIRE	
Soft Brass 1# & 10# Spools	.016" - .081"

BRONZE

ALLOYS UNS number listed below

SHEET & PLATE		
Aluminum Bronze	C61400	.063" - 2"
Naval Bronze	C46400	.040" - 3"
Silicon Bronze	C65500	.063" - 1"

ROUND ROD (12ft)		
Aluminum Bronze	C64200	1/4" - 6"
Aluminum Nickel Bronze	C63000	3/8" - 8"
Manganese Bronze	C67500	3/4" - 6"
Naval Bronze	C46400	1/4" - 8"
	C48200	5/16" - 4-1/2"
Phosphor Bronze	C51000	1/4" - 6"
Silicon Bronze	C65500	1/4" - 3"

BAR		
Rectangular	C46400	Sheared or Sawed from Plate
		Silicon Bronze

TUBING (20ft)		
Admiralty, Condenser	C44300	3/8" - 3/4"

FITTINGS, THREADED	
Rough Bronze	1/8" - 4"

FLANGES	
Rough Bronze	1/8" - 4"

ANGLE, ARCHITECTURAL (12ft)		
	C38500	1/2" x 1/2" x 1/16" - 3" x 3" x 1/4"

WIRE CLOTH		
	36" x Coil	50 x 50 (.009")
Insect Screen	36" - 48" x Coil	18 x 14 (.001")

FASTENERS	
Ring Nail - Silicon Bronze	1" - 2-1/2"

VALVES, BALL TYPE	
Ball Type, Threaded	1/4" - 3"
Solder Type, Gate	3/8" - 2"
Screwed Type, Gate	1/4" - 2"
Check Type, Threaded	1/4" - 2"
Globe Type, Threaded	1/4" - 2"

BEARING BRONZE, SAE 660		
	C93200	
Continuous Cast, Hollow		1/2" - 15" ID; 105" - 108" rml
Solder Type, Gate		3/4" - 17" OD
Solid, Round (105" - 108" rml)		1/2" - 10"
(SAE841) Solid, Sintered 6-1/2" Long		1/2" - 3"

NOTE: rml = Random Lengths

ALASKAN COPPER INVENTORY IS ADJUSTED TO SERVE THE NEEDS OF OUR CUSTOMERS.
 IF THE MATERIAL OR SIZE IS NOT LISTED HERE, PLEASE CALL, EMAIL OR FAX
 FOR FURTHER INFORMATION.

Seattle, WA 206-623-5800
 Portland, OR 503-238-7171
 San Diego, CA 619-661-0012
 Norfolk, VA 757-227-6325
 Vancouver, BC 604-937-6620
 Toll Free 1-800-552-7661 USA



Seattle Fax 253-796-2771
 Portland Fax 503-238-6849
 San Diego Fax 619-661-0029
 Norfolk Fax 619-661-0029
 Vancouver, BC Fax 604-937-0838
 www.alaskancopper.com

COPPER-NICKEL		
ALLOYS	C71500	70-30
	C70600	90-10
SHEET & PLATE		
70-30		.032" - 6-1/4"
90-10		.064" - 4"
ROUND ROD (12ft rml)		
70-30		1/4" - 12"
90-10		1/4" - 8"
BAR		
		Sheared or sawed from plate
PIPE & TUBING (20ft)		
Seamless		
70-30		
Class 200		1/4" OD - 12.75" OD
Class 700		1/2" OD - 8.625" OD
Class 1650		.540" OD - 6.625" OD
Class 3300		1/4" OD - 3.50" OD
Class 6000		1/4" OD - 3.50" OD
90-10		
Class 200		1/4" OD - 12.75" OD
Sch 40		1/4" - 8" IPS
Sch 80		1/4" - 2-1/2" IPS
Welded		
70-30 Class 200		8.625" - 24" OD
90-10 Class 50, Class 200		10.75" OD - 30" OD
Condenser		
70-30 & 90-10 (.049" & .065" wall)		1/4" OD - 1" OD
FITTINGS		
Threaded: 150 LB, 3000 LB & 6000 LB		
		1/8" - 4" IPS
Socket-Weld: 400 LB, 3000 LB & 6000 LB		
		1/8" - 4" IPS
Butt Weld: NAVSEA & Commercial Sizes		
		1/4" - 24" IPS
Weld Base Outlets		
		1/4" - 4" IPS
Bosses: NAVSEA DWG 810-1385912		
		1/4" - 2" IPS
FLANGES		
Military & ANSI Dimensions		
Classes 150, 300, ANSI B16.5		1/2" - 24"
Class 250, NAVSEA DWG 810-1385992, MIL-F-20042, NAVSEA 810-4715319		1/2" - 24"
Backing, Slip-On, Clad, Blind, Overlay, Composite. For OD or NPS Sizes		
		1" - 24"
NOTE: rml = Random Lengths		

COPPER	
ALLOYS	101, 102, 110, 120, 122, 70-30
SHEET & PLATE	
Soft (6" - 48" wide)	.005" - 2"
1/8H TO 1/2H (12" - 48" wide)	.010" - 2"
Electro Deposited (25" wide)	.0014" - .0068"
Roofing (6" - 48" wide)	10, 12, 16, 20, 24, 32, 48 Ounce
PATTERNED	
Barked	16 oz. (.021")
Hammered	16 oz. (.021")
COIL	
Electro-Deposited (25" wide)	.0012" - .0068"
Soft (6" - 24" wide)	.005" - .0216"
ROUND ROD (12ft)	
1/8" - 6"	
BAR (12ft)	
Rectangular Bus Bar	1/16" - 2" (thick) x 1/2" - 6" (wide)
Square	1/4" - 3"
PIPE (20ft)	
Standard (Sch 40)	1/8" - 8"
Extra Heavy (Sch 80)	1/8" - 8"
TUBING (20ft)	
Soft in Coils (50ft & 60ft)	1/16" - 1"
Hard Drawn	1/8" - 10-3/4"
Water Tubing, Types K, L, M	3/8" - 5-1/8"
P.V.C. Coated, Soft	1/4" - 1/2"
FITTINGS	
Solder Joint	1/4" - 4"
WIRE	
Soft	.010" - .2576"
Hard	.162" - .3249"
ROOF DRAINAGE PRODUCTS	
Downspouts, Half-Round Gutters, Accessories	2" - 6"
FASTENERS	
Common Nail	1" - 3"
Slating Nail	1" - 3"

PRE-PROCESSING SERVICES INCLUDE:

COMPUTER-AIDED DESIGN AND LAYOUT (CNC Waterjet, Router and Plasma Cutting)

- Alaskan Copper utilizes state-of-art computer equipment for layout and optimization of material. Data may be input directly from customer supplied DXF (data exchange format) files via email or disk. This system, which communicates directly with our CNC waterjet, router and hi-definition plasma burning tables, offers maximum accuracy and efficiency in processing of cut sheet and plate orders.

COIL CUT-TO-LENGTH

- Our cut-to-length line provides quick turnaround of coil orders, allows flexibility in sheet and plate lengths and widths (up to 50 feet long, 96" wide & 3/8" thick) to minimize customer material and welding costs.
- Cut-to-length orders are also available with plastic or paper interleaving, vinyl covering on both sides, and line marking for easy identification.

CUT PIECES

- Order the size and the shape that is needed, not just standard sizes.
- Complex shapes are cut by computerized waterjet, router and plasma cutting tables.
- Saws are used for cutting thick materials (up to 8" thick).
- Precision shearing is available for cutting multiple parts to close tolerance.

NON-STANDARD PLATE SIZES

- Automatic splice welding of sheet and plate produces special widths and lengths (up to 40 feet).

Seattle, WA 206-623-5800
 Portland, OR 503-238-7171
 San Diego, CA 619-661-0012
 Norfolk, VA 757-227-6325
 Vancouver, BC 604-937-6620
 Toll Free 1-800-552-7661 USA



Seattle Fax 253-796-2771
 Portland Fax 503-238-6849
 San Diego Fax 619-661-0029
 Norfolk Fax 619-661-0029
 Vancouver, BC Fax 604-937-0838
 www.alaskancopper.com

SHEET GAUGE CHARTS

STAINLESS STEEL	
GAUGE*	THICKNESS
28	.015"
26	.018"
24	.024"
22	.030"
20	.036"
18	.048"
16	.060"
14	.075"
12	.105"
11	.120"
10	.134"
8	.160"
7	.1874"

3/16" & Thicker is plate

*Manufacturer's Standard Gauge

ALUMINUM	
GAUGE*	THICKNESS
22	.025"
20	.032"
18	.040"
16	.050"
14	.063"
12	.080"
11	.090"
10	.100"
	.125"
	.160"
	.190"

Note:
 There is no official gauge standard for aluminum.
 .250" & Thicker is plate
 *Brown & Sharpe's Gauge Standard B & S or American Gauge A.W.G.

COPPER		
OUNCE	THICKNESS	GAUGE*
4	.0050"	36
8	.0108"	31
10	.0135"	28
12	.0160"	27
16	.0216"	24
20	.0270"	22
24	.0320"	21
32	.0430"	19
36	.0485"	18
48	.0647"	16
56	.0750"	15
64	.0863"	14
72	.0930"	13
80	.1080"	12
96	.1250"	10

.188" & Thicker is plate
 *Birmingham Gauge Standard B.W.G.

BRASS	
GAUGE*	THICKNESS
30	.010"
28	.013"
26	.016"
24	.020"
22	.025"
20	.032"
18	.040"
16	.050"
14	.063"
12	.081"
11	.090"

.125" & Thicker is plate

*Brown & Sharpe's Gauge Standard B&S or American Gauge A.W.G.

ALUMINUM WEIGHT CHARTS

SIZE	ROUND	SQUARE	SIZE	ROUND	SQUARE
1/4"	.058	.074	4"	14.780	19.199
5/16"	.090		4-1/16"	15.240	
3/8"	.130	.165	4-1/4"	17.023	
1/2"	.230	.294	4-1/2"	18.690	
5/8"	.360	.473	4-3/4"	20.840	
3/4"	.518	.662	5"	23.560	30.000
7/8"	.706		5-1/8"		
1"	.922	1.176	5-1/4"	25.458	
1-1/8"	1.169		5-1/2"	27.920	
1-1/4"	1.430	1.838	6"	33.200	42.336
1-3/8"	1.746		6-1/8"		
1-1/2"	2.074	2.646	6-1/4"	36.079	
1-5/8"	2.439		6-1/2"	39.000	
1-3/4"	2.830		7"	46.160	
2"	3.686	4.704	7-1/2"	53.000	
2-1/4"	4.771		8"	60.230	
2-3/8"	5.210		8-1/2"	66.700	
2-1/2"	5.760	7.500	9"	74.780	
2-5/8"	6.365		9-1/2"	83.357	
2-3/4"	6.985		10"	92.320	
3"	8.300	10.800	10-1/2"	101.796	
3-1/4"	9.756		11"	111.700	
3-1/2"	11.550		12"	132.936	
3-3/4"	12.989		13"		
			14"	180.939	
			16"	236.330	
			20"	369.264	

THICKNESS	5052-H32		5083-H116/5086-H116		6061-T6
SIZE	48"	60"+	48"	60"+	
.025"	.356				
.032"	.447				.452
.040"	.559				
.050"	.698	.698			.727
.063"	.880	.880			.889
.080"	1.117	1.117			1.128
.090"	1.260	1.260			1.270
.100"	1.400	1.400			1.411
.125"	1.750	1.750	1.730	1.730	1.764
.160"	2.230	2.230	2.230	2.230	2.258
.190"	2.654	2.654	2.630	2.630	2.681
.250"	3.490	3.490	3.460	3.460	3.630
.313"			4.330	4.330	4.520
.375"	5.240		5.180	5.180	5.410
.500"	6.984		6.910	6.910	7.220
.625"				8.640	8.980
.750"			10.360	10.360	10.810
1.00"			13.824	13.824	14.380
1.25"				17.280	17.910
1.50"				20.740	21.440
1.75"					25.070
2.00"				27.650	28.220
2.25"					32.130
2.50"					35.800
3.00"				41.472	42.850
3.50"					50.090
4.00"					57.365
4.50"					64.432
5.00"					71.477
6.00"					85.589
7.00"					100.800
8.00"					115.200
9.00"					127.000

INDUSTRIES SERVED

Alaskan Copper & Brass Company has served a wide range of industries for over 100 years. Industries such as pulp and paper, boatbuilding, shipbuilding and repair, chemical, petrochemical, water treatment, mining, power, food processing and many more, rely on Alaskan Copper for their supply of corrosion resistant metals.



STAINLESS STEEL WEIGHT CHARTS

STAINLESS STEEL SHEET*													
GAUGE	7	10	11	12	13	14	16	18	20	22	24	26	28
DECIMAL EQUIVALENTS	.1874"	.134"	.120"	.105"	.090"	.075"	.060"	.048"	.036"	.030"	.024"	.018"	.015"
LBS/SQ FOOT	7.871	5.670	5.040	4.410	3.785	3.150	2.520	2.016	1.512	1.260	1.008	.756	.630
SHEET SIZE	SHEET WEIGHTS (LBS)												
36" x 96"	-	-	-	105.84	-	75.60	60.48	48.38	36.29	-	24.19	18.14	-
36" x 120"	-	-	-	132.30	-	94.50	75.60	60.48	45.36	37.86	30.24	22.68	-
36" x 144"	-	-	-	158.76	-	113.40	90.72	72.58	54.43	-	-	27.22	-
48" x 96"	251.87	181.44	161.28	141.12	-	100.80	80.64	64.51	48.38	40.32	32.26	24.19	-
48" x 120"	314.84	226.80	201.60	176.40	151.40	126.00	100.80	80.64	60.48	50.40	40.32	30.24	25.20
48" x 144"	377.81	272.16	241.92	211.68	-	151.20	120.96	96.77	72.58	60.48	48.38	36.29	-
48" x 240"	-	453.60	-	352.80	-	252.00	-	-	-	-	-	-	-
60" x 96"	-	226.80	201.60	176.40	-	126.00	100.80	80.64	60.48	-	-	-	-
60" x 120"	393.55	283.50	252.00	220.50	-	157.50	126.00	100.80	75.60	-	-	-	-
60" x 144"	472.26	340.20	302.40	264.60	-	189.00	151.20	120.96	90.72	-	-	-	-
60" x 240"	-	567.00	504.00	411.00	-	315.00	-	-	-	-	-	-	-
72" x 96"	377.81	-	241.92	211.68	-	151.20	120.96	-	-	-	-	-	-
72" x 120"	472.26	340.20	302.40	264.60	-	189.00	151.20	-	-	-	-	-	-
72" x 144"	566.71	408.24	362.88	317.52	-	226.80	181.44	-	-	-	-	-	-
72" x 240"	-	680.40	604.40	529.20	-	378.00	-	-	-	-	-	-	-

*U.S. Weights

STAINLESS STEEL PLATE*											
THICKNESS	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"	1-1/4"	1-1/2"	2"
DECIMAL EQUIVALENTS	.187"	.250"	.312"	.375"	.500"	.625"	.750"	1.000"	1.250"	1.500"	2.000"
LBS/SQ FOOT	8.579	11.162	13.740	16.496	21.831	26.831	32.123	42.665	53.001	63.337	84.008
SHEET SIZE	PLATE WEIGHTS (LBS.)										
48" x 96"	274.53	357.18	439.87	527.87	693.22	858.59	1027.94	1365.28	1696.03	2026.78	2688.26
48" x 120"	343.16	446.48	549.84	659.84	866.52	1073.24	1284.92	1706.60	2120.04	2533.48	3360.32
48" x 144"	411.79	535.78	659.81	791.81	1039.82	1287.89	1541.90	2047.92	2544.05	3040.18	4032.38
48" x 240"	685.32	892.96	1099.68	1319.68	1733.00	2146.48	2569.84	3413.20	4240.08	5066.96	6720.64
60" x 120"	428.95	558.10	687.00	824.80	1083.15	1341.55	1606.15	2133.25	2650.05	3166.85	4200.40
60" x 144"	514.74	669.72	824.76	989.76	1299.78	1609.86	1927.38	2559.90	3180.06	3800.22	5040.48
60" x 240"	857.90	1116.20	1374.60	1649.60	2166.30	2683.10	3212.30	4266.50	5300.10	6333.70	8400.80
72" x 120"	514.74	669.72	824.76	989.76	1299.78	1609.86	1927.38	2559.90	3180.06	3800.22	5040.48
72" x 144"	617.69	803.66	989.71	1187.71	1559.74	1931.83	2312.86	3071.88	3816.07	4560.26	6048.58
72" x 240"	1029.48	1339.44	1648.52	1979.52	2599.56	3219.72	3854.76	5119.80	6360.12	7600.44	10080.96
96" x 240"	1372.64	1785.92	2199.36	2639.36	3466.08	4292.96	5139.68	6826.40	8480.16	10133.92	13441.28

*U.S. Weights

ALASKAN COPPER INVENTORY IS ADJUSTED TO SERVE THE NEEDS OF OUR CUSTOMERS.
 IF THE MATERIAL OR SIZE IS NOT LISTED HERE, PLEASE CALL, EMAIL OR FAX FOR
 FURTHER INFORMATION.



STAINLESS STEEL WEIGHT CHARTS

STAINLESS STEEL BAR							
SIZE LBS/FT	ROUND	SQUARE	HEX	SIZE LBS/FT	ROUND	SQUARE	HEX
1/8"	.043	.053	-	3"	24.030	30.060	26.500
3/16"	.094	.120	.103	3-1/4"	28.206	-	-
1/4"	.168	.213	.184	3-1/2"	32.710	-	-
5/16"	.262	.332	.288	3-3/4"	37.552	-	-
3/8"	.378	.478	.414	4"	42.726	54.400	-
1/2"	.671	.850	.736	4-1/2"	54.070	-	-
9/16"	.845	-	-	5"	66.760	85.000	-
5/8"	1.050	1.320	1.150	5-1/2"	80.780	-	-
3/4"	1.510	1.913	1.656	6"	96.130	-	-
7/8"	2.045	2.603	2.254	6-1/2"	114.420	-	-
1"	2.670	3.400	2.945	7"	130.830	-	-
1-1/8"	3.380	4.303	-	7-1/2"	152.210	-	-
1-3/16"	3.766	-	-	8"	170.900	-	-
1-1/4"	4.170	5.313	4.600	9"	216.300	-	-
1-5/16"	4.600	-	-	10"	267.000	-	-
1-3/8"	5.020	-	-	11"	323.040	-	-
1-7/16"	5.518	-	-	12"	384.500	-	-
1-1/2"	6.010	7.650	6.620	14"	523.320	-	-
1-5/8"	7.050	-	8.400	16"	683.520	-	-
1-3/4"	8.180	10.550	-				
1-7/8"	9.388	-	-				
2"	10.680	13.600	11.780				
2-3/16"	12.778	-	-				
2-1/4"	13.519	17.210	-				
2-7/16"	15.860	-	-				
2-1/2"	16.690	21.250	18.400				
2-3/4"	20.200	-	-				

12 FT Random Lengths

STAINLESS STEEL FLAT BAR					
SIZE	LBS/FT	SIZE	LBS/FT	SIZE	LBS/FT
1/8" X 1/2"	.213	1/4" x 2"	1.700	1/2" x 3"	5.100
5/8"	.266	2-1/4"	1.913	4"	6.800
3/4"	.319	2-1/2"	2.120	5"	8.500
7/8"	.372	3"	2.550	6"	10.200
1"	.425	4"	3.400		
1-1/2"	.638	5"	4.250	5/8" x 1"	2.125
2"	.850	6"	5.100	1-1/4"	2.656
3"	1.280			1-1/2"	3.190
4"	1.700	3/8" x 1/2"	.636	2"	4.250
6"	2.520	3/4"	.956	2-1/2"	5.315
		1"	1.280	3"	6.380
3/16" x 1/2"	.319	1-1/4"	1.594	4"	8.500
3/4"	.478	1-1/2"	1.913		
1"	.638	2"	2.550	3/4" x 1"	2.550
1-1/4"	.797	2-1/2"	3.188	1-1/2"	3.830
1-1/2"	.957	3"	3.825	2"	5.100
2"	1.280	3-1/2"	4.463	2-1/2"	6.400
2-1/2"	1.590	4"	5.100	3"	7.650
3"	1.910	5"	6.375	4"	10.704
4"	2.560	6"	7.650	6"	15.700
5"	3.188				
6"	3.825	1/2" x 3/4"	1.275	1" x 1-1/2"	5.100
		1"	1.700	2"	6.800
1/4" x 1/2"	.425	1-1/4"	2.125	2-1/2"	8.500
3/4"	.636	1-1/2"	2.550	3"	10.200
1"	.850	2"	3.400	4"	13.600
1-1/4"	1.063	2-1/2"	4.250	6"	20.400
1-1/2"	1.280				

12 FT Random Lengths

STAINLESS STEEL ANGLE		
SIZE	LBS/FT	LBS/22FT
3/4" x 3/4" x 1/8"	.590	12.98
1" x 1" x 1/8"	.800	17.60
3/16"	1.160	25.52
1/4"	1.490	32.78
1-1/4" x 1-1/4" x 1/8"	1.010	22.22
3/16"	1.480	32.56
1/4"	1.920	42.24
1-1/2" x 1-1/2" x 1/8"	1.230	27.06
3/16"	1.800	39.60
1/4"	2.340	51.48
2" x 2" x 1/8"	1.650	36.30
3/16"	2.440	53.68
1/4"	3.190	70.18
3/8"	4.700	103.40
2-1/2" x 2-1/2" x 3/16"	3.070	67.54
1/4"	4.100	90.20
3/8"	5.900	129.80
3" x 3" x 1/4"	4.900	107.80
3/8"	7.200	158.40
1/2"	9.400	206.80
4" x 4" x 1/4"	6.600	145.20
3/8"	9.800	215.60
1/2"	12.800	281.60

20-22 FT Random Lengths

STAINLESS STEEL PIPE									
ANNEALED WELDED AND SEAMLESS - ASTM A 312									
NOMINAL PIPE SIZE	OUTSIDE DIAMETER	SCH 5s	LBS/FT	SCH 10s	LBS/FT	SCH 40S	LBS/FT	SCH 80s	LBS/FT
1/8"	.405"	-	-	-	-	.068"	.25	.095"	.32
1/4"	.540"	-	-	-	-	.088"	.43	.119"	.50
3/8"	.675"	-	-	.065"	.430	.091"	.57	.126"	.74
1/2"	.840"	.065"	.54	.083"	.670	.109"	.86	.147"	1.08
3/4"	1.05"	.065"	.69	.083"	.860	.113"	1.14	.154"	1.47
1"	1.315"	.065"	.87	.109"	1.41	.133"	1.69	.179"	2.17
1-1/4"	1.660"	.065"	1.11	.109"	1.82	.140"	2.29	.191"	2.99
1-1/2"	1.900"	.065"	1.28	.109"	2.10	.145"	2.74	.200"	3.63
2"	2-3/8"	.065"	1.61	.109"	2.66	.154"	3.68	.218"	5.02
2-1/2"	2-7/8"	.083"	2.49	.120"	3.56	.203"	5.84	.276"	7.73
3"	3-1/2"	.083"	3.02	.120"	4.37	.216"	7.64	.300"	10.25
3-1/2"	4"	.083"	3.47	.120"	5.01	.226"	9.19	.318"	12.62
4"	4-1/2"	.083"	3.95	.120"	5.66	.237"	10.89	.337"	15.12
5"	5-9/16"	.109"	6.34	.134"	7.84	.258"	14.75	.375"	20.97
6"	6-5/8"	.109"	7.58	.134"	9.29	.280"	19.15	.432"	34.50
8"	8-5/8"	.109"	9.91	.148"	13.40	.322"	28.82	.500"	45.10
10"	10-3/4"	.134"	15.19	.165"	18.83	.365"	40.86	.500"	56.70
12"	12-3/4"	.156"	20.98	.180"	24.20	.375"	50.03	.500"	67.50
	14"	.156"	23.28	.188"	27.73	.375"	55.08	.500"	76.30
	16"	.165"	27.90	.188"	32.50	.375"	63.16	.500"	87.60
	18"	.165"	32.17	.188"	36.10	.375"	71.25	.500"	98.90
	20"	.188"	39.77	.218"	46.06	.375"	79.33	.500"	110.20
	24"	.218"	56.70	.250"	64.41	.375"	95.50	.500"	132.80

NOTE: LBS/FT values are estimates for shipping purposes and may vary.

PLEASE CALL, EMAIL OR FAX FOR FURTHER INFORMATION ON
 GAUGE OR SCHEDULE PIPE ASTM A 778 AND SEAMLESS OR WELDED TUBING
 ASTM A 249/A 269 AND A 778



FULL SERVICE SUPPLIER OF CORROSION RESISTANT METALS SINCE 1913

ALASKAN COPPER & BRASS COMPANY

SEATTLE LOCATION

Mail Only
PO Box 3546
Seattle, WA 98124-3546

Phone 206-623-5800
Fax 253-796-2771
Toll Free 1-800-552-7661
acbsea@alaskancopper.com

**KENT LOCATION
CORPORATE HEADQUARTERS**

27402 72nd Avenue South
Kent, WA 98032-7366

Phone 206-623-5800
Fax 253-796-2771
Toll Free 1-800-552-7661
acbsea@alaskancopper.com

PORTLAND LOCATION

2440 SE Raymond Street
Portland, OR 97202-4638

Phone 503-238-7171
Fax 503-238-6849
Toll Free 1-800-552-7661
acbpdx@alaskancopper.com

SAN DIEGO LOCATION

1840 Dornoch Court
San Diego, CA 92154-7225

Phone 619-661-0012
Fax 619-661-0029
acbsan@alaskancopper.com

NORFOLK LOCATION

1140-B Azalea Garden Road
Norfolk, VA 23502-5612

Phone 757-227-6325
Fax 619-661-0029
acbnorfolk@alaskancopper.com

www.alaskancopper.com

ALASKAN COPPER & BRASS COMPANY

VANCOUVER, BC LOCATION

225 North Road
Coquitlam, BC V3K 3V7

Phone 604-937-6620
Fax 604-937-0838
Toll Free 1-800-667-5456
acbvcr@alaskancopper.com

www.alaskancopper.com

ALASKAN COPPER WORKS

**STAINLESS PRODUCTS
DIVISION**

3200 6th Avenue South
Seattle, WA 98134-2106

Phone 206-623-5800
Fax 206-382-7346
Toll Free 1-800-547-8533
acwspd@alaskancopper.com

**FABRICATION
DIVISION**

3405 6th Avenue South
Seattle, WA 98134-2109

Phone 206-623-5800
Fax 206-382-4306
acwfab@alaskancopper.com

PRODUCTS AND SERVICES AVAILABLE FROM ALASKAN COPPER & BRASS COMPANY AND ALASKAN COPPER WORKS

MILL PRODUCTS CATALOG	BOSSES AND WELDED OUTLETS	COPPER ROOF DRAINAGE PRODUCTS	COPPER-NICKEL PRODUCTS	STAINLESS STEEL PIPING PRODUCTS	FABRICATION DIVISION
Copper, Brass, Bronze, Stainless Steel, and Aluminum Sheet, Plate, Coil, Pipe Tube, Rod, Bar, Fittings, Flanges and Extrusions	Branch Outlets Available in Copper, Nickel, Nickel Alloys, Stainless Steel and Other Corrosion Resistant Alloys	Copper Gutters, Downspouts, Accessories and Roofing	Copper-Nickel Sheet, Plate, Bar, Pipe, Tubing, Fittings and Flanges	Stainless Steel and Other Corrosion Resistant Metal Pipe, Flanges and Fittings STEEL PIPING PRODUCTS Industrial Pipe, Valves & Fittings	Corrosion Resistant Alloy Heat Exchangers, Pressure Vessels, Tanks, Columns, Special Fabrication and Prefabricated Piping Systems

THESE DETAILED CATALOGS AND BROCHURES ARE AVAILABLE ON OUR WEBSITE: WWW.ALASKANCOPPER.COM