Mario Paz • Young Hoon Kim

Structural Dynamics

Theory and Computation

Sixth Edition



Contents

| | System | | | |
|---|--------|--|----|--|
| 1 | Undar | nped Single Degree-of-Freedom System | 3 | |
| _ | 1.1 | Degrees of Freedom | 3 | |
| | 1.2 | Undamped System | 5 | |
| | 1.3 | Springs in Parallel or in Series | 6 | |
| | 1.4 | Newton's Law of Motion | 7 | |
| | 1.5 | Free Body Diagram | 8 | |
| | 1.6 | D'Alembert's Principle | 9 | |
| | 1.7 | Solution of the Differential Equation of Motion | 10 | |
| | 1.8 | Frequency and Period | 12 | |
| | 1.9 | Amplitude of Motion | 14 | |
| | 1.10 | Response of SDF Using MATLAB Program | 18 | |
| | 1.11 | Summary | 20 | |
| | 1.12 | Problems | 21 | |
| 2 | Damp | ed Single Degree-of-Freedom System | 29 | |
| | 2.1 | Viscous Damping | 29 | |
| | 2.2 | Equation of Motion | 29 | |
| | 2.3 | Critically Damped System | 30 | |
| | 2.4 | Overdamped System | 31 | |
| | 2.5 | Underdamped System | 32 | |
| | 2.6 | Logarithmic Decrement | 33 | |
| | 2.7 | Response of SDF Using MATLAB Program | 39 | |
| | 2.8 | Summary | 40 | |
| | 2.9 | Problems | 41 | |
| 3 | Respo | onse of One-Degree-of-Freedom System to Harmonic | | |
| | Loadi | ing | 45 | |
| | 3.1 | Harmonic Excitation: Undamped System | 45 | |
| | 3.2 | Harmonic Excitation: Damped System | 47 | |
| | 3.3 | Evaluation of Damping at Resonance | 54 | |
| | 3.4 | Bandwidth Method (Half-Power) to Evaluate Damping. | 55 | |
| | 3.5 | Energy Dissipated by Viscous Damping | 57 | |
| | 3.6 | Equivalent Viscous Damping | 58 | |

Part I Structures Modeled as a Single-Degree-of-Freedom

| | 3.7 | Response to Support Motion | 60 |
|---|-------|---|-----|
| | | 3.7.1 Absolute Motion | 60 |
| | | 3.7.2 Relative Motion | 65 |
| | 3.8 | Force Transmitted to the Foundation | 69 |
| | 3.9 | Seismic Instruments | 71 |
| | 3.10 | Response of One-Degree-of-Freedom System to | |
| | | Harmonic Loading Using MATLAB | 73 |
| | 3.11 | Summary | 76 |
| | 3.12 | Analytical Problem | 78 |
| | 3.13 | Problems | 79 |
| 4 | Respo | nse to General Dynamic Loading | 85 |
| | 4.1 | Duhamel's Integral – Undamped System | 85 |
| | | 4.1.1 Constant Force | 86 |
| | | 4.1.2 Rectangular Load | 88 |
| | | 4.1.3 Triangular Load | 90 |
| | 4.2 | Duhamel's Integral-Damped System | 95 |
| | 4.3 | Response by Direct Integration | 95 |
| | 4.4 | Solution of the Equation of Motion | 97 |
| | 4.5 | Summary | 104 |
| | 4.6 | Analytical Problems | 105 |
| | 4.7 | Problems | 108 |
| 5 | Respo | nse Spectra | 115 |
| • | 5.1 | Construction of Response Spectrum | 115 |
| | 5.2 | Response Spectrum for Support Excitation | 113 |
| | 5.3 | Tripartite Response Spectra | 110 |
| | 5.4 | Response Spectra for Elastic Design | 123 |
| | 5.5 | Influence of Local Soil Conditions | 125 |
| | 5.6 | Response Spectra for Inelastic Systems | 120 |
| | 5.7 | Response Spectra for Inelastic Design | 120 |
| | 5.8 | Seismic Response Spectra Using MATLAB | 131 |
| | 5.9 | Summary | 135 |
| | 5.10 | Problems | 139 |
| | | | - |
| 6 | | ear Structural Response | 143 |
| | 6.1 | Nonlinear Single-Degree-of-Freedom Model | 143 |
| | 6.2 | Integration of the Nonlinear Equation of Motion | 145 |
| | 6.3 | Constant Acceleration Method | 146 |
| | 6.4 | Linear Acceleration Step-by-Step Method | 148 |
| | 6.5 | The Newmark: β Method | 150 |
| | 6.6 | Elastoplastic Behavior | 156 |
| | 6.7 | Algorithm for Step-by-Step Solution for Elastoplastic | |
| | | Single-Degree-of-Freedom System | 158 |
| | 6.8 | Response for Elastoplastic Behavior Using MATLAB | 163 |
| | 6.9 | Summary | 166 |
| | 6.10 | Problems | 167 |
| | | | |

Part II Structures Modeled as Shear Buildings

| 7 | Free V | ibration of a Shear Building | 173 |
|---|--------|---|-----|
| | 7.1 | Stiffness Equations for the Shear Building | 173 |
| | 7.2 | Natural Frequencies and Normal Modes | 176 |
| | 7.3 | Orthogonality Property of the Normal Modes | 181 |
| | 7.4 | Rayleigh's Quotient | 186 |
| | 7.5 | Summary | 187 |
| | 7.6 | Problems | 188 |
| 8 | Forced | Motion of Shear Buildings | 193 |
| | 8.1 | Modal Superposition Method | 193 |
| | 8.2 | Response of a Shear Building to Base Motion | 199 |
| | 8.3 | Response by Modal Superposition Using MATLAB | 205 |
| | 8.4 | Harmonic Force Excitation | 207 |
| | 8.5 | Harmonic Response: MATLAB Program | 211 |
| | 8.6 | Combining Maximum Values of Modal Response | 214 |
| | 8.7 | Summary | 214 |
| | 8.8 | Problems | 215 |
| 9 | Reduc | tion of Dynamic Matrices | 219 |
| | 9.1 | Static Condensation | 219 |
| | 9.2 | Static Condensation Applied to Dynamic Problems | 222 |
| | 9.3 | Dynamic Condensation | 233 |
| | 9.4 | Modified Dynamic Condensation | 241 |
| | 9.5 | Summary | 245 |
| | 9.6 | Problems | 246 |
| | | | |

Part III Framed Structures Modeled as Discrete Multi-Degree-of-Freedom Systems

| 10 | Dynan | nic Analysis of Beams | 251 |
|----|-------|---|-----|
| | 10.1 | Shape Functions for a Beam Segment | 251 |
| | 10.2 | System Stiffness Matrix | 256 |
| | 10.3 | Inertial Properties-Lumped Mass | 259 |
| | 10.4 | Inertial Properties—Consistent Mass | 260 |
| | 10.5 | Damping Properties | 264 |
| | 10.6 | External Loads | 265 |
| | 10.7 | Geometric Stiffness | 266 |
| | 10.8 | Equations of Motion | 270 |
| | 10.9 | Element Forces At Nodal Coordinates | 276 |
| | 10.10 | Program 13—Modeling Structures as Beams | 278 |
| | 10.11 | Summary | 284 |
| | 10.12 | Problems | 285 |
| 11 | Dynan | nic Analysis of Plane Frames | 291 |
| | 11.1 | Element Stiffness Matrix for Axial Effects | 291 |
| | 11.2 | Element Mass Matrix for Axial Effects | 293 |
| | 11.3 | Coordinate Transformation | 297 |
| | 11.4 | Modeling Structures as Plane Frames Using MATLAB. | 304 |

| | 11.5 | Dynamic Analysis of Plane Frames Using MATLAB | 307 |
|----|-------|--|------|
| | 11.6 | Summary | 312 |
| | 11.7 | Problems | 312 |
| 12 | Dynan | nic Analysis of Grid Frames | 317 |
| | 12.1 | Local and Global Coordinate Systems | 317 |
| | 12.2 | Torsional Effects | 318 |
| | 12.3 | Stiffness Matrix for a Grid Element | 320 |
| | 12.4 | Consistent Mass Matrix for a Grid Element | 320 |
| | 12.5 | Lumped Mass Matrix for a Grid Element | 321 |
| | 12.6 | Transformation of Coordinates | 321 |
| | 12.7 | Modeling Structures as Grid Frames Using MATLAB | 327 |
| | 12.8 | Summary | 330 |
| | 12.9 | Problems | 331 |
| 13 | Dynar | nic Analysis of Three-Dimensional Frames | 335 |
| | 13.1 | Element Stiffness Matrix | 335 |
| | 13.2 | Element Mass Matrix | 337 |
| | 13.3 | Element Damping Matrix | 337 |
| | 13.4 | Transformation of Coordinates | 338 |
| | 13.5 | Differential Equation of Motion | 342 |
| | 13.6 | Dynamic Response | 342 |
| | 13.7 | Modeling Structures as Space Frames | |
| | | Using MATLAB | 342 |
| | 13.8 | Summary | 347 |
| 14 | Dynar | nic Analysis of Trusses | 349 |
| | 14.1 | Stiffness and Mass Matrices for the Plane Truss | 349 |
| | 14.2 | Transformation of Coordinates | 351 |
| | 14.3 | Stiffness and Mass Matrices for Space Trusses | 361 |
| | 14.4 | Equation of Motion for Space Trusses | 363 |
| | 14.5 | Modeling Structures as Space Trusses Using MATLAB. | 364 |
| | 14.6 | Summary | 368 |
| | 14.7 | Problems | 368 |
| 15 | - | nic Analysis of Structures Using the Finite | |
| | | ent Method | 371 |
| | 15.1 | Plane Elasticity Problems | 372 |
| | | 15.1.1 Triangular Plate Element for Plane | ~~~ |
| | | Elasticity Problems | 373 |
| | 15.2 | Plate Bending | 378 |
| | | 15.2.1 Rectangular Element for Plate Bending | 379 |
| | 15.3 | Summary | 384 |
| | 15.4 | Problems | 385 |
| 16 | | History Response of Multi-Degree-of-Freedom | 0.00 |
| | • | ns | 389 |
| | 16.1 | Incremental Equations of Motion | 389 |
| | 16.2 | The Wilson- θ Method | 391 |

| | 16.3 | Algorith | m for Step-by-Step Solution of a Linear | |
|-----|--------|------------|---|-----|
| | | System | Using the Wilson- θ Method | 393 |
| | | 16.3.1 | Initialization | 393 |
| | | 16.3.2 | For Each Time Step | 393 |
| | 16.4 | Respons | e by Step Integration Using MATLAB | 397 |
| | 16.5 | | wmark Beta Method | 401 |
| | 16.6 | | astic Behavior of Framed-Structures | 402 |
| | 16.7 | - | Stiffness Matrix | 402 |
| | 16.8 | | Mass Matrix | 405 |
| | 16.9 | | of Plastic Hinges | 407 |
| | 16.10 | | ion of Member Ductility Ratio | 408 |
| | 16.11 | | ÿ | 409 |
| | 16.12 | | S | 409 |
| | | | | |
| Par | t IV S | tructures | s Modeled with Distributed Properties | |
| 17 | Dynan | nic Analy | sis of Systems with Distributed Properties | 415 |
| 1, | 17.1 | | Vibration of Uniform Beams | 415 |
| | 17.2 | | of the Equation of Motion in Free Vibration | 417 |
| | 17.2 | | Frequencies and Mode Shapes for | |
| | 17.5 | | | 418 |
| | | 17.3.1 | Both Ends Simply Supported | 418 |
| | | 17.3.1 | Both Ends Free (Free Beam) | 421 |
| | | 17.3.3 | Both Ends Fixed | 422 |
| | | 17.3.4 | One End Fixed and the Other End Free | 122 |
| | | 17.5.4 | (Cantilever Beam) | 424 |
| | | 17.3.5 | One End Fixed and the Other Simply | 727 |
| | | 17.5.5 | Supported | 425 |
| | 17.4 | Orthogo | nality Condition Between Normal Modes | 426 |
| | 17.4 | - | Vibration of Beams | 427 |
| | 17.5 | | c Stresses in Beams | 432 |
| | | | y | 433 |
| | 17.7 | | y | 434 |
| | 17.8 | | | 434 |
| 18 | Discre | tization o | of Continuous Systems | 437 |
| | 18.1 | Dynami | c Matrix for Flexural Effects | 437 |
| | 18.2 | Dynami | c Matrix for Axial Effects | 439 |
| | 18.3 | Dynami | c Matrix for Torsional Effects | 441 |
| | 18.4 | Beam F | lexure Including Axial-Force Effect | 443 |
| | 18.5 | Power S | eries Expansion of the Dynamic Matrix | |
| | | for Flex | ural Effects | 445 |
| | 18.6 | Power S | eries Expansion of the Dynamic Matrix | |
| | | | and for Torsional Effects | 447 |
| | 18.7 | Power S | eries Expansion of the Dynamic Matrix | |
| | | | g the Effects of Axial Forces | 447 |

Including the Effects of Axial Forces44718.8Summary448

| Part V | Special Topics: Fourier Analysis, Evaluation of Absolute |
|--------|--|
| | Damping, Generalized Coordinates |
| | |

| 19 | Fourie | r Analysis and Response in the Frequency Domain | 453 |
|-------|--------|---|-----|
| | 19.1 | Fourier Analysis | 453 |
| | 19.2 | Response to a Loading Represented by Fourier Series | 454 |
| | 19.3 | Fourier Coefficients for Piecewise Linear Functions | 456 |
| | 19.4 | Exponential Form of Fourier Series | 457 |
| | 19.5 | Discrete Fourier Analysis | 458 |
| | 19.6 | Fast Fourier Transform | 461 |
| | 19.7 | Response in the Frequency Domain Using MATLAB. | 463 |
| | 19.8 | Summary | 469 |
| | 19.9 | Problems | 470 |
| 20 | Evalua | ation of Absolute Damping from Modal | |
| | Dampi | ing Ratios | 477 |
| | 20.1 | Equations for Damped Shear Building | 477 |
| | 20.2 | Uncoupled Damped Equations | 478 |
| | 20.3 | Conditions for Damping Uncoupling | 479 |
| | 20.4 | Summary | 487 |
| | 20.5 | Problems | 487 |
| 21 | Gener | alized Coordinates and Rayleigh's Method | 491 |
| | 21.1 | Principle of Virtual Work | 491 |
| | 21.2 | Generalized Single-Degree-of-Freedom System-Rigid | |
| | | Body | 492 |
| | 21.3 | Generalized Single-Degree-of-Freedom System- | |
| | | Distributed Elasticity | 495 |
| | 21.4 | Shear Forces and Bending Moments | 500 |
| | 21.5 | Generalized Equation of Motion for a Multistory | |
| | | Building | 504 |
| | 21.6 | Shape Function | 506 |
| | 21.7 | Rayleigh's Method | 510 |
| | 21.8 | Improved Rayleigh's Method | 517 |
| | 21.9 | Shear Walls | 520 |
| | 21.10 | Summary | 523 |
| | 21.11 | Problems | 524 |
| Par | t VI I | Random Vibration | |
| 22 | Randa | om Vibration | 531 |
| ha ha | manut | JALL Y LIVE GELEVAL | 551 |

| 22 | Rando | Random Vibration | | | |
|----|-------|---|-----|--|--|
| | 22.1 | Statistical Description of Random Functions | 532 | | |
| | 22.2 | Probability Density Function | 534 | | |
| | 22.3 | The Normal Distribution | 536 | | |
| | 22.4 | The Rayleigh Distribution | 537 | | |
| | 22.5 | Correlation | 538 | | |
| | 22.6 | The Fourier Transform | 542 | | |
| | 22.7 | Spectral Analysis | 543 | | |
| | 22.8 | Spectral Density Function | 547 | | |
| | | | | | |

| | 22.9 | Narrow-Band and Wide-Band Random Processes | 550 |
|-----|-------|---|-----|
| | 22.10 | Response to Random Excitation: Single-Degree-of- | |
| | | Freedom System | 553 |
| | 22.11 | | |
| | | Freedom System | 559 |
| | | 22.11.1 Relationship Between Complex Frequency | |
| | | Response and Unit Impulse Response | 559 |
| | | 22.11.2 Response to Random Excitation: Two- | |
| | | Degree-of-Freedom System | 561 |
| | | 22.11.3 Response to Random Excitation: N Degree | |
| | | of Freedom System | 565 |
| | 22.12 | Summary | 567 |
| | 22.13 | Problems | 568 |
| Par | t VII | Earthquake Engineering | |
| | _ | | |
| 23 | • | nic Method | 575 |
| | 23.1 | Modal Seismic Response of Building | 575 |
| | | 23.1.1 Modal Equation and Participation Factor | 575 |
| | | 23.1.2 Modal Shear Force | 576 |
| | | 23.1.3 Effective Modal Weight | 578 |
| | | 23.1.4 Modal Lateral Forces | 579 |
| | | 23.1.5 Modal Displacements | 579 |
| | | 23.1.6 Modal Drift | 579 |
| | | 23.1.7 Modal Overturning Moment | 580 |
| | | 23.1.8 Modal Torsional Moment | 580 |
| | 23.2 | Total Design Values | 580 |
| | 23.3 | Scaling of Results | 582 |
| | 23.4 | Summary | 588 |
| | 23.5 | Problems | 588 |
| 24 | IBC-2 | 018 and ASCE 7-16 | 589 |
| | 24.1 | Response Spectral Acceleration: S _S , S ₁ | 589 |
| | 24.2 | Soil Modified Response Spectral Acceleration: | |
| | | $S_{MS}, S_{M1}, \ldots, \ldots$ | 590 |
| | 24.3 | Design Response Spectral Acceleration: S_{DS} , S_{D1} | 590 |
| | 24.4 | Site Class Definition: A, B F | 591 |
| | 24.5 | Risk Category and Seismic Importance Factor $(I_e) \dots$ | 592 |
| | 24.6 | Seismic Design Category (A, B, C, D, E and F) | 592 |
| | 24.7 | Design Response Spectral Curve: S _a Vs. T | 593 |
| | 24.8 | Determination of the Fundamental Period | 595 |
| | 24.9 | Minimum Lateral Force Procedure [ASCE 7-16: | |
| | | Section 1.4.3] | 596 |
| | 24.10 | Simplified Lateral Force Analysis Procedure | |
| | | [ASCE 7-16: Section 12.14.8 and IBC 2018 | |
| | | Section 1613.2.5.2] | 596 |
| | | 24.10.1 Seismic Base Shear | 597 |
| | | 24.10.2 Response Modification Factor <i>R</i> | 597 |
| | | 24.10.3 Vertical Distribution of Lateral Forces | 598 |

| 24.11 | Equivale | ent Lateral Force Procedure [ASCE 7-16: | |
|----------|------------|---|-----|
| | Section 1 | 12.8] | 598 |
| | 24.11.1 | Distribution of Lateral Forces [ASCE 7-16: | |
| | | Section 12.8.3] | 600 |
| | 24.11.2 | Overturning Moments [ASCE 7-16: Section | |
| | | 12.8.5] | 601 |
| | 24.11.3 | Horizontal Torsional Moment | 601 |
| | 24.11.4 | <i>P</i> -Delta Effect (P– Δ) [ASCE 7-16: Section | |
| | | 12.8.7] | 601 |
| | 24.11.5 | Story Drift [ASCE 7-16: Sect. 12.8.6] | 602 |
| 24.12 | Redunda | ncy [ASCE 7-16: Section 12.3.4] | 603 |
| 24.13 | Earthqua | ke Load Effect [ASCE 7-16 Section 12.4.2] | 604 |
| 24.14 | Building | Irregularities [ASCE 7-16 Section 12.3.2.1] | 604 |
| 24.15 | Summar | y | 609 |
| Append | lices | | 611 |
| Selected | d Bibliogr | aphy | 625 |
| Index . | ••••• | | 629 |