Supported Operating System Platforms

Operating	System	Windows Server 2008	Windows Server 2008	Standard and Enterprise Edition	Windows Server 2012	Datacenter and Standard Edition	Windows 7 Professional,	Enterprise Edition*4	Windows 8.x	Pro and Enterprise	Suse Linux	Server		Red Hat	Linu				Solaris		XO-4H	>	AIA	Mac OS X
•	Version		R	2		R2					11 9	SPx		6.x		7.x *12	1	.0	11	*14	11i v3	6.1	7.1	10.9
Pro	ocessor	x86-64	x86-64 *5	Amazon EC2 64-bit	x86-64 *5	x86-64 *5	98x	x86-64	x86	x86-64	x86-64	IBM System z 64-bit	x86-64 *5	IBM System z 64-bit	Amazon EC2 64-bit	x86-64	SPARC 64*15	x86-64	SPARC 64*15	x86-64	IA64	Power 64-bit	Power 64-bit	
AgileApps Live (LongJump)	10.2										✓		✓		✓									1
Apama Studio	5.2		(√) ^{*7}			(√) ^{*7}	(√) ^{*7}	(√) ^{*7}		(√) ^{*7}														
Apama Server	5.2		(√) ^{*7}	(√) ^{*7}		(√) ^{*7}	(√) ^{*7}	(√) ^{*7}		(✓) ^{*7}	(√) ^{*7}		(√) ^{*7}		(√) ^{*7}									
Apama Capital Markets Foundation	5.2		(√) ^{*7}	(√)*7		(√)*7	(√)*7	(√) ^{*7}		(√) ^{*7}	(√)*7		(√)*7		(√)*7									
Apama Capital Markets Adapters	5.2		(✓) ^{*7}	(v)*7		(√) ^{*7}	(v)*7	(✓) ^{*7}		(v)*7	(v)*7		(√)*7		(v)*7									
ApplinX*2	9.7	✓	√	√	✓	✓	√	✓	✓	√	✓	✓	√	✓	✓		✓		✓		✓		✓	
CentraSite	9.7	✓	✓	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓	✓	(√) *8	✓	(√) ^{*8}	✓	✓	✓	✓	
EntireX*2	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓		✓	✓	✓	
MashZone	9.7	✓	✓	✓	✓		✓	✓	✓	✓			✓											
My webMethods Server	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
PPM	9.7	✓	✓	✓	✓		✓	✓	✓	✓			✓											
Presto	3.8	√	√	√	√			√		✓	✓		√		✓	(√) ^{*13}								1
Software AG Command Central	9.7	√	√	✓	√	√	√	√	√	√	✓	√	√	✓	√	√	√	√	√	✓	√	√	√	✓
Terracotta BigMemory	4.2	√	√		√	√					✓		√							✓				
Terracotta BigMemory*3	4.1.4	√	√	✓	√	√					✓	√	√	✓	√	(√) ^{*13}	√		√	✓	√	√	√	
Terracotta Quartz	2.2.1	√	√		√	√					✓		√							✓				
Terracotta Web Sessions	4.2	√	√		√	√					√		√							√				
Terracotta Web Sessions	4.1.4	√	√		√	√					√		√			(√) ^{*13}				√				
Universal Messaging	9.7	√	√	√	√	√	√	√	√	√	√	√	√	√	√	(v)*13	√	√	√	√	(√)*10	√	√	✓
webMethods ActiveTransfer Gateway	9.7	√	√	√	<u>√</u>	√	✓	√ ·	✓ ·	√	√	<u> </u>	<u> </u>	√	✓	(·) ✓	✓	√	√ ·	√	(¹) ✓	✓	√	1
webMethods ActiveTransfer Server	9.7	<i>✓</i>	<i>✓</i>	·	<u> </u>	· /	✓ ✓	√ ·	<i>'</i>	· /	· /	<u> </u>	<i>'</i>	· /	✓ ✓	√ ·	✓ ✓	<i>✓</i>	<i>'</i>	· /	√ ·	<u> </u>	√ ·	
webMethods API-Portal	9.7	<i>'</i>	<i>'</i>	<i>'</i>	<u> </u>	<i>'</i>	,	,	,		· /	•	<i>'</i>		✓ ✓	<i>'</i>	,	,	,	•	,	,	,	
webMethods Asset Build Environment	9.7	<i>'</i>	<i>'</i>	<i>'</i>	<u> </u>	<i>'</i>	√	√	√	1	· /		<i>'</i>	√	✓ ✓	<i>'</i>	√	√	√	√	√	√	√	
webMethods Broker*6	9.6	<i>'</i>	<i>'</i>	·	<u> </u>	<i>'</i>	✓ /	<i>'</i>	<i>'</i>	<i>'</i>	· /	<u> </u>	<i>'</i>	· ·	✓	<i>'</i>	✓ ✓	<i>'</i>	· ·	· /	✓	<u>√</u>	✓	
webMethods Business Console	9.7	· /	· /	<i>'</i>	<u>,</u> ✓		<i>'</i>	· /	<i>'</i>		<i>'</i>		✓	<i>'</i>	· /	✓	· /	<i>'</i>	· /	· /	·	·	·	
webMethods Business Rules	9.7	<u>,</u>	<u>,</u>	<i>'</i>	<u>,</u>		<i>'</i>	<i>'</i>	<i>'</i>	<u>,</u>	<i>'</i>	<u> </u>	, , , , , , , , , , , , , , , , , , ,	· ./	<i>'</i>	<i>'</i>	<i>'</i>	<i>'</i>	<i>'</i>	· ·	· ·	·	· ·	
webMethods Closed Loop Analytics	9.7	<u>,</u>	· /	<i>y</i>	<u> </u>	· /	· ·	· ·	· ·	· /	· /	<u>,</u>	✓	•	· ·	1	· ·	· /	· ·	•	•	· ·	∨	
webMethods CloudStreams Server	9.7	./	./	<i>'</i>	./	./	./	./	./	./	./	./	-/	./	./	./	./	./	./	./	./	./	./	
webMethods Content Service Platform Client Component		./	./	•	•	, ,	./	./		./	./	•	./	•	<u> </u>	./	./	./	./	./	./	./	./	
webMethods Content Service Platform Server	9.0	-/	./				./	./		V	·/		∨ ✓			./	./	./	./	·/	./	./	./	
	9.7	./	./	./	./	1	./	./	./	./	./	./	-/	./	./	./	./	./	./	./	./	./	./	
webMethods Database Configuration	9.7	./	./	./	./	-/	./	./	./	-/	· /	./	./	./	./	./	./	./	./	./	./	./	./	· /
webMethods Deployer webMethods Infrastructure Data Collector	9.7	./	./	./	./	-/	<u> </u>	./	— v	-/	•	./	· /	./	./	v (√)*13	./	./	./	./	./	./	./	
	9.7	-/	./	./	./	V	./	./	./	-/	·/	<u>*</u>	./	./	./	(*)	./	./	./	·/	./	./	./	-/
webMethods Integration Server webMethods Locate	9.7	./	∨	•	./	· · ·	./	./	./	· ·	· /	•	✓	٧	· ·	./	v	- *	v	•	٧	•	٧	<u> </u>
webMethods Logging Utility	9.7	./	./	./	./	-/	./	./	./	-/	•	./	· /	./	./	./	./	./	./	./	./	./	./	
webMethods Logging Othity webMethods Mediator	9.7	-/	./	./	./	-/	./	./	./	-/	./	./	./	./	./	./	./	./	./	./	./	./	./	
	9.7	- 	, ,	•	٧	 	v	v	<u> </u>	 	· /	•	∨	•	· ·	∨	v	- *	v	•	٧	•	٧	\vdash
webMethods Mobile Administrator			./		./	./	(√) ^{*9}	(√) ^{*9}	./	./	•		 			v								
webMethods Adapter Development Kit	9.7		✓ ✓		<u> </u>	V	(v) -	(v) -	v	V		√	√						/			/		<u> </u>
webMethods Adapter Development Kit	6.5	V	V	V	v	V	v	v	v	V	V	<u> </u>	V	v	v	V	v	V	v	v	v	v	v	
webMethods Monitor	9.7	 	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Supported Operating System Platforms

	Operating System	Windows Server 2008	Windows Server 2008	Standard and Enterprise Edition	Windows Server 2012	Datacenter and Standard Edition	Windows 7 Professional,	Enterprise Edition*4	Windows 8.x	Fro and Enterprise	Suse Linux	Enterprise Server		Red Hat	Enterprise Linux Server ^{*1}				Solaris		HP-UX	\1 V		Mac OS X
	Version		ı	R2		R2					11	SPx		6.x		7.x *12	1	0	11	*14	11i v3	6.1	7.1	10.9
	Processor	x86-64	x86-64 *5	Amazon EC2 64-bit	x86-64 *5	x86-64 *5	×86	x86-64	×86	x86-64	x86-64	IBM System z 64-bit	x86-64 *5	IBM System z 64-bit	Amazon EC2 64-bit	x86-64	SPARC 64*15	x86-64	SPARC 64*15	x86-64	IA64	Power 64-bit	Power 64-bit	
webMethods OneData	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	
webMethods Optimize for B2B	9.7	✓	✓	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓	(v)*13	✓	✓	✓	✓	✓	✓	✓	
webMethods Optimize for Infrastructure	9.7	✓	✓	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓	(√) *13	✓	✓	✓	✓	✓	✓	✓	
webMethods Optimize for Process	9.7	✓	✓	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓	(√) *13	✓	✓	✓	✓	✓	✓	✓	
webMethods SAP Process Monitor Agent*11	8.0.1	✓	✓	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	
webMethods Platform Manager	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
webMethods Process Engine	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
webMethods Tamino XML Server	9.7	✓	✓		✓	✓		✓		✓	✓		✓			✓								
XTools	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	
webMethods Task Engine	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
webMethods Trading Networks Server	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
webMethods Trading Networks	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓	✓	✓	✓	✓
webMethods Events	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	\checkmark	✓	✓	(✓) *13	✓	✓	✓	✓	✓	✓	✓	✓

Notes:

- *1 Includes the Base Server and Advanced Platform
- *2 EntireX and ApplinX support additional operating systems. See the Release Notes of these products.
- *3 Only Terracotta 4.1.x is compatible with webMethods 9.7 and selected platforms are supported for webMethods customers only.
- *4 Windows Desktop platforms are supported for server functionality for development environments only.
- *5 Also supported on VMWare ESX 5.x.
- $^{*6}\,$ Broker C client library supported for both 32-bit and 64-bit Solaris, HP-UX and AIX
- Broker Server and command line utilities are supported on listed platforms
- Broker C# API is supported on Windows only
- Broker Java/JMS API also supported on Mac OSX
- *7 Apama Support is very specific:
 - Win2008R2 is SP1 only, Win2012 is R2 only, Win7 is SP1 only, Win8 is 8.1 only,
- RHEL6 is 6.1+,
- SLES11 is SP3+
- Bovespa ProxyDiff adapter only supported on 32-bit Windows.
- *8 Please contact your Software AG representative if you plan to install on a Solaris CMT system.
- *9 Only Windows 7 Professional is supported
- *10 On HP-UX systems, shared memory drivers are currently not supported for more information see the Universal Messaging installation guide.
- *11 For information about the webMethods SAP Process Monitoring Agent and webMethods SAP Adapter, which are components of webMethods Optimize for SAP, see the webMethods Adapter System Requirements.
- *12 Red Hat Enterprise Linux Server 7 is only supported if the respective fixes are installed
- *13 Red Hat Enterprise Linux Server 7 is only supported for products, used in combination with the webMethods Suite.
- *14 Solaris 11.3 is not supported
- $^{\ast 15}$ SPARC Servers of the Series M7, S7, T7, M8 and T8 are not supported

Language packs are available for some products on all supported operating systems except Mac OS \boldsymbol{X} .

This document will be updated whenever support for additional operating systems becomes available.

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Except where otherwise specified by a special arrangement, we support our software operation only on the supported Linux distributions mentioned above. Customers may run webMethods software on Linux distributions like Oracle Linux and other Linux distributions that are stated to be compatible with the Linux distributions supported by webMethods products. If they encounter an issue that might be related to webMethods software, Technical Services may ask the customer to reproduce the issue on the Red Hat or SUSE distributions that are supported before analyzing the issue further.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported software products, when troubleshooting a customer issue.

Supported Operating System Platforms for Software AG Designer

Opera	Win Server 2008 Standard and Enterprise Edition			Windows Server 2012 Datacenter and Standard Edition		Windows 7 Professional, Ultimate, Enterprise Edition ^{*1}		Windows 8.x Pro and Enterprise		Suse Linux Enterprise Server	Red Hat Enterprise Linux			Mac OS X	
	Version		R	12		R2					11 SPx	6	.x	7.x*3	10.9
	Processor	x86-64	x86-64 *2	Amazon EC2 64-bit	x86-64	x86-64	x86	x86-64	x86	x86-64	x86-64	x86-64 *2	Amazon EC2 64-bit	x86-64	x86-64
Software AG Designer	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CentraSite SOA Governance	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Fico Blaze Advisor	9.7	✓	✓		✓	✓	✓	✓	✓	✓					
webMethods ApplinX	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓					
webMethods Business Rules	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
webMethods CloudStreams Development	9.7	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓		✓	
webMethods Composite Application Framework	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
webMethods EntireX	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
webMethods Events	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	(√) *4	
webMethods Mobile Development	9.7		✓		✓	✓	✓	✓	✓	✓					✓
webMethods Process Development	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
webMethods Process Simulation	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
webMethods Service Development	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
webMethods Tamino XML Server	9.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

Notes

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported software products, when troubleshooting a customer issue.

 $^{^{*1}}$ Windows Desktop platforms are supported for webMethods server functionality for development environments only

 $^{^{*2}}$ Also supported on VMWare ESX 5.x

 $^{^{*3}}$ Red Hat Enterprise Linux Server 7 is only supported if the respective fixes are installed

^{*4} Red Hat Enterprise Linux Server 7 is only supported for products, used in combination with the webMethods Suite.

Supported RDBMSs

webMethods products support their database components on all platforms on which the RDBMS vendor supports the RDBMS. Unless otherwise mentioned all webMethods products come with the client component of the DataDirect Connect JDBC 5.1.1 driver. This driver is a Type 5 JDBC driver that does not have a server component. For information about the database components and the webMethods products that use them, see "Installing webMethods Products".

		Ora	ıcle		DB2 LUW	MS SQL Server			
		11 g (R1 / R2) ^{*1}	12c *1	9.7	10.1	10.5	2008 2008 R2	2012	2014
AgileApps Live (LongJump)*7	10.2								
Apama Server ^{*7}	5.2	(√) ^{⋆8}					(√) ^{∗9}		
My webMethods Server	9.7	✓	✓		✓	✓	✓	✓	✓
MashZone	9.7	(v)*2	(^)*2				(√) *2	(√) *2	
PPM	9.7	(v)*2	(√) *2	(v)*2			(✓) ^{*2}	(√) *2	
JDBC-2-PPM Extractor	9.7	(√) ^{⋆3}	✓	(v)*4		(√) ^{*5}	(✓) ^{*5}	(√) *5	
Presto*7	3.8	(√) ^{*3}					(✓) ^{⋆6}		
webMethods ApplinX	9.7	✓					✓	✓	✓
webMethods ActiveTransfer Server	9.7	✓	✓		✓	✓	✓	✓	✓
webMethods Business Console	9.7	✓	✓		✓	✓	✓	✓	✓
webMethods Business Rules	9.7	✓	✓		✓	✓	✓	✓	✓
webMethods CloudStreams Server	9.7	✓	✓		✓	✓	✓	✓	✓
webMethods Content Service Platform Server	9	✓	✓	✓	✓	✓	✓	✓	✓
webMethods Integration Server	9.7	✓	✓		✓	✓	✓	✓	✓
webMethods Monitor	9.7	✓	✓		✓	✓	✓	✓	✓
webMethods OneData	9.7	✓	✓				✓	✓	✓
webMethods Optimize	9.7	✓	✓		✓	✓	✓	✓	✓
webMethods Process Engine	9.7	✓	✓		✓	✓	✓	✓	✓
webMethods API-Portal	9.7	✓	✓				✓	✓	
webMethods Trading Networks Server	9.7	✓	✓		✓	✓	✓	✓	✓

Notes:

PPM supports SQL Server databases set up for collation Latin1_General_BIN. SQL Server databases with other collations are not supported. You can assign the collation at the database level.

If you use MS SQL Server 2008 or 2012 on a single database instance and plan to set up a scaled PPM system with one master server and several sub-servers to connect to that instance, you need to ensure that the individual servers (especially master server and sub-servers) access different databases within the instance.

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported

^{*1} Also supported when implemented as RAC.

^{*2} Database connections use the standard JDBC interface. The required JDBC drivers are database-specific and are either part of the database installation or can be acquired from the database manufacturer. Selecting a suitable JDBC driver is not critical as only standard JDBC features are used.

^{*3} Supported JDBC driver: 11.1.0.6.0 and higher

^{*4} Supported JDBC driver: IBM DB2 JDBC driver 9.7

^{*5} Standard and Enterprise Edition are supported

Supported JDBC driver: 4.0.2206.100 and higher. It is mandatory with Java 1.7 to use the sqljdbc4.jar driver.

^{*6} Database connections use the standard JDBC interface. The required JDBC drivers are database-specific and are either part of the database installation or can be acquired from the database manufacturer. The jDTS driver is the recommended driver for use of Presto with a SQL Server database

^{*7} These products support additional DBMSs. For details please see the the respective product documentation.

^{*8} Only Oracle 11g R2 is supported

^{*9} Only MS SQL Server 2008 R2 is supported.

Delivered JDKs

Oper	ating System	Windows / L	INUX / Solaris	HP-UX IA64		AIX	LINUX IBM System z	Mac OS X		
	JDK	Oracle Java 1.7.0 65	Oracle Java 1.8.0.1 *1	HP Java 1.7.0.09	IBM Java 1.7.0 SR7	IBM Java 1.8.0 SR1 FP1	IBM Java 1.7.0 SR7	Oracle Java 1.7.0 65	Oracle Java 1.8.0.1	
CentraSite	9.7	→	✓	✓	√	✓	√	2 17.10		
webMethods Insight	9.7	✓								
My webMethods Server	9.7	✓	✓	✓	✓	✓	✓			
MashZone	9.7	✓								
PPM	9.7	✓								
Presto	3.8	✓						✓		
Software AG Command Central	9.7	✓	✓	✓	✓	✓	✓	✓	✓	
Software AG Designer *4	9.7	✓	✓					✓	✓	
Software AG Installer	9.7	✓	✓	✓	✓	✓	✓	✓	✓	
webMethods ActiveTransfer Gateway	9.7	✓	✓	✓	✓	✓	✓	✓	✓	
webMethods ActiveTransfer Server	9.7	✓	✓	✓	✓	✓	✓	✓	✓	
webMethods ApplinX	9.7	✓	✓	✓	✓	√	✓			
webMethods Asset Build Environment	9.7	√	√	√	√	√	✓	✓	✓	
webMethods Broker	9.6	√	√	√	√	√	✓			
webmethods Business Rules	9.7		√	√	· ✓	· ✓	√			
webMethods CloudStreams Server	9.7	<u> </u>	· ✓	→	· ✓	· ✓	√			
webMethods Content Service Platform Server	9.0	<u> </u>	·	· · · · · · · · · · · · · · · · · · ·	<u>·</u> ✓	· ·	·			
webMethods Database Component Configurato		<u> </u>	<i>√</i>	·	<i>'</i> ✓	· ✓	√	√		
webMethods Deployer	9.7	<u> </u>	<i>,</i>	·	<u>,</u>	, ✓	<u>·</u> ✓	<i>,</i>	· · · · · · · · · · · · · · · · · · ·	
webMethods EntireX	9.7	<u> </u>	<i>,</i>	· ·	√	, √	<i>,</i>	<u> </u>	·	
webMethods Events	9.7	<u> </u>	· · · · · · · · · · · · · · · · · · ·	· ·	√	,	<i>,</i>	√	√	
webMethods Infrastructure Data Collector	9.7		./	•	√	√	,	Y	·	
webMethods Integration Server	9.7	<u> </u>	./	•	→	,		√	→	
webMethods Logging Utility	9.6	<u> </u>	√	→	→	√	√	√	→	
webMethods Mediator	9.7	<u> </u>	√	·	→	√	→	,	· ·	
webMethods Mobile Designer	9.7	<u> </u>	√	•	Y	Y	•	√	√	
webMethods Monitor	9.7		· · · · · · · · · · · · · · · · · · ·	√	✓	✓	✓	•	·	
	9.7		./	•	· · · · · · · · · · · · · · · · · · ·	√	√	✓	√	
webMethods Universal Messaging	9.7	v	∨ ✓	∨ ✓	∨ ✓	∨ ✓	v	V	·	
webMethods OneData		<u> </u>	∨ ✓	V	√	∨ ✓	✓			
webMethods Optimize for B2B	9.7	<u> </u>	∀	V	∀	∀	√			
webMethods Optimize for Infrastructure	9.7	<u> </u>	V	V	V	→	√			
webMethods Optimize for Process	9.7	<u> </u>	V	Y	V	· ·	√	/		
webMethods Platform Manager	9.7	√	√	V	√	√	√	√	√	
webMethods Process Engine	9.7	√	√	✓	√	√	√			
webMethods Tamino XML Server	9.7	√	√	√	√	√	√			
webMethods Task Engine	9.7	√	√	√	√	✓	✓			
Terracotta BigMemory	4.2	√		,						
Terracotta BigMemory	4.1.4	<u> </u>	, ,*2	√						
Terracotta BigMemory	4.1.5		(✓) ^{*2}							
Terracotta Quartz	2.2.1	√								
Terracotta Web Sessions	4.2	√								
Terracotta Web Sessions	4.1.4	✓	*0							
Terracotta Web Sessions	4.1.5		(v)*2							
webMethods API-Portal	9.7	✓	✓							
webMethods Trading Networks Notes:	9.7	✓	✓	✓	✓	✓	✓	✓	✓	

Notes

The JDKs listed above are part of the webMethods 9.7 delivery. Java security updates will be made available via Software AG Update Manager on a regular basis.

For Apama JDK delivery please see the the Apama 5.2 documentation

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Software AG tests its software against specific versions of operating systems and delivered products (RDBMSs, JDKs, browsers, application servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and delivered software products, when troubleshooting a customer issue.

WEBM-SYS-97-20170111

^{*1} For Java 8 support you have to install the SJP fix and corresponding product fixes using Software AG Update Manager. For details on install instructions and dependent fixes, please refer to Software AG Java Package 1.8.0.1 readme.

 $^{^{*2}}$ Terracotta needs to be upgraded to version 4.1.5 in order to support Java Package 1.8.0.1

 $^{^{*3}}$ The native MacOS GUI or the "character" console should be used on MacOS with Java 1.8, as XToolKit is not supported.

^{*4} For details about OS support please refer to page: Supported Operating System Platforms for Software AG Designer

Supported Browsers

		Microsoft Internet Explorer	Mozilla Firefox 24	Google Chrome	Safa	ari 7
		11.x	and higher		desktop	mobile
Apama Server	5.2		✓			✓
CentraSite	9.7	✓	✓	✓	✓	
MashZone	9.7	✓	✓	✓		
My webMethods Server	9.7	✓	✓	✓	✓	
PPM	9.7	✓	✓	✓		
Presto	3.8		✓	✓	✓	
Software AG Command Central	9.7	✓	✓	✓		
Terracotta BigMemory	4.2		✓	✓		
webMethods Active Transfer Server	9.7	✓	✓	✓		
webMethods ApplinX	9.7	✓	✓	✓		
webMethods Broker	9.6	✓	✓	✓		
webMethods Business Console	9.7	✓	✓	✓		
webMethods Business Rules	9.7	✓	✓	✓		
webMethods CloudStreams Server	9.7	✓	✓	✓		
webMethods Deployer	9.7	✓	✓	✓		
webMethods Integration Server	9.7	✓	✓	✓		
webMethods Mediator	9.7	✓	✓	✓		
webMethods Mobile Administrator	9.7	✓	✓	✓		
webMethods Monitor	9.7	✓	✓	✓		
webMethods OneData	9.7	✓	✓	✓		✓
webMethods Optimize	9.7	✓	✓	✓		
webMethods API-Portal	9.7	✓	✓	✓		
webMethods Trading Networks	9.7	✓	✓	✓		

Notes:

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not

WEBM-SYS-97-20170111 6

 $^{^{*1}}$ CentraSite Control UI is supported on IE 11, only in quirks mode

Supported Application Servers

Unless otherwise mentioned all products only support the application server that is included with the suite. For additional application server support please contact your Software AG representative.

EntireX and ApplinX support additional Application Servers. See the Release Notes of these products.

webMethods Broker supports application servers based on Java EE standards by way of the Java EE Connector Architecture (JCA) 1.5 and JMS Application Server Facilities (ASF). webMethods Broker includes a resource adapter that works with JCA 1.5, uses the JMS client library, and integrates well with application servers. You can use webMethods Broker with application servers using either the JCA resource adapter or ASF. webMethods Broker is tested to work with Oracle WebLogic, JBoss enterprise editions, and IBM WebSphere application servers. Software AG Support will handle any issues pertaining to resource adapter operation with JCA 1.5 or ASF. For issues specific to the application server configuration or the JCA container of the application server, report those issues to the respective application server vendors.

Unless otherwise specified in our documentation, we encourage installing the latest service packs, patch-bundles and fixes for the supported operating systems and products if those are recommended by the respective vendor. Please report defects resulting from 3rd party supplied fixes, patches or service packs to the vendor directly.

Software AG tests its software against specific versions of operating systems and supported products (RDBMSs, JDKs, browsers, application servers, directory servers) and not specifically against all possible combinations of patches, fixes and hardware that might comprise that platform. Therefore, Software AG may not use the exact same versions of fixes, patches or service packs for operating systems and supported software products, when troubleshooting a customer issue.