



GENERAL SPECIFICATIONS

• Overall Length (L.O.A)*:	14,99 m	49'2"
• Hull length:	13,33 m	43'9"
• Hull Beam:	4,65 m	15'3"
• Light displacement (EC):	16 000 kg	35,264 lbs
• Air draft**:	6,64 m	21'9"
• Air draft***:	5,74 m	18'10"
• Draft:	1,05 m	3'5"
• Fuel tank:	2 x 1 350 L	2 x 357 US Gal
• Water tank:	2 x 400 L	2 x 106 US Gal
• Maximum engine power:	2 x 435 HP	2 x 435 HP
• Sewage	150 L	40 US Gal

* (with aft swim platform)

** (With polyester arch bar on flying bridge, Samson post with cockpit lighting and radar support) - Hulls nbr 1 to 3 : 6,82 m/22'5"

*** (With polyester arch bar on flying bridge, without samson post) - Hulls nbr 1 to 3 : 5,90 m/19'4"

ARCHITECTS / DESIGNERS

- Naval Architect: BENETEAU POWER
- Naval Architect: Michel JOUBERT & Bernard NIVELT
- Design: P. FRUTSCHI

CE CERTIFICATION

- Category B: 14 people
- Category C: 18 people



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (polyester resin - fiberglass / balsa core)
- White gel coat
- Structural hull counter molding in monolithic laminate

Profile:

- Semi-planning hull

DECK

Composition:

- Sandwich (polyester resin - fiberglass / balsa core)
- White gel coat
- Diamond tip type non-slip surface
- Structural counter molding in monolithic laminate

AMBIANT LIGHTING

- Alpi teak woodwork
- Doors to units for improved fresh air circulation
- Parquet type laminated floors
- Timeless carpet in cabins
- efficiency® fabric Libra 07 settee interior cushions
- PVC pilot bench Nuance Coffee Bean
- Hitch Avalanche/Seashell PVC Exterior upholstery
- LED lighting

DECK EQUIPMENT

- Teak toerails
- Gangway door to starboard, Stainless steel handrail
- Water filling drain plug
- Fuel filler
- Wastebin access hatch

MOORING - ANCHORING GEAR

- Dolphin nose, stainless steel structure with teak plank
- Swivel bow fitting in stainless steel
- Electric windlass Lewmar 24V 2000W
(chain grab for 12mm chain and gipsy head for buoy line)
(peel strength of windlass 1500kg)
(speed 27m/min)
- Remote control in mooring locker + Windlass control from wheelhouse and flybridge helm stations
- 2 Mooring lockers
- 6 Aluminum mooring cleats (400 mm) (2 forward - 2 amidships - 2 aft),
Stainless steel gunwale guards
- 2 Stainless steel fairleads to aft of cockpit

SAFETY ON DECK

- High bulwarks (65 cm) ensuring protection right around the deck
- Stainless steel bow pulpit
- Stainless steel and teak cockpit surround
- On flybridge: stainless steel pulpit completely surrounding aft of flying bridge with stainless steel guardrails on snap shackles to facilitate launching of dinghy and life raft

COCKPIT

- Teak slatted self-draining cockpit
- 1 Gangway door to protect cockpit against wind and spray
- Stainless steel stanchion on flybridge
- Teak-slatted L-shaped cockpit bench seat
- Access hatch to lazarette or crew cabin (according to the layout)
- Access hatch to engine compartment
- Access stairway to flybridge with propane bottle storage position
- Access door to aft swim platform
- Sunbathing platform with solid wood slats and stainless steel protection
- Retractable ladder in swimming platform with solid wood steps and stainless steel handrails

FLY BRIDGE

- Grey tinted windscreen in PMMA
- Steering console with: Steering compass - Steering wheel - Electrical engine controls, Rudder angle indicator - Rev counter - Fuel gauges - Joystick
- Controls for bow and stern thruster, windlass, trim tab, lighting, navigation lights and foghorn (depending on options)
- Adjustable pilot seat, Adjustable co-driver's seat to port
- Sliding flybridge salon table with extensions
- Bench seat on portside with access to built-in serving hatch
- Starboard bench seat, Storage
- Stainless steel handrail
- Fly console covers + Fly seat covers, to starboard
- Galley unit with sink and hot and cold pressurized mixer tap, Flybridge garbage, Compartment for refrigerator (optional), Electric grill (optional)
- Removable extra lighting
- Storage unit to starboard
- Polyester hoop bar with fitted spotlights and speakers
- Quarterdeck for storing dinghy or for use as terrace
- Space for life raft with stainless steel fixing bolt plates
- Flag pole bracket on starboard aft pulpit
- GRP door with retaining bar to close off access to stairway
- Cup holder - recessed Fly (5)
- Console cover and white Flybridge bench seat

INTERIOR

SALON

- 2 Leaf aft sliding door with black lacquered aluminium frame, Tinted glass, Blackout curtain
- Sliding, opening side windows in black aluminium and tinted glass, with blinds
- Storage under bench seats
- Salon table in varnished wood, on removable foot, with extension. Tilting for better storage
- 2 Removable armchairs
- Cabinet on portside: bar with storage space and location provided for retractable 32 LED TV (locally installed) as well as for the on-board glassware (optional)
- Illuminated storage recess
- Storage unit with location for Radio/CD/DVD player
- Leather covered stainless steel handrail on ceiling
- Access step to wheelhouse, Courtesy lighting
- Radio/CD/MP3 USB,AUX with 2 speakers in salon and 4 exterior watertight speakers (2 in the cockpit - 2 in flybridge)
- Precabing TV + DVD (DVD Player Fusion® S700, TV not included) with Speakers Bose acoutimass 2_1

**GALLEY (U-SHAPED ON STARBOARD)**

- Tinted glass sliding window in front of sink with wood blinds
- Resin countertop with stainless steel 2 basin sink, garbage access
- Mixer tap with hot/cold water under pressure
- 3 Burner gas stove with pot-holder and protective glass cover
- Gas oven
- Garbage locker accessed from gangway
- Exhaust fan
- Plentiful storage with cubbyholes and cutlery drawer
- Polished glass hanging unit with built-in lighting beneath countertop between galley and salon
- Serving hatch unit with "serving tray"
- 2 x 130 L (4,6 cu.ft) refrigerators built into unit to port. (It is possible to have one of the two replaced by a drawer refrigerator with 60 L (2,1 cu.ft) cooling space and 84 L (2,9 cu.ft) freezer compartment as an option)
- Spotlight LED, Sockets
- Stacking storage on fridge unit to store small electrical goods
- Medium size 110 V microwave-oven (1,4 cu ft) to install (galley unit on portside)

DINETTE / SEA BERTH

- Alpi table with adjustable foot, convertible to bench seat/berth
- Storage for extra seat
- Storage for extra backrest
- Sliding window in non-tinted glass
- Storage under bench seats (depending on options)

STEERING STATION

- Raised steering station
- Fresh air intake for salon that can be shut off manually from the helm station, (electrical) with controller on dash board
- Cup holder (2)
- Ergonomic helm console can be raised on gas struts for access to the connections / Space for navigation electronics (up to 2 Raymarine[®] GS12 navigation displays), Engine instrumentation
- Storage under bench seats (depending on options)
- Lighting for night sailing
- Windscreen in non-tinted glass with defogger
- 3 Windscreen wipers with washer and synchronization system
- Sliding door for access to main side deck with latching system to hold it partially open
- 2 Fixed windows on both sides of the wheelhouse, non-tinted
- Cupboard for 24 V and 220/110 V electrical circuit management
- Pilot bench on storage unit
- Leather covered steering wheel in stainless steel, diameter 70 cm
- Electric steering
- engine repeaters with rev counters, pressure and temperature indicators fuel gauges
- Volvo EVC screen (with additional software as an option)
- Rudder angle indicator
- Trim tab indicators
- Electric engine control levers
- IPS joystick control
- Steering compass
- Functional controls: wiper, defogging, Fog horn, Navigation lights, Windlass
- Shelving for stowage to port with 3 sockets

FULL WIDTH OWNER'S CABIN

- 2 Panoramic opening porthole-fitted windows with blinds
- Central double berth with slatted base and marine mattress, mounted on gas strut with storage
- LED deckhead lights, indirect LED lighting, night lights to steps and bedside lights
- Two large, illuminated wardrobes with hanging locker and shelving
- Drawers
- Full height mirror on door
- Leather covered stainless steel handrail
- Desk and seat to port with socket
- Access door to private head
- Access door to private toilets
- Socket
- Precabbling TV+ DVD (DVD Player Fusion[®] S700, TV not included)

MASTER'S TOILET

- Electric Vacu-flush toilet with holding tank in cockpit
- Hand basin
- Magazine storage console, Towel rail

2 HEADS

- Shower compartment with full inner molding
- 80 L water heater / 21 Us Gal
- Teak slatted, built-in seat
- Sockets
- Aluminum strip blinds
- Opening hull porthole
- Waste water drained by gravity to buffer tank (50 L / 13 US Gal)
- Electric Vacu-flush toilet with holding tank in cockpit (Guests head compartment)
- Opening hull porthole
- Thermostatic mixer tap with hot/cold pressurized water supply, in showers area
- Mirror with back lighting
- Toilet accessory rack
- Hooks for towel/mitt
- Towel rail (owner's head)

GUEST CABINS (FORWARD)

- Central Island bed berth mounted on strut for storage
- Slatted bed base
- Marine mattress
- Storage, Hanging locker, Drawers
- Lighting and reading spotlights
- 1 Opening hatch Lewmar[®] T44 - with blind - Mosquito screen
- 2 Opening hull portholes with curtains
- Full height mirror on door
- Precabbling TV+ DVD (DVD Player Fusion[®] S700, TV not included)

GUEST CABINS (PORTSIDE)

(Other layout versions available (see Optional extras))

- 2 Individual bunk berths
- Marine mattress
- Hanging locker, Storage space and reading lamps
- Large storage space with sliding tablet (washing machine and dryer with external venting as an option)
- 2 Opening hull portholes with curtains



ENGINE

- 2 Engines 2 x D6 IPS 600 - 2 x 435 CV/HP Diesel (2 x 320 kW)
 - Propellers jackshaft DP
 - Fuel tanks: 2 x 1 350 L / 2 x 357 US Gal, inter-connected and pre-fitted for FPS connection system (Fuel Polishing System)
 - Foam soundproofing in engine compartment
 - Side air intakes
 - 2 Electric engine hold ventilators
 - Extinguishers in engine hold with remote controls
 - Inert gas system for engine protection
 - Batteries centred beneath slatted floor
 - Electrical boxes
 - Bow thruster
- Softs Volvo:
- Trip computer
 - Cruise control
 - Single lever
 - Low speed

ELECTRICITY

- 24/110 V Electrical panel
- Electrical battery switches
- Radio-controlled wireless switches (without battery)
- 2 220 V - 60 Hz 50A shore supply with 15 m cable
- sockets in salon, galley, wheelhouse and cabins
- Inverter 12 V / 24 V
- 12V Sockets in wheelhouse
- 4 140 Ah service batteries and 4 x 50 Ah starter batteries
- Windlass
- Electric trim tabs Lenco®
- Stainless steel navigation lights
- Mooring light
- 3 Electric windscreen wipers with synchronizing system
- 2 Automatic electric bilge pumps
- 2 Engine compartment ventilators
- Electric water heater on shore supply or on engine heat exchanger (80 L / 21 US Gal)
- Inside lighting, cockpit, alleyways and flybridge
- 13.5 kVA 220 V / 60 Hz Generator + Cocoon
- Electric winder "type Glendinning" shore power cord reel with remote control

TRIM LEVEL & PACKS

GREAT LOOP EDITION TRIM PACKAGE

- Pump for deck washing (fresh water - 1 forward exit)
- Shore freshwater supply
- Deck searchlight with remote control
- Fridge (42 L / 1,4 Cu.ft) on flybridge
- Drawer refrigerator (replacing one of the two 130 L refrigerators)
- Curtains in wheelhouse
- Inverter 2 KVA 24-220 V or 110-220 V
- Thermal camera (AX8), Engine room
- Aft camera
- 2 Multifunction Raymarine® 9" screens + Remote control, on flybridge
- 2 Multifunction Raymarine® 12" screens + Remote control, in wheelhouse
- Windvane anemometer
- Autopilot p70RS
- Raymarine AIS 650 Class B transceiver
- Dual-station Raymarine 260 VHF

OPTIONAL LAYOUT VERSIONS

- cabin (portside) Office version
 - Desk with plenty of storage space
 - Possibility of a berth on the upper part: Marine mattress
 - 2 Opening portholes
- Crew cabin accessible from cockpit
 - Single bed under cockpit bench seat
 - Shower with tray
 - VacuFlush toilet
 - Water washbasin with hot and cold water mixer tap under pressure
 - 2 Opening portholes
- Oak strip version
 - Brown oak laminated floors
- Alpi Mahogany version
 - Parquet type laminated floors



OPTIONS

EXTERIOR

- Complete mooring/anchoring kit: Anchor CGR 32 kg + Chain 12 mm diameter (Length 85 m) + Cable 22 mm diameter (Length 4 m) + 4 Docklines 18 mm (Length 15 m) - 6 Fenders (290 mm diameter - Length 1,09 m)
- Exterior guards: Oyster or Flanelle
 - Cockpit aft enclosure
 - Flybridge bimini + Dodger
 - Flybridge closing
- Hydraulic swim platform (BH[®] max load 400Kg)
- Dinghy cradle integrated to the platform
- Sealift[®] foldable dinghy support
- Hydraulic gangway (Bezenzoni[®], retractable under cockpit, Length 2,90 m / 9'6")
- Access door to lazarette (or crew cabin) from the platform, lockable with key
- Electric windshields in cockpit (2)
- 3rd Engine control and Thrusters, in the cockpit
- Third camera (portside)
- Raymarine 12" exterior display (replacing the 9")
- Underwater lights under transom (2)
- Pearl Grey hull
- Solid wood decking on aft quarter deck on flybridge
- Solid wood slatted deck (forward part)
- Cockpit seat cushions to match flybridge upholstery
- Outside wheelhouse curtains in Sunworker black
- Fabric covering sunbed in Sunworker black
- Windlass control with chain counter
- Quantum Radar

INTERIOR

- Chilled water air conditioning, (with Ventilators Brushless or Offset compressor) 60kBTU (18kBTU in salon, 18kBTU in wheelhouse, 12kBTU Owner's cabin, 9kBTU Port forward cabin + Forward head, 4kBTU cabin or office on portside)
- Chilled water air conditioning 4kBTU in Crew cabin (if crew cabin option)
- Water maker 95 L/h / 25 US Gal/hr
- Volvo: DPS (digital anchor) + low speed
- Ice maker in salon
- Wine cellar in companionway (23 bottles)
- 4 burner induction stove (replacing gas stove)
- Dishwasher for 6 sets (Under the sink)
- Yacht Case ELLE DECO[®] table setting
- Stacking washing machine + Splendide[®] dryer with external venting (110 V)
- Option to replace one fresh water tank with grey water tank (400 L/106 US Gal USG)
- Convertible settee in salon
- Headboard in forecabin and owner's cabin in Devon Chocolate leather
- Mosquito screens to aft glazed picture window and sliding side door to wheelhouse
- Mosquito screens to round potholes
- Curtains in wheelhouse
- Safe in master cabin
- Pre-wiring for satellite TV reception
- White-lacquered doors in salon (Cabinet on portside)

AMBIANT LIGHTING

- Oak strip version
- Brown oak laminated floors
- African Spirit Ebony carpet (wheelhouse + Salon)
- ZIP Trendy Grey upholstery (Salon + Dinette)
- Lounge Robust upholstery (Salon + Dinette)
- Libra 45 Efficiency @ upholstery (Salon + Dinette)
- PVC Nuance White upholstery (Salon+ Dinette)
- Leather upholstery (Salon+ Dinette, includes pilot bench seat)
- Ultraleather Promessa upholstery (Salon+ Dinette, includes pilot bench seat)
- Hitch Avalanche/Java PVC Exterior upholstery
- Hitch Avalanche/Indigo PVC Exterior upholstery
- Ultraleather Promessa upholstery (Convertible sofa)
- Leather upholstery - Promessa
- Libra 45 upholstery - Promessa
- ZJP Trendy Grey upholstery - Promessa
- Libra 075 upholstery - Promessa
- PVC Nuance White upholstery - Promessa





