THE GOLD STANDARD SINCE 1921

POWERFUL PERFORMANCE

WOODWORKING EVENT

PWBS 14" BANDSAW

PRICE \$ **1100**99

STOCK NO. 1791216K

SEE PAGE 7 FOR DETAILS

PM2000 10" CABINET SAW

PRICE

\$**7999**99

STOCK NO. 1792000K

SEE PAGES 4-5 FOR DETAILS

VISIT POWERMATIC.COM FOR MORE DETAILS

PRICES EFFECTIVE JANUARY 1, 2012 - JUNE 30, 2012

POWERNATIC
SINCE 1921



POWERFUL PERFORMANCE WOODWORKING EVENT 2012

At Powermatic, our powerful performance continues. We are building on our 90 years of experience in manufacturing superior quality woodworking equipment and will not rest when it comes to delivering meaningful innovation to today's woodworker.

We know you look to Powermatic for the best return on your investment and our plan is to keep pushing the limits of quality and durability you've come to expect from the Gold Standard.



CONTENTS

| Tablesaws | 4- 5 |
|-------------------|-------------|
| Wood Lathe | 6 |
| Bandsaws | 7 |
| Shapers | 8 |
| BYRD® SHELIX® | |
| Planer Cutterhead | 8 |

| Planers | 9 |
|----------------|----|
| Jointers | 10 |
| Mortisers | 11 |
| Drill Press | 12 |
| Air Filtration | 12 |

| Dust Collectors | 13 |
|------------------------|----|
| Drum Sander | 14 |
| Powerfeeders | 14 |
| Warranty | 15 |

THE POWERMATIC PROMISE



QUALITY

Each and every Powermatic machine goes through a rigorous inspection during manufacture before it is given the time honored name.



TECH SUPPORT

The technical support personnel at Powermatic are unmatched in the industry with tenures of the individuals ranging from 4 years to 31 years.



SERVICE PARTS

Powermatic is poised to service your investment for many years to come with a vast service part inventory performing at a 98% fulfillment rate.



PM2000 10" CABINET SAWS

- Quick release riving knife greatly reduces binding/kickback risk
- Built-in retractable caster system (patent pending) for immediate shop mobility
- Push button arbor lock (patent pending) for rapid blade change
- Poly-V drive belt system delivers efficient, quiet operation
- Wide stance heavy-duty trunnion for stability and smooth blade positioning
- Adjustable angle indicators (patent pending) on the blade bevel scale for repeatable bevel cuts
- Industrial-duty Accu-Fence® System ensures accurate cuts
- Enclosed cabinet with cast iron base for rigidity
- Heavy-duty deluxe micro-adjust miter gauge with aluminum extruded 13" extension fence, for good workpiece support and fine angle adjustments
- Precision ground, high luster, cast iron table top with front and rear edge bevel to prevent catching of miter gauge on table edge
- Heavy-duty chrome plated handwheels contribute to smooth trunnion/arbor movement
- Independent leaf blade guard and anti-kickback pawls promote safe cutting

PRICE \$ 0 0

§**2999**99

STOCK NO. 1792000K









TOP AND FRONT ASSEMBLY

Precision ground high luster cast iron table tops with front edge bevel and easy to access magnetic controls and hand wheels



TRUNNION AND ARBOR LOCK

Poly V-belt drive system with heavy duty arbor system with arbor lock for easy blade changes



CASTOR SYSTEM

Integrated, retractable, heavy duty caster system allows the saw to be raised for mobility and lowered onto its cast iron base for stability during operation





Magnetic Controls

Industrial magnetic switch has an easy to access, large on/off switch with a built-in power indicator light and a removable magnetic safety key

| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|--|------------|----------|------------|
| 1792000K | 3HP 1PH 230V, 50" Accu-Fence System | \$3,623.00 | \$623.01 | \$2,999.99 |
| 1792001K | 3HP 1PH 230V, 50" Accu-Fence System, Rout-R-Lift | \$3,985.00 | \$685.01 | \$3,299.99 |
| 1792002K | 3HP 1PH 230V, 30" Accu-Fence System | \$3,502.00 | \$602.01 | \$2,899.99 |
| 1792003K | 3HP 1PH 230V, 30" Accu-Fence System, Rout-R-Lift | \$3,864.00 | \$664.01 | \$3,199.99 |
| 1792005K | 5HP 3PH 230/460V, 50" Accu-Fence System | \$3,623.00 | \$623.01 | \$2,999.99 |
| 1792006K | 5HP 3PH 230/460V, 50" Accu-Fence System, Rout-R-Lift | \$4,250.00 | \$800.01 | \$3,449.99 |
| 1792007K | 5HP 3PH 230/460V, 30" Accu-Fence System | \$3,502.00 | \$602.01 | \$2,899.99 |
| 1792008K | 5HP 3PH 230/460V, 30" Accu-Fence System, Rout-R-Lift | \$4,117.00 | \$767.01 | \$3,349.99 |
| 1792010K | 5HP 1PH 230V, 50" Accu-Fence System | \$4,468.00 | \$768.01 | \$3,699.99 |
| 1792011K | 5HP 1PH 230V, 50" Accu-Fence System, Rout-R-Lift | \$4,915.00 | \$915.01 | \$3,999.99 |
| 1792012K | 5HP 1PH 230V, 30" Accu-Fence System | \$4,383.00 | \$783.01 | \$3,599.99 |
| 1792013K | 5HP 1PH 230V, 30" Accu-Fence System, Rout-R-Lift | \$4,782.00 | \$922.01 | \$3,859.99 |
| 1792016K | 3HP 1PH 230V, 50" Accu-Fence System, Workbench | \$4,250.00 | \$800.01 | \$3,449.99 |
| 1792017K | 5HP 1PH 230V, 50" Accu-Fence System, Workbench | \$4,915.00 | \$915.01 | \$3,999.99 |
| 1792018K | 5HP 3PH 230/460V, 50" Accu-Fence System, Workbench | \$4,250.00 | \$800.01 | \$3,449.99 |
| | | | | |



3520B WOOD LATHE

- Spindle lock and built in spindle indexing on the headstock for drilling hole patterns, routing flutes, and other equally spaced features
- Set of dead centers which hold a spindle for visual comparison
- Re-designed toolrest geometry allows for better chisel movement along the toolrest
- · Laser etched quill is self ejecting
- Two position mount for the optional bed extension
- Brass tipped knockout bar concentrates the action in the sliding handle; the brass tip will not damage drive centers
- Attached tool caddy allows convenient access to centers, wrenches, etc.
- Tailstock has internal storage for additional accessories
- Chrome trimmed handwheels are ergonomic for a comfortable feel









Spindle Comparator

Allows user to visually replicate projects



Tailstock

Ergonomic chrome handles, finely tuned quill, and storage compartment



Control Panel & Headstock

Sliding headstock with digital RPM readout for accurate adjustments and fine tuning

| STOCK NO | . DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|----------|---|------------|----------|------------|
| 1352001 | 3520B Lathe, 2HP, Will Operate 1Ph or 3Ph, 230V | \$4,830.00 | \$830.01 | \$3,999.99 |

PWBS 14" BANDSAW

- Blade tension lever has full tension, partial tension and release settings for easy blade changes and tracking
- Chip blower ensures a clean, visible cut line
- Durable micro-adjustable dual bearing blade guide system above and below the table for close blade control with less friction
- Exclusive design, quick-release precision T-square style rip fence with 4" resaw attachment
- Precision balanced, nine spoke cast iron wheels reduce vibration



PRICE \$ 119999
STOCK NO. 1791216K





| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|--|------------|----------|------------|
| 1791216K | PWBS-14CS, 14" Bandsaw, 1.5HP 1PH 115/230V | \$1,463.00 | \$263.01 | \$1,199.99 |

PM1800 BANDSAWS

- Blade tension lever has full tension, partial tension and release settings for easy blade changes and tracking
- Micro-adjustable, virtually tool-less bearing guide system gives close blade control while reducing friction
- Special grooved thrust bearing stabilizes smaller blades
- Heavy duty T-style rip fence has adjustable aluminum resaw fence
- Large 24" x 24" cast iron table
- 2-inch diameter solid steel pin for resaw work
- 18-inch resaw, and 18-inch blade to column capacity
- Magnetic starter with power indicator lamp and jumbo stop
- Chrome knobs and handles ensure solid grip and firm locking of parts
- Computer balanced cast iron wheels reduce vibration
- Dual 4-inch exhaust ports for effective dust and chip removal
- Adjustable miter gauge with stops



PRICE \$469999
STOCK NO. 1791800



| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|---------------------------------------|------------|----------|------------|
| 1791800 | PM1800, 18" Bandsaw, 5HP 1PH 230V | \$5,676.00 | \$976.01 | \$4,699.99 |
| 1791801 | PM1800, 18" Bandsaw, 5HP 3PH 230/460V | \$5,676.00 | \$976.01 | \$4,699.99 |



PM2700 SHAPERS

- Integrated caster system built into the cast iron base for instant shop mobility
- Spindle height digital readout for making fine incremental adjustments on multiple passes
- Heavy duty 30" x 40" precision ground tabletop for smooth stock feeding
- Convenient quick lock belt tensioning for easy speed adjustment
- Industrial fence system with fine adjust dials for more precise positioning
- 3HP totally enclosed motor offers plenty of power
- Two spindle speeds (reversible) for a variety of work
- Superior clear cutter guard promotes safety, allows observation of the entire cut
- Table predrilled and tapped for feeder mounting in two locations
- Fence has dual featherboards for work holding





STOCK NO. 1280100C





| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|---|------------|----------|------------|
| 1280100C | PM2700 Shaper, 3HP 1PH 230V, DRO, Casters | \$4,347.00 | \$747.01 | \$3,599.99 |
| 1280101C | PM2700 Shaper, 5HP 1PH 230V, DRO, Casters | \$4,589.00 | \$789.01 | \$3,799.99 |
| 1280102C | PM2700 Shaper, 5HP 3PH 230/460V, DRO, Casters | \$4,589.00 | \$789.01 | \$3,799.99 |

BYRD® SHELIX® PLANER CUTTERHEAD

Most woodworkers know that a shear cut is far better than a straight cut. They also know that a shearing cut produces a superior finish and is much quieter during operation. The Byrd Shelix cutterhead addresses each of these through the use of spiral staggered knives that are shear cut. Each individual cutter head is sharpened on four sides allowing for indexing. If you happen to plane a nail or staple, it is not necessary to replace knives the full length of your planer head. Replace the 2 or 3 small knives that were affected and you are ready to get back to work.

- Spiraled Stagger tooth to break up chips for dust collection
- Helix to assist the chip flow
- Shear to give clean cutting action
- Shear on each knife for true helical cut
- Clearance between knives for chip flow
- Inexpensive 4 sided replaceable carbide
- Unbelievably quiet



| DESCRIPTION | STOCK NO. |
|-----------------------------------|-----------|
| Byrd® 15" cutterhead with inserts | 1791211 |
| Byrd® 20" cutterhead with inserts | 1791275 |
| Byrd® insert cutters (10 pack) | 1791212 |



| PLANERS WITH SHELIX® CUTTERHEADS PRE INSTALLED | STOCK NO. |
|--|-----------|
| Model 15HH with SHELIX® head, no DRO | 1791213 |
| Model 209HH-1 with SHELIX® head 5HP,1PH | 1791315 |
| Model 209HH-3 W/ SHELIX® Head 5HP,3PH | 1791316 |

15S AND 15HH PLANERS

- Spiral cutterhead and knives, or Byrd helical cutterhead with knife inserts, both provide smoother cutting and a finer finish than conventional knives
- Powerful 3HP TEFC motor controlled with a magnetic switch for safety
- Three V-belts transfer maximum power to the cutterhead
- Digital readout ensures accurate table positioning
- Large cast iron handwheel positions table quickly and easily
- Serrated steel infeed roller and smooth steel outfeed roller allow for 1/8" maximum depth of cut and trouble free operation
- Large, precision ground cast iron table and extensions provide maximum workpiece support
- Two-speed gearbox features automatic chain tensioner

15HH
The Byrd® helical cutterhead with
74 four-sided knife inserts provides

finish than conventional systems



PRICE \$22999 STOCK NO. 1791210

DRO comes standard with 15S, optional on the 15HH



| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|--|------------|----------|------------|
| 1791210 | 15S, 15" Planer, 3HP 1PH 230V | \$2,778.00 | \$478.01 | \$2,299.99 |
| 1791213 | 15HH, 15" Planer, 3HP 1PH 230V, Byrd SHELIX Head, no DRO | \$3,623.00 | \$623.01 | \$2,999.99 |

209 AND 209HH PLANERS

- 5HP motor and 20" planing capacity for heavy duty work
- Fully enclosed base cabinet with integrated casters for shop mobility

• Cast iron table with extensions creates a big 55-1/2" x 20" working area

 Four feed speeds - 24 and 31 FPM, 16 and 20 FPM with gear change provide versatility

 Feed rollers and cutterhead supported by full cast iron head assembly for rigidity



The Byrd® helical cutterhead with 99 four-sided knife inserts provides smoother, quieter cutting and finer finish than conventional systems





| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|---|------------|----------|------------|
| 1791296 | 209, 20" Planer, 5HP 1PH 230V | \$3,381.00 | \$581.01 | \$2,799.99 |
| 1791297 | 209, 20" Planer, 5HP 3PH 230/460V | \$3,360.00 | \$610.01 | \$2,749.99 |
| 1791315 | 209HH-1, 20" Planer, 5HP 1PH 230V, Byrd SHELIX Head | \$5,072.00 | \$872.01 | \$4,199.99 |
| 1791316 | 209HH-3, 20" Planer, 5HP 3PH 230/460V, Byrd SHELIX Head | \$5,072.00 | \$872.01 | \$4,199.99 |



60C AND 60HH JOINTERS

- Extra long tables are mounted on dovetailed ways, for extended workpiece support
- Adjustment lever offers quick infeed table positioning and fine-tuning of cut depth
- High mount switch for operator convenience



60HH

The helical cutterhead with 54 four-sided knife inserts provides smoother, quieter cutting and finer finish than conventional systems



\$189999

STOCK NO. 1610084K

5 YEAR WARRANTY

| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|---|------------|----------|------------|
| 1610084K | 60C, 8" Jointer, 2HP 1PH 230V, Magnetic Switch | \$2,295.00 | \$395.01 | \$1,899.99 |
| 1610086K | 60НН, 8" Jointer, 2НР 1РН 230V, Magnetic Switch, Helical Cutterhead | \$2,657.00 | \$457.01 | \$2,199.99 |

54A AND 54HH 6" DELUXE JOINTERS

- Helical head or Quick Auto-Set Knives (see chart for details)
- 1HP, 1Ph, 115/230V (Prewired 115V)
- Fine adjust lever for infeed table height



54HH

The helical cutterhead with 40 four-sided knife inserts provides smoother, quieter cutting and finer finish than conventional systems



PRICE \$9999

STOCK NO. 1791279DXK



| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|------------|---|------------|----------|------------|
| 1791279DXK | 54A, 6" Jointer, 1HP 1PH 115/230V, Quick-Set Knives | \$1,208.00 | \$208.01 | \$999.99 |
| 1791317K | 54HH 6" Jointer, 1HP 1PH 115/230V, Helical Cutterhead | \$1,691.00 | \$291.01 | \$1,399.99 |

PJ882 8" PARALLELOGRAM JOINTERS

- 2HP, 1Ph motor
- Large 8" x 82" table surface
- 1/8" depth of cut limiter control knob



PJ-882HH

The helical cutterhead with 54 four-sided knife inserts provides smoother, quieter cutting and finer finish than conventional systems



\$219999

STOCK NO. 1610079



| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|--|------------|----------|------------|
| 1610079 | PJ-882, 8" Parallelogram Jointer, 2HP 1PH 230V | \$2,657.00 | \$457.01 | \$2,199.99 |
| 1610082 | PJ-882HH, 8" Parallelogram Jointer, 2HP 1PH 230V, Helical Cutterhead | \$3,623.00 | \$623.01 | \$2,999.99 |

PM701 BENCHTOP DELUXE MORTISER

- In-line depth stop allows stopping at pre-set depths without racking the bit to the base
- Heavy-duty reversible handle can be installed to either side of the head without tools
- Stock hold-down with a double lock system, top and side, to eliminate slippage of workpiece
- Quick action cam lock will quickly lock fence in position with one 90° movement
- 2 integrated bit and chisel spacers for quick set up
- Large work surfaces on both table and fence for greater stability and accuracy
- Large, hinged chuck door with magnetic catch for rapid access to the chuck
- Rack and pinion design for simple fence adjustments



PRICE \$47999 STOCK NO. 1791310



| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|--|------------|----------|------------|
| 1791310 | PM701, Benchtop Mortiser, 3/4HP 1PH 115/230V | \$581.00 | \$101.01 | \$479.99 |

719T TILT TABLE MORTISER WITH STAND

- \bullet Sturdy cast iron construction with precision-machined column and table
- Quick position table mounted swiveling vise clamp accommodates angled work pieces
- Feed lever features size positions allowing for quick adjustments
- Table and fence tilt from 0 to 35° for angled mortises
- Gas cylinder controlled rack and pinion system for smooth head raising and lowering
- Hinged chuck door allows easy access for quick bit changes
- Quick adjust depth stop for uniform mortise depths
- Provided 5/8", 3/4" and 1-1/8" bushings allow multiple chisel shank sizes
- Handwheels control smooth linear and cross table motions
- Adjustable work stop for repeat cuts



5 YEAR WARRANTY

| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|--|------------|----------|------------|
| 1791264K | 719T, Tilt Table Mortiser with stand, 1HP 1PH 115/230V | \$1,510.00 | \$260.01 | \$1,249.99 |



PM2800, 18" VARIABLE SPEED **DRILL PRESS**

- Powered by a heavy duty 1HP, 1Ph, 115/230V TEFC motor for the big jobs
- Head mounted dual laser guide system provides a consistent drilling cross point on workpiece
- A new, larger table system with dual extensions for the largest woodworking table on the market; features twin T-slot grooves for a miter gauge or other homemade jigs



1792800



STOCK NO. **DESCRIPTION** PM2800, 18" Variable Speed Drill Press, 1HP 1PH 115/230V

LIST PRICE

\$1,329,00

\$1,099.99



PM1200 AIR FILTRATION SYSTEM

- Two-filter system traps particles as small as 1 micron
- Remote control operates on radio frequency for wider range of effectiveness
- Timer has nine settings, for up to nine hours of continuous operation
- Inner filter has fine mesh pockets for high efficiency, can be blown clean
- Electrostatic outer filter is disposable
- · Diffusion filter disperses exhausted air
- Four eye bolts allow suspension from shop ceiling
- Indicator lights up after 200 hours to remind user to replace filters
- Three blower speeds to modify air flow
- Filter guards install and remove easily without tools for quick access to filters
- Two carry handles for portability
- Fully enclosed motor has overload protection for long service life

STOCK NO. LIST PRICE SALE PRICE **DESCRIPTION** PM1200 Air Filtration System, \$521.00 \$91.01 \$429.99 1791330 1/4HP 1PH 115V

PRICE

PRICE

STOCK NO. 1792800

STOCK NO. 1791330



PM1300 DUST COLLECTORS

- Remote controlled digital timer can be programmed for up to 99 minutes
- All-metal duct construction for rigidity and improved air flow
- Dual 4" dust ports







| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|--|------------|----------|------------|
| 1791078K | PM1300TX-BK, 1.75HP, 1Ph, w/Bag Filter Kit | \$725.00 | \$125.01 | \$599.99 |
| 1791079K | PM1300TX-CK, 1.75HP, 1Ph, w/Canister Kit | \$1,036.00 | \$186.01 | \$849.99 |

\$59999


STOCK NO. 1791078K



PM1900 DUST COLLECTORS

- Triple 4" dust ports
- All-metal duct construction for rigidity and improved air flow
- 3HP motor and large impeller for peak performance







\$109999

STOCK NO. 1792071K



| STOCK NO. D | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-------------|--|------------|----------|------------|
| 1792071K P | PM1900TX-BK1, 3HP, 1Ph, w/Bag Filter Kit | \$1,328.00 | \$228.01 | \$1,099.99 |
| 1792072K P | PM1900TX-CK1, 3HP, 1Ph, w/Canister Kit | \$1,570.00 | \$270.01 | \$1,299.99 |
| 1792073K P | PM1900TX-BK3, 3HP 3Ph, w/Bag Filter Kit | \$1,328.00 | \$228.01 | \$1,099.99 |
| 1792074K P | PM1900TX-CK3, 3HP 3Ph, w/Canister Kit | \$1,570.00 | \$270.01 | \$1,299.99 |





25" DUAL DRUM SANDER

- Independently adjustable rear drum
- Hard durometer rubber coating on steel drums
- Two-speed gearbox



PRICE STOCK NO. 1791290

WARRANTY

| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|---|------------|----------|------------|
| 1791290 | DDS-225 25" Dual Drum Sander, 5HP 1PH 230V, 2 Speed | \$5,072.00 | \$872.01 | \$4,199.99 |

POWERFEEDERS

These rugged, heavy-duty stock feeders feature continuousduty motors that transfer power from the gear box to the feed roller through the roller chain and sprockets, providing superior positive feeding for all types of materials. The fully adjustable support columns feature moveable universal joints and heavy locking mechanisms that lock the feeder in horizontal, vertical, or angle feed positions. Solid cast iron construction of bodies, bases and universal joints provide stability with vibration-free feeding.







| STOCK NO. | DESCRIPTION | LIST PRICE | SAVE | SALE PRICE |
|-----------|--|------------|----------|------------|
| 1790807K | PF-31 Power Feeder, 1HP 1PH 115V, 4-Speed, 3 Wheel | \$1,328.00 | \$228.01 | \$1,099.99 |
| 1790800K | PF-33 Power Feeder, 1HP 3PH 230V, 4-Speed, 3 Wheel | \$1,208.00 | \$208.01 | \$999.99 |
| 1790812K | PF-41 Power Feeder, 1HP 1PH 115V, 4-Speed, 4 Wheel | \$1,479.00 | \$279.01 | \$1,199.99 |
| 1790811K | PF-43 Power Feeder, 1HP 3PH 230V, 4-Speed, 4 Wheel | \$1,328.00 | \$228.01 | \$1,099.99 |
| 1790818 | PF3-JR Power Feeder, 1/4HP 1PH 115V, 3 Wheel | \$808.00 | \$158.01 | \$649.99 |

WARRANTY AND SERVICE

The Powermatic Promise is something we take very seriously, and the warranty and service aspects are the backbone of the Promise. We work every day to manufacture the best machines in the business. Machines that let you do your best work, and machines that give you the peace of mind that they'll perform for you, year after year. In the rare case that something should go wrong, we're here to resolve your problem quickly, and with the expertise you've come to expect from Powermatic.



INDUSTRIAL PRODUCTS:

Horizontal Panel Saws Cut Off Saws Rip Saws Bandsaws Jointers Planers Oscillating Edge

Sanders

Belt Sanders Shapers Power Feeders Mortisers Dovetailers



*NON-INDUSTRIAL PRODUCTS:

Tablesaws
Vertical Panel Saws
Bandsaws
Jointers
Planers
Planer/Molder
Dust Collection
Disc Sanders
Edge Sanders

Drum Sanders Shapers Drill Presses Mortisers Dovetailers

*Products with a Five Year Warranty that are used for commercial, industrial or educational purposes revert to a One Year Warranty.

SERVICE

If a POWERMATIC tool needs service or repair, one of our 750+ Authorized Service Centers located throughout all 50 states can be of assistance. Whether it's an authorized warranty repair, assistance in obtaining parts, performing routine maintenance or a major repair, our POWERMATIC Authorized Service Centers are here to serve you. For the name of an Authorized Service Center in your area or to order a part direct call 1-800-274-6848.



Additional Service Center Locations: Hawaii - 4, Alaska - 4.



