




THE HVAC SOURCE



PRODUCT CATALOG



Flexible Duct Connectors & Vane Rail®

Flexible Duct Connectors isolate equipment vibration in both commercial and residential duct systems. For commercial applications: Metalfab®, Super Metalfab®, & TDC / TDF. For light commercial applications: Econ-O-Fab®. For residential applications: Junior connector. All are available in the following fabrics:



Exceelon® fabric for rugged low cost connections.




Neoprene fabric for general purpose installations.



Duralon fabric for maximum ozone and weathering resistance.



Teflon fabric for high temperature, corrosion and chemical resistance



Insulflex® insulated flexible duct connector; reduces energy loss & minimizes condensation




Vane Rail® for single blade turning vane construction.


Flexible Duct Connector and Vane Rail may also be available in Stainless Steel and Aluminum. Please call for availability.

Air Regulation


Spec-Seal® Universal Regulator leakproof, rattle free high pressure regulator sets for 3/8" and 1/2" round and square rod.




Standoff Regulators for external/wrap insulation applications.



Stampline® Dial regulators and Wedge Lock controls and sets.




Quadline® Damper Quadrant sets and parts.




Specline® high performance regulator parts




Splitter Damper hardware




Rapit® hardware for fast damper fabrication.



Jiffy Dampers prefabricated economical round dampers.




Instrument Test Ports designed for high velocity systems.




Duct Hanging Materials are waterproof, grease and oil resistant.




Air Regulation



Access Doors Duct Board Doors Access Doors, Insulated Access Doors, Self-Stick Access Doors, Yellow Label Doors, Vision Panel Doors, Grease Duct Doors



Access Door Hardware, Latching Assemblies, Gasketing, and Hinges.



Damper Blade Kits Neva-Bind® for parallel blade dampers and Opax® Blade Kits for opposed blade dampers.



Dyn-O-Ties® & Mini Dyn-O-Ties® for fastening flexible duct to outlets, pipes, or fittings and other misc. attachments. Dyn-O-Ties with mounting hole, Extreme Temperature Ties, & Heavy Duty Titanium Ties also available.



Dyna-Clamp™ stainless steel band that can withstand up to 60 PSI

Silicones & Roof Patch Sealant



Silicones provide long-lasting, weather-resistant seals & exhibit excellent adhesion & UV Resistance. Red Heat Resistant silicone is formulated to perform at temperatures up to 500°F continuous & 600°F intermittent exposure.



Roof Patch Sealant is ideal for waterproofing, repairing and sealing roofs, shingles and flashings around chimneys and skylights, providing a durable, flexible and weather resistant seal.

Adhesives & Duct Sealers

Water Based Adhesives spray and roller applied adhesives with quick tack.



Duro Dyne Division

Premium Water Based Duct Sealers indoor/outdoor water based duct sealers.



Duroseal water based duct sealer available in Smooth & Fibered. Zero VOC's, LEED Compliant, UL Listed.



Solvent Based Adhesives & Duct Sealers



Spray Products:

DTWA: wide web, instant tack adhesive spray.
Dyn-O-Coat: matte black spray for edge coating.
CCASAWFTC: fast tacking, quick bonding duct liner adhesive




NPAB & NPAC & Adhesive Spray Canisters available in clear and black for dual purpose insulation adhesive and edge coating.



Dyn-O-Mate® Four Bolt Connector & Accessories




EZ Connector System® is a new patented corner system which for the first time, allows the contractor to make their duct joints with a super-fast, single locking bolt, using only an impact driver.



Flange is offered in two sizes with lengths of 12 or 20 feet.




Corners for use with four bolt flange systems and TDC or TDF.




Cleats, Drives, Slips



Access Doors Insulated and uninsulated for Flat or Round. High Temperature doors are also available.



Vane & Rail punched rail and hollow turning vanes to turn air through mitred elbows.




Dyn-O-Strut™ Slotted strut available in 14ga deep & shallow channels and 12 ga deep channel.

Dyn-O-Mate products may also be available in Stainless Steel and Aluminum. Please call for availability.


Dyn-O-Mate® Four Bolt Connector & Accessories

Dyn-O-Mate® Division


Threaded Rod & Accessories 1/4", 3/8", 1/2" available.




Conduit 1/2" and 3/4" available.



Dyn-O-Loc® & Dual Dyn-O-Claw® 1/2" and 3/4" available.




Rod Loc Insertion Machine inserts Dyn-O-Locs into 1/2" and 3/4" conduit.




Dyn-O-Wrap® Duct Protection Film



The Super Dyna-Hammer & Dyna-Hammer puts an end to manual hammering.



Air Tools & Dyna-Hammer The Duro Air Gun has an assortment of specialized chisels.



Tools & Accessories Crimping tool for TDC or TDF corners, cleater tool for snapping cleats to flange, Pittsburgh Lock Opening Tool & Magnetic Drift Pin Ratchet Tool for aligning corners.



Dyn-O-Mate® Four Bolt Connector & Accessories




Stud Guards

Super-sharp Fang Style teeth, packed in buckets for safety. Flat style also available.



BOCA Nail Plates

Standard or self-nailing.



Nail Plates

Multiple sizes and hole patterns available.



Z Brackets

Available in sizes from 8in to 12in tall, and .75in wide, with a central slot for initial duct adjustment



Easy Break Gas Pipe Hangers

Structural perforations for dual or single length use, and has infinite adjustability for easily installation



Multi-Duct 'L' Bracket


1in scribe for proper placement on wrapped duct, available in a variety of quantities

Dyna-Tite® Duct Hanging Systems

Cable Locks A fast, easy and safe, SMACNA verified duct suspension system. UL Listed.



Specialty Cable Locks KV Bracket for hanging rectangular duct and Strut Lock for hanging Dyn-O Strut



Wire Rope Aviation grade galvanized wire rope



End Fixings for upper attachment to building structures and hanging round and rectangular duct. Rapit® Drop-In Deck Hanger offers a convenient anchor point.



Dyna-Tite Kits



Cable Cutters



Rapit® Duct Support Hangers




Accessories




Fasteners



Pro Point® Screws self-drilling and tapping sheet metal screws for heavy gauge applications.



Super Saber® Screws self-piercing and threading sheet metal screws for light gauge applications.



Specialty Screws High Head Pro Point and Super Saber, Pro Point with Neoprene Washer, and Tech 5 Pro Point for heavy gauge.



Magnetic Hex Chucks for installation of self piercing and self drilling hex head screws.



Pin Rivets and Ratchet Action Riveter



Super T™ Drill Bits and Twin End Drill Bits



Maintenance Products

Wipes Industrial and Heavy Duty wipes



Spray Products:

Coil Cleaners: Foaming and Solvent based
Degreaser: Solvent based degreaser & adhesive remover



The Stripper lubricating spray for removal of galvanized build-up on roll forming equipment.



Gloves




Chip Brushes available in 1" 1-1/2", 2", 3", 4"



DuroGum permanently soft, non-toxic compound that seals cracks, joints and openings.

Welded Insulation Fasteners

Gold Seal Self Sealing Weld Pin for use with elastomeric foam insulation and foil backed liner.



Target® Pins and **Slope® Pins** for improved insulation quilting & air flow. Used with series MF, PBF, FG, RH, FGMH, and HSMH Pinspotters®.



Rib Pins® for use with series MF, PBF, FG, FGMH, HSMH and RH Pinspotters®.




CWFTC Cupped Washer Weld Pins



FTC Econo-Point Weld Pins utilize a specially pointed nail to assure uniform welding.




Spotter Pins & Clips for use with model LF Pinspotter®.




Mechanical Insulation Fasteners


Dynastick® SAH self stick 2" square base hangers and washers.



PBH Hangers perforated base hangers for use with PBA super strength mastic.



Flipstix® exclusive one piece design self adhesive hangers.



Banger® Impact driven fasteners for attaching fiberglass insulation to metal.




Double Headed Hammer for installation of Banger® impact driven fasteners.






CCD110N, MF-12A, PBF-520 Manual Pinspotters® for portable welded insulation fastening.




FPP Conversion platform pinspotters for use with MF-12A.



FGMH & HSMH MultiHead Pinspotters® FGMH for welded insulation fastening and HSMH - High Speed Multihead Pinspotters® capable of welding up to 2 inch pins on 16 gauge material as close as 6 inch centers at speeds of 50+ feet per minute.




FG-Mach III & RH Mach IV Automatic Pinspotters® for welded insulation fastening.



Insulation Cutters

LSU manual insulation cutting machine for varieties of fiber-glass and elastomeric foam duct liner and wrap.




PLSU2 automatic insulation cutting machine.

Adhesive Applicators

GBAC water based adhesive roller application machine.



Super Sprayfast Universal water based adhesive spray application system. Works on 5 gallon buckets & 55 gallon drums.



Connector Dispenser

FDCAB4 flexible duct connector dispenser with shear.




Hand Tools


Snips, Seamers & Crimpers




HVAC Tools & Hole Cutter



Hammers




Tape & Rules




Hex Keys & Knives



Climate Control Systems



RED4 Zone Control Panels are compatible with most conventional, heat pump, and geothermal multi-stage systems. The solid state circuitry incorporates optional features such as: outdoor air temperature sensing, automatic heat/cool changeover, purge cycle and has built in diagnostics.



SMZ Zone Control Panels are the simplest and most economical way to provide maximum comfort in the home or office.



JTZ HP is a simple Zone Control Panel for heat pump systems.



Thermostats Electronic, mechanical, digital, and programmable with tested compatibility for zone panel and damper operation.


Climate Control Systems (Continued)

RD Dampers are available as spring return, high torque spring return or power open power closed models.




DuroZone[®] Division

MMB Multi-Blade Dampers are parallel blade with 24 volt spring return mid-torque motor.




PMB Dampers are power open power closed models with opposed blades.




Balancing Damper Systems


Cable Operated Dampers offer a convenient and economical way to balance air flow through the face of a diffuser or from a remote location. Available in Gear Driven or Manual.



Pressure Relief Dampers for maintaining static pressure in zoned duct systems.



**Please Visit Our Website
www.durodyne.com
for the most current product information.**



**Duro Dyne Corporate Headquarters, Bay Shore, NY
631-249-9000 • Fax: 631-249-8346**

**Duro Dyne Midwest • Duro Dyne West • Duro Dyne Canada
www.durodyne.com • E-mail: durodyne@durodyne.com**

**DURO
DYNE**

© Duro Dyne Corp.
6/29/2021
BB000009