

PREMIUM



PRODUCTS

South Windsor, CT

2020

TABLE OF CONTENTS

3-5	DuPont [™] Tyvek [®] Building Envelope Solutions
6-9	WindsorONE Trim & Molding
10-11	Diamond Kote [®] Building Products
12-13	AZEK [®] Exteriors
14-27	TimberTech [®] Deck, Porch, Pavers, Railing, and Accessories
28	Screeneze [®] No-Spline Screen Porch System
29	PCA Products
30-31	Deckorators [®] Outdoor Accessories
32-33	Fasteners
34	Crown Column
35	Lumber List
	1

2


Tyvek.

Optimize the Building Envelope with DuPont™ Tyvek®

DuPont[™] Building Envelope Products aren't just backed by a warranty for Builders, General Contractors, and Professional Installers. They're backed by a company that for over 200 years has been dedicated to providing sustainable solutions for a better, safer and healthier life for people everywhere.

Since everyone's needs are not the same, DuPont offers both a 10-Year Product Warranty as well as a 10-Year Product and Labor Warranty. This provides your customers the added assurance that the structures you build will help protect their valuable investment for years to come.

Whatever the job, our Specialists are industry-experts focused on solving any construction-related problem or need you may have.





DuPont[™] Tyvek[®] DrainWrap[™] was engineered to meet the drainage needs of specific façades. It is recommended for use behind primed wood and fiber cement siding when maximum drainage is desired. DrainWrap[™] is also an ideal solution when foam board is applied over flat substrates.



DuPont™ **Tyvek**® StuccoWrap®

With a specially engineered surface texture designed for traditional and synthetic stucco systems in both commercial and residential construction, Tyvek[®] StuccoWrap[™] helps reduce susceptibility to cracking, improves stucco curing and channels moisture out of the wall.



DuPont™ **Tyvek**® Tape

Roll Sizes: 2"x 55 Yards 3"x 55 Yards



The crucial, final step for maximum reduction of air infiltration through wall systems is to help create a seamless, protective envelope sealed with Tyvek[®] Tape.

DuPont[™] Tyvek[®] Weatherization Systems offers a 10-Year Limited Warranty, giving you the assurance that DuPont will stand behind its products. For more information contact 1-800-44-TYVEK

DuPont[™] Flashing Systems

Innovative flashing systems that work together to keep water out of the homes you build.

The range of DuPont[™] flashing products are durable, tough, tear-resistant and deliver superior protection from water damage and perform through extreme temperatures (they can even handle prolonged exposure to UV light).

DuPont[™] FlexWrap[™], DuPont[™] StraightFlash[™] and DuPont[™] Flashing Tape feature quick-release backing allowing for easy installation. And, the forgiving initial tack enables easy repositioning.





Your project can qualify for a 10-year limited product and labor warranty when you use a DuPont[™] Tyvek[®] Weather Barrier, flashing products and tape.



DuPont[™] FlexWrap[™] NF (No Fasteners) is a premium performance, extendable selfadhered flashing material that can be applied over a wide range of building substrates.

Sizes: 6"x75', 9"x15' & 9"x75'



Flashing Tape

DuPont[™] Flashing Tape provides a cost-effective way to help protect the jambs and heads of today's residential windows from water intrusion.

Sizes: 4"x33', 4"x75', 6"x75',

9"x75' & 12"x75'

DuPont"

StraightFlash

This durable flashing material is designed to protect the heads and jambs of rectangular windows. These areas can be subjected to wind-driven rain, which can find its way into the window opening and cause water damage. **Sizes:** 4"x150' & 9"x125'



StraightFlash[®]VF

DuPont[™] StraightFlash[™] VF (Versatile Flange) is dual-sided, self-adhered flashing made with DuPont[™] Tyvek[®] and premium butyl sealant.

Sizes: 6"x25', 6"x125'



DuPont[™] FlexWrap[™]EZ



DuPont[™] FlexWrap[®] EZ is a flexible, self-adhered tape designed with the purpose of helping create an air- and water-tight seal when installed around penetrations of all shapes and sizes. The wrap was created to be ideal for flashing around smaller electrical, HVAC, and plumbing penetrations as a fast and easy solution for improving energy efficiency and wall system durability.

<text>

Tyvek® DrainVent™ Rainscreen is a three-dimensional honeycomb-textured drainage mat with attached heavy-duty filter fabric that provides:

- A flat surface for cladding application
- Optimal compression resistance
- Multi-directional channels for drainage and airflow

Peace of mind with peak performance

Tyvek[®] DrainVent[™] Rainscreen provides assurance that water will drain out of the wall.

Ease of installation

Tyvek® DrainVent[®] is easy to cut and install; lays flat; and rolls tight against corners, helping protect against poor installation and detailing errors.

Trusted quality and durability

Tyvek[®] DrainVent[™] is part of the complete DuPont[™] Tyvek[®] product portfolio.

10-year warranty

Tyvek° DrainVent" has a 10-year limited product warranty and a 10-year limited product and labor warranty if installed correctly with DuPont" Tyvek° system products.

Full support

The Tyvek® Specialist Network is available across the U.S. for additional product information and support.

DuPont[™] Tyvek[®] DrainVent[™] Rainscreen

Applications

- Stucco
- Stone veneer
- Brick
- Wood siding
- Fiber cement siding
- Metal panel systems
- Cedar shake and shingles

Properties

- 4' x 50' (1.2m x 15.2m) roll, 200 sq. ft. coverage per roll
- 6.8mm/0.27" thickness (gap size)
- 90-day UV rating
- >100 perms based on ASTM E96 (method B)
- Class "A" fire rating per ASTM E84
- Mold and mildew resistant



SUPERIOR

Straightness Precision Finger Joints Prime Coat

CRAFTSMANSHIP PAYS

Have you ever picked up a 16ft or 20ft board and stared down it? Often you'll notice twisting and cupping on a longer board. Not the case with WindsorONE Trim Boards; superior finger jointing and edge gluing ensure you get one of the most straight, tight and true trim boards on the market. The straightest boards in up to 20' lengths

No finger joints on face of board

Kiln dried, edge-glued;

edge-glued;
 brings distortion
 to a minimum

100% real wood

BUILD ★ AMERICA WindsorONE is Manufactured in the U.S.A.





ALL Windsorone Boards are straight tight & true

Boards are made of real wood, finger jointed and coated with three coats of acrylic latex primer. WindsorONE Traditional Boards can be used for both interior and exterior use. The back of all WindsorONE Traditional boards contain an ink stamp ("WindsorONE Traditional") to be easily identified.

WindsorDNE Traditional 111 MANUFACTURED IN THE USA



30 YEAR WARRANTY* PROTECTS AGAINST ROT, INSECTS AND MOLD

Boards are made of real wood, finger jointed and coated with three coats of acrylic latex primer. All boards are protected with a 30 year warranty against rot, insects & mold. WindsorONE Protected Boards can be used for both interior and exterior use. The back of all WindsorONE Protected boards contain an ink stamp ("WindsorONE Protected") to be easily identified.

WindsorONE+Protected and MANUFACTURED IN THE USA

STOCKING Inventory

Stocking products featured in red.

PROTECTED S4SSE TRIM BOARDS

smooth surface four sides


		6' -
	1x2	•
_	1x3	•
	1x4	•
	1x5	
	1x6	•
	1x8	•
	1x10	•
	1x12	•
	$5/_{4}$ x 3	•
	5/4 x4	•
	⁵ / ₄ x 5	•
	⁵ /4 x6	•
	⁵ /4 x 8	•
	⁵ / ₄ x10	•
	⁵ / ₄ x12	•
L V I RA[]]		C
■ W1-3811	LDING ¹³ / ₁₆ " x 1 ¹ / ₂ < 1 ¹ / ₄ " x 2" ¹ / ₄ " x 2" ⁹ / ₃₂ " x 1 ⁵ / ₈ "	
 W1-618 W1-3811 W1-381 W1-516 	¹³ /16" x 1 ¹ /2 < 1 ¹ /4" x 2" 1 ¹ /4" x 2"	
 W1-618 W1-3811 W1-381 W1-516 W1-640 	¹³ /16" x 1 ¹ /2	
 W1-618 W1-3811 W1-381 W1-516 W1-640 W1-630 	¹³ /16" x 1 ¹ /2 $1^{1}/4$ " x 2" $1^{1}/4$ " x 2" 3_{2} " x 1 ⁵ /8" $1^{3}/8$ " x 7 ¹ /4	

WORS6 3/4" x 5 1/2" WORS8 3/4" x 7 1/4" **Not to be confused with WindsorONE Pre-gapped Nickel Gap Boards, see opp. pg.

PROTECTED S1S2E TRIM BOARDS reversible rough sawn on one side,

reversible rough sawn on one side, smooth on others with eased edges

nomina	l sizes	16'	20'
-	1x2	•	•
	1x3	•	•
	1x4	•	•
	1x6	•	•
	1x8	•	•
	$1 \mathrm{x} 10$	•	•
	1x12	•	•
	⁵ /4 x3	•	•
	⁵ /4 x4	•	•
	⁵ /4 x6	•	•
	⁵ /4 x8	•	•
	⁵ / ₄ x10	•	•
	⁵ / ₄ x12	•	•
	2 x 2	•	•
	$2 \mathrm{x4}$	•	•
	2 x 6	•	•
	2 x 8	•	•
	$2 \mathrm{x} 10$	•	•
	2x12	•	•
PRO	TECTE)	
	7 Iik		I V 🕨





WINDSORONE PROTECTED BOARDS



¹ **PROTECTED TO THE CORE; FULL PENETRATION** Because unlike the other guys, we're assuming you'll actually want to cut the material at some point.




² PROTECTED AGAINST ROT, INSECTS & MOLD Does *not* protect against your mother-in-law, hangovers, airport security, etc.



DURABLE FOR EXTERIOR & SAFE FOR INTERIOR Gold Indoor Air Quality Rating, low VOC's and California Hippie Approved.



⁴ WEATHER RESISTANT SYSTEM (WRS™) Water is for drinking, not trim boards.



⁶ **NO KNOTS; YOUR BOARDS ARE ALWAYS CLEAR** Imagine that, you can actually use every foot you pay for.

7 PROTECTION NOT DIMINISHED

By shaping, planing, sanding, fastening or molding (actual use does not void the warranty).

- 8 THE CUT SURFACES ONLY NEED PRIMING No need to also apply special protection (we took care of that for you).
- 9 BACKED BY A 30-YEAR LIMITED* WARRANTY The "limitation" is you have to install it correctly (for one example see #8 again).



30

¹⁰ **BUILD AMERICA: MANUFACTURED IN THE U.S.A.** Because everything else you bought was made in China.

INSTALLATION REMINDERS*

PRIME ALL CUTS!



MOISTURE CONTROL¹: Acclimate to the environment. For interior trim, store inside the structure until the products reach approx 8% moisture content. For exterior trim, store in locations such as a garage that is not heated & is well ventilated until about 14% moisture content. Do not install exterior trim boards with a moisture content over 18%. ¹see www.windsorone.com/moisturecontrol

KEEP MATERIAL COVERED: Store on stringers and out of the weather.

Q

INSTALL 6" ABOVE GRADE: Trim should be installed always at least 6" from ground.

INSTALL 2" ABOVE ROOF: 2" breaks are crucial on the roof and flat surfaces (porches, decks, etc).

1/4" FROM FLASHING: Flashing is imperative; and always maintain a 1/4" gap for a capillary break.

***SEE FULL INSTALLATION INSTRUCTIONS.** WindsorONE should be stored, installed, handled & maintained correctly for the best performance. For complete installation guidelines & the WindsorONE Protected warranty, visit WindsorONE.com/install or call 888.229.7900.





BUILD AMERICA

Manufactured in the U.S.A., craftsmanship from Willits, CA & Surry, VA.

TRADITIONAL MOLDINGS

——————————————————————————————————————					
WOCS001	³ / ₄ " x 5 ¹ / ₂ "				
WOCS003	³ / ₄ " x 4 ¹ / ₄ "				
] WOCS005	1^{3}_{16} " x 4^{3}_{8} "				
WOCS007	³ /4" x 3 ¹ /2"				
CROWNS	5				
	³ /4" x 3 ¹⁹ /32"				
WOCM001	³ /4" x 3 ¹⁹ /32" 1 ¹ /16" x 4"				



HEALTH STARTS AT HOME

Gold Indoor Air Quality Rating with a 30 yr warranty against rot, insects and mold.

DETAIL -

\leq	WOSP001	7⁄8" x 1 ¼"
Ŋ	WOPM004	³ / ₄ " x 1 ³ / ₄ "
	WOST001	7⁄16" x 1 1⁄16"
	WOST004	¹ ⁄2" x 1 ⁷ ⁄8"
7	WOCV001	³ / ₄ " x ⁷ / ₈ "
۵	WOBS001	¹ / ₂ " x ³ / ₄ "
	WOBB001	7⁄8" x 1 ³⁄4"
\square	WOBB002	³ / ₄ " x ³ / ₄ "
	— APRON	۰
	AFRUN	ა
	WOCS004	³ /4" x 3 ⁹ /16"
	WOCS006	³ /4" x 3%16"
	WOCS007	³ /4" x 3 ¹ /2"
	— STOOL	· · · · · · · · · · · · · · · · · · ·
	31001	5
	WOWS001	1 ¹ / ₁₆ " x 4 ¹ / ₂ "
	WOWS002	1 ¹ /16" x 4 ¹ /4"

_ <u>^</u>___



CRAFTSMANSHIP PAYS

Show off the detail work on your projects and generate more referrals.

- CAPS -

	WOHC001	$1^{5/16}$ " x $2^{1/4}$ "
Ð	WOWC002	1 1/8" x 3"
\bigtriangledown	WOWC003	1 3⁄8" x 1 3⁄4"
\mathbf{n}	WOWC006	1 5/8" x 2 5/8"
	BASES	S ———
	WOBM001	1 ³ / ₁₆ " x 7 ¹ / ₄
	WOBM002	$2^{3/4}$ " x $5^{1/2}$ "
	WOBM003	3 ³ /4" x 7 ¹ /4"
2	WOBM004	á ³⁄4" x 7 ¹⁄4"
	WOPB001	1 ³ / ₈ " x 8"

SPECIALTY

~	WOCH001	$1\frac{5}{8}$ " x $2\frac{1}{4}$ "
	WOCM002	³ /4" x 4 ⁵ / ₁₆ "
	WOCM003	1 5 / 8 " x 4 "

Stocking products in red.



smooth surface four sides nominal sizes 12' 16' □ 1x2 ____1x3 1x4 ⊓ □ 1x5 <u>] 1x6</u> 1x8 1x10 1x12 $- \frac{5}{4} \times 3$ ז⁵/₄**x**4 $\frac{5}{4}$ x 5 <u>ז 5∕4x6</u> $5/_{4X}8$

TRADITIONAL **TONGUE & GROOVE**

 $\frac{5}{4} \times 10$ $\frac{5}{4} \times 12$

	⇐ SPBC4	%16" x 35/16"
	SPBC6	$^{23}/_{32}$ " x 5 $^{1}/_{2}$ "
Ð	SPBC8	$^{23}/_{32}$ " x 7 $^{1}/_{4}$ "
	WOBC6	³ /4" x 5 ³ /8"
	s WOTG	$^{23}/_{32}$ " x 5 $^{1}/_{2}$ "

TRADITIONAL **BEADED CASING**

WOCS007	$^{3/4}$ " x $^{3/2}$ "
WOCS008	3/4" x $41/4$ "
٢٠٠٠ WOCS009	$\frac{3}{4}$ " x 5 ¹ /4"
WOCS010	3/4" x $31/2$ "

TRADITIONAL NICKEL GAP*

WOSN6 3/4" x 5 1/2"
WOSN8 ³ / ₄ " x 7 ¹ / ₄ "
*Not to be confused with WindsorONE
Shiplap Boards, see opp. page

NEED SOMETHING THAT'S NOT STOCKED? ASK US. Rapid shipment from another Parksite location is possible! Contact your Parksite Rep for more info.

 \sim

Pre-finish Siding

DIAMOND KOTE[®] Building Products



INSTALL SIDING FASTER WITH **RIGIDSTACK**[™]!





FASTER INSTALL

Time studies show RigidStack™, with it's heavy duty spline, installs up to 22% faster than standard 16' lap.



NO-FACE NAILS

Eliminate sunken/unsightly nail heads and save time on touch up with blind nail application.



EASY TO CARRY

Siding is 4-packed, making it easy to carry. RigidStack[™] is also 40% lighter compared to fiber cement.

#1 RECOGNIZED BRAND OF PRE-FINISHED LP® SMARTSIDE®

CHANGING THE INDUSTRY!

- » Engineered wood siding system
- » 22% faster install and 375% stronger than standard lap
- » Designed for long-term performance
- » Scratch resistant finish
- » Won't peel, chalk, or fade
- » Endless color possibilities
- » Made from renewable resources
- » Extremely lightweight and installer friendly
- » 30-Year No Fade and 50-Year Siding Warranty




DIAMOND KOTE [®] Building Products					Pre-finish Siding		
VIVID REFRES	H	licht enn	-inve here	midnight	graphite	0000	amelayash
		light gray	cinnabar	munight	graphite	TRA CHA	smoky ash
white	oyster shell	french gray	clove	coffee	platinum	1111241	
EARTH ELEMEN	IS	beige	clay	olive	mountain lake	caribou	
		beige	Clay	Unive	mountain lake	Caribbu	
						GU BR	ASTAL
biscuit	sand	pewter green	seal	terra bronze	pelican	A CARLON	
DUOBLI PREMIU	END JM*						
		bedrock	elkhorn	canyon	mahogany end Premium is	grizzly	chestnut

*DuoBlend Premium is only available in Cedar texture.

+ CUSTOM COLOR OPTION

INDUSTRY LEADING WARRANTIES

Our siding includes a **30-Year No Fade Warranty,** resists harsh weather and impact including hail, backed by a **5/50-Year Siding System Warranty.**



diamondkotesiding.com 4.19





AZEK[®] Trim with the AZEK[®] Edge has precise sealed edges on all 4 sides.

Made of cellular PVC that resists the tests of time and weather, AZEK[®] Trim is the best high-performance trim product on the market.

- > Impervious to moisture and insects
- > Perfect for ground contact application
- > 25 year warranty
- > Tightest board tolerance in the industry
- Easier to clean
- Maintains a "like new" appearance in all types of weather
- > Does not require paint for protection
- Building Code listing ESR-1074









The best looking, highest performing wood replacement line of mouldings available in the market.

Backed by AZEK's promise of high-quality and lasting performance, AZEK Moulding will retain a like new appearance despite the tests of time and weather. AZEK Moulding offers greater stability and predictability when fastening and minimizes expansion and contraction. Unlike traditional wood moulding, AZEK Moulding is moisture and insect resistant and does not cup, rot, or split.

- > Impervious to moisture and insects
- > Perfect for ground contact application
- > 25 year warranty
- > Tightest board tolerance in the industry
- Easier to clean
- Maintains a "like new" appearance in all types of weather
- > Does not require paint for protection
- > Building Code listing ESR-1074

visit azek.com/moulding for complete portfolio

FEATURED STYLES AND PROFILES							
Colonial Base Cap	3 1/2" Bed Mould	Wainscot Cap	Imperial/Rake Crown	Crosshead Pediment			
1 1/2" Square Profile	3", 4", 5", 6" & 8" Crown	Adams Casing	Back Band	Band Moulding			
Brick Mould	Drip Cap Ga	arage Door Thermostop	Historic Sill	Quarter Round			
Scotia	Shingle Mould	Sub Sill Nose	Water Table	Cove Crown			
Fluted/Reeded Casing	Base Cap	Bed Moulding	Rake Mould	Rams Crown			



Harvest Collection®

Tie in traditional, cathedral wood grain patterns and a soft, solid color palette when using boards from this dynamic TimberTech AZEK collection.

- Brownstone and Slate Gray available in wide widths
- Harvest MAX is a 1.5" thick board, that can be installed 24" on center. It's perfect for docks, boardwalks, and some commercial applications. Available in Slate Gray.





*Although AZEK Deck products are cooler to the touch than many other deck board products, all decking products will get hot in the sun. Additionally, the darker the decking color, the hotter it will feel. For hotter climates, consider choosing a lighter color.



14



AZEK[®] Porch **Capped Polymer Boards**



Porch



PORCH PRODUCTS

Standard

Thickness 1" **COASTLINE®**

WEATHERED TEAK®

MAHOGANY

DARK HICKORY

OYSTER®

MORADO®

SILVER OAK®

BROWNSTONE

SLATE GRAY

Perfect Your Porch

Crank up the porch appeal outside your own front door. Standard and wide width porch boards offer design versatility and unrivaled performance. Tap into the timeless beauty of a well-thought out porch without sacrificing the modern convenience of superior materials that will last for decades to come.

- Most advanced polymer material in the cap and core is inherently impervious to moisture and combats fading, staining, and weathering with Alloy Armour Technology®.
- Extremely low-maintenance Never requires sanding, sealing, or staining.
- Unbeatable resistance to mold and mildew keeps boards from rotting, splintering, cracking, or warping
- Superior resistance to fading, staining, and weathering backed by a 50-Year Fade & Stain Warranty.
- Tongue-and-groove installation allow for smaller gaps between boards
- Made from up to 54% recycled material



Standard 3.125' Porch Board Wide 5.5' Porch Boarc

.

.

STANDARD WIDTH

31/8"

12'

.

•

•

•

•

.

.

•

•

16'

.

•

•

•

.

.

.

.

WIDE WIDTH

51/2"

16'

.

•

•

•

10'

12'

.

.

•

•

 $Depending \ on \ environmental \ conditions, AZEK^{\otimes} \ Porch \ colors \ may \ appear \ to \ change \ over \ time \ as \ part \ of \ the \ natural \ weathering$ process consistent with the warranty guarantees where applicable. All AZEK Porch products will experience weathering. Based on lab testing, AZEK® Deck and Porch products are cooler to the touch than many other deck board products in similar colors, all decking products will get hot in the sun. Additionally, the darker the decking color, the hotter it will feel.



SILVER OAK®	



MADE IN USA





Premier Collection

Design your ideal deck with these earthy and inspiring hues comprised of solid colors and a subtle, straight grain pattern on every board.





Prime Collection

Play up the simplicity of beautiful decking with these scalloped boards offered in solid colors with a subtle, straight grain pattern.





Prime+ Collection

Browse this selection of simply beautiful decking with a subtle blend of colors and a stunning straight grain pattern.









3-Sided Capped Composite







Legacy Collection

Bring artisinal decking with a cascading, highly complex blend of naturallooking colors and a hand-scraped texture to your deck design.





Reserve Collection

Inspired by reclaimed wood, the rustic wire-brushed finish highlights a classic cathedral wood grain and offers better scratch resistance than competitors.





Terrain Collection[™]

Tap into the earthy and elegant moderately variegated and monochromatic colors of the Terrain Collection for a timeless, rugged deck that'll complete your outdoor living space.





Based on lab testing, PRO Deck products are cooler to the touch than many other deck board products in similar colors, all decking products will get hot in the sun. Additionally, the darker the decking color, the hotter it will feel.











Resurfacing Pavers

Revitalize your home by transforming an old concrete patio, walkway, or deck into a new and beautiful space. Resurfacing Pavers are also a perfect way to increase usable space such as rooftops and balconies.

Standard Pavers

Standard Pavers have the features and benefits of Resurfacing Pavers but with the added strength to be used for in-ground applications. They are installed using an aggregate base under the patented grid system and are best used for the new construction of patios, walkways, driveways and commercial spaces.

Permeable Pavers

For areas in need of a water management solution, choose Permeable Pavers.











4" x 8" Resurfacing Paver With Grid

8" x 8" Resurfacing 4" x 4" Resurfacing Paver

Paver



Resurfacing Bullnose Paver

Resurfacing Transition Paver



Wedge Paver



Standard Soldier Full Paver

STANDARD	RESURFACING	RESURFACINGPERMEABLE1.75" height2.38" height	COLOR OPTIONS				
2.38" height	1.75" height		Redwood	Boardwalk	Olive	Village	Waterwheel
•	•	•	•	•	•	•	•
•	•		•	•	•		•
•	•		•	•	•		•
	•		•	•	•	•	•
	•		•	•			•
•			•				•
•			•				•
Mat	1						
	2.38" height	2.38" height 1.75" height	2.38" height 1.75" height 2.38" height • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •	2.38" height 1.75" height 2.38" height Redwood • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •	STANDARD RESORFACING PERMEABLE 2.38" height 1.75" height 2.38" height Redwood Boardwalk • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •	STANDARD RESORFACING PERMEABLE 2.38" height 1.75" height 2.38" height Redwood Boardwalk Olive • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •	STANDARD 2.38" heightRESORPACING 2.38" heightPERMEABLE 2.38" heightRedwoodBoardwalkOliveVillage••• <td< td=""></td<>

Grids are 16"x16



Contemporary Rail

Modern Composite Railing



Railing



Timeless. Practical. Unobstructed.

Bring this simple and sleek railing profile with a softly curved edge to homeowners that want a stylish place to set drinks.

- Composite core with a 4-sided cap that covers the backside and grooves with a cap that contains no organic wood filler.
- 25-Year Limited Product Warranty
- Extremely durable and low-maintenance.
- Unbeatable resistance to mold and mildew keeps railings from rotting, splintering, cracking, or warping.
- Advanced resistance to scratches, stains, and insects.

Infill Options



Colors



CONTEMPORARY RAIL						
	6FT	8FT	10FT	16FT		
CONTEMPORARY RAIL PACK Black and Traditional Walnut	٠	•				
CONTEMPORARY TOP RAIL Black and Traditional Walnut				٠		





Top Rail Size: 6.35"w x 1.9"h





Classic Composite Series Traditional Composite Railing





Bold. Beautiful. Refined.

Classic Composite Series, a simple system with endless design options, combines four railing collections into one. It uses the NEW Universal Rail and offers four top rail options: Premier Rail®, RadianceRail®, Trademark Rail™ and a deck board for the NEW Drink Rail option. This allows for easy, intuitive ordering with fewer SKUs. Designed for the homeowner who wants an impactful railing design that complements the deck as well as the home's exterior.

- Composite core with a 4-sided cap that covers the . backside and grooves with a cap that contains no organic wood filler.
- 25-Year Limited Product Warranty
- Extremely durable and low-maintenance. .
- Unbeatable resistance to mold and mildew keeps railings from rotting, splintering, cracking, or warping.
- Advanced resistance to scratches, stains, and insects.

Infill Options



Colors



TimberTech.com







RadianceRail[®]

2.9"w x 2.9"h



Premier Trademark Railing® 3.5"w x 2.7"h

Rail™ 3.5"w x 2.7"h

NEW Drink Rail

CLASSIC COMPOSITE SERIES						
	6FT	8FT	10FT			
UNIVERSAL RAIL KIT White only	٠	٠				
UNIVERSAL RAIL PACK White, Black, Kona ^{®,} Brownstone, Slate Gray	٠	٠	• White and Black only			
PREMIER RAILING® TOP RAIL White, Black, Kona ^{®.} Brownstone, Slate Gray	٠	٠	• White and Black only			
TRADEMARK RAIL ™ TOP RAIL White only	• White only	• White only	• White only			
RADIANCERAIL® White, Black, Kona ^{®.} Brownstone, Slate Gray	٠	٠	• White and Black only			





Reserve Railing[™] Composite Railing



Railing



Classic. Stately. Powerful.

Bring on the bold style choices as this railing profile is not for the faint of heart when it comes to design. Completing a deck with this railing profile offers an air of regal sophistication that homeowners crave. Offered only in White, this railing is the perfect complement for AZEK Trim and classically gorgeous homes.

- Composite core with a 4-sided cap that covers the backside and grooves with a cap that contains no organic wood filler.
- Extremely durable and low-maintenance.
- Unbeatable resistance to mold and mildew keeps railings from rotting, splintering, cracking, or warping.
- Advanced resistance to scratches, stains, and insects.

Infill Options



Colors





RESERVE RAILING™						
6FT 8FT 10FT 16FT						
TRADITIONAL RAIL PACK White only	•	•	•			
CUSTOM RAIL PACK White only	٠	٠	٠			
RESERVE TOP RAIL White only	٠	•	٠	٠		










Builder Rail Modern Composite Railing





Bold. Modern. Impactful.

Choose a railing that's sure to match the decking with this modern railing profile that uses a deck board as the top rail.

- Composite core with a 4-sided cap that covers the backside and grooves with a cap that contains no organic wood filler.
- 25-Year Limited Product Warranty
- Extremely durable and low-maintenance.
- Unbeatable resistance to mold and mildew keeps railings from rotting, splintering, cracking, or warping.
- Advanced resistance to scratches, stains, and insects.

Infill Options



Colors



BUILDER RAIL						
	6FT	8FT	10FT	16FT		
BUILDER BOARDS Black and Traditional Walnut	•	•				
DECK BOARDS Legacy and Tropical Collections				•		




Top Rail Size: 3.4"w x 1.5"h



Impression Rail[™] Minimalist Metal Railing



Railing




Modern. Sturdy. Minimalist.

Bring beautiful views of your backyard to the forefront with this modern, aluminum railing that allows you to mix and match materials.

- Aluminum railing with a powder-coating to prevent corrosion in moisture rich environments.
- 25-Year Limited Product Warranty
- Extremely durable and low-maintenance.
- Powerful resistance to mold and mildew keeps railings from cracking or warping.
- Premium resistance to scratches, stains, and insects.



Infill Option







IMPRESSION RAIL						
	6FT	8FT	10FT	16FT		
RAIL KIT Black and Traditional Walnut	٠	٠	٠			












Contemporary. Smooth. Unobstructed.

Lean into a minimalist railing profile with this aluminum panel system designed to keep sightlines clear and install time short.

- Aluminum railing with a powder-coating to prevent • corrosion in moisture rich environments.
- 25-Year Limited Product Warranty •
- Extremely durable and low-maintenance. .
- Powerful resistance to mold and mildew keeps . railings from cracking or warping.
- Premium resistance to scratches, stains, • and insects.

Infill Options



Colors







IMPRESSION RAIL						
	6FT	8FT	10FT	16FT		
RAIL KIT White, Black and Dark Bronze	•	•				





RadianceRail Express[®] Composite Railing



Railing



Simple. Sculpted. Timeless.

Make a style statement in your clients' backyards with this truly classic profile. RadianceRail Express offers value and a beautifully sculpted top rail that complements any home's exterior. Add elegance with this easy-to-install rail.

- Composite core with a 4-sided cap that covers the backside and grooves with a cap that contains no organic wood filler.
- Extremely durable and low-maintenance.
- Unbeatable resistance to mold and mildew keeps railings from rotting, splintering, cracking, or warping.
- Advanced resistance to scratches, stains, and insects.

Now available in a Smart Set that includes everything you need; just order the finish post, cap and skirt to finish your project. RadianceRail Express[®] Smart Set[™] includes top and bottom rails, 4x4 post sleeve, 4" post cap and skirt, hardware, footblocks, and balusters.

Infill Option









RADIANCERAIL EXPRESS® 6FT 8FT 10FT SMART SET KIT
Available in White only • • TRADITIONAL RAIL PACK
White, Black, Kona® • •









ADA Handrail **Overview**



TimberTech[®] ADA Handrail System

- PVC tube has an extruded aluminum insert running the full length of the rail
- ADA Handrail has a 1-1/2" diameter gripping area
- Aluminum reinforcement reduces bowing and provides enduring strength
- Adjustable joiners accommodate any transition zero to 90° bends
- Installs easily on-site with no special tools required
- Two available colors: White and Black
- Sold in job lot quantities











Handrail Bracket Kit White: AZTADAHRBKW Black: AZTADAHRBKB

104" Rail Stiffener & Assembly

Wall Return Cover & Plate Kit

White: AZTADAWRCPKW

Black: AZTADAWRCPKB

White: AZTADA104RSAW

Black: AZTADA104RSAB







90-Degree Inside Corner Bracket White: AZTADA90DICBW Black: AZTADA90DICBB

90-Degree Corner

White: AZTADA90DCW

Black: AZTADA90DCB



Straight Joiner (4 Pack) AZTADASJ



External Adjustable Joiner White: AZTADAEAJW

Adjustable Joiner [4 Pack] AZTADAAJ



Rail End Cap (4 Pack) White: AZTADARECW **Black: AZTADARECB**

Joint Ring (4 Pack)

White: AZTADAJRW

Black: AZTADAJRB





Handicap Loop White: AZTADAHLW

Black: AZTADAHLB



TimberTech.com

Decking Accessories









Expand Your Outdoor Space

Ideal for second-story decks, DrySpace is an under-deck water management system that collects and channels moisture so homeowners can make the most of the space below. It is easily attached to new or existing deck joists, and comes in two colors that lighten and brighten the area under your deck. DrySpace is made of solid extruded vinyl for maximum strength, durability, and weather resistance.

Colors:



DrySpace Benefits:

- Expand your outdoor living space
- Keeps furniture and decor protected from the elements
- Creates a clean, finished appearance
- Opportunity to harvest rainwater from gutter or downspout to save on outdoor watering
- Unlike other products on the market, DrySpace can be installed with new or existing decks

DrySpace Details:

- Compatible with TimberTech® AZEK®, PRO[™], and EDGE[™] Decking
- Kits available for 12" on-center spans in 12' lengths and 16" on-center spans in 12' and 16' lengths
- Also available in bulk as individual components
- Available in two colors: Bone or White
- 25-Year Limited Warranty for residential applications

DrySpace Components:

DrySpace kits and individual components are available to fit most common deck dimensions. The kits include all of the parts needed for an easy, seamless installation using standard tools.



DrySpace[™] system is manufactured for TimberTech by Engineered Profiles, LLC. Engineered Profiles' use of the mark DrySpace[™] is with consent of DrySpace Inc., in Columbus, Ohio. Engineered Profiles and DrySpace Inc. are not affiliated in any way. Neither company warrants the good or services of the other.



NO MORE SPLINING

We do not know anyone who enjoys splining. With SCREENEZE®, you don't have to.



Splices Easily No Staples | No Splines Screws Included Span Panels up to 150 Sq Ft



Available colors: Bronze, White, Sand Clay Color matching Plinth available



Available Sizes: 8' and 12' Aluminum Base: 3/4" x 3/4" Vinyl Cap: 3/8" x 1/2"



Reduce Callbacks 10 Year Limited Warranty Easy Repairs Uniformly Stretches & Secures Screen

SCREENING JOBS HAVE NEVER BEEN EASIER

Once you use or see the SCREENEZE screen system in action, you'll never want to install screen without it.

DEALERS WILL APPRECIATE THE



ARCHITECTS WILL HAVE ACCESS TO



INSTALLERS WILL BE BLOWN AWAY BY

The speed and simplicity of installing













Screen Door Solutions

THE PCA ADVANTAGE

PCA takes great pride in their hand crafted custom screen doors built with the highest quality materials and the latest technology. They're built to last, with the strength and durability needed to stand up to even the highest traffic business or home application



Door Sizes: 32" x 80" or 36" x 80"



Available Powder Coat colors: White, Sand, Clay, Bronze



Universal Install Kit 1"x2" Aluminum frame 8" kick plate Self locking screen system



Reduce Callbacks Standard Lifetime Warranty Easy Repairs



740 LBS

SCREEN MATERIAL CAN HOLD OVER

550 LBS

MORE THAN JUST YOUR STANDARD ALUMINUM DOOR

With PCA®, doors are no longer an afterthought. Thanks to **powder coating**,..... they're built strong enough to withstand kids, pets, and a busy lifestyle.

POWDER VS PAINT

- » It provides a smoother, more even finish than paint.
- » It sticks to aluminum better than paint.
- » It can be applied 4 to 10 times thicker than paint

The bottom line: a powder coated aluminum screen door is the strongest and most long-lasting screen door available.



POST CAPS



4x4 Copper High Point Includes three inserts to fit post sizes up to 4-5/8" VERSACAPS[™] POST CAPS

VersaCaps[™] add style to posts made of wood, vinyl or composite, and work with our CXT post sleeves as well as most leading post sleeves on the market. Available in copper, bronze, black and white.

SOLAR POST CAPS





6x6 Bronze Glass Panel Solar Light

Includes two inserts to fit post sizes up to 5-1/2"

Available in Copper, Stainless, Pewter and Black





Solar Labyrinth

VISIT DECKORATORS.COM FOR COMPLETE LIST OF SIZES

Post caps available in 4x4 and 6x6 base sizes, with pressure-treated or cedar bases.

Dynasty Copper and Gunmetal Black

METAL POST CAPS

Copper Solar -Cedar

Available in Copper, Stainless, and Black in 4" and 6"







Post Point Available in Copper and Black





WOOD POST CAPS

Victoria High Point



Newport High Pyramid







Newport Copper High Top



Hatteras Flat Top

GO BEYOND ORDINARY

ALUMINUM AND SCENIC GLASS BALUSTERS



ALUMINUM BALUSTER COLOR SWATCHES



DECK & STAIR LIGHTING KITS





Gray Fieldstone Postcover



Gray Cobblestone Postcover





POSTCOVERS

2-piece postcovers and caps also available



Solar Woodland Gray



Copper Postcover Cap



Woodland Gray Postcover Cap

Fits over 4x4 or 6x6 posts and available in 42" and 53" heights (Inside dimensions 5-3/4" x 5-3/4")







Changing the Face of Decking™

THE CAMO[™] HIDDEN DECK FASTENING SYSTEM works on any treated lumber, hardwood, cedar, composite or PVC deckboard. CAMO[™] deck screws and a CAMO[™] Marksman tool combine to deliver a fastener-free deck surface at a price that makes getting the job easy and installing the deck even easier.



Finally a Better Way to Build a Deck!

Tiger Claw[®] is a stainless steel fastener with black oxide coating with stainless steel screws.

- Fastener available for all types of decking
- Saves installation time
- Reduces splitting, cupping and rotting
- Install from top side
- Preserves beauty of decking
- Requires no special tools
- Cost effective one of the least
 expensive hidden deck fasteners





PRO PLUG® SYSTEM FOR PVC

The **Pro Plug® System for PVC** is a superior and easy to install plug system for PVC Decking. The system consists of two components:

PRO PLUG® PVC TOOL: Drives fasteners to the correct depth every time in deck and trim applications.

PRO PLUG® PVC DECK: Plugs are made from actual PVC decking material, so they will match perfectly. Fasteners are available in both 305 Stainless Steel and Epoxy Coated Carbon Steel. Stainless Steel fasteners provide superior corrosion resistance, are ACQ approved, and feature a star drive recess.



• Won't Rust

100 square feet = 10 Minutes

It's easy as:

Also Available from CAMO[™]

- New Pro-X1 Tool
- New Narrow Board Tool
- Color Matched #316
 Stainless Steel Deck Fasteners



Only

Fasteners




- Fast and Easy
- Strong Connection
- Cost Effective
- Fully Tested

The FastenMaster[®] Cortex[™] Fastening System is the fastest, easiest way to conceal the heads of your deck screws on specific composite deck types.

Available for use with market leading composite and PVC deck boards.





The FastenMaster® TrimTop[™] is a stainless steel trim screw engineered for use in a cellular PVC decking like AZEK® Deck and cedar, ipé and mahogany decking.

Color matched for AZEK® Deck.







Specially designed to eliminate the mushrooming effect caused by standard deck screws in composite deck materials.





No Pre-drilling. They ZIP right in! Engineered for multi-ply LVL, LSL and PSL applications.



- Approved for singlesided installation
- Higher side load capacity with fewer fasteners saves time and labor
- Prevents gapping or cupping between plies



Faster, Easier,

Stronger than 1/2" lags.





• Built-in washer head design eliminates the need for additional washer



No Pre-drilling. Stronger than 3/8" lags.

The FastenMaster® TimberLok® replace 3/8" lag screws and enables you to complete wood-to-wood projects faster, easier and stronger.



No Pre-drilling. Faster, Easier, Stronger than 3/8" lags. Non-Countersinking Head. HEAVY DUTY FLATHEAD FASTENER




Spider Drive[™] offers highest level of bit engagement and drivability



The speed of a LOK fastener. The strength of a through-bolted connection.



Photographs should not be used as a reference for fastening patterns



4x4 Post to Rim & Blocking: 8" ThruLok™



- Installs with an 18 volt cordless drill
- No drill bits or wrenches required
- Galvanized coating meets IRC ACQ corrosion requirement
- Lifetime performance guarantee



Make a timeless statement. Quality columns and millwork.

Crown Column & Millwork manufactures architectural columns, various styles of fiberglass round and square columns, softwood and hardwood columns, mantle columns, decorative capitals, composite and wood porch posts, softwood stair parts and composite and vinyl rail systems. Combining centuries old principles and modern technology, our master craftsman and trained technicians create exquisite products and are among the industries most skilled and experienced artisans.

Crown offers an infinite selection of styles and sizes, giving you the power to create that which you can imagine. So whether your project is a restoration based on classical principles, a new construction of contemporary design or your own unique expression, Crown can help you make a timeless statement.

Why Crown Column? It's simple really.


- Our attention to detail and devotion to the classical orders are absolute.
- Our standards are exacting.
- We closely control the quality and preciseness of entasis, projections and profiles as our master craftsmen make each architectural column to your custom specifications.
- We go beyond customer service to personal service.
- We get to know our customers and their needs.

Quality, Service, Convenience. The Crown Column difference.



Crown Column offers an infinite selection of styles and sizes

- Architectural columns
- Fiberglass round & square columns
- Softwood & hardwood columns
- Mantle columns
- Decorative capitols
- Composite & wood porch posts



We produce columns to meet your needs, regardless of the shape, size, design or species of wood that you require.



www.crowncolumn.com

Parksite

(800) 243-2283

455 Sullivan Ave., South Windsor, CT 06074 | parksite.com

Lumber List

Western Red Cedar Bevel

- 1/2x4 A&Btr 3'-20' Raw
- 1/2x6 Clear VG 3'-20' Raw or Primed
- 1/2x6 Clear VG 6'-20' Raw or Primed
- 1/2x6 Clear VG 17'-20' Raw or Primed
- 1/2x6 A&Btr 3'-20' Raw or Primed
- 1/2x6 A&Btr 6'-20' Raw or Primed
- 1/2x6 Texface 3'-20' Raw or Primed
- 1/2x8 Clear VG 3'-20' Raw or Primed
- 1/2x8 A&Btr 3'-20' Raw or Primed
- 3/4x10 Clear VG 3'-20' Raw or Primed
- 1/2x6 Clear VG 16' Finger-Jointed **Primed Smooth**
- 1/2x6 A&Btr 16' Finger-Jointed Primed Smooth (No cutbacks)
- 1/2x6 Clear VG 16' Finger-Jointed Primed Rough
- 1/2x6 Clear VG 6'-15' Finger-Jointed **Primed Smooth**
- 1/2x8 A&Btr 16' Finger-Jointed Primed Smooth (No cutbacks)
- 3/4x10 A&Btr 16' Finger-Jointed Primed Smooth (No cutbacks)

Custom Staining and Milling Available

Western Red Cedar Dimension

- 2x4 -2x6 C&Btr S4S Green 8'-16'
- 4x4 C&Btr S4S Green 8', 10', 12'
- 2x2 D&Btr S4S Green 36", 42", 48", 96"
- 2x2x36"Turned Spindle
- 2x4 Clear Moulded Handrail 8' & 12'

Western Red Cedar Pattern Stock

- 1x4 A&Btr V4E T&G KD 6'-20'
- 1x6 A&Btr V4E T&G KD 6'-20'
- 1x6 Select Quality V4E T&G KD 8'-20'
- 1x8 Select Quality Channel Rustic Green 8'-20'

Inland Red Cedar Boards & Patterns

- 1x4-1x12 #3Btr 2-Face S1S2E 8'-16' KD
- 1x8 #3 Ship Lap 8'-16' KD
- 1x4-1x12 D&Btr S1S2E KD

Inland Red Cedar Decking

• 5/4 x 6 Select Knotty K/D 8'-20'

Western Red Cedar Lattice

- 4'x8' Privacy 1-3/4" Spacing Heavy Duty
- 4'x8' Privacy 1-3/4" Spacing Heavy **Duty Square**
- 4'x8' Garden 2-5/8" Spacing Heavy **Duty Square**

Batu Lightning Brand

- 1x4 Batu S4S EE R/L
- 1x4 Batu T&G R/L
- 5/4x4 Batu S4S EE Decking R/L
- 5/4x4 Batu T&G R/L
- 5/4x6 Batu S4S EE Decking R/L
- 1x6-1x12 Batu S4S Boards
- 2x4x8',10', 12' Batu S4S Pull to Length
- 2x4x8',10', 12' Moulded Handrail
- 4x4x8', 10', 12' Solid Posts
- 2x2x36", 96" Balusters
- 5/8x4" Batu Edge & Center Bead
- 1x6 Batu Edge & Center Bead
- 5/4x12" Batu Bullnose Stepping • 5/4x6 Batu Grooved for Tiger Claw
- TC-G R/I
- 5/4x6 Batu S4S EE R/L Prefinished (2503 Cherry)
- 2x4 Batu S4S EE R/L 1-1/2" Net
- 2x6 Batu 8',10', 12' PTL S4S Boards 1-1/2" Net

Custom Grooving Available on all Decking

Ipé Decking

- 1x4 S4S EE R/L 8'-20'
- 1x6 S4S EE R/L 8'-20'
- 5/4x4 S4S EE R/L 8'-20'
- 5/4x6 S4S EE R/L 8'-20'
- 5/4x6 Grooved R/L 8'-20'
- 2x2x36", 96" Balusters
- 2x4 S4S EE 8'-20'
- 2x6 S4S EE 8'-20'
- 4x4 S4S EE 8'-20'

Primed Finger Joint Poplar

- 1x6x16'T&G Fineline "Nickel Gap" 2 **Coat Primed**
- 1x8x16'T&G Fineline "Nickel Gap" 2 Coat Primed

Beadboard

- 4 x 8 x 1/2 Primed Standard Bead 2" oc
- 4 x 8 x 1/2 Primed Standard Bead 3" oc
- 4 x 8 x 1/2 Primed V–Groove 4" oc
- 4 x 8 x 1/2 Primed V–Groove 6" oc
- 4 x 8 x 1/2 Primed V–Bead 1-5/8" oc
- 4 x 8 x 1/2 Primed V–Bead 2-1/2" oc
- 4 x 8 x 1/2 Primed Channel Bead 6" oc
- 4 x 8 x 1/2 Primed Channel Bead 8" oc





Ipé Decking

by Parksite





Apex, NC | Baltimore, MD | Bolingbrook, IL | Fargo, ND | Lakeland, FL | Louisville, OH | N. Brunswick, NJ | S. Windsor, CT | Syracuse, NY

For more information call: (860) 528-2191

All statements made on or in goods, labels, brochures, advertising and specifications are made solely by the product manufacturers, and not by Parksite, and Parksite does not endorse or approve of those statements. Parksite expressly disclaims all express or implied warranties, including but not limited to any implied warranties of merchantability, fitness for a particular purpose or freedom from infringement.