

# TANK TRUCK COMPONENTS CATALOGUE



**EMCO WHEATON**


*A Gardner Denver Product*



**Our unrivalled catalogue of components includes a range of manhole covers and accessories, emergency valves and vapour transfer & recovery equipment all tailored to fit a huge range of vehicle and bulk plant requirements.**

We are world leaders in the design and manufacture of tank truck equipment which is designed to ensure that your product is delivered without spillage or contamination, and at all times protecting the driver and the environment.

Our equipment complies with international standards and recommended practices. As you would expect from a ISO9000/2000 approved company, our methods and manufacturing procedures are monitored consistently, resulting in quality approved equipment time after time. Our Electronic Pump Metering Systems, Air Control Systems, Sealed Cargo Systems to name but a few, have been designed with our clients' needs in mind.



## API Adapters

### F5000, F5001, F5002

- Conform to API RP RP1004
- Lightweight Aluminium body
- Stainless steel internals
- High quality Stainless steel internals
- Certified to comply with EN13083
- Openable and non-openable
- With or without sight glass
- Hard anodised indexable and replaceable nose ring
- Interlock facility
- Stainless steel internals
- Flat base
- FKM seals as standard



### API Gravity Drop Adaptor- F0459

- Brass cams
- Stainless Steel chain and Buna seal fitted as standard



### 4" TTMA Flange Sight Glass- F0091

- Clear durable acrylic



# Emergency Valves

## Pneumatic and Mechanical valves

- Lightweight durable material to international standards (Aluminium)
- External shear groove meets ADR/CEN TTMA and NTTC DOT 406 requirements
- Easy maintenance
- FKM seals as standard
- Self-centring plunger and durable compression spring
- Victaulic connection
- High quality Stainless steel internals



## 3" Mechanical Emergency Valve - F0335 4 "High Flow Emergency Valve - F7000

- High lifting poppet
- Stainless Steel strainer available



## Pneumatic F7023/F7020/F7024


- High flow
- TW or TTMA Flanges
- Pressure balanced or non pressure balanced
- Manual jacking device
- Sequenced operation
- Fusible plug available
- Stainless steel screen filter available



## Mechanical Emergency Valves Accessories

### Mechanical Emergency Valves Bottom Operators- F0019

- Fusible link operates at 120°
- Remote emergency closure



### Emergency Valve Sump- F0026

- Supplied with welded studs, steel nylon locking nuts and washers
- TTMA or TW Flanges



### Cable Assembly

- Easy connection
- Adjustable stainless steel cable ends

## Vapour Transfer Vents

### Vapour Vents

- Lightweight durable material (Aluminium)
- Stainless steel internals
- Flanged variants to CEN standards



### High Flow Vapour Vent- F0592 series

- Threaded or Flanged
- Sequenced and non-sequenced
- 4 or 6mm air connections
- Stainless steel gauze available



### Vapour Recovery Adapter Flanged High Flow F0530

- FKM seal fitted as standard
- TTMA flange or threaded
- Quick release dust cap
- Interlock facility
- Drain plug




### Vapour Transfer Vent Ducting

- Two lengths available
- Includes earth bonding wires

## Manifold Assemblies

### Pneumatic Manifold Assemblies- F0534

- Lightweight Aluminium
- Any number of compartments with variable spacing and centres
- With or without interlocked guard bar



### In Line Pump Filter

- Lightweight Aluminium
- Easy mounting and maintenance
- Stainless steel strainer
- TW DN80 (3") flange
- FKM seals



### 4" (DN100) Pneumatic, In Line Valve - F6000

- Lightweight aluminium and stainless steel construction
- FKM seals
- TW flange with threaded holes
- RFID seal available
- Easy maintenance
- 6mm air connections

### Optional Extras

- Gas separator - when used with DataPlusII metered system
- Product Return System
- Double acting manifold

## Manhole Covers & Accessories

### 16" and 20" Manhole Covers- F0512 F0355/F0337 and F0338

- Lightweight Aluminium base-plate to ADR/CEN and EN13094 standards.
- Two-stage opening
- Automatic sealing in event of a roll over
- Spring-loaded cap provides emergency fire engulfment venting to NTTC DOT 406
- Pressure Vacuum vent available
- With or without lock
- Various models available



### Oval Manlid Cover- F0339

- Includes all features of F0512/F0355/F0337 and F0338
- Designed for tanker with limited space



### Dip Tube - F0293/F0288/F0272

- Lightweight Aluminium
- Vent Cap
- Easy installation





## Pneumatic Controls

### Pneumatic Control Valves- F0906/F0905

- Simple and positive control
- Remote emergency shutdown
- Modular design (F0906)
- Panel or stand alone mounting



### Pneumatic Control Box- M504/M505

- Compact lightweight design
- M504- bottom loading tanker
- M505- bottom loading tanker with manifold/meter systems
- With or without visual indicators



### Visual Status Indicator

- Clear indication of a valve status

### Guard Bar Interlock- F0903/DM2912-2

- Anodised Aluminium
- Stainless steel locking pin
- Bolt holes for fitting



### Emergency Shut Down Air Valve- F0904

- Simple push control
- Clear indication red button
- 4 or 6mm push -in fittings



### Pressure Protection Valve

- Fitted as first item in pneumatic circuit
- Ensures sufficient air is available for braking system



## Overfill Prevention System

### F2020

- Fast response optic self-checking electronics
- 2 or 5wire

### Probe

- ATEX certified
- Various lengths available

### Socket

- Interfaces with all known optic control monitor plugs
- Grounding bolt available
- 3 or 4J-Slot

### Cable

- Overall Diameter:  $7.2 \pm 0.3$  mm
- Temperature range:  $-40^{\circ}\text{C} + 90^{\circ}\text{C}$
- 5 wire (5 core) and 2 wire (7 core) cable available

### Dummy

- Simulates 7 compartments
- Compatible with all known 2 wire controllers



## Electronic Pump Metering System

### DataPlus II

- Easy intuitive operation
- Automatic data transfers
- Multi-fuel calibration monitoring compartment volume
- Hand held remote control
- Guard Bar surveillance





## MANUFACTURING FACILITIES

Emco Wheaton  
Channel Road,  
Westwood Industrial Estate, Margate,  
Kent,  
CT9 4JR UK  
Phone +44 (0)1843 221521  
Fax +44 (0)1843 295444

Emco Wheaton Corp.  
2390 South Service Road West, Oakville,  
Ontario,  
L6L 5M9  
CANADA  
Phone +905-829-8619  
Fax +905-829-8620

Emco Wheaton GmbH  
Emcostraße 2-4, 35274, Kirchhain,  
Germany  
Phone +49 6422 84-0  
Fax +49 6422 5100

Emco Wheaton USA, Inc.  
9111 Jackrabbit Road, Houston,  
Texas,  
77095  
USA  
Phone +1 281 856-1300  
Fax +1 281 856-1325

## SALES OFFICE

Emco Wheaton  
Channel Road,  
Westwood Industrial Estate, Margate,  
Kent,  
CT9 4JR UK  
Phone +44 (0)1843 221521  
Fax +44 (0)1843 295444

Emco Wheaton Corp.  
2390 South Service Road West, Oakville,  
Ontario,  
L6L 5M9  
CANADA  
Phone +905-829-8619  
Fax +905-829-8620

Emco Wheaton GmbH  
Emcostraße 2-4, 35274, Kirchhain,  
Germany  
Phone +49 6422 84-0  
Fax +49 6422 5100

Emco Wheaton USA, Inc.  
9111 Jackrabbit Road, Houston,  
Texas,  
77095  
USA  
Phone +1 281 856-1300  
Fax +1 281 856-1325

Emco Wheaton France  
Emco Wheaton Division Immeuble le  
Miroir  
15-17 Bld du Général De Gaulle 92542  
Montrouge Cedex France  
Phone: +33 146 1241-50  
Fax +33 1 46 12 41 61

Emco Wheaton GmbH  
Blue Danube Park, Objekt 60,  
2100 Korneuburg, Austria  
Phone +43 2262 64281-0  
Fax +43 2262 6428120

Emco Wheaton GmbH  
Prenenskaya emb. 10  
Block C – Embankment Tower – of. 526  
123317 Moscow  
Russia  
Phone +7 495 9677612  
Fax +7 495 9677600

Emco Wheaton Asia Pacific  
21-5F IOI Business Park, Bandar  
Puchong Jaya,  
Puchong, 47170,  
Selangor, Malaysia  
Phone +603 8075 7500  
Fax +603 8075 4100

Gardner Denver International Ltd  
PO Box 30804  
Diraz, Manama Bahrain  
Phone +973 17813187  
Fax +973 17813186

# www.emcowheaton.com

assist@emcowheaton.com |  @EmcoWheaton |  www.facebook.com/EmcoWheaton

