

Technical Information Packet

For:

The George Jenkins Arena

In:

RP Funding Center

701 W. Lime Street
Lakeland, Florida. 33815



George Jenkins Arena Quick Facts

This Page is designed to provide Bullet Points that most tours need to get started.
More information is provided in detail in the following pages.

NON-UNION HOUSE

Arena Floor North to south wall 106 Feet (Open floor No Audience Seating Risers)
Arena Floor East to West Wall 230 Feet (Open Floor No Audience Seating Risers)

No dock Arena ramp to floor
2 trucks at a time

Power 3ph 120/208 5 wire. Need show tails.

3 @ 600 Amps

1 @ 400 Amps

1 @ 200 Amps

Spot lights total of 8 (6 @ 3k Gladiator, 2 @ 2k Super Trouper) 2 Located DS Left and Right
top of Bowl. 2 Located on each the North and South Booth

There is a Single Channel intercom circuit to spot Platforms and House lights. (Dry or Hot)

Riggers Climb in this building.

Pyro permits and Demos Required

High Speed internet and Wi-Fi Available

Washer and Dryer Hookups located in backstage area

In House Catering by Spectra Food Services.

George Jenkins Arena

Technical Specifications Package

Maximum Arena Floor Width (North to south wall) 106'

Maximum Arena Floor Depth (East to West Wall) 230'

Concert stage

Maximum stage Dimensions are 60' X 40', Height is adjustable from 4' to 6' High. Larger stage is available at additional cost. Please advise your Event coordinator if a larger stage is required.

Sound Wings are available 16' X16'

Monitor beach can be placed on floor or on 16", 24", or 32" high Risers and can be built on Stage Left or Right or Both

Stair units Total of 4 for a 4' High stage. 2 for anything higher
ADA compliant Handicap Ramp is Also Available.

Loading Area

No dock arena, ramp or fork to floor. Space for 2 trucks at a time. Loads directly into upstage area of arena floor.

Loading Door 14' High by 32' wide "Elephant Door"

Loading area is 66' Long from Door to arena floor and 31'6" wide.

Show Power

**** 2400 amps @ 120/208 Three Phase 5 Wire on 2 Transformers (1 Isolated)**

**** Isolated power on stage right wall in loading area: 1 x 600A, 1x 400A, 1x 200A.**

Distance from disconnects to arena Floor is 25 Feet

****Upstage wall in loading area: 2 x 600 amps. Distance from Disconnects to arena floor is 75 feet**

An Additional 1200 amps @ 480V is available in the ice plant room outside of the building. Transformers and additional feeder are available at additional costs. Please advise the event coordinator and House Technical Director in advance if additional power is necessary. **All disconnects are lugs and will require the use of show Tails.**

Shore power

Located in the parking bay at the end of the Loading ramp.

8 110v 20 Edison

5 208v 60 Amp Bus Plugs

2 Cat 5e Data and Phone Ports.

Additional Distros and Cable are available. Contact the Event Coordinator for details.

Rigging

Low Steel is at 52' and High steel is at 72'

See below for rigging diagram

Center Score board trims above the low steel

Load limits are as follows:

- (1) Center point loads on dead hangs are 4000 LBS max, with no more than two (2) of the above mentioned between reinforcing panel
- (2) The total weight for any pair of beams shall not exceed 40,000 lbs maximum
- (3) The above limits can be increased by a factor of 5% by rigging to the high steel beams next to the roof *** High Steel rigging is a difficult climb. Please advise house Technical Director in advance if high steel rigging is necessary****
- (4) All points are safe to rig from.

House lighting system

Overhead metal halide lighting 3 circuits per pair of beam running left to right **NON Dimmable** average lighting is 60 foot-candles

Control is located from the west end of the building and from the audio booth on the north side of the arena

Spot lights

6 Strong Gladiator 3k spotlights located as follows

2 N.E. corner of arena bowl, 2 S.E. Corner of arena, 1 on top of north audio booth, 1 on top of south press booth.

In addition there are 2 Strong Super Trooper 2k spot lights, 1 on each the north and south Booths.

Communications

Single channel intercom system by Production Intercom. The entire System can be made "Dry" for use with touring intercom systems. 12 headsets and Beltpacks are available.

Wi-Fi and Wired High-speed internet are also available, please consult with the event Coordinator for details.

In House sound system

Public Address suitable for music Playback system with full coverage of arena bowl, arena floor is covered from a centralized cluster.

House Console is a Midas Venice 16 Channel Mixer

House bowl is covered by 14 Eaw KF 695 Full range 3 Way Loudspeakers and processed with Eaw 200i signal processors and Yamaha D1030 Digital Delay line Units. Powered with Crown Macro-Tech 24X6 Amplifiers

The Arena floor is covered By a Central Cluster with the following components 1 EAW MH242 full range long throw loudspeakers , 2 EAW MH662EX Full range Loudspeakers and 2 EAW CJ415 Low/mid-low frequency Loudspeakers.

The Cluster is processed with an EAW MX8000 Signal processor and Powered by Crown Macro-Tech 2400 Amplifiers.

Hearing assistance is by a Williams Audio Infra-red system

A full selection of Wired and Wireless Mics are available. Please contact the Event Coordinator and House Technical Director with any additional audio needs.

Dressing rooms

2 Star upstage left to accommodate 2 persons. Each room measures 15x7'9" with counters and sinks.

4 Team or Chorus rooms back left and right of the loading area 30' X 23'

4 meeting rooms located on second level on the west end of arena 2 rooms @ 48'X26' and 2 rooms @ 52'x25'

All dressing rooms have Showers, Sinks and star rooms are equipped with mirrors. Rooms can be set to accommodate different needs.

All rooms are equipped with high speed internet and telephone service.

Production Office Spaces

Promoters/ Production offices upstage left by Loading door: 1 two offices Suite with private entrance. 1 office Measures 22x14 and 1 office measures 17X8.

3 Smaller offices are also available located Backstage right 1@ 13X17, 1@ 13x9, 1@23x13

All production offices are equipped with High speed internet and Phone lines are available.

Crowd control

106 feet of Mojo Barrier

46 Bike Barricades are available

Rope and Stanchion and Tensa-barrier are also available

Press Facility

Press booth can comfortably accommodate 6 Persons

Press booth is equipped with High Speed Wired and Wi-Fi Internet Access.

Press booth is equipped for up to six journalists with 6 dedicated phone lines

Full "Press Row" with high speed Internet and phone lines is also available court side.

Video System

Saco Smart-Vision super screen Located at the east end of the arena.

Video may also be distributed to monitors on the concourses next to each concession stand. Video sources may originate from the north sound booth and south side of the arena floor.

Labor

All Labor requests should be approved through the Event coordinator and House Technical Director prior to arrival. We are a Non-Union House. We do have a preferred Stage Labor Provider.

Pyro and Haze

Haze is allowed at the RP Funding Center. There are no issues with haze and HVAC in this facility.

Pyro is allowed. **Permits and demonstrations are required.**

*****Please advise the Event Coordinator and House Technical Director no more than 2 weeks prior to event if you are shooting pyro. *****

Forklifts


2 forklifts 5000 Lbs capacity.

1 Skyjack Scissor lift with 30 foot High limit

**Please give advance notice if the forklifts and/or skyjack is necessary.
Please inform your Event Coordinator.**

George Jenkins Arena low Steel Diagram

Low steel is at 52'




MEASUREMENTS BETWEEN ALL BEAMS THE SAME

72' →
CENTER
TO
CENTER

72' →
CENTER TO CENTER

CENTER LINE OF THIS BEAM IS 8" EAST (→) OF THE WEST FLOOR LEVEL WALL

OPEN FLOOR



| SEATING | |
|-------------------------------|--------------|
| Lower | = 468 |
| Upper | = 4,196 |
| Skyboxes | = 208 |
| Total Seating Capacity | 4,872 |

♿ Accessible

The George Jenkins Arena at the RP Funding Center, Lakeland Florida

Main Address:

**RP Funding Center
701 West Lime Street
Lakeland, Florida 33815**

Main Telephone: 863.834.8100

Main Fax: 863.834.8101

Box Office: Tickets.com Location

Arena Staff:

Tony Camarillo

RP Funding Center Director

Phone: 863.834.8144

Fax: 863.834.8101

E-mail: anthony.camarillo@lakelandgov.net

Jennifer Clark

Box Office Manager

Phone: 863.834.8136

Fax: 863.834.8125

E-Mail: Jennifer.clark@lakelandgov.net

Scott Sloman

RP Funding Center Assistant Director

Phone: 863.834.8144

Fax: 863.834.8101

E-Mail: scott.sloman@lakelandgov.net

Allison Jones

Client Services Manager

Phone: 863.834.8147

Fax: 863.834.8101

E-mail: Alison.jones@lakelandgov.net

Joe Havens

Technical Director

Phone: 863.834.8142

Fax: 863.834.6133

Email: Joseph.havens@lakelandgov.net