

TELEPHONE DIRECTORY

2022



CENTRAL POLLUTION CONTROL BOARD
'Parivesh Bhawan', East Arjun Nagar, Shahdara, Delhi - 110032 (INDIA)
Website: www.cpcb.nic.in

INDEX

S. No.	Contents	Page No.
Head Office		
1.0	Important/Emergency	1
2.0	Chairman Section (CCB)	2
3.0	Member Secretary Section (MS)	2
4.0	Pollution Control Planning (PCP)	2
5.0	Public Relation & Grievances (PR & G)	2
6.0	Environmental Training Unit (ETU)	2
7.0	Industrial Pollution Control (IPC)	3
7.1	IPC-I	3
7.2	IPC-II	3
7.3	IPC-III	3
7.4	IPC-IV	3
7.5	IPC-V	3
7.6	IPC-VI	3
7.7	IPC-VII	3
8.0	Urban Pollution Control (UPC)	4
8.1	UPC-I	4
8.2	UPC-II	4
9.0	Waste Management	4
9.1	WM-I	4
9.2	WM-II	4
9.3	WM-III	4
10.1	Air Quality Monitoring (AQMN)	4
10.2	Air Quality Management (AQM)	5
11.0	Water Quality Management (WQM)	5
11.1	WQM-I	5
11.2	WQM-II	5
12.0	Information Technology (IT) Division	5
13.0	Laboratories	6
13.1	Air Lab	6
13.2	Biological Lab	6
13.3	Research & Development	7
13.4	Instrumentation Lab	7
13.5	Trace Organic Lab	7
13.6	Water & Waste Water Lab	7-8
14.0	LAW	8
15.0	Administration (Recruitment)	8
16.0	Administration	8
17.0	Administration	9
18.0	Administration (Coordination & Medical Claims)	9
19.0	Finance & Account (F&A)	9
20.0	Building (Infrastructure and Emergency Services) Division	9-10
21.0	Rajbhasha Prabhag	10
22.0	Dispatch Section	10
23.0	System Management	10
23.1	Occupational Health and Safety Management System (OH & SMS)IS	10-11
23.2	Laboratories Management System ISO 17025:2005	11
23.3	Conference/Committee Rooms of CPCB	11
23.4	Other Phone Nos. of	11
Regional Directorates		
24.1	Bengaluru	12
24.2	Bhopal	13
24.3	Kolkata	14-15
24.4	Lucknow	16
24.5	Shillong	17
24.6	Vadodara	18
24.7	Pune	19
24.8	Chandigarh	19
24.9	Chennai	19
Project Office		
25.1	Project Office, Agra	20

Important/Emergency Numbers

Name	Contact No.
Emergency Nos.	
Police	100
Fire	101
Ambulance	102
Women Helpline Number	181,1091
Disaster Management	1077,1078
General Enquiry Nos.	
Indian Railways	131
Indian Airlines	18001801407
Bus Services Enquiry Nos.	
Inter-State at Kashmiri Gate	23860290
Inter-State at Sarai Kale Khan	65160290
Inter-State at Anand Vihar	22148097,24358343
Blood Banks	
AIIMS	26588700
Indian Red Cross Society II	23711551
Rotary Noida Blood Bank	0120-4553000,844775017
Telephone Services (MTNL)	
Directory Enquiry	197
Telephone Complaint	198
Internet Customer Care	1504
Change Number Hindi/Eng.	1951/1952
Bomb Disposal Squads	
South West	28042979,28042978
New Delhi	23362229,23818614
Delhi	23270000
North	23818584
Nearby Hospitals	
Dr. Hedgewar Arogya Sansthan	011-22393151, 22393155
Guru Teg Bahadur Hospital	011-22586262, 22588383
Deepak Memorial Hospital	011-22155555,22154444
In House Complaints/Suggestions	
D. Gauda (Suggestions)	9868143169, 43102420
Sanjay Kumar (First Aider)	9911867604, 43102376
Namita Mishra (First Aider)	9811129041,43102367
S.K. Sharma (Building Complaints)	9891349445,43102283
(Housekeeping/Security)	43102282
R.S. Rai (Electrical/Fire Safety)	9810762847,43102294
Sanmukh Mishra (Telephone/Fax/Elevators)	9910893710, 43102287
Upendra Kumar (Civil Maintenance/Air/ Train Tickets)	9868820005,43102286

CENTRAL POLLUTION CONTROL BOARD
'Parivesh Bhawan', East Arjun Nagar Delhi - 110032 (INDIA)
STD Code: 011
For Direct Contact, Dial '43102' + Desired Extension No.
After Office Hours: 43102486 (Security)

EPBAX No. 43102030						
Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
CHAIRMAN SECTION (CCB)						
Sh. Tanmay Kumar, IAS	Chairman	201	22307233 22304948	-		ccb.cpcb@nic.in
Tanushree B.	PA	202	43102202	-		ccb.cpcb@nic.in
Section	-	204	-	-	-	-
MEMBER SECRETARY SECTION (MS)						
Dr. Prashant Gargava	Member Secretary	206	43102206* 22307078	-	22733662	mscb.cpcb@nic.in
Kaushalya Sharma	AO	207	22307078* 22303655	-	-	ksharma.cpcb@nic.in
G. Thirumurthy	Sc. E & AS	365	43102365	-		thiru.cpcb@nic.in
Garima Sharma	Sc. D	209	43102209, 22305923*	-	-	garima.cpcb@nic.in
Section	-	208, 211 215	-	-	-	-
POLLUTION CONTROL PLANING (PCP)						
G. Thirumurthy	Sc. E	336	*22301932 43102365	-		thiru.cpcb@nic.in
Pushpa Mohanan	PA	337	43102337	-	-	pmohanan.cpcb@nic.in
Anamika Sagar	Sc. D	338	43102338		-	anamika.cpcb@nic.in
PUBLIC RELATION & GRIEVANCES (PR & G)						
M.K. Choudhury	Sc. F & DH	454	43102454	-	-	mkc.cpcb@gov.in
G. Ganesh	Sc. E	258	43102258	-	-	ganesh.cpcb@nic.in
Anajna Singh	Sc. D	261	43102434	-	-	anjanasingh.cpcb@nic.in
Satish Kumar	Pub. Asst.	264	43102264		-	satishk.cpcb@nic.in
Naveen Chand	Asst.	259	43102259		-	-
Rajpal Singh	UDC	-	-		-	rajpalsingh.cpcb@nic.in
Ravindra kumar	Attendant	-	-		-	ravinderkumar.cpcb@gov.in
ENVIS Centre	-	265	43102265	-	-	cpcb@envis.nic.in
Section	-	260	43102260			
ENVIRONMENTAL TRAINING UNIT (ETU)						
Ashok Kashyap	Sr. AO & DH	311	22391448	-	-	ashokkashyap.cpcb@nic.in
Budhram Shah	UDC	-	-		-	budhram.cpcb@gov.in
Anju Bhardwaj	LDC	-	-		-	anju.cpcb@gov.in
Section	-	315	43102315	-	-	cpcb.etu@gmail.com

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
INDUSTRIAL POLLUTION CONTROL (IPC)						
IPC- I (Chemical Industries)						
Dinbandhu Gouda	Sc. E & DH	420	22304812	-	22305288	dinabandhu.cpcb@nic.in
Mukesh Balodhi	Sc. D	421	43102421		-	mbalodhi.cpcb@nic.in
Ashbir Singh	Sc. D	422	43102422	-	-	ashbirsingh.cpcb@nic.in
M K Gupta	SSA	417	43102417	-	-	mkgupta.cpcb@nic.in
Section	-	417	-	-	-	-
IPC-II (Energy & Metallurgical)						
Nazimuddin	Sc. F & DH	444	22391026* 43102444		-	nazim.cpcb@nic.in
Ankur Tiwary	Sc. D	431	43102431		-	ankur.cpcb@nic.in
Gaurav Gehlot	Sc. B	426	43102426			gehlot.cpcb@gov.in
Section	427	-	-	-	-	-
IPC-III (Agro Based)						
P.K. Mishra	Sc. E & DH	443	22306179 43102443		22231185	eepkm.cpcb@nic.in
Kamlesh Singh	Sc. E	447	43102447		-	kamleshsingh.cpcb@nic.in
Rishab Srivastav	Sc. B	449	43102449		-	rishab.cpcb@gov.in
IPC-IV (Animal Products)						
S K Gupta	Sc. E & DH	440	43102440 22300070		-	skg.cpcb@gov.in
Y N Mishra	Sc. C	297	43102297			ynm.cpcb@nic.in
Vinay Prabhakar	Sc. C	438	43102438			vinayp.cpcb@gov.in
Section	-	460	-	-	-	-
IPC-V (SSI)						
S K Gupta	Sc. E & DH	440	22391025 43102440	-		skg.cpcb@gov.in
Alka Srivastava	SSA	429	43102429	9811293828	-	alka.cpcb@gov.in
IPC-VI (Industrial Pollution Coordination)						
Ajay Aggarwal	Sc. E & DH	437	22391032 43102437		-	ajayaggarwal.cpcb@nic.in
Saubhagya Dixit	Sc. C	461	43102461		-	dixit.cpcb@gov.in
IPC-VII (Industrial Clusters & Enforcement)						
Ajay Aggarwal	Sc. F & DH	437	22391032 43102437			ajayaggarwal.cpcb@nic.in
K. Ranganathan	Sc. E	310	43102310		-	rangacpcb@yahoo.com
V.K. Upadhyay	Sc. C	436	43102436		-	vkupadhyay.cpcb@gov.in
Medha Sharma	Sc. B	456	43102456			medha.cpcb@gov.in

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
URBAN POLLUTION CONTROL (UPC)						
UPC-I						
N. K. Gupta	Sc. E & DH	306	43102306		-	nkgupta.cpcb@nic.in
Vishal Gandhi	Sc. D	411	43102411			vishalgandhi.cpcb@nic.in
K.N. Dash	Sc. D	435	43102435		-	knd.cpcb@nic.in
Danish Meena	Sc. C	455	43102455			danish.cpcb@nic.in
Section	-	214	-	-	-	-
UPC-II						
Divya Sinha	Sc. E & DH	453	*22301122 43102453		-	divyasinha.cpcb@nic.in
Smriti Upadhyay	Sc. E	298	43102298		-	smriti.cpcb@nic.in
C K Dixit	Sc. C	466	43102466		-	ckdixit.cpcb@nic.in
Yogesh Chandra	Sc. B	450	43102450	-	-	yogesh.cpcb@gov.in
Section	-	469	-	-	-	-
WASTE MANAGEMENT (WM) - [Nodal Officer - Sh. B V Babu, Sc. E : 011-43102296]						
WM-I						
V.P. Yadav	Sc. F & DH	324	*22303717 43102336	-	22385759	vpyadav.cpcb@nic.in
G. Rambabu	Sc. D	325	43102325	-	-	grbabu.cpcb@nic.in
Youthika	Sc. D	321	43102321	-	-	youthika.cpcb@nic.in
Niralee Verma	Sc. B	322	43102322	-	-	niralee.cpcb@gov.in
Section	-	318	43102318	-	-	hwmd.cpcb@nic.in
WM-II						
A. Sudhakar	Sc. F & DH	409	22306274* 43102409		22306274	asudhakar.cpcb@nic.in
Anil C. Ranveer	Sc. E	410	43102410 22391027		-	anilranveer.cpcb@gov.in
Deepti Kapil	Sc. D	319	43102319		-	deepti.cpcb@nic.in
Sahil Patel	Sc. B	213	43102213		-	sahil.cpcb@gov.in
Vineeta	Sc. B	326	43102326	-	-	vineeta.cpcb@nic.in
WM-III						
Anand Kumar	Sc. F & DH	467	22391024 43102467	-	-	anand.cpcb@nic.in
Sarla Kadam	PS	467	43102467		-	kadams.cpcb@nic.in
Tarun Darbari	Sc. D	412	43102412		-	tarundarbari.cpcb@gov.in
Meetu Puri	Sc. B	329	43102329		-	mpuri.cpcb@nic.in
Section	-	327	43102327	-	-	-
AIR QUALITY MONITORING (AQMN)						
V. K. Shukla	Sc. E & DH	428	43102428, 22308902*	-	-	vkshukla.cpcb@nic.in
Sanghmittar	PS	332	43102332		-	smitter.cpcb@gov.in
S. K. Sharma	Sc. 'D'	283	43102283		-	sks@nic.in
Deepak Gautam	Sc. 'B'	354	43102354		-	dgautam.cpcb@gov.in
Fasiur Rahman	Sc. 'C'	355	43102355			fasiurrehman.cpcb@nic.in
Niraj Katiyar	SSA	360	43102360			neerajkatiyar.cpcb@nic.in
Section	-	357	43102357	-	-	-

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
AIR QUALITY MANAGEMENT (AQM)						
P.K. Gupta	Sc. F & DH	432	22391032 43102432		22302482	pkgupta.cpcb@nic.in
Pankaj Agrawal	Sc. E	370	43102370		-	pagarwal.cpcb@gov.in
Sharandeep Singh	Sc. D	472	43102472		-	sharandeep.cpcb@nic.in
Ankush Tewani	Sc. D	414	43102414		-	ankush.cpcb@nic.in
Sakshi Batra	Sc. B	471	43102471		-	sakshi.cpcb@nic.in
Section	-	473	43102473	-	-	-
WATER QUALITY MANAGEMENT (WQM)						
WQM-I						
A. Sudhakar	Sc. F & DH	409	22306274* 43102409		22306274	asudhakar.cpcb@nic.in
J C Babu	Sc. E	413	43102413		-	jcb.cpcb@nic.in
Suniti Parashar	Sc. C	416	43102416	-	-	suniti.cpcb@gov.in
AlpanaNarula	SSA	407	43102407	-	-	alpananarula.cpcb@gov.in
Section	-	415	43102415	-	-	-
WQM-II						
A.K. Vidyarthi	Sc. F & DH	445	22391519 43102445		-	vidyarthi.cpcb@nic.in
Reena Satavan	Sc. D	446	43102446		-	reenasatawan.cpcb@nic.in
C. B. Churashiya (Project)	Sc. E	478	43102478		-	cbc.cpcb@supportgov.in
Pankaj Kumar (Project)	Sc. D	478	43102478		-	pankajkumar.cpcb@supportgov.in
Abhas Kr. Maharana (Project)	Sc. B	474	43102474		-	abhas.cpcb@supportgov.in
Rakesh Ahuja	TS	290	43102290		-	ahuja.cpcb@gov.in
Section	-	470	43102470	-	-	ngrba.cpcb@gmail.com
INFORMATION TECHNOLOGY (IT) DIVISION						
B. Vinod Babu	Sc. F & DH	296	43102296	-	21210274	bvbabu.cpcb@nic.in
Aditya Sharma	Sc. E	300	22305903	-	-	aditya.cpcb@nic.in
Archit Uprit	Sc. D	301	43102301	-	-	archituprit.cpcb@nic.in
Anurag Sharma	Sc. B	302	43102302	-	-	anurag.cpcb@gov.in
Shashi Goel	DPA	303	43102303	-	-	sg.cpcb@nic.in
V. Narasimha Murthy	TS	304	43102304	-	-	vnmurthy.cpcb@nic.in
Pooja Rani	DPA	299	43102299	-	-	pooja.cpcb@gov.in
Ashish Kumar Singh	DPA	304	43102304	-	-	ashish.cpcb@gov.in
Naman Srivastava	DPA	480	43102480	-	-	naman.cpcb@gov.in
AMC of Computers	-	490	43102490	-	-	-
Section	-	305	43102305	-	-	-
Scanning Room	Room no. - 112	308	43102308			

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
LABORATORIES						
AIR LAB						
V K Shukla	Sc. E & DH	428	43102428, 22308902*		-	vkshukla.cpcb@nic.in
Vivekanand	DEO-II	342	43102342		-	vivekanand.cpcb@gov.in
R.C. Srivastava	Sc. D	346	43102346		22123097	rajeshcs.cpcb@nic.in
P. Krishnamurthy	Sc. D	356	43102356		-	pkrishnamurthy.cpcb@nic.in
Abhijit Pathak	Sc. D	348	43102348		-	apathak.cpcb@nic.in
M. Satheesh Kumar	Sc. C	358	43102358		-	msk.cpcb@nic.in
Dharmendra Gupta	Sc. C	343	43102343		-	dharmendragupta.cpcb@nic.in
Ved Parkash	STS	351	43102351		-	ved.cpcb@gov.in
Navkant Juyal	SSA	347	43102347		-	navkantjuyal.cpcb@nic.in
Dolly Kulshreshtha	SSA	345	43102345		-	dollykulshreshtha.cpcb@nic.in
Vinod Kumar	SSA	-	-		-	vinodk.cpcb@gov.in
G. M. Khan	SSA	-	-		-	gmkhan.cpcb@gov.in
Subhash Chand	TS	350	43102350		-	schand.cpcb@nic.in
Amit Kumar Sharma	JSA	-	-		-	amitkumar.cpcb@gov.in
K.P. Rathi	JSA	-	-		-	kprathi.cpcb@gov.in
Virpal Singh	SLA	-	-		-	virpalsingh.cpcb@gov.in
Surendra Prasad	SLA	-	-		-	surendraprasad.cpcb@gov.in
Amit Kumar Sharma	SLA	-	-		-	amitk.cpcb@gov.in
Nandu Prasad,	JLA	-	-		-	nandu.cpcb@gov.in
Pravin Kumar Gupta	JLA	-	-		-	pravin1970.cpcb@gov.in
Surendra Singh Rawat	JLA	-	-		-	ssrawat.cpcb@gov.in
C.P. Singh	JLA	-	-		-	cpsingh.cpcb@gov.in
Krishan Kumar	FA	-	-		-	9250817459
Section	-	344	-	--	-	-
BIOLOGICAL LAB						
P K Behera	Sc. E	361	43102393		-	behera.cpcb@nic.in
Yashpal Yadav	Sc. B	363	43102363		-	yashpal.cpcb@gov.in
V. Hima Jwala	Sc. B	264	43102264		22301868	himajwala.cpcb@gov.in
M.Y. Ansari	SSA	364	43102364		-	myansari.cpcb@gov.in
Anand Salve	JSA	362	43102362		-	absalve.cpcb@gov.in
Section	-	373	43102373	-	-	-
Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
RESEARCH AND DEVELOPMENT						
B. Vinod Babu	Sc. F & DH	296	43102296	-	21210274	bvbabu.cpcb@nic.in research.cpcb@gov.in

INSTRUMENTATIONLAB						
Namita Mishra	Sc. D & DH	367	43102367		-	namita.cpcb@nic.in
B.K. Jena	Sc. C	372	43102372		-	bkj93.cpcb@nic.in
Yogita Kharayat	Sc. C	368	43102368		-	yogita.cpcb@nic.in
Maneesh N	SSA	372	43102372			maneeshn.cpcb@gov.in
Nirmal Kumar Sharma	JSA	372	43102372			nirmalkumar.cpcb@gov.in
Alok Kumar Meher	JSA	372	43102372			alok.cpcb@nic.in
Mahavir Singh	Sr. MTS					
M. Sandhya	FA					
Sunil Kumar	Sr. Attendent					
TRACE ORGANICLAB						
Sanjay Kumar	Sc. E & DH	376	22306001* 43102376	-	-	skumar.cpcb@nic.in
Bhupender Kumar	Sc. D	379	43102379		-	bhupi.cpcb@gov.in
Dev Prakash	Sc. C	380	43102380		-	dprakash.cpcb@nic.in
S. K. Singh	Sc. C	381	43102381		-	sksingh.cpcb@nic.in
Charu Sharma	SSA	378	43102378		-	csharma.cpcb@gov.in
V. K. Verma	SSA	378	43102378		-	vkverma.cpcb@gov.in
Meenu Mishra	JSA	378	43102378		-	meenu.cpcb@nic.in
Beerendra Singh	JLA	378	43102378		-	bsingh.cpcb@gov.in
Section	-	378	43102378	-	-	-
WATER AND WASTEWATER LAB						
P K Behera	Sc. E	393	22301844 43102393		-	behera.cpcb@nic.in
Ratnesh Kumar	Sc. B	-	-			ratneshkumar.cpcb@nic.in
Syed M Bilal	Sc. B	398	43102398		-	bilal.cpcb@gov.in
A. K. Tyagi	Sc. B	388	43102388		-	aktyagi.cpcb@nic.in
Gargi Gurtu	Sc. B	397	43102397		-	gurtu.cpcb@gov.in
B. Sasi Devi	Sc. B	392	43102392		-	sasidevi.cpcb@gov.in
Vijay Laxmi	Sc. B	388	43102388		-	vijaya.cpcb@gov.in
Vinod Kumar	JSA	-	-		-	vinod.cpcb@gov.in
Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
Ram Kishan	SLA	-	-		-	ramkishan.cpcb@gov.in
Babu Lal Meena	SLA	-	-		-	blm.cpcb@gov.in
Atul Sharma	SLA	-	-		-	atul.cpcb@gov.in
U. S. Mishra	SLA	-	-		-	usm.cpcb@gov.in
Inder Mohan	JLA	-	-		-	-

Basant kumar	Attendant	-	-		-	-
LAW						
G. Rambabu	Sc. D & DH	325	43102325 22384375		-	grbabu.cpcb@nic.in
Avanish Nath Tripathi	LO	402	43102402		-	atripathi.cpcb@gov.in
Urmila Thakur	LO	403	43102403		-	urmila.cpcb@gov.in utlo1cpcb@gmail.com
Kamal Bandhu	ALO	401	43102401		-	kamalbandhu.cpcb@gov.in
Krishan Kumar	ALO	400	43102400	-	-	kkgupta.cpcb@gov.in
Sushma Dutta	DEO	404	43102404	-	-	sushmadutta.cpcb@gov.in
Section	-	404	43102404	-	-	-
ADMINISTRATION (RECRUITMENT)						
Madhu Luthra	AO & DH	266	-		-	madhu.cpcb@nic.in
Komal Saini	PS	268	43102268		-	komal.cpcb@nic.in
Rameshwar	SO	273	43102273		-	rameshwar.cpcb@nic.in
Vikas Rawat	Asst.	274	43102274		-	vikasrawat.cpcb@gov.in
Amit Yadav	Asst.	274	43102274		-	amityadav.cpcb@gov.in
Neli Naik	Asst.	-	-		-	neli.cpcb@nic.in
Section	-	271	43102271	-	-	-
ADMINISTRATION (PERSONAL)						
S.K. Anand	AO & VO	246	22306281* 43102246		-	sanand.cpcb@nic.in
K.K. Hembrom	SO	249	43102249		7070133848	kkhembrom.cpcb@nic.in
I. J. Kakkar	Asst.	250	43102250		27653473	kakkar.cpcb@gov.in
Poonam Arora	Asst.	252	43102252		-	poonam.cpcb@gov.in
Gopi P. Nair	Asst.	254	43102254		22756229	gopinair.cpcb@nic.in
Kundan Lal	Asst.	255	43102255		-	kundanlal.cpcb@nic.in
Kundan Kumar	Asst.	253	43102253		-	kundansingh.cpcb@gov.in
Meenakshi Rudra	Asst.	251	43102251		-	meenakshi.cpcb@gov.in
Arjun Kumar	UDC	-	-		-	arjun.cpcb@gov.in
Pushkar S	Attendant	-	-		-	-
Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
ADMINISTRATION (MATERIAL)						
Meena Sharma	AO & DH	243	43102243	-	-	msharma.cpcb@gov.in
Pankaj Tripathi	Asst.	242	43102242		-	pankajtripathi.cpcb@gov.in
Prashant Kr. Sharma	Asst.	244	43102244			prashantsharma.cpcb@gov.in
Ganga Singh	UDC	-	-		-	gangasingh.cpcb@gov.in
Pankaj Kumar	UDC	245	43102245			pankaj.cpcb@nic.in

Section	-	245	43102245		-	-
ADMINISTRATION (COORDINATION & MEDICAL CLAIMS)						
Rekha Narang	AO & DH	267	43102267		-	rekhanarang.cpcb@nic.in
Savita Gupta	SO	238	43102238		-	savitagupta.cpcb@nic.in
Suraj Mal	Drafting	237	43102237		-	suraj.cpcb@nic.in
S. A. Ansari	UDC	237	43102237		-	sagiransari.cpcb@nic.in
Manjeet	LDC	237	43102237	-	-	manjeet.cpcb@gov.in
Section	-	339	43102399	-	-	-
FINANCE & ACCOUNTS						
Diganta Kalita	ACO & DH	223	22309842*		-	dkalita.cpcb@nic.in
Ajay Siriskar	ACO	232	43102232		-	ajay.cpcb@nic.in
Nardeo Singh	AACO	224	43102224		-	nardeo.cpcb@nic.in
Archana Singh	AACO	218	43102218		-	archanasingh.cpcb@gov.in
Vipin Goel	AACO	226	43102226		-	vipingoel.cpcb@nic.in
Saroj Bala	PS	230	43102230		-	sarojbala.cpcb@nic.in
Vijay Bansal	A. Asst.	227	43102227		-	vijaybansal.cpcb@gov.in
Kamal Kumar	A. Asst.	228	43102229		-	kamal.cpcb@gov.in
Deepak Kumar	A. Asst.	217	43102217		-	deepakkumar.cpcb@gov.in
Manoj Kumar Upadhyay	MTS	-	-		-	-
BUILDING (INFRASTRUCTURE AND EMERGENCY SERVICES) DIVISION						
Dinabandhu Gouda	Sc. E & DH	420	22304812 43102420		-	dinabandhu.cpcb@nic.in
S. K. Sharma	Sc. D	283	43102283 22381033		-	sks.cpcb@nic.in
R. S. Rai	TS	294	43102294		-	rsrai.cpcb@gov.in
Sanmukh Mishra	Sr. Tech.	287	-		-	sanmukh.cpcb@gov.in
Upendra Kumar	Sr. Tech.	286	43102286		-	upendra.cpcb@gov.in
Krishan Kumar	Sr. Tech.	-	-		-	krishan.cpcb@gov.in
Rajendra	Assistant	484	43102484		-	rajendra.cpcb@gov.in
Rajesh Kumar	Assistant	281	43102281		-	rajesh.cpcb@gov.in
Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
Vishnu Dutt Wailla	P & WV Operator	-	-		-	vishnu.cpcb@gov.in
Ramvir Singh	Driver Special Grade	287	43102287		-	-
Devi Prasad	Driver	287	43102287		-	-
Dayal Chand	Driver	287	43102287		-	-
Harish Singh Shahi	Driver	287	43102287		-	-
Madan Singh	Driver	287	43102287		-	-
Ravi Kumar	Driver	287	43102287		-	-
Ravi Kant	Driver	287	43102287		-	-
Siri Bhagwan	Driver	287	43102287		-	-
Dinesh Joshi	Driver	287	43102287		-	-

Parmeshwar Lal	Driver	287	43102287		-	-
Surendra Shikawat	Driver	287	43102287		-	-
Driver Room	-	287	43102287	-	-	-
Air Tickets /Civil	-	286	43102286	-	-	-
Telephone Complaints	-	285	43102285	-	-	telephones.cpcb@nic.in
RAJBHASHA PRABHAG						
Avdhes Tiwari	Asst. Director (O.L.)	248	43102248	-		tiwari.cpcb@gov.in rajbhasha.cpcb@gmail.com
Parul Rathi	Sr. Hindi Translator	331	43102331	-	-	parul.cpcb@gov.in
Shainlendra Choudhary	UDC	331	43102331	-	-	shalandra.cpcb@gov.in
Harishchandra maurya	Stenographer	335	43102335			harish.cpcb@gov.in
DISPATCH SECTION						
S.K. Anand	AO	246	22306281* 43102246	-	-	sanand.cpcb@nic.in
Babita	Sr. Attendent	483				-
Ramesh Singh Shahi	SDS	483				-
Narayan Singh Mehra	Asst.	483				dispatch.cpcb@gov.in
SYSTEM MANAGEMENT						
OCCUPATIONAL HEALTH & SAFETY MANAGEMENT SYSTEM (OH&SMS) - IS 18001:2007						
R.C. Srivastava	Sc. D & DH	346	43102346		22123097	rajeshcs.cpcb@nic.in
Abhijit Pathak	Nodal Officer (AQ)	348	43102348		-	apathak.cpcb@nic.in
M. Satheesh Kumar	System Coordinator	358	43102358		-	msk.cpcb@nic.in
S.K. Sharma		283	43102283	-	-	sks.cpcb@nic.in
V. Himajwala	Nodal Officer (Bio Lab)	460	43102460	-	-	himajwala.cpcb@gov.in
Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
Namita Mishra	Nodal Officer (Inst. Lab)	367	43102367	-	-	namita.cpcb@nic.in
V K Verma	Nodal Officer (TOC Lab)	378	43102378	-	-	vkverma.cpcb@gov.in
LABORATORIES MANAGEMENT SYSTEM - ISO 17025:2005						
Sanjay Kumar	Technical Manager	376	22306001* 43102376	-	-	skumar.cpcb@nic.in
Bhupander Kumar	Deputy Technical Manager	379	43102378	-	-	bhupi.cpcb@gov.in
R.C. Srivastava	Quality Manager	346	43102346	-	22123097	rajeshcs.cpcb@nic.in

Namita Mishra	Deputy Quality Manager	367	43102367	-	-	namita.cpcb@nic.in
---------------	------------------------------	-----	----------	---	---	--------------------

CONFERENCE/COMMITTEE ROOMS OF CPCB

Conference/Committee Rooms	Extn.	Telephone
Training Hall- Ground Floor	476	43102476
Conference Hall- 2 nd Floor	477	43102477
Committee Room-3 rd Floor (Water Lab)	478	43102478
Committee Room-5 th Floor (PCP)	479	43102479
Committee Room-5 th Floor (IT)	480	43102480

OTHER COMMON NUMBERS

Hall No.	Extn.	Telephone
Reception	485	43102485
Library	258	43102258
AMC of Computers	490	43102490
Dispatch	483	43102483, 22300129
Security	486	43102486
Canteen	482	43102482
Union Room	487	43102487
House Keeping	488	43102488
Security (Main Entrance Gate)	489	43102489
ITO Monitoring Station	-	23370883

REGIONAL DIRECTORATE- BENGALURU

A-Block,NisargaBhavan,
1st and 2nd Floors, 7th D Cross,
ThimmaiahRoad,Shivanagar,
Bengaluru-560079,
STD Code: 080

EPABX Number: 080-23233739, 23233827, Fax No. 080-23234059

E-mail ID:cpcbszo@yahoo.com, zobangalore.cpcb@nic.in

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
S. Suresh	Sc. E & Regional Director	102	23233827(D) 23233739	-	26422689	ssuresh.cpcb@nic.in cpcbsuresh@gmail.com
Mary Alexander	PS	119	23233739		-	maryalexander.cpcb@nic.in
G. Dharmalingam	Sc. E	118	23233739		-	gdharmalingam.cpcb@nic.in
S. Jeyapaul	Sc. D	126	23233739		-	jeyapaul.cpcb@nic.in
Anjana Kumari V.	Sc. D	107	23233739			anjana.cpcb@nic.in
Sowmya D.	Sc. D	109	23233739		-	sowmyad.cpcb@nic.in
Vivek K.	Sc. D	-	-			vivek.cpcb@gov.in
P. K. Selvi	Sc. D	-	-			pkselvi.cpcb@nic.in
R. Mahendra Kumar	AO	120	23233739		-	rmahendra.cpcb@nic.in
A. Gnanavelu	Sc. C	124	23233739		-	ganavelu.cpcb@nic.in
B.S. Anupama	Sc. C	113	23233739		-	bsanupama.cpcb@nic.in
Deepesh. V	Sc. C	113	23233739		-	deepecpcb@nic.in
M.Srinivasa Rao	AACO	114	23233739	-	-	srinivasarao.cpcb@nic.in
K.S. Rajasekar	Assistant	123	23233739	-	-	rajasekarks.cpcb@nic.in
S. Seenivel Raj	SLA	125	23233739	-	-	seenivelraj.cpcb@nic.in
S. Nadarajan	JLA	125	23233739	-	-	-

REGIONAL DIRECTORATE- BHOPAL

Parivesh Bhawan, Paryavaran Parisar,
E-5, Arera Colony, Bhopal-462016
STD Code: 0755

EPABX Number: 0755-2775385 / 86, Fax No. 0755-2775587

E-mail ID: cpcb.bhopal@gov.in , cpcb.bhopal@gmail.com

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
P. Jagan	Sc. E& Regional Director	209	07552775385		-	jagan191.cpcb@gov.in
R.P. Mishra	Sc. D	122	07552775385		4927601	rpmishra.cpcb@gov.in
Sunil Kumar Meena	Sc. D	212	07552775385		-	sunil.cpcb@gov.in
Milind Kumar B. Nimje	Sc. C	320	07552775385		-	milind07.cpcb@gov.in
Y.K. Saxena	Sc. C	407	07552775385		-	yksaxena.cpcb@nic.in
Dr. Ranu Chouksey Verma	Sc. B	214	07552775385		-	drrcverma.cpcb@gov.in
Anoop Chaturvedi	Sc. B	216	07552775385		-	anoop.cpcb@nic.in
Praveen Kumar Jain	Sc. B	321	07552775385		-	praveen.cpcb@nic.in
S.D. Bokde	Section Officer	210	07552775385		-	bokde.cpcb@nic.in
Poulami C. Patil	SSA	215	07552775385		-	poulamicp.cpcb@nic.in
Sanjay Kumar Mukati	SSA	403	07552775385		-	skmukati.cpcb@nic.in
Rashmi Thakur	SSA	325	07552775385		-	rashmithakur.cpcb@gov.in
Rameshwar Bandewar	JSA	324	07552775385		-	rbandewar.cpcb@gov.in
Rajeev Sharma	Sr. Tech.	402	07552775385		-	rajeevani70.cpcb@gov.in
Farzana Khan	DEO	211	07552775385		-	farzana.cpcb@nic.in
Sunil Kolhtkar	SLA	325	07552775385		-	skolhatkar.cpcb@gov.in
Jagjivan Ram	JLA	327	07552775385		-	jjram.cpcb@gov.in
Alfa Monika Lakra	JLA	441	07552775385		-	alfa.cpcb@gov.in
Shiv Shankar Shukla	Hindi Typist	115	07552775385		-	ssshukla.cpcb@gov.in
PrahladBaghel	LDC	219	07552775385		-	pbaghel.cpcb@gov.in
Bharat Bhushan Patil	Off. Asst. (A/C)	239			-	bbpatil.cpcb@supportgov.in
Surendra Kumar Bhatia	MTS	217	07552775385		-	
Suresh Choudhary	MTS	217	07552775385		-	
Salamuddin	Driver	102	07552775385		-	
Suresh Kumar Chouhan	Driver	102	07552775385		-	

REGIONAL DIRECTORATE - KOLKATA

'South end Conclave' Block-
502, 5th & 6th Floor,
1582, Razidanga, Main Road,
Kolkata-700107
STD Code: 033

EPABX: 033 2441 6634 / 4289 / 4677 / 6003, Fax No. 033-2441 8725

RD (Direct): 033 24416632

E-mail ID: zokolkatta.cpcb@nic.in

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
M K Biswas	Sc. E & Regional Director	501	-	-	-	mkbiswas.cpcb@nic.in
Manisha Banerjee	PS	-	-	-	-	manisha.cpcb@nic.in
A. Bagchi	PA	-	-	-	-	aparna.cpcb@nic.in
Susmita Ekka	Sc. D	-	-	-	-	susmita.cpcb@nic.in
G.P. Singh	Sc. D	-	-	-	-	gpsingh.cpcb@nic.in
Sandeep Roy	Sc. D	-	-	-	-	sandeeproy.cpcb@nic.in
A.K. Naskar	Sc. 'C'	-	-	-	-	aknaskar.cpcb@nic.in
Tofic Aslam	Sc. B	-	-	-	-	toufic.cpcb@gov.in
Tinneti Sudha	AACO	-	-	-	-	-
Md. A. Rafique	SSA	-	-	-	-	rafique.cpcb@nic.in
Sukhendu Biswas	SSA	-	-	-	-	sukhendu.cpcb@nic.in
A. Kumar	SSA	-	-	-	9432573186	awanindra.cpcb@nic.in
Ajay kumar Dubey	SSA	-	-	-	-	akdubey.cpcb@gov.in
Abhineet K Varshney	Acc. Asst.	-	-	-	-	akvarshney.cpcb@gov.in
Chippada Jagadeesh Kumar	JT	-	-	-	-	jagadeesh.cpcb@gov.in
Suman Bhattacharya	Assistant	-	-	-	24149305	suman.cpcb@nic.in
Animesh Mondal	JSA	-	-	-	-	animesh.cpcb@gov.in
Minati Bagchi	SLA	-	-	-	-	minati.cpcb@nic.in
Pratima Saha	SLA	-	-	-	24120393	pratima.cpcb@nic.in

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
D. Sen gupta	SLA	-	-		-	
S.N. Bhattacharya	SLA	-	-		-	sakti.cpcb@nic.in
A.N. Thakur	SLA	-	-		-	ash.cpcb@gov.in
Tapan K. Mukhopadhyaya	SLA	-	-		-	tapan.cpcb@gov.in
Debdeep Koner	JLA	-	-		-	debdeep.cpcb@gov.in
Bodhisatwa Mondal	JLA	-	-		-	bodhisatwa.cpcb@gov.in
Om Prakash Shaw	JLA	-	-		-	opshaw.cpcb@gov.in
Chandrani Bhattacharya	DEO	-	-		24149305	chandrani.cpcb@nic.in
Shyam	MTS	-	-		-	-

REGIONAL DIRECTORATE - LUCKNOW

PICUP Bhawan, Vibhuti Khand, Gomti
Nagar, Lucknow
STD Code: 0522

EPABX Direct No. 0522-4087600, Fax No. 0522-4087602

Name of the Official	Design.	Ext.	Office	Mobile	Residence	E-mail ID
R. K. Singh	Sc. E & Regional Director	201	4087601	-	-	rksingh.cpcb@nic.in
C. K. Soni	Sc. E	206	4087606		-	dksoni.cpcb@nic.in
R. D. Patil	Sc. D	217	4087617		-	patil.cpcb@nic.in
Runa Oraon	Sc. D	204	4087604		-	rorao.cpcb@nic.in
J. P. Meena	Sc. D	205	4087605		-	jagdish.cpcb@nic.in
A. K. Tripathi	Sc. C	309	4087609		-	aktripathi.cpcb@nic.in
Anamika Singh	Sc. C	306	4087706		-	singhanamika.cpcb@nic.in
Arvind Kumar	Sc. B	302	408806		-	arvind.cpcb@gov.in
R. K. Mishra	SSA	222	4087622		-	rkmishra.cpcb@gov.in
R. K. Saxena	SSA	307	4087707		-	rksaxena.cpcb@gov.in
C. S. Meena	STS	304	4087704		-	meenacs.cpcb@nic.in
B. M. Singh	TS	305	4087705		-	bms.cpcb@gov.in
Mohammad Faisal	SSA	-	-		-	faisal.cpcb@gov.in
Manju Srivastava	SLA	306	4087706		-	manju.cpcb@nic.in
Shahid Khan	SLA	307	4087707		-	shahid.cpcb@gov.in
Rajesh Prasad	SLA	307	4087707		-	rps.cpcb@gov.in
Shreeram Shah	UDC	218	4087618		-	srs.cpcb@gov.in
Vinay Agarwal	LDC	220	4087620		-	vkaggarwal.cpcb@gov.in
Ranjana Saxena	LDC	207	4087607		-	rsaxena.cpcb@gov.in
Kunwar Singh	Field Attendant	-	-		-	-
Jwala Prasad	Attendant	-	-		-	-
Prakash Pant	Attendant	-	-		-	-
R. K. Pandey	Attendant	-	-		-	-

REGIONAL DIRECTORATE - SHILLONG

“TUM-SIR”. Lower Motinagar, Near
Fire Brigade H.Q., Shillong-793014
STD Code: 0364
Fax No. 0364-2520805

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
M.K. Choudhury	Sc. F & Regional Director	-	0364-2520805 2522859*	-	-	mkc.cpcb@gov.in
Shantanu Dutta	Sc. D	-	0364-2522859		0364-2223602	shantanu.cpcb@gov.in
R.P. Gurung	Sc. D	-	0364-2520923		-	rpgurung.cpcb@nic.in
Rakesh Basumatary	SSA	-	-		-	rakesh.cpcb@gov.in
Ananda Kumar Ngangom	SSA	-	-		-	anandng.cpcb@gov.in
F. Lyngrah	Assistant	-	-		-	formosson.cpcb@gov.in
S.K. M. Mihsill	SLA	-	-		-	skmmihsill.cpcb@gov.in
Ratan Mutyent	JLA	-	-		9089080108	mutyent.cpcb@gov.in
Agnes Sungoh	Attendant	-	-		-	asungoh.cpcb@gov.in

REGIONAL DIRECTORATE- VADODARA

Parivesh Bhawan,
Opp. Ward No. 10 VMC Office Subhanpura,
Vadodara – 390 023
STD code: 0265

EPABX Number: 0265 – 2392831–33, 2392985 -86, Fax No. 0265-2392987

RD Direct: 0265 – 2392603

E-mail ID: westzonecpcb@yahoo.com

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
Prasoon Gargava	Sc. E & Regional Director	-	2392603	-	-	prasoon.cpcb@nic.in
Arvind Kumar Jha	Sc. E	-	-	-	-	arvindjha.cpcb@nic.in
Amit R. Thakkar	Sc. D	-	-	-	-	amitthakkar.cpcb@nic.in
S. Pradeep Raj	Sc. D	-	-	-	-	pradeepraj.cpcb@nic.in
Kavitha B.V.	Sc. D	-	-	-	-	kavitha.cpcb@nic.in
N. Semwal	Sc. C	-	-	-	-	semwaln.cpcb@gov.in
Manoj Kumar Sharma	Sc. B	-	-	-	-	manojsharma.cpcb@gov.in
B D Pandey	SSA	-	-	-	-	bdpandey.cpcb@gov.in
Abhishek Singh	Acct. Asst.	-	-	-	-	abhishek.cpcb@gov.in
Ashtha H. Trivedi	SLA	-	-	-	-	asthatrivedi.cpcb@gov.in
Dharmesh J. Rana	SLA	-	-	-	-	dharmeshrana.cpcb@gov.in
Ashma Kadiwala	SLA	-	-	-	-	ashmakadiwala.cpcb@gov.in
Mayank Nimbark	JLA	-	-	-	-	mayanknimbark.cpcb@gov.in
Vijay Sawant	Driver	-	-	-	-	vijaysawant.cpcb@gov.in

(REGIONAL DIRECTORATE- PUNE)

Survey No. 110, Dhankude Multi Purpose Hall, Baner Road, Baner, Pune - 411045

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
Bharat Kr. Sharma	Sc. F & Regional Director	-	-		-	rdpune.cpcb@gov.in bksharma.cpcb@nic.in
Shashikant Lokhande	Sc. 'E'	-	-		-	lokhandesl.cpcb@gov.in
Pratik D. Bharne	Sc. E	-	-		-	pratik.cpcb@gov.in
Nishchal C	Sc. D	-	-		-	nischal.cpcb@nic.in

(REGIONAL DIRECTORATE- CHANDIGARH)

BSNL Telephone Exchange , 2nd Floor, Sector 49 -C, Chandigarh-160 047

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
Gurnam Singh	Sc. F & Regional Director	-	-		-	gurnamsingh.cpcb@nic.in
Suneel Dave	Sc. F					sdave.cpcb@nic.in
Narender Sharma	Sc. E	-	-		-	narendersharma.cpcb@nic.in

(REGIONAL DIRECTORATE- CHENNAI)

Second Floor,77-A, South Avenue Road,
Ambattur Industrial Estate, Chennai, Tamilnadu-600058

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
H. D. Varalaxmi	Sc. E & Regional Director	103				vlaxmi.cpcb@nic.in
T. Mahima	Sc. 'D'					mahima.cpcb@nic.in
Poornima B.M.	Sc. 'D'					poornima.cpcb@nic.in
Rajkumar R.	Sc. 'D'					Rajkumar.cpcb@nic.in
S. Karthikeyan	Sc. C					skarthikeyan.cpcb@nic.in
K. Karunagaran	STS					karunagarank.cpcb@nic.in

PROJECT OFFICE - AGRA

4-Dholpur House,
M.G. Road, Agra-
282001
STD Code: 0562
Fax No.0562-2421568

Name of the Official	Desig.	Ext.	Office	Mobile	Residence	E-mail ID
Kamal Kumar	Sc. D & In-charge	-	4005877 2421548		-	kamalkumar.cpcb@nic.in
Vipul Kumar Singh	Sc. B	-	-		-	vipul.cpcb@gov.in
Adarsh Kumar	SSA	-	-		-	adarsh.cpcb@gov.in
Des Samrat Gautam	Sr. Tech.	-	-		-	desh.cpcb@gov.in
Himmat Singh	JLA	-	-		-	hsd.cpcb@gov.in
Kalicharan	Field Attendant	-	-		-	kalicharan.cpcb@gov.in

**For any queries/changes, contact to
Sh. Sanmukh Mishra, Sr. Tech (Building
Div.) Mob: 9910893710
E-mail ID- sanmukh.cpcb@gov.in**

Published By:
Building Division, Central Pollution
Control Board, 'Parivesh Bhawan',
East Arjun Nagar Delhi-110 032