Chapter 2 Link Alkahres and Cycloalkanes. Hittroduction to Hydrocarbons (Test Bank) <u>KEY</u>

1. Alkanes are characterized by the general molecular formula:

- A. C_{nH2n-2}
- $_{\rm B.}~\rm C_{_{nH2n}}$
- $\underline{\mathbf{c}}_{.}^{\mathsf{C}}_{\mathsf{nH}_{2\mathsf{n}+2}}$
- C. C_{nH2n+4}

Accessibility: Keyboard Navigation
Bloom's Level: 1. Remember
Chapter: 02
Difficulty: Easy
Gradable: automatic
Section: 02.05
Subtopic: Acyclic vs cyclic
Subtopic: Alkanes
Subtopic: Hydrocarbons
Topic: Alkanes (Acyclic and Cyclic)

Topic: Functional Groups

2. Cycloalkanes are characterized by the general molecular formula:

- A. C_{nH2n-2}
- $_{\textbf{B.}} \ \, \textbf{C}_{_{nH2n}}$
- $_{\text{C.}}$ $_{\text{nH}_{2n+2}}$
- D. C_{nH2n+4}

Accessibility: Keyboard Navigation
Bloom's Level: 1. Remember
Chapter: 02
Difficulty: Easy
Gradable: automatic
Section: 02.18
Subtopic: Acyclic vs cyclic
Subtopic: Alkanes
Subtopic: Hydrocarbons
Topic: Alkanes (Acyclic and Cyclic)
Topic: Functional Groups

3. The carbon-carbon sigma bond in ethane is formed by overlap of which two orbitals?

- A. 2p-2p
- B. sp-sp
- C. sp^2-sp^2
- **D.** $sp^{3}-sp^{3}$

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium

Gradable: automatic
Section: 02.07

Subtopic: Hybridization Topic: Molecular Shape

4. What is the IUPAC name of the following compound?


$$\begin{array}{c} CH_{3} \\ CH_{3}-CH_{2}-CH_{2}-\overset{|}{C}-CH_{3} \\ CH_{3} \end{array}$$

A. 4,4-dimethylpentane B.1-tert-butylpropane **C.**2,2-dimethylpentane D. 1,1,1-trimethylbutane

> Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.17

Subtopic: IUPAC Nomenclature of acyclic alkanes

5. The correct IUPAC name of the following compound is



A. 2-ethyl-3,5-dimethylheptane. B.6-ethyl-5,5-dimethylheptane. <u>C.</u>3,4,4-trimethyloctane. D. 5,5,6-trimethyloctane.

> Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.17

Subtopic: IUPAC Nomenclature of acyclic alkanes Topic: Alkanes (Acyclic and Cyclic)

6. The common name of the following group is

A. *n*-butyl

B. sec-butyl

C. isobutyl

D. tert-butyl

Bloom's Level: 1. Remember Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.16

Subtopic: Alkyl groups Topic: Alkanes (Acyclic and Cyclic)

7. Which one of the following is 2,2,5-trimethylhexane?

A. (CH3)2CHCH2C(CH3)3

B. (CH3)2CHCH2CH2C(CH3)3

C. CH3CH2CH(CH3)C(CH3)3

D. (CH3)2CHCH2CH2CH2C(CH3)3

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic

Section: 02.17 Subtopic: IUPAC Nomenclature of acyclic alkanes

Topic: Alkanes (Acyclic and Cyclic)

8. The correct IUPAC name of the following is

$$\begin{array}{c} CH_{3} \\ \\ H_{3}C-CH-CH_{2}-CH-CH_{2}-CH_{2}-CH-CH_{3} \\ \\ CH_{3} \\ \\ CH_{3} \\ \end{array}$$

A. 2,4,7-trimethylnonane.

B. 7-ethyl-2,4-dimethyloctane.


C. 3,6,8-trimethylnonane.

D. 2-ethyl-5,7-dimethyloctane.

Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.17

Subtopic: IUPAC Nomenclature of acyclic alkanes Topic: Alkanes (Acyclic and Cyclic)

9. What is the IUPAC name of the following?



A. 5,6-diethylhexane

B. 5-ethyl-6-methylheptane

C. 2,3-diethylhexane

D. 4-ethyl-3-methylheptane

Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.17

Subtopic: IUPAC Nomenclature of acyclic alkanes

Topic: Alkanes (Acyclic and Cyclic)

10. What is the IUPAC name of the following?



A. 1-ethyl-4.4-dimethylcyclopentane B.1-ethyl-3,3-dimethylcyclopentane <u>C.</u>3-ethyl-1,1-dimethylcyclopentane D. 4-ethyl-1,1-dimethylcyclopentane

> Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.18

Subtopic: IUPAC Nomenclature of cycloalkanes Topic: Alkanes (Acyclic and Cyclic)

11. Cyclohexane is composed of

A. methine groups.

B.methylene groups.

C.methyl groups.

D. both methine and methylene groups.

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Chapter: 02

Difficulty: Medium Gradable: automatic

Section: 02.11 Subtopic: IUPAC Nomenclature of cycloalkanes

Topic: Alkanes (Acyclic and Cyclic)

12. All the carbons in cyclopentane are

A. primary carbons.

B.secondary carbons.

C.tertiary carbons.


D. quaternary carbons.

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium

Gradable: automatic Section: 02.16

Subtopic: IUPAC Nomenclature of cycloalkanes

13. The correct name of the following compound is



A. (1-methylpropyl)cyclohexane.


B.(2-methylpropyl)cyclohexane.

C.(2,2-dimethylethyl)cyclohexane.
D. (2,2-dimethylpropyl)cyclohexane.

Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.18

Subtopic: IUPAC Nomenclature of cycloalkanes Topic: Alkanes (Acyclic and Cyclic)

14. The correct IUPAC name of the following compound is



A. (1-methylhexyl)cyclopentane.

B.(1-pentylethyl)cyclopentane.

<u>C.</u>2-cyclopentylheptane.

D. 1-cyclopentyl-2-heptane.

Bloom's Level: 3. Apply Chapter: 02

Difficulty: Medium Gradable: automatic

Section: 02.18

Subtopic: IUPAC Nomenclature of cycloalkanes

Topic: Alkanes (Acyclic and Cyclic)

15. The C-C sigma bond in acetylene is formed by the overlap of which two orbitals?

A. 2p-2p

B. sp-sp

C. sp²-sp⁴

D. sp³-sp³

Bloom's Level: 2. Understand

Chapter: 02 Difficulty: Medium Gradable: automatic

Section: 02.09

Subtopic: Hybridization Topic: Molecular Shape

16.The boiling point of isobutane (-10.2°C) is lower than n-butane (-0.4°C) because isobutane has

- A. weaker intermolecular van der Waals forces.
- B. stronger intermolecular van der Waals forces.
- C. weaker dipole-dipole attractive forces.
- D. stronger dipole-dipole attractive forces.

Accessibility: Keyboard Navigation
Bloom's Level: 2. Understand
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.21
Subtopic: Intermolecular forces
Topic: Functional Groups

17. Which of the following describes an atom or group of atoms that has similar chemical properties when it occurs in different compounds?

A. hydrocarbon

<u>B.</u>functional group
C.paraffin
D. isomer

Accessibility: Keyboard Navigation Bloom's Level: 1. Remember Chapter: 02 Difficulty: Easy

Gradable: automatic
Section: 02.19

Subtopic: C-Z functional groups (Z = N, O, S, halogen) Subtopic: Hydrocarbons

Topic: Functional Groups

18. Arrange the following isomeric alkanes in order of increasing boiling point.

- I. n-heptane
- II. 2,3-dimethylpentane
- III. 2,2,3-trimethylbutane
- A. I < II < III
- B. II < III < I
- C. III < I < II
- **D.** ||| < || < |

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.21
Subtopic: Intermolecular forces
Topic: Functional Groups

19. The oxidation states of carbon range from

- A. 0 to +2.
- B. 0 to +4.
- C. -4 to 0.
- **D.** -4 to +4.

Accessibility: Keyboard Navigation
Bloom's Level: 1. Remember
Chapter: 02
Difficulty: Easy
Gradable: automatic
Section: 02.23
Subtopic: Acyclic vs cyclic
Topic: Alkanes (Acyclic and Cyclic)

20. Which of the following has(have) a higher oxidation state of carbon than the carbon in formaldehyde, H2C=O?

- I. CH3OH
- II. HCO2H
- **III. H2CO3**
- A. I
- B. III
- C. II and III
- D. I, II, and III

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.23
Subtopic: Acyclic vs cyclic
Topic: Alkanes (Acyclic and Cyclic)

21. The tert-butyl group can also be called

A. 1,1-dimethylpropyl.


B.1,1-dimethylethyl.

C.2,2-dimethylpropyl.

D. 2,2-dimethylethyl.

Accessibility: Keyboard Navigation
Bloom's Level: 2. Understand
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.16
Subtopic: Alkyl groups

22. Carbon atoms 1, 2, and 3 in the following structure are classified, respectively, as



A. tertiary, primary, secondary.

B. quaternary, secondary, secondary.

C. quaternary, primary, tertiary.

D. quaternary, secondary, tertiary.

Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium Gradable: automatic

Section: 02.16 Subtopic: Alkyl groups

Topic: Alkanes (Acyclic and Cyclic)

23. Identify the isomer of C6H14 that only has primary and tertiary carbons.

A. hexane

B. 2,2-dimethylbutane

C. 3-methylpentane

D. 2,3-dimethylbutane

Accessibility: Keyboard Navigation

Bloom's Level: 3. Apply Chapter: 02

Difficulty: Hard

Gradable: automatic Section: 02.16

Section. 02.10

Subtopic: IUPAC Nomenclature of acyclic alkanes

24. Why can heats of combustion of constitutional isomers of hydrocarbons be used to measure their stabilities?

- I. Combustion of constitutional isomers gives different final states.
- II. Combustion of constitutional isomers gives the same final states.
- III. Constitutional isomers of hydrocarbons have the same potential energies.
- IV. Constitutional isomers of hydrocarbons have different potential energies.
- A. only I
- B. only II
- C. I and III
- **D.** II and IV

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.22

Subtopic: Reactions of alkanes Topic: Alkanes (Acyclic and Cyclic)

25.The heats of combustion (- H°) of heptane and 3,3-dimethypentane are 4,817 and 4,809 kJ/mol, respectively. Which statement is true?

- A. Heptane is 8 kJ/mol more stable then 3,3-dimethylpentane.
- **B.** 3,3-Dimethylpentane is 8 kJ/mol more stable than heptane.
- C. Stabilities cannot be compared since they are not isomers.
- D. Stabilities cannot be compared since they give different combustion products.

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium Gradable: automatic

> Section: 02.22 Subtopic: Reactions of alkanes

26. The reaction of acetylene with hydrogen gas is shown below. Which statements are true concerning the reaction?

$$H-C\equiv C-H + 2H_2 \xrightarrow{Pd(cat.)} H_3C-CH_3$$

- I. Acetylene is oxidized to ethane.
- II. Acetylene is reduced to ethane.
- III. Carbon changes oxidation state from -1 to -3.
- IV. Hydrogen (from H2) changes oxidation state from 0 to +1.
- A. I and III
- B. II and IV
- C. I, III, and IV
- D. II, III, and IV

Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.23 Subtopic: Reactions of alkanes Topic: Alkanes (Acyclic and Cyclic)

27. How many methine groups are there in isopropylcyclopentane?

- A. one
- B. two
- C. three
- D. four

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium Gradable: automatic

Section: 02.11
Subtopic: IUPAC Nomenclature of acyclic alkanes

28. What is the total number of constitutional isomers with the formula C5H12?


- A. two
- B. three
- C. four
- D. five

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium

Gradable: automatic
Section: 02.13

Subtopic: Constitutional isomers Topic: Drawing Organic Molecules

29. What is the IUPAC name of the following?



- A. 6-isopropyl-3-methylnonane
- B. 2-ethyl-5-isopropyloctane
- C. 6-propyl-3-methylnonane
- D. 2-ethyl-5-propyloctane

Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.17

Subtopic: IUPAC Nomenclature of acyclic alkanes Topic: Alkanes (Acyclic and Cyclic)

30. How many moles of O2 gas would be consumed in the complete combustion of 0.100 mole of C5H12?

A. 0.100 mole O2

B. 0.400 mole O₂

C. 0.800 mole O2

D. 1.60 mole O2

Accessibility: Keyboard Navigation Bloom's Level: 4. Analyze Chapter: 02

Difficulty: Hard Gradable: automatic Section: 02.22

Subtopic: Reactions of alkanes Topic: Alkanes (Acyclic and Cyclic)

31. The systematic name of the following group is

A. 5-ethyl-2-methylpentyl.

B.1-ethyl-4-methylpentyl.

C.6-methyl-3-heptyl.

D. 2-methyl-5-heptyl.

Bloom's Level: 3. Apply Chapter: 02

Difficulty: Medium Gradable: automatic Section: 02.16

Subtopic: Alkyl groups

32. What is the relationship between the two structures below?




- A. identical structures
- B. resonance forms
- C. constitutional isomers
- D. different compounds with different compositions

Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.11

Subtopic: Constitutional isomers Topic: Drawing Organic Molecules

33. What is the IUPAC name of the following structure?



- A. 3-propylpentane
- B. 3-ethylhexane
- C. 2-ethylheptane
- D. 4-ethylpentane

Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic

Section: 02.17

Subtopic: IUPAC Nomenclature of acyclic alkanes Topic: Alkanes (Acyclic and Cyclic)

34. Which of the following are constitutional isomers?

- I. 2,3,3-dimethylhexane
- II. 2,2-diethylpentane
- III. 3-ethyl-2-methylheptane
- A. I and II
- B. I and III
- C. II and III
- D. they are all constitutional isomers

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic

Subtopic: Constitutional isomers Subtopic: IUPAC Nomenclature of acyclic alkanes

Section: 02.11

Topic: Alkanes (Acyclic and Cyclic)
Topic: Drawing Organic Molecules

35. What is the estimated C-C-C bond angle in the following model?




- A. 90⁰
- B. 109.5⁰
- **C.** 120⁰
- D. 180⁰

Bloom's Level: 2. Understand Chapter: 02

> Difficulty: Medium Gradable: automatic Section: 02.08 Subtopic: Hybridization

Topic: Molecular Shape

36. What are the hybridizations of carbon atoms 2, 3, and 4 shown in the model below?



A. sp, sp², sp²
B. sp, sp², sp
C. sp, sp, sp
D. sp, sp, sp

Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.09 Subtopic: Hybridization Topic: Molecular Shape

37. Arrange the following hydrocarbons in order of increasing boiling point.

- I. pentane
- II. 2,2-dimethylpropane
- III. 2-methylbutane
- A. I < II < III
- $\mathsf{B.}\ \mathsf{I} < \mathsf{III} < \mathsf{II}$
- C. II < I < III
- **D.** || < ||| < |

Accessibility: Keyboard Navigation
Bloom's Level: 4. Analyze
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.21
Subtopic: Intermolecular forces
Topic: Functional Groups

38. The 1,1-dimethylethyl group, -C(CH3)3, can also be called

- A. butyl.
- B. isobutyl.
- C. sec-butyl.
- **D.** *tert*-butyl.

Accessibility: Keyboard Navigation
Bloom's Level: 2. Understand
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.16
Subtopic: Alkyl groups
Topic: Alkanes (Acyclic and Cyclic)

39. What is the relationship between the following two structures?



- A. identical structures
- B. resonance forms
- C. constitutional isomers
- D. different compounds with different compositions

Bloom's Level: 2. Understand Chapter: 02

Difficulty: Easy Gradable: automatic Section: 02.11

Subtopic: Skeletal/bond-line structures Topic: Drawing Organic Molecules

40. The sp³ orbitals of carbon in CH4 are formed from the

- A. three 2p orbitals.
- B. 2s and two of the 2p orbitals.
- C. 2s and one of the 2p orbitals.
- D. 2s and the three 2p orbitals.

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand

> Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.06

Subtopic: Hybridization Topic: Molecular Shape

41. The geometry of sp³ hybrid orbitals can be described as pointing towards the corners of a

- A. triangle.
- B. square.
- C. tetrahedron.
- D. square pyramid.

Accessibility: Keyboard Navigation
Bloom's Level: 2. Understand
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.06
Subtopic: Hybridization
Topic: Molecular Shape

42. What is the CI-C-CI bond angle in CCI4?

- A. 60⁰
- B. 90⁰
- **C.** 109.5⁰
- D. 120⁰

Accessibility: Keyboard Navigation
Bloom's Level: 3. Apply
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.08
Subtopic: Hybridization
Topic: Molecular Shape


43. Which of the following has the lowest boiling point?

- A. pentane
- B. 2,2-dimethylpropane
- C. 2-methylbutane
- D. hexane

Accessibility: Keyboard Navigation
Bloom's Level: 2. Understand
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.21
Subtopic: Intermolecular forces

Topic: Functional Groups

44. The shortest and longest carbon-carbon bonds, respectively, in this molecule are:



- A. II and III
- B. IV and III
- C. I and IV
- **D.** IV and I

Bloom's Level: 2. Understand
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.08
Subtopic: Bond properties
Subtopic: Types of bonds
Topic: Structure and Bonding

45. How many isomers of C6H14 are possible?


- A. four
- B. five
- C. six
- D. seven

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium

Gradable: automatic Section: 02.15

Subtopic: Constitutional isomers Topic: Drawing Organic Molecules

46. Which of the molecules below is NOT an isomer of formula C6H14?



- A. A
- **B.** B
- C. C
- D. D

Bloom's Level: 3. Apply Chapter: 02 Difficulty: Easy Gradable: automatic Section: 02.18

Subtopic: Constitutional isomers Subtopic: Skeletal/bond-line structures Topic: Drawing Organic Molecules

47. Which of the following statements is not true concerning hydrocarbons?

- **A.** Hydrocarbons are compounds that carbon, hydrogen, and oxygen atoms.
- B. Alkanes, alkenes, and alkynes are examples of aliphatic hydrocarbons.
- C. Aromatic hydrocarbons are also referred to as arenes.
- D. Hydrocarbons may contain sigma bonds and/or pi bonds.

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand

> Chapter: 02 Difficulty: Easy Gradable: automatic Section: 02.01 Subtopic: Alkanes

Subtopic: Alkenes Subtopic: Alkynes Subtopic: Arenes (Aromatics)

Subtopic: Hydrocarbons Topic: Functional Groups

48. How many isomers of C4H9Cl are possible?

- A. two
- B. three
- C. four
- D. five

Accessibility: Keyboard Navigation Bloom's Level: 3. Apply Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.11

Subtopic: Constitutional isomers Topic: Drawing Organic Molecules


49. The smallest straight-chain alkane that is liquid at room temperature and atmospheric pressure is

- A. propane.
- B. butane.
- C. pentane.
- D. hexane.

Accessibility: Keyboard Navigation Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.21

Subtopic: Intermolecular forces Topic: Functional Groups

50. The lowest-boiling isomer of C7H16 would be



- A. A.
- B. B.
- **C.** C.
- D. D.

Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium Gradable: automatic Section: 02.21

Subtopic: Intermolecular forces Topic: Functional Groups

51. The C-C-C bond angle in propyne, shown below, is

- A. 90°.
- B. 109.5°.
- C. 120°.
- **D.** 180°.

Bloom's Level: 3. Apply
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.09
Subtopic: Hybridization
Topic: Molecular Shape

52. The hybridization of carbon atoms 1, 2, and 3 in the following are respectively,

$$H_2C=CH-CH_3$$
1 2 3

A. sp, sp, and
$$sp^2$$
.

B.sp, sp, and
$$sp^3$$
.

$$\underline{\mathbf{c}}$$
.sp², sp², and sp³.

D.
$$sp^2$$
, sp^3 , and sp^3 .

Bloom's Level: 3. Apply
Chapter: 02
Difficulty: Medium
Gradable: automatic
Section: 02.08
Subtopic: Hybridization
Topic: Molecular Shape

53. How many pi bonds are present in the following structure?

- A. one
- B. two
- C. three
- D. four

Bloom's Level: 2. Understand Chapter: 02 Difficulty: Easy Gradable: automatic Section: 02.09 Subtopic: Hybridization

Topic: Molecular Shape

54. The carbon-carbon single bond in the following is formed by the overlap of which two orbitals?

- A. sp-sp
- **B.** sp_2^2 - sp_2
- C. sp²-sp⁴
- D sn^2-sn^3

Bloom's Level: 2. Understand Chapter: 02 Difficulty: Medium

Gradable: automatic Section: 02.09 Subtopic: Hybridization Topic: Molecular Shape

Chapter 2 - Alkanes and Cycloalkanes: Introduction to Hydrocarbons (Test Bank) <u>Summary</u>

Category	# of Question
Accessibility: Keyboard Navigation	29
Bloom's Level: 1. Remember	5
Bloom's Level: 2. Understand	25
Bloom's Level: 3. Apply	20
Bloom's Level: 4. Analyze	4
Chapter: 02	54
Difficulty: Easy	8
Difficulty: Hard	2
Difficulty: Medium	44
Gradable: automatic	54
Section: 02.01	1
Section: 02.05	1
Section: 02.06	2
Section: 02.07	1
Section: 02.08	4
Section: 02.09	5
Section: 02.11	6
Section: 02.13	1
Section: 02.15	1
Section: 02.16	7
Section: 02.17	7
Section: 02.18	5
Section: 02.19	1
Section: 02.21	6
Section: 02.22	3
Section: 02.23	3
Subtopic: Acyclic vs cyclic	4
Subtopic: Alkanes	3
Subtopic: Alkenes	1
Subtopic: Alkyl groups	5
Subtopic: Alkynes	1
Subtopic: Arenes (Aromatics)	1
Subtopic: Bond properties	1

Subtopic: C-Z functional groups $(Z = N, O, S, halogen)$	1
Subtopic: Constitutional isomers	ϵ
Subtopic: Hybridization	1

Subtopicht Dyddovarband ink.org/product/test-bank-for-organic-chemistry-10th-edition-by-carey/ Subtopic: Intermolecular forces 6 Subtopic: IUPAC Nomenclature of acyclic alkanes 10 Subtopic: IUPAC Nomenclature of cycloalkanes 5 Subtopic: Reactions of alkanes 4 Subtopic: Skeletal/bond-line structures 2 Subtopic: Types of bonds 1 Topic: Alkanes (Acyclic and Cyclic) 28 Topic: Drawing Organic Molecules 7 **Topic: Functional Groups** 10 Topic: Molecular Shape 11 Topic: Structure and Bonding 1