The 1960s Cummins Portable Power Tool Catalog

This is a brief intro to the pdf version of a 1960s Cummins Catalog, the most heavily used file on my website.

Images and descriptions of sleek, art-deco-styled chrome-clad portable electric saw, drills, saber saws, orbital sanders, and accessories, all made to last.

I only wish that I had more manufacturer's catalogs of this vintage, because I would quickly upload them to my servers so that people worldwide would have access to material that, otherwise, is unavailable.

Please Send Me Your Vintage Portable Power Tool Catalogs/Manuals If you have vintage portable power tool catalogs and/or manuals, you can help in this service by getting in touch – ray@woodworkinghistory.com – and arrange with me for the creation of a pdf.

Below is an image of my 1950s 1/2-inch portable drill, sold by the – now-defunct – national mail order firm, Montgomery-Ward, but – as you can see on pages 8 and 9 of the Cummins catalog – identical to the the Cummins portable drill.



At the time, both Sears Roebuck and Montgomery Ward sold products bearing their respective labels, but products made for them by a large array of manufacturers. Cummins was the M-W manufacturer of this drill.

With pleasure I use this drill in my shop frequently.

A powerful hand-operated power tool – operating at about 550 rpms – with a two-step metal drill bit, you can drill accurate holes in almost any metal, which

means that – with cheap recycled aluminum – you can make all sorts of jigs for your shop or even fabricate outdoor furniture and other accessories. Overall, a handy tool.

ELECTRIC TOOLS

CHAMINAS.

Priced for everyone

The state of the s

John Oster

MANUFACTURING CO.



with exclusive magic

7 Inch Cutting Capacity Power Saws



pivot

Deeper Cuts... More Power at Cutting Edge... Cuts 2" Dressed Lumber at all Angles with Blade to Spare.



MAXAW

727-01 SPECIAL

Low in price, but as big as a house in the work it will do, is this value leader of the power saw field. Incorporates all the features of a professional saw at half the price. Ideally suited for home craftsmen for home repair and maintenance.



737-01 DELUXE

King sized cutting performance and partial ball bearing construction make this saw a must for the semi-professional craftsman. The powerful motor in this saw assures trouble-free cutting performance in the hardest woods with absolute accuracy.

ONLY MAXAWS HAVE THESE PROFESSIONAL FEATURES PEDESTAL BASE MAXAW stands solidity on and when not in use or when changing blades. Protected in the solid prevent binding TELESCOPING SAFETY GUARD WITH SAFETY LEVER Interpolate action shields blade or all times. CLUTCH BLADE ACTION Himitories kick-back, prevents blade or malor damage. FULL-SIZE SAW SHOE no wabble, no away Limitories we go it will be a series of the solid prevents blade or malor damage. FULL-SIZE SAW SHOE no wabble, no away Limitories measuring for short cut-offs.

MAXAW SPECIFICATIONS

	CAT. NO. 727-01	CAT. NO. 737-01	CAT. NO. 757-01	CAT. NO. 7800-01
Depth of Cut @ 45°	17/8"	17/8"	17/8"	21/8"
Depth of Cut @ 90°	21/8"	21/8"	21/8"	21/2"
Depth Adjustment	3/8" to 21/8"	3/8" to 21/8"	3/8" to 21/8"	- 3/8" to 21/2"
Blade Size	63/8" Dia.	6¾" Dia.	63/8" Dia.	71/4" Dia.
Bearings	Self-Lubri- cating Bronze	Ball and Self- Lubricating	100% Ball and Roller	100% Ball and Roller
Gears	Hardened	Steel, Helical Cu	1 ½" Face	Hardened Stee Helical Cut 5/8" Face
Guard		Telescopic with S	inap-Back Actio	onn
Motor Type		l, Dynamically Bo 15 Volts D.C. or		
No-Load Speed	5500 R.P.M.	5500 R.P.M.	5500 R.P.M.	6000 R.P.M.
Switch		e, Single Pole ry Contact.		e, Double Pole ry Contact.
Cord		Rubber Covered rong Plug.		Rubber Covered rong Plug.
Frame	Die-Cast A	Juminum for Con	pactness and l	light Weight
Finish	Mirror Polished	Mirror Polished	Mirror Polished	Mirror Polished
Length Overall	113/6"	113/6"	113/6"	121/4"
Equipment	Cor	nbination Blade,	Wrench and G	rease
Weight: Net	10½ Lbs.	10½ Lbs.	103/4 Lbs.	13 Lbs.
Shipping	14½ Lbs.	15 Lbs.	15½ Lbs.	191/4 Lbs
Price	\$54.95	\$62.95	\$69.95	\$89.95





MAXAW

777-01 SAW TABLE For Use with MAXAWS 727-01, 737-01, & 757-01


46 pounds of steel make this saw table a precision and sturdy cutting rig for the home craftsman and professional carpenter alike. Converts your MAXAW into a precision tilt arbor table saw in five seconds. MAXAW Saw Shoe mounts flush with table top to give performance of 8" table saw. All bevel, depth, miter and ripping adjustments made instantly. Oversize table top (20 x 24") is machine finished. Table height 34". Equipment includes: "Cam-Lock" rip fence, Die-Cast calibrated miter gauge, Trigger lock for MAXAW, Switch and outlet box, Saw Shoe insert for extra fine cuts, and mounting hardware.

CAT. NO. 777-01 Saw Table \$44.95

MAXAW

757-01 CUSTOM

Here's a saw, with 100% ball and roller bearing construction, that bears down with that extra cushion of power that sings through the tougher cutting jobs in home and industrial construction. The only saw needed to build a complete house from rough framing to finished cabinets. Makes fast work of cutting light gauge and corrugated metals (with proper blade) for roofing and partitions in factories, warehouses, granaries, and similar business and industrial construction.



7800-01 POWER-HOUSE

Built for downright brute strength with 8 inch cutting performance. Bulldozes through green, soggy lumber or timber filled with nails, slugs or concrete (with proper blade). "Task-engineered", with all ball and roller bearings, for the heaviest construction work — for jobs that require maximum power and cutting capacity. This is the giant of the MAXAWS in performance Contractors and the MAXAWS in performance. Contractors and builders, with an eye to costs, use this model because of its low initial purchase price and its ability to withstand continuous field duty.

MAXAW SAW BLADES and ACCESSORIES



COMBINATION BLADE General crosscutting or ripping. Most widely used saw blade.

53547 63/8" MAXAW 727, 737, 757 . . \$2.35 53038 71/4" MAXAW 7800 .\$2.95



PLANER BLADE PANEK BLADE Extremely smooth end grain on cabinet and trim work. 53548 63/8" MAXAW 727, 737, 757 . \$6.75 53335 71/4" MAXAW .\$7.50



For light gauge steel and corrugated steel roofing. 53553 63/8" MAXAW 727, 737, 757 . . \$. . \$6.75





CROSSCUT BLADE Quick, smooth crosscutting. 53550 638" MAXAW 727, 737, 757 . \$2.35 53339 714" MAXAW 7800 \$2.95



FINE TOOTH BLADE For plywood, masonite or light gauge, non-ferrous 53551 636" MAXAW 727, 737, 757 . \$2.80 53456 71/4" MAXAW \$3.50 7800



METAL CUTTING BLADE To cut brass, copper, alumi-num sheeting and metalclad

53552 638" MAXAW 727, 737, 757 . . \$6.75



MAXAW CARRYING CASES
No. 917-10 for Nos. 727,
737 and 757 . \$10.00
No. 917-14 for
No. 7800 . . . \$12.00



RIP BLADE Fast ripping on all types of 53549 636" MAXAW 727, 737, 757 . \$2.35 53332 71/4" MAXAW . .\$2.95



To cut old form lumber or 7800 \$3.50

FLOORING BLADE



ABRASIVE WHEEL ABRASIVE WHEEL 51494 6" x 1/6" MAXAW 727, 737, 757, 7800\$3.35 (requires use of Hub Set 52138)

NORFLEX WHEEL 51498 6" x 1/8" MAXAW 727, 737, 757, 7800 \$3.60 7800 \$3.60 (requires use of Hub Set 52138)

HUB SET

52138 MAXAW 727, 737, 757, 7800 .\$1.25 53457 MAXAW 7800\$2.25 53480 MAXAW 727, 737, 757 \$2.25

24178 Rip Fence Guide for all MAXAWS \$1.25

Sabre 10000 Jig 1000 Saw

Combines, in one saw, all the features of a rip, crosscut, band, keyhole, hack, jig and scroll saw to cut through 2 inch dressed lumber at 45° and 90°. Cuts plywood, plastics, leather and even metal (with proper blade). Comfortable handle grip provides for cool and accurate saw control. Built-in chip blower keeps cutting line clear. Special blade pitch allows saw to cut on up-stroke and clear chips on down-stroke to reduce blade drag for smoother, faster cuts. Ideally suited for plumbers, electricians, pattern makers, fabricators, carpenters, heating installers and home craftsmen.






Cat. No. 625-01 \$99



SABRE-JIG SAW KIT
Here it is all packed
up and ratin' to go!
This handy Subre-Jig
Saw is made even more
versatile with the addition of this soutely meal
case with built in accestory tray. Take the saw
to the job perfect
for storing and protecting the Sabre-Jig Saw.

Cat. No. 466-13 54

SABRE-JIG SAW SPECIFICATIONS



Cummins 466-11 NO VIBRATION with EXCLUSIVE AUTOMOTIVE CAM DRIVE

SABRE-JIG SAW BLADES

24144 - 7 TOOTH BLADE

General rough cutting in all lumber up to 15/8 inches thick (dressed 2 inch lumber). Use for ripping, crosscutting or bevel cutting. Pkg. of 3.......\$1.25

24145 - 10 TOOTH BLADE

Produces medium finish cut in plywood and all lumber up to 1 inch thick. Allows for short radius turns in scroll cutting without burning the wood. Pkg. of 3......\$1.25

24146 - 18 TOOTH BLADE

Use for cutting sheet metal, mild steel up to $\frac{1}{16}$ inch thick, thin wall tubing, BX cable and other non-ferrous metals. **Pkg. of 3......\$1.25**

54317 — 10 TOOTH HOLLOW GROUND BLADE Extra fine finish cuts for all woods. Ideally suited for plywood and laminates.....\$.85

54316 — 7 TOOTH FLUSH CUTTING BLADE
Use for flush sawing. Cuts right up to vertical
surfaces for installing heat ducts, etc....\$1.45

54318 - KNIFE BLADE

TASK-ENGINEERED WITH THESE FEATURES



Calibrated bevel quadrant with locking knob. Saw shoe tilts from 90° to 45° left or right. Positive mechanical locking device locks shoe securely.



Cuts smooth, perfectly round circles from 3 inches to 14 inches in diameter with the combination rip fence guide and circle cutting attachment.



Flush sawing. Cuts right to vertical surfaces with special flush cutting blade available as accessory.



Handy heel rest protects blade when saw is not in use. Makes blade changing a snap.



Starts its own hole in surface of stock...no need to pre-drill. Cuts clean and fast for pocket or keyhole cuts.



Saws metal too! Cuts aluminum, sheet metal, thin wall tubing and other non-ferrous metals (with proper blade).

CAT. NO.	Capacity	Bearings	Gears	Motor	No-Load Speed	Switch	Cord	Frame	Finish	Length Overall	Equipment	Net Net	eight Shipping	Price
466-11	Cuts 2" Dressed Lumber at 45° and 90°	Sealed Ball and Self- Lubricating Sintered Bronze	Account to the last of the las	Double Coil Dynamically Balanced, Universal 115 Volts D.C. or A.C. to 60 Cycles	Strokes Per Minute	Enclosed Slide Snap	3 Conductor Rubber Covered 3 Prong Plug	Die-Cast Aluminum for Com- pactness and Light Weight	Polished		2 Wood Blades, 1 Metal Blade, Rip Fence and Circle Cutting Attachment	51/4 Lbs.	6 Lbs.	\$44.95

double action ° double action Sander



Cummins 476-01

TWO SANDING ACTIONS AT THE TURN OF A KEY!

For the first time, one sander provides the fast-cutting Orbital motion and the professional Straight-Line motion at the turn of a key. Cummins exclusive "double action" enables the user to duplicate the professional craftsman's hand-rubbed finish al craitsman's hand-rubbed finish (Straight-Line action) as well as to do fast, efficient sanding for a standard finish (Orbital action). Non-slip timing belt drive assures trouble-free performance and long life when sanding a variety of materials including used valector metal and plactice. wood, plaster, metal and plastics.



STANDARD FINISH (Orbital Action) The ideal sanding action for preliminary and standard sanding.



SUPER-FINE FINISH (Straight-Line Action) Perfect for no-chip, no-flake "end" sanding and final finishing.



THE KEY IS THE SECRET A CUMMINS
EXCLUSIVE, Fast and
Positive. Turn key
to right for Standard
Finish sanding action
— turn key to left to change sanding action to Super Fine Finish.

Cummins. orbital Sander



Cummins 469-01

Direct drive powerful induction motor, coupled with exclusive enclosed counterweight, assures long life, vibration-free sanding of the roughest materials. Sanding pad extends beyond Sander housing for flush sanding. Knurled, spring loaded paper clamps make changing from one abrasive to another a snap. Removable auxiliary handle for ease of handling. This me-dium priced sander is a "must" for the home craftsman.



Cummins. straight Sander



Cummins 454-D1 STRAIGHT-LINE FINISHING SANDER

The Straight-Line Finishing Sander is designed for sanding with the grain and

This sander is designed for fine finishing work. It is unexcelled for putting high gloss finishes on soft or hard woods, plastics and similar materials. It can also be used for buffing and polishing of waxed, shellacked, varnished, painted or enameled surfaces.






Cummins 454-03 SANDER KIT

The Model 454 Straight-Line Sander is also available in a handy kit. The kit includes 9 pieces of sandpaper, a wool polishing pad and handy metal case. \$19.95

SANDER SPECIFICATIONS

CAT. NO.	476-01	469-01	454-01
Motor	Double Coil Dynamically Balanced Universal, 115 Volts, DC or AC to 60 Cycles	Cast Rotor Self-Starting Induction Motor 115 Volts 60 Cycle A.C. Only	Twin Magnetic, 115 Volts A.C. Only, 60 Cycles
No-Load Speed	4200 Strokes Per Minute	3450 Strokes Per Minute	14,400 Strokes Per Minute
Bearings	Sealed Ball and Self-Lub	ricating Sintered Bronze	None
Drive	Non-Slip Timing Belt	Direct	Magnetic Spring
Switch	Enclosed S	lide Snap	Slide
Cord	3 Conductor Rubber Co	overed, 3 Prong Plug	2 Conductor Rubber Covered
Frame	Die-Cast Aluminum for Com	pactness and Light Weight	Die-Cast Aluminum and Phenolic Plasti
Finish		Mirror-Polished	L
Length Overall	7%"	934''	5¾"
Abrasive Size	3%″ x 9″	4" x 8%"	2¾" x 7¼"
Equipment	3 Sheets of Abrasive Paper (Coarse, Med. & Fine) Directional Key & Holder. Auxiliary Knob.	3 Sheets of Abrasive Paper (Coarse, Med. & Fine) Auxiliary Knob.	3 Sheets of Abrasive Paper (Med. Heavy, Med. Light & Fine)
Weight	5½ Lbs.	8 Lbs.	3¼ Lbs.
Net Shipping	61/2 lbs.	9 Lbs.	4¼ Lbs.
Price	\$49.95	\$39.95	\$16.95



Cummins PORTABLE

Shop tested...job rated...

PERM-ALIGN GEARING... an exclusive gear mounting found in all Cummins ¼" and ¾" drills. Gears maintain perfect alignment even if drills are accidentally jarred or twisted. Built-in Trigger Lock for continuous drilling with one hand drill control.

3/8" AND 1/4" DRILL SPECIFICATIONS

	CAT. NO. 318-01	CAT. NO. 306-01	CAT. NO. 305-01	CAT. NO. 304-01		
Capacity: In Metal	3/8"	1/4"	1/4"	1/4"		
In Wood	1"	1"	1 "	1/2"		
Motor		il, Dynamical il 115 Volts D to 60 Cycles		Single Coil, Dynamically Balanced 115 Volts, A.C to 60 Cycles		
No-Load Speed	1000 R.P.M.	1800 R.P.M.	1800 R.P.M.	1800 R.P.M.		
Bearings	Lubricatin Bronze. Mul	ll and Self g Sintered ti-Ball Thrust iindle.	Self-Lubricating Sintered Bronze			
Gears		Steel Double	Steel Double Reduction			
Chuck		Jaco	bs Geared w	rith Key		
Spindle	3/8"-24	3/8"-24	3/8"-24	3/8"-24		
Switch	Single Pole	Momentary Co	ontact Trigger	Type — with Built-In Lock		
Cord	3 Conducto Covered. 3	or Rubber Prong Plug.	2 Cond	uctor Rubber Covered. 2 Prong Plug.		
Frame	Die-Cas	t Aluminum f	or Compactn	ess and Light Weight		
Finish	,	Mirror Polishe	d	Satin		
Length Overall	9"	83/8"	83/8"	83/8"		
Weight: Net	3¾ Lbs.	3½ Lbs.	3½ Lbs.	3½ Lbs.		
Shipping	51/4 Lbs.	4½ Lbs.	4 Lbs.	4 Lbs.		
Price	\$39.95	\$34.95	\$29.95	\$24.95		



A real traveling companion for field mechanics and home crafts-

men that combines extra power and extra capacity with the ease of handling of a ¼ "drill. Ideal speed for metal, fast drilling in wood and for working with carbide-tipped bits in stone, tile and concrete. Combination of Ball

and self-lubricating bearing construction and super powered motor provides the right speed for all \(^3/8\)" drilling applications.

Cummins



ELECTRIC DRILLS





Cummins

Drill

The home craftsman's choice in a pistol grip drill that combines quality, performance, and price. Used by home craftsmen to power polishing, grinding, sanding, cleaning, buffing and sawing attachments. Here's a drill with built-in versatility that's a perfect partner for any home workshop.



Cummins

156-01 Speed-D-Power Screw Driver Attachment

Converts any ¼" (or larger) drill into a time-saving power screw driver. Drives screws up to ¾6" diameter into all woods. Speeds assembly jobs, cuts repair and building time. Comes with slotted and Phillips screw bits and Allen and Phillips screw bits and Allen Wrench. Shipping Wt. 1/2 lb.

CAT. NO. 156-01 \$4.95





Cummins

Drill

304-01 STANDARD

Tops the field for popular-priced pistol grip drills that are precision made for trouble-free performance. Not a toy, but a full-powered drill with plenty of "guts" for home maintenance chores. Shorter, more compact design makes this drill easier to handle overhead or in small cramped spaces.



155-01 Two Speed Angle

Head Attachment for 🏴

Drills

Makes any 1/4" drill, having a 3/8"-24 threaded spindle, into a multi-purpose tool. Angle head swivels to any position in full 360° arc ... gets into tight spaces between joists. Two speed operation of 1.6 to 1 ratio provides for low speed drilling into hard metals, large diameter holes in wood and for every polishing job (will not burn or rub off wax). High speed for drilling soft metal, small diameter holes in wood and for sanding to a smooth fine finish. Shipping Wt. 1½ lbs.

CAT. NO. 155-01 \$9.95

Cummins

39-01 Vertical Drill Press







Drills

Instantly converts any Cummins Pistol-grip ½" or ¾" drill into a precision drill press. Drills to center of 7½" circle, has 3" vertical travel. Maximum distance between sheet distance between chuck and table, 7½". Shipping Wt. 13 lbs.


CAT. NO.-39-01. . \$16.95



Cummins 620-01 Saw Attachment

Converts any 1/4" drill into an efficient portadrill ble power saw in sec-onds! Base adjusts to make maximum depth of cut to 15/16". Complete with 4" dia, combination saw blade. Shipping Wt. 11/4 lbs.

CAT. NO. 620-01 . . \$6.95



JUMINIS PORTABLE Shop tested...job rated for home, farm...

2-Position Removable Handle is standard on all Cummins ½ inch Drills. Vertical (Saw Handle) or Horizontal (Spade Handle) to suit the user's comfort. Or remove the handle entirely to drill in

cramped spaces between joists, etc.



Cummins

333-01 STANDARD

Here's a value leader that has the superb design, stamina, power and long life found only in more expensive drills. Home mechanics and farmers acclaim it for maintenance and repair chores and wherever oversize capacity is required for drilling wood, metal, stone, concrete and plastics. Comfortable balanced design makes this model less fatiguing and easy to use for all drilling applications.

Cummins

336-01 STANDARD REVERSIBLE

The ideal tool for deep boring of all kinds. A flick of the built-in reversing switch provides instant reverse action that eases the bit out under its own power to reduce bit breakage. Engineered to speed work and insure safety wherever deep boring is required around the home, farm, and shop.

BUILT IN Reversing Switch

1/2" DRILL SPECIFICATIONS

CAT.NO.	Capat Metal V	the same of the sa	Motor	No-Load Speed	Bearings	Gears	Chuck	Spindle	Switch	Cord	Frame
333-01	1/2"	1"	Double	550 R.P.M.	Heavy, Self- Lubricating	Finest Steel, Machine Cut		1/2"-20	Double Pole Momentary Contact Trigger Type with Lock.	2 Conductor Rubber Covered.	Die-C
336-01	1/2"	1"	Coil, Dynamically D.C. or A.	550 R.P.M.	Sintered Bronze	Double Reduction	Jacobs	1/2"-20	Double Pole Momentary Contact Trigger Type with Lock. Built-In Toggle Type Reversing Switch.	2 Prong Plug, 3 Conduc	Die-Cast Aluminum
334-01	1/2"	2"	Balar C. to	550 R.P.M.	Sealed Ball and Self-Lubricating Sintered Bronze	Hardened Steel, Machine Cut Double Reduction	Geared	1/2"-20	Double Pole Momentary Contact Trigger Type with Lock.	luctor Rubbe	for Compactness
335-01	1/2"	2"	ced Univer 60 Cycles	550 R.P.M.	100% Ball and Roller	Hardened Steel, Helical Cut	with Key	1/2"-20	Double Pole Momentary Contact Trigger Type with Lock.	r Covered.	and
338-02	1/2"	2"	rsol 115 Volts	550 R.P.M.	und koner	Double Reduction		1/2"-20	Double Pole Momentary Contact Trigger Type with Lock. Built-In Toggle Type Reversing Switch.	3 Prong Plug.	Light Weight

ELECTRIC DRILLS

factory, construction, maintenance



Give'er the gun on the toughest jobs and this Cummins Drill, with ball and self-lubricating bearing construction, will come up for more. It's the shop mechanics favorite that's designed for extra capacity drilling with power to spare. Wherever drilling is needed, in wood, stone, tile, concrete, or where true holes must be drilled for accurate tapping in metal, you can always depend on this model to get the job done

CUSTOM INDUSTRIAL

Heavy construction contractors, industrial maintenance men, heavy-duty shop and production users and plumbers and electricians appreciate the added stability built into this 100% ball and roller bearing continuous duty model. Superbly engineered for endurance and added performance for extra drilling speed on every job.

INDUSTRIAL

The danger of tugging and straining, as well as the expense involved in replacing broken bits, is eliminated with this industrial, heavy-duty all ball and roller bearing drill. Deep boring in heavy timbers, creosote planking and sappy wet lumber is easy. Switch on the built-in reversing switch and the bit eases itself out. A standard for carpenters, electricians, plumbers, bridge builders, roof-truss builders and maintenance crews.

204-01 Two Speed Angle Head Attachment


Here's a tool that gets into tight spots. Angle head swivels in 360° arc. Two speed operation having 2 to 1 ratio extends utility ... speeds up work. Low speed for deep boring - high speed for drilling smaller diameter holes. Fits any 1/2 inch Drill having a ½"-20 threaded spindle. Plumbers and electricians appreciate this useful accessory. Shipping Wt. 21/2 lbs. CAT. NO. 204-01\$19.95

Finish	Length Overall	Weight Net Shipping	Equip- ment	Price
Satin	13"	8 Lbs. 10 Lbs.		\$42.95
Satin	13"	8½ 10¼ Lbs. Lbs.	Auxiliary Pipe Handle, Chuck Key and Holde	\$52.95
Mirror Polished	13"	8 Lbs. 10 Lbs.	Handle, Chu	\$54.95
Mirror Polished	13"	8½ 10½ Lbs. Lbs.	uck Key an	\$64.95
Mirror Polished	13."	9 Lbs. 11 Lbs.	d Holder	\$74.95





Complete Portable Electric Workshops with accessories all craftsmen appreciate



Cummins

306-21 Custom 1/4" Workshop

Velvet-smooth power is supplied by Cummins 306 industrial type ¼ inch drill to drive the valuable timesaving accessories found in this kit. Take the kit to the job in the large "Organizer" metal case or hang it on the workshop wall . . . all accessories always in sight—in reach. The time and money saved on the first few jobs will more than pay for this kit.




Cummins

305-21 Deluxe 1/4" Workshop

Superb performance—superb value...that's the story of this drill-saw kit. Super, non-stall power is supplied by the Cummins 305 1/4 inch drill to zip through all home repair and maintenance tasks. The quality accessories found in this kit all pack into a convenient "Organizer" metal case to eliminate "searching" for parts. Four inch saw attachment buzzes through 1 inch lumber.

Cummins 305-12 (not illustrated) same as above but without saw attachment.

Cummins 30-01 Accessory Kit (not illustrated) for all ¼ inch drills. Same as 305-12 but without drill and bench stand.



Cummins

318-11 Commercial 3/8" Workshop

Here's the master kit of them all... with a top selection of oversize accessories that meet the standards of the most critical craftsmen! The powerful \(^3\)\% inch drill provides smooth, surging power for the more ambitious jobs. Ideal for the "one call" serviceman—yet priced within the reach of the home craftsman who wants and appreciates fine tools. All accessories pack in the large "Organizer" metal case for taking the kit to the job.

DRILL KITS S					
CAT. NO.	318-11	306-21	305-21	305-12	
Drill Model	318-01	306-01	305-01	305-01	
Chuck		Geared	With Key		
Case	Me Custom ''Orgo		Me Deli ''Orga	uxe	
Drill Bits: Wood or Metal	12 Pc. 1/6"-3/8"	10 Pc. 1/16"-1/4"	7 Piece Set	1/6" to 1/4"	
Wood only		3 Pc. 5/16"-1/2"			
Spade Set	6 Pc. 5/8"-1"	6 Pc. 5/8"-1"			
Rubber Backing Pad	5"	Dia.	4" Die	meter	
Sanding Discs: Coarse		Dia. of 6	4" Diameter — Set o		
Fine		Dia, of 6	4" Diameter	— Set of 6	
Lambs Wool Bonnet	51/2"	Dia.	43/4" D	iameter	
Grinding Wheel	4"1	Dia.	3" Die	meter	
Buffing Wheel	41/2"	Dia.	3" Die	meter	
Wire Wheel Brush	4"	Dia.	3"	Dia.	
Horizontal Drill Stand	V	V	V	V	
Arbor Set	6 Piece	Universal for	Attaching Acc	essories	
Sanding Drum Arbors		3/4" x 1/2" 1" x 1"			
Sanding Sheaves		3 for 3/4" 3 for 1"			
Saw Attachment			Model 620		
Saw Blade			4" Dia.		
Socket Set					
Ratchet					
Weight: Net					
Shipping	- 12½ Lbs.	13½ Lbs.	11½ Lbs.	103/4 Lbs.	
Total Pieces	46	55	37	35	
Price	\$54.95	\$49.95	\$39.95	\$34.95	

PORTABLE DRILL KITS

for all drilling, sawing, sanding, polishing, cleaning, buffing and grinding applications.




Cummins

304-71 Home Mechanics 1/4" Workshop

A compact, handy helper that works wonders around home, shop and garage. Socket set and ratchet are real convenience accessories for appliance and automobile maintenance and repair. Cummins 304 ½ inch drill powers all accessories and is a joy to work with. Metal carrying case, with built-in bit rack, keeps all parts and accessories in one place for quick use.

304-71	304-22	304-12	3001-01	480-01
304-01	304-01	304-01		
C	Beared With K	ey		
Met	al "Hip-Roof"	Style	Metal Deluxe "Organizer"	Tote Box
	7 Piece Set	1/6" to 1/4"		
			+	
	4" Di	ameter		
	4" Diamete	r — Set of 6		
	4" Diamete	r — Set of 6		
	43/4" [Diameter		
	3" Di	ameter		
	3" Di	ameter		
			3" 1	Dia.
√	√	√		
6 Piece	Universal for	Attaching A	ccessories	4 Pc. Arbo
	Cat. No.			
	620-01 4" Dia.			
21 Pc.	4 Dia.			
1			-	-
Y				1¼ Lbs
11½ Lbs.	9¾ Lbs.	8½ Lbs.	5½ Lbs.	2 Lbs.
1 1 / 2 10 10 0 -		and the second s		
56	36	34	31	7




Cummins

304-22 Standard 1/4" Workshop

Say "Goodbye" to tedious household maintenance chores with this value-loaded kit. Four inch saw attachment zips through 1 inch lumber like butter. The full-powered Cummins 304 1/4 inch drill is a top performer in powering all accessories. Pack up all accessories in the handy metal case and take it to the job.

Cummins 304-12 (not illustrated) same as above but without saw attachment.



Cummins 480-01 Rotary Lawn Mower Blade Sharpener

This easy-to-use Cummins Sharpening Kit can be powered by any Cummins ¼" or ¾" Drill. Use it to sharpen other garden tools too, such as hoes, trowels, spades and other straight-edge blades. Use the wire wheel brush to remove scale, rust and foreign material from garden tools, mower blades, and the underside of your mower . . . it works like magic!

MILWAUKEE, WISCONSIN

THE COMPANY AND PLANTS BEHIND THE PRODUCT



RACINE, WISCONSIN

The products manufactured by the Cummins Portable Tool Division of the John Oster Manufacturing Co. are manufactured by skilled craftsmen in modern up-to-date plants utilizing the latest and most scientific manufacturing techniques.


Every Cummins product is quality engineered from its inception on the drawing boards to the finished product and manufactured under the most rigid quality control procedures. Only the highest-grade materials, best suited for specific products, are used. Modern electronic devices are used to manufacture, test, check and double check each product thoroughly to assure the consumer of the finest possible quality products obtainable.

It is this four-way excellence of design, materials, manufacturing techniques, and quality control that makes Cummins Products the accepted standard among discriminating buyers.

WHERE APPROPRIATE U.L. AND C.S.A. LISTINGS APPLY CUMMINS PORTABLE TOOLS MEET THESE STANDARDS.



NEW ULM, MINNESOTA



JOHN OSTER MANUFACTURING CO. DE MEXICO, S.A. LICENSEE TO PRODUCE JOHN OSTER PRODUCTS IN MEXICO







AUTHORIZED SALES AND SERVICE FROM COAST TO COAST

Complete servicing is available through authorized service stations in all major marketing areas from coast to coast on the North American Continent.

These service stations are operated by factory trained personnel and carry a complete line of original equipment parts for prompt efficient service.





McMINNVILLE, TENNESSEE

Cummins Portable Electric Tools

MANUFACTURING CO.

Cummins Portable Tools

EFFECTIVE MAY 9, 1960

DIVISION OF John Oster MANUFACTURING CO. MILWAUKEE 17, W MILWAUKEE 17, WIS.

CANCELS ALL PREVIOUS PRICE SCHEDULES

DEALER PRICE SCHEDULE NO. CI-E-560

NOTE: All prices subject to change without notice and to any government ruling beyond our control. Orders will be invoiced at prices in effect at time of shipment.

TERMS: 2% ten days, net 30 days to firms of approved credit. F. O. B. factory, freight allowed on 150 lbs. or mare, via cheapest method of transportation to any destination in continental U.S.A. No merchandise may be returned without the written approval of the factory, NO DROP SHIPMENTS.

The possession of this price schedule by anyone is not to be construed as an offer to sell to him or anyone else the goods listed herein at the prices stated.

tr. meet	Cat. No. or Part No.	Description	List Price	Dealer 1 Unit	Prices 3 Units	Std. Pkg.	Wt. Per 5td. Pkg.	Ind. Shpg. Wts.
MAXAWS	727-01*	MAXAW Special (63% in. blade) without Case	\$54.95	\$38.47	\$36.64	1	141/2	141/2
	737-01*	MAXAW BALL-RITE (63% in. blade) without Case	62.95	44.07	41.97	1	15	15
	757-01*	MAXAW (63% in. blade) without Case	69.95	48.97		1	151/2	151/2
	7800-01*	MAXAW (71/4 in. blade) without Case	89.95	62.97		1	1914	191/4
SAW TABLES	777-01	Saw Table for MAXAW 717-01, 727-01, 737-01, 757-01	44.95	31.47	29.97	1	46	46
KA	625-01	Saw Table Sabre-Jig Saw	9.95	6.97	6.63	1	5¾	5¾
MAXAW CASES	917-10	Steel Carrying Case for MAXAWS 717-01, 727-01, 737-01, and 757-01	10.00	7.00	6.67	ī	914	91/4
	917-14	Steel Carrying Case for MAXAW 7800-01	12.00	8.40	8.00	1	12%	12¾
SABRE-JIG SAWS	466-11*	Electric Handsaw with 3 Blades, 3 Wire Cord	44.95	31.47	29.97	3	18½	6
	466-13	Sabre-Jig Saw in Metal Case	49.95	34.97	33.30	3	33	10%
	456-01	Electric Handsaw with 2 Blades, AC.	29.95	20.97	19.97	3	181/2	6
	456-02	Sabre-Jig Saw in Metal Case	32.95	23.07	21.97	3	33	10¾
SOLDERGUNS	490-02	Soldergun (Single-Heat) 285W	14.95	10.47	9.97	3	121/2	4
	492-02	Soldergun (Dual-Heat) 240-300W	16.95	11.87	11.30	3	121/2	4
	490-01	Soldergun (Single-Heat) with case	17.95	12.57	11.97	3	20%	6%
U	492-01	Soldergun (Dual-Heat) with case	19.95	13.97	13.30	3	20¾	6¾
SANDERS	469-01	Orbital	39.95	27.97	26.63	3	25	81/4
	469-04	Sander Kit	44.95	31.47	29.97	3	371/2	121/2
	476-01*	Double Action—Orbital or Straight Line Action at the turn of a key	49.95	34.97	33.30	3	20	61/2
	454-01	Straightline	16.95	11.87	11.30	3	11%	3¾
	454-03	Straightline Sander Kit	19.95	13.97	13.30	3	17	6
14 INCH DRILLS	304-01*	Perm-Align, Geared Chuck, Key, Pistol Grip	24.95	17.47	16.63	3	121/2	4
8	305-01	Perm-Align, Geared Chuck, Key, Pistol Grip	29.95	20.97	19.97	3	121/2	4
	306-01*	Ball-Rite, Geared Chuck, Key, Pistol Grip, 3 wire cord	34.95	24.47	23.30	3	14	432

^{*}Available in 220 volt models. Specify "220 volts" when ordering.

_		Cat. No.	COL SURVINION CONTRACTOR			Delage		Wt. Per	Ind.
		or Part No.	Description 12 10 10 10 10 10 10 10 10 10 10 10 10 10	List Price	1 Unit	3 Units	Std. Pkg.	Std. Pkg.	Shpg. Wts.
	38 INCH DRILL	318-01	Ball-Rite, Geared Chuck, Key, Pistol Grip, 3 wire cord	\$39.95	\$27.97	\$26.63	3	16¼	51/4
1	½ INCH	333-01	Standard Duty, 2 position handle, 2 wire cord	42.95	30.07	28.63	3	301/2	10
	DRILLS	334-01	Ball-Rite, 2 position handle, 3 wire cord	54.95	38.47	36.64	3	301/2	10
		335-01*	Industrial, 2 position handle, 3 wire cord	64.95	45.47	-	3	321/2	10½
		336-01*	Reversible, Standard Duty, 2 position handle, 3 wire cord	52.95	37.07	_	3	31¾	101/4
		338-02	Reversible, Heavy Duty, 2 position handle, Ball Bearing construction, 3 wire cord	74.95	52.47	_	3	34	n
100	DRILL KITS	304-12*	Geared Chuck Drill 304-01 in Hip-roof Steel Box—with over 30 pieces	29.95	20.97	19.97	3	271/4	81/2
		304-22*	Same as 304-12, plus 620-01 Saw Attachment	34.95	24.47	23.30	3	30¾	934
		304-71	Home Mechanics Special—Geared Chuck Drill 304-01 in Steel Box with Socket Wrench Set	34.95	24.47	23.30	3	351/4	111/2
		305-12	Geared Chuck Drill 305-01 in "Organizer" Steel Case—with over 35 pieces	34.95	24.47	23.30	3	331/2	10%
		305-21	Same as 305-12, plus 620-01 Saw Attachment	39.95	27.97	26.63	3	361/2	11½
	101-0	318-11	3/8 Inch Geared Chuck Ball-Rite, No. 318-01 in extra large "Organizer" Case—Over 45 pieces	54.95	38.47	36.64	3	39	121/2
	LAWN MOWER SHARPENING KIT	480-01	Rotary Lawn Mower Blade Sharpener without drill	5.95	4.17	3.97	3	6¾	2
	SCREW DRIVER ATTACHMENT	156-01	Complete with bits for both Slotted and Phillips Head screws (Up to 3/16" dia.)	4.95	3.47	3.30	6	31/2	1/2
	ANGLE HEADS	155-01	Angle Head 2-speed attachment (1.6 to 1 ratio) for any 1/4" drill with 3/8" x 24 threaded spindle	9.95	6.97	6.63	1	11/4	11/4
		204-01	Angle Head 2-speed attachment (2 to 1 ratio) for any ½" drill with ½"x20 threaded spindle	19.95	13.97	13.30	1	21/2	21/2
Ī	DRILL STANDS BENCH STANDS	39-01	Vertical Drill Stand for ¼", ¾" drills, 303-01, 304-01, 305-01, 306-01, 318-01	16.95	11.87	11.30	1	13	13
		331-01	Vertical Drill Stand for ½" drill, 333-01, 334-01, 335-01, 336-01, 338-02	29.95	20.97	19.97	1	261/4	261/4
		50368	Horizontal Drill Stand for ¼", ¾" drills, 303-01, 304-01, 305-01, 306-01, 318-01	1.00	.70	.67	1	1,2	1/2
	SAW	620-01	Saw Attachment with 4" Blade, Fits any 1/4" drill	6.95	4.87	4.63	6	81/2	11/4
	ACCESSORY KIT		"Organizer" Steel Case with over 30 pieces—same as 305-12, but without drill or bench stand. (Fits any make ¼" drill)	11.9	5 8.37	7 7.97	6	341/2	51/2

^{*}Available in 220 volt models. Specify "220 volts" when ordering.

PARTS AND ACCESSORIES

Always specify product name and number also part number, (where given) and description when ordering accessories below.

ITEMS BELOW ARE ALSO AVAILABLE THROUGH AUTHORIZED CUMMINS SERVICE STATIONS AT DEALER PRICES.

			List	Degle	r Prices	
	Part No.	Description For Models	Price	1 Unit	3 Units	
MAXAW BLADES	53547	6%" Combination Blade 717-01, 727-01, 737-01, 757-01	\$2.35	\$1.65	\$1.57	
	53550	63/8" Cross Cut Blade 717-01, 727-01, 737-01, 757-01	2.35	1.65	1.57	
	53549	63/8" Rip Blade 717-01, 727-01, 737-01, 757-01	2.35	1.65	1.57	
	53551	63/8" Fine Tooth Blade 717-01, 727-01, 737-01, 757-01	2.80	1.96	1.87	
	53548	6%" Planer Blade 717-01, 727-01, 737-01, 757-01	6.75	4.73	4.50	
ww.	53546	6%" Flooring Blade 717-01, 727-01, 737-01, 757-01	2.80	1.96	1.87	
55		6%" Friction Blade 717-01, 727-01, 737-01, 757-01	6.75	4.73	4.50	
5 %		6%" Metal Cutting Blade 717-01, 727-01, 737-01, 757-01	6.75	4.73	4.50	
	THE RESIDENCE OF	71/4" Combination Blade 7800-01	2.95	2.07	1.97	
		71/4" Cross Cut Blade 7800-01	2.95	2.07	1.97	
		7¼" Rip Blade 7800-01	2.95	2.07	1.97	
		71/4" Fine Tooth Blade 7800-01	3.50	2.45	2.33	
		71/4" Planer Blade 7800-01	7.50	5.25	5.00	
		71/4" Flooring Blade 7800-01	3.50	2.45	2.33	
SAW BLADE	50384	4" Combination Blade for 620-01, and any				
		saw attachment with 1/2" round arbor	1.50	1.05	1.00	
ABRASIVE WHEELS HUB SETS	51494	6x1/8" Abrasive Wheel 717-01, 727-01, 737-01, (requires Hub Set below) 757-01, 7800-01	3.35	2.35	2.23	SA-12
	51498	6x1/8" Norflex Wheel 717-01, 727-01, 737-01, (requires Hub Set below) 757-01, 7800-01	3.60	2.52	2.40	1,000
	52138	Hub Set for abrasive 717-01, 727-01, 737-01, wheel use on 757-01, 7800-01	1.25	.88	.83	
DADO CUTTERS HUB SETS	51499	4x½" Dado Cutter with spacers 717-01, 727-01, 737-01, (requires hub set below) 757-01, 7800-01	15.00	10.50	10.00	
A Alues	53457	(requires hub set below) 757-01, 7800-01 Hub Set for 51499 7800-01	2.25	1.58	1.50	
The But	and the same of	Hub Set for 51499 717-01, 727-01, 737-01,	2.23	1.30	1.30	
2	33400	757-01, 757-01, 757-01, 757-01, 757-01, 757-01, 757-01	2.25	1.58	1.50	
MAXAW WRENCH	21045	Arbor Bolt Wrench 717-01, 727-01, 737-01, 757-01, 7800-01	.50	.35	.33	
SABRE-JIG SAW	24144	7 Tooth Blade for Rough cuts in wood (Pkg. of 3) 466-11	1.25	.88	.83	
BLADES	The second second second	10 Tooth Blade for Medium cuts in wood (Pkg. of 3) 466-11	1.25	.88	.83	
		18 Tooth Metal Cutting Blade (Pkg. of 3) 466-11	1.25	.88	.83	
		7 Tooth Flush Cutting Blade (Each) 466-11	1.45	1.02	.97	
		10 Tooth Hollow Ground Blade	1.70	1.02	.,,,	
	2.0.17	for fine cuts in wood (Each) 466-11	.85	.60	.57	
	54318	Knife for cutting leather, rubber, etc. (Each) 466-11	.45	.32	.30	
RIP FENCE GUIDE		For all Maxaws—Calibrated 717-01, 727-01, 737-01, 757-01, 7800-01	1.25	.88	.83	
-	54205	For Sabre-Jig Saw Doubles as circle cutting attachment 466-11	.75	.53	.50	
LUBRICANTS	51686	5 oz. Tube for all Maxaws	1.10	.77	.73	
	10.000000	2 oz. Tube, for Saber-Jig Saw	.75	.53	.50	
		2 oz. Tube for ¼", ¾" and ½" Drills	.75	.53	.50	
SCREW BITS		C. Washington and C.				
CHEW DIIS	THE RESERVE OF THE PERSON NAMED IN	Phillips Head Bit 156-01	.65	.46	.43	
		Slotted Bit 156-01	.50	.35	.33	
KIT CASES		Hip Roof Steel Case for 303-12, 303-21, 304-12, 304-22, 304-71 Kits	3.00	2.10	2.00	
		"Organizer" Steel Case for 305-12, 305-21, 30-01 Kits	5.50	3.85	3.67	
		Oversize "Organizer" Steel Case for 306-21, 318-11 Kits	6.95	4.87	4.63	
	017 21	Metal Case with Tray for 466-11, 476-01, 469-01	5.50	3.85	3.67	

MOST ACCESSORIES AND PARTS FOR CURRENT AND DISCONTINUED CUMMINS TOOLS NOT SHOWN CAN BE PROCURED FROM CUMMINS SERVICE STATIONS

	Part No.	Description	List	Dealer	Prices	4
the state of	Control	ATZ TOWER PRIMARD GIVENING GENERAL GENERAL THE PA	Price	1 Unit	3 Units	Ton in
DRILL BITS	50618	Set of 10 High Speed drill bits for metal, 1/16" to 1/4"	\$5.00	\$3.50	\$3.33	
and BORING SETS	50608	Set of 3 Drill bits for Wood, 5/16", 3/8", 1/2"	3.20	2.24	2.13	
DOMING SELS	50375	Set of 7 Drill bits for Wood or Metal, 1/16", to 1/4"	1.90	1.33	1.27	
and the same	50629	6 Piece Spade Bit Sets for Wood, 5/8" to 1"	2.00	1.40	1.33	12 14 15
LAMB'S WOOL	51298	43/4" diam. (fits 4" backing pad)	.90	.63	.60	
BONNETS	50623	5½" diam. (fits 5" backing pad)	1.00	.70	.67	
SANDING	21639	4" diam. 120 grit (fine) Pkg. of 6	.40	.28	.27	
DISCS	21638	4" diam. 60 grit (coarse) Pkg. of 6	.50	.35	.33	FLEE
	21988	5" diam. 120 grit (fine) Pkg. of 6	.50	.35	.33	HILL
STATE OF THE PARTY	21989	5" diam. 60 grit (coarse) Pkg. of 6	.60	.42	.40	
RUBBER BACKING	51296	4" diam. with ½" arbor hole	.75	.53	.50	
PADS	50620	5" diam, with ½" arbor hole	.90	.63	.60	
CLOTH BUFFING	51299	3" diam, with 1/4" arbor hole	.25	.18	.17	
WHEELS	50624	4½" diam. with ¼" arbor hole	.50	.35	.33	
WIRE WHEEL	50370	3" diam. with 1/2" arbor hole	.80	.56	.53	
BRUSHES	51315	4" diam. with ½" arbor hole	1.00	.70	.67	
GRINDING	50380	3" diam. with ½" arbor hole	.40	.28	.27	
WHEELS	51314	4" diam, with ½" arbor hole	.80	.56	.53	
UNIVERSAL ARBOR	51301	6-pc. Universal Arbor Set, same as furnished in				
		Cummins ¼" drill kits, fits any attachments with ¼" or ½" arbor hole	.50	.35	.33	
00110				.05	.55	- TANK
ADAPTOR PLUG	50883	Adapting 3-wire cord to 2-wire receptacle	.75	.53	.50	
CONVERSION	51904	1/4" Conversion Geared Chuck and Key to replace			10000	
CHUCK	HE	Hand-Tite chuck on any 1/4" drill with 1/2" x 24 threaded spindle	5.50	3.85	17 -	

MOST ACCESSORIES AND PARTS FOR CURRENT AND DISCONTINUED CUMMINS TOOLS NOT SHOWN CAN BE PROCURED FROM CUMMINS SERVICE STATIONS

"Service Parts are available from the nearest CUMMINS Service Station authorized to service all John Oster Manufacturing Co. products at 25% discount: minimum order—\$1.00 to obtain discount."