



Use the RetroPlate Concrete Polishing System!





#### PIONEERS OF THE CONCRETE POLISHING INDUSTRY

RetroPlate is a chemically reactive liquid which enhances concrete density and hardness, allowing concrete surfaces to be **polished** to a high, marble-like sheen. In conjunction with diamond tools and machinery, and the process of grinding and polishing concrete, it is known as the RetroPlate Concrete Polishing System.



Join our Certified Applicator Network!

**APPLY TODAY!** 

www.curecrete.com/joinourteam



MORE+ 30% INCREASED LIGHT REFLECTIVITY

UP TO 400% INCREASED ABRASION RESISTANCE

UP TO 21% INCREASED IMPACT STRENGTH





**REDUCED** LIFE CYCLE COST

NEW OR EXISTING CONCRETE

NO RE-APPLICATION

EASE OF MAINTENANCE

LONG TERM PERFORMANCE

TRULY SUSTAINABLE SYSTEM

### THE RETROPLATE **PROCESS**

### **GRIND**

Grind the floor with industrial strength diamonds to remove imperfections such as trowel marks or scratches, and expose bare concrete by removing existing coatings or mastics. Grinding can be light to heavy depending on the desired level of exposed aggregate.

Polished Concrete Aggregate Exposure Chart.



CLASS B

FINE AGGREGATE



RetroPlate penetrates the concrete and chemically reacts to harden and densify the floor by filling pores and creating a denser surface. Many densifiers on the market claim to work for polished concrete, but RetroPlate has been specifically formulated to allow the concrete surface to be polished to a marblelike sheen.

\*A simple scratch test with a metal object demonstrates the softness of nondensified concrete and the hardness of densified concrete.

\*\*Microscopic view: porous structure of non-densified concrete surface and filled-in pores of densified concrete surface.





# COLOR

**CEMENT FINES** 

Add style and personality to your polished concrete floors with an array of color options. Achieve any look and style with full color floors, custom logos or unique patterns.

Color options for polished concrete include: integral color, dry shake and topical dyes and stains.



COARSE AGGREGATE



# POLISH

Polish the floor with progressively finer diamond grits to achieve the level of shine and reflection desired. Polished concrete floors can be polished from a flat, matte appearance, to a highly polished, glossy finish.

\*DOI - Distinctness-of-Image. The DOI, Image Clarity Value, range from 0 to 100 with a value of 100 representing perfect DOI (image clarity).

\*\*Classifications according to Concrete Polishing Council's (CPC) Polished Concrete Appearance Chart.





## ONE COMPLETE SYSTEM

Our "One Complete System" of concrete floor products works together to enhance the performance of your concrete floors.

ONE COMPLETE SYSTEM
FOR ALL YOUR DENSIFIED
AND DENSIFIED-POLISHED
CONCRETE FLOORING NEEDS



PREPARE

FILL 8



DENSIFY-POLISH

DENSIFY

PROTECT CLEAN + MAINTAIN

Product availability varies by market. Contact your local representative.

#### **PREPARE**

Remove existing floor coverings and/or coatings chemically or by grinding the concrete surface until all residue has been adequately removed.

**Chemical Strippers:** 

**Grinding Accelerant:** 

CRETE CRETI

KICK

Slurry Clean-Up: **Slurry Dry** 





#### STYLE & DESIGN

Unlock your concrete floor's unlimited design potential through diamond grinding and honing, and colorful dyes.

Grinding, Honing & Color:

DIAMONDS & RETRO DYE





#### FILL & REPAIR

Properly filling and repairing concrete joints, cracks, and spalls, increases the aesthetic appeal of your densified-polished concrete floor, and ensures optimum floor performance for the life of your floor.

Joint, Crack & Spall Repair System:

CRETEFILL PRO SERIES





#### D---:t:-4V---1:4V-

**PROTECT** 

Densified-polished concrete is durable and beautiful, but in certain circumstances may require added protection. Topical stain repellents and guard products specifically formulated for densifed-polished concrete floors may be used, but will require periodic re-application.

Stain Repellent, Guard & Salt Protection:

RETRO RETRO SALT GUARD PEL SLAYER



#### **CLEAN + MAINTAIN**

The durability and longevity of densified-polished concrete is unmatched by other flooring products. However, adequate and proper maintenance is key to optimal floor performance. Concrete requires minimal maintenance, and with the proper tools, is very easy to do.

**Concrete Cleaners:** 










CreteClean Plus is safe for your floors, and your employees and customers!





# PRODUCT, LABOR & PERFORMANCE WARRANTY

RetroPlate floors receive a 10-Year Product, Labor and Performance Warranty (the only one in the industry) which can be extended to a Lifetime Warranty when maintained with CreteClean Plus with Scar Guard™.







The RetroPlate System contributes to LEED Points and has been used in many facilities earning LEED Platinum, Gold, Silver and Certified status.

\*Photos from top to bottom:

#### **LEED PLATINUM**

Autodesk San Francisco, CA

LEED GOLD

Washington Station/Obrien & Gere Headquarters
Syracuse, NY

#### **LEED SILVER**

Cascadia Community College Bothell, WA

#### LEED CERTIFIED

Syracuse University - Carmelo K. Anthony Basketball Center
Syracuse, NY

\*The above list is a small sampling of the numerous LEED projects that have utilized the RetroPlate System. For a more extensive list, contact Curecrete or visit www.retroplate.com.

# TRANSPARENCY MATTERS

Health Product Declaration



HPD v2.2
Health Product
Declaration












# GREEN AND SUSTAINABLE



#### **CONTRIBUTES TO LEED**

The California Academy of Sciences in San Francisco is one of the world's greenest museums, earning 2 LEED Platinum awards and making it the world's first "Double Platinum"

museum.

**CALIFORNIA ACADEMY** OF SCIENCES

contributor document online.



#### **NO VOCs**

RetroPlate contains no Volatile Organic Compounds - 0 g/L (VOC-free) and contains no solvents. It also eliminates the need for floor adhesives.

**UNIVERSITY OF CALGARY** TAYLOR INSTITUTE

See our independent VOC emission test certificate online!



#### **ENHANCED NATURAL LIGHTING**

Indoor spaces with highly reflective floors, such as densifiedpolished concrete, increase daylight reflectivity. Natural light (daylighting) has been touted not only for it's aesthetics, but also it's productivity and comfort benefits.

**CURECRETE HEADQUARTERS** SPRINGVILLE, UT, USA





#### **RE-USE EXISTING CONCRETE** | Sustainability

Existing concrete floors previously covered in coatings or material coverings can be rejuvenated and given new life by converting them into densified-polished concrete floors with limitless design potential and a one-time, permanent application that never requires re-application.



1/3 OF THIS VOLKSWAGEN **FACILITY'S LIGHTS HAVE BEEN PERMANENTLY TURNED OFF** 


"The RetroPlate System has met and exceeded all of our needs and expectations." The application has decreased our maintenance requirements as well as our utility costs. Thanks to the light reflective properties of the RetroPlate System we were able to turn off 1/3 of our overhead lights, cutting our bottom line significantly. The air is free of dust and debris allowing my colleagues and I to work in a safe and healthy environment."

> Tim Ryan, Facility Engineer Volkswagen Canada, Inc.

#### LIFE CYCLE COST COMPARISON

PRODUCT	INSTALLED COST	ANNUAL MAINTENANCE	EXPECTED LIFE	10 YEARS EXPENSE
RetroPlate	\$2 - \$4	\$0.25	10+ yrs.	\$4.50 - \$6.50
RetroPlate w/ Dyes	\$2.50 - \$6	\$0.25	10+ yrs.	\$5.00 - \$8.50
Acrylic	\$0.20	\$0.50	6 - 12 mos.	\$5.10 (min.)
Urethane	\$0.75 - \$2	\$1.50	2 - 9 yrs.	\$16 - \$17
VCT	\$1.50 - \$4	\$1.50	10+ yrs.	\$16 - \$20
Ероху	\$1.50 - \$5	\$1.50	1 - 5 yrs.	\$16 - \$20
Carpet	\$2.50+	\$1.50	5 - 10 yrs.	\$17 - \$20
Vinyl	\$3 - \$5	\$1.50	9 yrs.	\$18 - \$25
Terrazzo (epoxy)	\$13	\$0.50	10+ yrs.	\$18
Ceramic Tile	\$7 - \$8	\$1.50	10+ yrs.	\$22 - \$23
Terrazzo (cement)	\$12	\$0.70	10+ yrs.	\$19

\*All prices are square-foot costs and use the initial installed cost, annual maintenance cost and life of the product to determine the Total Expense for 10 years. Information, other than for RetroPlate, is from NTMA, Concrete Construction and other independent sources. These are national pricing averages. Prices may vary depending on region.



JM TAWES TECH SCHOOL // Westover, MD, USA by Master Applications

SAM'S CLUB // Daytona, FL, USA by American Concrete Coatings

# PROJECT HIGHLIGHTS

photos at your fingertips!





TAC AIR // Provo, UT, USA by CDC Restoration and Construction











#### **ELMWOOD PARK HIGH SCHOOL EXPANSION AND RENOVATION**

Elmwood Park, IL, USA // Applicator: Artlow Systems

**DLA Architects, Ltd.** specified RetroPlate for this high school's expansion and renovation project. Longtime RetroPlate applicator **Artlow Systems** polished the concrete floors and installed decorative saw cuts differentiated with black and gold dyes, an homage to the high school's

This project is a fine example of how a RetroPlate floor can be a durable, beautiful and "green," having no negative impact on the environment and providing a healthy space for the building's occupants.

In September 2018, three years after installation, Curecrete representatives visited the project and spoke with school officials who expressed their satisfaction with the floor's ease of maintenance and reported no issues with durability of this high traffic floor.

This project was the feature cover story in the July-August 2016 issue of Design Cost Magazine. DLA Architects was the 2015 Award of Distinction winner in the annual Invitation Exhibition of Educational Environments for their design of this project.





#### PROVIDENCE ST. PETER **HOSPITAL**

The concrete floors of Providence St. Peter Hospital in Olympia, Washington was acid stained and then polished with RetroPlate in 2002-2003.

Twelve years later, the polished concrete floor is as beautiful as it was at the time of application and with no additional topical protection. This floor is a prime example of a properly densifiedpolished floor's durability, longevity and protection - even to the point of preserving the acid stained colors.

RetroPlate polished concrete works well in both schools and healthcare facilities because it does not support the growth of mildew, allergens or dust mites, and is a dust-free surface.

Photos courtesy of Peter Wagner.

#### Olympia, WA, USA // Applicator: Peter Wagner









# CARE AND MAINTENANCE

#### MAINTENANCE PROGRAM

An effective maintenance program that includes routine scrubbing with soft to medium maintenance pads, ample down pressure and proper amounts of water and cleaner will enhance the floor's performance significantly.

Scrub Floor OFTEN: Minimum routine cleaning 2 - 3 times per week with CreteClean Plus with Scar Guard provides superior results.

Clean Spills QUICKLY: Corrosive, oily, or aggressively staining contaminants should be removed quickly to avoid possible staining.

#### RECOMMENDED SUPPLIES

- > Mop & Bucket
- > Automatic Scrubber

Capable of 125 - 150 lbs. of downward pressure.

- > Soft to Medium Maintenance Pads or Nylon Brushes
- > Cleaner\*: CreteClean Plus with Scar Guard™

Performance enhancing cleaner specifically designed to clean densified and densified-polished concrete floors. Regular use helps decrease the visibility of minor scratches and blemishes and helps maintain the concrete sheen.

> Chemical Stripping: CreteStrip™, CreteStrip FS™

Use as directed and necessary

#### CONDITIONS TO AVOID

- > Standing liquids of any kind
- > Cleaners containing hydroxides or sulfates
- > Acidic or caustic cleaners: acidic cleaners will etch the surface over time and dull the floor's finish
- > All contact with any acids
- > Treated dust mops or sweeping compounds
- > Bleach or any acidic/harsh chemicals
- > Aggressive scrubbing brushes; Strata Grit, Nylo-Grit and other aggressive scrubbing brushes will alter the polished pattern and leave a dull appearance.

\*If other cleaners are used they should be non-acidic and void of hydroxides and sulfates.

#### **RECOMMENDED PRODUCTS**

#### **CLEANERS:**







- 1 gal (3.79 L) jug
- 5 gal (19 L) pail
- 55 gal (208 L) drum
- 12 oz bottle with easy dosing meter for mop and bucket cleaning, and small and large auto scrubbers!

#### **CHEMICAL STRIPPERS:**



5 gal (19 L) pail

55 gal (208 L) drum



- 1 gal (3.70 L) canister
- 5 gal (19 L) pail

#### **SALT PROTECTION:**




- 5 gal. (19 L) pails
- 55 gal. (208 L) drums





#### DON'T JUST IMAGINE THE POSSIBILITIES...

#### **DESIGN THEM ONLINE**



#### UNLOCK YOUR FLOOR'S UNLIMITED DESIGN POTENTIAL

RetroPlate's innovative **DESIGN CENTER** allows you to visualize your polished concrete flooring options against 3 separate backgrounds. Scan the code or visit the link below to explore the endless possibilities!



www.retroplatesystem.com/design-your-floor

- SELECT BACKGROUND
- SELECT DYE COLOR
- SELECT AGGREGATE LEVEL
- SELECT SHEEN

#### **TECHNICAL INFORMATION QUICK LINKS**

#### **SPEC** 033543 (PDF)

TEST 1

General

Editable format on website



**HPD v2.2** 

Health Product Declaration

TEST 2

Co-Efficient

of Friction



SDS Safety Data



Abrasion & Impact Strength



TEST 3

#### **CERTIFICATIONS** & RECOGNITIONS

- TÜV SŰD TM 14 Tested and Certified
- Zero (0) VOCs
- CE Declaration of Conformity
- **REACH Certified**
- NFSI Certified "High-Traction"
- Approved for use in food handling facilities











#### CONTACT >

1203 Spring Creek Place Springville, UT 84663, USA

(801) 812-3420 (888) 942-3144

www.retroplate.com www.curecrete.com

#### **TECHNICAL** ▶

info@retroplatesystem.com

#### **CUSTOMER CARE**

customercare@curecrete.com

#### **HOW TO BUY**

RetroPlate is sold through a network of manufacturer representatives and international distributors. To locate your representative or distributor, please contact us.