



# The FLUKA Code


An Introduction to FLUKA:  
a multipurpose Interaction and Transport MC code

Beginners' FLUKA Course

# FLUKA

**Main authors:** A. Fassò, A. Ferrari, J. Ranft, P.R. Sala

**Contributing authors:** G. Battistoni, F. Cerutti, M. Chin, T. Empl, M.V. Garzelli, M. Lantz, A. Mairani, V. Patera, S. Roesler, G. Smirnov, F. Sommerer, V. Vlachoudis



Developed and maintained under an INFN-CERN agreement Copyright 1989-2011 CERN and INFN

>4000 users

<http://www.fluka.org>

# The FLUKA international Collaboration



V. Boccone, T. Boehlen, M. Brugger, F. Cerutti, M. Chin, Alfredo Ferrari, A. Mereghetti, S. Roesler, G. Smirnov, C. Theis, R. Versaci, Heinz Vincke, Helmut Vincke, V. Vlachoudis, J. Vollaire, CERN



A. Fassò, Jefferson Lab, USA

J. Ranft, Univ. of Siegen, Germany



G. Battistoni, F. Broggi, M. Campanella, F. Cappucci, E. Gadioli, S. Muraro, P.R. Sala, INFN & Univ. Milano, Italy

L. Sarchiapone, INFN Legnaro, Italy

G. Brunetti, A. Margiotta, M. Sioli, INFN & Univ. Bologna, Italy



V. Patera, INFN Frascati & Univ. Roma La Sapienza, Italy



M. Pelliccioni, INFN Frascati & CNAO, Pavia, Italy

A. Mairani, CNAO Pavia, Italy



M. Santana, SLAC, USA

M.C. Morone, Univ. Roma II, Italy



K. Parodi, F. Sommerer, HIT, Heidelberg, Germany

A. Empl, L. Pinsky, B. Reddell, Univ. of Houston, USA



K.T. Lee, T. Wilson, N. Zapp, NASA-Houston, USA



S. Rollet, AIT, Austria



UPPSALA  
UNIVERSITET

M. Lantz, Uppsala Univ., Sweden

S. Trovati, PSI, Switzerland

PAUL SCHERRER INSTITUT



G. Lukasik, Poland

P. Colleoni, Bergamo, Italy

M.V. Garzelli, Granada Univ., Spain




Anna Ferrari, FZR Rossendorf, Germany



Forschungszentrum  
Rossendorf

# FLUKA Applications

- Cosmic ray physics
- Neutrino physics
- Accelerator design (→ n\_ToF, CNGS, LHC systems)
- Particle physics: calorimetry, tracking and detector simulation etc. (→ ALICE, ICARUS, ...)
- ADS systems, waste transmutation, (→ "Energy amplifier", FEAT, TARC, ...)
- Shielding design
- Dosimetry and radioprotection
- Space radiation
- Hadrontherapy
- Neutronics



# The History

## The early days

### The beginning:

1962: Johannes Ranft (Leipzig) and Hans Geibel (CERN):  
Monte Carlo for high-energy proton beams

### The name:

1970: study of event-by-event fluctuations in a NaI  
calorimeter (FLUktuierende KAskade)

Early 70's to ≈1987: J. Ranft and coworkers (Leipzig University) with contributions  
from Helsinki University of Technology (J. Routti, P. Aarnio) and CERN  
(G.R. Stevenson, A. Fassò)

Link with EGS4 in 1986, later abandoned

## The modern code: some dates

Since 1989: mostly INFN Milan (A. Ferrari, P.R. Sala): little or no remnants of  
older versions. Link with the past: J. Ranft and A. Fassò

1990: LAHET / MCNPX: high-energy hadronic FLUKA generator No further update

1993: G-FLUKA (the FLUKA hadronic package in GEANT3). No further update

1998: FLUGG, interface to GEANT4 geometry

2000: grant from NASA to develop heavy ion interactions and transport

2001: the INFN FLUKA Project

2003: official CERN-INFN collaboration to develop, maintain and distribute FLUKA

# The FLUKA Code design - 1

- Sound and updated physics models
  - Based, as far as possible, on original and well-tested **microscopic models**
  - Optimized by comparing with experimental data **at single interaction level**: "theory driven, benchmarked with data"
  - Final predictions obtained with **minimal free parameters** fixed for all energies, targets and projectiles
  - Basic **conservation laws fulfilled "a priori"**
    - *Results in complex cases, as well as properties and scaling laws, arise naturally from the underlying physical models*
    - Predictivity where no experimental data are directly available

It is a "condensed history" MC code, with the possibility use of single instead of multiple scattering

# The FLUKA Code design - 2

## ■ Self-consistency

- Full cross-talk between all components: hadronic, electromagnetic, neutrons, muons, heavy ions
- Effort to achieve the same level of accuracy:
  - for each component
  - for all energies
- Correlations preserved fully within interactions and among shower components
- *FLUKA is NOT a toolkit! Its physical models are fully integrated*

# The Physics Content of FLUKA

- **60 different particles + Heavy Ions**
  - Nucleus-nucleus interactions from Coulomb barrier up to 10000 TeV/n
  - Electromagnetic and  $\mu$  interactions 1 keV - 10000 TeV
  - Hadron-hadron and hadron-nucleus interactions 0-10000 TeV
  - Neutrino interactions
  - Charged particle transport including all relevant processes
  - Transport in magnetic fields
  - Neutron multigroup transport and interactions 0 - 20 MeV
  - Analog calculations, or with variance reduction



# The FLUKA course: an Introduction

## How:

This course is intended to provide users with the basic (and possibly more than basic!) knowledge of:

- a) The most relevant FLUKA instructions and options
- b) The physics models adopted in FLUKA
- c) The different scoring options embedded in FLUKA
- d) The different running options
- e) How to insert user code in FLUKA
- f) The tools to plot results
- g) The right approach to the existing documentation
- h) The procedures to overcome difficulties and problems and related debugging tools
- i) etc. etc.

# Method

- There will be formal lectures but they will be followed as much as possible by practical (simple) examples.
- Emphasis will be given to practice.
- If possible we shall try to transform your questions into cases of general interest.

# A possible problem

- People here are not at the same level of FLUKA knowledge. There are those who already have some experience, maybe not negligible.
- However we need to start from scratch.
- We apologize to the experienced people and beg them to be patient: it's not excluded a priori that they can learn something new also concerning the very basic elements!



**A glimpse of FLUKA**

# The FLUKA version

FLUKA20xx.n(y)(.m)

Major version

Minor version

Patch level

Respin

Since 2006 each version is going to be maintained for 2 years max.

In this course we are using FLUKA2011.1

# The FLUKA license (it is not GPL):

- **Standard download: binary library + user routines.**
  - FLUKA can be used freely for scientific and academic purposes, ad-hoc agreement for commercial purposes
  - It cannot be used for weapon related applications
  - It is not permitted to redistribute the code (single user, single site)
  - User can add their own scoring, sources etc through a wide set of user routines, provided they don't modify the physics
  - Relevant references for each FLUKA version can be found in the documentation
- **It is possible, by explicit signature of license, to download the source for researchers of scientific/academic Institutions. (!!! now from NEA as well !!!)**
  - FLUKA cannot be copied, even in part, into other codes, or translated into another language without permission.
  - The user cannot publish results with modified code, unless explicit authorization is granted in advance.

# Using FLUKA

**Platform:** Linux with g77

Under test: Linux and Mac OSX (gfortran), Windows-Cygwin (g95)

*The code can be compiled/run only on with operating systems, compilers (and associated) options tested and approved by the development team*

Standard Input:

- Command/options driven by "data cards" (ascii file) .  
**Graphical interface is available!!!!**
- Standard Geometry ("Combinatorial geometry"): input by "data cards"

Standard Output and Scoring:

- Apparently limited but highly flexible and powerful
- **Output processing and plotting interface available**

# The FLUKA mailing lists

- [fluka-users@fluka.org](mailto:fluka-users@fluka.org)

Users are automatically subscribed here when registering on the web site. It is used to communicate the availability of new versions, patches, etc.

- [fluka-discuss@fluka.org](mailto:fluka-discuss@fluka.org)

Users are encouraged to subscribe at registration time, but can uncheck the relevant box. It is used to have user-user and user-expert communication about problems, bugs, general inquiries about the code and its physics content

**users are strongly encouraged to keep this subscription**



# FLUKA Description

- FLUKA is a general purpose tool for calculations of particle transport and interactions with matter, covering an extended range of applications: from proton and electron accelerator shielding to target design, calorimetry, activation, dosimetry, detector design, Accelerator Driven Systems, cosmic rays, neutrino physics, radiotherapy etc.

- 60 different particles + Heavy Ions

- Hadron-hadron and hadron-nucleus interaction "0"-10000 TeV
- Electromagnetic and  $\mu$  interactions 1 keV - 10000 TeV
- Nucleus-nucleus interaction up to 10000 TeV/n
- Charged particle transport and energy loss
- Neutron multi-group transport and interactions 0-20 MeV
- n interactions
- Transport in magnetic field
- Combinatorial (boolean) and Voxel geometries
- Double capability to run either fully analogue and/or biased calculations
- On-line evolution of induced radioactivity and dose
- User-friendly GUI interface thanks to the Flair interface

Full mixed field capability


- Maintained and developed under CERN-INFN agreement and copyright 1989-2011
- More than 4000 users all over the world <http://www.fluka.org>



# Examples of FLUKA Applications


# The TARIC experiment at CERN:

- Beam hole  
 $\phi = 77.2 \text{ mm}$
- Measuring holes  
 $\phi = 64 \text{ mm}$




# The TARC experiment: neutron spectra


FLUKA + EA-MC (C.Rubbia et al.)




# Applications – *LHC collimation region*



# Example: 3 Primary Collimators IR7



# Studies of the radiation damage to the LHC copper collimators




Estimated number of DPA per incident proton (beam size ~ accident case) on a copper jaw


# Applications – LHC collimation region

Cooling time


8 hours




1 week



4 months



Residual dose rate (mSv/h) after one year of operation



CERN-SC-2005-092-RP-TN


REMANENT DOSE RATE MAPS OF THE LHC BETATRON CLEANING INSERTION (IR7)

M. Brugger, D. Forkel-Wirth, S. Roesler





# Applications – CNGS

## CERN NEUTRINOS TO GRAN SASSO Underground structures at CERN





# Cern Neutrino to Gran Sasso




Engineering and physics: target heating, shielding, activation, beam monitors, neutrino spectra

CNGS cible, 4 mm dia .53 mm sigma




Muons in muon pits: horiz. distribution for beam alignment  
Energy deposition in CNGS target rods,  $GeV/cm^3/pot$

# Applications – CNGS




Example:

$t_{cool} = 1 \text{ day}$




Residual Dose Equivalent Rate (mSv/h)  
 200 days irradiation, 1 day cooling  
 $8 \times 10^{12}$  protons/s






# Effect of a magnetic muon spoiler in the LCLS tunnel

The spoiler allows to reduce the shielding thickness in the forward direction.  
dose rate map without spoiler the same with spoiler



Magnetic field map used by FLUKA




# Damage to electronics

SLAC: Damage to electronics near the dumps at the LCLS (Linear Coherent Light Source)


The lifetime of electronic components can be estimated as a function of the distance to major sources of radiation

1-MeV  
neutron  
equivalent  
fluence

Calculation of  
lifetime of  
electronics  
equipment as  
a function of  
the distance to  
TDUND




# CERN-EU High-Energy Reference Field facility (CERF)



Thermo-Eberline dose-meter FHZ 672



Iron





samples in contact with a 50 cm long, 7 cm diameter copper target, centred on the beam axis



Microspec


# Test of instrumentation : Beam Loss Monitors at CERF

CERN-EN-NOTE-2010-002-STI







CERF setup

BLM's positions




# CERF particle spectra





# (3D) Calculation of Atmospheric $\nu$ Flux

Sub-GeV flux at Kamioka




The first 3-D calculation of atmospheric neutrinos was done with FLUKA.

The enhancement in the horizontal direction, which cannot be predicted by a 1-D calculation, was fully unexpected, but is now generally acknowledged.


In the figure: angular distribution of  $\nu_\mu$ ,  $\bar{\nu}_\mu$ ,  $\nu_e$ ,  $\bar{\nu}_e$ .

In red: 1-D calculation

# Negative muons at floating altitudes: CAPRICE94



# Neutrons on the ER-2 plane at 21 km altitude




Measurements:

Goldhagen et al., NIM A476, 42 (2002)

Note one order of magnitude difference depending on latitude


FLUKA calculations:

Roesler et al., Rad. Prot. Dosim. 98, 367 (2002)



# Dosimetry Applications


Roesler et al.,  
Rad. Prot. Dosim.  
98, 367 (2002)




Ambient dose equivalent from neutrons at solar maximum on commercial flights from Seattle to Hamburg and from Frankfurt to Johannesburg.

Solid lines: FLUKA simulation

# Dosimetry applications: doses to aircrew and passengers



# Carbon Ion Therapy




Exp. Data (points) from Haettner et al, Rad. Prot. Dos. 2006  
Simulation: A. Mairani PhD Thesis, 2007, Nuovo Cimento C, 31, 2008

# Using the information from the patient CT in the MC

## The Voxel Geometry


- FLUKA can embed voxel structures within its standard combinatorial geometry
- Transport through the voxels is optimized and efficient
- Raw CT-scan outputs can be imported

**The GOLEM phantom**  
Petoussi-Henss et al, 2002



# Proton therapy: dose and PET distributions from MC, Head

Clival Chordoma, 0.96 GyE / field,  $\Delta T_1 \sim 26$  min,  $\Delta T_2 \sim 16$  min



*K. Parodi et al., PMB52, 3369 (2007)*