

THE MARKET LEADER IN THE DESIGN, MANUFACTURE AND MARKETING OF DIY STEEL STORAGE SOLUTIONS

2017 DROP SHIP



ABOUT US

Arrow is the market leader in the design, manufacture, sourcing, and marketing of DIY outdoor steel storage solutions. For over 50 years of operation, Arrow has built strong brand recognition and loyalty from high quality, longevity, and value. As a global leader in steel consumer storage, we have production / distribution facilities in North America – Breese, IL, Haskell, NJ, Fontana, CA, and Mississauga ON Canada. Arrow has international sales management representation throughout North America, Europe and South America.

Our customers include home improvement retailers, distributors, hardware dealers, mass merchants, and the e-commerce business segment. The Arrow product line includes a wide range of steel outdoor storage solutions, including accessories, to meet the small and large storage needs of the end-user. From storage sheds and utility buildings to deck/patio storage and marine storage to carports and accessories, we offer quality and innovation in the outdoor storage category.



We've got you covered.


Arrow Storage Products is the leading designer, manufacturer and distributor of steel storage units delivered in kit form. Since it was established in 1962 as Arrow Group Industries, the company has sold more than 13 million sheds to customers around the world through its retail partners.

Breese Headquarters 1101 North 4th Street Breese, IL 62230




Innovation in design and product aesthetics to improve the end user experience.






Basket Weave

Snap-It™ Panel Connection



Snap-It[™] Post/Frame Connection





Modular Storage Shed



Raised Panel for Storage Shed



Peg Panel for Storage Shed



Keystone for Storage Shed



DECK BOX

The Spacemaker® Deck Box is an attractive and versatile outdoor storage bench with roomy, and convenient storage. It's a great steel storage box that's perfect for both indoor and outdoor. If you're looking for storage for the poolside or a container for your outdoor patio, you need to look no further. Need something sturdy that'll store patio accessories during any season? Or need some indoor storage for your living room? The Spacemaker Deck Box is the perfect storage solution.

• HDG[®] steel for strong corrosion resistance

 Color: Espresso or Anthracite



Spacemaker® Deck Boxes

Model Number			Nomina	al Size				Stora	ge Area			E	xterior	Dimensio	ns		Door	Width	Door l	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	h Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
DBBWAN	4.5	2.5	2	1.37	0.76	0.61	9.21	0.86	18.72	0.53	52.25	27.5	26.125	132.72	69.85	66.36	N/A	N/A	N/A	N/A	N/A	N/A
DBBWES	4.5	2.5	2	1.37	0.76	0.61	9.21	0.86	18.72	0.53	52.25	27.5	26.125	132.72	69.85	66.36	N/A	N/A	N/A	N/A	N/A	N/A

VERSA-SHED[™]

A multi-purpose horizontal storage shelter that's ideal for refuse and recycling bins, small garden tools and supplies, outdoor gear, and more!


Galvanized steel for strong corrosion resistance

• Color: Onyx



EVRS53





Versa-Shed[™] Storage Sheds

Model Number			Nomina	al Size				Stora	ge Area				xterior I	Dimensio	ns		Door	Width	Door H	leight	Wall H	leight
	Width Length Height ft.			Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
EVRS53	5	3	4	1.52	0.91	1.22	9.25	0.86	36.008	1.02	56.5	29.625	50.25	144	75	128	42	N/A	42.5	N/A	45.5	116
EVRS63	6	3	4	1.83	0.91	1.22	11.975	1.11	46.603	1.32	72	29.625	50.25	183	75	128	57.5	N/A	42.5	N/A	45.5	116



The compact Brentwood provides convenient storage in narrow, hard-to-fit locations. There is 93 cu. ft./2,63 m³ of storage for lawn equipment, pool accessories and other items from sports equipment to bicycles. The compact 5 x4 ft., 1,52 x 1,22 m size gives you easy access to stored items in convenient locations.

Best value storage solution.

Easy to assemble.

- Galvanized steel for strong corrosion resistance
- Sliding Door
- Lean-to roof
- Color: Taupe, Eggshell, Coffee



Brentwood Shed 5 x 4 ft.

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	nensions		Door	Width	Door H	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
BW54-A	5	4	6	1.52	1.22	1.83	16	1.49	93	2.63	59.5	48	70.75	151.13	121.92	179.71	22.25	56.515	65	165.10	67	170.18

Accessories



FB5465









800.840.8552 • See our complete line at www.arrowsheds.com




This economical garden shed is perfect for your yard essentials, gardening tools and more. This simple and efficiently designed shed is attractive whether free-standing or against a wall. Roll your wheelbarrow inside with ease through its large swing-out doors and stand up tall with its high ceiling. Sturdy steel garden shed and outdoor storage.

Locking handle for storage security

Includes floor frame, four wide shelves and tool hanger rack.

- Galvanized steel for strong corrosion resistance
- Color: Eggshell, Taupe



Garden Shed 8 x 3 ft.

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	nensions		Door	Width	Door H	leight	Wall H	leight
	Width	f+	Height	Width	Length	Height	sq. ft	m²	cu. ft.	m³	Width	Depth in.	Height	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
GS83-C	8	3	5.5	2.44	0.91	1.68	23	2.14	122	3.45	99.375	00.05	65.625	252.41	99.70	166.69	50.25	127.64	59.75	151.77	62	157.48

Accessories




ARROW YARDSAVER® SERIES

An innovation in compact, economical storage space solutions, the Yardsaver® fits in and blends in like no other building can. The horizontal paneling looks great "leaning" against any wall or in narrow, hard-to-fit areas. Yardsaver® is ideal for storing trash containers, bicycles, lawn equipment, firewood and more.

Best value storage solution.

- Galvanized steel for strong corrosion resistance
- Color: Eggshell




YS47-A

Yardsaver® Steel Storage Sheds

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	ensions		Door	Width	Door H	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
YS410-A	4	10	7	1.22	3.05	2.13	38	3.53	227	6.43	49	116	82	124.46	294.64	208.28	38.5	97.79	60.25	153.04	62.5	158.75
YS47-A	4	7	7	1.22	2.13	2.13	26	2.42	154	4.36	49	79.75	82	124.46	202.57	208.28	38.5	97.79	60.25	153.04	62.5	158.75

Accessories



AK4



Floor Frame Kit FB47410

Concrete Anchor Kit AK100

800.840.8552 • See our complete line at www.arrowsheds.com



The lean-to design of this pent roof steel storage lets it fit into the smallest of areas, up against a fence, garage or any other space. Great for storing those items that need to be found quickly and often. Durable and strong HDG STEEL® keeps belongings secure and includes natural light panels.

HDG steel[®] for strong corrosion resistance

Color: Eggshell, Green





ELPHD64







ELPHD84

Euro-Lite[™] Pent Window Sheds

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	ensions		Door	Width	Door I	leight	Wall H	leight
	Width	Length	Height	Width	Length	n Height	sq. ft	m²	cu. ft.	m³	Width	Depth	Height	Width	Depth	Height	in.	cm	in.	cm	in.	cm
		ft.			m						in.	in.	in.	cm	cm	cm						
ELPHD104	10	4	6.5	3.05	1.22	1.98	38	3.53	239	6.77	123.5	51.375	79	313.69	130.49	200.66	59.5	151.13	69	175.26	71.25	180.98
ELPHD64	6	4	6.5	1.83	1.22	1.98	24.875	2.31	155.09	4.39	81.875	51.375	79	207.96	130.49	200.66	59.5	151.13	69	175.26	71.25	180.98
ELPHD84	8	4	6.5	2.44	1.22	1.98	31	2.88	192	5.44	100	51.375	79	254	130.49	200.66	59.5	151.13	69	175.26	71.25	180.98

Accessories





FBSELP

Concrete Anchor Kit AK100

800.840.8552 • See our complete line at www.arrowsheds.com

Earth Auger Kit



If you're looking for an affordable shed that is built strong, features an improved assembly system, and is an overall stronger and more reliable shed, consider the EZEE Shed[®]. The EZEE Shed's Snap-IT[™] Quick Assembly features the Snap-IT[™] Lock which connects the steel wall panels of your shed together by snapping into place. Once snapped, the two panels are locked in and create a layered wall effect that increases the strength of your unit.

Galvanized steel for strong corrosion resistance

Color: Cream, Charcoal Charcoal/Cream Trim Cream/Charcoal Trim





EZ10872HVCC

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	terior Din	nensions		Door	Width	Door	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	n Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
EZ10872HVCC	10	8	8	3.05	2.44	2.44	71	6.60	502	14.22	117.75	98	98	299	249	249	63.5	161	69.75	177	72	183
EZ10872HVCCCR	10	8	8	3.05	2.44	2.44	71	6.60	502	14.22	117.75	98	98	299	249	249	63.5	161	69.75	177	72	183
EZ10872HVCR	10	8	8	3.05	2.44	2.44	71	6.60	502	14.22	117.75	98	98	299	249	249	63.5	161	69.75	177	72	183
EZ10872HVCRCC	10	8	8	3.05	2.44	2.44	71	6.60	502	14.22	117.75	98	98	299	249	249	63.5	161	69.75	177	72	183
EZ6565LVCC	6	5	6	1.83	1.52	1.83	24.75	2.30	140.25	3.97	69.75	62	72	177	157	183	31	79	62.75	159	65	165
EZ6565LVCCCR	6	5	6	1.83	1.52	1.83	24.75	2.30	140.25	3.97	69.75	62	72	177	157	183	31	79	62.75	159	65	165
EZ6565LVCR	6	5	6	1.83	1.52	1.83	24.75	2.30	140.25	3.97	69.75	62	72	177	157	183	31	79	62.75	159	65	165
EZ6565LVCRCC	6	5	6	1.83	1.52	1.83	24.75	2.30	140.25	3.97	69.75	62	72	177	157	183	31	79	62.75	159	65	165
EZ8772HVCC	8	7	8	2.44	2.13	2.44	48.75	4.53	329	9.32	93.75	86	91	238	218	231	51.5	131	69.75	177	72	183
EZ8772HVCCCR	8	7	8	2.44	2.13	2.44	48.75	4.53	329	9.32	93.75	86	91	238	218	231	51.5	131	69.75	177	72	183
EZ8772HVCR	8	7	8	2.44	2.13	2.44	48.75	4.53	329	9.32	93.75	86	91	238	218	231	51.5	131	69.75	177	72	183
EZ8772HVCRCC	8	7	8	2.44	2.13	2.44	48.75	4.53	329	9.32	93.75	86	91	238	218	231	51.5	131	69.75	177	72	183



Faster and Easier Assembly with Snap-IT[™] Speed up the assembly process with Snap-IT[™]! With up to 50% fewer fasteners compared to standard Arrow sheds, the EZEE Shed[®] assembles easily in up to half the time.


Accessories



NEWBURGH SERIES ARROW

Available in a large or mid-size footprint, Newburgh Series sheds are perfect for storing anything, from lawn and garden equipment to accommodating storage needs in smaller spaces - patios, decks, small lots. Accommodates long handled yard tools and gardening equipment.

- Galvanized steel for strong corrosion resistance
- Color: Eggshell, Coffee



NW108-A

Newburgh Steel Storage Sheds

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Din	nensions		Door	Width	Door I	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
NW108-A [†]	10	8	6	3.05	2.44	1.83	74	6.87	401	11.36	123.25	95.25	70.875	313.06	241.94	180.02	55.5	140.97	58	147.32	60	152.40
NW54¥	5	4	6.5	1.52	1.22	1.98	16	1.49	98	2.78	59.5	48	78	151.13	121.92	198.12	22.25	56.52	65	165.10	67	170.18
NW65±	6	5	5.5	1.83	1.52	1.68	27	2.51	142	4.02	76.25	59.5	67.875	193.68	151.13	172.40	32	81.28	58	147.32	60	152.40
NW86-A§	8	6	5.5	2.44	1.83	1.68	43	3.99	230	6.51	99.75	71.25	67.875	253.37	180.98	172.40	43.5	110.49	58	147.32	60	152.40

Accessories













Floor Frame Kit FB106[§], FB109-A[†] FB5465^{¥±}

AK100

Roof Strengthening Kit RBK10610⁺, RBK6586^{±§}

Door Tune-Up Kit DK100-A

800.840.8552 • See our complete line at www.arrowsheds.com

ARLINGTON SERIES

Attractive, high gable-styled roof and a 62 in./157,48 cm wall height makes the Arlington a perfect place to store lawn tools, garden equipment and other seasonal items. A baked-on enamel finish assures a quality storage solution year after year.

Best value storage solution.

Easy to assemble.

- Galvanized steel for strong corrosion resistance
- Sliding Doors
- Floor frame kit included
- Color: Eggshell, Coffee





Arlington Steel Storage Sheds

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	nensions		Door	Width	Door H	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
AR1012-C1*	10	12	7	3.05	3.66	2.13	115	10.68	686	19.43	123.25	145.75	81.375	313.06	370.21	206.69	55.5	140.97	60	152.40	62	157.48
AR108-A ⁺	10	8	7	3.05	2.44	2.13	74	6.87	440	12.46	123.25	95.25	81.375	313.06	241.94	206.69	55.5	140.97	60	152.40	62	157.48

Accessories



Floor Frame Kit

FB109-A⁺, FB1014-A⁺



AK4









Roof Strengthening Kit RBK10610⁺, RBK1012⁺

Door Tune-Up Kit

DK100-A

800.840.8552 • See our complete line at www.arrowsheds.com



Get the realistic look of wood with the wood-grain finish on the Woodridge storage building. The Woodridge's tall walls give you easy access to all stored items from lawn mowers and patio furniture to grills and much more!

- Galvanized steel for strong corrosion resistance
- Color: Woodgrain, Coffee



WR65

WR86



WR106

Woodridge Steel Storage Sheds

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	nensions		Door	Width	Door	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
WR1012 [†]	10	12	7	3.05	3.66	2.13	115	10.68	734	20.78	123.25	145.75	82.125	313.06	370.21	208.60	55.5	140.97	69.25	175.90	71.25	180.98
WR106 [*]	10	6	7	3.05	1.83	2.13	54	5.02	345	9.77	123.25	71.25	82.125	313.06	180.98	208.60	55.5	140.97	69.25	175.90	71.25	180.98
WR108±	10	8	7	3.05	2.44	2.13	74	6.87	470	13.31	123.25	95.25	82.125	313.06	241.94	208.60	55.5	140.97	69.25	175.90	71.25	180.98
WR86 [§]	8	6	7	2.44	1.83	2.13	43	3.99	271	7.67	99.75	71.25	79.125	253.37	180.98	200.98	43.5	110.49	69.25	175.90	71.25	180.98

Accessories





Floor Frame Kit FB1014-A[†], FB106-A[±], FB109-A±

Earth Auger Kit AK100







Roof Strengthening Kit Door Tune-Up Kit RBK1012[†], RBK10610^{¥±} DK100-A RBK6586[§]

800.840.8552 • See our complete line at www.arrowsheds.com

DESIGNER[™] SERIES ARROW

The Designer[™] Series offers the perfect combination of style and functionality. It's perfect for storing and organizing anything, from lawn and garden equipment to bicycles and outdoor gear. The most popular size storage building - manufactured with HDG STEEL® and updated aesthetics.

- HDG steel[®] for strong corrosion resistance
- Swing doors
- **Color: Eggshell, Coffee** ٠





DSM42



Designer[™] Series Steel Storage Sheds

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Din	nensions		Door	Width	Door	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	n Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
DS108 [†]	10	8	7.5	3.05	2.44	2.29	77.4	7.19	519.6	14.71	123.25	99.5	90.75	313.06	252.73	230.51	59.5	151.13	69.25	175.90	71.25	180.98
DSM42	4	2	8	1.22	0.61	2.44	10.5	0.98	71	2.01	54.125	36.125	92.5	137.48	91.76	234.95	29.25	74.295	69	175.26	71.25	180.98
DSM44	4	4	8	1.22	1.22	2.44	17	1.58	113	3.20	54.125	54.375	92.5	137.48	138.11	234.95	29.25	74.295	69	175.26	71.25	180.98
DSM46	4	6	8	1.22	1.83	2.44	24.3	2.26	163.7	4.64	54.125	76.5	92.5	137.48	194.31	234.95	29.25	74.295	69	175.26	71.25	180.98

Accessories









Floor Frame Kit FBSDS108 AK4

Concrete Anchor Kit AK100

Roof Strengthening Kit RBK10610⁺

800.840.8552 • See our complete line at www.arrowsheds.com



Attractive, horizontal siding combines with a vinyl coating to give you a handsome and durable storage solution. Tall walls and a roomy, gable roof allows for plenty of headroom with space to work, hang tools and store equipment. Long-lasting vinyl-coating over galvanized steel has 5 times coating thickness than standard steel buildings.

East to assemble.

5 times thicker than standard finishes.

Premium vinyl-coated steel for strong corrosion resistance

Color: Almond, Coffee



Vinyl Dallas Vinyl Coated Steel Storage Sheds

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	ensions		Door	Width	Door H	leight	Wall H	eight
	Width	Length ft.	Height	Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
VD1012-D1±	10	12	7	3.05	3.66	2.13	115	10.68	734	20.78	123.25	145.75	82.125	313.06	370.21	208.60	55.5	140.97	69.25	175.90	71.25	180.98
VD108- A^{\dagger}	10	8	7	3.05	2.44	2.13	74	6.87	470	13.31	123.25	95.25	82.125	313.06	241.94	208.60	55.5	140.97	69.25	175.90	71.25	180.98

Accessories



Floor Frame Kit

FB109-A⁺,FB1014-A[±]



AK4



AK100







RBK10610⁺, RBK1012[±] DK100-A

800.840.8552 • See our complete line at www.arrowsheds.com



Attractive, horizontal siding combines with a vinyl coating to give you a handsome and durable storage solution. A roomy, high gable roof allows for plenty of headroom with space to work, hang tools and store equipment. Long-lasting vinyl-coating over galvanized steel is abrasion/scratch resistant and provides five times thicker finish than standard steel.

Horizontal wall panels "drop into place" for easier assembly.

Vertical side braces for greater overall strength.

- Premium vinyl-coated steel for strong corrosion resistance
- **Color: Almond, Grey Bark** ٠



Vinyl Milford 10 x 12 ft. Vinyl-Coated Steel Storage Shed

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	nensions		Door	Width	Door H	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	n Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
VM1012-C1	10	12	7	3.05	3.66	2.13	115	10.68	729	20.64	123.25	145.75	86	313.06	370.21	218.44	55.5	140.97	64.5	163.83	66.5	168.91

Accessories











Floor Frame Kit FB1014-A

Earth Auger Kit AK4

Concrete Anchor Kit Roof Strengthening Kit RBK1012


DK100-A

Door Tune-Up Kit

VIKING[®] SERIES

Attractive, horizontal siding combines with a vinyl coating to give you a handsome and durable storage solution. A roomy, gable roof allows for plenty of headroom with space to work, hang tools and store equipment. Long-lasting vinyl-coating over galvanized steel is abrasion/ scratch resistant and provides five times thicker finish than standard steel in an attractive vinyl horizontal siding configuration. Includes two skylight panels for improved interior lighting.

- Premium vinyl-coated steel for strong corrosion resistance
- Swing doors
- Color: Creamy Vanilla Stoney Gray



VVCS85

Viking® Series Vinyl-Coated Steel Storage Sheds

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	ensions		Door	Width	Door I	leight	Wall H	leight
	Width	Length ft.	Height	Width	Lengtl m	n Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
VVCS107 [†]	10	7	8	3.05	2.13	2.44	64	5.95	432	12.23	123.25	83.5	90.625	313.06	212.09	230.19	59.5	151.13	69.25	175.90	71.25	180.98
VVCS85*	8	5	8	2.44	1.52	2.44	35.7	3.32	240.8	6.82	99.75	59.5	91.375	253.37	151.13	232.09	59.5	151.13	69.25	175.90	71.25	180.98

Accessories





Floor Frame Kit Earth Auger Kit FBS109[†], FBS106^{*} AK4

Concrete Anchor Kit AK100

800.840.8552 • See our complete line at www.arrowsheds.com

OAKBROOK SHED

The Oakbrook storage building features a high gable roof for extra storage and headroom. With its wide door opening, your items are accessible and easy to move in and out. Perfect for storing and organizing anything, from lawn and garden equipment to bicycles and outdoor gear. Over 769 cu. ft./21,78 m³ of storage space.

Mid-wall brace, double-braced sliding doors provide extra strength.

Baked-on enamel paint provides a durable finish.

- Galvanized steel for strong ۲ corrosion resistance
- **Color: Eggshell, Taupe** ٠



Oakbrook 10 x 14 ft. Steel Storage Shed

Model Number			el Number Nominal Size Width Length Height Width Length					Stora	ge Area			Assem	bled Ext	erior Din	nensions		Door	Width	Door H	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
OB1014-C1	10	14	7	3.05	4.27	2.13	129	11.98	769	21.78	123.25	162.75	81.375	313.06	413.39	206.69	55.5	140.97	60	152.40	62	157.48

Accessories





Floor Frame Kit FB1014-A

AK4

Concrete Anchor Kit Door Tune-Up Kit AK100

DK100-A

800.840.8552 • See our complete line at www.arrowsheds.com

ROW LEXINGTON SERIES

The high-gambrel roof style Lexington storage building gives you plenty of storage. Give your garage back to your car and organize lawn and garden equipment, patio furniture and much more in the durable Lexington. Gambrel roof provides an abundance of head room and extra storage space.

Best value storage solution.

Interior height over 7 ft./2,13 m tall.

Durable baked-on enamel finish.

- Galvanized steel for strong corrosion resistance
- Color: Eggshell, Taupe



LX108-A

Lexington Steel Storage Sheds

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	ensions		Door	Width	Door H	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
LX1014-C1	10	14	7.5	3.05	4.27	2.29	129	11.98	852	24.13	123.25	162.75	87.875	313.06	413.39	223.20	55.5	140.97	60	152.40	62	157.48
$LX108-A^{\dagger}$	10	8	7.5	3.05	2.44	2.29	74	6.87	487	13.79	123.25	95.25	87.875	313.06	241.94	223.20	55.5	140.97	60	152.40	62	157.48

Accessories











Floor Frame Kit FB109-A[†], FB1014-A

Earth Auger Kit AK4

Concrete Anchor Kit AK100

Roof Strengthening Kit RBK10610[†]

Door Tune-Up Kit DK100-A



RED BARN

Engineered for durability and storage convenience, the Red Barn's 8-ft./2,44 m interior height makes it ideal for storing tall items. Its high roof also makes it comfortable for walking and working inside. The wide door openings provide easy access for your tractor mower and other large equipment.

Horizontal wall panels "drop into place" for easier assembly.

Vertical side braces for greater overall strength.

- Galvanized steel for strong corrosion resistance
- **Color: Red, Eggshell**



Red Barn 10 x 14 ft. Steel Storage Shed

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	ensions		Door	Width	Door H	leight	Wall H	eight
	Width	Length	Height	Width	Length	Height	sq. ft	m²	cu. ft.	m³	Width	Depth	Height	Width	Depth	Height	in.	cm	in.	cm	in.	cm
		ft.			m						in.	in.	in.	cm	cm	cm						
RH1014-C1	10	14	8	3.05	4.27	2.44	129	11.98	952	26.96	123.25	162.75	97.125	313.06	413.39	246.70	55.5	140.97	69.25	175.90	71.25	180.98

Accessories





FB1014-A

AK4

Concrete Anchor Kit Door Tune-Up Kit DK100-A

800.840.8552 • See our complete line at www.arrowsheds.com

RROW VINYL SHERIDAN

The Vinyl Sheridan's spacious roof design combines with a deluxe vinyl-coated exterior finish for superior storage space and durability. Longlasting vinyl-coating over galvanized steel has 5 times coating thickness than standard steel buildings. Over 7 ft./2,13 m tall.

- Premium vinyl-coated steel for strong corrosion resistance
- Color: Almond, Meadow Green



Vinyl Sheridan 10 x 8 ft. Vinyl-Coated Steel Storage Shed

Model Number	mber Nominal Size Width Length Height Width Length						Stora	ge Area			Assem	bled Ext	erior Dim	nensions		Door	Width	Door H	leight	Wall H	leight	
	Width	Length ft.	Height	Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
VS108-B	10	8	7.5	3.05	2.44	2.29	74	6.87	487	13.79	123.25	95.25	87.875	313.06	241.94	223.20	55.5	140.97	60	152.40	62	157.48

Accessories











Floor Frame Kit FB109-A

Earth Auger Kit AK4

Concrete Anchor Kit AK100

Roof Strengthening Kit Doo RBK10610 DK

Door Tune-Up Kit DK100-A

DK100-A



The Commander[™] is a modular, multi-purpose storage building with tremendous storage space and huge door opening large enough to store a small car or boat, or to create an ideal workshop or small warehouse. Frame, wall and roof parts are made from hot-dipped, electrogalvanized steel, and all painted parts have a double baked-on enamel paint finish that will keep your building serviceable and attractive for years. Modular section design - easily add more space.

- HDG steel[®] for strong corrosion resistance
- Extra Wide Swing Doors
- **Color: Eggshell**



CHD1010-A

Commander[™] Series Storage Buildings

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	terior Dim	nensions		Door	Width	Door	leight	Wall H	leight
	Width	Length ft.	Height	Width	Lengti m	n Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
CHD1010-A	10	10	8	3.05	3.05	2.44	101.4	9.42	697.2	19.74	123.25		92.5	313.06	-		98.25	249.56	72.75	184.79	73.75	187.33
CHD1015-A	10	15	8	3.05	4.57	2.44	148.6	13.81	1021.9	28.94	123.25	186.25	92.5	313.06	473.08	234.95	98.25	249.56	72.75	184.79	73.75	187.33
CHD1020-A	10	20	8	3.05	6.10	2.44	195.9	18.20	1346.5	38.13	123.25	243.75	92.5	313.06	619.13	234.95	98.25	249.56	72.75	184.79	73.75	187.33
CHD1025-A	10	25	8	3.05	7.62	2.44	243.1	22.58	1671.1	47.32	123.25	301.25	92.5	313.06	765.18	234.95	98.25	249.56	72.75	184.79	73.75	187.33
CHD1030-A	10	30	8	3.05	9.15	2.44	290.3	26.97	1995.7	56.51	123.25	358.75	92.5	313.06	911.23	234.95	98.25	249.56	72.75	184.79	73.75	187.33








Concrete Anchor Kit AK100



The extra-large Vinyl Murryhill building is the solution for substantial storage needs or workshop/hobby space. The unique rollup, garage-style door and gable roof blends attractively with its durable vinyl-coated exterior steel finish to give you maximum value for your storage dollar. A second sliding side door allows convenient access to stored items or workspace.

Premium vinyl-coated steel for strong corrosion resistance

Color: Almond, Coffee ٠



VT1210-A

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Din	nensions		Door	Width	Door	leight	Wall H	leight
	Width		Height	Width	Length	Height	sq. ft	m²	cu. ft.	m³	Width	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
VT1210-A	12	ττ.	9	3.66	3.05	2.74	110	10.22	801	22.68	146.125		103.25	371.16	297.18		95	241.3	72	182.88	73.75	187.33
VT1217-A	12	7	9	3.66	2.13		194		1419		146.125		103.25	371.16	516.26		95	241.3	72	182.88	73.75	187.33
VT1224-A	12	24	9	3.66	7.32	2.74	278	25.83	2037	57.68	146.125	289.5	103.25	371.16	735.33	262.26	95	241.3	72	182.88	73.75	187.33
VT1231-A	12	31	9	3.66	9.45	2.74	362	33.63	2655	75.18	146.125	375.75	103.25	371.16	954.41	262.26	95	241.3	72	182.88	73.75	187.33
VT1421-A	14	21	9	4.27	6.40	2.74	291	27.03	2527	71.56	169	260.75	116	429.26	662.31	294.64	106.5	270.51	91.75	233.05	94	238.76
VT1431-A	14	31	9	4.27	9.45	2.74	422	39.21	3663	103.72	169	375.75	116	429.26	954.41	294.64	106.5	270.51	91.75	233.05	94	238.76

Vinyl Murryhill Storage Buildings







Concrete Anchor Kit AK100

CARPORT

The Carport from Arrow is a newly re-designed carport and multi-use shelter that is wind and snow rated for maximum protection against the elements! Our carport features a galvanized steel roof with horizontal panels, and an industrial steel frame that has been powder coated to resist corrosion and rust. Rain or shine - it doesn't matter. This high-quality, steel structure is perfect for protecting boats, vehicles, tractors and even outdoor picnic areas.

Galvanized steel roof for strong corrosion resistance

Color: Eggshell







* Wind and snow loads given are for reference only and assume a securely anchored frame according to local building codes and ordinances. These have been calculated using combined snow wind load provisions in accordance with ASCE 7-05.

12 x 20 ft. Carport

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Din	nensions		Door	Width	Door	leight	Wall H	leight
	Width	Length	Height	Width	Lengt	h Height	sq. ft	m²	cu. ft.	m³	Width	Depth	Height	Width	Depth	Height	in.	cm	in.	cm	in.	cm
		ft.			m						in.	in.	in.	cm	cm	cm						
CPH122007	12	20	7	3.66	6.10	2.13	234	21.74	1792	50.74	146	237	102	370.84	601.98	259.08	N/A	N/A	82	208.28	84	213.36

Accessories



Concrete Anchor Kit AK100

800.840.8552 • See our complete line at www.arrowsheds.com

FREESTANDING PATIO COVER/CARPORT

Perfect for your house or trailer home, our sturdy vinyl-coated, electro-galvanized steel patio cover/carport protects your deck, patio or vehicle. With pre-cut, pre-drilled, and well labeled parts, this structure can be built as a large DIY project, saving hundreds on professional assembly. Place this free standing structure wherever you need it most knowing that with our premium 15 year warranty, your investment will withstand the test of time.

HDG steel[®] for strong corrosion resistance

Color: Eggshell •



Freestanding Patio Covers/Carports



CP1020

Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	ensions		Door	Width	Door H	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
CP1010	10	10	8	3.05	3.05	2.44	98	9.10	755	21.38	120.875	121.5	96	307.02	308.61	243.84	N/A	N/A	83.5	212.09	N/A	N/A
CP1020	10	20	8	3.05	6.10	2.44	195	18.12	1507	42.67	120.875	240.25	96	307.02	610.24	243.84	N/A	N/A	83.5	212.09	N/A	N/A





ATTACHED PATIO COVER/CARPORT

Made with strong vinyl-coated electrogalvanized steel, our patio cover/carport is perfect as an awning at the from or back of your house or trailer home. Protect your entrance, patio area, or vehicle from inclement weather and the baking sun. Our patio cover/ carport is designed to attach to your home and can be assembled as a large DIY project, since all parts are pre-cut, pre-drilled, and clearly marked. With our premium 15 year warranty, this structure will withstand the test of time.

• HDG steel[®] for strong corrosion resistance

• Color: Eggshell





PC1020

Attached Patio Cover/Carports

	Model Number			Nomina	al Size				Stora	ge Area			Assem	bled Ext	erior Dim	ensions		Door	Width	Door H	leight	Wall H	leight
ſ	Width Length Height ft.		Height	Width	Lengti m	n Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm	
ſ	PC1010	10	10	8	3.05	3.05	2.44	99	9.20	848	24.01	120.75	121.5	106.5	306.71	308.61	270.51	N/A	N/A	94	238.76	N/A	N/A
[PC1020	10	20	8	3.05	6.10	2.44	197	18.30	1692	47.91	120.75	240.25	106.5	306.71	610.24	270.51	N/A	N/A	94	238.76	N/A	N/A

SPACEMAKER RAISED BED GARDEN

Raised bed gardens are great for better soil drainage. You use less water because it can be concentrated in a specific area. They make for easier soil amendment and less compacting of soil for better results. The soil is warmer than traditional gardening to provide for a longer planting season. They also offer easier pest, critter and weed control.

DIY assembly - no tools required.

Perfect for small spaces, yards, decks and patios.

- Galvanized steel for strong corrosion resistance
- Color: Latte, Espresso



Spacemaker[®] Raised Bed Garden 4 x 4 ft.

Model Number			Nomina	al Size				Stora	ge Area				xterior I	Dimensio	ns		Door	Width	Door	leight	Wall H	leight
	Width	Length ft.	Height	Width	Length m	n Height	sq. ft	m²	cu. ft.	m³	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	in.	cm	in.	cm	in.	cm
RBG44	4	4	1.5	1.22	1.22	0.46	13	1.21	14.32	0.41	48	48	16	121.92	121.92	40.64	N/A	N/A	N/A	N/A	13.2	33.53



Floor Frame Kits

To protect your stored items, you should consider having a floor above the base in your shed. If you are creating your own base, we recommend that you install a floor using an Arrow floor frame kit. If you are using our base kit, your floor is installed directly on the base kit and you do not need a separate floor kit (although you could consider it). An Arrow floor frame kit offers an easy way to construct a raised floor. This is especially useful if your base is dirt, gravel or grass. The Arrow floor frame kit is installed after your shed is completely assembled. The floor beams slot easily into the frame of your shed, providing an ideal framework for finishing with 5/8" exterior-grade plywood. Find the floor frame kit size for your shed.

Floor Frame Kits


Model Number		Assem	bled Ext	erior Dim	nensions		Co	mpatibl	e Shed S	ize	Door	Туре
	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	Width f	Length t.		Length n	Swing	Sliding
FB1014-A	118.2	128.02	1.092	300.23	325.18	2.77	10 10	12 14	3.05 3.05	3.66 4.27		~
FB106-A	118.2	36.52	1.092	300.23	92.76	2.77	8 10	6 6	2.44 3.05	1.83 1.83		>
FB109-A	118.2	72.77	1.092	300.23	184.84	2.77	10	8	3.05	2.44		v
FB47410	47.7	99.29	1.092	121.16	252.20	2.77	4	10	1.22	3.05	~	
FB5465	71.2	36.52	1.092	180.85	92.76	2.77	5 6	4 5	1.52 1.83	1.22 1.52		2
FBS106	94.7	52.90	1.092	240.54	134.36	2.77	8	5	2.44	1.83	~	
FBS109	118.2	74.15	1.092	300.23	188.34	2.77	10	7	3.05	2.13	~	
FBSDS108	118.2	83.52	1.092	300.23	212.15	2.77	10	8	3.05	2.44	~	
FBSELP	118.2	45.4	1.092	300.23	115.32	2.77	6	4	1.83	1.22	~	
							8 10	4	2.44 3.05	1.22 1.22		
FKEZEE	115.168	88.487	1.092	292.5	227.76	2.77	6	5	1.83	1.52	~	
							8	7	2.44	2.13	~	
							10	8	3.05	2.44	~	



Roof Strengthening Kits

Increase the roof strength of your shed by 50% to help withstand heavy snow accumulation. Our roof strengthening kits fit most Arrow buildings and can be installed on new or existing buildings.

- Galvanized steel for strong corrosion resistance
- Hardware included
- Color: Gray



Roof Strengthening Kits

Model Number		Assem	bled Ext	erior Din	nensions		Cor	npatible	Shed S	ize
	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	Width ft	Length	Width n	
RBK1012	94	142.375	4	238.76	361.63	10.16	10	12	3.05	3.66
RBK1014	94	159.375	4	238.76	404.81	10.16	10	14	3.05	4.27
RBK10610	94	113.625	4	238.76	288.61	10.16	10	6	3.05	1.83
							10	8	3.05	2.44
							10	12	3.05	3.66
							10	14	3.05	4.27
RBK6586	43.375	67.875	2	110.17	172.40	5.08	6	5	1.83	1.52
							8	6	2.44	1.83





ACCESSORIES

Anchor Kits


Anchors must be permanently attached after assembly to keep you and your shed secure and safe. Choose the appropriate anchoring kit for your base as part of the preparation phase of shed construction. Arrow offers several permanent anchoring options, including concrete ones. (If you need to leave your building before it is completely assembled, you will need to temporarily anchor the corners of the shed to your base, and place weights, such as patio blocks or sandbags, on top of the floor frame.)

- Galvanized steel for strong corrosion resistance
- Hardware included
- Color: Gray





🔰 AK100



Anchor Kits

Model Number		Assem	bled Ext	erior Din	nensions		
	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm	
AK100	4.875	4.875	0.812	12.38	12.38	2.06	Fits all models except Carports
AK4	4	4	30	10.16	10.16	76.20	Fits all models except Carports and Yardsa



Door Tune-Up Kit

If your Arrow storage building has sliding doors, use our tune-up kit to keep them functioning smoothly.

• Fits all Arrow sliding door storage buildings.





Door Tune-Up Kit

Model Number		Assem	bled Ext	erior Dim	ensions	
	Width in.	Depth in.	Height in.	Width cm	Depth cm	Height cm
DK100-A	1.5	3.75	1.125	3.81	9.53	2.86



www.arrowsheds.com • 800.840.8552