

BUILT FOR YOU





Vans. Born to run.















passengers from danger, no standard is too high.

NEW FEATURES



ACTIVE BRAKE ASSIST¹ This advanced system senses the likelihood of a collision with a vehicle ahead and sends both a visual and audible warning followed by initiating autonomous braking.



ACTIVE DISTANCE ASSIST DISTRONIC®5 This intelligent cruise control system senses traffic conditions and actively controls your speed to keep you at a safe distance.





TRAFFIC SIGN ASSIST uses a camera to give drivers additional help with identifying speed restriction signs, No Passing Zones, and No Entry signs.

360° CAMERA⁶ When the Reverse gear is selected, this visual parking aid uses four digital cameras to generate various views of the vehicle's surroundings and show them in real time on the

ATTENTION ASSIST®2 helps prevent drowsy

driving by monitoring your driving patterns

and providing an early warning in case

multimedia display.

fatigue is detected.

68.0°F 10:10

EXISTING FEATURES



CROSSWIND ASSIST7 helps stabilize your van and boosts safety in strong, gusting crosswinds. This standard feature helps ensure that your vehicle remains in its lane at highway speeds.



HILL START ASSIST briefly stops the vehicle from rolling backward or forward, giving you an extra level of safety and confidence when making a hill start. Hill Start Assist maintains brake pressure for approximately two seconds, so you can remove your foot from the brake pedal without rolling.



WITH RESCUE ASSIST, SM first responders to an accident can scan a QR code in a Mercedes-Benz Van to quickly see where batteries, airbags, and other structural elements are located in order to safely perform the rescue.



DRIVER AND PASSENGER AIRBAGS⁹ The driver and passenger front, thorax, and window airbags9 help protect you and your passengers in the event of a collision.

Sprinter airbags shown are from Model Year 2014.



LOAD-ADAPTIVE ELECTRONIC STABILITY PROGRAM (ESP®)8 This dynamic handling system actively intervenes to help keep the van firmly under control and safe by automatically braking individual wheels and reducing engine power to help stabilize the vehicle if wheelspin, understeer, or oversteer is detected.



HIGHBEAM ASSISTSM adjusts the highand low-beam headlamps automatically, allowing for continuous adaptation to the prevailing traffic situation. The system helps ensure better and earlier recognition of the course of the road.

ENHANCED EXISTING FEATURES



BLIND SPOT ASSIST³ Blind Spot Assist now has Rear Cross-Traffic Alert (RCTA), which employs automatic braking to avoid a collision with traffic crossing the vehicle's path (e.g., vehicles or pedestrians) when reversing.



ACTIVE LANE KEEPING ASSIST¹⁰ can provide you with visual and audible warnings if your van leaves its lane unintentionally. A camera in the windshield monitors the road ahead and helps detect when you may have veered away from lane markings.



Built to power your business.

Performance is about having the horsepower, torque, and hauling capabilities to handle whatever you have to do. The new Sprinter gives you that confidence, and the flexibility to choose between two drivetrains. For the first time, we're offering turbocharged muscle and the convenience of gasoline in one package with a 4-cylinder turbocharged gasoline engine mated to an industry-leading 9G-TRONIC 9-speed automatic transmission as standard equipment:

A 3.0L 6-cylinder turbo diesel engine¹¹ with a 7G-TRONIC Plus 7-speed automatic transmission is also available. If you don't want bad weather or road conditions to stop you from getting to work, we're the only manufacturer in the segment offering an optional 4x4 drivetrain with on-demand 4-wheel drive from the factory.

"...the tried-and-true 3.0-liter V6 turbo diesel...strong pulling power, good fuel economy, and proven longevity."

- KELLEY BLUE BOOK'S KBB.COM*



Book's KBB.com. Kelley Blue Book is

THE EFFICIENCY OF DIESEL. THE CONVENIENCE OF GAS. IT'S YOUR CHOICE.

3.0L 6-CYLINDER TURBO DIESEL¹¹



CONFIGURATION:

DOHC

INDUCTION SYSTEM:

Common-Rail-Direct-Injection (CDI)

BORE/STROKE:

83.0 mm/92.0 mm

HORSEPOWER @ RPM:

188 hp @ 3,800 rpm

TORQUE: Ib-ft @ RPM:

325 lb-ft @ 1,400-2,400 rpm

TRANSMISSION:

Automatic Transmission, 7G-TRONIC Plus

2.0L 4-CYLINDER

TURBO GASOLINE



CONFIGURATION:

DOHC

INDUCTION SYSTEM:

Bosch injection (200 bar)

BORE/STROKE:

83.0 mm/92.0 mm

HORSEPOWER @ RPM:


188 hp @ 5,000 rpm

TORQUE: lb-ft @ RPM:

258 lb-ft @ 2,500-3,500 rpm

TRANSMISSION:

Automatic Transmission, 9G-TRONIC





TORQUE: IT'S WHAT'S INSIDE THAT COUNTS.

Horsepower numbers are fine, but torque is what your van needs to get up to speed. What's also important is the rpm at which the peak torque numbers come in. Notice how The new Sprinter's peak torque comes in at 1,400 rpm-just above an idle. This means that you'll be at peak torque quickly—and moving from a standing stop efficiently.

BUILT

FOR EFFICIENCY

Higher satisfaction. Lower cost of ownership.

When you're looking at a commercial van, there are two cost factors to consider: the cost to buy it, and the cost to own it. The new Sprinter is designed to deliver cost effectiveness that lasts for years. Combine this with the van's legendary durability, and The new Sprinter will keep your day-to-day costs down and your productivity up—ultimately helping your whole company run more smoothly.

In addition to lowering your total cost of ownership, The new Sprinter helps keep drivers efficient and productive with amenities such as:

- Ergonomic seats with lowered sides and lumbar supports
- Comfortable pedal position
- Elimination of display reflections in windscreen
- Optimized noise reduction
- Increased steering wheel adjustability for tall/short drivers
- Multiple rear-step variations



GASOLINE ENGINE

For the first time, The new Sprinter offers a turbocharged 4-cylinder gasoline engine with Direct Injection and 258 lb-ft of torque as standard equipment.*

EFFICIENT DIESEL ENGINE¹¹

With turbocharged power, 325 lb-ft of torque, and diesel fuel economy, The new Sprinter's impressive 6-cylinder engine delivers power and durability in one compact package.



7G-TRONIC PLUS 7-SPEED AUTOMATIC TRANSMISSION

The low first gear and overdrive high gear in The new Sprinter's 7-speed automatic transmission help you accelerate from a stop and conserve fuel on the highway.



UP TO A 20,000-MILE SERVICE INTERVAL¹²

The new Sprinter's Best-in-Class service intervals of up to 20,000 miles¹² for diesel, and up to 15,000 miles¹² for gas keep you on the road, raising productivity and lowering the total cost of ownership.



9G-TRONIC 9-SPEED AUTOMATIC TRANSMISSION


This transmission is a first for the segment and features rapid response, a smooth transition between gears, and efficient highway driving.



The Sprinter won the 2018 ALG Residual Value Award.¹³

BUILT





efficiency and productivity of your company in the long run.

Mercedes PRO connect is standard on every new Sprinter.

3 BUNDLES FOR EVERY CONNECTIVITY NEED

OPTIMIZED ASSISTANCE



Services Included:

- Accident and Breakdown Management
- Emergency Call System¹⁵
- Live Traffic Information¹⁶
- Car-to-X Communication¹⁷
- Software Updates¹⁸
- Internet in the Car¹⁹
- Maintenance and Repair Management²⁰
- Online Map Update²¹
- Navigation Functions²²
- Multimedia Functions²³

EFFICIENT FLEET MANAGEMENT



Services Included:

- Remote Control²⁴
- Vehicle Supervision²⁵
- Eco Monitor
- Vehicle Operations²⁶
- Fleet Communication incl. Send2Car²⁷
- Digital Driver's Log²⁸
- Digital Trip Management
- Theft Warning²⁹

DATA INTERFACE MERCEDES-BENZ VANS



Services Included:

- Vehicle Data
 Interface extended
- Vehicle Data Interface light

MERCEDES PRO CONNECT IS MADE UP OF THE FOLLOWING ELEMENTS



MERCEDES PRO CONNECT APP³⁰ —the direct line to the driver.

The driver can now easily access valuable vehicle and job-related information.



VEHICLE MANAGEMENT TOOL³¹ —the control center.

The fleet manager's customized hub of connectivity that provides a comprehensive overview of fleet resources—simplifying logistics and increasing productivity.



COMMUNICATION MODULE³² —standard in every new Sprinter.

This is the central point of contact that ensures the broadest range of connectivity, quickly transmitting data with the permanently installed 4G LTE SIM card.

BENEFITS AT A GLANCE

FOR THE BUSINESS OWNER


- Increase overall business efficiency
- Easy location of a stolen vehicle through the Vehicle Management Tool, which shows the vehicle's current position
- Potential for a reduction in fuel consumption and therefore lower fuel costs

FOR THE DRIVER

- Effective assistance in case of an emergency
- Makes work easier as vehicle remote control also works when the vehicle key is not available
- More efficient working procedures as addresses can be directly adopted into the vehicle's navigation system for faster arrival

FOR THE FLEET MANAGER

- Integration into multi-brand vehicle management systems
- Clear overview of the fleet as each vehicle's information is clearly shown in the Vehicle Management Tool
- Trips can be planned more efficiently and at shorter notice as the fleet manager has all the current data available at a glance



Licher Matter Transpartytins III.

Advantage of the Control of the

BUILT



THE NEW SPRINTER **INFOTAINMENT SYSTEM FEATURES:**



CHARGING OPTIONS are strategically located on the dashboard and include USB-C ports, wireless, and 12V chargers.



LIVE TRAFFIC INFORMATION provides traffic data in real time for more efficient traveling to and from work.



SMARTPHONE INTEGRATION FOR APPLE CARPLAY® AND ANDROID™ AUTO 33 as well as Bluetooth® capability are now



THE WIRELESS INTERNET ACCESS is a highly stable connection that allows the use of mobile devices in the vehicle.



CALL SYSTEM sends out an automatic emergency call for faster arrival of rescue services.



THE INNOVATIVE MBUX (MERCEDES-BENZ **USER EXPERIENCE**) delivers content from navigation to entertainment and includes optional LINGUATRONIC "Hey Mercedes" voice control and what3words, our geocoded map system.



7" AND 10.25" TOUCHSCREENS For the first time, display screens that are activated via touch, voice control, or touch buttons on the steering wheel are available on The new Sprinter.





Thousands of configurations. Unlimited potential.

When we say The new Sprinter is built for you, we mean that literally.

Choose from thousands of features, configurations, and upfit solutions that give you the ability to build a van that's ready to work for you now, and prepared to carry your business into the future. It's the difference between a van that you merely drive and a van that is driven to help you succeed.

Maximum effort.

Whatever your work demands are, The new Sprinter Cargo Van gives you the flexibility to create a

configuration to meet your exact needs. To make sure we have what you're looking for, we've added

a 1500 and 4500 series to the lineup. The 1500 is a lighter-duty model that delivers big-time productivity.

For serious hauling capability, the 4500 model will handle your heaviest jobs. There's also a 2500, a 3500,

and a 3500XD model. Whichever you choose, the service intervals of up to 20,000 miles¹² for diesel and up

to 15,000 miles¹² for gasoline will keep your productivity high and your cost of ownership low.

The new Sprinter Cargo Vans are available in 1500, 2500, 3500, 3500XD, and 4500 series.

SPECIFICATIONS



Available on the Single tire models, this wheel arch covering's square shape and flat top provide extra storage opportunities, as well as protection for the wheel arch.



The rear doors feature new hinges with self-locking mechanisms.



LED strip lighting improves cargoloading vision.



New pallet bracing and tie-downs help when hauling cargo with unusual sizes and shapes.³⁴



The new Sprinter 4500 model sets a new benchmark for payload capacity of up to 6,735 lbs.

TWO ROOF HEIGHTS

STANDARD ROOF

Max: 95.5"



Max: 97.9"

HIGH ROOF

Max: 95.5"



Max: 109.1"

THREE LENGTHS



_	TANK W	
	233.5"	(144" WB)
	274.3"	(170" WB)
	290"	(170" EXT. WB)

SPRINTER CARGO QUICK FACTS



MAXIMUM PAYLOAD:

6,735 lbs.



MAXIMUM CARGO VOLUME: 532.6 cu. ft.



MAXIMUM TOWING CAPACITY:³⁵ 7,500 lbs.



MAXIMUM CARGO FLOOR LENGTH:



9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission

2.0L 4-cylinder turbo gasoline,*
3.0L 6-cylinder turbo diesel¹¹

MAXIMUM CARGO FLOOR WIDTH:

MAXIMUM INTERIOR STANDING HEIGHT: 79.1"

TRANSMISSIONS:

70.4"

^{*}Gasoline engine not available on all models.

All measurements in inches. All width measurements include mirrors.
See page 40 for a complete listing of models and specifications.

SPECIFICATIONS

The new Sprinter Crew Vans are available in 2500, 3500, 3500XD, and 4500 series.





The removable 3-seat bench is covered in durable upholstery and gives your crew a roomy, safe, and comfortable ride.



In addition to seating for up to five people, The new Sprinter Crew Van features ample cargo space.

ONE ROOF HEIGHT

HIGH ROOF

Max: 95.5"



Max: 109.1"

TWO LENGTHS



233.5" (144" WB)

274.3" (1**70**" WB)

SPRINTER CREW QUICK FACTS



MAXIMUM PAYLOAD:

MAXIMUM CARGO VOLUME:


370.8 cu. ft.



MAXIMUM TOWING CAPACITY:35



MAXIMUM CARGO FLOOR LENGTH: TBD



All measurements in inches. All width measurements include mirrors.

See page 42 for a complete listing of models and specifications.



2.0L 4-cylinder turbo gasoline,* 3.0L 6-cylinder turbo diesel11





TRANSMISSIONS:

9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission



SEATING CAPACITY:

Up to five

Mercedes-Benz can deliver.

26

The new Sprinter Passenger Vans are available in 1500 & 2500 series.

Seats 15. Stands alone.

totally new seating for up to 15 people, and provides an experience every one of them will enjoy.

Looking to carry more passengers? The new Sprinter accomplishes that in a big way with

USB-C ports can keep them connected, and the spacious rear storage area provides ample room for luggage. All the while, you'll know that they're protected by a level of safety only

SPECIFICATIONS

The new Sprinter Passenger Van now offers seating

for up to 15 adults.



An impressive interior standing height of up to 6'3" provides greater passenger comfort with plenty of room to move



Roof air conditioning comes in two output levels, including a high-performance air conditioner.



The ergonomic rear seats have individual headrests and an available reclining option.



The maximum 69.8" floor width and generous legroom mean there's plenty of room to sit and stretch out.

ONE ROOF HEIGHT

HIGH ROOF

92.3"



Max: 114.2"

TWO LENGTHS




233.5" (144" WB)

274.3" (170" WB)

TWO INTERIOR CONFIGURATIONS





SPRINTER PASSENGER QUICK FACTS



MAXIMUM PAYLOAD: 3,441 lbs.



MAXIMUM CARGO VOLUME: 111.2 cu. ft.



MAXIMUM TOWING CAPACITY:35 5,000 lbs.



TRANSMISSIONS: 9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission



2.0L 4-cylinder turbo gasoline,* 3.0L 6-cylinder turbo diesel¹¹



MAXIMUM INTERIOR STANDING HEIGHT:



STANDARD FRONT + REAR A/C



SEATING CAPACITY: Up to 15

^{*}Gasoline engine not available on all models.

Built for your future.

A successful future starts with a strong foundation. That's exactly what The new Sprinter Cab Chassis/Cutaway gives you. From a box truck to a technologically

advanced RV, its flat unobstructed frame rails let you design virtually anything you'd like. Motivation for your plans comes from the powerful and efficient V6 turbo diesel engine¹¹ with a 7G-TRONIC Plus 7-speed automatic transmission.



Choose between the standard 3500XD model (GVWR of 11,030 lbs.) or the new 4500 model (GVWR of 12,125 lbs.) and build The new Sprinter Cab Chassis/Cutaway that works best for you.



The new Sprinter's flat unobstructed frame rails are the perfect place to bring your vision of the ideal business vehicle to life.

ONE ROOF HEIGHT

95.5"



Max: 94.4"

TWO LENGTHS



245.9" (144" WB)



273.5" (170" WB)

SPRINTER CAB CHASSIS/CUTAWAY QUICK FACTS



MAXIMUM PAYLOAD:

7,430 lbs.



ENGINE:

3.0L 6-cylinder turbo diesel¹¹



TRANSMISSION:

7G-TRONIC Plus 7-speed Automatic Transmission



MAXIMUM TOWING CAPACITY:35

7,500 lbs.



SEATING CAPACITY:

Up to three

The new Sprinter 4x4 Vans are available in 2500 & 3500XD series.



PASSENGER

ONE ROOF HEIGHT

HIGH ROOF

92.3"



Max: 117.6"

ONE LENGTH



233.5" (144" WB)

CREW

ONE ROOF HEIGHT

HIGH ROOF

Max: 95.5"



Max: 111.3"

TWO LENGTHS



233.5" (144" WB)

274.3" (1**70**" WB)

CARGO

TWO ROOF HEIGHTS

STANDARD ROOF

Max: 95.5"



Max: 100.1"

HIGH ROOF

Max: 95.5"



Max: 111.3"

THREE LENGTHS



233.5" (144" WB)

274.3" (1**70**" WB)

290" (170" EXT. WB)

All measurements in inches. All width measurements include mirrors. A complete listing of models and specifications begins on page 40.

MASTER UPFITTER





network. These masters of their trade are committed to the highest engineering standards and levels of customer

satisfaction. Working with a MasterUpfitter gives you the flexibility to be creative and the assurance that

Mercedes-Benz Vans is here to support your needs. Find your MasterUpfitter today.

Your one stop for productivity.

You're the expert in your trade, and your van is the tool with which to get the job done. MasterSolutions^{™36} allows you to quickly configure your van and order directly via your Mercedes-Benz Vans dealer to get you exactly the van you want right when you need it, so you can concentrate on finishing the job.

Build your van now or get inspired by visiting the **MasterSolutions**^{TM36} **Configurator.**

MasterSolutions^{TM36} providers Auto Truck, Knapheide, and TransitWorks bring you a portfolio of turnkey solutions for your specific line of business—HVAC, Plumbing, Electrical, Telecommunication, Contracting, Delivery, Refrigeration, Food Services, and People Moving—all at a preferred price. These preconfigured solutions from industry-leading manufacturers are customized to fit your Mercedes-Benz Van. The ordering process is streamlined, and installation is simple: all MasterSolutions^{TM36} can be fitted directly as Ship-Thru, right next to our factory in South Carolina, which saves you time and ensures seamless integration, quick delivery, and consistent quality.















RETAIL LOAN

These simple-interest, fixed-payment packages lock in interest rates and can include van and upfit equipment, as well as aftermarket products, in one contract.

FMV LEASE

A closed-end lease agreement is also known as a "walkaway lease," since the lessee can simply turn in the vehicle and walk away at lease maturity after meeting all contractual obligations, subject to certain return conditions and mileage restrictions.

TRAC LEASE38

A Terminal Rental Adjustment Clause (TRAC) lease³⁸ doesn't require any acquisition fee, up-front payment, or excess mileage charges, and lease payments may be expensed against income. Owners are responsible for the residual value of the vehicle.

We have your back.


VanCARE is a promise to our customers to deliver genuine parts, superior service, and unparalleled commitment to getting you back on the road as quickly as possible. We know that for you, it isn't a van — it's a tool you need to make a living.

ROADSIDE ASSISTANCE³⁹

All Mercedes-Benz Vans come standard with our 24-hour Roadside Assistance Program³⁹ and expert advice 24/7 through the Mercedes-Benz Customer Assistance Center, providing you with peace of mind and help when you need it most.

ServiceCARE — Service solutions built for you

Whether it's a maintenance service, unexpected warranty work, or now a wear and tear repair, our ServiceCARE products are customized solutions for you. You can now focus on your business with your vehicles always in top shape, minimizing your downtime and maximizing your financial cost control.



Regular and accurate checking of the most important vehicle parts and functions ensures that your van continues to deliver outstanding performance and reliability. Maintenance prevents unnecessary repair costs and keeps downtime minimal.

Keeping your van in top shape

Term

3 years / 60k / 3 services

4 years / 80k / 4 services

5 years / 100k / 5 services

Term

5 years / 100,000 miles

6 years / 120,000 miles

7 years / 140,000 miles

Term

2 services / 3 years

4 services / 5 years

6 services / 7 years

SPRINTER OVERVIEW

Applies to all Sprinter models

POWERTRAINS	ENGIN	IE
	2.0L 4-Cylinder Turbo Gasoline	3.0L V6 Turbo Diesel
Configuration	DOHC	DOHC
Fuel injection	Direct	Direct
Induction system	Bosch Injection	Common-Rail-Direct-Injection
Cylinders	4	6
Cylinder heads	TBD	Aluminum
Block material	TBD	Aluminum
Bore/stroke	83.0mm/92.0mm	83.0mm/92.0mm
Compression ratio	9.8:1	18.0:1
Transmission	9G-TRONIC 9-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission
Horsepower @ rpm	188 hp @ 5,000 rpm	188 hp @ 3,800 rpm
Torque Ib-ft @ rpm	258 lb-ft @ 2,500-3,500 rpm	325 lb-ft @ 1,400-2,400 rpm
Recommended fuel	Regular 87 Octane	B5 Diesel
Fuel tank capacity	22 gal	24.5 gal

STANDARD FEATURES

	STANDARD	FEATURES	
	MECHA	ANICAL	
Gasoline engine only	Diesel engine only	Gasoline and Diesel engines	
Engine: 2.0L 4-Cylinder Turbo Gasoline	• Engine: 3.0L V6 Turbo Diesel	Body Builder Connector	Pre-installation PSM
9G-TRONIC 9-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission	Exhaust Straight to Rear	Pre-wiring for Trailer Hitch
AGM battery 12V/70Ah	Alternator 14V/220A	Jump-Start Terminal	Remote Key (315mhz) with Central Locking
Generator 14V/250A	3rd Generation SCR Emission Control System	Pre-installation for Switch Panel (not available on 4x4)	Starter Battery Disconnect
SULEV Emissions	• ULEV/SULEV Emissions*		
• Service Interval: Up to 15,000 miles 12	• Fuel Filter with Water Separator		
	• Service Interval: Up to 20,000 miles ¹²		
SEATING	EXTERIOR	INTER	RIOR
Adjustable Driver Seat	Dual-Circuit 4-Wheel Disc Brakes	Adjustable Steering Wheel (Angle)	Lockable Storage Compartment Above Windshield
Adjustable Front Passenger Seat	Front and Rear Mudflaps	Air Conditioning, Front	Outside Temperature Gauge
Armrest for Driver's Seat	• Rear Doors Opening to Side-Wall (Optional on 144" & 170" models)	Communication Module (LTE) for Dig. Services	Shelf Above Windshield
Armrest for Front Passenger Seat	Red Diesel Filler Cap (Diesel only)	• Cupholder, Front	• Speedometer, mph
Fabric, Maturin Black	Windshield with Filter Band	Heater, Auxiliary Electric Hot Air	Standard Radio
		• Jack, Hydraulic	Storage Compartment Underneath Cockpit
		Keyless Start	• USB-C Socket, 5V
TIRES & WHEELS		SAFETY & SECURITY	
All-Season Tires	4-Wheel Anti-Lock Braking System (ABS)	Emergency Call System	Load-Adaptive Electronic Stability Program (ESP®) ⁸
Unspecified Tire Brand	Airbag, Driver/Passenger Front	Headlight Assistant	• Seat Belt Reminder, Driver/ Passenger
	Breakdown Management	Hill Start Assist	• Thorax-Pelvis Side Airbags, Driver/ Passenger
	• Crosswind Assist ⁷	HOLD Function	Window Side Airbags, Driver/ Passenger

			SPRINTER MO	DEL OVERVIEW			
Body L	ength	Roof Heights	1500 Model	2500 Model	3500 Model	3500XD Model	4500 Model
	STANDARD	STANDARD ROOF	0	6 D 4×4		0 4×4	D
	(144")	HIGH ROOF	6	6 0 4×4	0	0 4×4	0
CARGO VAN	LONG (170")	HIGH ROOF		6 D 4×4	0	0 4×4	0
	EXTRA LONG (170" EXT)	HIGH ROOF		0 4×4	0	0 4×4	0
	STANDARD (144")	HIGH ROOF		6 D 4×4	0	0 4×4	0
CREW VAN	LONG (170")	HIGH ROOF		6 0 4×4	0	0 4×4	0
PASSENGER	STANDARD (144") 12-PASSENGER	HIGH ROOF	0	6 D 4×4			
VAN	LONG (170") 15-PASSENGER	HIGH ROOF		G D			
CAB CHASSIS/	STANDARD (144")	STANDARD ROOF				0	0
CUTAWAY	LONG (170")	STANDARD ROOF				0	0

G Gas engine available

Diesel engine available



ADDITIONAL STANDARD FEATURES (CARGO)	_	_	_	ă				_	_	Š					٤	ָהֵ מַ
MECHANICAL	1500	2500	3500	3500XD	4500		1500	2500	3500	3500XD	4500		1500	3500	3500XD	3200)
Aux. fuel sending unit with fuel tap**	Х	Х		X		Cable duct – side-wall	X	Х	Х	Χ	Х	Stabilization Level I	XX			1
• Axle ratio 3.923**		Х		L		Front axle reinforced					X	Stabilization Level II		X	()	ΧĮ
Axle ratio 4.182 (standard on 2500 gas models only)	Χ	X		X		Omission bulkhead	X	Х	Х	X	X	Tire pressure monitoring lamp	X >		\perp	\perp
Cable duct – rear portal	X	X	X	X	X	Speed limitation, 65 mph					X	J				
NTERIOR Interior lights, cargo compartment	Х	Ιx	X	Ιx	X	Wood floor deletion	Τx	Х	Х	Х	Х]				
XTERIOR		_				TIRES & WHEELS					_	TIRES & WHEELS (CONTINUED)				
3rd brake light	X	X		X	X	5.5 J x 16 steel wheels	\perp		Χ	Х	Х	Tires LT 215/85 R16		_ X	(X	Κ
• High roof		,	X		,	6.5 J x 16 steel wheels	X	X	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	• Tires LT 245/75 R16	X X			丄
Rear doors, 180° opening Rear mudflaps	X	X		X		Dual rear wheel tires Spare wheel	X	X	X	X	X	SAFETY & SECURITY Longitudinal member reinforcement	TVI	/Tv	·Tv	νT
Sliding door, passenger side	X	X	X	X		Spare wheel bracket below frame	X	X	X	Χ	X	Rearview camera (rearview mirror display)	XX	T x	X	X
						ı						l			Ţ	Ţ
OPTIONAL FEATURES (CARGO)	0	8	l _e	3500XD	l _e		l _e	8	00	3500XD	00		0 5	3 2	3500XD	ואַר
MECHANICAL	1500	2500		35	4500		1500	2500	3500	35	4500		1500	3500	3 55	3200)
12V power outlet, rear compartment	X	X		X		AGM battery 12V 95Ah 850A	X	Χ	X	X	X	Front axle reinforced (standard on 4500 model)	X			X
115V socket	Х	X	1	X	Т	Axle ratio 3.923** Axle ratio 4.182 (optional on 2500 diesel models only)	-	X	X	Х	Х	Fuel gauge, optimized for aux. fuel tap** Misfueling prevention for diesel	<u> </u>			X X
Additional bar for driveshaft & exhaust extension	Х	X	X	X	X	Axie ratio 4.182 (optional on 2500 diesel models only) Backup alarm	X	X	X	Х	Х	Misrueling prevention for diesel Omission of D-Rings	XX			_
Additional battery for retrofit consumers,	Х	X	X	$ _{x}$	X	Cruise control	X	Х	Χ	Χ	Х	Parametric Special Module (PSM)	X	ΧX		X
driver seat base	^	<u> </u> ^	1^	1^	1^	Cutoff relay for additional battery	X	X	X	X	X	Speed limitation, 65 mph (standard on 4500 models)	$X \mid X$		(X	X
Additional battery for retrofit consumers, engine compartment	Х	X	X	X	X	Deactivation lamp monitoring failure Electric parking brake	X	X	X	X	X	Stabilization Level II Suspension for comfort and load protection	X X		+	+
Additional DIN-slots	Χ	Х	X	X	X	Engine oil level display at cold start**	1	X	Х	Χ	Χ	Top speed limitation, 75 mph	XX		()	Χ
EATING		1	1	1	1		Lea									
Artico Man-made Leather Black Fabric, Caluma Black	X	X	X	X X	X X	Heated driver seat	ΙX	ΙX	X	l X	ΙX	Heated front passenger seat	X >	(X	(X	<u> </u>
NTERIOR						•										
2nd row, fixed window, driver side	X	X	X	X	X	Electrically heated windshield	X	X	Х	Χ	Х	Pallet support in sliding door step	XX	(X	(X	ΧŢ
2nd row, fixed window, passenger side	X	X		X		Fixed sunroof (rear roof section)	X	X	X	X	X	Rear cabin heater & vents	XX	(X	X	X
Acoustic Package Assist handle, B-pillar	X	X		X		Floor covering, plastic Fuel-fired heater booster (17,000 BTU)**	X	X	X	X	X	Rear doors, opening to side-wall Rear heater prep	XXX			
Assist handle, left rear door	X	X	₩ X	Ιâ	-	Fuel-fired pre-heater/booster (17,000 BTU)**	+	X	X	X	X	Rear window defroster	XX			x t
Assist handle, right rear door	X	X		X		Half height load compartment trim	X	X	Χ	Х	Х	Roof fan, electric	XX			
Cab rear wall liner	Х	Х		X		Heat insulation, front compartment	X	Χ	Χ	Χ	Х	Satellite radio	XX			X
Cargo lashing rails, head height Cargo partition	X	X	X	X		Heat insulation, rear compartment Hinged lid for storage compartment	X	X	X	X	X	Shelving prep Side-wall paneling full hardboard	XXX			
Cargo partition with one window	Ϋ́	ΙŶ		∤â		Illuminated front exits	† <u>^</u>	X	X	X	Ιχ	Side-wall paneling waist height PVC	XX			_
Cargo straps, D-rings ³⁴	X	X		X		Instrument cluster with color display	X	X	Х	X	Х	Storage compartment above cabin	1	Ť	X	_
Cargo straps, lashing rails ³⁴	Х	Х	X	X		Keys, two additional masters	X	X	Х	Χ	Х	THERMOTRONIC automatic climate control	XX	(X	(X	X
Charging Package, dashboard	X	X	X	ΪX		Lashing rails, floor-level (plus four anchors)	X	X	X	X	X	Tray for smartphones incl. wireless charging	XX	ЦX	X	삵
Cigarette lighter & ash cup, front Coat hooks in driver cabin	X	X		X		Lashing rails, waist-level Light/motion sensor in rear compartment	X	X	X X	X	X	Wood floor with six D-rings ³⁴	XX	\ X	L X	<u> </u>
DEF fluid filler cap – lockable	X	Ιχ	X	Ιχ		Multifunction steering wheel	X	X	X	X	X					
Door-mounted assist handle,	Х	Х		1	1	Optional 3-button keys	X	Х	χ							
driver & passenger Door sill – protective edge	X	_		X		Overhead storage slot, front center	X	X	Х	Х	Х					
XTERIOR												TIRES & WHEELS				
Black tinting (90%) for rear windows	Х	X	X	x	X	Heated rear window(s) with washers/wipers	X	Х	X	Х	X	285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)		X	(x	x
Bumpers front/rear primed	Χ	Х	X	X	X	High roof (standard on 3500)	X	Χ		Χ	Х	Light-alloy wheels 6.5 J x 16	XX			1
Bumper step, rear, Grey Bumper step, rear, spring-loaded**	X	X	X	X	X	Mounting rails for roof rack Opening limiter, electrically operated sliding door	X	Ϋ́	X	X	X	Loadable wheel arch M+S winter tires	XXX	\mathcal{H}	\perp	<u> </u>
 Deletion of "model" badge, right rear door 	X	I X	I X	<u> </u>		Painted metallic front & rear bumper	X	X	X	LX.	Į X	Rims painted Arctic White	X X X X X X X X X X X X X X X X X X X	ĊΙΏ		X
Deletion of Sprinter hadge left rear door	X	ΙX	X	X	X	Primed side moldings Sliding door driver side	X	X	X	X		Rims painted Jet Black Spare tire carrier deletion	X X X X X X	X	X	X
Elec. closing assist left sliding door (soft close) Elec. closing assist right sliding door (soft close)	X	X				Sliding door, driver side Sliding door, right-side deletion	X	X	X	X		Spare tire carrier deletion Spare wheel deletion	$\frac{1}{X}$		X	X
Electric sliding door right	X	X	X	Tχ	X	Sliding door, two-stage opening	X	Х	Χ	Χ	X	Steel wheels: 8.5 J x16 Rr; 6.5 J x16 Fr (Super Single)		X	X	ХΙ
Electric sliding step Electrically folding exterior mirrors	X	X	X	ļХ	₽X	Step, wide, at rear end Trailer crossmember 7,500-lb. capacity	X	X	X	X		Tire Brand Continental Tire Brand Kumho	XXX	H_{X}	X	X X
Fixed window center left	X	X	X X X	X	X	Trailer hitch, 5,000 lbs. (Available only for 170"	X	Х	X	X		Tire Brand Michelin*	X X X X X X	X X X X X X X X X X X X X X X X X X X	Ϊź	$X \perp$
Fixed window center right Half-sided step rear (for trailer hitch)	X	X	X	X	X	EXT on 3500, 3500XD & 4500 models) • Windows in rear doors		\ Х	\ Х	\ Х		Wheel chocks Wheelhouse covering	XXX	((X	
AFETY & SECURITY						OPTIONAL PACKAGES						OPTIONAL PACKAGES (CONTINUED)				
Active Distance Assist DISTRONIC ^{®5}	X			X		Bench Seat Package	X	Х	X	Χ		Heavy-Duty-Cargo Protection Package	XX	ΚX	()	ΧŢ
Blind Spot Assist ³	X	X				Cargo Convenience Package	X	X	X	X		Premium Package	XXX	ΧX	()	
Emergency flashlight	X	X				Cargo Protection Package Chrome Grille Package	X	X	X	X			$\begin{pmatrix} X & X \\ X & X \end{pmatrix}$	X X	\ \ \ \	X V
		1 v	I V													
First-aid kit	Х	X				,			X	X	X	Swivel Seat Package	1/1/	\ /		^ [
· · · · · · · · · · · · · · · · · · ·		X	X	X	X	Comfort Package Comfort Plus Package	X	Х	X X X	X	X		1/1/	<u>\ </u>	. 17	^ 1

*Delayed availability on 3500, 3500XD, 4500 mo	
** Not available with gasoline engine	

^{**} Not available with gasoline engine † Not available with 4x4.

SPRINTER CREW



ADDITIONAL STANDARD FEATURES (CREW)			 					3500XD		2500 3500 3500XD 4500
	2500	3500	3500XD	4500		2500	3500	000	4500	2500 3500) 3500)
MECHANICAL					- Omissian bull-band		m			N N N N N N N N N N
Aux. fuel sending unit with fuel tap Axle ratio 3.923**	X	X	X	X	Omission bulkhead Speed limitation, 65 mph	X	Х	Х	X	Stabilization Level II Tire pressure monitoring lamp X X X X
Axle ratio 4.182 (standard on 2500 gas models only) Front axle reinforced	X	Х	Х	X	Stabilization Level I	X			Ĺ	- The pressure monitoring tamp
SEATING							_	_	_	
Aisle-side armrest	ΙX	X	X	ΙX	 Three-seater bench in passenger compartment, first row (narrow); includes ISOFIX 	X	X	X	X	Wall-side armrest X X X X
NTERIOR					mst row (narrow), miciates 13011X			_	_	
Assist handle, B-pillar	Тх	Τx	ΙX	X	Interior lights, cargo compartment	Тх	ΙX	X	X	Wheelhouse covering X X X X
Black tinting (90%) for rear windows	X	X	X		Rear window defroster	X	Х	Х	Χ	• Wheelhouse covering X X X X • Windows in rear doors X X X X
Cupholders, front	X	X	X		Roof trim	X	Х	Х		
Floor covering, plastic	X X	X	X		Storage compartment with net in rear doors	X X	X	X	X	
Half height load compartment trim		1.	X	ΙX	Warm/cool air duct to rear compartment		X	ΙΛ	1.	I
EXTERIOR			_		TIRES & WHEELS					TIRES & WHEELS (CONTINUED)
2nd row, fixed window, driver side	+X	X	ΙX		• 5.5 J x 16 steel wheels	-	X	X	X	• Tires LT 215/85 R16 X X X
2nd row, fixed window, passenger side 3rd brake light	X X	X	X	X	6.5 J x 16 steel wheels Dual rear wheel tires	X	Х	Х	X	• Tires LT 245/75 R16 X
High roof	† <u>Ŷ</u>	^	 ↑		Spare wheel	+	X	X	X	
Laminated glass rear	X	X	X		Spare wheel bracket below frame	X	X	X	X	
• Rear doors, 180° opening	X	X	X	X						
Rear mudflaps	X	X	X	X						
Sliding door, passenger side	X	ΙX	ΙX	ΙX						
SAFETY & SECURITY										
Longitudinal member reinforcement	X	X	X	X	Rearview camera (rearview mirror display)	X	X	X	X	
	,									
OPTIONAL FEATURES (CREW)			Įė					ē		
- CATTORIAL TEATORES (GREW)	2500	3500	3500XD	4500		2500	3500	3500XD	4500	2500 3500 3500XD
MECHANICAL							35	35	45	
Additional bar for driveshaft & exhaust extension	X	X	X	X	Axle ratio 4.182 (standard on 2500 gas models)	X	ļ.,	ļ.,		Rear spring vibration absorbers X
 Additional battery for retrofit consumers, co-driver seat base 	X	X	Ιx	Ιx	Cruise control	X	X	X	X	Speed limitation, 65 mph (standard on 4500 model) X X X Stabilization level III
	+	┢	⊢	╁	Cutoff relay for additional battery Deactivation lamp monitoring failure	X	X	X	X	Stabilization Level II X Suspension for comfort & load protection X
 Additional battery for retrofit consumers, engine compartment 	X	X	X	X	Electric parking brake	X	<u> ^</u>	Ľ	ļΫ́	Top speed limitation, 75 mph X X X
Additional DIN-slots	Х	Х	X	X	Engine oil level display at cold start**	X	Х	Х	Х	
AGM battery 12V 95Ah 850A	X	X	X	X	Front axle reinforced (standard on 4500 model)**	X	X	X	ļ.,	
Axle ratio 3.923**		ΙX	ΙX	X	Parametric Special Module (PSM)	X	Į X	X	X	
SEATING										
Artico Man-made Leather Black	X	X	X	X	Heated driver seat	ΙX	X	X	X	Heated front passenger seat X X X X
Fabric, Caluma Black	X	ΙX	X	X						
INTERIOR										
12V power outlet, rear compartment	ΙX	Ιx	Ιx	Ιx	Heat insulation, rear compartment	ΙX	X	X	ΙX	Rear heater prep
115V socket	X	X	X	X	Hinged lid for storage compartment	X	Х	Х	Х	Roof fan, electric X X X X
Acoustic Package	X		X	X	Illuminated front exits	X			X	Satellite radio X X X X
Assist handle, left rear door	X	X			Instrument cluster with color display	X	X	X		Side-wall paneling waist height PVC X X X X
Assist handle, right rear door	X				Keys, two additional masters	X	X	X	X	THERMOTRONIC automatic climate control X X X X
Cargo straps, D-rings ³⁴ Charging Paskage, deaphnoord	X	X		-	Leather steering wheel Loadable wheel arch	X	X	Х	X	Tray for smartphones incl. wireless charging
Charging Package, dashboard Cigarette lighter & ash cup, front	<u>^</u>	^			Multifunction steering wheel	⊢ <u>^</u>	Х	V	Х	Wood floor with six D-rings ³⁴ X X X X X
Door-mounted assist handle, driver & passenger	$\frac{1}{X}$	Ϊ́χ		-	Navigation	⊢^	X		X	
Fuel-fired heater booster (17,000 BTU)**	ΤX	ΙX			Optional 3-button keys	X	X	Ϊ́χ	X	
Fuel-fired pre-heater/booster (17,000 BTU)**	X	X			Overhead storage slot, front center	X	Х	Х	Х	
Half-sided step, rear (for trailer hitch)	X	Х	X	Х	Painted metallic front & rear bumper	X	Χ	Χ	Х	
Heat insulation, front compartment	X	X	X	X	Rear cabin heater & vents	X	Х	Х	Х	
EXTERIOR										TIRES & WHEELS
Bumper step, rear, Grey	X	Ιx	Ιx	Тх	Heated & electrically adjustable exterior mirrors	ΙX	Х	X	Ιx	285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)
Bumper step, rear, spring-loaded**†	Τî		┟ˆ	†^	Heated rear window(s) with washers/wipers	$\frac{1}{x}$	Ιχ̈́	Ιχ		Light-alloy wheels 6.5 J x 16 X
Bumpers front/rear primed	X		X	X	Mounting rails for roof rack	X	Χ	X		M+S winter tires X X X X
DEF fluid filler cap – lockable	X	X	X	-	Opening limiter, electrically operated sliding door	X	Χ	Х	Х	Rims painted Arctic White X X X X X
Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door	Α̈́	Ϋ́	ΙŶ	Ϋ́	Painted metallic front & rear bumper Primed side moldings	X	Ϋ́	X		• Rims painted Jet Black X
Elec. closing assist right sliding door (soft close)	 ☆	Ιâ	Ιâ	Ιŵ	Rear doors, opening to side-wall	ΗŶ	X			• Spare wheel deletion X X X X X
Electric sliding door right	X	X			Sliding door two-stage opening	X	Χ	X		Steel wheels: 8.5 J x16 Rr; 6.5 J x16 Fr (Super Single) X X
Electric sliding step	X	X	Х	X	Step, wide, at rear end	X	Χ	X		Tire Brand Continental X X X X
Electrically folding exterior mirrors Electrically heated windshield	X		X	l _X	Trailer crossmember 7,500-lb. capacity Trailer hitch, 5,000 lbs	+	Х	Х	Х	Tire Brand Michelin* X X X X Tire Brand Kumba V V V V
Electrically heated windshield	1 X	ΙΛ	ΙX	ΙX	Trailer hitch, 5,000 lbs.	ΙX	_	_		• Tire Brand Kumho X
SAFETY & SECURITY	,				OPTIONAL PACKAGES					
Active Distance Assist DISTRONIC®5	X	X			Chrome Grille Package	X	X	X		
Backup alarm	X				Comfort Plus Pockage Comfort Plus Pockage	X	X	X		
Blind Spot Assist ³ Emergency flashlight	X	X			Comfort Plus Package Crew Van Comfort Package	X	X		X	
First-aid kit	<u>^</u>	^			Driver Convenience Package	$+^{\circ}_{X}$	X		X	
Fog lamp with cornering light function	X	X			Exterior Lighting Package	⊢î X	X	X	X	
Misfueling prevention for diesel	X	X	X	X	Premium Package	X	X	X	X	
Parking Package	X	X	Х	X	Premium Plus Package	X	X	X	X	
									IV	
Parking Package with 360° camera Security alarm with interior motion sensor	X	X	l _X	V	Swivel Seat Package	X	X	X	1^	

Parking Package with 360° camera
 Security alarm with interior motion sensor

SPRINTER CARGO



TECHNICAL SPECIFICATIONS: 1500 CARGO, 2500 & 3500

	15	00				25	00						3500		
Tires	Sin			1.4	411	Sir	igle 17	Oll	170	FVT		ual Rear Whe		Super	
Wheelbase Engine	Gas	4" Gas	Gas/Diesel	Diesel	4" Gas/Diesel	Diesel	17 Gas/Diesel	Diesel	Diesel	EXT Diesel	144" Diesel	170" Diesel	170" EXT Diesel	170" Diesel	170" EXT Diesel
Drivetrain	4x2	4x2	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x2	4x2
Roof height	Standard Roof	High Roof	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof
Passenger capacity Rows of seats	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One	2-3 One
EXTERIOR															
Length	233.5"	233.5"	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	290.0"	290.0"	233.5"	274.3"	290.0"	274.3"	290.0"
Height	96.3"	107.5"	96.3"	100.1"	107.5"	111.3"	107.3"	110.9"	107.0"	110.5"	109.1"	108.7"	108.4"	109.1"	108.7"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.2"	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	67.2"	67.8"	66.5"	66.5"	66.5"	67.2"	67.2"
Tire track rear	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	68.2"	60.7"	60.7"	60.7"	65.2"	65.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	79.6"	79.6"	49.1"	63.8"	79.6"	63.8"	79.6"
Load height, unloaded (ground to cargo floor)	27.5"	27.4"	27.7"	31.5"	27.6"	31.4"	27.5" G 27.4" D	31.1"	27.2"	30.6"	28.5"	28.1"	27.7"	29.2"	28.9"
Load height, loaded (ground to cargo floor)	23.3"	23.4"	23.4"	26.8"	23.4"	26.8"	23.4"	26.8"	23.5"	26.8"	23.2"	23.2"	23.3"	25.2"	25.4"
Side-door opening height	59.8"	71.6"	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"
Side-door opening width – sliding	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"
Rear cargo door opening height	61.0"	72.7"	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	40.7'	40.7'	43.3'	40.7'	43.3'	47.2'	50.2'	47.2'	50.2'	45.3'	52.5'	52.5'	52.5'	52.5'
Ground to first step-side	20.9"	20.8"	20.9"	24.8"	20.8"	24.7"	20.4"	24.2"	20.4"	24.1"	21.6"	20.9"	20.8"	20.7"	20.6"
INTERIOR		I.		<u> </u>	I.	<u> </u>	Į.	<u> </u>	<u>I</u>						
Headroom (1st row)	47.3"	56.4"	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo length,	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo width between															
wheelhouses	53.2"	53.2"	53.2"	53.2"	53.2"	53.2"	53.2"	53.2"	53.2"	53.2"	38.5"	38.5"	38.5"	48.4"	48.4"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo height, maximum (without trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	67.7"	79.1"	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"
CARGO CAPACITY															
Cargo volume (behind last row of seats)	319.0 cu. ft.	372.8 cu. ft.	319.0 cu. ft.	319.0 cu. ft.	372.8 cu. ft.	372.8 cu. ft.	488.1 cu. ft.	488.1 cu. ft.	532.6 cu. ft.	532.6 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	469.4 cu. ft.	469.2 cu. ft.	512.1 cu. ft.
Maximum roof load	660 lbs.	330 lbs.	660 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	13,550 lbs.	13,550 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	13,930 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.
MAXIMUM CAPABILITIES															
Maximum payload	3,854 lbs.	3,766 lbs.	4,354 lbs. G 4,123 lbs. D	3,814 lbs.	4,266 lbs. G 4,034 lbs. D	3,726 lbs.	3,935 lbs. G 3,704 lbs. D	3,395 lbs.	3,605 lbs.	3,296 lbs.	4,522 lbs.	4,169 lbs.	4,092 lbs.	4,279 lbs.	4,191 lbs.
Maximum towing ³⁵	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.
GVWR	8,550 lbs.	8,550 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,990 lbs.	9,990 lbs.	9,990 lbs.	9,990 lbs.	9,990 lbs.
TWR (maximum loaded trailer weight ratings)	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	500 lbs.	750 lbs.	750 lbs.	500 lbs.	750 lbs.	500 lbs.
		•	-		•										

SPRINTER CARGO



TECHNICAL SPECIFICATIONS: 3500XD CARGO & 4500

TECHNICAL SPECIFIC	ATIONS: 350	OXD CARGO	& 4500									_		
Tires				Dual Re	350 ar Wheel	0XD			Super	Single		45 Dual Rea	oo ar Wheel	
Wheelbase		14	14"	Duarne	1	70"	170	' EXT	170"	170" EXT	14	4"	170"	170" EXT
Engine Drivetrain	Diesel 4x2	Diesel 4x4	Diesel 4x2	Diesel 4x4	Diesel 4x2	Diesel 4x4	Diesel 4x2	Diesel 4x4	Diesel 4x2	Diesel 4x2	Diesel 4x2	Diesel 4x2	Diesel 4x2	Diesel 4x2
Roof height	Standard	Standard	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	Standard	High Roof	High Roof	High Roof
Passenger capacity	Roof 2-3	Roof 2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	Roof 2-3	2-3	2-3	2-3
Rows of seats EXTERIOR	One	One	One	One	One	One	One	One	One	One	One	One	One	One
Length	233.5"	233.5"	233.5"	233.5"	274.3"	274.3"	290.0"	290.0"	274.3"	290.0"	233.5"	233.5"	274.3"	290.0"
Height	97.9"	100.1"	109.1"	111.2"	108.7"	110.9"	108.4"	110.6"	109.1"	108.7"	97.8"	108.9"	108.5"	108.2"
Width -	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
excluding mirrors Width - including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Tire track front	66.5"	66.8"	66.5"	66.8"	66.5"	66.8"	66.5"	66.8"	67.2"	67.2"	66.0"	66.0"	66.0"	66.0"
Tire track rear	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	60.7"	65.2"	65.2"	60.7"	60.7"	60.7"	60.7"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang	49.1"	49.1"	49.1"	49.1"	63.8"	63.8"	79.6"	79.6"	63.8"	79.6"	49.1"	49.1"	63.8"	79.6"
Load height, unloaded (ground to cargo floor)	29.3"	30.7"	29.2"	30.6"	28.9"	30.3"	28.5"	29.8"	29.2"	28.9"	29.1"	29.0"	28.7"	28.3"
Load height, loaded (ground to cargo floor)	24.5"	24.9"	24.5"	24.9"	24.6"	24.8"	24.7"	24.7"	24.6"	24.8"	24.5"	24.5"	24.6"	24.7"
Side-door opening height	59.8"	59.8"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	59.8"	71.6"	71.6"	71.6"
Side-door opening width – sliding	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"
Rear cargo door opening height	61.0"	61.0"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	61.0"	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	45.3'	43.3'	45.3'	43.3'	52.5'	50.2'	52.5'	50.2'	52.5'	52.5'	45.3'	45.3'	52.5'	52.5'
Ground to first step-side	21.7"	24.8"	21.6"	24.8"	20.9"	24.3"	20.8"	24.3"	20.8"	20.7"	21.8"	21.8"	21.2"	21.1"
INTERIOR		'								'		'		
Headroom (1st row)	47.3"	47.3"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	47.3"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo length, front (at belt)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo width between wheelhouses	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	38.5"	48.4"	48.4"	38.5"	38.5"	38.5"	38.5"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo height, maximum (without trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	67.7"	67.7"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	79.1"	67.7"	79.1"	79.1"	79.1"
CARGO CAPACITY			1		ı	ı	ı	ı	ı					
Cargo volume (behind last row of seats)	281.1 cu. ft.	281.1 cu. ft.	328.5 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	430.1 cu. ft.	469.4 cu. ft.	469.4 cu. ft.	469.2 cu. ft.	512.1 cu. ft.	281.1 cu. ft.	328.5 cu. ft.	430.1 cu. ft.	469.4 cu. ft.
Maximum roof load	660 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	660 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.	15,250 lbs.				
MAXIMUM CAPABILITIES														
Maximum payload	5,684 lbs.	5,408 lbs.	5,595 lbs.	5,320 lbs.	5,243 lbs.	4,956 lbs.	5,154 lbs.	4,879 lbs.	5,331 lbs.	5,243 lbs.	6,735 lbs.	6,647 lbs.	6,294 lbs.	6,206 lbs.
Maximum towing ³⁵	7,500 lbs.	7,500 lbs.	5,000 lbs.	5,000 lbs.	7,500 lbs.	5,000 lbs.	7,500 lbs.	7,500 lbs.	7,500 lbs.	5,000 lbs.				
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs.	12,125 lbs.				
TWR (maximum loaded trailer weight ratings)	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.	750 lbs.				

SPRINTER CREW



TECHNICAL SPECIFICATIONS: 2500 & 3500

TECHNICAL SPECIFICATIONS	S: 2500 & 3500						
Tires			ioo ngle			ar Wheel	Super Single
Wheelbase	14	4"	17	0"	144"	170"	170"
Engine	Gas/Diesel	Diesel	Gas/Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x2	4x2
Roof height Passenger capacity	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof
Rows of seats	Two	Two	Two	Two	Two	Two	Two
EXTERIOR							
Length	233.5"	233.5"	274.3"	274.3"	233.5"	274.3"	274.3"
Height	107.5"	111.3"	107.3"	111.3"	109.1"	108.7"	109.1"
Width - excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width – including mirrors	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.8"	67.2"	67.8"	66.5"	66.5"	67.2"
Tire track rear	68.2"	68.2"	68.2"	68.2"	60.7"	60.7"	65.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	63.8"	63.8"	49.1"	63.8"	63.8"
Load height, unloaded (ground to cargo floor)	27.4" G 27.6" D	31.4"	27.3" G 27.4" D	31.1"	28.5"	28.1"	28.1"
Load height, loaded (ground to cargo floor)	23.3"	26.8"	23.4"	26.8"	23.2"	23.2"	23.2"
Side-door opening height	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"
Side-door opening width – sliding	51"	51"	51"	51"	51"	51"	51"
Rear cargo door opening height	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	43.3'	47.2'	50.2'	45.3'	52.5'	52.5'
Ground to first step-side	20.8"	24.7"	20.4"	24.2"	21.6"	20.9"	20.9"
INTERIOR							
Headroom (1st row)	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo length, front (at belt)	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo width between wheelhouses	53.1"	53.1"	53.1"	53.1"	38.5"	38.5"	48.4"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	76.7"	76.7"	76.7"	76.7"	76.7"	76.7"	76.7"
CARGO CAPACITY							
Cargo volume (behind last row of seats)	261.3 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.
Maximum roof load	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	TBD	TBD	TBD	TBD	TBD.	TBD	TBD
MAXIMUM CAPABILITIES							
Maximum payload	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum towing ³⁵	TBD	TBD	TBD	TBD	TBD	TBD	TBD
GVWR	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,990 lbs.	9,990 lbs.	9,990 lbs.
TWR (maximum loaded trailer weight ratings)	TBD	TBD	TBD	TBD	TBD	TBD	TBD

SPRINTER CREW



TECHNICAL SPECIFICATIONS:	0000ND Q 4000		3500VD				00
Tires		Dual Pa	3500XD ar Wheel		Super Single	45 Dual Re	oo ar Wheel
Wheelbase	14	4"		70"	170"	144"	170"
Engine	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x2	4x2
Roof height	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof
Passenger capacity	5	5	5	5	5	5	5
Rows of seats	Two	Two	Two	Two	Two	Two	Two
EXTERIOR							
Length	233.5"	233.5"	274.3"	274.3"	274.3"	233.5"	274.3"
Height	109.1"	111.2"	108.7"	110.9"	109.1"	108.9"	108.5"
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"	79.5"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Fire track front	66.5"	66.8"	66.5"	66.8"	67.2"	66.0"	66.0"
Tire track rear	60.7"	60.7"	60.7"	60.7"	65.2"	60.7"	60.7"
Front overhang BA	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	63.8"	63.8"	63.8"	49.1"	63.8"
Load height, unloaded (ground to cargo floor)	29.2"	30.6"	28.9"	30.3"	28.9"	29.0"	28.7"
Load height, loaded (ground to cargo floor)	24.5"	24.9"	24.6"	24.8"	24.6"	24.5"	24.6"
Side-door opening height	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"	71.6"
Side-door opening width – sliding	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"	51.0"
Rear cargo door opening height	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	45.3'	43.3'	52.5'	50.2'	52.5'	45.3'	52.5'
Ground to first step-side	21.6"	20.9"	21.6"	20.8"	20.8"	20.8"	20.8"
INTERIOR							
Headroom (1st row)	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo length, front (at belt)	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Cargo width between wheelhouses	38.5"	38.5"	38.5"	38.5"	48.4"	38.5"	38.5"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum floor width	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"	70.4"
Interior standing height	76.7"	76.7"	76.7"	76.7"	76.7"	76.7"	76.7"
CARGO CAPACITY							
Cargo volume (behind last row of seats)	261.3 cu. ft.	261.3 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	370.8 cu. ft.	261.3 cu. ft.	370.8 cu. ft.
Maximum roof load	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.	330 lbs.
Maximum available GCWR	TBD	TBD	TBD	TBD	TBD	TBD	TBD
MAXIMUM CAPABILITIES							
Maximum payload	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Maximum towing ³⁵	TBD	TBD	TBD	TBD	TBD	TBD	TBD
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.
TWR (maximum loaded trailer weight ratings)	TBD	TBD	TBD	TBD	TBD	TBD	TBD

SPRINTER PASSENGER



(PASSENGER)	0	0		000	0		2
MECHANICAL	1500	2500		1500	2500		1500
Additional bar for driveshaft & exhaust extension	X	X	Front axle reinforced (standard on 2500 170" WB models only)	٠.,	X	Suspension for comfort & load protection	Х
Axle ratio 3.923* Axle ratio 4.100 (standard on 3.500 con models color)	-	X	Rear spring vibration absorbers	X	X	Tire pressure monitoring lamp	Х
Axle ratio 4.182 (standard on 2500 gas models only)	X	X	Stabilization Level I	X	X		
SEATING	Lv	Lv	L 0	Tv	l v		
Aisle-side armrest	X		Storage net, driver seat backrest	X X	X	 Three-seater bench in passenger compartment, second row (narrow) 	X
Four-seater bench in passenger compartment, third row**	X		Storage net, passenger seat backrest	- ^	^	Three-seater bench in passenger compartment,	
Four-seater bench in passenger compartment, fourth row***	X	X	Three-seater bench in passenger compartment, first row (narrow); includes ISOFIX	X	X	third row (narrow)***	Х
Luxury interior trim with USB-sockets	X	X	llist row (narrow), includes 1301 1X		L	Wall-side armrest	X
						Window pillar trim	X
INTERIOR							
12V power outlet, rear compartment	X		Front-to-rear outlet in instrument panel	X	-	Rear window defroster	X
Air conditioning rear, roof-mounted Assist handle, B-pillar	X		Fuel-fired heater booster (17,000 BTU)* Heat insulation, front compartment	X	X	Sliding door, passenger side Starger compartment with not in room doors.	X
Audio systems speakers, 5 front, 8 rear	T _X		Heat insulation, rear compartment	⊢ <u>^</u>	X	Storage compartment with net in rear doors Warm/cool air duct to rear compartment	X
Coat hooks in passenger compartment	X	Ιχ	Hinged lid for storage compartment	 ↑	X	Weight-optimized plastic floor	X
Cupholders, Front	ΙX	ΙX	Illuminated front exits	X	X	Window pillar trim	X
FMVSS 217 emergency exit	X		Rear cabin heater & vents		Χ	·	
EVTERIOR						TIDES & WHEELS	
2nd row, fixed window, passenger side	ΤX	ΙX	High roof	X	ΙX	TIRES & WHEELS • 6.5 I x 16 steel wheels	X
3rd brake light	†		Laminated glass rear	⊢î		Spare wheel	X
Black tinting (90%) for rear windows	†â	Ιâ	Rear doors 180° opening	⊢^	Ιχ	Spare wheel bracket below frame	X
Fixed window, center left***	X	X	Rear mudflaps	X	X	• Tires LT 245/75 R16	X
Fixed window, center right***	X	X	Roof trim	X	Χ	Wheelhouse covering	X
Fixed window, rear left	X	X	Tow hook rear	Х			
Fixed window, rear right	X	X	Windows in rear doors	X	X		
SAFETY & SECURITY							
Longitudinal member reinforcement	X	X	Rearview camera (rearview mirror display)	X	X		
	T	L	I				
ORTIONAL FEATURES (RASSENGER)	_	_					
OPTIONAL FEATURES (PASSENGER)	1500	2500		1500	2500		1500
MECHANICAL	_	_			_		=
Additional battery for retrofit consumers, co-driver seat base**	X	X	Cutoff relay for additional battery	X	X	Misfueling prevention for diesel	
Additional battery for retrofit consumers, anging compartment**	X	Ιx	Deactivation lamp monitoring failure	X	X	Parametric Special Module (PSM) Special Module (PSM)	X
engine compartment** • Additional DIN-slots	X	X	Electric parking brake Engine oil level display at cold start*	X	X	Speed limitation, 65 mph Top speed limitation, 75 mph	X
Axid ratio 4.182 (standard on 1500 & 2500 Gas Models)	+^	Ιâ	Fuel gauge, optimized for aux. fuel tap*	+	X	- Top speed littlitation, 73 mpn	
Cruise control	ĺχ		1 del gauge, optimized for data fact tap		1 //		
05471110			'				
SEATING	ΙX	Ιv	Heated driver seat	Τv	Ιv		
			Heated driver seat Heated front passenger seat	+÷	X		
		ĺχ					
Fabric, Caluma Black	X	X	heated from passenger seat		^		
Fabric, Caluma Black INTERIOR	X					Orking of 2 hother have	Tv
Fabric, Caluma Black INTERIOR 115V socket	X	X	Electrically folding exterior mirrors	X	X	Optional 3-button keys Outload storage alet front contar	X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package	X	X	Electrically folding exterior mirrors Electrically heated windshield		X	Overhead storage slot, front center	ΙX
Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door	X X X	X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)*	X	X X	Overhead storage slot, front center Rear doors, opening to side-wall	X
Artico Man-made Leather Black Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard	X X X X	X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display	XXX	X X X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep	X X X
Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door	X X X X X	X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters	X	X X X X	Overhead storage slot, front center Rear doors, opening to side-wall	X X X X
Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard)	X X X X X X	X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel	X X X X	X X X X X X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio	X
Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front	X X X X X	X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel	X X X X	X X X X X X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control	X X X X
Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4)	X X X X X X	X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel	X X X X	X X X X X X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging	X X X X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR	X X X X X X	X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation	X X X X X	X X X X X X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS	X X X X X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed	X X X X X X	X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors	X X X X X X	X X X X X X X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16	X X X X X
Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey	X X X X X X	X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers	X X X X X X	X X X X X X X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires	X X X X X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable	X	X X X X X X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White	X X X X X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door	X	X X X X X X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door	X X X X X X X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black	X X X X X X X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door	X	X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White	X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap – lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close)	X	X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion	X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close)	X	X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho	X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap – lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close)	X	X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental	X
Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumper step, rear, Grey Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch)	X	X X X X X X X X X X X X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs.	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin	X
Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs.	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package	X
Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera	X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs.	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package	X
Fabric, Caluma Black INTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera	X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist DPTIONAL PACKAGES Chrome Grille Package	X	X X X X X X X X X X X X X X X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit Fog lamp with cornering light function High-Performance Rear Air Conditioning Package	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera	X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap – lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist DPTIONAL PACKAGES Comfort Package Comfort Package	X	X X X X X X X X X X X X X X X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit Fog lamp with cornering light function High-Performance Rear Air Conditioning Package Passenger Accessibility Package	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera	X
Fabric, Caluma Black NTERIOR 115V socket Acoustic Package Assist handle, left rear door Assist handle, right rear door Charging Package, dashboard Cigarette lighter & ash cup, front Door-mounted assist handle, driver & passenger (standard on 4x4) EXTERIOR Bumpers front/rear primed Bumper step, rear, Grey DEF fluid filler cap - lockable Deletion of "model" badge, right rear door Deletion of Sprinter badge, left rear door Elec. closing assist right sliding door (soft close) Half-sided step rear (for trailer hitch) SAFETY & SECURITY Active Distance Assist DISTRONIC®5 Backup alarm Blind Spot Assist DPTIONAL PACKAGES Chrome Grille Package	X	X X X X X X X X X X X X X X X X X X X	Electrically folding exterior mirrors Electrically heated windshield Fuel-fired pre-heater/booster (17,000 BTU)* Instrument cluster with color display Keys, two additional masters Leather steering wheel Multifunction steering wheel Navigation Heated & electrically adjustable exterior mirrors Heated rear window(s) with washers/wipers Mounting rails for roof rack Opening limiter, electrically operated sliding door Painted metallic front & rear bumper Primed side moldings Sliding door two-stage opening Trailer hitch, 5,000 lbs. Emergency flashlight First-aid kit Fog lamp with cornering light function High-Performance Rear Air Conditioning Package	X	X	Overhead storage slot, front center Rear doors, opening to side-wall Rear heater prep Satellite radio THERMOTRONIC automatic climate control Tray for smartphones incl. wireless charging TIRES & WHEELS Light-alloy wheels 6.5 J x 16 M+S winter tires Rims painted Arctic White Rims painted Jet Black Spare tire carrier deletion Spare wheel deletion Tire Brand Continental Tire Brand Kumho Tire Brand Michelin Parking Package Parking Package Parking Package with 360° camera	X

SPRINTER PASSENGER



TECHNICAL SPECIFICATIONS: 1500 & 2500

TECHNICAL SPECIFICATIONS	: 1500 & 2500			
	1500		2500	
Tires	Single		Single	1
Wheelbase	144"	14	4"	170"
Engine	Gas	Gas/Diesel	Diesel	Gas/Diesel
Orivetrain Roof height	4x2	4x2 High Roof	4x4 High Roof	4x2
Passenger capacity	High Roof	12	12	High Roof
Rows of seats	Four	Four	Four	Five
EXTERIOR				1
Length	233.5"	233.5"	233.5"	274.3"
Height	114.2"	114.2"	117.6"	113.5"
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"
Width - including mirrors	92.3"	92.3"	92.3"	92.3"
Tire track front	67.2"	67.2"	67.8"	67.2"
Tire track rear	68.2"	68.2"	68.2"	68.2"
Front overhang BA	40.2"	40.2"	40.2"	40.2"
Rear overhang (rear axle to end of frame)	49.1"	49.1"	49.1"	63.8"
Load height, unloaded	27.2"	27.2" G	30.8"	26.3"
(ground to cargo floor)	LI.L	27.4" D	JU.0	20.3
Load height, loaded (ground to cargo floor)	23.8"	23.8"	27.2"	23.9"
Side-door opening height	71.6"	71.6"	71.6"	71.6"
Side-door opening width – sliding	51.0"	51.0"	51.0"	51.0"
Rear cargo door opening height	72.7"	72.7"	72.7"	72.7"
Rear cargo door opening width	61.2"	61.2"	61.2"	61.2"
Turning radius (curb-to-curb)	40.7'	40.7'	43.3'	47.2'
Ground to first step-side	20.5"	20.5"	24.2"	19.9"
INTERIOR				
Headroom (1st row)	56.4"	56.4"	56.4"	56.4"
Shoulder room (1st row)	67.4"	67.4"	67.4"	67.4"
Hip room (1st row)	63.7"	63.7"	63.7"	63.7"
Legroom (1st row)	38.9"	38.9"	38.9"	38.9"
Cargo length, front (at floor)	TBD	TBD	TBD	TBD
Cargo length, front (at belt)	TBD	TBD	TBD	TBD
Cargo width between wheelhouses	53.0"	53.0"	53.0"	53.0"
Cargo height, maximum (with trim)	TBD	TBD	TBD	TBD
Maximum floor width	69.8"	69.8"	69.8"	69.8"
Interior standing height	75.5"	75.5"	75.5"	75.5"
CARGO CAPACITY				
Cargo volume (behind last row of seats)	78.6 cu. ft.	78.6 cu. ft.	78.6 cu. ft.	111.2 cu. ft.
Maximum roof load	TBD	TBD	TBD	TBD
Maximum available GCWR	13,550 lbs.	13,931 lbs.	13,931 lbs.	9,480 lbs.
MAXIMUM CAPABILITIES				
		3,441 lbs. G		3,307 lbs. G
Maximum payload	2,941 lbs.	3,265 lbs. D	2,879 lbs.	3,067 lbs. D
Maximum towing ³⁵	5,000 lbs.	5,000 lbs.	5,000 lbs.	0 lbs.
GVWR	8,550 lbs.	9,050 lbs.	9,050 lbs.	9,480 lbs.
TWR (maximum loaded trailer	6,000 lba	7,000 lba	7,000 lba	7,400 lbs.

500 lbs.

500 lbs.

500 lbs.

0 lbs.

SPRINTER CAB CHASSIS/CUTAWAY



ADDITIONAL STANDARD FEATURES (CAB CHASSIS/CUTAWAY)	0X00	00		00XD	00		00XD	4500
MECHANICAL	35	45		35	45		35	45
Aux. fuel sending unit with fuel tap	X	X	Deletion of end crossmember	X	X	Stabilization Level II	Х	Х
Axle ratio 4.182	Х	X	Front axle reinforced	Т	X			
Deactivation lamp monitoring failure	Х	X	Speed limitation, 65 mph		X			
EXTERIOR			TIRES & WHEELS			SAFETY & SECURITY		
Clearance lights pre-wiring	Х	X	5.5 J x 16 steel wheels	X	X	Longitudinal member reinforcement	X	Х
Exterior mirror extended (96")	Х	Х	Dual rear wheel tires	X	X			
Identification lamps	Х	X	Provisional spare wheel bracket frame mounted	X	X			
			Spare wheel	Х	X			
			Tires LT 215/85 R16		Ιx			

OPTIONAL FEATURES (CAB CHASSIS/CUTAWAY)

MECHANICAL								
Additional battery for retrofit consumers, co-driver seat base	X	X	Cruise control	X	X	Parametric Special Module (PSM)	X	Т
Additional battery for retrofit consumers,	T _v	\ 	Cutoff relay for additional battery	X	X	Speed limitation, 65 mph (standard on 4500 model)	X	П
engine compartment	^	^	End crossmember bolted	X	X	Top speed limitation, 75 mph	X	Т
Additional DIN-slots	X	Х	Engine oil level display at cold start	X	X	Trailer crossmember 7,500 lbs. capacity	X	
AGM battery 12V 95Ah 850A	X	X	Front axle reinforced (standard on 4500 model)	X				
Axle ratio 3.923	X	X	Fuel gauge, optimized for aux. fuel tap	X	X			
SEATING						_		
Artico Man-made Leather Black	X	X	Heated driver seat	X	X			
Fabric, Caluma Black	X	X	Heated front passenger seat	X	X			
INTERIOR								
115V socket	X	X	Fuel-fired pre-heater/booster (17,000 BTU)	X	X	Overhead storage slot, front center	X	
Acoustic Package	X	X	Heat insulation, front compartment	X	X	Rear heater prep	X	
Cab rear wall liner	X	X	Hinged lid for storage compartment	X	X	Rear wall deletion - Chassis cab	X	
Charging Package, dashboard	X	X	Illuminated front exits	X	X	Satellite radio	X	
Cigarette lighter & ash cup, front	X	X	Instrument cluster with color display	X	X	THERMOTRONIC automatic climate control	X	
Door-mounted assist handle, driver & passenger	X	Х	Keys, two additional masters	X	X	Tray for smartphones incl. wireless charging	X	\Box
Electrical pre-installation for load compartment lighting	X	X	Leather steering wheel	X	X	Window in cab rear wall	X	П
Electrically heated windshield*	X	X	Multifunction steering wheel	X	X			
Fuel-fired heater booster (17,000 BTU)	X	X	Navigation	X	Х			

• Tuel-filled fleater booster (1	7,000 610)	\triangle	$_{-}$	- Navigation	$\perp \wedge$	$\perp \wedge$	J		
EXTERIOR							TIRES & WHEELS (CONTINUED)		
Bumpers/detachable body	parts painted body color	Χ	Χ	Third brake light pre-wiring	X	X	Rims painted Jet Black	X	X
Bumpers front/rear primed		Χ	Χ	Wire harness tail lamp with extended wiring	X	X	Spare tire carrier deletion	Х	X
DEF fluid filler cap – lockab	le	Χ	Χ	Wiring for additional turn signals	ΙX	X	Spare wheel deletion	X	X
Deletion of "model" badge,	right rear door	Χ	Χ	TIRES & WHEELS			Steel wheels: 8.5 J x16 Rr; 6.5 J x16 Fr (Super Single)	Х	
Heated & electrically adjust	table exterior mirrors	Χ	Χ	285/65 R 16 C SUPER-SINGLE-TIRES (Super Single)	ΙX		Tire Brand Continental	X	X
Primed side moldings		Χ	Χ	M+S winter tires	X	X	Tire Brand Michelin*	Х	X
Tail lamp deletion		Υ	Υ	Pime nainted Arctic White	Īγ	V	Whool shooks	V	Ιv

Tail lamp deletion	Χ	Χ	Rims painted Arctic White	X	X	Wheel chocks	X	X
SAFETY & SECURITY								
Active Distance Assist DISTRONIC®5	X	Χ	First-aid kit	X	ΙX	Pre-wiring rearview camera (head unit display)	ΙX	ΙX
Backup alarm	Χ	Χ	Fog lamp with cornering light function	Х	X	Pre-wiring rearview camera (rearview mirror display)		X
Emergency flashlight	Χ	Χ	Misfueling prevention for diesel	Х	X	Security alarm with interior motion sensor	X	X

OPTIONAL PACKAGES								
Bench Seat Package	X)	XΙ	Driver Convenience Package	ΙX	ΙX	Super Single Tire Package	X	П
Chrome Grille Package	(X)	Χĺ	Exterior Lighting Package	X	X	Swivel Seat Package	X	X
Comfort Package	(X)	ΧĪ	Premium Package	X	X			
Comfort Plus Package	(X)	Χĺ	Premium Plus Package	X	X			

TECHNICAL SPECIFICATIONS: 3500XD & 4500

		3500XD		45	00				
Tires	Dual Rea	ar Wheel	Super Single	Dual Rea	ar Wheel				
Wheelbase	144"	170"	170"	144"	170"				
Engine	Diesel	Diesel	Diesel	Diesel	Diesel				
Drivetrain	4x2	4x2	4x2	4x2	4x2				
Passenger capacity	2-3	2-3	2-3	2-3	2-3				
Rows of seats	One	One	One	One	One				
EXTERIOR	EXTERIOR								
Length	245.9"	273.5"	273.5"	245.9"	273.5"				

Length	245.9"	273.5"	273.5"	245.9"	273.5"
Height	94.1"	93.7"	93.5"	94.4"	94.0"
Width – excluding mirrors	79.5"	79.5"	79.5"	79.5"	79.5"
Width – including mirrors	95.5"	95.5"	95.5"	95.5"	95.5"
Front track	66.3"	66.3"	67.2"	66.3"	66.3"
Rear track	60.7"	60.7"	65.2"	60.7"	60.7"
Front overhang	15.8"	15.8"	15.8"	15.8"	15.8"
Rear overhang (rear axle to end of frame)	61.4"	63.0"	63.0"	61.4"	63.0"
Turning diameter (curb-to-curb)	45.3'	52.5'	52.5'	45.3'	52.5'
Cab length	99.4"	99.4"	99.4"	99.4"	99.4"
Top of frame to top of cab	64.4"	64.4"	64.4"	64.4"	64.4"
Frame height, loaded	27.0"	27.0"	27.0"	26.9"	26.9"

TECHNICAL SPECIFICATIONS: 3500XD & 4500

CARGO CAPACITY

		3500XD		45	00	
Tires	Dual Re	ar Wheel	Super Single	Dual Rear Wheel		
Wheelbase	144"	170"	170"	144"	170"	
Engines	Diesel	Diesel	Diesel	Diesel	Diesel	
Drivetrain	4x2	4x2	4x2	4x2	4x2	
Passenger capacity	2-3	2-3	2-3	2-3	2-3	
Rows of seats	One	One	One	One	One	


INTERIOR					
Headroom	47.3"	47.3"	47.3"	47.3"	47.3"
Shoulder room	67.4"	67.4"	67.4"	67.4"	67.4"
Hip room	63.7"	63.7"	63.7"	63.7"	63.7"
Legroom	38.9"	38.9"	38.9"	38.9"	38.9"

Max. available GCWR	15,250 lbs.							
MAXIMUM CAPABILITIES								

MAXIMUM CAPABILITIES	;				
Maximum payload	6,356 lbs.	6,246 lbs.	6,301 lbs.	7,430 lbs.	7,319 lbs.
Maximum towing ³⁵	7,500 lbs.				
GVWR	11,030 lbs.	11,030 lbs.	11,030 lbs.	12,125 lbs.	12,125 lbs.
TWR (maximum loaded trailer weight ratings	750 lbs.				

EXTERIOR & INTERIOR

EXTERIOR: NON-METALLIC




EXTERIOR: METALLIC

5362 - Brilliant Blue





5389 - Steel Blue



5957 - Vanda Blue



5524 - Black Blue






9040 - Jet Black

INTERIOR



VF4 - Caluma Black Upholstery



VF6 - Black Leatherette



VF7 - Maturin Black Upholstery

ACCESSORIES HIGHLIGHTS

- All-season floor mats
- Loading roller (for basic carrier bars)
- Roof rack basic carrier
- Trailer hitch
- Wind deflectors for front windows, set Roof box
- Folding table (requires base module)

Contact dealer for full list of accessories.

For paint availability please contact your dealer.

ENDNOTES

TBD values to be updated at a later date.

- 1. Active Brake Assist may not be sufficient to avoid an accident. It does not react to certain stationary objects, nor recognize or predict the curvature and/or lane layout of the road or every movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. See Operator's Manual for system's operating speeds and additional information and warnings.
- Driving while drowsy or distracted is dangerous and must be avoided. ATTENTION ASSIST® may be insufficient to alert a fatigued or distracted driver and cannot be relied on to avoid an accident or serious injury.
- 3. Blind Spot Assist is a warning system only, and may not be sufficient to avoid all accidents involving vehicles in your blind spot and does not estimate the speed of approaching vehicles. It should not be used as a substitute for driver awareness and checking of surrounding traffic conditions. See Operator's Manual for system's operating speeds and additional information and warnings.
- 4. Rear Cross-Traffic Alert is not a substitute for actively checking around the vehicle for any obstacles or people. It may not detect certain objects based on their size, path, proximity or speed and angle of approach, or due to sensor obstruction, and does not control steering angle. See Operator's Manual for additional information, tips and warnings.
- 5. Active Distance Assist DISTRONIC® is no substitute for active driving involvement. It does not adapt cruising speed in response to stationary objects, nor does it predict the curvature and lane layout of the road ahead or the movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. Braking effectiveness also depends on proper brake maintenance, and tire and road conditions. See Operator's Manual for system's operating speeds and additional information and warnings.
- 6. Rearview camera does not audibly notify driver of nearby objects and is not a substitute for actively checking around the vehicle for any obstacles or people. Images displayed may be limited by camera field of view, weather, lighting conditions, and the presence of dirt. i.e. or snow on the camera.
- Crosswind Assist can engage automatically when sensing dangerous wind gusts at highway speeds exceeding 50 mph. Performance is limited by wind severity and available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions.
- 8. No system, regardless of how advanced, can overcome the laws of physics or correct careless driving. Please always wear your seat belt. Performance is limited by available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with whiter tires.
- 9. Warning: the forces of a deploying airbag can cause serious or fatal injuries to a child under age 13. The safest seating position for your child is in a rear seat, belted into an appropriate, properly installed child seat, or correctly wearing a seat belt if too large for a child seat. See Operator's Manual for additional warnings and information on airbags, seat belts and child seats.
- 10. Active Lane Keeping Assist may be insufficient to alert a fatigued or distracted driver of lane drift and cannot be relied on to avoid an accident or serious injury.
- 11. Requires the use of ultra-low-sulfur diesel fuel. Mercedes-Benz Sprinters are approved to use B5 biodiesel (approved diesel fuel with a maximum 5% biodiesel content). The only approved biodiesel content is one that both meets ASTM D6751 specifications and has the oxidation stability necessary to prevent deposit-/corrosion-related damages to the system (min. 6h, proven by EN14112 method). Please see your service station for further information. If the B5 biodiesel blend does not clearly indicate that it meets the above standards, please do not use it. The Mercedes-Benz Vans New Vehicle Limited Warranty does not cover damage caused by fuel standards not approved by Mercedes-Benz Vans.
- Driver is responsible for monitoring fluid levels and tire pressure between service visits. See Maintenance Booklet for details.
- 13. MY18 Sprinter is the 2018 ALG Residual Value Award winner in the Fullsize Commercial Van segment. ALG is the industry benchmark for residual values and depreciation data, www.alg.com.
- 14. Mercedes PRO is available for the Contiguous US, Hawaii, and Alaska with The new Sprinter (as from MY 19). Contact an authorized Mercedes-Benz Vans dealership for more information.
- 15. When the Emergency Call System is triggered, the following data are automatically transmitted: vehicle identification number, GPS position, direction of travel, time of the emergency call, language setting, and number of occupants in the cab. The Emergency Call System is activated from the moment the vehicle is delivered to the customer following a sale. No separate terms of use have to be accepted. The Communication Module for Digital Services and the emergency call button are necessary for use of the Emergency Call System service.
- 16. The information from this service is shown on the touchscreen of the multimedia system. Live Traffic Information can only be used in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen.
- 17. A valid subscription to Live Traffic Information is necessary to use Car-to-X Communication. Car-to-X Communication can only be used in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen. Only the data of vehicles directly affected by the event and equipped with Car-to-X Communication are processed, therefore you may not always receive a timely warning of hazards through this system.
- 18. Update times, content, and installation times can vary. These are activated when the vehicle is delivered. Updates to the Communication Module (LTE) are automatic, as otherwise certain applications might no longer work. You can access the current status of the software versions in your vehicle via the Mercedes PRO Portal.
- 19. The wireless Internet in the Car is provided by AT&T and created via an integrated SIM card. A contract must be made with AT&T in order to access data services, and this contract can be made via the Mercedes PRO Portal or infotainment system. In addition to a data contract with AT&T, either an MBUX multimedia system with 7-inch touchscreen and navigation or satellite radio or the MBUX multimedia system with 10.25-inch touchscreen is required for the Internet in the Car service. Additional costs may apply depending on the amount of data used.
- 20. In order for us to offer you this service, data is transferred from the vehicle to Mercedes-Benz/Freightliner Sprinter. This data includes the vehicle identification number, mileage, service code (A or B), as well as remaining time and mileage until the next service is due and information on the brake system and coolant.

- 21. The Online Map Update service is only available in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen. The service must first be activated and the region for the map update selected in the Mercedes PRO Portal.
- 22. You can only use the Navigation Functions service in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the MBUX multimedia system with 10.25-inch touchscreen. Before use, some of the applications must first be activated via the Mercedes PRO Portal.
- 23. You can only use the Multimedia Functions service in conjunction with the MBUX multimedia system with 7-inch touchscreen and navigation or the satellite radio or with the MBUX multimedia system with 10.25-inch touchscreen. Before use, some of the applications must first be activated via the Mercedes PRO Portal. For various functions (Internet Radio and Browser), additional data volume is necessary which can be purchased via the Internet in the Car service.
- 24. The Remote Control function via the Mercedes PRO connect App makes it possible for you to view the status of the doors and windows. The driver is also able to unlock the vehicle using a code via the Mercedes PRO connect App and also check the status of and operate the auxiliary heater. This function is only available in conjunction with an optional auxiliary heater (hot-water heater).
- 25. The available data can vary according to the vehicle model. The tire pressure can only be shown on certain model configurations. Display of the AdBlue* level is only available in conjunction with the optional SCR Generation 3 emissions control and only available with diesel models.
- 26. To safeguard the driver's privacy, he/she can switch off the vehicle tracking function via the Mercedes PRO connect App when making private journeys or traveling to and from work.
- 27. Messages from all drivers are visible to the fleet manager. Using the Vehicle Management Tool, he/she can, in turn, contact any driver individually with a message. If the Send2Car function is included in the subscription, a POI can be sent directly to the vehicle's navigation system. The Vehicle Operations service is additionally required to send POIs directly from the Vehicle Management Tool.
- 28. If you wish to use the Digital Driver's Log for your tax documentation, be sure to verify in advance whether the form and the information provided meets the fiscal requirements of your local tax authority. It provides three categories in which to categorize journeys: business journey, private journey, or commute.
- 29. The Theft Warning is shown in the chosen communication channel if the vehicle crosses preset geofences in a certain time period or if the optional Security alarm with interior motion sensor system sounds the alarm. Only in conjunction with the optional Security alarm with interior motion sensor.
- 30. In order to prevent distracted driving, the use of the Mercedes PRO connect App is not permitted while operating a motor vehicle. If used while operating a motor vehicle, there is an increased risk of endangering oneself and others. Please follow your local laws and restrictions.
- 31. After the Mercedes PRO connect go-live in The new Sprinter, there will be a Vehicle Management Tool for the factory equipped solution and Communication Module.
- 32. The availability of services in addition to the integrated Communication Module depends on the network coverage of the mobile network provider. The Communication Module (LTE) is not available in the US Virgin Islands or Puerto Rico.
- 33. Apple CarPlay® is a product of Apple Inc. Android™ Auto is a product of Google Inc. Device and app providers' terms and privacy statements apply. Requires connected compatible device and data plan. Apps, content and features are selected solely by their providers. Connection to apps and streaming services may be limited by the device's network connection. Data usage is routed through device and subject to fees, charges and restrictions in user's wireless plan. Vehicle's factory audio/information interface, including COMAND® navigation, may not be used simultaneously with Apple CarPlay® or Android™ Auto. When Apple CarPlay® or Android™ Auto is in use, the steering-wheel voice control button accesses Siri® or Google voice recognition software for voice commands.
- 34. Unsecured cargo can become hazardous in a collision. Always secure cargo
- 35. Maximum permissible gross weight of the trailer, if the trailer is equipped with a separate functional braking system. Please make sure to comply with local trailer load regulations.
- 36. MasterSolutions™ program vehicles are custom, special-order only vehicles modified by the MasterSolutions™ provider of your choice. Although the MBUSA warranty does not apply to the modifications, separate warranties offered by the MasterSolutions™ provider may apply. Details are available from your local dealer.
- Actual rates, terms, down payment, and program eligibility will be determined by the Mercedes-Benz Financial Services
 Credit Team based upon creditworthiness of customer.
- 38. TRAC leases are limited to motor vehicles leased to businesses and used at least 50% of the time for business purposes. Consult your tax or financial advisor for tax and accounting treatments.
- 39. The Mercedes-Benz Vans Roadside Assistance Program is available for vehicles covered under warranty and includes such services as towing, jump start in the event of a dead battery, and assistance with the installation of a spare tire. Service charges apply for out-of-warranty vehicles.

©2019 Mercedes-Benz USA, LLC, One Mercedes-Benz Drive, Sandy Springs, GA, 30328 1-877-762-8267

All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. All measurements are according to SAE J1100. Mercedes-Benz reserves the right to make changes at any time, without notice, to colors, materials, equipment, specifications, and models. Any variations in colors shown are due to reproduction variations of the printing process. Illustrations may include test situations. Some vehicles may be shown with non-U.S. equipment. Some vehicles are shown with optional equipment available at extra cost. Some optional equipment may not be available individually and/or on all models. For current information regarding the range of models, standard features, optional equipment, and/or colors available in the U.S. and their pricing, please contact your nearest authorized Mercedes-Benz Vans dealer. All rights reserved. Bluetooth SiG, Inc.

www.MBVans.com

SMB-19-1031 Printed in the U.S.A

