



THE PIONEERS IN SOURCE CAPTURE

at "THE POINT OF GENERATION"



THE COMPANY WE KEEP

Air National Guard	FM Industries, Inc.	Pacific Gas & Electric Co.
Air Tractor	Fluor Daniel	Pemco Aeroplex Inc.
Army National Guard	Ford Motor	Phillips Chemical
Airborne Express	Flight Safety International	Pratt & Whitney
A & A Coatings	General Dynamics LS	Precision Optical Systems
Aker Plastics	General Electric Company	Primex Technologies
Alaska Airlines	General Motors	Public Service Electric/Gas
ALCOA	General Shelters of Texas	Raytheon
Alliant Tech-Systems	Gulfstream Aerospace	Redwood Painting Corp.
American Airlines	GKN Aerospace	Rockwell Corporation
American Ironhorse	GSA	Rolls Royce
Anteon Corporation	Grainger (Findmro)	SAIC
Auto-Air Composites	Groen Corporation	Safety Master Corporation
Avondale Shipyards	Hartge Yacht Yard	Scaled Composites
AASI	Hexcel Corporation	Schweizer Aircraft Corp.
BAE Systems Technical Svcs.	Hess Oil Company	Sea Ray Boats Inc.
Bell Helicopter	Honeywell Aerospace	Sikorsky Aircraft Corp.
Boeing Corporation	Howmet Corporation	Soldier Creek Resort
Bombardier	Huntsman Corporation	Southern Insulation
Brunswick Corporation	IBM	Spectra Physics Corp.
Brush Wellman	JDS Uniphase	Sperry-Sun Drilling Svcs.
Burlington Northern SF	Korean Airlines	Spirit Aerosystems
Bath Iron Works	Kenworth Truck Company	Southwest Airlines
Cabin Crafters	Keystone Helicopter	Superior Fiberglass
Colbolt Boats	Klune	Tarrant County College
Corrosion Engineering Services C&D	L-3 Communications	Texas Department of Transp.
Aerospace	Leading Edge	TXU Electric
Central Louisiana Electric	Lockheed Martin	Toledo Edison Ohio
Cessna Aircraft Corp.	Lucas Aerospace Cargo	Tooling Technologies
CFAN Corporation	Lear Jet Inc.	TPI Composites
Chevron Products Co.	LSI (Lear Siegler)	Trinity Industries
Clover Park Tech Center	Martin Marietta Composites	TSI
Composite Structures, Inc.	MEMC Electronic	Union Carbide Corporation
Consumers Power	Michelin Tire	Union Pacific Railroad
Delta Airlines	Mitsubishi Caterpillar	United Airlines
Diamond Fiberglass	MTS Mass Transfer System	United Space Alliance
Dyncorp	Motor Coach Inc.	United States Air Force
Dow UT Composite	NASA	United States Army
Dietzel Aerospace Inc.	Niagara Mohawk Power	United States Coast Guard
Ducommun Aero Structures	North American Coach	United States Marine Corps
EG&G Florida, Inc.	Northrop Grumman	United States Navy
Edison Power	Northeast Utilities System	United States P.F.O. Facilites
Engineered Fabrics Corp.	Northern States Power Co.	Vientek LLC
Exide Corporation	Northwest Airlines	Vought Aircraft Co.
Entergy	OMC Fishing Boat Group	Xcel Energy Corporation
Federal Express Corp.	Oxarc Inc.	Xerxes

POLICIES

TERMS & CONDITIONS:

TERMS OF FREIGHT:

Freight prepaid on all orders within the continental US

PAYMENT TERMS:

Net 30 Days with approved credit. Credit card purchases accepted.



MINIMUM ORDER /MINIMUM QUANTITY:

No minimums on order total. All orders must be for complete package quantities.

RETURNED GOODS POLICY:

No goods may be returned without an RMA (Returned Merchandise Authorization) number. Any shipment received without authorization, will be returned freight collect. Broken/damaged goods will not be accepted. Return goods will only be accepted within 30 days from date of invoice, and some items may be subject to a restocking fee. Returns on special/nonstandard items will not be accepted, unless an item is found to be defective. Contact customer service at 817-696-0044 to obtain an RMA

LIMITED WARRANTY:

DCM Clean-Air Products purchased directly from DCM or from an authorized distributor will be free from manufacturing defects for a period of one year on tools and accessories, and two years on vacuum cleaners. This warranty covers manufacturing defects only, and does not extend to normal consumable or wear items. Our products, when used in accordance with operating instructions, will perform the work for which they are designed. DCM Clean-Air Products, Inc. is not liable for compensatory damages beyond this limited warranty.

PRINTING ERRORS:

Every effort is made to eliminate errors in the printing of this catalog. Product details, technical specifications, and part numbers are subject to change in the course of product improvement and ongoing development. Please contact customer service to confirm product details and specifications when placing an order.



CONTACT US:

DCM Clean-Air Products, Inc.
5601 Bridge Street, Suite 300, Fort Worth, Texas 76112 1-800-624-4518
Fax 817-451-0615
dcm@dcmcleanair.com
www.dcmcleanair.com

TABLE OF CONTENTS

VACUUMS

5 Gallon Air/Electric	6
15 Gallon Air/Electric	8
15 Gallon Wet/Dry	10
FOD Cleanup Kits.....	12
HEPA BackPack	13

SANDERS

Random Orbital	16
3 1/2" Random Orbital	17
5" Random Orbital	18
6" Random Orbital	19
3 2/3" Orbital.....	20

CLEAN UP TOOLS

Vacuum Tools	22
--------------------	----

HOSES

Vacuum Hoses.....	23
Vacuum Hoses and Accessories	26

ABRASIVES

Gold PSA.....	30
Abranet Mesh	31
Abranet HD.....	32
Quick Change Resin Bond	33
Quick Change Surface Prep.....	34
Quick Change Buffing.....	36

HEXOFF CLEANING SUPPLIES

Surface Cleaners & Wipes	38
Hand Soap & Washes	39

VACUUM TOOLS

Vacu Tools	42
------------------	----

Call 800-624-4518

dcmcleanair.com




VACUUMS



5-15 Gallon • Wet/Dry Vac • Back Pack • Robo/Wheels • Electric & Air • HEPA

5 Gallon Air/Electric



5 Gallon Air Specs	
Consumption	70CFM @ 90 PSI
Vac Flow	100 cfm
Water Lift	200" H2O
Weight	24 lbs
Dimensions	15w x 15d x 27.5h

5 Gallon Electric Specs	
Consumption	120VAC @ 12.5A
Vac Flow	112 cfm
Water Lift	106" H2O
Power	2.0 hp
Weight	30 lbs
Dimensions	15w x 15d x 27.5h

These vacuums have been engineered for the safe collection of dust and foreign object debris (FOD) containing hexavalent chromium and other toxic heavy metals.

- Three stage filtration
- High waterlift, high airflow
- Rugged construction
- HEPA filtration 99.97% @ 0.3 micron
- 15' static conductive vacuum hose included

Call 800-624-4518

dcmcleanair.com


5 Gallon Vacuum Systems and Supplies

HEPA

HEPA Filter
Change every 12 months

Intermediate Filter
Change with every fifth change of bag, when damaged or visible collection of dust is present

Disposable Filter Bags
Change when 3/4 full




Standard

12 Inch Wire Frame

12 Inch Cloth Filter
Change every 12 months or if damaged

Disposable Filter Bags
Change when 3/4 full



HEPA Filter Vac Systems - 5 Gal			
PN	NSN	Power	Type
50120	4130-01-459-0551	Air	Stay Put
50125	4130-01-459-0556	Air	Wheels
50040	4130-01-460-6080	Electric	Stay Put
50030	4130-01-458-8679	Electric	Wheels

Systems Include		
5 Gallon Poly Vacuum		1
Vacu-Flex Hose Assembly (15 ft)		1
HEPA Filter		1
Intermediate Filter		2
Disposable Filter Bags		5
Black Poly Liner Disposal Bags		5
Air Hose Assembly (30 ft) - Air Vacs Only		1

HEPA Filter Vacuum Supplies - 5 Gal		
PN	NSN	Description
00511	4130-01-459-1246	Hepa Filter
00529	4130-01-459-1249	Intermediate Filter (2 pak)
00540A	4130-01-459-1257	Disposable Filter Bags (5 pak)
00517	4130-01-459-1298	Black Poly Liner Disposal Bags (5 pak)
00512	4130-01-459-1262	Stay Put Feet (4/Set)

Standard Filter Vac Systems - 5 Gal			
PN	NSN	Power	Type
50110	4130-01-459-0562	Air	Stay Put
50130	4130-01-459-0563	Air	Wheels
50042	4130-01-460-6081	Electric	Stay Put
50035	4130-01-459-5891	Electric	Wheels


Systems Include		
5 Gallon Poly Vacuum		1
Vacu-Flex Hose Assembly (15 ft)		1
Wire Basket Filter Frame		1
Cloth Filter		1
Disposable Filter Bags		5
Black Poly Liner Disposal Bags		5
Air Hose Assembly (30 ft) - Air Vacs Only		1

Standard Filter Vacuum Supplies - 5 Gal		
PN	NSN	Description
00584	-	12 Inch Cloth Filter
00586	-	12 Inch Wire Frame
00540A	4130-01-459-1257	Disposable Filter Bags (5 pak)
00517	4130-01-459-1298	Black Poly Liner Disposal Bags (5 pak)
00512	4130-01-459-1262	Stay Put Feet (4/Set)

Call 800-624-4518

dcmcleanair.com

15 Gallon Air/Electric



15 Gallon Air Specs	
Consumption	70CFM @ 90 PSI
Vac Flow	100 cfm
Water Lift	165" H2O
Weight	44 lbs
Dimensions	20w x 20d x 34h

15 Gallon Electric Specs	
Consumption	115VAC @ 12.5A
Vac Flow	116 cfm
Water Lift	110" H2O
Power	2.3 hp
Weight	54 lbs
Dimensions	20w x 20d x 34h

These vacuums have been engineered for the safe collection of dust and foreign object debris (FOD) containing hexavalent chromium and other toxic heavy metals.

- Three stage filtration
- High waterlift, high airflow
- Rugged construction
- HEPA filtration 99.97% @ 0.3 micron
- 15' static conductive vacuum hose included

Call 800-624-4518

dcmcleanair.com


15 Gallon Vacuum Systems and Supplies

HEPA

HEPA Filter
Change every 12 months

Intermediate Filter
Change with every fifth change of bag, when damaged or visible collection of dust is present

Disposable Filter Bags
Change when 3/4 full




Standard

16 Inch Wire Frame

16 Inch Cloth Filter
Change every 12 months or if damaged

Disposable Filter Bags
Change when 3/4 full



HEPA Filter Vac Systems - 15 Gal			
PN	NSN	Power	Type
50170	4130-01-459-0559	Air	Wheels
50015	4130-01-459-0584	Electric	Wheels

Systems Include	HEPA Filter Vac Systems - 15 Gal	
	15 Gallon Steel Vacuum	1
	Vacu-Flex Hose Assembly (15 ft)	1
	HEPA Filter	1
	Intermediate Filter	2
	Disposable Filter Bags	5
	Black Poly Liner Disposal Bags	5
Air Hose Assembly (30 ft) - Air Vacs Only	1	

HEPA Filter Vacuum Supplies - 15 Gal		
PN	NSN	Description
00674	4130-01-459-1248	HEPA Filter
00510	7910-01-458-9363	Intermediate Filter (2 pak)
00508	7910-01-459-0352	Disposable Filter Bags (5 pak)
00517	4130-01-459-1298	Black Poly Liner Disposal Bags (5 pak)

Standard Filter Vac Systems - 15 Gal			
PN	NSN	Power	Type
50172	4130-01-459-0565	Air	Wheels
50010	4130-01-459-0656	Electric	Wheels

Systems Include	Standard Filter Vac Systems - 15 Gal	
	15 Gallon Steel Vacuum	1
	Vacu-Flex Hose Assembly (15 ft)	1
	Wire Basket Filter Frame	1
	Cloth Filter	1
	Disposable Filter Bags	5
	Black Poly Liner Disposal Bags	5
Air Hose Assembly (30 ft) - Air Vacs Only	1	

Standard Filter Vacuum Supplies - 15 Gal		
PN	NSN	Description
0011AS	-	Wire Basket Shallow 16in Diameter
00585	-	Cloth Filter Shallow 16in Diameter
00508	7910-01-459-0352	Disposable Filter Bags (5 pak)
00517	4130-01-459-1298	Black Poly Liner Disposal Bags (5 pak)

Call 800-624-4518

dcmcleanair.com

15 Gallon Wet/Dry Vacuum Systems



15 Gallon Air Specs	
Consumption	70CFM @ 90 PSI
Vac Flow	100 cfm
Water Lift	165" H2O
Weight	51 lbs
Dimensions	21w x 21d x 42h

15 Gallon Electric Specs	
Consumption	115VAC @ 12.5A
Vac Flow	116 cfm
Water Lift	110" H2O
Power	2.3 hp
Weight	61 lbs
Dimensions	21w x 21d x 43h

These vacuums have been engineered for the safe collection of dust and foreign object debris (FOD) containing hexavalent chromium and other toxic heavy metals.


- Three stage filtration
- High waterlift, high airflow
- Rugged construction
- HEPA filtration 99.97% @ 0.3 micron
- 15' static conductive vacuum hose included

Call 800-624-4518


dcmcleanair.com

15 Gallon Wet/Dry Vacuum Systems

HEPA



Standard



HEPA Filter Wet/Dry Vac Systems - 15 Gal

PN	NSN	Power	Tank
50180	-	Air	Poly
50020	4130-01-459-5894	Electric	Poly

Systems Include	Quantity
15 Gallon Poly Vacuum	1
Vacu-Flex Hose Assembly (15 ft)	1
Wet Float Assembly	1
HEPA Filter	1
Intermediate Filter	2
Disposable Filter Bags	5
Black Poly Liner Disposal Bags	5
Air Hose Assembly (30 ft) - Air Vacs Only	1

HEPA Filter Wet/Dry Vac Supplies - 15 Gal

PN	NSN	Description
00674	4130-01-459-1248	HEPA Filter
00510	7910-01-458-9363	Intermediate Filter (2 pak)
00508	7910-01-459-0352	Disposable Filter Bags (5 pak)
00517	4130-01-459-1298	Black Poly Liner Disposal Bags (5 pak)

Standard Filter Wet/Dry Vac Systems - 15 Gal

PN	NSN	Power	Tank
50181	-	Air	Poly
50025	4130-01-459-5895	Electric	Poly

Systems Include	Quantity
15 Gallon Poly Vacuum	1
Vacu-Flex Hose Assembly (15 ft)	1
Wet Float Assembly	1
Wire Basket Filter Frame	1
Cloth Filter	1
Disposable Filter Bags	5
Black Poly Liner Disposal Bags	5
Air Hose Assembly (30 ft) - Air Vacs Only	1


Standard Filter Wet/Dry Vac Supplies - 15 Gal

PN	NSN	Description
0011AS	-	Wire Basket Shallow 16in Diameter
00585	-	Cloth Filter Shallow 16in Diameter
00508	7910-01-459-0352	Disposable Filter Bags (5 pak)
00517	4130-01-459-1298	Black Poly Liner Disposal Bags (5 pak)

Call 800-624-4518

dcmcleanair.com

HEPA FOD Cleanup Kits



Control FOD and prevent exposure to heavy metal dust.

Designed for FOD elimination and general housekeeping in areas where heavy metal dust like hexavalent chromium, strontium, lead, or cadmium are present.

Perform general clean-up on benchtops, parts, and floors. Specialized FOD tools for removing debris from tight areas inside aircraft, vehicles, equipment and shopfloors.



HEPA FOD Cleanup Vac Systems - 5 Gal			
PN	NSN	Power	Type
50125-F1	4130-01-503-9359	Air	Wheels
50030-F1	4130-01-459-0563	Electric	Wheels

Vacuum Includes		COMPLETE CLEANUP SOLUTION	
5 Gallon Poly Vacuum	1		
Vacu-Flex Hose Assembly (15 ft)	1		
HEPA Filter	1		
Intermediate Filter	2		
Disposable Filter Bags	5		
Black Poly Liner Disposal Bags	5		
Air Hose Assembly (30 ft) - Air Vac Only	1		
Cleanup Tools			
Double Bend Wand (Telescoping collar ring)	1		
20 in Wide Floor Brush (collar ring)	1		
FOD Wand - FlexLoc	1		
3in Round Vacu-Dus Brush (1 in Hose Connection)	1		
Crevice Tool - 11 x 1-1/2 in	1		
Personnel Cleanup Brush	1		



Call 800-624-4518

dcmcleanair.com

HEPA BackPack



HEPA BackPack Specs	
Consumption	120VAC @ 9.9A
Vac Flow	130
Water Lift	100" H2O
Power	1.5 hp
Weight	12 lbs
Dimensions	8-1/2"d x 25-1/2"h



HEPA Filter Back Pack Vac System - 2.5 Gal

PN	NSN	Power	Tank
50002	4130-01-501-7033	Electric	Poly

Systems Include	HEPA Filter Back Pack Vac System - 2.5 Gal	
	Item	Quantity
	2.5 Gallon Poly Vacuum	1
	Vacu-Flex Hose Assembly	1
	HEPA Filter	1
	Intermediate Filter	2
	Disposable Filter Bags	1
5-Piece Vacuum Clean-up Kit	1	
50ft Power Cord	1	

HEPA Back Pack Vacuum Supplies

PN	NSN	Description
2150	-	HEPA Filter
2151	-	Disposable Filter Bags (5 pak)
2152	-	Intermediate Filter

These vacuums have been engineered for the safe collection of dust and foreign object debris (FOD) containing hexavalent chromium and other toxic heavy metals.

- Three stage filtration
- High waterlift, high airflow
- Rugged construction
- HEPA filtration 99.97% @ 0.3 micron

Call 800-624-4518

dcmcleanair.com

Vacuum Accessories and Parts		
PN	NSN	Description
00110	-	PSI Gauge for Air Vacuums
00120	-	Muffler for 5gal / 15gal Air Vacuums
00513	4130-01-485-6537	200in Water Lift Vacu-Gauge
00596	-	Moisture Filter for Air Vacuum Lines
00596-D	-	40 Micron Filter Element for Moisture
00606	-	Coelescung Filter for Air Vacuum Lines
00606-4	-	Coalescing Filter Element for 00606 Filter

TOOL MAINTENANCE TIP



Frequent changes of the Bag filter, Intermediate filter, and HEPA filter will ensure your DCM vacuum system is collecting the highest level of hazardous dust.

Call 800-624-4518

dcmcleanair.com




SANDERS



Random Orbital Sanders • Orbital Sanders • Sander Kits • Replacement Pads

Random Orbital Sanders



Available as sander only or in kits, DCM Random Orbital Sanders have the following options.

- Composite or Aluminum Shroud
- JHook or Vinyl backup pad
- Available in 3-1/2", 5", 6"

Features


- 17cfm consumption
- 3/16" Orbit
- CE certified
- 1/4" FNPT Air Inlet
- 12K rpm
- Composite Rotor Assembly
- Speed Control



Don't Forget
Air Tool Oil



Air Tool Oil
PN 00313
NSN 4130-01-502-0850



3/16" (5mm) orbit



Five floating composite blades
produce .28 hp @ 90 psi – 17 cfm



Backup pads are designed specifically for vacuum sanding. The large number of holes provides unmatched airflow and dust capture.

COMFORT GRIP:
Three sizes of vibration absorbing "Comfort Grips" are available to improve feel and reduce hand fatigue.

FULL FLOATING ROTOR:
Designed to reduce internal friction for a higher power transfer ratio, simplified maintenance, and longer tool life. Polymer rotor provides faster acceleration and lower overall tool weight.

BEARING PROTECTION SYSTEM:
Allows one way filtered airflow to pass into spindle bearing chamber. Cooler running, dust free bearings mean longer bearing life.

RUGGED BEARING:
Provides for longer tool life.

CURVED ALLOY STEEL THROTTLE LEVER:
Provides unparalleled durability with perfect ergonomics.

TIP VALVE:
Provides precise teasing for perfect sander control.


Underside SPEED CONTROL:
Combines "on-the-fly" speed adjustment while helping to prevent inadvertent switching.

ONE-PIECE MOTOR SHAFT and PAD BALANCER:
Features heat-treated steel and precision machined construction for smooth and durable operation.

Call 800-624-4518

dcmcleanair.com

3 1/2" Random Orbital Sanders



3-1/2" Random Orbital Sander

Includes Sander, Shroud and Pad.

3-1/2" Aluminum Shroud



3.5" Random Orbital Sanders 12K RPM			
PN	NSN	Backup Pad	Shroud
172-12A3501J	-	JHook 6-Hole	Aluminum
172-12A3501V	4130-01-460-4031	Vinyl 6-Hole	Aluminum
172-12C3501J	-	JHook 6-Hole	Composite
172-12C3501V	4130-01-494-7794	Vinyl 6-Hole	Composite

3-1/2" Random Orbital Sander Kits

Kits include 5' hose whip for connection to DCM Cleanup Hose and either PSA or Hook & Loop abrasives (100 sheets each 80, 120, 180, and 240 grits).



5' Hose Whip



Hook & Loop Screen Abrasive



PSA Abrasive



3-1/2" Composite Shroud

3.5" Random Orbital Sander Kits 12K RPM			
PN	NSN	Backup Pad	Shroud
172-12A3501J-K	-	JHook 6-Hole	Aluminum
172-12A3501V-K	4130-01-460-3201	Vinyl 6-Hole	Aluminum
172-12C3501J-K	-	JHook 6-Hole	Composite
172-12C3501V-K	4130-01-472-2181	Vinyl 6-Hole	Composite

3-1/2" Replacement Pads

- Backup Pads in JHook or Vinyl
- Protector Pads extend the life of JHook backup pads
- Interface Pads allow abrasive to conform to uneven work surfaces

3.5" Replacement Pads				
PN	NSN	Style	Face	Holes
01011	4130-01-460-3205	Backup Pad	Vinyl	6
01029	4130-01-526-0051	Backup Pad	JHook	6
01030	-	1/8" Protector	JHook	6
335901	-	1/2" Interface	JHook	6



Interface Pad



JHook Backup Pad



PSA Backup Pad



Protector Pads

⚠ Don't Forget
Air Tool Oil




Air Tool Oil
PN 00313
NSN 4130-01-502-0850

Call 800-624-4518

dcmcleanair.com

5" Random Orbital Sanders



5" Random Orbital Sander

Includes Sander, Shroud and Pad.

5" Random Orbital Sanders 12K RPM			
PN	NSN	Backup Pad	Shroud
172-12A0501J	-	JHook Multi-Hole	Aluminum
172-12A0501V	4130-01-504-3971	Vinyl 5-Hole	Aluminum
172-12C0501J	-	JHook Multi-Hole	Composite
172-12C0501V	4130-01-458-8796	Vinyl 5-Hole	Composite

5" Aluminum Shroud



5" Random Orbital Sander Kits

Kits include 5' hose whip for connection to DCM Cleanup Hose and either PSA or Hook & Loop abrasives (100 sheets each 80, 120, 180, and 240 grits).



5' Hose Whip



Hook & Loop Screen Abrasive



PSA Abrasive



5" Composite Shroud

5" Random Orbital Sander Kits 12K RPM			
PN	NSN	Backup Pad	Shroud
172-12A0501J-K	-	JHook Multi-Hole	Aluminum
172-12A0501V-K	4130-01-504-3970	Vinyl 5-Hole	Aluminum
172-12C0501J-K	-	JHook Multi-Hole	Composite
172-12C0501V-K	4130-01-458-8794	Vinyl 5-Hole	Composite

5" Replacement Pads


- Backup Pads in JHook or Vinyl
- Protector Pads extend the life of JHook backup pads
- Interface Pads allow abrasive to conform to uneven work surfaces

5" Replacement Pads				
PN	NSN	Style	Face	Holes
01010	4130-01-501-7031	Backup Pad	Vinyl	5
01005	4130-01-458-8701	Backup Pad	Grooved	5
011028	4130-01-531-6799	Backup Pad	JHook	5
305999	4130-01-531-6807	Backup Pad	JHook	Multi
305900	-	1/8" Protector	JHook	Multi
305901	-	1/2" Interface	JHook	Multi

Don't Forget
Air Tool Oil




Air Tool Oil
PN 00313
NSN 4130-01-502-0850




Interface Pad



JHook Backup Pad



PSA Backup Pad




Protector Pads

Call 800-624-4518

dcmcleanair.com

6" Random Orbital Sanders



6" Random Orbital Sander

Includes Sander, Shroud and Pad.

6" Aluminum Shroud



6" Random Orbital Sanders 12K RPM			
PN	NSN	Backup Pad	Shroud
172-12A0601J	-	JHook Multi-Hole	Aluminum
172-12A0601V	4130-01-517-1028	Vinyl 6-Hole	Aluminum
172-12C0601J	-	JHook Multi-Hole	Composite
172-12C0601V	-	Vinyl 6-Hole	Composite

6" Random Orbital Sander Kits

Kits include 5' hose whip for connection to DCM Cleanup Hose and either PSA or Hook & Loop abrasives (100 sheets each 80, 120, 180, and 240 grits).



5' Hose Whip



Hook & Loop Screen Abrasive



PSA Abrasive



6" Composite Shroud

6" Random Orbital Sander Kits 12K RPM			
PN	NSN	Backup Pad	Shroud
172-12A0601J-K	-	JHook Multi-Hole	Aluminum
172-12A0601V-K	4130-01-517-1019	Vinyl 6-Hole	Aluminum
172-12C0601J-K	-	JHook Multi-Hole	Composite
172-12C0601V-K	-	Vinyl 6-Hole	Composite

6" Replacement Pads

- Backup Pads in JHook or Vinyl
- Protector Pads extend the life of JHook backup pads
- Interface Pads allow abrasive to conform to uneven work surfaces

6" Replacement Pads				
PN	NSN	Style	Face	Holes
01013	4130-01-531-6801	Tapered Edge	Vinyl	6
01008	4130-01-458-8704	Tapered Edge	Grooved	6
306900	-	Protector	JHook	6
306999	4130-01-531-6803	Tapered Edge	JHook	Multi
306900	-	1/8" Protector	JHook	Multi
306901	-	1/2" Interface	JHook	Multi


⚠ Don't Forget
Air Tool Oil




Air Tool Oil
PN 00313
NSN 4130-01-502-0850




Interface Pad



JHook Backup Pad



PSA Backup Pad




Protector Pads

Call 800-624-4518

dcmcleanair.com

3 2/3" Orbital Sanders



Available as sander only or in kits, DCM Orbital Sanders have the following options.

- JHook or Vinyl backup pad
- Available in 3-2/3" x 7"

Features

- 17cfm consumption
- 1/4" FNPT Air Inlet
- 3/16" Orbit
- 10K rpm
- CE certified

3-2/3" x 7" Orbital Sander

Includes Sander, Shroud and Pad.



3-2/3 x 7" Orbital Sanders 10K RPM			
PN	NSN	Backup Pad	Shroud
172-10C3701J	5130-01-520-5672	JHook Multi-Hole	Composite
172-10C3701V	4130-01-460-2510	Vinyl 10-Hole	Composite

3-2/3" x 7" Orbital Sander Kits

Kits include 5' hose whip for connection to DCM Cleanup Hose and either PSA or Hook & Loop abrasive: (100 sheets each 80, 120, 180, and 240 grits).



5' Hose Whip



Hook & Loop Screen Abrasive



PSA Abrasive



3-2/3 x 7" Orbital Sander Kits 10K RPM			
PN	NSN	Backup Pad	Shroud
172-10C3701J-K	-	JHook Multi-Hole	Composite
172-10C3701V-K	4130-01-460-2508	Vinyl 10-Hole	Composite

3-2/3" x 7" Replacement Pads

- Backup Pads in JHook or Vinyl
- Protector Pads extend the life of JHook backup pads

3-2/3 x 7" Replacement Pads				
PN	NSN	Style	Face	Holes
173502	-	Backup Pad	Vinyl	10
173501	-	Backup Pad	JHook	Multi
	-	Protector	JHook	Multi



JHook Pad



PSA Pad



Protector Pads

Don't Forget
Air Tool Oil




Air Tool Oil
PN 00313
NSN 4130-01-502-0850

Call 800-624-4518

dcmcleanair.com




CLEAN UP TOOLS



Wands • Brushes • Nozzles • Gulper Tools • Crevice Tools • Squeegees

Vacuum Tools



Our heavy duty general clean up tools, aluminum and high impact ABS, use a quick twist Collar Ring attachment method and have replaceable brushes and squeegees.

Double Bend Wand and Floor Tools - 1-1/2" Collar Ring			
PN	NSN	Description	Material
00378	4130-01-500-6102	Double Bend Wand (Telescoping)	Metal
00495	4130-01-459-1424	Double Bend Wand (2 piece)	Metal
00348	4130-01-503-9104	20 in Wide Floor Brush	Plastic
00619	-	14 in Wet Surface Squeegee	Metal
00485	4130-01-492-6045	14 in Hard Surface Floor Brush	Metal
00485B	-	Replacement 14 in Brush Bristle	-



These task specific tools are for cleaning walls and overhead pipes. Long extension wands can be joined to form a 10ft long high reach brush. These tools use a quick twist Collar Ring attachment method.

Overhead and Wall Cleaning Wands and Tools - 1-1/2" Collar Ring			
PN	NSN	Description	Material
00396	-	Overhead Pipe Brush 1in to 4in	Plastic
00395	-	Overhead Pipe Brush 4in to 8in	Plastic
00398	-	Wall Cleaning Brush	Metal
00573	-	60 in Extension Wand Straight	Metal



Our light duty Friction Fit floor tools use a single bend wand. The turbine brush uses the force of the vacuum air to drive rotating bristles and is great for soft surfaces.


Single Bend Wand and Floor Tools - 1-1/2" Friction Fit			
PN	NSN	Description	Material
00375	4130-01-483-1891	Straight wand 2 pc	Metal
00488	4130-01-492-6048	14 in Hard Surface Floor Brush	Plastic
00371	4130-01-478-3104	Turbine Floor Tool	Plastic



Call 800-624-4518

dcmcleanair.com

Vacuum Tools



Clean Up Tools for Use on End of Hose - 1-1/2" Cuff			
PN	NSN	Description	Material
00316	4130-01-492-6050	FOD Nozzle - 9 in Cone	Rubber
00320	-	FOD Nozzle - 22 x 1-1/4 in	Rubber
00372	4130-01-478-3108	FOD Wand - FlexLoc - 3/4 in x 18 in	Plastic
00433	-	Gulper Tool with Bristles	Plastic
00433A	-	Replacement Bristles for 00433	-
00433B	-	Gulper Tool without Bristles	Plastic
00409	4130-01-459-1321	Dust Brush 3 in Round	Plastic
00382	-	Gulper Tool	Metal
00630	-	Dust Brush 3 in Round	Metal
00630-1	-	Replacement Bristles for 00630	-
00498	-	Gulper Tool - Duckbill	Plastic
00497	4130-01-459-1427	Crevice Tool - 11 x 1-1/2 in	Plastic
00317	-	Crevice Tool - 17 x 2-1/4 in	Plastic
00572	-	Crevice Tool - 11 x 2-1/4 in	Plastic
00314	4130-01-494-2015	Crevice Tool - 24 x 2-1/4 in	Metal
00482	-	Crevice Tool - 11 x 2 in	Metal
00315	4130-01-494-2018	Bulk Pickup Tool - 18 in	Metal
00622	4130-01-508-6528	Personnel Cleanup Brush	Plastic



Call 800-624-4518

dcmcleanair.com

Call 800-624-4518


dcmcleanair.com



VACUUM HOSES



Vacuum Hoses



General Cleanup Hoses

These hoses terminate in a swivel lock connector for attachment to a DCM vacuum and 1-1/2" ID hose cuff for attachment to any of our cleanup tools or adapter hoses. Hose, connector and cuff are static conductive.

Vacu-Flex General Cleanup Hoses		
PN	NSN	Length
420-24-10	4130-01-460-6094	10'
420-24-20	4130-01-460-1448	20'
420-24-30	4130-01-460-6558	30'
420-24-40	4130-01-460-6568	40'
420-24-50	4130-01-460-6577	50'



Tool Hoses

These hoses combine a Cleanup Hose and 5' removable Adapter Hose that supports both cleanup tools and pneumatic tools. Hose and cuffs are static conductive.

Vacu-Flex Tool Hoses		
PN	NSN	Length
422-2416-10	-	10'
422-2416-15	4130-01-460-6088	15'
422-2416-20	4130-01-460-1438	20'
422-2416-25	4130-01-460-1442	25'
422-2416-30	4130-01-460-6091	30'
422-2416-40	-	40'
422-2416-50	-	50'



Combination Hoses

These hoses terminate in a swivel lock connector for attachment to a DCM vacuum and a 1" ID hose cuff for attachment to any of our pneumatic tools. Combination hoses include an integrated compressed air line and are wrapped in our scuff resistant Flex Guard hose protector for easy hose management. Hose and cuffs are static conductive. Air line terminates in a 1/4" quick disconnect coupler and plug which is threaded on for easy removal if needed.

Vacu-Flex Combination Hoses		
PN	NSN	Length
424-062416-10	-	10'
424-062416-15	-	15'
424-062416-20	-	20'
424-062416-25	-	25'
424-062416-30	-	30'
424-062416-40	-	40'
424-062416-50	-	50'



Call 800-624-4518

dcmcleanair.com

Vacuum Hoses and Accessories

Adapter Hoses

These hoses terminate in a 1-1/2" OD cuff for connection to our cleanup hoses and a 1" ID hose cuff for connection to any DCM pneumatic tools. Hose and cuffs are static conductive.

Vacu-Flex Adapter Hoses					
PN	NSN	A- End	Hose	B End	Length
426-AH16-01	4130-01-460-1339	1" ID	1"	1-1/2" OD	5'
426-AH16-02	4130-01-460-6084	1" ID	1"	1-1/2" OD	10'
426-AH16-03	-	1-1/4" ID	1"	1-1/2" OD	5'
426-AH16-04	-	1" ID	1"	1-1/2" OD	15'
426-AH16-05	-	1" ID	1"	1-1/2" OD	20'
426-AH24-01	-	1" ID	1"	1-1/2" OD	12'



Vacu-Cuffs

Vacu-Cuffs for hose end replacement and to build your own hose are static conductive.

Vacu-Cuffs		
PN	NSN	Description
00410	4130-01-460-1454	1" Hose to 1" Tool - Conductive
00464	-	1" Hose to 1-1/4" Tool - Conductive
00411	4130-01-460-1457	1-1/2" Hose to 1-1/2" Tool - Conductive
00404	-	1" Hose to 1" Hose Swivel - Conductive
0041151B	-	1" Hose to 1-1/2" Tool
00441C	4130-01-460-2497	1-1/2" to 1-1/2" Hose to Hose Swivel
00441S	-	1-1/2" Hose to 1-1/2" Tool Swivel - Conductive
00635	-	2" Hose to 2" Tool - Conductive
00659	-	2" Hose to 1-1/2" Tool - Conductive



Flex-Guard

Scuff resistant Flex Guard hose protector for easy vacuum hose and compressed air line management.

Flex Guard Hose Protector		
PN	NSN	Description
004081	-	Flex Guard 1.25" Neon Blue per foot
0040812	-	Flex Guard 1.5" Neon Blue per foot
00408	4130-01-460-2501	Flex Guard 1.75" Neon Blue per foot



Cold Shrink

Cold shrink is used to terminate flex guard mesh without a heat gun.


Cold Shrink		
PN	NSN	Description
00443	-	Cold Shrink for 1" Hose
00450	-	Cold Shrink for 1.5" Hose



Call 800-624-4518

dcmcleanair.com

Vacuum Hoses and Accessories



Connectors		
PN	NSN	Description
00407A	4130-01-460-2498	1.5" Quick-Lok Swivel Connector Cuff Assy
00636A	-	1" X 1" Ball Joint Swivel
00523	4130-01-459-1307	Quick-Lok Y Adaptor
00636B	-	1/4" MNPT Dyna Swivel



00523



00407A



00636A



00636B

Raw Hose (per foot)		
PN	NSN	Diameter
00330	-	1.5"
00331	-	1"

Air lines terminate in a 1/2" Parker Industrial Interchange safety coupler and plug which is threaded on for easy removal if needed.

1/2" Compressed Air Hoses		
PN	NSN	Length
00435	4130-01-460-1337	30'
00442	4130-01-460-6082	50'



Call 800-624-4518



dcmcleanair.com



ABRASIVES



Gold PSA



3.5" Gold PSA 100 pk		
PN	NSN	Grit
18132	4130-01-460-3184	80
18133	4130-01-460-3185	100
18134	4130-01-460-3186	120
18135	4130-01-460-3187	150
18136	4130-01-460-3189	180
18137	4130-01-460-3191	220
18138	4130-01-460-3192	240
18140	4130-01-460-3194	320
18141	4130-01-460-3197	400

5" Gold Linkroll PSA 100 pk		
PN	NSN	Grit
17632	4130-01-459-9165	80
17633	4130-01-459-9167	100
17634	4130-01-459-9168	120
17635	4130-01-459-9170	150
17636	4130-01-459-9175	180
17637	4130-01-459-9176	220
17638	4130-01-459-9178	240

3-2/3 x 7" Gold PSA 100 pk		
PN	NSN	Grit
167380	-	80
1673120	-	120
1673180	-	180
1673220	-	220
1673240	-	240
1673320	-	320


5" Gold PSA 100 pk		
PN	NSN	Grit
17932	4130-01-459-9180	80
17933	4130-01-459-9183	100
17934	4130-01-459-9184	120
17935	4130-01-459-9186	150
17936	4130-01-459-9188	180
17937	4130-01-459-9189	220
17938	4130-01-459-9190	240
17940	4130-01-459-9195	320
17941	4130-01-459-9196	400

6" Gold PSA 100 pk		
PN	NSN	Grit
17955	4130-01-459-9601	80
17956	4130-01-459-9604	100
17957	4130-01-459-9606	120
17958	4130-01-459-9607	150
17959	4130-01-459-9609	180
17960	4130-01-459-9610	220
17961	4130-01-459-9613	240
17963	4130-01-459-9617	320
17964	4130-01-459-9619	400

Call 800-624-4518

dcmcleanair.com

Abranet Mesh Hook & Loop



3.5" Abranet Discs 100 pk		
PN	NSN	Grit
3035080	-	80
3035100	-	100
3035120	-	120
3035180	-	180
3035240	-	240
3035320	-	320
3035400	-	400

5" Abranet HD Discs 100 pk		
PN	NSN	Grit
305040HD	-	40
305060HD	-	60
305080HD	-	80
305120HD	-	120

3-2/3 x 7" Abranet Sheets		
PN	NSN	Grit
1673080A	-	80
1673100A	-	100
1673120A	5345-01-521-4933	120
1673150A	-	150
1673180A	5345-01-521-4540	180
1673240A	5345-01-533-0175	220
1673320A	5345-01-521-4929	240

5" Abranet Discs		
PN	NSN	Grit
305080	4130-01-487-0776	80
305100	-	100
305120	4130-01-487-0779	120
305150	-	150
305180	4130-01-487-0781	180
305220	-	220
305240	4130-01-487-0782	240
305320	4130-01-487-0787	320
305400	-	400
305600	-	600

6" Abranet HD Discs 100 pk		
PN	NSN	Grit
306040HD	-	40
306060HD	-	60
306080HD	-	80
306120HD	-	120


6" Abranet Discs		
PN	NSN	Grit
306080	5345-01-521-4185	80
306100	-	100
306120	5345-01-521-4542	120
306150	-	150
306180	5345-01-521-7251	180
306220	-	220
306240	5345-01-521-4548	240
306320	5345-01-521-4541	320
306400	-	400
306600	-	600



Call 800-624-4518

dcmcleanair.com

Non Woven Surface Prep ROS Discs



3.5" Surface Prep Discs 100 pk

PN	NSN	Grit
19760	4130-01-526-0044	Coarse
19761	4130-01-526-0046	Medium
19762	4130-01-526-0048	Fine

5" Surface Prep Discs 100 pk

PN	NSN	Grit
19763	4130-01-531-6817	Coarse
19764	4130-01-531-6821	Medium
19765	4130-01-531-6825	Fine


6" Surface Prep Discs 100 pk

PN	NSN	Grit
19769	4130-01-531-6828	Coarse
19770	4130-01-531-6833	Medium
19771	4130-01-531-6837	Fine

Call 800-624-4518

dcmcleanair.com

Quick Change Resin Bond



1" Positiv-Lok Vacu-Discs		
PN	NSN	Description
18516	-	1" 36 Postiv-Lok Vacu-Discs 100pk
18519	-	1" 60 Postiv-Lok Vacu-Discs 100pk
18520	-	1" 80 Postiv-Lok Vacu-Discs 100pk
18522	-	1" 120 Postiv-Lok Vacu-Discs 100pk
18524	-	1" 180 Postiv-Lok Vacu-Discs 100pk
18525	-	1" 240 Postiv-Lok Vacu-Discs 100pk
18526	-	1" 320 Postiv-Lok Vacu-Discs 100pk



2" Positiv-Lok Vacu-Discs		
PN	NSN	Description
18527	4130-01-459-2306	2" 24 Postiv-Lok Vacu-Discs 100pk
18528	4130-01-459-2307	2" 36 Postiv-Lok Vacu-Discs 100pk
18531	4130-01-459-2311	2" 60 Postiv-Lok Vacu-Discs 100pk
18532	4130-01-459-2317	2" 80 Postiv-Lok Vacu-Discs 100pk
18533	4130-01-459-2319	2" 100 Postiv-Lok Vacu-Discs 100pk
18534	4130-01-459-2321	2" 120 Postiv-Lok Vacu-Discs 100pk
18535	4130-01-459-2324	2" 150 Postiv-Lok Vacu-Discs 100pk
18536	4130-01-459-2327	2" 180 Postiv-Lok Vacu-Discs 100pk
18537	4130-01-459-2330	2" 240 Postiv-Lok Vacu-Discs 100pk
18538	4130-01-459-2332	2" 320 Postiv-Lok Vacu-Discs 100pk




3" Positiv-Lok Vacu-Discs		
PN	NSN	Description
18540	4130-01-459-2335	3" 24 Postiv-Lok Vacu-Discs 100pk
18541	4130-01-459-2336	3" 36 Postiv-Lok Vacu-Discs 100pk
18544	4130-01-459-2345	3" 60 Postiv-Lok Vacu-Discs 100pk
18545	4130-01-459-2363	3" 80 Postiv-Lok Vacu-Discs 100pk
18546	4130-01-459-2369	3" 100 Postiv-Lok Vacu-Discs 100pk
18547	4130-01-459-2374	3" 120 Postiv-Lok Vacu-Discs 100pk
18548	4130-01-459-2379	3" 150 Postiv-Lok Vacu-Discs 100pk
18549	4130-01-459-2382	3" 180 Postiv-Lok Vacu-Discs 100pk
18550	4130-01-459-2412	3" 240 Postiv-Lok Vacu-Discs 100pk
18551	4130-01-459-2414	3" 320 Postiv-Lok Vacu-Discs 100pk



Call 800-624-4518
dcmcleanair.com

Quick Change Resin Bond



4" Postiv-Lok Vacu-Discs		
PN	NSN	Description
18553	4130-01-459-3599	4" 24 Postiv-Lok Vacu-Discs 100pk
18554	4130-01-459-3600	4" 36 Postiv-Lok Vacu-Discs 100pk
18557	4130-01-459-3606	4" 60 Postiv-Lok Vacu-Discs 100pk
18558	4130-01-459-3608	4" 80 Postiv-Lok Vacu-Discs 100pk
18559	4130-01-459-3616	4" 100 Postiv-Lok Vacu-Discs 100pk
18560	4130-01-459-3633	4" 120 Postiv-Lok Vacu-Discs 100pk
18561	4130-01-459-3635	4" 150 Postiv-Lok Vacu-Discs 100pk
18562	4130-01-459-3638	4" 180 Postiv-Lok Vacu-Discs 100pk
18563	4130-01-459-3643	4" 240 Postiv-Lok Vacu-Discs 100pk
18564	4130-01-459-3645	4" 320 Postiv-Lok Vacu-Discs 100pk



5" Postiv-Lok Vacu-Discs		
PN	NSN	Description
18566	4130-01-459-3668	5" 24 Postiv-Lok Vacu-Discs 100pk
18567	4130-01-459-3675	5" 36 Postiv-Lok Vacu-Discs 100pk
18570	4130-01-459-3682	5" 60 Postiv-Lok Vacu-Discs 100pk
18571	4130-01-459-3688	5" 80 Postiv-Lok Vacu-Discs 100pk
18572	4130-01-459-3695	5" 100 Postiv-Lok Vacu-Discs 100pk
18573	4130-01-459-3706	5" 120 Postiv-Lok Vacu-Discs 100pk
18574	4130-01-459-3787	5" 150 Postiv-Lok Vacu-Discs 100pk
18575	4130-01-459-3801	5" 180 Postiv-Lok Vacu-Discs 100pk
18576	4130-01-459-3824	5" 240 Postiv-Lok Vacu-Discs 100pk
18577	4130-01-459-3833	5" 320 Postiv-Lok Vacu-Discs 100pk



Call 800-624-4518

dcmcleanair.com

Quick Change Surface Prep



1" Surface Prep Vacu-Discs

PN	NSN	Description
19530	-	1" Coarse Surface Prep Vacu-Discs 100pk
19531	-	1" Medium Surface Prep Vacu-Discs 100pk
19532	-	1" Fine Surface Prep Vacu-Discs 100pk



2" Surface Prep Vacu-Discs

PN	NSN	Description
19540	4130-01-459-6201	2" Coarse Surface Prep Vacu-Discs 100pk
19541	4130-01-459-6203	2" Medium Surface Prep Vacu-Discs 100pk
19542	4130-01-459-6209	2" Fine Surface Prep Vacu-Discs 100pk



3" Surface Prep Vacu-Discs

PN	NSN	Description
19543	4130-01-459-6211	3in Coarse Surface Prep Vacu-Discs 100pk
19544	4130-01-459-6214	3in Medium Surface Prep Vacu-Discs 100pk
19545	4130-01-459-6217	3in Fine Surface Prep Vacu-Discs 100pk



4" Surface Prep Vacu-Discs

PN	NSN	Description
19546	4130-01-459-6231	4" Coarse Surface Prep Vacu-Discs 100pk
19547	4130-01-459-6233	4" Medium Surface Prep Vacu-Discs 100pk
19548	4130-01-459-6237	4" Fine Surface Prep Vacu-Discs 100pk



5" Surface Prep Vacu-Discs


PN	NSN	Description
19549	4130-01-459-6241	5" Coarse Surface Prep Vacu-Discs 100pk
19550	4130-01-459-6263	5" Medium Surface Prep Vacu-Discs 100pk
19551	4130-01-459-6266	5" Fine Surface Prep Vacu-Discs 100pk



Call 800-624-4518

dcmcleanair.com

Quick Change Buffing



2" Buffing Vacu-Discs

PN	NSN	Description
19443	4130-01-459-5899	2" Medium Buffing Vacu-Discs 100pk
19444	4130-01-459-5900	2" Fine Buffing Vacu-Discs 100pk
19445	4130-01-459-5908	2" X-Fine Buffing Vacu Discs 100pk



3" Buffing Vacu-Discs

PN	NSN	Description
19446	4130-01-459-5917	3" Medium Buffing Vacu-Discs 100pk
19447	4130-01-459-5918	3" Fine Buffing Vacu-Discs 100pk
19448	4130-01-459-5922	3" X-Fine Buffing Vacu-Discs 100pk



4" Buffing Vacu-Discs

PN	NSN	Description
19449	4130-01-459-5923	4" Medium Buffing Vacu-Discs 100pk
19450	4130-01-459-5925	4" Fine Buffing Vacu-Discs 100pk
19451	4130-01-459-5929	4" X-Fine Buffing Vacu-Discs 100pk



5" Buffing Vacu-Discs

PN	NSN	Description
19452	4130-01-459-6186	5" Medium Buffing Vacu-Discs 100pk
19453	4130-01-459-6191	5" Fine Buffing Vacu-Discs 100pk
19454	4130-01-459-6195	5" X-Fine Buffing Vacu-Discs 100pk



Call 800-624-4518


dcmcleanair.com


Call 800-624-4518

dcmcleanair.com


Hygenall HexOff


The ONLY product in the world, specifically designed to remove toxic heavy metals from the skin and other surfaces.





The science of clean





Soap products are terrific at dissolving dirt, but Hex Chrome is not dirt. Hex Chrome is a heavy metal and sticks to skin and surfaces through a strong electromagnetic bond. HexOff works by breaking the bond and allowing Hex Chrome and other heavy metals to be washed off.

Manufactured and sold under license from the Centers for Disease Control and Prevention (CDC).

Hexavalent Chromium CrVI is a toxic form of the element chromium. Hexavalent chromium is rarely found in nature and is generally man-made. CrVI is used in a wide variety of industrial activities, including welding, manufacture of stainless steel, pigment and painting applications, electro plating, and Anti-Corrosion Coatings. Hexavalent chromium can be formed when performing "hot work" such as welding on stainless steel or melting chromium metal. In the US according to the OSHA there are over 558,000 workers exposed to Hexavalent Chromium each year.

Cutting, grinding, and welding may expose workers to the following toxic heavy metals:

- Calcium Chromate – Corrosion inhibitor, pigments and depolarizer in batteries
- Chromium Trioxide - Chromium plating, aluminum anodizing, chemical conversion coatings, corrosion inhibitors
- Cobalt Chromium Alloys – Jet Engine Turbine discs and blades, and nozzle vanes
- Aluminum, Titanium and Copper alloys - Controls microstructure
- Stainless Steel Parts - Contain between 12% to 36% Chromium
- Barium Chromate - Ceramics, metal primers and ignition control devices
- Zinc Chromates – Used as pigment in paints & coatings. Used as corrosion-resisting primers and metal conditioners
- Cadmium Chloride– Used in electroplating
- Chromium Cyanide – Used to inhibit corrosion
- Cadmium Hydroxide– Found in NiCad batteries
- Cadmium Oxide – Used in Chrome Plating Baths, Ceramic Glazes, Electrodes, and Pigmentations
- Cadmium Iodine- Used in electroplating
- Cadmium Sulfate – Used in electronic circuits
- Cadmium Sulfide– Used as pigment in paints, and Plastics
- Cadmium Fluoride- Used in production of metallic alloys such as bearings

The technology in Hygenall HexOff was developed, tested, and patented by the U.S. Centers for Disease Control and Prevention (patent number: 7,604,997 B2) specifically for removing CAD ++ metals like Hexavalent Chromium.

The CDC is the premier health and safety watchdog in the United States, and throughout most of the world. Additionally, testing has shown Hygenall® HexOff™ to be over 99% effective, even in the microgram range!

Call 800-624-4518

dcmcleanair.com

Exposure to CrVI and other toxic metals have serious health risks

- **Chromium VI** – Respiratory distress, irritation of the nose lining, skin rashes – chrome ulcers, stomach ulcers, small intestine irritation, increased cancer in lung/stomach/intestine
- **Cadmium** – Chronic effects include anemia, rhinitis/anosmia, pulmonary emphysema, proteinuria and lung cancer. The primary target organs for chronic disease are the kidneys (non-carcinogenic) and the lungs (carcinogenic)
- **Lead** – Affects nervous system, increased blood pressure, anemia, brain function, kidney function, accumulates in body and is used as calcium, lowers IQ in children
- **Arsenic** – Increased cardiovascular disease, increased cancer risk, increased dermatitis, increased warts, and skin pigmentation
- **Other toxic metals include** – Zinc, Mercury, Silver, Magnesium, Aluminum, Uranium, Chromium, Arsenic, Nickel, Strontium, Vanadium, Zinc Manganese, Barium, Beryllium, Aluminum and others. These are known as CAD ++ metals



Benefits of HexOff

- **HexOff Skin Guard Technology** leaves behind a natural layer of positively charged ions that help repel Hexavalent Chromium after use, akin to Scotch Guard for stains. No other soap can do this.
- While this product has been “tuned” to Hexavalent Chromium, it is effective on all CAD ++ metals including Lead, Mercury, Uranium, Selenium-72, Cadmium, Zinc, Arsenic, Silver, Beryllium and others.
- Hygenall HexOff products mimic soap, and it is an excellent degreaser, cleaning off heavy grease and grime. Hygenall HexOff No Rinse wipes and Surface Cleaner Spray contains ingredients to clean away germs, bacteria, and viruses (including H1N1).
- HexOff removes >99% of heavy metals down to 5,000 micrograms, the highest decontamination power in the world! Superior in effectiveness over Soap & Water, and regular cleaning wipes.
- Contains no EDTA, Phosphates, or other harmful chemicals. Low sudsing formula is safe for all wastewater systems.



Integrating HexOff into an EHS program

- Replace washroom soap dispensers with HexOff Foaming Soap dispensers.
- Place No Rinse Wipes or Decontamination Station in key locations where workers are removing PPE or where they are working with heavy metals.
- Replace conventional spray cleaners with Surface Cleaner Spray in break rooms, cafeterias, and other areas where workers gather.
- Place No Rinse Wipes in Tool Cribs and train workers to clean sanders, shrouds, and tools before returning them to storage.
- Incorporate HexOff products into general housekeeping practices, in compliance with OSHA standards.



Call 800-624-4518

dcmcleanair.com

HexOff Surface Cleaner

Use this spray cleaner to clean and remove CrVI from work surfaces, equipment, floors and walls. Use on cafeteria tables and surfaces to remove CrVI that migrates in on workers hand and clothes. Contains environmentally safe ingredients that are low sudsing and phosphate free. Apply by hand, brush, or high pressure. Surface Guard Technology makes it difficult for CrVI and other heavy metals to stick to surfaces after use.

HexOff Surface Cleaner		
PN	NSN	Description
710-SC01Q	-	HexOff Surface Cleaner 1Qt Spray Bottle
710-SC05G	-	HexOff Surface Cleaner 5 Gal
710-SC55G	-	HexOff Surface Cleaner 55 Gal



HexOff No Rinse Wipes

Make No Rinse Wipes available to workers where they remove PPE after exposure to Hexavalent Chromium dust.

We recommend HexOff wipes to decontaminate sanders, shrouds, and other tools before returning them to the tool crib. Remember, the worker using the tool is protected from CrVI by his or her PPE, but the worker managing the tool crib is not - the hazardous dust can come back to the tool crib on every unwashed tool.

Removes Hexavalent Chromium, Cadmium, Lead, Nickel, Zinc, and other cationic metals from the skin. Cleans off dirt and helps remove viruses, bacteria, and germs.

HexOff No Rinse Wipes		
PN	NSN	Description
710-NR045	-	HexOff No Rinse Wipes 45 Count Canister
710-NR500	4130-01-509-0267	HexOff No Rinse Wipes 500 Count Tub
710-NR500RF	4130-01-509-0268	HexOff No Rinse Wipes 500 Count Tub Refill



HexOff Decon Station

Place this convenient standing station wherever your workers are removing PPE. Great for personnel cleanup outside of sanding booths, paint hangars, and in lockers. The stand holds No Rinse Wipes and a container to collect used wipes for disposal. 32in high tripod design won't wobble on uneven surfaces.

HexOff Decontamination Station		
PN	NSN	Description
710-DS01	-	HexOff Decon Station with 500 No Rinse Wipes
710-DS07	4130-01-509-0265	HexOff Decon Station Stand Only
710-NR500RF	4130-01-509-0268	HexOff Decon Station 500 Count Refill



HexOff Foaming Hand Wash

Replace conventional hand soap in washrooms and break rooms to provide workers with a safe and highly effective way to clean, disinfect, and remove CrVI from their hands and skin. Provides the same germ fighting strength of conventional hand soaps, but acts on a molecular level to release microscopic deposits of Hexavalent Chromium and other heavy metals from the skin.

HexOff Foaming Hand Wash		
PN	NSN	Description
710-HW01	-	HexOff Foaming Hand Wash 1 Gal
710-HW55	-	HexOff Foaming Hand Wash 55 Gal
710-DS02	-	HexOff Foaming Hand Wash Refillable Dispenser
710-DS08	-	HexOff Foaming Hand Wash 1 Gal Pump Dispenser
710-DS04	-	HexOff 1 Gal Wall Mount



Foaming Hand Wash 1 Gal

Everyone uses the bathroom soap, so introducing HexOff here makes an immediate health impact on the entire organization

Replace washroom soap dispensers with HexOff Foaming Soap dispensers.

Our rich foam hand wash is ecologically friendlier than other liquid hand soaps and is delivered more uniformly, reducing overuse. It does not contain EDTA, Phosphates, or other harmful chemicals and its low sudsing formula is safe for all wastewater systems. **Leaves skin hydrated and feeling great!**



Refillable Dispenser

HexOff Liquid Soap

Powerful hand soap that removes dirt, grime, heavy grease plus heavy metals. It is low sudsing, no EDTA or Phosphates. Made from natural environmentally friendly components and is wastewater friendly. Cationic surfactant with pH balancing keeps skin moisturized and clean. Highly effective hand-soap decontamination!

HexOff Liquid Soap		
PN	NSN	Description
710-LS01G	-	HexOff Liquid Soap 1 Gal
710-LS55	-	HexOff Liquid Soap 55 Gal Drum
710-DS03	-	HexOff Liquid Soap Refillable Dispenser
710-DS04	-	HexOff 1 Gal Wall Mount
710-DS05	-	HexOff Liquid Soap 1 Gal Pump Dispenser
710-DS06	-	HexOff Liquid Soap 55 Gal Pump Dispenser




Liquid Soap 1 Gal

- ★ Available on GSA Advantage website @ www.GSAadvantage.gov
- ▲ This item has an NSN - See Model / NSN table on page 4.



Refillable Dispenser

Vacu-Tools



Drills



159093
Vacu-Drill with IR



159026
Vacu-Hammer Drill Dewalt Cordless



159080
Vacu-Drill with Dotco

Saws



604083DB
3" Straight Line Vacu-Cutoff Saw



604082
2" Vacu-Cutoff Saw



6040825DB
2.5" Vacu-Cutoff Saw

Routers



60083K
Vacu-Router with Dotco




600840
Two-Handed Vacu-Router with Dotco

Call 800-624-4518

dcmcleanair.com

Vacu-Tools



Sanders



17225
5" Skirted Random Orbital Sander
Also available in 3.5" & 6"



17357804S
3-2/3 x 7" Vacu-Sander



17225A
5" Aluminum Random Orbital Sander
Also available in 3.5" & 6"

Grinders



171082
2" Vacu-Shrouded Grinder
with Dotco



171083
3" Vacu-Shrouded Grinder
with Dotco



171085
5" Vacu-Shrouded Grinder
with Dotco



171152
2" Vacu-Shrouded Grinder
with Dynabrade



174881
1" Vacu-Flap Wheel
with Dotco



609010
Detail Vacu-Sander



159081
Vacu-Drum Sander

Call 800-624-4518

dcmcleanair.com

Call 800-624-4518

dcmcleanair.com





www.dcmcleanair.com

DCM Clean Air Products 1.800.624.4518 • Fax 817.451.0615