



PRODUCT CATALOGUE 2020

www.ubitamercia.ca

MAKING BUYING EASY FOR YOU

Buying a product can put you into a fix at times, this is when you need a good sales company at your service. So, UBITEURO, a business-oriented company is on heels to provide you platform for purchasing the best products. The company was established in the year 2017 January in Germany with a staff of just 18 people, and we expanded itself to a staff strength of 28 people in China. Also, we have extended our business in Dubai recently and take pride in providing exceptional services to our clients.

WHAT ARE THE VARIOUS SERVICES WE OFFER?

We provide a plethora of services ranging from suitable IT Solutions, Cable and Networking Solutions to amazing Audio Products, Trolley Speakers, Power Products and Gaming Products. Some latest launched products making a boom in the market are TR155-URICH, TR124-ROLF and PG 151 UWE.

WHY US?

- Quality products at prices which can easily make space in your budget.
- Certified company with trained delivery staff.
- Trustworthy network among various channel partners
- Complete transparency with the clients

They believe that sales are about trust and understanding, it has nothing to do with selling nowadays. This ideology makes them work day and night, ensuring happy customers worldwide satisfaction. The power of U!



DJ & TOWER SPEAKERS

TS 11500 MEILEN

- USB/SD/FM/REMOTE support
- 2.0Ch Hi-Fi sound
- LED display
- With 2 wireless mic
- Available in 2pin/3pin
- Speaker Compatible with USB/SD/MMC/FM/RC/Two Wireless MIC
- Power Output (R.M.S.) 45W + 45W
- Power Supply : AC 220V ~ 240V / 50Hz - 60Hz
- Speaker Unit/ Size 20.32cm (8)x2 + 10.16cm(4")x2 + 5.08cm(2")x2
- Impedance 4 Ω
- Frequency Response 50Hz ~ 20KHz
- S/N Ratio : ≥ 60 dB
- Separation : ≥ 40 dB
- Bass up/down : ± 15 dB
- Sensitivity : < 500 mV
- Input & Output Jack: RCA Jack Input / Clamp Output
- FM Frequency Receiver: 88MHz to 108MHz
- LED Display: Yes
- MP3 Playability with USB/SD/MMC: Yes
- Bluetooth : Yes
- AUX Audio Input Compatible with DVD/PC/LCD TV : Yes
- Controls Provided : Rotary Type (Vol, Bass, Treble, Mic Vol, Echo), Mode, EQ, Mute, Next/Vol+, Play/Pause, Prev/Vol-
- Rotary Type Volume, Bass, Treble, MIC Volume & Echo control: Yes
- Cordless MIC : Yes (2 No)
- Cordless MIC Function & Wire MIC Playability with Volume & Echo control: Yes



TS-215 TANZEN

- Speaker Compatible with: USB/SD/MMC/FM/RC/BT/ Two Wireless Mic
- Power Output (R.M.S.) :60W + 60W
- Power Supply: AC 220V ~ 240V / 50Hz - 60Hz
- Speaker Unit / Size: Main Unit : 25.4cm(12")x2, Tweeter : 7.62cm(3")x6
- Impedance : 4 Ω
- Frequency Response : 50Hz ~ 20KHz
- S/N Ratio : ≥ 60 dB
- Separation : ≥ 40 dB
- Bass up/down: ± 15 dB
- Sensitivity : < 550 mV
- Input & Output Jack : RCA Jack Input / Clamp Output
- FM Frequency Receiver : 88MHz to 108MHz



DJ & TOWER SPEAKERS

TS 11800 MUSIK

- Speaker Compatible with : USB/SD/MMC/ FM/RC/Single Wireless MIC
- Power Output (R.M.S.) : 48W + 48W
- Power Supply : AC 220V ~ 240V / 50Hz- 60Hz
- Speaker Unit / Size : 0.32cm(8)x2 + 10.16cm(4)x2 + 5.08cm (2)x2
- Impedance : 4 Ω
- Frequency Response : 50Hz ~ 20KHz
- S/N Ratio : \geq 60dB
- Separation : \geq 40dB
- Bass up/down : \pm 15dB
- Sensitivity : 500mV
- Input & Output Jack : RCA Jack Input / Clamp Output
- FM Frequency Receiver : 88MHz to 108MHz
- LED Display : Yes
- MP3 Playability with USB/SD/MMC : Yes
- Bluetooth : Yes
- AUX Audio Input Compatible with DVD/ PC/LCD TV : Yes
- Controls Provided : Rotary Type (Vol, Bass, Treble, Mic Vol, Echo), Mode, EQ, Mute, Next/Vol+, Play/Pause, Prev/Vol-
- Rotary Type Volume, Bass, Treble, MIC Volume & Echo control : Yes
- Cordless MIC : Yes (2 No)
- Cordless MIC Function & Wire MIC Playability with Volume & Echo control : Yes



DJ & TOWER SPEAKERS

TS-15000 SCHWARZ

- Driver Unit(10"×1 +big horn tweeter)×2,
- Output power: 70W*2
- Packing: Brown carton box, L &R speaker pack together in one box,
- USB/SD/ FM /Bluetooth /display/Remote
- 8 control knobs: main volume, bass, treble, mic.volume, mic. echo , mic. repeat, mic. delay volume control, guitar volume control,
- Karaoke function ,2 MIC sockets input
- 1 Guitar input, Guitar volume control
- Good microphone circuit design and more mic.funicon control, and microphone voice is better than normal speaker
- 2pcs VHF WIRELESS MICROPHONE
- User manual, RCA cable, wireless mic. remote control



TS-25000 ANDERS

- Output Power: 80W
- Speaker Unit: 5"+3" *4
- USB Card Port
- TF Card port
- LED digital display
- LED flash lighting circles
- Wireless Bluetooth
- FM radio
- USB charging port
- 3.5 mm Aux in
- Remote Control
- Mobile Stand
- DC Power: DC 15V3A



DJ & TOWER SPEAKERS

TS-30000 KOSTBAR

- Output Power: 50W
- Speaker Unit: 3' *4
- USB card port
- TF card port
- FM radio
- LED Display
- Bluetooth
- USB Charging port
- Remote control
- Aux In
- DC Power: DC 15V2A



TROLLEY SPEAKERS

PG1230- STRAND

- 12" Trolley Speaker
- Speaker unit: 12" woofer+tweeter
- RMS Power: 70W;
- Battery: 12V/ 4.5A;
- Function: USB/SD/BT/FM /Record ; -With Mic/gitar input, 3.5 AUX input ; - volume control/EQ/MIC Echo/MIC Bass /MIC Treble volume control ; MIC priority
- AC110V~240V, DC12V -Materials: wooden case+metal grill
- Product size: 300 x 200 x 800 mm



TROLLEY SPEAKERS

PG152- JERGAN



- 15" Trolley Speaker
- Speaker unit : 15• woofer + Tweeter
- RMS Power : 70W;
- Battery : 12V/4.5A;
- Function : USB/TF/BT/FM /Record - With Mic input, 3.5 AUX input ; -with LED display ; -MIC priority
- Volt : AC110V~240V, DC12V
- Led shining colorful eyes
- Materials: ABS with wheels
- Product size (cm):65 × 38.5 × 43.5.5
- Packed with color carton box



PG151-UWE



- Driver: 12" +tweeter
- Output power: 60W, (12V digital amplifier)
- Rechargeable Battery: 4.5Ah (12V)
- with USB/SD / FM/ Bluetooth /LED display/ remote /Lighting
- 1 MIC. jack input, and karaoke function , with 1 AUX input,
- Mic. priority and record function are basic functions
- 1pc VHF wireless microphone



TROLLEY SPEAKERS

PG1212- LAUT



- 12" Party Speaker
- Speaker unit: 12" woofer*+2 tweeter
With mixer on the top;
- RMS Power: 130W;
- Battery: 12V/ 9A;
- Function: USB/SD/BT/FM /Record ;
With Mic input, 3.5 AUX input ;
- Mic volume control /volume control ; MIC
priority
- AC110V~240V, DC12V
- Lights in subwoofer and in both side
wings (four wings)
- Materials: Wooden case+metal grill
- N.W: 25.5kgs
- Color box packing
- PG1212- LAUT
- Single Wireless MIC



TS-20000 ENORM



- RMS Power: 110W
- 20" Woofer
- One Wireless MIC
- Bluetooth name: TS-20000
- USB/TF/FM Radio
- Remote Control
- Recording/MIC Priority
- Aux/Mic/Guitar Input
- English Voice/Rec
- Battery: 12V 7.5Ah
- Power Supply: 110-240V-50Hz/60Hz
- LED light on woofer



TROLLEY SPEAKERS

TS-35000 EINS

- RMS Power: 50W
- Double 6.5 inch
- USB/TF/FM Radio
- One Wireless MIC
- Bluetooth name: TS-35000
- Remote Control
- Aux/Mic Input
- English Voice/Rec
- Battery: 7.4V / 1500mAh x2
- Power Supply: 110-240V-50Hz/60Hz
- LED light on woofer



SUB WOOFERS

BE-221

- 2.1 Bluetooth Speaker
- USB/TF/FM/Bluetooth remote control
- Output Power: 38wW(RMS)
- Speaker Unit: 4"+ 3"*2
- AC Power: AC100V-240V ~50/60Hz



BE-223

- 2.1 Bluetooth Speaker
- USB/TF/FM/Bluetooth remote control
- Output Power: 38wW(RMS)
- Speaker Unit: 4"+ 3"*2
- AC Power: AC100V-240V ~50/60Hz



BE-225 HAUS

- 2.1 Bluetooth Speaker
- USB/TF/FM/Bluetooth remote control
- Output Power: 40W(RMS)
- Speaker Unit: 4"+ 3"*2
- AC Power: AC100V-240V ~50/60Hz

- 2.1 Bluetooth Speaker
- USB/TF/FM/Bluetooth remote control
- Output Power: 40W(RMS)
- Speaker Unit: 4"+ 3"*2
- AC Power: AC100V-240V ~50/60Hz



BLUETOOTH SPEAKERS

ER-8 KLEIN

- Bluetooth version: 5.0
- Bluetooth mode: A2DP, HSP, HFP, AVRCP
- Bluetooth Range: About 10 meter
- SNR: >90db
- Speaker Specification: 45mm*2
- Speaker Power: 4/4W*2
- Battery: 3.7V / 1200mAh
- Playing time: 2 - 3 hrs
- Charging Voltage: About 3 hrs
- Size: 74*160 mm
- Weight: 345g



ER-10 MITTEL

- Working distance: 10M
- SNR: >90db
- Battery : 3.7V 1200mah
- Normal Volume Playing time: 2-3 Hrs
- Speaker Driver: 45mm*2
- Power: 4/5W*2
- Frequency response: 120 Hz - 20KHz
- Unit Size: 68.8 * 68.8* 160mm
- Carton measurement: 50PCS/CTN
- Unit Weight: 405G
- Charging: 5V/500MA



BLUETOOTH SPEAKERS

CHARGE

- Wireless version: 4.1
- Support: A2DP V1.3, AVRCP V1.5, HFP V1.6, HSP V1.2
- Transducer: 2 x 50mm
- Output power: 2 x 4W
- Frequency response: 65Hz - 20kHz
- Signal-to-noise ration: 80db
- Battery type: Lithium-ion polymer (3.7V, 1200mAh)
- Power Supply: 5V/2.3A
- USB charge out: 5V/2A (maximum)
- Music playing time: 1-2 hours
- Battery charge time: 4 - 5 hrs
- Dimensions (HxWxD): 213 x 87 x 88.5 mm
- Weight: 800gm
- Wireless transmitter frequency range: 2.402 -2.480 Ghz
- Wireless transmitter power: 0 - 9 dBm
- Wireless transmitter modulation: GFSK /4-DQPSK, 8DpSK



BE-259

- 1.1CH outdoor innovation Bazooka speaker
- Bluetooth Audio Streaming for Wireless Freedom
- With RGB light
- Output perfect sound performance
- With USB & Micro SD support, FM radio
- 3.5mm Stereo Analog Input to Connect any Audio Source
- With karaoke function, 1 microphone input
- Build in lithium rechargeable battery 2500mAh
- Product Size: 375 x 170 x 180mm
- TWEETER SIZE: 1.4"
- TWEETER POWER (RMS): 8W
- SUBWOOFER SIZE: 5.25"
- SUBWOOFER POWER (RMS): 4Ω ,20W
- TOTAL POWER :- 28W
- BATTERY CAPACITY: 3.7V 2500mAh
- Frequency Response: 100-20Khz



COMPUTER CASES



UB 192-8

- Case Size: 360*192*435 mm (L*W*H)
- Thickness : 0.5MM All black coating
- Support ATX PSU in Bottom
- Support ATX motherboard
- Placed 3*SSD, 2*HDD, No ODD
- Front Panel Black panel +glass
- 1*USB 3.0 + 2* USB 2.0+ HD Audio
- Left side full glass
- Support VGA card 320 MM
- CPU Height: 155mm

UB 192-11

- Case Size: 360*192*435 mm (L*W*H)
- Thickness : 0.5MM All black coating
 - Support ATX PSU in Bottom
 - Support ATX motherboard
- Placed 3*SSD, 2*HDD, No ODD
- Front Panel Black panel +glass
 - Left side full glass
- 1*USB 3.0 + 2* USB 2.0+ HD Audio
 - Support VGA card 320 MM
- CPU Height: 155mm



COMPUTER CASES



UB-SK01

Case size: L365*W190*428mm
Metal Material Thicknesses 0.5MM, With RGB light
Support ATX/M-ATX/ITX
SLOT 3 X 2.5 SSD, 2 X 3.5HDD
Front Panel Black panel
The graphics card length limit is 310MM
1 X USB3.0 ,2 X USB2.0+headphone Jack, Mic jack
Right Side panel with Metal, Left side full Glass, 7Slots
Support VGA card 320 MM
CPU height:160mm

UB 192-11

- Case Size: 360*192*435 mm (L*W*H)
- Thickness : 0.5MM All black coating
 - Support ATX PSU in Bottom
 - Support ATX motherboard
 - Placed 3*SSD, 2*HDD, No ODD
 - Front Panel Black panel +glass
- 1*USB 3.0 + 2* USB 2.0+ HD Audio
 - Left side full glass
- Support VGA card 320 MM
- CPU Height: 155mm



POWER SUPPLY

UB-600 APFC

- ATX Power Supply
- Rate Output 400W
- 20+4 Pin, CPU P8 (6+2) x 1, IDE x 2, SATA x 4
- 12 cm fan cooling fan
- SECC cover 0.6T
- Cable length 550mm
- Good Quality EU Power Cord



UB-800 APFC

- ATX Power Supply
- Active PFC
- Output 800W, APFC Version
- 20 + 4Pin, CPU P8 (6+8) x 1, IDE x2, SATA x4, P8 (6+2) x 1
- 12 cm Fan
- With 1.5M EU Power Cord



IT ACCESSORIES

UB 89 CLOUD

- 3D surround sound
- Noise cancellation
- 3.5 mm Jack
- Switch life 10 million



UB25- KABELLOS

- Interface : SB 2.0
- Standards : IEEE 802.11 b/g/n
- Wireless signal rates : Upto 150 Mbps
- Frequency range : 2.4-2.4835GHz
- Wireless Transmit Power : 18dBm (EIRP)
- Modulation Type : DBPSK, DQPSK, CCK, OFDM
- Wireless Security : WPS, 64/128bit WEP, WPA/WPA2, PA-PSK/WPA2-PSK (TKIP/AES)
- Operating System : Windows XP/VISTA/Win7/Win8/Win10/Linux/Macintos
- LED Indication : Link/Act
- Antenna Type : SMA Detachable Antenna
- Colors : White
- One Wireless mic
- Packed with color carton box



UB 101

- Specification UB 101
- Interface USB/PS2
- Total travel 3.8+/-0.5
- Travel to peak 1.5+/-0.5
- Switch life 10 million
- Supply voltage and current 5V DC @ 100mA



IT ACCESSORIES

LAPTOP BAGS 15.6 INCH

Fully-padded compartment fits most laptops up to 15.6 inch

Dedicated interior pocket for iPad or tablet

Durable and water-resistant materials

HIGH QUALITY MATERIAL: Our Curated Selection Of Color And Adopt Environmentally Material,Smoothly Durable Double Zipper,Offers a Ultra Slim Lightweight Design And Superior Protection To Protect Laptop/Notebook From Dust,Bumps, Scratches, Scuffs And Spills



IT ACCESSORIES



WEB CAMERA 1080P HD

Full HD Wide Angle Camera
5MP Auto Focus HD 1080p Camera
Sensitive Microphone
Silicone Sound Absorption
High Definition Autofocus
Plug & Play
Suitable for multiple scenarios and platforms



GAMING PRODUCTS

UB02 – REGLER

- Game Pad : Single
- Support Real Vibration
- Digital and analog mode control
- Advanced styling for enhanced comfort during game play
- 8-way direction button
- 12 programmable quick action buttons
- Turbo slow fir Function
- Individual turbo and clear Function
- LED indicators of Turbo
- Connection USB 1.0, 1.1, 2.0
- Plug and play
- Color Available : Black
- Color: Gray
- Cable Length: 305 m



UB04 – SPIEL

- Game Pad : Two
- Support Real Vibration
- Digital and analog mode control
- Advanced styling for enhanced comfort during game play
- 8-way direction button
- 12 programmable quick action buttons
- Turbo slow fir Function
- Individual turbo and clear Function
- LED indicators of Turbo
- Connection USB 1.0, 1.1, 2.0
- Plug and play
- Color Available : Black
- Color: Gray
- Cable Length: 305 m



POWER PRODUCTS

ONLINE UPS 10KVA

- High frequency and double conversion online
- Fully digitized microprocessor control
- Wide input voltage range
- LCD display
- Advance battery management
- Cold start
- Automatic battery charging in UPS off mode
- Lighting and surge protection

ONLINE UPS 6KVA

- High frequency and double conversion online
- Fully digitized microprocessor control
- Wide input voltage range
- LCD display
- Advance battery management
- Cold start
- Automatic battery charging in UPS off mode
- Lighting and surge protection



ONLINE UPS 3KVA

- High frequency and double conversion online
- Fully digitized microprocessor control
- Wide input voltage range
- LCD display
- Advance battery management
- Cold start
- Automatic battery charging in UPS off mode
- Lighting and surge protection



POWER PRODUCTS

SMART UPS 1050VA STABIL

- Compact size and ergonomic design: it can be placed on a desk top or other convenient location
- Perfect protection for overload ,short circuit ,over-voltage ,low-voltage and over-heating etc
- Double boost and buck AVR for voltage stabilization
- Excellent microprocessor control optimizes reliability
- Off mode charging and cold start function
- Line mode, Battery mode and fault alarm
- Auto restart while AC is recovering
- Echo friendly and user friendly
- Low transfer time (<5ms)
- Frequency auto adaptive
- Low maintenance cost
- AVR protection function
- Simulated sine wave
- LED indicator light
- Wide input range
- Easy installation



SMART UPS 1500VA SCHWER

- Excellent microprocessor control optimizes reliability
- Built in super smart charger, shorten charging time
- Boost and buck AVR for voltage stabilization
- Auto restart while AC is recovering
- Off mode charging function
- Simulated sine wave
- Cold start function
- Optional USB/RS-232 communication port and RJ-11 phone protection
- Offering LED and LCD panels for selection



POWER PRODUCTS

SMART UPS 2000VA STABILE LEISTUNG

- Excellent microprocessor control optimizes reliability
- Built in super smart charger, shorten charging time
- Boost and buck AVR for voltage stabilization
- Auto restart while AC is recovering
- Off mode charging function
- Simulated sine wave
- Cold start function
- Optional USB/RS-232 communication port and RJ-11 phone protection
- Offering LED and LCD panels for selection




SMART UPS 650VA STARK

- Compact size and ergonomic design: it can be placed on a desk top or other convenient location
- Perfect protection for overload ,short circuit ,over-voltage ,low-voltage and over-heating etc
- Double boost and buck AVR for voltage stabilization
- Excellent microprocessor control optimizes reliability
- Off mode charging and cold start function
- Line mode, Battery mode and fault alarm
- Auto restart while AC is recovering
- Echo friendly and user friendly
- Low transfer time (<5ms)
- Frequency auto adaptive
- Low maintenance cost
- AVR protection function
- Simulated sine wave
- LED indicator light
- Wide input range
- Easy installation



E-SCOOTER

- Overall fold - Size 108*43*49cm
- Weight- 13.5KG
- Waterproof-IP54
- Brake System - Disc Brake
- Tire Size - 8.5 inch
- Power Display - LED
- Digital Display - Speed
- Color - Black
- Maximum Load - 100kgs
- Maximum Speed - 25Km/H
- Grade Ability - 14 Degree Slope.
- Mileage - Up to 20 KM
- Battery Size - 6.6 Ah
- Standard Voltage - 42v
- Charging Time - 3-4 Hrs
- Motor - 250w (Max 500w)



HOOVER BOARDS

HOVERBOARD P10H

Model:Hoverboard P10H

Color:Blue, Red, Pink, Graffiti yellow.

Max cruise speed:15 KM/H

Net Weight:12.5KG

Power requirement:AC 110-240V, 50-60Hz

Measurment:75.5*33*33cm

Distance(after single charging):About -2100KM

Charging time:About- 21 hours

Pay load:100-130 KG

Max climbing angle capability:15 degrees

Battery:lithium battery, 36V,2.0-3.0AH (24V 3.6AH)

Warranty:12 month

Max power of motor:2X350W Voltage:110V-240V, for global use

Tire type & size:Pneumatic front tire,solid rear tire

Waterproof Rate:IP65 Triple wall corrugated cardboard outer carton + inner carton + EPE

Quantity/20 ft container(for reference):340 pcs

N.W.:13kg/carton

G.W.: 15kg/carton

CTN size:76.5*34.5*35cm



HOVERBOARD P10L

Net Weight: 12.00 kg

Package Size:101 * 20 * 32cm

Maximum cruise speed: 12km/h

Maximum load: 120kg

Maximum Mileage: 10km

Maximum climb capability: 20°

Minimum turning radius: 0°

Charger time: 1-2 hours

Battery: Li-ion Battery,36V,2.0-3.0AH

Power: Import Brushless DC Motor

Voltage: 100-240 V

Motor Power: 700 Watts (2*350w/pc)

Lifetime of battery: 1-3 Years



HOOVER BOARDS

HOVERBOARD P10X

Model : Off Road Hoverboard P10X

Color : Black

Max cruise speed : 15 KM/H

Net Weight : 14.5KG

Power requirement : AC 110-240V, 50-60Hz

Measurement : 72*22*23cm

Distance(after single charging) : About 15KM

Charging time : About 3-4 hours

Pay load : 100 KG

Max climbing angle capability : 15 degrees

Battery : lithium battery, 36V, 2.0-3.0AH (24V 3.6AH)

Warranty:12 month

Max power of motor : 2 X 350W

Voltage : 110V-240V, for global use

Tire type : Pneumatic frofite, solid rear tire

Waterproof Rate : IPX4 Triple wall corrugated cardboard outer carton + inner carton + EPE

Quantity/20 ft container(for reference):400 pcs

N.W. : 15kg/carton G.W.:17kg/carton

CTN size:77.5*29.4*33.2cm



HOVERBOARD P5

Net Weight: 10.00 kg

Package Size:101 * 20 * 32cm

Maximum cruise speed: 12km/h

Maximum load: 120kg

Maximum Mileage: 10km

Maximum climb capability: 20°

Minimum turning radius: 0°

Charger time: 1-2 hours

Battery: Li-ion Battery,36V,2.0-3.0AH(24V 3.6AH)

Power: Import Brushless DC Motor

Voltage: 100-240 V

Motor Power: 700 Watts (2*350w/pc)

Lifetime of battery: 1-3 Years

Range Per Charge: 10-20km

Work Temperature: -10° - 50°

Dimension: 584 * 186 * 178 mm

Pedal Height: 11cm

Tyre Size: 6.5 inch

Chassis Clearance: 3cm



HOOVER BOARDS

HOVERBOARD / SELF BALANCING SCOOTERS P5B

Net Weight: 10.00 kg

Package Size: 101 * 20 * 32cm

Maximum cruise speed: 12km/h

Maximum load: 120kg

Maximum Mileage: 10km

Maximum climb capability: 20°

Minimum turning radius: 0°

Charger time: 1-2 hours

Battery: Li-ion Battery, 36V, 2.0-3.0AH (24V 3.6AH)

Power: Import Brushless DC Motor

Voltage: 100-240 V

Motor Power: 700 Watts (2*350w/pc)

Lifetime of battery: 1-3 Years

Range Per Charge: 10-20km

Work Temperature: -10° - 50°

Dimension: 584 * 186 * 178 mm

Pedal Height: 11cm

Tyre Size: 6.5 inch

Chassis Clearance: 3cm



LIFESTYLE

SMARTWATCH DA FIT

Screen size: 1.3" 240*240 IPS

Android: Android 4.4

Bluetooth: BT 4.0

G-Sensor: Yes

Heart Rate: 3300

Battery: 200mAh Lithium polymer

Charging Method: USB Special charging line

Life time: Use for 5-7 days, standby for 14 days

Wristband size: Total length 220mm, adjustable length 145-190mm

Appearance material: Main body: zinc alloy + spherical toughened glass Wrist strap: silicone watch strap

Features: Search function, alarm setting, water drinking reminder, gesture intelligent control, do not disturb mode, reminder mode

App Support: Phone, SMS, wechat, QQ, Facebook, twitter, instagram, Skype, WhatsApp, line, kakao talk, others

Functions: G-sensor step counting, heart rate, sleep, sedentary, mileage, blood oxygen, blood pressure, mobile search, calories, Bluetooth, information, wechat, QQ, motor



INTELLIGENT AND EFFICIENT HEALTH TRACKER



KIDS TABLET

SCHULE 10.1 INCH

10.1" 800*1280 IPS screen
sc9863, ARM Cortex™-A53 OCTA-Core,1.8Ghz
RAM: 2G ROM: 16G/32G Metal cover
Android 9.0
Front camera 0.3M, rear 2.0M
Support Wifi,bluetooth
Build in WIFI/4G /FM/Bluetooth
3.7 V 5000mAH li-ion battery
Dimension: 240.2*170.2*9.2mm



FROH 7.0 INCH

7.0" 1024*600 IPS screen, capacitive multi-touch
RK3126,ARM Cortex™-A7
Quad-CoCre,1.2Ghz
RAM: 1GB ROM: 8GB /16GB
Android 6.0
Front camera 0.3M, rear 2.0M
Support Wifi, bluetooth
3.7V 3000mAH li-ion battery



KINDER SPASS 7.0 INCH

7.0" 1024*600 IPS screen, capacitive multi-touch
RK3126,ARM Cortex™-A7 Quad-CoCre,1.2Ghz
RAM: 1GB ROM: 8GB /16GB
Android 6.0
Front camera 0.3M, rear 2.0M
Support Wifi, bluetooth
3.7V 3000mAH li-ion battery



TONER/CARTRIDGES

COMPATIBLE CARTRIDGE

UBIT cartridges are produced at our recycling facility. We have perfected the craft of recycling and remanufacturing cartridges over years of research and fine-tuning. Apart from being environment-friendly, our cartridges rival and outperform OEM products. Every Egreen cartridge is subjected to rigorous testing and is 100% unconditionally guaranteed.



In inkjet printing, a compatible cartridge refers to an ink cartridge that is not manufactured by the original manufacturer of your printer (called an OEM cartridge), but will function and work in the same way that an OEM cartridge would. Many printer manufacturers will state that using any compatible cartridge in your printer will void the warranty. However, compatible cartridges are popular with consumers because of the lower cost to purchase, compared to an OEM cartridge.





UBIT

THE POWER OF U

www.ubitamerica.ca