



THE RAIS STOVE IS SPECIAL

It stands out. From others. And in your home.

Our philosophy is simple and straightforward: A stove from RAIS has to be more than just a heat source. It has to unite aesthetics and technology. Form and function. Design and craftsmanship.

We call our philosophy Art of Fire. Because your RAIS stove has to work as an efficient heat source, utilising the energy of the fire optimally, and as a streamlined design object - a sculpture, integrated in your home.

The stoves are eco-friendly heat sources, ensuring efficient combustion at even a low burn rate. They are able to draw in combustion air from the outside, in order to provide a better indoor climate. And we have stoves, which fit in any home and any decor. From castle to cabin. From nostalgia to modern minimalism.

We call it **ART OF FIRE**















PRODUCTS

RAIS Q-Tee 2	4
RAIS Gabo Gas 3	6
RAIS Gabo Wood	7
RAIS Pina	11
RAIS Bando	14
RAIS Malta	15
RAIS Rondo	16
RAIS Accesories	18
Specifications	20



Heat range (max)

Heating capacity (25-68 degrees F)

Dimension: (W-D-H)

Rotation base



RAIS Q-TEE 2

New, environmentally-friendly wood burning stove that you can use in your new construction or remodeling project. This newly designed stove is elegant, functional and stands out with its superior environmental performance.

Its practical form easily blends with any interior design and we have developed design options with the cubic shape so there is now both a standard base and boxes in two sizes. In other words, you can place your stove wherever you want and build upon it to make your stove fit your aesthetic taste.

Rais Q-T 2 is regarded as one of the cleanest burning non catalytic stoves on the North American market. The large firebox of this stove accepts a 17" piece of wood

The large window offers a magnificent view of the flames. The door is available in a steel frame or can be made entirely of glass.

NEW



27 kBTU

1400 sq.ft.

22 9/₁₀ - 17 - 27 7/₁₀ inches





RAIS GABO GAS 3 NEW DESIGN

The Gabo Gas stove has a unique curved screen and beautiful crafted ceramic logs and embers and burns with a natural fire. It is safe and clean to use, and unlike real logs, gas burning does not create ashes or soot particles. The innovative control system for this stove makes heat adjustment a very simple matter.

The Gabo Gas 3 has been designed according to the best of RAIS traditions where design, quality, functionality and safety are the four cornerstones of all our production.



31 kBTU



1940 sq.ft.



20 1/10 - 19 9/8 - 40 inches









In Scandinavia, we speak a lot about the concept of simple living. Forget about unnecessary details, things, apparel and status symbols.

A married couple, Lily Copenagle and Jamie Kennel from Portland, Oregon, made this line of thought a reality.

Although the couple could afford to build a bigger and flashier mansion, they chose to design a house with just one room and a total of 704 square feet.

PORTLAND, OREGON

The house is low-maintenance, it was inexpensive to build and it is sustainable. The rain water is recycled, surface water from the site is drained via a rain garden, and water is accumulated for future use.

The same simple principles apply for the heating of the house. A streamlined RAIS GABO from Denmark stands in the middle of the living room. It is rotatable, so the residents can enjoy the radiant heat, regardless of where they are located. This is effective and upscale minimalism.

While their neighbors paint woodwork, clean windows and mow lawns, this couple goes on trips. Kayaking or hiking in nature. When they return, they throw more wood on the fire, and the convection heat spreads quickly in the house without walls



FASCINATION WITH THE TREES IN THE FOREST...

They are standing here as solar collectors, creating energy as the most natural thing in the world...

When you are holding a piece of firewood in your hand, ready to add new energy to your stove, your thoughts may certainly wander to the forest where this energy is coming from. The trees are standing there working. Beautiful, green or bare, calm or restless depending on the time of year, wind and weather conditions.

They absorb light, bind the carbon dioxide, pick up substances from the soil and produce energy in large quantities.

When you are standing face to face with a Douglas fir, which is several hundred years old, what you feel comes close to reverence...

We use firewood in harmony with one of nature's perfect cycles. The tree absorbs CO2, which is subsequently released - by decomposition or burning.

Through hundreds and hundreds of years, man has used wood from nature or forestries for heating. The forest and the trees are good friends of ours.











15,4 kBTU



970 sq.ft.



21 3/₄ - 17 1/₈ - 44 1/₈ inches




360°

RAIS PINA

The RAIS Pina gives a whole new meaning to high quality and high living. The RAIS Pina's unique elegance and distinctive design makes this stove functional as a practical room divider and an exclusive piece of furniture that warms your house and entices the eye. The RAIS Pina was honored with the VESTA design award by the American Hearth & Home magazine, and this stove's every detail has been honored to perfection to produce what we believe is a masterpiece.



THEY DREAMED, THEY DREW, MADE CALCULATIONS - and they carried it through...







SEATTLE

This architect-designed gem is a dream come true. A Seattle family wanted an extraordinary holiday home - and they got it.

The architects were told that the house had to be able to withstand anything. Forest fire. Deep snow. Extreme temperature fluctuations. Family and friends with ski and outdoor gear. Plus, it had to be virtually maintenance-free and fully energy-optimized. The home is made of concrete, aluminum, glass and steel, all of which contribute to a refined retreat perfectly set into a remote North Cascade Mountain valley.

It is called The Ranchero - designed by the Seattle firm CAST Architecture. Floor to ceiling windows and deep eaves bring in generous amounts of light and create an intimacy with its natural surroundings. When the time is right, put firewood in the Scandinavian RAIS Pina from Denmark. It can rotate to face the dining room or the living room as needed. The owners can enjoy the rustic setting without compromise.

The Ranchero reconciles light, warmth, nature and indoor climate requirements, while meeting the highest expectations for design, quality and sustainability.



14

The natural pattern of soapstone gives the RAIS Bando a

unique feel that enhances your stove experience.





27 kBTU



1500 sq.ft.



21 9/₃₂ - 19 ^{31/₃₂} - 43 ^{3/₅} inches




360°

RAIS MALTA

A classic stove equipped with standard equipment and made with high-quality materials, the RAIS Malta is a masterpiece of stove design. Created with a completely tight firebox for optimal combustion, the ash pan comes with a specially designed lid placed behind the large door of the firebox. The front of the firebox has a seal to ensure the door is tightly shut.

The RAIS Malta can be delivered with a soapstone top plate as well as a turntable .





RAIS RONDO

Filled with warm memories, the RAIS Rondo was designed by using the concept of The Original, a 3-part stove with firewood storage, a firebox and a baking compartment. RAIS Rondo is a design marvel, a modern classic. This product offers an extraordinary visual experience to go along with the generation of cozy warmth. The RAIS Rondo has an extra-large glass pane door that invites you to lose yourself in the glow of the fire. You may decide to enhance the visual experience by adding the optional turntable or soapstone top as a unique finish.

M

25 kBTU

10

1080 sq.ft.

19 3/10 - 19 3/10 - 40 3/5

360°



SMALL DETAILS. BIG DIFFERENCES.





02





RAIS BUTEO Fireplace tools





05












ACCESSORIES

We know that it's the small details that make the big difference. The details form the whole, coherence and synergy. Thus, we have designed a series of accessories that complete your wood-burning stove and finish everything both practically and aesthetically. The series includes everything you may need for your stove - from convection grates to firewood baskets and fireplace tools.









DANISH DESIGN AND QUALITY for the Whole World...

RAIS is an Danish production company, creating wood-burning stoves, inserts and accessories in a modern production environment with the newest robot technology and measuring instruments. However, the concept of wood-burning stoves and RAIS, have existed for more than 35 years.

Today, RAIS has about 90 employees within the fields of development, design and production of wood-burning stoves and accessories. Production and distribution for the whole world is based in Frederikshavn.

RAIS Q-TEE 2 WITHOUT BASE

TECHNICAL DATA:

HEAT

Blu output	27 kBTU
Heat range (min-max)	10-27 kBTU
Heating capasity (25-68 degrees F)	1400 sq.ft
Emissions	0.9 g/hr
Efficiency	75+ %

DIMENSIONS (W-D-H)

Stove exterior	22 9/10	- 17 - 27 [?] / ₁₀	inches
Firebox interior	17 1/2 -	9 3/5 - 10 1/5	inches
Log length		17	inches
Pipe diameter		6	inches
Distance from center of top exit			
to the back edge of the top plate		5 1/8	inches
Distance from floor to centre of to	op exit	23 2/5	inches
Distance from floor to centre of re	ear exit	18 7/10	inches
Center pipe in top to back edge of	stove	6	inches
Floor to center of outside air conn	nector		
[0.4"/100 mm]		4 3/40	inches


DISTANCES TO FLAMMABLE MATERIAL


Distance to combustible side wall	15	inches
Distance to combustible back wall	15	inches
Corner Clearance to combustible	13	inches


WEIGHT

Stove 382 lb.

FEATURES	STANDARD	OPTION
Color: Black	X	-
Glassdoor	-	Х
Steeldoor with glass	x	
Shaker grate and ash pan	x	
Heat shield	x	-







RAIS Q-TEE 2 WITH BASE

TECHNICAL DATA:

HEAT

BTu output	27 kBTU
Heat range (min-max)	10-27 kBTU
Heating capasity (25-68 degrees F)	1400 sq.ft
Emissions	0.9 g/hi
Efficiency	75+ %

DIMENSIONS (W-D-H)

Stove exterior	22 9/10 -	17 - 42	1/3	inches
Firebox interior	17 1/2 - 9	3/5 - 10	1/5	inches
Log length			17	inches
Pipe diameter			6	inches
Distance from center of top exit				
to the back edge of the top plate		5	1/8	inches
Distance from floor to centre of to	op exit		30	inches
Distance from floor to centre of re	ear exit	33	2/5	inches
Center pipe in top to back edge of	stove		6	inches
Floor to center of outside air conf	nector			
[0 4"/100 mm]		4	3/10	inches


DISTANCES TO FLAMMABLE MATERIAL


Distance to combustible side wall	14	inches
Distance to combustible back wall	12	inches
Corner Clearance to combustible	11	inches

WEIGHT

Stove	439	ΙŁ

FEATURES	STANDARD	OPTION
Color: Black	х	
Glassdoor		Х
Steeldoor with glass	х	
Shaker grate and ash pan	х	
Heat shield	x	-
Small Box	-	Х
Large Box	-	Х

















Large Box

20 Small Box

RAIS GABO GAS 3

TECHNICAL DATA:

HEAT

3Tu output	31 kBTU
Heat range (min-max)	21-31 kBTU
Heating capasity (25-68 degrees F)	2000 sq.ft
Efficiency	74 %


DIMENSIONS (W-D-H)

Stove exterior	20 1/10 - 19 9/10 - 40 inches
Pipe diameter	4 inches
Distance from center of top exit	
to the back edge of the top plate	6 ¹ / ₁₀ inches
Distance from floor to centre of to	op exit 42 ² / ₅ inches
Distance from floor to centre of r	ear exit 34 ½ inches
Center pipe in top to back edge of	f stove 6 1/10 inches

WEIGHT

Stove	397	lb.
Soapstone top plate	19	Ιb

STANDARD	OPTION
x	
x	
x	
e -	X
-	X
	x x x





RAIS GABO WOOD

TECHNICAL DATA:

HEAT

BTu output	27 kBTU
Heat range (min-max)	12-27 kBTU
Heating capasity (25-68 degrees F)	970 sq.ft
Emissions	2.1 g/hr
Efficiency	75+ %

DIMENSIONS (W-D-H)

D 2)			
Stove exterior	21 1/8 - 18	1/8 - 39 5/8	inche
Firebox interior	14 3/4 - 9	5/8 - 14 1/2	inche
Log length		14 3/4	inche
Pipe diameter		6	inche
Distance from center of top exit			
to the back edge of the top plate	9	8	inche
Distance from floor to centre of	top exit	39 5/8	inche
Center pipe in top to back edge	of stove	5	inche
Floor to center of outside air co	nnector		
(0 4"/100 mm)		4 3/4	inche


DISTANCES TO FLAMMABLE MATERIAL

Distance to combustible side wall	11 inches
Distance to combustible back wall	6 inches
Corner Clearance to combustible	4 inches

WEIGHT

Stove	309	Ιb
Soapstone top plate	77	Ib

FEATURES S	STANDARD	OPTION
Color: Black and platinum	X	-
Steeldoor with glass	X	-
Top smoke exit	X	-
Outside AirSystem**	-	Х
Turntable with turnable		
connecting pipe	-	Х
Soapstone topplate	-	Х
Stainless steel convection grate	-	х









- * Does not include 4" pipe outside
- ** Outside air cannot be used with turntable

RAIS MALTA

TECHNICAL DATA:

HEAT	
BTu output	27 kBTU
Heat range (min-max)	7-27 kBTU

 Heating capasity (25-68 degrees F)
 1500 sq.ft

 Emissions
 4.3 g/hr

 Efficiency
 75+ %

DIMENSIONS (W-D-H)

Stove exterior	21 9/32 - 19 31,	/ ₃₂ - 43 ³ / ₅ inches
Firebox interior	14 3/16 - 13 25/	₃₂ - 14 ³ / ₁₆ inches
Log length		14 ³ / ₁₆ inches
Pipe diameter		6 inches
Distance from center of top	exit	
to the back edge of the top	olate	7 inches
Distance from floor to centr	e of top exit	46 ¹ / ₂ inches
Distance from floor to centr	e of rear exit	35 ¹¹ / ₁₆ inches
Floor to center of outside ai	r connector	
(0 4"/100 mm)		7 inches


DISTANCES TO FLAMMABLE MATERIAL

Distance to combustible side wall	13	inches
Distance to combustible back wall	6	inches
Corner Clearance to combustible	5	inches

WEIGHT

Stove 507 lb.

FEATURES	STANDARD	OPTION
Color: Black and platinum	x	
Steeldoor with glass	x	-
Shaker grate and ash pan	x	
Top or rear smoke exit	x	
Outside AirSystem*	-	Х
Soapstone topplate	-	x
Soapstone baking compartmen	nt -	Х





RAIS PINA

TECHNICAL DATA:

 HEAT

 BTu output
 15,4 kBTU

 Heat range (min-max)
 12-27 kBTU

 Heating capasity (25-68 degrees F)
 970 sq.ft

 Emissions
 2.1 g/hr

 Efficiency
 75+ %

DIMENSIONS (W-D-H)

Stove exterior	21 3/4 - 17 1/8 -	44 1/	8	inches
Firebox interior	14 3/4 - 9 5/8	- 14 1/	2	inches
Log length		14 3/	4	inches
Pipe diameter			6	inches
Distance from center of top exit				
to the back edge of the top plate	•	10 1/	2	inches
Distance from floor to centre of	top exit	44 1/	8	inches
Center pipe in top to back edge	of stove	7 3,	4	inches


DISTANCES TO FLAMMABLE MATERIAL


Distance to combustible side wall	11 inches
Distance to combustible back wall	6 inches
Corner Clearance to combustible	4 inches

WEIGHT

Stove 309 lb.

FEATURES	STANDARD	OPTION
Color: Black and platinum	x	
Steeldoor with glass	X	-
Shaker grate and ash pan	X	
Top smoke exit	X	













RAIS RONDO

TECHNICAL DATA:

11	г	A .	т
н		А	

BTu output	25 kBTU
leat range (min-max)	10-25 kBTU
leating capasity (25-68 degrees F)	1080 sq.ft
missions	4.3 g/hr
fficiency	75+ %

DIMENSIONS (W-D-H)

Stove exterior	19 3/10 - 19 3/10 - 41	3/5	inches
Firebox interior	13 1/5 - 11 2/5 - 4	0 2/5	inches
Log length	1	3 1/5	inches
Pipe diameter		6	inches
Distance from center of top e	xit		
to the back edge of the top pl	ate	10	inches
Distance from floor to centre	of top exit	46	inches
Distance from floor to centre	of rear exit 3	5 1/8	inches
Floor to center of outside air	connector		
[0 4"/100 mm]		4 3/4	inches

DISTANCES TO FLAMMABLE MATERIAL

Distance to combustible side wall	13	inches
Distance to combustible back wall	6 1/2	inches
Corner Clearance to combustible	6	inches

WEIGHT

Stove 304 lb.

FEATURES	STANDARD	OPTION
Color: Black and platinum	x	-
Steeldoor with glass	x	-
Top or rear smoke exit	x	-
Outside AirSystem*	-	X
Soapstone topplate	-	X
Spanstone baking compartmen	t x	



0: 19 ³/₁₀



RAIS BANDO

TECHNICAL DATA:

HEAT

BTu output	27 kBTU
Heat range (min-max)	7-27 kBTU
Heating capasity (25-68 degrees F)	1500 sq.ft
Emissions	4.3 g/hi
Efficiency	75+ %

DIMENSIONS (W-D-H)

DIMENSIONS (M-D-LL)			
Stove exterior	20 7/8 - 20 1/4 -	42 3/8	inches
Firebox interior	14 3/8 - 13 3/4	- 14 1/8	inches
Log length		14 3/4	inches
Pipe diameter		6	inches
Distance from center of top exit			
to the back edge of the top plate	e	7	inches
Distance from floor to centre of	top exit	$40^{3}/_{8}$	inches
Center pipe in top to back edge	of stove	7 1/8	inches
Floor to center of outside air co	nnector		
(0 4"/100 mm)		6 7/8	inches


DISTANCES TO FLAMMABLE MATERIAL

Distance to combustible side wall	13	inches
Distance to combustible back wall	6	inches
Corner Clearance to combustible	5	inches

WEIGHT

Stove	353	lb.
Soapstone	77	lb

FEATURES	STANDARD	OPTION
Color: Black and platinum	x	-
Steeldoor with glass	x	
Shaker grate and ash pan	x	
Top or rear smoke exit	x	-
Outside AirSystem*	-	Х
Soapstone topplate	x	
Soapstone baking compartmen	nt x	







^{*} Does not include 4" pipe outside





art of fire





Your authorized dealer



IMPORTED BY

Hearthlink International
Randolph, VT

FOLLOW US HERE

facebook Instagram Pinterest

