Leaf Spring
Ressorts à lames
Muelles multi-hojas

Data Manual
Manuel de données
Manual de información

VOLUME 26

JUNE 2003

Replacement Springs for
Passenger Cars and Trucks
Ressorts de remplacement pour automobiles et camions
Muelles de reemplazo para automobiles y camiones

Compiled by Spring Research Institute
Préparé par le Spring Research Institute
Muelles de reemplazo para automobiles y camiones

IMPORTANT NOTE

PRESERVE THIS DATA MANUAL – it may not be reprinted or a new edition published for several years. ALSO...SAVE YOUR DATA MANUALS VOLUME 20, 21, 22, 23, 24, 25, and all earlier editions you may have in your files. They cannot be replaced and are the only comprehensive source of spring and main leaf information for vehicles prior to 1998.

©COPYRIGHT 2003 REGISTERED CANADA AND MEXICO PRICE $25.00

VEHICLE PREFIX CODES

SECTION 1 VEHICLE PREFIX CODES & INDEX

12- American Lafrance Page 1
13- Autocar Trucks Page 1
14- Blue Bird Bus Page 1
21- Chevrolet Cars Page 2
22- Chevrolet Trucks Page 2
24- Crane Carrier Page 9
33- Dodge Cars Page 9
34- Dodge Trucks Page 10
38- Euclid Trucks Page 13
41- Fire apparatus
Ameritech Page 13
Duplex Page 13
Emergency One Page 13
KME Page 13
Maxim Page 14
Pierce Page 14
Sutphen Page 15
42- Ford Cars Page 15
43- Ford Trucks Page 15
44- FWD Page 23
46- Freightliner Trucks Page 23
48- GMC Trucks Page 28
50- Hendrickson suspension Page 28
54- Hino Trucks Page 31
55- Navistar Trucks Page 31
56- Isuzu Trucks Page 36
58- Iveco Trucks Page 37
59- Kenworth Trucks Page 38
61- Marmon Page 43
62- Mack Trucks Page 43
63- Mazda Page 50
64- Mitsubishi Page 50
65- Mercedez Benz Page 51
66- Mercury Cars Page 51
68- Datsun Page 52
69- Nissan Page 52
71- Oshkosh Page 52
75- Peterbilt Trucks Page 54
78- Plymouth Cars Page 56
82- Reo Trucks Page 56
83- Reyco suspension Page 56
85- Seagrave Page 57
Scania Trucks Page 57
86- Spartan Page 57
88- Thomas bus Page 58
90- Toyota trucks Page 58
92- Volvo Trucks (Sweden) Page 59
94- Western Star Trucks Page 60
96- White Trucks Page 62
97- Jeep Page 67
99- Miscelleneous Mfg.
Advance Page 68
AM General Page 68
Autocar Yard Jockey Page 68
Capacity Yard Jockey Page 68
Carpenter Page 68
Champion Yard Jockey Page 68
Crown Coach Page 68
ECO Page 69
EVO – Loadall Page 69
Gillig Page 69
Gradal Page 69
Grove Page 69
Land Rover Page 69
Loadal Page 70
Maxium Page 70
MG Page 70
New Holland Page 70
Ottawa Yard Jockey Page 70
Pacific Trucks Page 70
Sisu Page 70
Spitfire Page 70
Total Energy Trucks Page 71

SECTION 2 – OEM Numbers to SRI Numbers Page 72

SECTION 3 – SRI Numbers to OEM Numbers Page 92

SECTION 4 – Bronze Bushings Page 112

SECTION 5 – Rubber Encased Bushings
Part by Number Page 113
Part by Size Page 116

SECTION 6 – All Other Bushings Page 118

FORD CODES Page 122

The Spring Research Institute is proud to introduce a totally revised format for its 2003 edition of the leaf spring data manual.

It is now divided in six distinct sections:

Section 1 lists all popular springs, per manufacturer and in a pre-defined order,
Section 2 cross-references all OEM numbers to SRI numbers,
Section 3 cross-references the SRI numbers to OEM numbers.
Section 4 bronze bushings listing
Section 5 rubber incased bushings listings per part numbers and per sizes
Section 6 all other bushings

To find the needed spring we recommend the following:

1. If you know the original part number, you should find its replacement SRI number in Section 2.
2. If you are missing information, you should:
   a) Identify the name of the manufacturer
   b) Determine if it's a front or rear suspension spring
   c) Measure its width
   d) Measure the division lengths A and B **(following the curve of the main leaf)**
   e) Analyze the type of end of the A and B sides
      - Eye
      - Hook (HK)
      - Wrap (W)
      - Hole (HO)
      - Etc
   f) Measure the free height. The free height is the measure between an imaginary line joining the ends of the spring and the main leaf surface at the center bolt.
      - Springs with eyes are measured with the line passing in their center
      - Slipper type springs are measured with the line resting on the highest point of the ends
      - Camel back springs are measured with the line passing in the centers of the holes in the main leaf
   g) Go to the corresponding manufacturer listing in Section 1, where springs are sorted as mentioned.

Further more, this new catalog gives information on the type of eyes of the springs, the thickness of all their leaves, major information concerning their ends, the type of springs and their capacity.

A legend at the bottom of each page explains all abbreviations used.

Le **Spring Research Institute** est heureux de vous présenter une édition totalement remaniée de son manuel de données de ressorts à lames pour líannée 2003.

Le manuel est maintenant divisé en six parties différentes :

Partie 1, classement de tous les ressorts populaires, par manufacturiers, dans un ordre prédéfini,
Partie 2, renvois entre les numéros OEM et les numéros SRI,
Partie 3, renvois entre les numéros SRI et les numéros originaux,
Partie 4, description des coussinets de bronze,
Partie 5, description des coussinets de caoutchouc par numéros croissants et par ordre dimensionnel,
Partie 6, description des autres types de coussinets.

La méthode à suivre pour trouver un ressort dans ce nouveau manuel est la suivante :

1. Si vous connaissez le numéro de pièce original (OEM) du ressort, référez vous directement à la Partie 2 et trouvez le numéro SRI correspondant.
2. S' il vous manque des informations, vérifiez les points suivants :
   a) Identifiez le nom du fabriquant du véhicule
   b) Est-ce un ressort avant ou arrière?
   c) Mesurez sa largeur
   d) Mesurez les dimensions A et B du ressort **(en suivant la courbure de la lame maîtresse)**
   e) Déterminez les types de finition des cotés A et B
      • (Eil, Crochet (HK), Wrap (W), Trou (HO), etc.
   f) Mesurez la hauteur libre du ressort. Cette hauteur est la distance entre une ligne imaginaire joignant les extrémités du ressort et la surface de la lame maîtresse, au boulon central.
      • Les ressorts avec yeux sont mesurés par une ligne passant en leur centre
      • Les ressorts avec des extrémités de type à glissiéres (slipper) se mesurent à une ligne touchant le point le plus élevé de l'extrémité
      • Les ressorts de type *Dos de Chameau* (Camel back) sont mesurés par une ligne passant au centre des trous de la lame maîtresse.
   g) Dans la Partie 1 du manuel, trouvez la section correspondant au nom du manufacturier. Vous trouverez alors tous les ressorts classés de ce même ordre.

Vous remarquerez également que ce nouvel ouvrage est plus explicite. En effet, vous y trouverez des informations sur les types d'yeux des ressorts, l'épaisseur de chacune des lames qui les composent, des informations importantes sur leurs extrémités, les types de ressorts et leur capacité.

Une légende explicative de toutes les abréviations utilisées est imprimée au bas de chacune des pages du manuel.

El **Spring Research Institute** esta orgulloso de presentarles el formato totalmente revisado para la edición 2003 del manual de información para muelles multi-hojas.

Ahora esta dividido en seis secciones distintas:

Sección 1 enlista todas las muelles, por manufacturera y en un orden predefinido.
Sección 2 referencias de todos los números de equipo original a los números de SRI.
Sección 3 referencias de los números SRI a los números de equipo original
Sección 4 enlistado de bujes de bronce
Sección 5 enlistado de bujes de hule encasquillado por numero de parte y tamaño
Sección 6 todos los demás bujes

Para encontrar la muelle que necesita recomendamos que hagas lo siguiente:

1. Si conoces el numero de equipo original, debes de encontrar el numero de repuesto SRI en la Sección 2.
2. Si te hace falta información, debes de:
   a) Identificar el nombre del manufacturero
   b) Determinar si es muelle de suspensión delantera o trasera
   c) Medir su ancho
   d) Medir las longitudes de división A y B **(siguiendo el radio de la hoja maestra)**
   e) Analizar el tipo de punta de los lados A y B
      • Roleos, Ganchos (HK), Envolventes (W), Barreno (HO), Etc.
   f.) Medir el brillo. El brillo se mide entre un linea imaginaria uniendo los extremos de la muelle y la superficie de la hoja maestra en el tornillo de centro.
      • Muelles con roleos se miden con la linea pasando en su centro
      • Muelles tipo patìn se miden con la linea descansando en el lado mas alto de los extremos
      • Muelles con joroba de camello se miden con la linea pasando en el centro de los barrenos en la hoja maestra
   g) Ir a la lista correspondiente de la manufacturera en Sección 1, donde las muelles estàn divididas como antes mencionamos.

Ademas, este catalogo nuevo da información en el tipo de roleos de las muelles, el espesor de todas sus hojas, información importante referente a sus extremos, tipos de muelle, y sus capacidades.

Una leyenda en la parte inferior de la pagina explica todas las abreviaciones utilizados.

LEGEND	ENGLISH	FRENCH	SPANISH
A	Assembly	Ensemble	Ensamblado
AS	Air Suspension	Suspension à l'air	Suspension de aire
b	Berlin eye	Œil Berlin	Roleo Berlin
CB	Camel Back	Dos de chameau	Joroba de Camello
d	Dutch eye	Œil hollandais	Roleo holandés
F	Full Taper	Ressort parabolique	Despalme largo
HK	Hook	Crochet	Gancho
HO	Hole	Trou	Barreno
LE	Loop Eye	Œil en boucle	Roleo media luna
LH	Loop Hook	Crochet en boucle	Gancho con angulo
N	New model	Nouveau modèle	Model nuevo
o	Oval eye	Œil oval	Roleo ovalado
PD	Pad / Block / Spacer	Coussin / Bloc / Entretoise	Pad / Block
PL	Plate	Lame	Hoja
r	Reversed eye	Œil renversé	Roleo invertido
RB	Rebound Plate	Lame de rebond	Hojas con cortes redondos
SE	Shock Eye / Towing Eye	Œil pour amortisseur / Œil pour remorquage	Bracket
SS	Special Shape	Forme particulière	Formado especial
UB	U-Bolt Plate	Plaque de bride centrale	Asiento para abrazadera
W	Wrap	Enveloppe	Envolvente
WG	Wedge	Coin d'écartement	

English

SRI	SPRING	LENGTHS		ENDS		LEAVES	NUMBER	FREE	SPRING	SPRING
No	WIDTH	A	B	A	B	GAUGES	LEAVES	ARCH	TYPE	CAPACITY

FRENCH:

No	LARGEUR	LONGUEURS		EXTRÉMITÉS		ÉPAISSEURS	NOMBRE	HAUTEUR	TYPE	CAPACITÉ
SRI	RESSORT	A	B	A	B	LAMES	LAMES	LIBRE	RESSORT	RESSORT

SPANISH:

No	ANCHURA	LARGO		EXTREMIDADES		ESPESURA	NUMERO	FLECHA	TIPO	CAPACIDAD
SRI	MUELLE	A	B	A	B	HOJAS	HOJAS	LIBRA	MUELLE	MUELLE

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
American Lafrance - front										
12-130	3	25	25	NJG	NJG	2/447, 7/401	9	5		4850
12-132	3	25	25	NJG	NJG	3/447, 7/401	10	6-3/8		4850
12-134	3	25	25	NJG	NJG	11/449	11	3		8000
12-136	4	27	27	PLK	PLK	6/499, 5/447	11	4-1/2		9500
12-128	4	27	27	PLK	PLK	3/499, 5/447	8	4-7/8		7450
American Lafrance - rear										
12-121	3	27	27	NJG	NJG	9/447	9	5-1/4		5300
12-123	3	27	27	NJG	NJG	10/447	10	5-1/4		7600
12-125	3	27	27	NJG	NJG	12/499	12	4-1/4		10250
Autocar Trucks - front										
13-324	4	25-1/16	25-1/16	NJK	NJK	5/401, 3/360	8	5-3/8		6250
13-336	4	25-1/16	25-1/16	PLK	PLK	7/360, 3/323	10	4-7/8		4750
13-334	4	25-1/16	25-1/16	PLK	PLK	3/401, 7/360	10	4-5/8		5500
13-302	4	25-1/16	25-1/16	PLK	PLK	10/447	10	4-3/4		8115
13-338	4	25-1/16	25-1/16	PLK	PLK	9/499	9	3-5/8		9195
13-296	4	25-1/16	25-1/16	PLK	PLK	9/499	9	4-1/4		9145
13-342	4	25-1/16	28	PLK	HK-3	8/499	8	3-7/16		9850
13-312	4	25-1/16	28	PLK	HK-3	8/499	8	3-3/4		9850
13-326	4	25-1/16	28	PLK	HK-3	7/558	7	4-1/8		9850
13-310	4	25-1/8	25-1/8	PLK	PLK	7/447	7	5		6300
13-308	4	25-1/8	25-1/8	PLK	PLK	8/447	8	5-3/8		7070
13-346	4	25-1/4	28-1/8	PLK	HK-3	10/401	10	5-1/16		7450
13-340	4	25-1/4	28-1/8	PLK	HK-3	10/401	10	5-1/16		7450
13-344	4	28-3/16	28-3/16	--	HK-3	8/447	8	6-3/8		8100
13-332	4	28-1/4	28-1/4	HK-3	--	9/499	9	5-1/2		10750
13-330	4	28-3/4	28-3/4	HK-3	--	8/447	8	9		6825
13-322	4	28-3/4	28-3/4	HK-3	--	9/477	9	6-1/2		6100
13-328	5	28-1/2	28-1/2	--	HK-3	6/499, 6/401	12	5-1/8		12500
Autocar Trucks - rear										
13-319	4	27-1/4	28	VPK	--	12/447, 3/401	15	4-3/4		9775
13-317	5	31	31	--	--	9/887	9	-3/4		30000
13-315	5	31	31	--	--	9/887	9	-3/4		30000
13-321	5	31-1/8	31-1/8	--	--	7/887	7	-3/4		21960
13-281	5	31-1/8	31-1/8	--	--	7/887	7	-3/4		21960
13-331	5	32	32	--	--	2/1.127	2	-3/4		
13-327	5	32	32	--	--	7/1.127	7	-3/4		40000
13-293	5	32	32	--	--	7/1.127	7	-3/4		40000
13-325	5	32-1/4	32-1/4	--	--	7/887	7	-1-1/8		21920
13-323	5	32-1/4	32-1/4	--	--	7/887	7	-1-1/8		21920
13-307	5	33-3/8	33-3/8	--	--	8/999, 1/625	9	-1		24000
13-329	5	33-3/8	33-3/8	--	--	8/999, 1/625	9	-1		24000
Blue Bird Bus - front										
14-132	3	25-5/16	26	PLGb	PLGb	7/447, 3/401	9/PD	4-5/16		
14-106	3	25-7/8	25-7/8	PLGb	PLGb	7/447, 2/401	9	7		8500
14-110	3	26	26	PLG	PLG	7/447, 2/401	9	5-3/4		6600
14-122	3	26	26	PLGb	PLGb	7/447, 6/401	9/4PD	4-1/8		3450
14-120	3	26	26	PLGb	PLGb	7/447, 3/401	9/PD	4-1/8		3950

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
14-116	3	26	26	PLGb	PLGb	7/447, 3/401	9/PD	4-9/16		3550
14-112	3	26	26	PLGb	PLGb	7/447, 2/401	9	5-7/8		4250
14-108	3	26	26	PLGb	PLGb	7/447, 2/401	9	6		8500
14-114	3	26	26	PLGb	PLGb	7/447, 3/401	9/PD	6-1/8		5270
14-126	3	26	26	PLGb	PLGb	2/750, 5/447, 1/401	2/5PD/SE	4-1/4	F	3535
14-118	4	26	34	RNKb	RNKb	10/401, 2/323, 1/401	12/PD	5		5160
14-102	4	26	34	RNKb	RNKb	11/401	11	5-3/8		6280
14-130	4	28	28	PB18	PB18	9/423, 1/447	9/PD	3-1/8		
14-136	4	28	28	RNK	RNK	3/788, 3/447, 1/401	3/3PD/SE	2-5/16	F	
14-128	4	28	28	RNK	RNK	2/827, 4/323, 1/401	2/4PD/SE	2-1/4	F	5400
14-124	4	28	28	RNK	RNK	2/827, 5/447, 1/401	2/5PD/SE	2-3/4	F	5400
14-134	4	28	28	RNK	RNK	2/887, 1/401, 1/323	2/SE/PD	2-1/16	F	5400
14-104	4	30-1/4	30-1/4	RNKb	RNKb	6/499, 5/558	6/5	6		9800

Blue Bird Bus - rear

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
14-101	2-1/2	26	26	NJE	NJE	1/401, 5/360, 4/323, 4/401	10/4	5-1/8		4900
14-117	3	19-1/2	19-1/2	--	--	6/360	6	1-5/8		2240
14-103	3	26	26	PLG	PLG	7/401, 4/447	7/4	5-3/4		6600
14-105	3	26	26	PLG	PLG	1/447, 2/401, 6/360, 4/447	9/4	5-3/4		6800
14-107	3	26	26	PLG	PLG	1/447, 2/401, 8/360, 4/447	11/4	5-3/4		8000
14-113	3	26	26	PLGb	PLG	1/447, 2/401, 8/360, 4/447	11/4	5-5/8		8000
14-123	3	30-1/4	30-1/4	HK-2	HK-2	4/401, 5/380, 3/499, 2/447	9/3PD/2	6		4330
14-127	3	30-1/4	30-1/4	HK-2	HK-2	5/499, 3/447, 3/499, 2/447	8/3PD/2	6		
14-115	3	30-1/4	30-1/4	HK-2	HK-2	5/499, 3/447, 3/499, 2/447	8/3PD/2	6-1/4		8200
14-125	3	30-1/4	30-1/4	HK-2	HK-2	6/499, 8/447	10/2PD/2	6-1/4		10400
14-121	3	30-1/4	30-1/4	PLG	PLG	7/447, 4/499	7/4	7-5/8		
14-119	3	30-1/4	30-1/4	PLGb	PLGb	7/499, 5/558	7/5	4-3/4		8800
14-109	3	30-1/4	30-1/4	PLGb	PLGb	7/499, 5/558	7/5	4-3/4		8800
14-111	3	30-1/4	30-1/4	PLGb	PLGb	11/499	7/4	7-1/8		9800
14-129	3	30-3/8	30-3/8	HK-2	HK-2	6/499, 8/447	10/2/2	6-3/8		

Chevrolet Cars - rear

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
21-379	2-1/4	23-3/16	23-3/16	HO-1	HO-1	10/194	10	8		1420
21-307	2-1/4	23-3/16	23-3/16	HO-1	HO-1	3/214, 6/194	6/3	10-1/4		1360
21-381	2-1/4	23-3/16	23-3/16	HO-1	HO-1	7/262, 1/306	7/PD	4-5/8		1325
21-393	2-1/4	23-3/16	23-3/16	HO-1	HO-1	2/291, 4/276, 1/225	6/PD	4-7/8		1325
21-383	2-1/2	23-3/16	23-3/16	HO-1	HO-1	10/194	10	9-1/4		1272
21-391	2-1/2	23-3/16	23-3/16	HO-1	HO-1	6/204, 4/194	10	8		1420
21-385	2-1/2	23-3/16	23-3/16	HO-1	HO-1	4/237, 5/214	9	6-1/4		1272

Chevrolet Trucks - front

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
22-334	2-1/2	22-3/8	33-3/8	RB90b	HK-1-2	2/401, 5/447	5/2	3-1/2		2650
22-360	2-1/2	22-3/8	33-3/8	RB90b	HK-1-2	2/401, 5/447	4/3	3-3/4		2350
22-450	2-1/2	26	31-3/4	RB90b	HK-1-2	2/401, 5/447	5/2	3-3/8		2400
22-416	2-1/2	26	31-3/4	RB90b	HK-1-2	2/401, 4/447	4/2	3-3/4		3000
22-292	2-1/2	26	31-3/4	RB90b	HK-1-2	2/401, 5/447	5/2	4-7/8		2500
22-592	2-1/2	28-1/2	28-1/2	RB172b	RB172b	3/675	3	3	F	2400
22-492	2-1/2	28-1/2	28-1/2	RB172b	RB172b	2/675	2	3-5/8	F	1615
22-612	2-1/2	29	29	RB117	RB117	5/307, 3/291, 1/675	8/1	7-3/4		
22-614	2-1/2	29	29	RB117	RB117	2/307, 2/291, 2/276, 2/212, 1/618	8/1	8-1/8		
22-442	2-1/2	29	29	RB117	RB117	3/323, 5/291, 1/657	8/1	7-1/8		2500
22-440	2-1/2	29	29	RB117	RB117	2/323, 2/291, 4/262, 1/618	8/1	7-7/8		2200

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
22-408	2-3/4	23-1/2	23-1/2	RB98	1-1/8	2/441	2	1-1/2		1650
22-472	2-3/4	23-1/2	23-1/2	RB98	1-1/8	3/447	3	1-3/8	F	
22-474	2-3/4	23-1/2	23-1/2	RB98	1-1/8	2/447	2	2-1/8	F	
22-470	2-3/4	23-1/2	23-1/2	RB98	1-1/8	2/447	2	2-7/8	F	
22-464	2-3/4	23-1/2	23-1/2	RB98	RB98	3/447	3	1	F	
22-462	2-3/4	23-1/2	23-1/2	RB98	RB98	2/447	2	2-1/8	F	
22-460	2-3/4	23-1/2	23-1/2	RB98	RB98	2/447	2	2-7/8	F	
22-434	3	22-7/16	34	RB94ob	HK-1-2	2/401, 5/447	4/2/PD	3-3/8		2350
22-338	3	22-1/2	34-3/8	RB73b	HK-1-2	2/401, 5/447	5/2	5		4500
22-422	3	22-1/2	34-3/8	RB73b	HK-1-2	5/401, 2/447	5/2	5-1/2		4000
22-404	3	22-1/2	34-3/8	RB73b	HK-1-2	9/447	6/3	4-3/4		6000
22-412	3	22-1/2	34-3/8	RB73b	HK-1-2	10/447	7/3	4-3/4		7000
22-336	3	22-1/2	34-3/8	RB94ob	HK-1-2	2/401, 5/447	4/3	4-3/8		3500
22-348	3	22-1/2	34-3/8	RB94ob	HK-1-2	2/401, 5/447	5/2	5		4500
22-594	3-1/2	35	35	RB190	RB190	2/910	2	4-3/8	F	3571
22-586	3-1/2	35	35	RB190b	RB190b	3/662, 2/401	5	3-7/16		3575
22-572	3-1/2	35	35	RB190b	RB190b	4/713, 2/499	6	3-5/8		
22-562	3-1/2	35	35	RB190b	RB190b	2/910	2	4-1/2	F	
22-578	3-1/2	35	35	RB190b	RB190b	2/910, 1/323	2/PD	4-15/16	F	3570
22-566	3-1/2	35	35	RB190b	RB190b	2/910	2	5-1/16	F	
22-576	3-1/2	35	35	RB190b	RB190b	2/910	2	5-1/8	F	3020
22-598	3-1/2	35	35	RB190b	RB190b	2/910, 1/323	2/PD	5-1/4	F	3920
22-574	3-1/2	35	35	RB190b	RB190b	2/910	2	5-5/16	F	
22-564	3-1/2	35	35	RB190b	RB190b	2/910	2	5-11/16	F	
22-596	3-1/2	35	35	RB190b	RB190b	2/910	2	5-9/16	F	3570
22-580	3-1/2	35	35	RB190b	RB190b	2/948, 1/323	2/PD	4-1/2	F	3920
22-588	3-1/2	35	35	RB190b	RB190b	2/948, 1/323	2/PD	5-1/8	F	5275
22-570	3-1/2	35	35	RB190b	RB190b	2/1.102	2	3-3/8	F	
22-582	3-1/2	35	35	RB190b	RB190b	2/1.102	2	4-1/8	F	5275
22-568	3-1/2	35	35	RB190b	RB190b	2/1.102	2	4-7/16	F	
22-616	3-1/2	35	35	RB190b	RB190b	2/1.102	2	4-7/16	F	6552
22-558	3.543	25-1/8	35	RB190b	RB190b	2/669, 1/401	2/PD	6	F	3105
22-478	3.543	25-1/8	35	RB190b	RB190b	2/669	2	6	F	3105
22-476	3.543	25-1/8	35	RB190b	RB190b	2/709	2	4-5/16	F	
22-556	3.543	25-1/8	35	RB190b	RB190b	2/709, 1/401	2/PD	5-5/16	F	2455
22-480	3.543	25-1/8	35	RB190b	RB190b	2/709	2	5-11/16	F	3615
22-560	3.543	25-1/8	35	RB190b	RB190b	2/709, 1/401	2/PD	5-11/16	F	3615
22-552	3.543	25-1/8	35	RB190b	RB190b	2/787, 1/401	2/PD	5-1/16	F	4050
22-482	3.543	25-1/8	35	RB190b	RB190b	2/787	2	5-1/16	F	4050
22-496	3.937	25-1/8	35	RB190b	RB190b	8/512	8	3-1/2		7110
22-490	3.937	25-1/8	35	RB190b	RB190b	7/512	7	3-15/16		6485
22-498	3.937	25-1/8	35	RB190b	RB190b	5/551, 3/512	8	3-5/16		8121
22-488	3.937	25-1/8	35	RB190b	RB190b	3/669	3	5-7/16	F	5380
22-500	3.937	25-1/8	35	RB190b	RB190b	3/827	3	4-1/4	F	5877
22-554	3.937	25-1/8	35	RB190b	RB190b	2/827, 1/401	2/PD	4-5/8	F	4995
22-484	3.937	25-1/8	35	RB190b	RB190b	2/827	2	4-5/8	F	5000
22-486	3.937	25-1/8	35	RB190b	RB190b	2/866, 1/473	2/PD	5-1/16	F	5380
22-512	70	570	570	RB173	RB173	7/9	6/PD	79		
22-448	70	570	570	RB173	RB173	6/9, 1/6	6/PD	80		
22-534	70	570	570	RB173	RB173	7/9, 1/8	7/1	83		
22-452	70	570	570	RB173	RB173	6/9, 1/6	6/PD	90		
22-504	70	570	570	RB173	RB173	4/9, 1/8, 1/6	5/PD	95		
22-506	70	570	570	RB173	RB173	4/9, 2/8	5/PD	95		
22-520	70	570	570	RB228	RB228	6/9, 1/8	6/1	80		
22-522	70	570	570	RB246	RB246	7/9, 1/8	7/1	80		
22-510	70	600	600	M7-3025	M7-3025	1/6, 2/10, 1/11,1/10	PD/5	108		
22-518	70	603	603	M7-3025	M7-3025	1/6, 2/10, 2/11, 2/10, 1/6	PD/6/PD	105		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
22-466	70	605	605	M7-3025	M7-3025	5/11	5	90		
22-438	70	650	650	M7-3428	M7-3428	4/11, 2/10, 1/18, 1/13, 4/8	6/2/4PD	115		
22-600	70	650	650	RB228	RB186	1/10, 4/11, 1/10, 2/6, 1/8	6/3PD	83		
22-602	70	650	650	RB228	RB186	1/10, 4/11, 1/10, 1/8	6/PD	91		
22-606	70	650	650	RB228	RB186	6/10, 1/8	6/PD	95		
22-610	70	650	650	RB228	RB186	1/6, 1/10, 4/11, 1/10, 1/8	WG/PD/6/ PD/WG	89		
22-502	70	675	675	M7-3025	M73025	1/6, 2/11, 3/12, 1/10	PD/6	114		
22-468	70	675	675	M7-3025	M7-3025	2/8, 1/11, 5/12, 1/8, 1/7	2PD/6/2PD	97		
22-454	70	675	675	M7-3025	M7-3025	1/11, 5/12, 2/8	6/2PD	100		
22-516	70	675	675	M7-3025	M7-3025	2/7, 1/11, 5/12, 1/10	2PD/6/PD	102		
22-538	70	675	675	M7-3025	M7-3025	1/6, 1/11, 1/10, 2/12, 1/11, 1/10	PD/6	127		
22-508	80	737	737	M8-3832	M8-3832	1/10, 2/8, 1/13, 4/14, 1/13, 1/7	3PD/6/PD	108		
22-514	80	737	737	M8-3832	M8-3832	2/8, 1/13, 4/14, 1/13, 1/11	2PD/6/2PD	121		
22-532	80	738	738	M8-3832	M8-3832	2/6, 1/15, 3/18	2PD/4	100	F	
22-530	80	738	738	M8-3832	M8-3832	2/8, 1/19, 2/21, 1/7, 2/12, 1/11	2PD/3/4PD	92	F	
22-528	80	738	738	M8-3832	M8-3832	2/8, 1/19, 2/21, 3/12, 1/11	2PD/3/4PD	114	F	
22-524	80	738	738	M8-3832	M8-3832	2/9, 1/20, 2/22, 1/9	2PD/3/PD	83	F	
22-526	80	738	738	M8-3832	M8-3832	1/12, 1/20, 2/22, 2/9	PD/3/2PD	118	F	

Chevrolet Trucks - rear

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
22-741	2-1/4	24	28	RB130	RB120	2/323, 2/291, 1/715	4/1	5-1/2		1500
22-695	2-1/4	24	28	RB130	RB120	3/323, 1/593	3/1	6-1/4		1200
22-745	2-1/4	24	28	RB130	RB120	3/360, 1/323, 1/599	4/1	5-1/8		2100
22-743	2-1/4	24	28	RB130	RB120	3/360, 1/323, 1/599	4/1	5-1/8		2100
22-709	2-1/4	24	28	RB136	RB120	3/360, 2/323, 2/360, 1/780	7/1	3-1/2		2220
22-951	2-1/4	26	28	RB130	RB206	4/341, 1/600	4/1	4-1/4		1200
22-893	2-1/4	26	28	RB130	RB206	4/360, 1/600	4/1	4-1/2		
22-953	2-1/4	26	28	RB130	RB206	4/360, 1/600	4/1	4-1/2		1300
22-1029	2-1/4	26	28	RB130	RB206	4/360, 1/600	4/1	4-1/2		1300
22-949	2-1/4	26	28	RB130	RB206	3/360, 1/600	3/1	4-3/4		1050
22-889	2-1/4	26	28	RB130	RB206	3/360, 1/600	3/1	4-3/4		
22-719	2-1/4	26	28	RB136	RB120	1/360, 3/323, 3/291, 1/760	7/1	5		2265
22-891	2-1/4	28	28	RB130	RB206	4/341, 1/600	4/1	4-1/4		
22-1241	2-1/2	19-5/8	19-5/8	--	--	1/625	1	2-1/8	F	
22-989	2-1/2	19-5/8	19-5/8	--	--	1/625	1	2-1/2	F	
22-495	2-1/2	19-5/8	19-5/8	--	--	1/625	1	2-1/2	F	
22-1181	2-1/2	19-3/4	19-3/4	--	--	1/625, 3/447	1/3PD	2-1/4	F	
22-531	2-1/2	20-3/4	22-3/8	--	--	1/527, 1/820	1/PD	3-7/8	F	
22-1279	2-1/2	24-1/2	27-1/2	RB231	RB172	3/291, 1/380	WG/3/1	7-1/2		
22-1223	2-1/2	24-1/2	27-1/2	RB231	RB172	2/307, 1/291, 1/380	3/1	6-3/4		
22-1013	2-1/2	24-1/2	27-1/2	RB231	RB172	2/307, 1/291, 1/375	3/1	7-1/4		
22-1017	2-1/2	24-1/2	27-1/2	RB231	RB172	1/323, 2/307, 1/447	3/1	6-7/8		
22-1015	2-1/2	24-1/2	27-3/4	RB231	RB172	3/291, 1/380	3/1	8		
22-801	2-1/2	24-5/8	24-5/8	--	--	1/674, 1/820	1/PD	4-3/8	F	575
22-1291	2-1/2	25	25-1/4	--	--	2/558	2	4-3/8	F	
22-973	2-1/2	25-13/32	28-19/32	RB117b	RB117b	3/291, 1/567	3/1	8-3/8		608
22-1019	2-1/2	25-13/32	28-19/32	RB117b	RB117b	2/291, 1/307, 1/527	3/1	9-1/16		631
22-1139	2-1/2	25-13/32	28-19/32	RB231b	RB117b	3/291, 1/567	3/1	8-7/8		
22-1265	2-1/2	25-1/2	28-9/16	RB231b	RB117b	2/291, 1/307, 1/527	3/1	9-7/8		
22-1185	2-1/2	25-3/4	25-3/4	--	--	2/527, 1/447, 1/820	3/PD	4		
22-1263	2-1/2	25-3/4	28-1/2	RB231b	RB117b	3/291, 1/567	3/1	8-5/8		
22-855	2-1/2	25-25/32	25-25/32	--	--	3/447, 1/820	3/PD	3-11/16		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
22-957	2-1/2	25-25/32	25-25/32	--	--	3/447, 1/820	3/PD	3-11/16		
22-943	2-1/2	26	26	RB117	RB117	1/375, 5/360, 2/341, 1/770	8/1	4-17/32		3380
22-1239	2-1/2	26	26	RB117b	RB117b	1/323, 5/307, 1/770	6/1	6-1/8		
22-1237	2-1/2	26	26	RB117b	RB117b	1/625 - 1/323, 5/307, 1/770	1/6/1	6-1/8	A	
22-487	2-1/2	26	26	RB117b	RB117b	5/323, 1/625	5/1	6-1/4		2350
22-601	2-1/2	26	26	RB117b	RB117b	4/323, 2/291, 1/770	6/1	6-1/4		2775
22-759	2-1/2	26	26	RB117b	RB117b	4/323, 2/291, 1/770	6/1	6-1/4		2850
22-915	2-1/2	26	26	RB117b	RB117b	6/323, 1/750	6/1	6-1/2		
22-761	2-1/2	26	26	RB117b	RB117b	7/323, 1/675	7/1	6-5/8		3750
22-939	2-1/2	26	26	RB117b	RB117b	7/323, 1/675	7/1	6-3/4		
22-737	2-1/2	26	26	RB117b	RB117b	1/214, 3/323, 1/291, 1/675	4/1	7		2112
22-627	2-1/2	26	26	RB117b	RB117b	1/360, 3/323, 1/675	4/1	5-1/4		2250
22-1005	2-1/2	26	26	RB129	RB129	8/360	8	3-1/2		
22-911	2-1/2	26	26	RB129	RB129	7/360	7	3-1/2		
22-1007	2-1/2	26	26	RB129	RB129	10/360, 1/770	10/1	4		
22-987	2-1/2	26	26	RB129	RB129	10/360, 1/770	10/1	4		
22-1027	2-1/2	26	26	RB129	RB129	10/360, 1/770	10/1	4		
22-945	2-1/2	26	26	RB129	RB129	1/625 - 10/360, 1/770	1/10/1	4	A	4761
22-913	2-1/2	26	26	RB129	RB129	1/625 - 10/360, 1/770	1/10/1	4	A	4761
22-603	2-1/2	26	26	RB129	RB129	10/360, 1/770	10/1	4-1/4		3760
22-1159	2-1/2	26	26	RB129	RB129	1/360, 2/423, 2/447, 2/423, 1/360, 1/730	8/1	6-1/8		
22-1179	2-1/2	26	26	RB129	RB129	11/447	11	3-1/2		
22-815	2-1/2	26	26	RB172b	RB172b	3/323, 1/291, 1/744	4/1	6-5/8		2000
22-1133	2-1/2	26	28	RB117b	RB117b	2/262, 1/250, 1/640	3/1	8-3/16		506
22-975	2-1/2	26	28	RB117b	RB117b	2/262, 1/249, 1/640	3/1	8-3/16		565
22-969	2-1/2	26	28	RB117b	RB117b	3/291, 1/527	3/1	7-1/4		
22-959	2-1/2	26	28	RB117b	RB117b	3/291, 1/567	3/1	7-3/8		1197
22-971	2-1/2	26	28	RB117b	RB117b	1/291, 1/307, 1/323, 1/490	3/1	7-1/2		647
22-877	2-1/2	26	28	RB117b	RB117b	3/291, 1/567	3/1	7-1/2		1197
22-733	2-1/2	26	28	RB117b	RB117b	2/291, 1/262, 1/490	3/1	8-1/4		1150
22-735	2-1/2	26	28	RB117b	RB117b	2/291, 1/262, 1/620	3/1	8-1/2		1350
22-967	2-1/2	26	28	RB117b	RB117b	1/323, 1/341, 1/490	2/1	5-5/8		584
22-807	2-1/2	26	28	RB117b	RB117b	2/323, 1/291, 1/620	3/1	5-7/8		1400
22-865	2-1/2	26	28	RB117b	RB117b	1/323, 1/341, 1/499	2/1	6-13/16		1000
22-879	2-1/2	26	28	RB117b	RB117b	1/323, 1/341, 1/499	2/1	6-7/8		997
22-687	2-1/2	26	28	RB117b	RB117b	2/323, 1/291, 1/525	3/1	7-1/2		1350
22-1227	2-1/2	26	28	RB117b	RB117b	1/360, 1/341, 1/323, 1/558	3/1	3-9/16		
22-859	2-1/2	26	28	RB117b	RB117b	2/360, 1/490	2/1	6		678
22-1191	2-1/2	26	28	RB136b	RB117b	3/323, 1/499	3/1	8-1/16		
22-1163	2-1/2	26	28	RB136b	RB136b	1/323, 1/291, 1/447	2/1	4-1/2		
22-1259	2-1/2	26	28	RB172d	RB172b	1/323, 1/291, 1/447	3	5		
22-1135	2-1/2	26	28	RB231b	RB117b	2/262, 1/250, 1/640	3/1	9-1/2		
22-1143	2-1/2	26	28	RB231b	RB117b	1/291, 1/307, 1/323, 1/490	3/1	8-1/4		
22-1225	2-1/2	26	28	RB231b	RB117b	3/307, 1/490	3/1	8		
22-1137	2-1/2	26	28	RB231b	RB117b	1/323, 1/341, 1/490	2/1	5-1/2		
22-1261	2-1/2	26	28	RB231b	RB117b	1/323, 1/341, 1/499	2/1	7-1/4		
22-1141	2-1/2	26	28	RB231b	RB117b	1/323, 1/341, 1/490	2/1	7-1/4		
22-1195	2-1/2	26	28	RB255b	RB255b	1/360, 1/341, 1/323, 1/558	3/1	3-1/8		1407
22-605	2-1/2	26	30	RB117b	RB117b	5/291, 1/710	5/1	7-1/2		2000
22-805	2-1/2	26	30	RB129	RB129	9/360, 1/770	9/1	4		3955
22-825	2-1/2	26	30	RB129	RB129	9/447	9	5-3/8		4000
22-1003	2-1/2	26	30	RB129	RB129	9/447	9	5-3/8		4000
22-757	2-1/2	26	30	RB136	RB136	9/360, 1/770	9/1	4		3955
22-611	2-1/2	26	30	RB136b	RB117b	4/323, 3/291, 1/825	7/1	5-3/4		3000
22-547	2-1/2	26	30	RB136b	RB117b	3/323, 5/291, 1/770	8/1	6-1/4		2600
22-509	2-1/2	26	30	RB136b	RB117b	3/323, 5/291, 1/770	8/1	6-1/4		2600

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
22-755	2-1/2	26	30	RB136b	RB117b	1/214, 3/323, 5/291, 1/770	PD/8/1	6-1/4		2850
22-809	2-1/2	26	30	RB136b	RB117b	1/527, 1/820 - 3/323, 5/291, 1/770	1/PD, 8/1	6-1/4	A	3470
22-607	2-1/2	26	30	RB136b	RB117b	1/323, 6/291, 1/827	7/1	6-1/2		2850
22-819	2-1/2	26	30	RB172b	RB172b	6/323, 1/745	6/1	5		2300
22-813	2-1/2	26	30	RB172b	RB172b	6/323, 1/745	6/1	6		2300
22-811	2-1/2	26	30	RB172b	RB172b	4/323, 1/770	4/1	7-1/8		1800
22-817	2-1/2	26	30	RB172b	RB172b	3/360, 1/323, 1/827	4/1	4-3/4		2000
22-937	2-1/2	26	31	RB129	RB129	4/625, 2/323	4/2PD	5-1/8		
22-1025	2-1/2	26	31	RB129	RB238	4/625, 2/323	4/2PD	5-1/8	F	
22-1197	2-1/2	26-1/16	27-15/16	RB172b	RB172b	1/323, 1/291, 1/447	3	4-1/4		915
22-1149	2-1/2	27	27	RB172b	RB172b	1/323, 3/291, 1/499	4/1	5-5/8		
22-1151	2-1/2	27	27	RB172b	RB172b	3/323, 1/307, 1/558	4/1	6-1/2		
22-1215	2-1/2	27	27	RB172b	RB172b	3/323, 1/307, 1/558	4/1	6-3/4		
22-909	2-1/2	27	27	RB172b	RB172b	1/341, 3/323, 1/702	4/1	6-1/8		1126
22-1211	2-1/2	27-1/8	27-1/8	RB172b	RB172b	1/341, 3/323, 1/702	4/1	6-1/4		
22-857	2-1/2	28	28	RB136b	RB117b	6/341, 1/744	6/1	7-1/4		2325
22-597	2-1/2	28	28	RB136b	RB117b	3/360, 4/323, 1/744	7/1	7-7/8		2900
22-897	2-1/2	28	28	RB136b	RB172b	5/401, 1/744	5/1	6-13/16		2375
22-903	2-1/2	28	28	RB172b	RB172	3/375, 2/360, 1/770, 2/375	5/1/2PD	6-1/4		2300
22-955	2-1/2	28	28	RB172b	RB172	3/375, 2/360, 1/770, 2/375	5/1/2PD	6-1/4		2300
22-899	2-1/2	28	28	RB172b	RB172b	5/360, 1/675	5/1	4-3/4		
22-947	2-1/2	28	28	RB172b	RB172b	5/401, 1/744	5/1	5-11/16		2300
22-895	2-1/2	28	28	RB172b	RB172b	5/401, 1/744	5/1	5-3/4		
22-901	2-1/2	28	28	RB172b	RB172b	5/423, 1/744	5/1	6-5/8		2850
22-1209	2-1/2	30	30	RB172	RB172	1/473, 6/499, 2/473	9	3-11/16		
22-1207	2-1/2	30	30	RB172	RB172	1/473, 6/499, 2/473	9	3-3/4		
22-1257	2-1/2	30	30	RB172	RB172	1/473, 6/499, 2/473	9	3-3/4		
22-1235	2-1/2	30	30	RB172	RB172	1/473, 6/499, 2/473	9	3-7/8		
22-1205	2-1/2	30	30	RB172	RB172	4/473, 2/499, 2/473	8	4-5/8		
22-1255	2-1/2	30	30	RB172	RB172	3/840	3/PD	3-3/8	F	
22-1253	2-1/2	30	30	RB172	RB172	3/840	3/PD	3-1/2	F	
22-1251	2-1/2	30	30	RB172	RB172	3/840	3/PD	3-9/16	F	
22-1249	2-1/2	30	30	RB172	RB172	3/840	3	3-5/8	F	
22-1229	2-1/2	30	30	RB172	RB172	3/840	3/PD	3-5/8	F	3385
22-1231	2-1/2	30	30	RB172	RB172	3/840	3/PD	3-5/8	F	3806
22-1233	2-1/2	30	30	RB172	RB172	3/840	3/PD	3-5/8	F	3968
22-1171	2-1/2	30	30	RB172	RB172	3/840	3	3-3/4	F	3190
22-1175	2-1/2	30	30	RB172	RB172	3/840	3	3-3/4	F	3710
22-1245	2-1/2	30	30	RB172b	RB172b	1/360, 1/447, 1/590	3	5-1/4		1427
22-1177	2-1/2	30	30	RB172b	RB172b	1/360, 1/447, 1/590	3	5-1/4		1427
22-905	2-1/2	30	30	RB172b	RB172b	1/360, 2/401, 1/360, 1/788	4/1	6-5/8		
22-1161	2-1/2	30	30	RB172b	RB172b	1/375, 1/447, 1/590	2/1	4-7/8		
22-1243	2-1/2	30	30	RB172b	RB172b	1/375, 1/447, 1/590	2/1	4-7/8		
22-907	2-1/2	30	30	RB172b	RB172b	1/380, 2/401, 2/380, 1/1.06	5/1	6		2765
22-1187	2-1/2	30	30	RB172b	RB172b	3/380, 2/360, 1/768	5/1	9-1/4		1122
22-1277	2-1/2	30	30	RB250b	RB172b	1/380,1/401, 2/423, 1/938	4/1	5-1/2		
22-1213	2-1/2	30-1/8	30-1/8	RB172b	RB172b	1/380, 2/401, 2/380, 1/1.062	5/1	5-7/8		
22-797	2-1/2	32	32	RB172b	RB172b	5/360, 1/1.00	5/1	6-1/8		2235
22-799	2-1/2	32	32	RB172b	RB172b	1/674, 1/820 - 5/360, 1/1.00	1/PD/5/1	6-1/8	A	
22-979	2-1/2	32	32	RB172b	RB172b	4/360, 1/341, 1/1.062	5/1	6-7/16		2336
22-983	2-1/2	32	32	RB172b	RB172b	3/447, 1/820 - 4/360, 1/341, 1/1.062	1/PD/5/1	6-7/16	A	2813
22-981	2-1/2	32	32	RB172b	RB172b	1/674, 1/820 - 4/360, 1/341, 1/1.062	1/PD/5/1	6-7/16	A	2813
22-923	2-1/2	32	32	RB172b	RB172b	4/360, 1/341, 1/999	5/1	6-1/2		
22-849	2-1/2	32	32	RB172b	RB172b	4/360, 1/341, 1/999	5/1	6-1/2		2235

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
22-853	2-1/2	32	32	RB172b	RB172b	4/360, 1/341, 1/999	5/1	6-1/2		2483
22-935	2-1/2	32	32	RB172b	RB172b	4/360, 1/341, 1/999	5/1	6-1/2		2483
22-847	2-1/2	32	32	RB172b	RB172b	1/674, 1/820 - 4/360, 1/341, 1/999	1/PD/5/1	6-1/2	A	2810
22-887	2-1/2	32	32	RB172b	RB172b	1/674, 1/820 - 4/360, 1/341, 1/999	1/PD/5/1	6-1/2	A	2810
22-861	2-1/2	32	32	RB172b	RB172b	1/674, 1/820 - 4/360, 1/341, 1/999	1/PD/5/1	6-1/2	A	2810
22-931	2-1/2	32	32	RB172b	RB172b	3/447, 1/820 - 4/360, 1/341, 1/999	3/PD/5/1	6-1/2	A	3695
22-885	2-1/2	32	32	RB172b	RB172b	3/447, 1/820 - 4/360, 1/341, 1/999	3/PD/5/1	6-1/2	A	3695
22-851	2-1/2	32	32	RB172b	RB172b	3/447, 1/820 - 4/360, 1/341, 1/999	3/PD/5/1	6-1/2	A	3695
22-1051	2-1/2	32	32	RB172b	RB172b	1/360, 3/341, 1/941	4/1	7-9/16		900
22-869	2-1/2	32	32	RB172b	RB172b	1/360, 3/341, 1/941	4/1	7-9/16		900
22-795	2-1/2	32	32	RB172b	RB172b	2/360, 2/323, 1/941	4/1	7-9/16		2025
22-1183	2-1/2	32	32	RB172b	RB172b	4/360, 1/341, 1/999	5/1	7-3/4		
22-985	2-1/2	32	32	RB172b	RB172b	2/527, 1/447, 1/820 - 4/360, 1/341, 1/999	3/PD/5/1	7-3/4	A	3695
22-863	2-1/2	32	32	RB172b	RB172b	3/360, 1/788	3/1	7-7/8		
22-933	2-1/2	32	32	RB172b	RB172b	1/380, 2/360, 1/750	3/1	7-1/2		
22-793	2-1/2	32	32	RB172b	RB172b	1/401, 2/360, 1/744	3/1	7-5/8		1425
22-1267	2-1/2	32	32	RB250b	RB172b	4/380, 1/938	4/1	6-3/4		
22-1269	2-1/2	32	32	RB250b	RB172b	1/401, 2/360, 1/380, 1/938	4/1	6-1/2		
22-1217	2-1/2	32	32	RB250b	RB172b	1/401, 1/423, 1/702	2/1	6-5/8		
22-1219	2-1/2	32	32	RB250b	RB172b	1/401, 1/423, 1/702	2/1	6-5/8		
22-1221	2-1/2	32	32	RB250b	RB172b	1/401, 1/423, 1/750	2/1	6-7/8		
22-1275	2-1/2	32	32	RB250b	RB172b	1/401, 1/423, 1/750	2/1	6-7/8		
22-1271	2-1/2	32	32	RB250b	RB172b	1/401, 1/423, 1/702	2/1	7-1/4		
22-1273	2-1/2	32	32	RB250b	RB172b	1/401, 1/423, 1/702	2/1	7-3/8		
22-1289	2-1/2	32	32	RB250b	RB172b	1/423, 1/380, 1/323, 2/341, 1/1.061	5/1	7-1/4		
22-1287	2-1/2	32	32	RB250b	RB172b	2/558 - 1/423, 1/380, 1/323, 2/341, 1/1.06	2/5/1	7-1/4	A	
22-921	2.933	29-13/16	29-13/16	RB191b	RB191b	2/999, 1/1.516, 2/447	2/1/2PD	-1-1/4	F	7432
22-963	2.933	29-13/16	29-13/16	RB191b	RB191b	3/999, 3/447	3/1/3PD	1-11/16	F	5267
22-831	2.933	29-13/16	29-13/16	RB191b	RB191b	2/999, 1/1.30, 2/447	2/1/2PD	4-3/8	F	9375
22-833	2.933	29-13/16	29-13/16	RB191b	RB191b	2/999, 1/1.516, 2/447	2/1/2PD	4-1/2	F	9375
22-835	2.933	29-13/16	29-13/16	RB191b	RB191b	2/999, 1/1.625, 1/558	2/1/PD	4-9/16	F	10267
22-871	2.933	29-13/16	29-13/16	RB191b	RB191b	3/999, 1/558	2/1/PD	5-3/16	F	6820
22-827	2.953	29-13/16	29-13/16	RB191b	RB191b	2/999, 1/811, 3/447	2/1/3PD	4-9/16	F	6000
22-829	2.953	29-13/16	29-13/16	RB191b	RB191b	3/999, 3/447	2/1/3PD	4-9/16	F	6820
22-315	3	19-1/2	19-1/2	--	--	4/360	4	3-5/8		2265
22-881	3	22-1/2	22-1/2	--	--	1/499, 3/447	4	3		
22-875	3	22-3/4	22-3/4	--	--	2/380, 3/360	5	3		
22-837	3	24-5/8	24-5/8	--	--	1/750	1	3-1/2	F	836
22-873	3	28	28	RB218b	RB219b	3/473, 1/447, 1/558	5	4-5/8		3345
22-1009	3	28	28	RB218b	RB219b	3/473, 1/447, 1/558	5	4-5/8		3345
22-883	3	28	28	RB218b	RB219b	2/380, 3/360 - 3/473, 1/447, 1/558	5/5	4-5/8	A	
22-961	3	28	28	RB218b	RB219b	2/380, 3/360 - 3/473, 1/447, 1/558	5/PD/5	4-5/8	A	3695
22-685	3	29-5/8	29-5/8	HK-2	HK-2	4/360, 3/499, 1/360, 2/447	4/3/3	6-1/2		5000
22-677	3	29-5/8	29-5/8	HK-2	HK-2	4/360, 3/499, 1/360, 2/447	4/3/3	7-1/4		5500
22-679	3	29-5/8	29-5/8	HK-2	HK-2	6/360, 3/499, 1/360, 2/447	6/3/3	7-1/4		7500
22-749	3	29-5/8	29-5/8	HK-2	HK-2	2/360, 2/323, 3/447, 1/360, 2/447	4/3/3	7-3/4		4000

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
22-683	3	29-5/8	29-5/8	HK-2	HK-2	6/401, 3/499, 1/360, 2/447	6/3/3	7		9250
22-731	3	29-5/8	29-5/8	HK-2	HK-2	9/499, 3/558, 1/360, 3/447	9/3/4	4-3/4		11500
22-727	3	29-5/8	29-5/8	HK-3	HK-3	7/401, 3/499, 1/360, 2/447	7/3/3	7		10400
22-729	3	29-5/8	29-5/8	HK-3	HK-3	8/401, 3/499, 1/360, 2/447	8/3/3	7		11500
22-991	3	29-13/16	29-13/16	RB191b	RB191b	2/999, 1/1.516, 2/447	2/1/2PD	1-9/16	F	7907
22-843	3	29-13/16	33-3/8	RB191b	HK 2-3	1/669, 4/447, 4/812	5/4	5-3/8		9375
22-845	3	29-13/16	33-3/8	RB191b	HK 2-3	1/669, 4/447, 5/812	5/5	5-1/2		10250
22-993	3	29-13/16	33-3/8	RB191b	HK-2	2/669, 2/499, 5/812, 1/323	4/5/PD	6		
22-995	3	29-13/16	33-3/8	RB191b	HK-2	1/499, 3/447 - 2/669, 2/499, 5/812, 1/323	4/5/PD/4	6	A	
22-839	3	29-13/16	33-3/8	RB191b	HK-2-3	1/669, 4/447, 3/748	5/3	5-3/8		6745
22-841	3	29-13/16	33-3/8	RB191b	HK-2-3	1/669, 4/447, 4/788	5/4	5-3/8		8475
22-999	3	29-13/16	33-3/8	RB191b	HK-2-3	1/499, 3/447 - 1/669, 4/447, 5/812	4/5/5	5-1/2	A	
22-997	3	29-13/16	33-3/8	RB191b	HK-2-3	1/499, 3/447 - 1/669, 4/447, 5/812	4/5/5	5-1/2	A	
22-705	4	17	20-3/8	TPK	HK-1	13/558	13	2-13/16		25000
22-557	4	17-1/16	20-11/16	TPK	--	7/499, 5/447	12	3-1/4		17000
22-561	4	17-1/16	20-11/16	TPK	--	10/558	10	3-1/4		19000
22-559	4	17-1/16	28-3/4	TPK	--	7/499, 5/447	12	2-5/8		15500
22-647	4	17-1/16	28-3/4	TPK	--	7/499, 5/447	12	2-5/8		15500
22-1131	4	17-1/8	20-7/8	TPK	--	10/558	8/2PD	3-1/2		
22-1061	4	17-1/8	20-7/8	TPK	--	10/558	8/2PD	3-1/2		
22-639	4	17-1/8	28-1/2	TPK	--	1/558, 4/499, 8/447	13	2-1/4		17500
22-1057	4	28	25-15/16	RB255b	RB255b	1/360, 1/341, 1/323, 1/558	4	3-1/8		1407
22-823	70	483	483	--	--	4/9, 2/11	4/2PD	102		
22-765	70	485	485	--	--	2/8, 2/9	4	90		
22-1077	70	485	485	--	--	2/9, 3/10, 1/8	5/PD	68		
22-1075	70	485	485	--	--	4/9, 1/8	4/PD	68		
22-781	70	485	485	--	--	2/9, 3/10	5	70		
22-777	70	485	485	--	--	4/9	4	80		
22-1041	70	486	486	--	--	1/9, 4/10	5	60		
22-1203	70	486	486	--	--	1/8, 2/16	PD/2	60		
22-1285	70	486	486	--	--	2/16	2	76	F	
22-1085	70	495	495	--	--	2/10, 4/11, 1/10, 1/4	7/PD	13		
22-785	70	495	495	--	--	7/10	7	85		
22-1083	70	495	495	--	--	8/11	7/PD	76		
22-1071	70	625	625	M7-3025	RB186	4/11, 2/8	4/PD/1	112		
22-763	70	625	625	M7-3025	RB186	4/11, 1/6	4/PD	125		
22-775	70	625	625	M7-3025	RB186	4/11	4	125		
22-1115	70	625	625	M7-3025	RB186	4/9 - 4/11	4/4	125	A	
22-1073	70	625	625	M7-3025	RB186	4/11, 2/8	4/PD/1	128		
22-779	70	625	625	M7-3025	RB186	4/11	4	135		
22-1043	70	629	629	M7-3025	RB186	2/11, 3/10, 1/8	5/PD	114		
22-821	70	648	648	M7-3025	M7-3025	5/13, 1/7	5/PD	89		
22-1129	70	649	649	M7-3025	M7-3025	4/9, 2/11 - 4/13, 1/12, 1/9, 1/8	4/2PD/5/PD	149	A	
22-1039	70	650	650	M7-3025	M7-3025	8/11	8	105		
22-1111	70	650	650	M7-3025	M7-3025	2/10, 4/11, 1/10, 1/6 - 8/11	7/PD/8	105	A	
22-1045	70	650	650	M7-3025	M7-3025	8/11	8	124		
22-1069	70	650	650	M7-3025	M7-3025	2/11, 3/13, 1/11, 2/9	6/2PD	133		
22-783	70	650	650	M7-3025	M7-3025	8/11	8	160		
22-1105	70	650	650	M7-3025	M7-3025	2/10, 4/11, 1/10, 1/6 - 8/11	7/PD/8	160	A	
22-1201	70	675	675	RB246	RB182	5/11, 1/10	6	94		
22-1283	70	675	675	RB246	RB186	5/11, 1/10	6	95		
22-1023	70	675	675	RB246	RB186	2/16 - 5/11, 1/10	2/6	95	A	
22-1281	70	675	675	RB246	RB186	2/16 - 5/11, 1/10	2/6	95	A	

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
22-1035	80	560	560	--	--	5/13, 2/12	7	79		
22-753	80	560	560	--	--	4/13, 2/12	6	90		
22-769	80	560	560	--	--	4/13, 2/12, 1/6	6/PD	90		
22-1037	80	560	560	--	--	4/13, 2/12	6	102		
22-767	80	710	845	M8-3428	HK-2	1/12, 7/13, 1/12	7/2PD	170		
22-751	80	710	845	M8-3428	HK-2	1/12, 7/13, 1/12	7/2PD	180		
22-1031	80	711	845	M8-3428	HK-2	1/12, 6/13	7	178		
22-1091	80	711	845	RB183	HK-2	5/13, 2/12 - 1/12, 6/13	7/7	178	A	
22-791	100	560	560	--	--	1/9	1	100		
22-1033	100	560	560	--	--	2/9, 5/10	7	121		
22-773	100	560	560	--	--	2/10, 4/11, 1/10	6/PD	165		
22-789	100	710	930	M10-3832	--	7/12	7	160		
22-1089	100	710	930	M10-3832	--	2/9, 5/10 - 7/12	7/7	160	A	
22-771	100	710	930	M10-3832	--	8/12	8	210		

Crane Carrier C.C.C.

24-128	3	20	23-3/4	RB75	HK	1/1.375	1	4-15/16	F	
24-130	3-1/2	25	25	NJI	NJI	2/499, 4/447, 4/401	10	4-3/8		
24-158	4	20	20	--	--	4/401, 5/360	8/PD	2-3/4		
24-124	4	20	20	--	--	3/401, 5/360	8	3		
24-146	4	25	25	RNK	RNK	8/380	8	5-1/2		
24-152	4	25	25	RNK	RNK	9/401	9	4-1/2		
24-136	4	25	25	RNK	RNK	8/401	8	5-1/8		
24-148	4	25	25	RNK	RNK	8/447	8	3-15/16		
24-150	4	25	25	RNK	RNK	8/447	8	4-1/16		
24-134	4	25	25	RNK	RNK	7/447	7	4-5/8		
24-126	4	25	25	RNK	RNK	6/499, 5/447	11	3-5/8		10800
24-116	4	25	25	RNK	RNK	12/499	12	4-1/2		
24-114	4	25	25	RNK	RNK	5/499, 5/447, 2/625	12	4-3/4		
24-118	4	25	25	RNK	RNK	13/499	13	5		
24-112	4	25	25	RNK	RNK	3/887	3	3-1/8	F	9500
24-168	4	25	28-1/4	RB84	--	6/499, 4/473, 3/447	13	2-1/8		12500
24-162	4	25	28-1/4	RB84	HK-2-3	11/447	11	4-1/4		8000
24-160	4	25	28-1/4	RB84	HK-2-3	9/447	9	4-3/4		6000
24-164	4	25	28-1/4	RB84	HK-2-3	6/499, 3/473, 3/447	12	2-1/8		
24-138	4	25	28-1/2	RB84	HK-2-3	10/447	10	4-1/2		
24-132	4	25	28-1/2	RB84	HK-2-3	6/499, 5/447	11	2-1/8		
24-142	4	25-1/4	25-1/4	RNK	RNK	11/499	11	4-7/16		
24-170	4	25-1/4	28-1/4	RB184	--	4/788	4	4-3/4	F	9500
24-140	4	25-5/16	25-5/16	RNK	RNK	5/499, 5/447	10	4-29/32		
24-144	4	25-1/2	25-1/2	RNK	RNK	6/499	6	5-3/4		
24-120	4	28-1/2	28-1/2	--	--	10/499	10	2-1/2		10000
24-122	4	32	32	HK-3	HK-3	11/401	11	8-1/2		
24-156	4	34	34	HK-3	HK-3	11/401	11	8-3/4		
24-154	4	34	34	HK-3	HK-3	4/401, 5/360 - 11/401	8/PD/11	8-3/4	A	

Dodge Cars

33-381	2-1/2	24	34	RB139o	1	1/262, 1/291, 3/262	5	6-5/8		800
33-407	2-1/2	24-1/4	27-3/4	1	RB171o	1/250, 2/262, 2/249	PD/5	7-15/16		687
33-401	2-1/2	24-1/4	27-3/4	1	RB171ob	1/250, 3/262, 2/249	PD/5	7-1/2		637
33-483	2-1/2	24-3/8	30	1	RB171o	1/558	1	3-3/16	F	393
33-485	2-1/2	24-3/8	30	1	RB171o	1/558	1	3-15/16	F	442
33-475	2-1/2	24-3/8	30	1	RB171o	1/558	1	4-1/4	F	408
33-487	2-1/2	24-3/8	30	1	RB171o	1/558	1	4-9/32	F	491
33-477	2-1/2	24-3/8	30	1	RB171o	1/558	1	4-1/2	F	450

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
33-489	2-1/2	24-3/8	30	1	RB171o	1/558	1	4-11/16	F	539
33-479	2-1/2	24-3/8	30	1	RB171o	1/558	1	5	F	491
33-481	2-1/2	24-3/8	30	1	RB171o	1/558	1	5-5/16	F	532
33-375	2-1/2	24-1/2	27-1/2	1	RB171ob	1/250, 5/262	PD/5	5-5/8		502
33-393	2-1/2	24-1/2	27-1/2	1	RB171ob	1/250, 1/262, 1/237, 3/262	PD/5	5-7/8		528
33-383	2-1/2	24-1/2	27-1/2	1	RB171ob	1/250, 1/262, 3/237, 1/499	PD/4/1	6-1/4		538
33-377	2-1/2	24-1/2	27-1/2	1	RB171ob	1/250, 5/262	PD/5	6-3/8		590
33-391	2-1/2	24-1/2	27-1/2	1	RB171ob	1/250, 1/262, 1/237, 3/262	PD/5	6-1/2		602
33-379	2-1/2	24-1/2	27-1/2	1	RB171ob	1/250, 1/262, 3/237, 1/499	PD/4/1	6-3/4		588
33-373	2-1/2	24-1/2	27-1/2	1	RB171ob	1/250, 3/262, 1/237	PD/4	7-5/8		554
33-423	2-1/2	24-1/2	27-1/2	1	RB171ob	1/250, 1/276, 4/262	PD/4/1	4-5/16		488
33-427	2-1/2	24-1/2	27-1/2	1	RB171ob	1/250, 1/276, 4/262	PD/4/1	5-1/4		614
33-385	2-1/2	24-1/2	27-1/2	1	RB171ob	1/250, 1/291, 3/262, 1/662	PD/4/1	5		551
33-403	2-1/2	26-1/2	29-25/32	1	RB171o	1/250, 1/291, 2/307, 1/291	PD/4	8-3/8		688
33-405	2-1/2	26-1/2	29-25/32	1	RB171o	1/250, 1/291, 2/307, 1/291	PD/4	9-1/4		788
33-409	2-1/2	26-1/2	29-25/32	1	RB171o	1/625, 1/558	PD/1	7-1/16	F	591
33-411	2-1/2	26-1/2	29-25/32	1	RB171o	1/625, 1/558	PD/1	7-5/16	F	628
33-413	2-1/2	26-1/2	29-25/32	1	RB171o	1/625, 1/558	PD/1	7-5/8	F	665
33-415	2-1/2	26-1/2	29-25/32	1	RB171o	1/625, 1/558	PD/1	7-15/16	F	702
33-399	2-1/2	26-5/8	29-5/8	1	RB171o	1/250, 3/291, 1/558	PD/3/1	7		630
33-387	2-1/2	26-5/8	29-5/8	1	RB171o	1/250, 1/291, 1/323, 2/291	PD/4	7-3/8		665
33-389	2-1/2	26-5/8	29-5/8	1	RB171o	1/250, 3/291, 1/558	PD/3/1	7-1/2		665
33-395	2-1/2	26-5/8	29-5/8	1	RB171ob	1/250, 1/323, 2/307, 1/590	PD/3/1	5-7/8		528
33-491	2-1/2	29-1/4	29-3/4	1	RB171o	4/307	UB/4	6-1/2		
33-499	2-1/2	29-1/4	29-3/4	1	RB171o	4/323	UB/4	6-1/4		
33-417	63.5	617	704	25	RB171o	1/6.7, 1/7, 4/6.7, 1/7	PD/6	160		
33-419	63.5	617	704	25	RB171o	1/6.7, 1/7, 4/6.7, 1/7	PD/6	170		
33-421	63.5	617	704	25	RB171o	1/6.7, 1/7, 4/6.7, 1/7	PD/6	179		
33-467	63.5	619	762	25	RB171o	1/14.17	1	125	F	
33-469	63.5	619	762	25	RB171o	1/14.17	1	134	F	
33-465	63.5	619	762	25	RB171o	1/14.17	1	143	F	
33-425	63.5	619	762	25	RB171o	1/14.17	1	143	F	
33-463	63.5	619	762	25	RB171o	1/14.17	1	143	F	
33-461	63.5	619	762	25	RB171o	1/14.17	1	143	F	
33-471	63.5	619	762	25	RB171o	1/14.17	1	144	F	
33-473	63.5	619	762	25	RB171o	1/14.17	1	153	F	
33-501	64	756	724	50x75o	25	1/15	1	156		
33-453	65.5	724	756	25	RB171o	1/13.5	1	110	F	
33-455	65.5	724	756	25	RB171o	1/13.5	1	119	F	
33-457	65.5	724	756	25	RB171o	1/13.5	1	127	F	
33-445	65.5	724	756	25	RB171o	1/13.5	1	130	F	
33-459	65.5	724	756	25	RB171o	1/13.5	1	138	F	
33-447	65.5	724	756	25	RB171o	1/13.5	1	140	F	
33-449	65.5	724	756	25	RB171o	1/13.5	1	148	F	
33-451	65.5	724	756	25	RB171o	1/13.5	1	159	F	
33-437	65.5	724	756	25.4	RB171o	N/A	1	--	F	648
33-429	65.5	724	756	25.4	RB171o	N/A	1	--	F	663
33-439	65.5	724	756	25.4	RB171o	N/A	1	--	F	705
33-431	65.5	724	756	25.4	RB171o	N/A	1	--	F	712
33-441	65.5	724	756	25.4	RB171o	N/A	1	--	F	761
33-433	65.5	724	756	25.4	RB171o	N/A	1	--	F	761
33-435	65.5	724	756	25.4	RB171o	N/A	1	--	F	810
33-443	65.5	724	756	25.4	RB171o	N/A	1	--	F	817

Dodge Trucks - front

34-788	2-1/2	24	24	RB57	RB57r	6/360	6	1		1900
34-784	2-1/2	24	24	RB57	RB57r	5/360	5	1-1/8		1600

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
34-780	2-1/2	24	24	RB57	RB57r	1/447, 2/401	3	1-3/8		1400
34-782	2-1/2	24	24	RB57	RB57r	3/447	3	1-3/8		1550
34-786	2-1/2	24	24	RB57	RB57r	1/499, 2/447	3	1-1/4		1750
34-796	2-1/2	24	24	RB81	RB57r	5/360	5	1		1600
34-798	2-1/2	24	24	RB81	RB57r	6/360	6	1		1900
34-800	2-1/2	24	24	RB81	RB57r	6/360	6	1-13/16		2105
34-790	2-1/2	24	24	RB81	RB57r	2/423, 1/401	3	1-3/8		1400
34-792	2-1/2	24	24	RB81	RB57r	1/423, 2/447	3	1-3/8		1550
34-794	2-1/2	24	24	RB81	RB57r	2/473, 1/447	3	1-1/8		1750

Dodge Trucks - rear

34-165	2-1/2	19	21-1/2	--	--	1/262	1	6	F	390
34-255	2-1/2	19-3/4	19-3/4	--	--	4/291	4	3-5/8		1510
34-243	2-1/2	23	30-1/2	RB143ob	1	4/323, 1/625	4/1	6-1/4		2100
34-245	2-1/2	23	30-1/2	RB143ob	1	4/323, 1/291, 1/625	5/1	6-3/8		2400
34-1323	2-1/2	23	30-1/2	RB60b	1	3/323, 2/307, 1/625	5/1	5-7/16		2200
34-247	2-1/2	23	30-1/2	RB60b	1	4/323, 1/291, 1/625	5/1	6		2500
34-279	2-1/2	23	30-1/2	RB60b	1	4/360, 4/323	8	4-7/8		1250
34-249	2-1/2	23	30-1/2	RB60b	RB58	3/360, 3/323, 1/662	6/1	4-1/2		2750
34-1417	2-1/2	23	30-5/8	RB60b	RB257	3/360, 2/380, 1/702	5/1	5-1/2		
34-235	2-1/2	23	31	RB143ob	1	4/323	4	6-3/8		1200
34-241	2-1/2	23	31	RB143ob	1	3/323, 2/291, 1/625	4/1	6-3/8		1800
34-239	2-1/2	23	31	RB143ob	1	3/323, 1/625	3/1	6-7/8		1600
34-237	2-1/2	23	31	RB143ob	1	2/360, 2/323	4	6-3/8		1400
34-1391	2-1/2	23-1/8	30-1/2	RB143ob	RB257	1/323, 1/401, 3/360	5	5-1/4		
34-1375	2-1/2	23-1/8	30-1/2	RB143ob	RB257	3/323, 1/660	3/1	6-1/4		6600
34-1389	2-1/2	23-1/8	30-1/2	RB143ob	RB257	1/341, 1/360, 1/527	2/1	6-1/4		
34-1405	2-1/2	23-3/4	32-1/4	RB257r	RB257	5/307	5	7-1/2		
34-225	2-1/2	24	28	RB57b	RB57r	2/291, 2/262, 1/558	4/1	6-1/8		1650
34-223	2-1/2	24	28	RB57b	RB57r	2/291, 1/262, 1/499	3/1	8-1/8		1350
34-233	2-1/2	24	28	RB58b	RB58r	2/323, 3/291, 1/625	5/1	5-5/8		2500
34-253	2-1/2	24	28	RB58b	RB58r	3/360, 3/323, 1/662	6/1	3-7/8		3250
34-251	2-1/2	24	28	RB58b	RB58r	7/401, 3/360	10	1-5/8		3400
34-227	2-1/2	24	28	RB81b	RB81r	3/291, 1/262, 1/558	4/1	5-5/8		1650
34-231	2-1/2	24	28	RB81b	RB81r	2/323, 3/291, 1/625	5/1	5-5/8		2500
34-229	2-1/2	24	28	RB81b	RB81r	1/323, 3/291, 1/558	4/1	6-1/2		1950
34-1347	2-1/2	24	32	RB240b	RB240r	2/291, 2/276, 1/237	5	5-11/16		399
34-1349	2-1/2	24	32	RB240b	RB240r	2/291, 2/276, 1/237	5	6-1/4		448
34-1355	2-1/2	24	32	RB240b	RB240r	1/323, 1/342, 1/323, 1/702	3/1	5-3/4		430
34-1351	2-1/2	24	32	RB240b	RB240r	1/323, 2/307, 1/590	3/1	6-3/16		432
34-1353	2-1/2	24	32	RB240b	RB240r	1/323, 2/307, 1/590	3/1	6-9/16		496
34-1363	2-1/2	24	32	RB240b	RB241r	1/323, 1/342, 1/323, 1/702	3/1	5-7/16		483
34-1365	2-1/2	24	32	RB240b	RB241r	1/323, 1/342, 1/323, 1/702	3/1	5-3/4		543
34-1359	2-1/2	24	32	RB240b	RB241r	1/323, 2/307, 1/590	3/1	6		497
34-1361	2-1/2	24	32	RB240b	RB241r	1/323, 2/307, 1/590	3/1	6-7/16		567
34-1419	2-1/2	24	32	RB257b	RB257r	2/291, 2/276, 1/249	5	6-7/16		
34-1421	2-1/2	24	32	RB257b	RB257r	2/291, 2/276, 1/249	5	7		
34-1443	2-1/2	24	32	RB257b	RB257r	2/291, 2/276, 1/249	4/1	7-1/4		
34-1427	2-1/2	24	32	RB257b	RB257r	1/323, 1/341, 1/323, 1/702	3/1	5-7/8		
34-1423	2-1/2	24	32	RB257b	RB257r	1/323, 2/307, 1/590	3/1	6-1/4		
34-1439	2-1/2	24	32	RB257b	RB257r	1/323, 1/341, 1/323, 1/702	3/1	6-1/4		
34-1433	2-1/2	24	32	RB257b	RB257r	1/323, 1/341, 1/323, 1/702	3/1	6-5/8		
34-1425	2-1/2	24	32	RB257b	RB257r	1/323, 2/307, 1/590	3/1	6-3/4		
34-1435	2-1/2	24	32	RB257b	RB257r	1/323, 1/341, 1/323, 1/702	3/1	6-3/4		
34-1429	2-1/2	24	32	RB257b	RB257r	1/323, 2/307, 1/590	3/1	7-1/8		
34-1431	2-1/2	24	32	RB257b	RB257r	1/323, 2/307, 1/590	3/1	8		
34-259	2-1/2	24	32	RB57b	RB57r	2/291, 1/262, 1/527	3/1	7-7/8		1250

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
34-257	2-1/2	24	32	RB57b	RB57r	3/323, 1/291	4	6-3/8		1000
34-261	2-1/2	24	32	RB57b	RB57r	3/323, 1/625	3/1	6-3/4		1800
34-263	2-1/2	24	32	RB57b	RB57r	3/360, 1/662	3/1	5-3/4		2550
34-1337	2-1/2	27-7/8	31-1/8	RB224	RB224r	1/341, 1/360, 1/341, 1/662	3/1	6-15/16		1705
34-1313	2-1/2	27-7/8	32-1/8	RB215b	RB216r	1/341, 2/360, 1/341, 1/702	4/1	6-7/16		2022
34-1309	2-1/2	27-7/8	32-1/8	RB215b	RB216r	1/341, 1/360, 1/341, 1/662	3/1	6-15/16		1705
34-1339	2-1/2	27-7/8	32-1/8	RB224	RB224r	1/341, 2/360, 1/341, 1/702	4/1	6-3/8		2022
34-1331	2-1/2	27-7/8	32-1/8	RB224	RB224r	1/341, 1/360, 1/341, 1/662	3/1	7-1/4		1735
34-1395	2-1/2	27-7/8	32-1/8	RB224b	RB224r	1/341, 1/360, 1/341, 1/660	3/1	6-1/2		
34-1397	2-1/2	27-7/8	32-1/8	RB251b	RB251r	1/341, 2/360, 1/341, 1/702	4/1	6-7/16		
34-1413	2-1/2	27-7/8	32-1/8	RB251b	RB251r	1/341, 1/360, 1/341, 1/660	3/1	7-1/4		
34-1373	2-1/2	27-7/8	32-1/8	RB251b	RB251r	1/341, 1/360, 1/341, 1/675	3/1	7-3/8		
34-1293	2-1/2	28-1/4	31-3/4	RB215b	RB216r	1/323, 2/360, 1/662	3/1	7-7/16		1715
34-1297	2-1/2	28-1/4	31-3/4	RB215b	RB216r	3/341, 1/360, 1/710	4/1	6-11/16		2105
34-1325	2-1/2	28-1/4	31-3/4	RB224b	RB224r	1/323, 2/360, 1/662	3/1	7-7/16		1715
34-1327	2-1/2	28-1/4	31-3/4	RB224b	RB224r	1/323, 2/360, 1/662	3/1	7-11/16		1783
34-1329	2-1/2	28-1/4	31-3/4	RB224b	RB224r	3/341, 1/360, 1/710	4/1	6-11/16		2105
34-1403	2-1/2	28-1/4	31-3/4	RB224b	RB244r	1/323, 2/360, 1/662	3/1	7-5/8		
34-1385	2-1/2	28-1/4	31-3/4	RB251b	RB251r	1/323, 2/360, 1/660	3/1	7-1/4		
34-1393	2-1/2	28-1/4	31-3/4	RB251b	RB251r	3/341, 1/360, 1/702	4/1	6-3/4		
34-1441	2-1/2	28-1/4	31-3/4	RB257b	RB257r	4/307, 1/660	4/1	8-1/2		
34-1437	2-1/2	28-1/4	31-3/4	RB257b	RB257r	1/323, 2/360, 1/660	3/1	7-1/2		
34-1449	2-1/2	31-1/4	32	RB272b	RB271	1/380, 2/360, 1/662	3/1	7		
34-1451	2-1/2	31-1/4	32	RB272b	RB271	1/380, 2/360, 1/662	3/1	7-9/16		
34-1367	3	19-3/4	21-7/8	--	--	2/401	2	4-1/4	F	
34-1371	3	19-3/4	21-7/8	--	--	2/401	2	4-3/8	F	
34-1369	3	19-3/4	21-7/8	--	--	1/401, 1/375	2	4-7/8	F	
34-1321	3	19-13/16	21-7/8	--	--	1/401	1	3-15/16	F	1148
34-1345	3	27-7/8	32-1/8	RB213b	RB213	1/401, 1/423, 4/447	6	4-7/16		2828
34-1387	3	27-7/8	32-1/8	RB213b	RB213	1/401, 1/423, 4/447	6	4-5/8		2828
34-1341	3	27-7/8	32-1/8	RB213b	RB213r	1/360, 2/401, 1/702	3/1	6		2468
34-1399	3	27-7/8	32-1/8	RB213b	RB213r	1/360, 1/401, 1/380, 1/675	3/1	6		2468
34-1343	3	27-7/8	32-1/8	RB213b	RB213r	2/401, 1/423, 1/788	3/1	5-11/16		2863
34-1401	3	27-7/8	32-1/8	RB213b	RB213r	2/401, 1/423, 1/788	3/1	6		2863
34-1315	3	27-7/8	32-1/8	RB213b	RB214r	1/360, 2/401, 1/702	3/1	6		2468
34-1319	3	27-7/8	32-1/8	RB213b	RB214r	2/401, 1/423, 1/788	3/1	5-7/8		2863
34-1305	3	27-7/8	32-1/8	RB213b	RB214r	5/447, 1/401	6	4-1/2		2828
34-1411	3	28-1/4	31-3/4	1-13/16b	1-13/16r	1/401, 2/423, 1/788	3/1	6-1/4		
34-1409	3	28-1/4	31-3/4	1-13/16b	1-13/16r	2/401, 1/423, 1/788	3/1	6-1/4		
34-1407	3	28-1/4	31-3/4	1-13/16b	1-13/16r	1/401, 2/423, 1/788	3/1	6-3/8		
34-1333	3	28-1/4	31-3/4	RB213b	RB213r	1/360, 2/401, 1/702	3/1	6-5/16		2603
34-1383	3	28-1/4	31-3/4	RB213b	RB213r	1/360, 1/401, 1/380, 1/675	3/1	6-7/8		2603
34-1381	3	28-1/4	31-3/4	RB213b	RB213r	1/401, 2/423, 1/788	3/1	6-5/16		3050
34-1335	3	28-1/4	31-3/4	RB213b	RB213r	1/401, 2/423, 1/788	3/1	6-5/16		3050
34-1299	3	28-1/4	31-3/4	RB213b	RB214r	1/360, 2/401, 1/702	3/1	6-1/2		2603
34-1303	3	28-1/4	31-3/4	RB213b	RB214r	1/401, 2/423, 1/788	3/1	6-5/16		3050
34-265	70	508	686	28	28	2/7, 1/13	2/1	159		
34-281	70	508	686	33	27	3/6, 1/13	3/1	200		
34-277	70	514	680	RB114	28	1/7, 1/6, 1/13	2/1	165		
34-271	70	514	680	RB114	28	1/7, 1/6, 1/13	2/1	165		
34-275	70	514	680	RB114	28	1/7, 1/6, 1/13	2/1	165		
34-287	70	515	680	RB114	28	1/7, 1/6, 1/13	2/1	165		
34-289	70	515	680	RB114	28	1/7, 1/6, 1/13	2/1	175		
34-267	70	515	685	36	28	1/6, 1/7, 1/13	2/1	175		
34-269	70	515	685	36	28	1/7, 1/6, 1/13	2/1	145		
34-283	70	515	685	RB197	28	1/7, 1/6, 1/13	2/1	160		
34-285	70	515	685	RB197	28	1/7, 1/6, 1/13	2/1	165		
34-273	70	521	695	RB197	28	2/7, 2/11	2/2	148		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
Euclid Trucks - front										
38-134	6	30-1/2	30-1/2	--	--	4/750, 8/999	12	2-3/4		36000
38-132	6	40	40	--	--	9/1.375	9	1-1/2		60000
Euclid Trucks - rear										
38-141	4	23-1/2	23-1/2	HO-5	HO-5	12/401	12	1-9/16		
38-139	4	25	25	HO-4	HO-4	3/499, 10/558	13	2-1/16		13300
38-133	5	28	28	--	--	11/788	11	1-3/8		17000
38-135	6	30-1/2	30-1/2	--	--	3/750, 9/999	12	2		
38-137	6	30-1/2	30-1/2	HO-4	HO-4	14/750	14	2-11/16		36000
Ameritek										
41-900	4	30	30	TB26	TB26	15/401	12/SE/2	5-9/16		8100
Duplex - front										
41-502	3	20-3/4	20-3/4	NJG	NJG	12/360	12	4		6000
41-516	3	20-3/4	20-3/4	NJG	NJG	13/401	13	3-1/2		8100
41-504	3	20-3/4	20-3/4	NJG	NJG	2/447, 5/401, 4/360	11	3-7/8		6650
41-506	3	20-3/4	20-3/4	NJG	NJG	1/558, 5/499, 5/447	11	3-5/8		9340
41-514	3	26-11/16	26-11/16	NJG	NJG	10/423	10	7-1/2		5400
41-512	4	25	29	RNKb	RNKb	11/499	11	3-11/16		9000
41-510	4	25	29	RNKb	RNKb	4/527, 4/499, 2/447	8/2PD	3-7/8		8100
41-508	4	25	29	RNKb	RNKb	9/558	9	3-3/8		10100
Duplex rear										
41-511	3	30-1/4	30-1/4	HK-2	HK-2	6/499, 8/447	10/2PD/2	6-1/4		10400
41-513	3-1/2	17-5/8	17-5/8	--	--	6/291	6	3		
41-505	3-1/2	26	26	NJI	NJI	12/499	12	5-3/8		10850
41-507	3-1/2	26	26	NJI	NJI	8/558, 3/499	11	5-11/16		11800
41-503	3-1/2	26-3/16	26-3/16	NJI	NJI	9/558, 2/558	9/2PD	4-13/16		9750
Emergency One										
41-212	4	25	29	RNK	RNK	12/499	12	3-1/2		9800
41-204	4	28-11/16	28-11/16	RNK	RNK	11/447, 1/499	11/SE	5-13/16		8950
41-202	4	28-11/16	28-11/16	RNK	RNK	11/499	10/SE	5-3/4		9300
41-206	4	28-11/16	28-11/16	RNK	RNK	9/558	8/SE	4-3/4		10500
41-210	4	28-11/16	28-11/16	RNK	RNK	7/558, 1/499	7/SE	5-7/16		10000
41-208	4	28-11/16	28-11/16	RNK	RNK	9/590, 1/499	9/SE	4-13/16		11500
41-200	4	28-11/16	28-11/16	RNK	RNK	8/590, 1/499	8/SE	5-1/8		10500
KME - front										
41-600	3-1/2	26-1/4	26-1/4	NJI	NJI	10/499	9/SE	4-5/16		8500
41-602	3-1/2	26-1/4	26-1/4	NJI	NJI	9/558	8/SE	3-7/8		9500
41-604	3-1/2	26-1/4	26-1/4	NJI	NJI	10/558	9/SE	3-7/8		10250
KME - rear										
41-607	3	19	19	--	--	4/360	4	2-3/8		
41-609	3	19-3/4	19-3/4	--	--	4/360	4	2-15/16		2250

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
41-601	3	29-5/8	29-5/8	HK-2	HK-2	13/447, 1/401, 3/447	13/PD/3	7		10300
41-603	3	30-1/4	30-1/4	HK-2	HK-2	12/449, 2/447	12/2	6-3/8		14000
41-605	3	30-1/4	30-1/4	HK-3	HK-3	14/499, 2/447	14/2	6-3/8		14500

Maxim - front

41-406	4	27-3/4	27-3/4	PLK	PLK	12/499	12	5		9250
41-404	4	27-7/8	27-7/8	PLK	PLK	11/499	11	5-3/8		8250
41-402	4	27-7/8	27-7/8	PLK	PLK	10/499	10	5-7/8		7200
41-400	4	27-15/16	27-15/16	PLK	PLK	9/499	9	6-3/8		6700

Maxim - rear

41-411	3	20	20	--	--	6/360	6	4-5/8		
41-409	3	27	30-1/2	RNG	--	1/499, 9/447	10	6-1/2		10500

Pierce - front

41-032	3	25-1/2	26-1/2	PLG	PLG	10/447	10	5-5/16		6820
41-026	3	25-1/2	26-1/2	PLG	PLG	9/499	9	4-5/8		7550
41-028	3	25-1/2	26-1/2	PLG	PLG	6/558, 3/499	9	4		8800
41-018	3	26-1/2	26-1/2	PLG	PLG	9/499, 1/558	9/SE	5		7800
41-014	3	26-1/2	26-1/2	PLG	PLG	9/499, 1/558	9/SE	5-3/8		7800
41-002	3-1/2	26-1/4	26-1/4	NJI	NJI	10/477	10	4-1/4		7200
41-006	3-1/2	26-1/4	26-1/4	NJI	NJI	13/499	13	4-1/4		10220
41-004	3-1/2	26-1/4	26-1/4	NJI	NJI	10/499	10	4-5/16		8500
41-036	3-1/2	26-1/4	26-1/4	NJI	NJI	11/499	11	5		10000
41-008	3-1/2	26-1/4	26-1/4	NJI	NJI	2/558, 13/499	15	3-15/16		11175
41-030	3-1/2	26-1/2	26-1/2	NJI	NJI	10/447	10	4-5/8		8200
41-010	3-1/2	26-1/2	26-1/2	NJI	NJI	10/447	10	6-3/16		8200
41-020	3-1/2	26-1/2	26-1/2	NJI	NJI	9/447	9	6-5/8		7200
41-012	3-1/2	26-1/2	26-1/2	NJI	NJI	10/499	10	4-1/2		
41-034	3-1/2	26-1/2	26-1/2	NJI	NJI	10/499	10	4-1/2		8500
41-024	3-1/2	26-1/2	26-1/2	NJI	NJI	10/499	10	5-3/16		10000
41-054	3-1/2	26-1/2	26-1/2	NJI	NJI	11/499	11	5-5/8		
41-022	3-1/2	26-1/2	26-1/2	NJI	NJI	9/499	9	6		9100
41-052	4	26-1/8	28-7/16	PLK	PLK	1/401, 3/880, 1/360, 1/323	PD/3/SE/PD	5-15/16	F	10250
41-050	4	26-1/8	28-7/16	PLK	PLK	1/401, 3/880, 1/360	PD/3/SE	6-1/8	F	9000

Pierce - rear

41-045	3	17-1/8	19-5/8	--	--	3/447	3	2-15/16		
41-011	3	17-3/8	17-3/8	--	--	4/447, 2/401	6	2-5/8		
41-005	3	17-3/8	17-3/8	--	--	4/447, 2/401	6	3		
41-029	3	18-13/16	21-5/16	--	--	3/447	3	2-1/4		
41-009	3	25-5/16	25-5/16	PLG	PLG	15/447	15	3-3/8		
41-003	3	25-1/2	25-1/2	PLG	PLG	11/447, 4/401	15	3-3/4		
41-001	3	25-1/2	25-1/2	PLG	PLG	4/447, 2/401 - 11/447, 4/401	15/6	3-3/4	A	13500
41-041	3	25-1/2	26-1/2	PLG	PLG	6/558, 6/499	12	4-1/8		10900
41-043	3	25-1/2	26-1/2	PLG	PLG	9/558	9	4-3/8		9430
41-039	3	25-1/2	26-1/2	PLG	PLG	9/558, 1/499	10	5-5/16		10150
41-013	3	25-13/16	25-13/16	PLG	PLG	6/499, 10/447	16	4-9/16		9800
41-031	3	26	26	PLG	PLG	10/558	10	4-5/16		11000
41-035	3	26	26	PLG	PLG	12/558	12	4-13/16		12500
41-033	3	26	26	PLG	PLG	10/558	10	5-1/4		11000
41-037	3	26	26	PLG	PLG	11/625	11	4-1/2		14500
41-025	3	26-1/2	26-1/2	PLG	PLG	9/499	9	5-1/4		8000

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
41-023	3	26-1/2	26-1/2	PLG	PLG	11/558	10/SE	3-5/8		10500
41-019	3	26-1/2	26-1/2	PLG	PLG	12/558	12	4-13/16		12500
41-015	3	26-1/2	26-1/2	PLG	PLG	11/558	10/SE	4-15/16		10500
41-027	3	26-1/2	26-1/2	PLG	PLG	10/558	10	5-5/16		11000
41-017	3	26-1/2	26-1/2	PLG	PLG	10/558	10	6-3/4		11000
41-021	3	26-1/2	26-1/2	PLG	PLG	11/625	11	4-1/2		14500

Sutphen - front

41-308	3	21-1/8	21-1/8	1-1/4	1-1/4	13/401	13	5-1/4		7500
41-310	3	21-1/8	21-1/8	1-1/4	1-1/4	10/401	10	5-5/16		6000
41-312	3	21-1/8	21-1/8	1-1/4	1-1/4	11/401	11	5-5/16		6800
41-302	3	21-9/32	21-9/32	1-1/4	1-1/4	14/401	14	5-1/4		7500
41-306	3	21-9/32	21-9/32	1-1/4	1-1/4	8/499, 4/401	10/2PD	5-3/8		9250
41-304	3	21-15/32	21-15/32	1-1/4	1-1/4	11/401	11	5-3/8		6500

Sutphen - rear

41-303	3	21-17/32	21-17/32	1-1/4	1-1/4	12/401	12	5-5/16		6750

Ford Cars

42-819	2-1/2	25-3/4	30-7/8	RB159b	RB160b	3/291, 1/262	4	7-1/8		910
42-821	2-1/2	25-3/4	30-7/8	RB159b	RB160b	1/323, 1/291, 3/262	5	6-5/8		1020
42-813	3	25	31	RB158b	RB157b	1/323, 3/291, 1/625	4/1	6-5/8		1650

Ford Trucks - front

43-694	2	25	29	RNK	RNK	2/788	2/WG	4-7/8	F	5400
43-486	2-1/2	26	30-1/4	RB100	HK-2-3	4/447, 2/401	6/SE	5-1/2		3000
43-490	2-1/2	26	30-1/4	RB100	HK-2-3	7/447, 1/401	8/SE	5-5/8		4040
43-488	2-1/2	26	30-1/4	RB100	HK-2-3	3/447, 4/401	7/SE	5-7/8		3300
43-668	2-1/2	26	30-1/4	RB100	HK-2-3	7/447, 1/401	7/SE/WG	6-1/2		
43-540	2-1/2	26	30-1/4	RB100	LE-2r	2/770	2	4-3/4	F	2720
43-542	2-1/2	26	30-1/4	RB100	LE-2r	2/770	2	5-5/16	F	3150
43-798	2-1/2	26	30-1/4	RB100	LE-2r	2/770, 1/401	2/SE/WG	6	F	2700
43-750	2-1/2	26-1/16	30-1/4	RB100	HK-2-3	5/447, 3/401	7/SE/WG	6-1/4		3800
43-748	2-1/2	26-1/16	30-1/4	RB100	HK-2-3	3/447, 4/401	6/SE/WG	6-5/16		3300
43-520	2-1/2	26-1/16	30-1/4	RB100	HK-2-3	3/447, 3/401, 2/499, 1/401	6/2/SE/WG	8		5000
43-594	2-1/2	26-3/32	30-1/4	RB100	HK-2-3	5/447, 3/401	7/SE/WG	6-1/4		3800
43-754	2-1/2	26-3/32	30-1/4	RB100	HK-2-3	3/750, 1/401	3/SE/WG	7	F	4050
43-752	2-1/2	26-3/32	30-1/4	RB100	LE-2r	2/770, 1/401	2/SE/WG	6-7/8	F	3150
43-584	2-1/2	26-3/32	30-1/4	RB100	LE-3r	3/715	3/WG	5-1/2	F	3800
43-586	2-1/2	26-3/32	30-1/4	RB100	LE-3r	3/715	3/WG	5-5/8	F	4050
43-756	2-1/2	26-3/32	30-3/8	RB100	HK-2-3	3/750, 1/401	3/SE/WG	6-3/8	F	3800
43-628	3	23-7/8	28-3/8	RB155	RB155	2/499, 1/752	2/PD	5	F	1375
43-522	3	23-7/8	28-3/8	RB155	RB155	1/570, 1/600, 1/580	2/PD	3-7/8	F	1720
43-478	3	23-7/8	28-3/8	RB155	RB155	2/700	2	1-7/8	F	2820
43-476	3	23-7/8	28-3/8	RB155	RB155	2/700	2	2-1/4	F	2575
43-474	3	23-7/8	28-3/8	RB155	RB155	2/700	2	2-5/8	F	2360
43-492	3	23-7/8	28-3/8	RB155	RB155	2/750, 1/401	2/PD	3/4	F	3227
43-516	3	23-7/8	28-3/8	RB155	RB155	2/750, 1/262	2/PD	3	F	2200
43-536	3	23-7/8	28-3/8	RB155	RB155	1/750, 1/702, 1/323	2/PD	3-1/2	F	1960
43-498	3	23-7/8	28-3/8	RB155	RB155	2/788, 1/401	2/PD	7/8	F	3486
43-678	3	23-7/8	28-3/8	RB155	RB155	2/788, 1/401	2/PD	2-15/16	F	3486
43-526	3	23-7/8	28-3/8	RB155	RB176	2/750	2	6-1/4	F	2250
43-674	3	23-7/8	28-3/8	RB155	RB227	2/744	2	6-1/4	F	2250
43-630	3	23-7/8	28-3/8	RB155	RB227	2/744	2	6-1/4	F	2250

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
43-792	3	26-13/16	26-13/16	RB258	RB258	3/423, 4/401, 1/423	7/PD/WG	5		3825
43-800	3	27-1/2	28-1/8	RB247	RB248	2/558	2	3-15/16	F	
43-804	3	27-1/2	28-1/8	RB247	RB248	2/558	2	4	F	
43-808	3	27-1/2	28-1/8	RB247	RB248	2/590	2	4-5/16	F	2140
43-810	3	27-1/2	28-1/8	RB247	RB248	2/590	2	4-1/2	F	2140
43-814	3	27-1/2	28-1/8	RB247	RB248	2/590	2	4-9/16	F	
43-812	3	27-1/2	28-1/8	RB247	RB248	2/590	2	4-5/8		1880
43-818	3	27-1/2	28-1/8	RB247	RB248	2/625	2	4-7/8	F	2620
43-816	3	27-1/2	28-1/8	RB247	RB248	2/625	2	5-1/8	F	2160
43-772	3	27-1/2	28-1/8	RB247b	RB248b	2/558	2	3-7/8	F	1430
43-770	3	27-1/2	28-1/8	RB247b	RB248b	2/590	2	4-1/8	F	1630
43-778	3	27-1/2	28-1/8	RB247b	RB248b	2/590	2	4-5/8	F	2030
43-766	3	27-1/2	28-1/8	RB247b	RB248b	2/590	2	4-11/16	F	1830
43-776	3	27-1/2	28-1/8	RB247b	RB248b	2/590	2	4-7/8	F	2230
43-774	3	27-1/2	28-1/8	RB247b	RB248b	2/625	2	5	F	2430
43-768	3	27-1/2	28-1/8	RB247b	RB248b	2/625	2	5-1/8	F	2630
43-410	3	28-1/2	28-1/2	NJG	NJG	11/401	11	6-3/4		5400
43-230	3	28-1/2	28-1/2	NJG	NJG	8/447, 5/401	13	5-3/8		6800
43-460	3	28-1/2	28-1/2	NJG	NJG	9/447, 5/401	14	6-1/8		8200
43-222	3	28-9/16	28-9/16	NJG	NJG	7/401, 2/360	9	6-3/8		4000
43-220	3	28-9/16	28-9/16	NJG	NJG	5/401, 2/360	7	6-5/8		3000
43-730	4	23-3/4	28-1/4	NJK	HORTON	3/662, 1/401, 2/380	3/3PD	4-7/8	F	5400
43-544	4	23-3/4	28-1/4	NJK	NJK	3/590, 1/499, 2/447	3/3PD	4-7/8	F	4000
43-546	4	23-3/4	28-1/4	NJK	NJK	3/625, 2/447, 1/380	3/3PD	4-5/8	F	4500
43-548	4	23-3/4	28-1/4	NJK	NJK	3/662, 1/401, 2/380	3/3PD	4-5/16	F	5400
43-650	4	23-3/4	28-1/4	NJK	NJK	3/662, 1/401, 2/380	3/3PD	4-7/8	F	5400
43-432	4	23-13/16	28-5/16	NJK	NJK	4/447, 6/401	10	5-7/8		7200
43-436	4	23-13/16	28-5/16	NJK	NJK	4/499, 8/447	12	4-5/8		9200
43-648	4	23-13/16	28-5/16	NJK	NJK	4/499, 8/447	12	4-11/16		9200
43-434	4	23-13/16	28-5/16	NJK	NJK	2/499, 9/447	11	4-3/4		8200
43-646	4	23-13/16	28-5/16	NJK	NJK	2/499, 9/447	11	4-15/16		8200
43-724	4	23-7/8	28-3/8	NJK	HORTON	3/401, 6/360	9	6-11/16		5400
43-758	4	23-7/8	28-3/8	NJK	HORTON	1/401, 9/360	10	7-3/16		6000
43-578	4	23-7/8	28-3/8	NJK	NJK	6/341, 2/323	8	6-9/16		3800
43-398	4	23-7/8	28-3/8	NJK	NJK	8/360	8	6-1/4		4000
43-602	4	23-7/8	28-3/8	NJK	NJK	8/360	8	6-5/16		4000
43-652	4	23-7/8	28-3/8	NJK	NJK	8/360	8	6-5/16		4000
43-640	4	23-7/8	28-3/8	NJK	NJK	5/360, 5/323	PD/9	7-1/8		4500
43-386	4	23-7/8	28-3/8	NJK	NJK	10/360	10	7-1/8		6000
43-638	4	23-7/8	28-3/8	NJK	NJK	2/360, 6/323	8	7-9/16		4000
43-404	4	23-7/8	28-3/8	NJK	NJK	2/360, 6/323	8	7-5/8		4000
43-506	4	23-7/8	28-3/8	NJK	NJK	4/360, 5/323	9	7-7/8		4500
43-392	4	23-7/8	28-3/8	NJK	NJK	4/360, 5/323	9	7-7/8		5000
43-606	4	23-7/8	28-3/8	NJK	NJK	5/380, 4/360	9	6-11/16		5400
43-726	4	23-7/8	28-3/8	NJK	NJK	1/323, 8/401, 2/360	PD/10	6-5/16		6700
43-508	4	23-7/8	28-3/8	NJK	NJK	3/401, 6/360	9	6-5/8		5000
43-510	4	23-7/8	28-3/8	NJK	NJK	3/401, 6/360	9	6-5/8		5400
43-642	4	23-7/8	28-3/8	NJK	NJK	3/401, 6/360	9	6-11/16		5400
43-618	4	23-7/8	28-3/8	NJK	NJK	1/401. 9/360	10	7-3/16		6000
43-644	4	23-7/8	28-3/8	NJK	NJK	5/447, 6/401	10	6		7175
43-616	4	23-29/32	28-13/32	NJK	NJK	4/341, 4/323	8	7-9/16		4000
43-604	4	23-15/16	28-7/16	NJK	NJK	10/341	PD/9	7-1/8		4500
43-574	4	23-15/16	28-7/16	NJK	NJK	10/341	9/PD	7-3/8		4500
43-734	4	24	27-23/32	NJK	NJK	7/360, 1/323	8	4-3/4		3800
43-786	4	24	27-3/4	NJK	NJK	3/660, 5/360	3/5PD	4-1/8	F	5400
43-722	4	24	28	NJK	NJK	4/590, 1/323	4/PD	5-1/2	F	6000
43-518	4	24	28-1/2	NJK	NJK	4/558	4	6-1/8	F	6000
43-534	4	24	28-1/2	NJK	NJK	1/323, 4/558, 3/323	PD/3/3PD	7	F	6000

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
43-784	4	25	29	1.705	1.705	2/840, 1/307	2/PD/WG	4-5/8	F	6000
43-708	4	25	29	1-11/16	1-11/16	2/788, 4/472	2/4PD/WG	5	F	
43-712	4	25	29	NJK	NJK	5/447, 3/401, 2/360	10/WG	4-13/16		6500
43-718	4	25	29	NJK	NJK	5/447, 3/401, 2/360	10/WG	4-13/16		6500
43-710	4	25	29	NJK	NJK	2/447, 5/401, 3/360	10/WG	6-3/16		6000
43-716	4	25	29	NJK	NJK	1/262, 2/499, 5/447, 2/401	PD/9/WG	4-1/8		6500
43-714	4	25	29	NJK	NJK	3/662, 2/360, 3/323	3/5PD/WG	4-1/2	F	5400
43-720	4	25	29	NJK	NJK	2/750, 2/360, 3/323	2/5PD/WG	4-1/2	F	4500
43-704	4	25	29	RNK	RNK	4/401, 4/360, 1/323	8/PD/WG	4-7/16		3800
43-736	4	25	29	RNK	RNK	4/401, 4/360	8/WG	4-7/16		3800
43-738	4	25	29	RNK	RNK	4/401, 4/360	8/WG	5-1/16		4050
43-696	4	25	29	RNK	RNK	4/401, 4/360	8/WG	5-3/8		4500
43-790	4	25	29	RNK	RNK	4/423, 2/380, 1/447	6/PD	4-3/16		3410
43-684	4	25	29	RNK	RNK	4/423, 2/401, 3/360	8/WG	5-1/2		5400
43-688	4	25	29	RNK	RNK	4/447, 2/423, 3/360	8/WG	5-1/2		
43-686	4	25	29	RNK	RNK	4/499, 2/447, 3/360	9/WG	4-9/16		7200
43-702	4	25	29	RNK	RNK	6/447, 4/375	10/WG	5-1/4		6500
43-682	4	25	29	RNK	RNK	3/527, 2/499, 4/423, 1/625	9/WG	4-11/16		8200
43-698	4	25	29	RNK	RNK	3/558, 2/499, 4/447	9/WG	4-5/16		9200
43-740	4	25	29	RNK	RNK	2/750, 3/447	2/3PD/WG	3-7/8	F	3800
43-742	4	25	29	RNK	RNK	2/750, 2/499, 1/447	2/3PD/WG	4-3/8	F	4050
43-700	4	25	29	RNK	RNK	2/750, 3/499	2/3PD/WG	4-9/16	F	4500
43-744	4	25	29	RNK	RNK	2/840, 1/307	2/PD/WG	4-5/8	F	6000
43-692	4	25	29	RNK	RNK	2/840, 4/527	2/4PD/WG	4-5/8	F	6000
43-764	4	25	29	RNK	RNK	2/890, 4/558	2/3PD/WG	4-1/4	F	7300
43-470	4	25-1/16	29-1/16	NJI	NJI	3/360, 6/323	9	9-1/8		5400
43-472	4	25-1/16	29-1/16	NJI	NJI	3/401, 6/360	9	7-7/8		6000
43-658	4	25-7/32	28-25/32	NJK	NJK	3/401, 7/360	10	7-1/4		5000
43-596	4	25-1/4	28-3/4	NJK	NJK	2/380, 7/360	9	6-9/16		4500
43-608	4	25-1/4	28-3/4	NJK	NJK	7/380, 3/360	10	7-1/8		6000
43-598	4	25-1/4	28-3/4	NJK	NJK	7/380, 3/360	10	7-1/4		5000
43-494	4	25-1/4	28-3/4	NJK	NJK	1/401, 8/360	9	6-5/8		4500
43-502	4	25-1/4	28-3/4	NJK	NJK	3/401, 7/360	10	7-1/8		5000
43-600	4	25-1/4	28-3/4	NJK	NJK	3/401, 7/360	10	7-1/8		6000
43-504	4	25-1/4	28-3/4	NJK	NJK	3/401, 7/360	10	7-1/8		6000
43-454	4	25-7/16	29-3/8	NJI	NJI	1/558, 3/625, 2/341	PD/3/2PD	7-3/4	F	5400
43-532	4	26-1/4	27-5/8	NJK	NJK	3/401, 3/360	6	6-1/4		3400
43-794	4	27	27	RNK	RNK	6/401, 3/360	8/PD/WG	5-1/2		5400
43-760	4	28	30	NJK	HORTON	1/401, 3/702, 1/401	PD/3/PD	4-7/8	F	5400
43-762	4	28	30	NJK	HORTON	3/702, 3/499	3/3PD	5-3/8	F	5400
43-732	4	28	30	NJK	HORTON	3/788, 2/499	3/2PD	5-1/8	F	6500
43-564	4	28	30	NJK	NJK	6/401, 3/360	9	6-1/16		4500
43-566	4	28	30	NJK	NJK	6/447, 2/401	8	5-11/16		5400
43-662	4	28	30	NJK	NJK	8/447, 2/401	10	5-3/4		6700
43-570	4	28	30	NJK	NJK	8/447, 2/401	10	5-3/4		6700
43-660	4	28	30	NJK	NJK	6/447, 3/401	9	6		6000
43-568	4	28	30	NJK	NJK	6/447, 3/401	9	6		6000
43-664	4	28	30	NJK	NJK	6/499, 3/447	9	4-7/8		7200
43-572	4	28	30	NJK	NJK	6/499, 2/447, 1/423	9	4-7/8		7200
43-582	4	28	30	NJK	NJK	7/499, 2/447, 1/423	10	5-1/8		8200
43-666	4	28	30	NJK	NJK	7/499, 3/447	10	5-1/8		8200
43-728	4	28	30	NJK	NJK	8/499, 3/447	11	5-1/8		9200
43-676	4	28	30	NJK	NJK	1/401, 3/702, 1/401	PD/3/PD	4-7/8	F	5400
43-560	4	28	30	NJK	NJK	3/702, 4/380	3/4PD	4-15/16	F	5400
43-556	4	28	30	NJK	NJK	1/401, 3/702, 1/307	PD/3/PD	5-1/4	F	5400
43-538	4	28	30	NJK	NJK	1/401, 3/702, 3/401	PD/3/3PD	5-1/4	F	5400
43-654	4	28	30	NJK	NJK	3/702, 3/499	3/3PD	5-3/8	F	5400
43-562	4	28	30	NJK	NJK	3/788, 2/447	3/2PD	4-7/16	F	6500

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
43-558	4	28	30	NJK	NJK	2/788, 3/447, 2/380	2/5PD	4-9/16	F	4500
43-656	4	28	30	NJK	NJK	3/788, 2/499	3/2PD	5-1/8	F	6500
43-620	4	28	30	NJK	NJK	3/788, 2/499	3/2PD	5-1/8	F	6500
43-636	4	29-7/16	33-9/16	FB2	FB1	1/473, 3/590	SE/3	3-3/8	F	2567
43-626	4	29-7/16	33-9/16	RB180	RB179	1/473, 3/527	SE/3	4-7/16	F	2567
43-576	4	29-7/16	33-9/16	RB180	RB179	1/473, 3/527	PD/3	4-1/2		2767
43-528	4	29-7/16	33-9/16	RB180	RB179	1/447, 3/527	SE/3	4-1/2	F	2250
43-624	4	29-7/16	33-9/16	RB180	RB179	1/473, 3/527	SE/3	4-13/16	F	2767
43-530	4	29-7/16	33-9/16	RB180	RB179	1/447, 3/590	SE/3	3-1/8	F	2550
43-622	4	29-7/16	33-9/16	RB180	RB179	1/473, 3/590	PD/3	3-3/8	F	2567
43-782	4	29-7/16	33-9/16	RB226	RB225	1/447, 2/660, 2/750	SE/2/2PD	6-1/4	F	
43-634	4	29-7/16	33-9/16	RB226	RB225	1/473, 2/662	SE/2	4-1/2	F	2567
43-632	4	29-7/16	33-9/16	RB226	RB225	1/473, 2/662	SE/2	5	F	
43-780	4	29-5/8	33-3/4	RB225	RB226	1/447, 2/660, 3/527	SE/2/3PD	6-1/16	F	
43-796	4	30	30	1.075	1.075	2/940	2/WG	5-1/8	F	6500
43-706	4	30	30	1-11/16	1-11/16	2/880, 4/558	2/4PD/WG	5-1/8	F	5400
43-690	4	30	30	RNK	RNK	2/880, 4/558	2/4PD/WG	5	F	6000
43-680	4	30	30	RNK	RNK	2/887, 4/558	2/4PD	5-3/8	F	5400
43-746	4	30	30	RNK	RNK	2/938, 4/527	2/4PD/WG	5-1/4	F	6500
43-788	4	32-1/2	34-3/8	NJK	NJK	4/558, 5/499	9	6-7/8		
43-580	4	32-17/32	34-11/32	NJK	NJK	1/380, 3/447, 1/380, 1/702	5/1	8-7/8		3968
43-550	4	32-17/32	34-11/32	NJK	NJK	1/380, 3/447, 1/380, 1/702	5/1	8-7/8		5900
43-552	4	32-17/32	34-11/32	NJK	NJK	3/447, 2/423, 2/590	5/2	9-1/4		4912
43-554	4	32-17/32	34-11/32	NJK	NJK	3/447, 2/323, 3/558	5/3	9-11/16		5900
43-512	4	32-5/8	34-3/8	NJK	NJK	1/401, 2/447, 2/401, 1/625	5/1	8-5/8		3970
43-514	4	32-5/8	34-3/8	NJK	NJK	5/447, 2/558	5/2	9-1/4		4915
43-524	4	32-5/8	34-3/8	NJK	NJK	5/447, 2/558, 1/499	5/3	9-1/2		5900

Ford Trucks - rear

43-1163	2-1/4	20-3/4	20-3/4	--	--	4/291	4	5		800
43-869	2-1/4	20-3/4	20-3/4	--	--	4/291	4	5		900
43-889	2-1/4	26	26	RB156b	RB156b	5/401, 5/360	10	5		2800
43-1117	2-1/4	26	26	RB217b	RB217b	2/401, 8/380	10	4-7/8		2800
43-1095	2-1/4	26	26	RB217b	RB217b	2/401, 8/380	10	4-7/8		2804
43-1061	2-1/2	--	--	--	--	Composite Spring (USE 43-1069)	1	--		
43-867	2-1/2	19	19	--	--	1/473	1	3-3/4	F	400
43-1229	2-1/2	23-3/8	32-1/8	RB235b	RB236b	3/323, 1/662	3/1	7-11/16		1900
43-941	2-1/2	23-7/8	31	RB111	RB131	6/291	6	4-5/8		1250
43-885	2-1/2	23-7/8	31	RB111	RB131	6/291	6	6-1/4		1685
43-609	2-1/2	23-7/8	31	RB124	RB131	3/360, 3/323	6	3-5/8		1750
43-1109	2-1/2	23-7/8	31	RB207b	RB160b	1/291, 3/276, 1/527	4/1	5-7/8		1361
43-1031	2-1/2	23-29/32	31	RB207	RB160	2/499	2	5-5/8	F	1249
43-1033	2-1/2	23-29/32	31	RB207b	RB160b	3/323, 1/625	3/1	6-1/8		1685
43-1251	2-1/2	24	31-1/8	RB207b	RB160b	1/360, 1/375, 1/558	2/1	6-7/8		
43-627	2-1/2	24-7/8	27	RB111	RB131	6/291	6	6		1685
43-593	2-1/2	24-7/8	27	RB124	RB131	5/323	5	4-1/2		1250
43-599	2-1/2	24-7/8	27	RB124	RB131	2/323, 5/291	7	5		1750
43-1209	2-1/2	25	32	RB159b	RB160b	4/276, 1/625	4/1	8-5/8		1375
43-1093	2-1/2	25	32	RB159b	RB160b	4/291, 1/625	4/1	7-11/16		1672
43-883	2-1/2	25	32	RB159b	RB160b	4/291, 1/590	4/1	8-7/8		1660
43-891	2-1/2	25	32	RB159b	RB160b	2/291, 2/262, 1/590	4/1	9-1/8		1375
43-1049	2-1/2	25	32	RB159b	RB160b	2/291, 2/262, 1/590	4/1	9-1/2		1375
43-1119	2-1/2	25	32	RB159b	RB160b	1/307, 2/341, 1/527	3/1	7-15/16		1661
43-1115	2-1/2	25	32	RB159b	RB160b	1/323, 2/341, 1/323, 1/360, 1/499	5/1	4-3/4		1176
43-1079	2-1/2	25	32	RB159b	RB160b	3/360	3	6-7/16		1375
43-1107	2-1/2	25	32	RB230b	RB160b	4/276, 1/625	4/1	7-3/4		1125

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
43-1105	2-1/2	25	32	RB230b	RB160b	4/276, 1/625	4/1	8-5/8		1376
43-961	2-1/2	25-11/16	30-15/16	RB159b	RB160b	3/291, 1/558	3/1	5-5/8		1100
43-957	2-1/2	25-11/16	30-15/16	RB159b	RB160b	3/291, 1/558	3/1	5-5/8		1100
43-923	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/291, 2/262	4	5-7/8		890
43-943	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/291, 2/276	4	6-3/8		910
43-959	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/307, 1/291, 1/558	3/1	5-1/2		1250
43-963	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/307, 1/291, 1/558	3/1	5-1/2		1250
43-945	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/307, 2/262, 1/249	5	5-7/8		1020
43-991	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/307, 2/262, 1/249	5/WG	5-7/8		1020
43-1067	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/323, 1/590	2/1	6-1/16		1250
43-1069	2-1/2	25-11/16	30-15/16	RB159b	RB160b	1/323, 1/341, 1/558	2/1	6-9/16		1100
43-1073	2-1/2	25-11/16	30-15/16	RB159b	RB160b	1/323, 1/341, 1/558	2/1/PD	6-9/16		1100
43-1063	2-1/2	25-11/16	30-15/16	RB159b	RB160b	1/323, 1/341, 1/558	2/1	6-13/16		1100
43-1057	2-1/2	25-11/16	30-15/16	RB159b	RB160b	1/323, 1/341, 1/558	2/1	6-13/16		1100
43-1071	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/323, 1/590	2/1	6-15/16		1250
43-1065	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/323, 1/590	2/1/WG	6-15/16		1250
43-1075	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/323, 1/590	2/1/WG	6-15/16		1250
43-1059	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/323, 1/590	2/1	6-15/16		1250
43-967	2-1/2	25-11/16	30-15/16	RB159b	RB160b	3/360, 1/590	3/1	4-13/16		1240
43-971	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/360, 1/590	2/1	5-7/8		1108
43-969	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/380, 1/558	2/1	5-5/16		1175
43-1077	2-1/2	25-11/16	30-15/16	RB159b	RB160b	2/401, 1/360	3	3-3/16		1008
43-1161	2-1/2	25-11/16	30-15/16	RB237b	RB160b	1/307, 3/276	4	5-7/8		877
43-1159	2-1/2	25-11/16	30-15/16	RB237b	RB160b	2/323, 1/307, 1/590	3/1	2-1/2		1266
43-1309	2-1/2	25-11/16	31	RB235b	RB236b	1/323, 1/341, 1/323, 1/590	3/1	5-1/4		
43-1299	2-1/2	25-3/4	30-7/8	RB254b	RB237b	4/276	4	7-1/2		
43-1303	2-1/2	25-3/4	30-7/8	RB254b	RB237b	3/291, 1/558	3/1/WG	6-1/2		
43-1301	2-1/2	25-3/4	30-7/8	RB254b	RB237b	2/307, 1/291, 1/558	3/1	6-1/4		
43-1305	2-1/2	25-3/4	30-7/8	RB254b	RB237b	2/307, 1/291, 1/590	3/1/WG	6-1/4		
43-1259	2-1/2	25-3/4	30-7/8	RB254b	RB237b	2/341, 1/558	2/1	6-1/4		
43-1257	2-1/2	25-3/4	31	RB254b	RB237b	1/323, 2/341	3	6-1/16		
43-1311	2-1/2	25-13/16	30-15/16	RB159b	RB160b	1/323, 2/341, 1/590	3/1	5-1/4		
43-1307	2-1/2	26-5/16	32-1/8	RB235b	RB236b	2/341, 1/323, 1/307	4	5-1/2		
43-1201	2-1/2	26-3/8	32-1/8	RB235b	RB236b	1/307, 2/323, 1/558	3/1	8-1/2		1254
43-1233	2-1/2	26-3/8	32-1/8	RB235b	RB236b	1/323, 2/341, 1/625	3/1	7-7/16		1898
43-1197	2-1/2	26-3/8	32-1/8	RB235b	RB236b	2/323, 1/341, 1/527	3/1	7-1/2		1536
43-1203	2-1/2	26-3/8	32-1/8	RB235b	RB236b	2/323, 1/341, 1/527	3/1	7-1/2		1536
43-1227	2-1/2	26-3/8	32-1/8	RB235b	RB236b	1/323, 2/340, 1/665	3/1	7-1/2		2100
43-1195	2-1/2	26-3/8	32-1/8	RB235b	RB236b	2/323, 1/527	2/1	8-1/16		1133
43-1199	2-1/2	26-3/8	32-1/8	RB235b	RB236b	3/323, 1/590	3/1	8-9/16		1415
43-1231	2-1/2	26-3/8	32-1/8	RB235b	RB236b	1/341, 2/360, 1/662	3/1	8-1/8		2097
43-1205	2-1/2	26-3/8	32-1/8	RB235b	RB236b	1/360, 1/380, 1/527	2/1	7-7/16		826
43-1187	2-1/2	26-3/8	32-1/8	RB235b	RB236b	1/360, 1/380, 1/527	2/1	7-3/4		826
43-1193	2-1/2	26-3/8	32-1/8	RB235b	RB236b	2/360, 1/527	2/1	7-7/8		826
43-1189	2-1/2	26-3/8	32-1/8	RB235b	RB236b	1/360, 1/375, 1/558	2/1	9		1375
43-1297	2-1/2	26-3/8	32-1/8	RB235b	RB236b	1/360, 1/375, 1/558	2/1	9-1/4		
43-1191	2-1/2	26-3/8	32-1/8	RB235b	RB236b	2/360, 1/527	2/1	9-1/4		1180
43-1293	2-1/2	26-7/16	32-1/4	RB235b	RB236b	2/341, 1/499	2/1	9-1/8		
43-1185	2-1/2	26-15/32	32-1/8	RB235b	RB236b	1/360, 1/401, 1/558	2/1	8		1434
43-1149	3	SS	SS	--	--	1/2.375	1	--	AS	
43-1321	3	18-5/8	24-1/4	RB167	HK-1	7/558	UB/7	3-7/16		
43-1147	3	18-5/8	24-1/4	RB167	HK-1	1/360, 7/558	PD/7	3-7/16		
43-1081	3	18-29/32	24-3/16	RB167	HK-1	1/360, 8/499	PD/8	2-7/8		7242
43-813	3	18-15/16	24-3/16	RB167	HK-1	1/360, 8/499	PD/8	2-7/8		7242
43-875	3	19	19	--	--	1/401	1	4-1/4	F	400
43-735	3	19	19	--	--	1/447	1	4-1/4	F	710
43-877	3	19	19	--	--	1/473	1	4	F	710
43-833	3	19	24-1/4	RB167	HK-1	1/360, 8/558	PD/8	2-7/8		8500

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
43-1017	3	19-1/2	19-1/2	--	--	4/360	4	2-5/8		2250
43-347	3	19-1/2	19-1/2	--	--	4/360	4	3-3/8		2250
43-949	3	19-1/2	19-1/2	--	--	1/702	1	7/16	F	1800
43-545	3	19-1/2	19-1/2	--	--	1/702	1	3-3/4	F	2300
43-1173	3	19-7/8	19-7/8	--	--	1/788	1	4-15/16	F	2300
43-283	3	20	20	--	--	7/360, 2/323	9	2-1/2		3000
43-185	3	20-1/4	20-1/4	--	--	3/323, 4/262	7	3-3/4		2050
43-207	3	20-1/2	20-1/2	--	--	7/360	7	2-5/8		2600
43-1279	3	20-1/2	21	--	--	1/473	1	4-5/16	F	
43-903	3	20-3/4	20-3/4	--	--	3/262, 3/237, 1/875	6/PD	3-7/8		
43-1215	3	20-3/4	20-3/4	--	--	1/527	1	4-3/4	F	
43-1287	3	21	22-1/8	--	--	1/587	1	5-7/8	F	
43-1291	3	21	22-1/8	--	--	1/625	1	5-1/2	F	
43-1349	3	21	22-1/4	--	--	1/590	1	6-3/8	F	
43-1277	3	21-3/4	22-1/4	--	--	1/558	1	4	F	
43-1177	3	22-1/4	24-1/4	HK-1	HK-1	7/499	7	2-3/16		
43-1175	3	22-1/2	22-1/2	--	--	1/750	1	5	F	
43-615	3	23-13/16	31	RB132	RB133	3/323, 2/291, 1/744	5/1	4-1/2		2450
43-613	3	23-13/16	31	RB132	RB133	2/323, 3/291, 1/662	5/1	4-5/8		2100
43-611	3	23-13/16	31	RB132	RB133	2/323, 2/291, 1/662	4/1	4-3/4		1825
43-621	3	23-13/16	31	RB132	RB133	4/323, 1/291, 1/744	5/1	5-3/4		2900
43-623	3	23-13/16	31	RB132	RB133	10/360	10	2-1/4		3300
43-779	3	23-13/16	31	RB132	RB133	4/401, 4/360	8	3-1/2		3238
43-659	3	23-13/16	31	RB132	RB133	4/505	4	4-3/4	F	3300
43-791	3	23-13/16	31	RB151	RB152	1/360, 6/323	7	4-1/4		2850
43-1085	3	23-13/16	31	RB198	RB157	5/401, 4/323	9	1-7/8		3461
43-1249	3	23-13/16	31-1/16	RB198	RB152	5/401, 4/323	9	2-1/4		
43-1037	3	23-7/8	31	RB198b	RB157b	2/307, 2/341, 1/702	4/1	3-3/16		2351
43-1035	3	23-7/8	31	RB198b	RB157b	4/307, 1/499	4/1	3-13/16		1827
43-1039	3	23-7/8	31	RB198b	RB157b	1/323, 2/341, 1/323, 1/590	4/1	4		2450
43-1041	3	23-7/8	31	RB198b	RB157b	1/323, 3/341, 1/702	4/1	4		2775
43-1339	3	23-7/8	34-11/16	RB198	RB157	3/447, 3/401, 3/380, 2/360	11	1-1/2		
43-1167	3	23-7/8	35-5/8	RB198	RB157	5/590	5	2-7/8	F	5100
43-1043	3	23-29/32	31	RB198	RB157	4/499	4	3-7/16		3306
43-1045	3	23-29/32	31	RB198	RB157	3/625	3	2-9/16		3458
43-1151	3	23-29/32	31	RB198b	RB157b	3/341, 1/527	3/1	3-3/8		1829
43-1153	3	23-29/32	31	RB198b	RB157b	1/341, 2/360, 1/662	3/1	3-3/8		2353
43-1155	3	23-29/32	31	RB198b	RB157b	2/360, 1/380, 1/625	3/1	4-1/4		2450
43-1157	3	23-29/32	31	RB198b	RB157b	1/360, 1/401, 1/360, 1/662	3/1	4-3/8		2777
43-815	3	24	31	RB158b	RB157b	2/341, 2/323, 1/662	4/1	7-11/16		2592
43-1253	3	24	31	RB198b	RB157b	3/341, 1/660	3/1	4-1/4		
43-849	3	24-1/2	24-1/2	--	--	3/401, 7/360	10	2-1/4		2165
43-845	3	24-1/2	24-1/2	--	--	3/401, 6/360	9	3-3/4		2037
43-987	3	24-1/2	24-1/2	--	--	1/447, 5/499	6	1-7/8		1867
43-985	3	24-1/2	24-1/2	--	--	1/447, 5/499	6	2-1/4		1395
43-895	3	24-1/2	24-1/2	--	--	1/447, 5/499	6	2-1/4		1860
43-897	3	24-1/2	24-1/2	--	--	1/447, 5/499	6	2-1/2		1400
43-983	3	24-1/2	24-1/2	--	--	1/447, 4/499, 1/447	5	3-7/16		1190
43-989	3	24-1/2	24-1/2	--	--	2/447, 2/499, 1/423	5	3-5/8		1259
43-933	3	24-1/2	24-1/2	--	--	1/447, 3/499, 1/447	5	3-3/4		1210
43-929	3	24-1/2	24-1/2	--	--	2/447, 2/499, 1/447	5	3-3/4		1230
43-1285	3	25	30-1/2	RB243	RB244	1/423, 5/401, 4/360	10	6-1/4		
43-1289	3	25	30-1/2	RB243	RB244	2/473, 5/423, 3/401	10	5-1/8		
43-1275	3	25	30-1/2	RB243	RB244	1/625 - 2/473, 5/423, 3/401	1/10	5-1/8	A	
43-1269	3	25	30-1/2	RB243	RB244	1/587 - 2/473, 5/423, 3/401	1/10	5-1/8	A	
43-1347	3	25	30-3/4	RB243	RB244	1/423, 5/401, 4/360	10	6-1/4		
43-1345	3	25	30-3/4	RB243	RB244	1/590 - 1/423, 5/401, 4/360	1/10	6-1/4	A	
43-723	3	25	31	RB158b	RB157b	1/291, 1/323, 1/291, 1/590	3/1	8		1654

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
43-1047	3	25	31	RB158b	RB157b	1/291, 2/307, 1/590	3/1	8-1/2		1655
43-803	3	25	31	RB158b	RB157b	4/360, 1/788	4/1	6-7/8		2810
43-1223	3	25	31	RB158b	RB157b	1/380, 2/401, 1/702, 1/341	3/2	7		
43-1101	3	25	31	RB229b	RB157b	1/291, 2/307, 1/590	3/1	8-1/2		1655
43-1091	3	25	31	RB229b	RB157b	3/323, 2/307	5	6-3/8		1651
43-1111	3	25	31	RB229b	RB157b	4/360, 1/788	4/1	6-7/8		2813
43-879	3	25	31-3/8	RB158b	RB157b	4/323, 1/702	4/1	7-3/4		2700
43-1225	3	25	31-3/8	RB158b	RB157b	3/360, 1/702, 1/291	3/2	8		
43-1087	3	25	31-3/8	RB229b	RB157b	3/360, 1/702, 1/291	3/1/PD	7-11/16		2700
43-1121	3	25	31-13/32	RB158b	RB157b	4/323, 1/702	4/1	7-3/4		2700
43-881	3	25	32	RB158b	RB157b	3/291, 1/590	3/1	8-7/8		1650
43-1051	3	25	32	RB158b	RB157b	3/307, 1/590	3/1	9-5/16		1700
43-689	3	25	32	RB158b	RB157b	2/323, 1/291, 1/625	3/1	9-1/4		1700
43-1055	3	25	32-9/32	RB158b	RB157b	2/307, 2/291, 1/702	4/1	8-11/16		2400
43-1103	3	25	32-9/32	RB230b	RB157b	2/307, 2/291, 1/702	4/1	8-11/16		2400
43-1053	3	25	32-1/2	RB158b	RB157b	3/291, 1/662	3/1	8-1/2		1654
43-965	3	25	32-1/2	RB158b	RB157b	3/291, 1/662	3/1	9-1/8		1654
43-1097	3	25	32-1/2	RB229b	RB157b	3/291, 1/662	3/1	8-1/8		1655
43-1331	3	25	33-1/8	RB245	RB244	4/341, 2/323, 1/558	6/1	5-5/8		
43-1325	3	25	33-1/8	RB245	RB244	4/341, 2/323	6	5-5/8		2275
43-1341	3	25	33-1/8	RB245	RB244	1/341, 3/323, 1/750	4/1	7		
43-1261	3	25	33-1/8	RB245	RB244	4/341, 1/750	4/1	7-7/8		
43-1343	3	25	33-1/8	RB245	RB244	1/360, 3/341, 1/788	4/1	7-3/4		
43-1263	3	25	33-1/8	RB245	RB244	1/360, 3/341, 1/827	4/1	8-3/16		
43-901	3	25-1/8	30-5/8	RB177b	RB178b	4/447, 4/401	8	5-1/4		2250
43-899	3	25-1/8	30-5/8	RB177b	RB178b	3/262, 3/237, 1/875 - 4/447, 4/401	6/PD/8	5-1/4	A	4500
43-1213	3	25-1/8	30-5/8	RB177b	RB178b	1/447, 7/423	8	5-1/2		
43-1211	3	25-1/8	30-5/8	RB177b	RB178b	1/527 - 1/447, 7/423	1/8	5-1/2	A	
43-1089	3	25-1/8	30-5/8	RB177b	RB178b	1/527 - 1/866, 1/447, 7/423	1/PD/8	5-1/4	A	4506
43-1329	3	25-1/2	30-1/4	RB245	RB244	2/360, 8/323	10	5-5/8		
43-1267	3	25-1/2	30-1/4	RB245	RB244	2/360, 8/323	10	6-1/8		
43-1265	3	25-1/2	30-1/4	RB245	RB244	1/423, 1/401, 9/341	11	5-1/16		
43-1327	3	25-1/2	30-1/4	RB245	RB244	1/423, 1/401, 9/341	11	5-1/16		
43-1183	3	25-11/16	30-15/16	RB237b	RB160b	1/590, 4/401	1/4PD	4-5/8	F	1131
43-1323	3	27	32	RNGb	HK-2	2/590, 3/540, 4/625	5/4	3-3/4		7880
43-1333	3	27	32	RNGb	HK-2	2/625, 3/590, 4/660	5/4	3		
43-1335	3	27	32	RNGb	HK-2	3/660, 2/558, 4/702	5/4	3		9450
43-1337	3	27	32	RNGb	HK-2	2/702, 3/590, 4/788	5/4	2-3/4		10350
43-257	3	28	28	PLG	PLG	10/447	10	5-1/4		5750
43-263	3	28	28	PLG	PLG	9/499, 2/447	11	4-7/8		7400
43-1243	3	29	30	HK-4	HK-4	4/662, 1/447, 1/499	4/2	7-1/8	F	6760
43-1237	3	29	30	HK-4	HK-4	4/662, 1/447, 1/499	4/2	7-1/8	F	6760
43-1245	3	29	30	HK-4	HK-4	4/720, 1/447, 1/499	4/2	7-1/8	F	8100
43-1235	3	29	30	HK-4	HK-4	4/720, 1/447, 1/499	4/2	7-1/8	F	8100
43-1181	3	29	30	HK-4	HK-4	5/720, 1/447, 1/499	5/2	7-1/8	F	10400
43-1239	3	29	30	HK-4	HK-4	4/788, 1/447, 1/499	4/2	6-3/4	F	8900
43-1247	3	29	30	HK-4	HK-4	4/788, 1/447, 1/499	4/2	6-3/4	F	8900
43-1241	3	29	30	HK-4	HK-4	4/788, 1/447, 1/499	4/2	7-1/4	F	9400
43-579	3	29-1/8	29-1/8	HK-3	HK-3	10/447, 1/360, 2/447	10/3	6-1/8		10500
43-583	3	29-1/8	29-1/8	HK-3	HK-3	6/558, 4/499, 1/360, 2/447	10/3	3		10500
43-349	3	29-5/8	29-5/8	HK-2	HK-2	5/360, 4/447, 1/360, 2/447	5/4/3	8-1/4		6500
43-737	3	29-5/8	29-5/8	HK-2	HK-2	5/360, 4/447, 1/360, 2/447	5/4/3	8-1/4		6750
43-1313	3	29-5/8	29-5/8	HK-2	HK-2	10/401, 1/447, 1/499	10/2	4-11/16		
43-1315	3	29-5/8	29-5/8	HK-2	HK-2	10/401, 1/447, 1/499	10/2	5-1/4		6750
43-411	3	29-5/8	29-5/8	HK-2	HK-2	6/401, 3/499, 1/360, 2/447	6/3/3	6-7/8		8000
43-739	3	29-5/8	29-5/8	HK-2	HK-2	6/401, 3/499, 1/360, 2/447	6/3/3	6-7/8		8100
43-979	3	29-5/8	29-5/8	HK-3	HK-3	7/401, 3/499, 1/360, 2/447	7/3/3	6-7/8		8900

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
43-413	3	29-5/8	29-5/8	HK-3	HK-3	7/401, 3/499, 1/360, 2/447	7/3/3	6-7/8		9000
43-741	3	29-5/8	29-5/8	HK-3	HK-3	7/401, 3/499, 1/360, 2/447	7/3/3	6-7/8		9300
43-415	3	29-5/8	29-5/8	HK-3	HK-3	8/401, 3/499, 1/360, 2/447	8/3/3	7		10300
43-743	3	29-5/8	29-5/8	HK-3	HK-3	8/401, 3/499, 1/360, 2/447	8/3/3	7		10400
43-981	3	29-5/8	29-5/8	HK-3	HK-3	4/423, 3/401, 3/499, 1/401, 2/447	7/3/3	6-7/8		9400
43-1013	3	29-5/8	29-5/8	HK-3	HK-3	4/499, 4/447, 3/401, 1/447, 1/499	10/3	5-9/16		10400
43-1003	3	29-5/8	29-5/8	HK-3	HK-3	4/499, 4/447, 3/401, 1/447, 1/499	10/3	5-9/16		10400
43-1165	3	29-3/4	29-3/4	HK-3	HK-3	14/423, 1/401, 1/447, 1/499	14/3	6-7/8		13000
43-1015	3	29-3/4	29-3/4	HK-3	HK-3	12/447, 1/360, 2/447	12/3	6-5/8		12610
43-377	3	29-3/4	29-3/4	HK-3	HK-3	12/447, 1/360, 2/447	12/3	6-7/8		13000
43-947	3	30	29	HK-4	HK-4	5/662, 1/447, 1/499	5/2	3-1/8	F	8100
43-955	3	30	29	HK-4	HK-4	5/662, 1/447, 1/499	5/2	3-1/8	F	8100
43-953	3	30	29	HK-4	HK-4	4/662, 1/447, 1/499	4/2	4-1/4	F	6750
43-951	3	30	29	HK-4	HK-4	4/662, 1/447, 1/499	4/2	4-1/4	F	6750
43-993	3	30	29	HK-4	HK-4	4/788, 1/447, 1/499	4/2	3-5/8		9050
43-995	3	30	29	HK-4	HK-4	4/788, 1/447, 1/499	4/2	3-5/8		9050
43-1083	3	30	29	HK-4	HK-4	4/788, 1/447, 1/499	4/2	3-5/8	F	9050
43-1319	3	32	31	HK-4	HK-4	4/887, 4/499	4/PD/3	5-1/8	F	
43-1171	3	32	31	HK-4	HK-4	4/938, 1/323, 3/499	4/PD/3	4-3/4	F	10400
43-1317	3	32	32	HK-2	HK-2	5/558, 5/499	7/3	5-3/4		
43-1179	3	32	32	HK-2	HK-2	5/590, 2/558, 3/499	7/3	5-3/4		10400
43-975	3	37-1/2	37-1/2	HK-2	HK-2	1/499, 9/558	8/2	7-7/8		8470
43-847	3	37-1/2	37-1/2	HK-2	HK-2	2/558, 8/499	8/2	8		6015
43-893	3	37-1/2	37-1/2	HK-2	HK-2	10/558	8/2	8		8470
43-1113	3	37-1/2	37-1/2	HK-2	HK-2	6/558, 3/499, 2/447	8/3	8-1/4		8470
43-843	3	37-1/2	37-1/2	HK-2	HK-2	2/558, 7/499	7/2	8-1/2		5630
43-973	3	37-1/2	37-1/2	HK-2	HK-2	8/558	6/2	8-13/16		6967
43-931	3	37-1/2	37-1/2	HK-2	HK-2	8/558	6/2	8-7/8		6975
43-1125	3	37-1/2	37-1/2	HK-2	HK-2	1/262, 3/558, 4/499, 2/447	PD/6/3	9-1/8		6020
43-977	3	37-1/2	37-1/2	HK-2	HK-2	2/341, 1/590, 6/558	2PD/5/2	8-7/8		6020
43-927	3	37-1/2	37-1/2	HK-2	HK-2	2/323, 1/625, 6/558	2PD/5/2	8-3/4		6250
43-1145	4	17	20-3/4	TPK	--	10/499, 2/360	12	1-1/2		15500
43-537	4	17-1/16	20-11/16	TPK	--	12/558, 1/323	13	2-1/2		25200
43-625	4	17-1/16	20-11/16	TPK	--	10/558, 2/499	10/2PD	2-3/4		16600
43-481	4	17-1/16	20-11/16	TPK	--	10/558	10	2-3/4		16600
43-653	4	17-1/16	20-11/16	TPK	--	10/558	10	3-1/4		15500
43-439	4	17-1/16	20-3/4	RNK	--	7/499, 5/447	12	2-1/2		15500
43-441	4	17-1/16	28-3/4	RNK	--	3/499, 10/447	12/PD	2-3/4		15500
43-663	4	17-1/16	28-3/4	TPK	--	7/449, 5/447	12	2-5/8		15500
43-651	4	17-1/8	20-1/2	TPK	--	3/499, 3/447, 3/401, 2/499	9/2PD	3-1/4		14000
43-665	4	17-1/8	28-1/2	TPK	--	1/558, 4/499, 8/447	13	2-1/4		17500
43-645	4	19	22-3/4	VRK	--	12/625	12	2-3/8		30000
43-1221	4	20	20	--	--	1/499	1	5-1/8		
43-913	4	20	20	--	--	1/499	1	5-1/8		
43-1169	4	32	32	RB181	RB182	3/702, 3/675	3/3PD	5-1/8	F	4620
43-911	4	32	32	RB181b	RB182b	3/323, 5/447	8	5-5/8		4380
43-909	4	32	32	RB181b	RB182b	1/499 - 3/323, 5/447	1/8	5-5/8	A	5580
43-905	4	32	32	RB181b	RB182b	6/401, 1/447, 1/401	8	6-3/4		4650
43-907	4	32	32	RB181b	RB182b	3/423, 5/447	8	3-1/4		4650
43-1123	4	32	32	RB181b	RB182b	1/423, 3/447, 3/423, 2/447	9	5-11/16		4650
43-1219	4	32	32	RB181b	RB182b	3/423, 5/447	8	5-5/8		
43-1217	4	32	32	RB181b	RB182b	1/499 - 3/423, 5/447	1/8	5-5/8	A	
43-1273	4	32	32	RB263	RB264	3/788	3	4-1/2		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
FWD - front										
44-180	3	24-1/8	24-1/8	NHG	NHG	7/499	7	3-5/8		5900
44-178	3	24-1/4	26-3/4	NJG	HK-2	9/499	9	3-7/8		
44-182	3	26-1/8	26-1/8	NJG	NJG	9/499	9	4-5/8		7000
44-176	3	26-1/8	26-1/8	NJG	NJG	11/499	11	4-3/4		
44-174	3-1/2	14-1/2	14-1/2	--	--	3/360, 3/401	6	2		
44-172	3-1/2	25	25	PLI	PLI	9/360, 7/401	16	4-9/16		
FWD - rear										
44-117	3	26	26	PLG	PLG	12/558	12	5		
Freightliner Trucks - front										
46-1248	3	27-15/16	31-1/8	RB212b	RB212b	2/662	2	4-15/16	F	2750
46-1242	3	27-15/16	31-1/8	RB212b	RB212b	2/788	2	4-9/16	F	4000
46-1244	3	27-15/16	31-1/8	RB212b	RB212b	2/788	2	4-15/16	F	3500
46-1252	3	27-15/16	31-1/8	RB212b	RB212b	2/887, 1/401, 1/590	2/SE/PD	4-5/8	F	4000
46-1454	3	27-15/16	31-1/8	RB256b	RB256b	2/887	2	3-7/8	F	4500
46-1418	3	27-31/32	31-1/8	RB256b	RB256b	2/788	2	4-3/8	F	4000
46-1450	3	28	31-1/8	RB256b	RB256b	4/401, 3/360, 1/262	7/PD	3-7/8		2525
46-1386	3	28	31-1/8	RB256b	RB256b	5/447, 2/401, 2/323	7/2PD	4		3750
46-1416	3	28	31-1/8	RB256b	RB256b	2/788	2	4-11/16	F	3500
46-1296	3	29	29	RB135	RB135	8/360	7/WG	4-1/4		2500
46-1384	3	29	29	RB135	RB135	8/380	7/WG	5-3/8		2800
46-1394	3	29	29	RB135	RB135	7/380	7/WG	4-3/8		2800
46-1388	3	29	29	RB135	RB135	7/401	7/WG	4-3/8		3300
46-1390	3	29	29	RB135	RB135	7/401	7	6-3/8		3300
46-1452	3	29	29	RB135b	RB135b	6/401	6	4-1/4		2625
46-1458	3	29	29	RB135b	RB135b	6/401	6	4-3/4		2625
46-1460	3	29	29	RB135b	RB135b	3/423, 3/401	6	4-3/4		3025
46-1392	3	29	29	RB135b	RB135b	1/447, 1/401, 1/447, 3/401	6	2-3/4		3300
46-1456	3	29	29	RB135b	RB135b	2/590	2	3-7/8	F	1920
46-126	3-1/2	24-3/4	24-3/4	1-5/8	1-5/8	1/401, 9/360	10	6-3/4		4750
46-124	3-1/2	24-3/4	24-3/4	TNI	TNI	1/401, 9/360	10	6-3/4		4750
46-852	3-1/2	25-3/4	28-5/8	TNI	TN	9/499	9	5-1/4		
46-164	3-1/2	25-15/16	28-3/8	TNI	TNI	10/499	10	4-7/8		8500
46-166	3-1/2	26-3/16	28-11/16	TB71	TB71	1/499, 4/750, 1/499	PD/4/PD	6-1/8	F	7350
46-160	3-1/2	26-3/16	28-11/16	TNI	TNI	6/401, 1/323	7	6-5/8		4000
46-162	3-1/2	26-3/16	28-11/16	TNI	TNI	9/499	9	5-3/8		7500
46-172	3-1/2	26-1/2	28-3/4	TB71	TB71	10/499	10	6-1/2		
46-158	4	25-5/8	29-1/4	RNK	RNK	2/558, 7/499	9	5-1/8		9100
46-168	4	25-5/8	29-1/4	TB73	TB73	3/558, 6/499	9	5-1/8		9100
46-170	4	25-5/8	29-1/4	TB73	TB73	2/558, 7/499	9	5-1/8		9100
46-1260	4	26	28-7/8	RNK	RNK	1/401, 3/750	PD/3	5-1/4	F	6500
46-1292	4	26	30	RB211	RB211	2/788	2	6-1/8	F	6000
46-1432	4	26	30	RB233	RB233	1/1.125, 1/812	2	5-1/16	F	6000
46-1434	4	26	30	RB263	RB233	2/788	2	6-1/8	F	6000
46-1396	4	26	30	RNK	RNK	8/527	7/PD	5		6300
46-1398	4	26	30	RNK	RNK	8/558	8	4-3/4		9100
46-1400	4	26	30	RNK	RNK	4/590, 4/558	8	5		
46-1426	4	26	30	RNK	RNK	3/702	3	5-1/2	F	7000
46-1304	4	26	30	RNK	RNK	3/788	3	5-1/4	F	
46-1404	4	26	30	RNK	RNK	3/788	3	5-5/16	F	
46-1430	4	26	30	RNK	RNK	2/812	2	6-1/8	F	
46-1422	4	26	30	RNK	RNK	3/827	3	5-1/2	F	10000

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
46-1446	4	26	30	RNK	RNK	3/917	3	5-1/16	F	
46-1408	4	26	30	TB73	TB73	8/527	7/PD	5		6300
46-1412	4	26	30	TB73	TB73	8/558	8	4-3/4		
46-1414	4	26	30	TB73	TB73	4/590, 4/558	8	5		
46-1428	4	26	30	TB73	TB73	3/702	3	5-1/2	F	7000
46-1440	4	26	30	TB73	TB73	2/812	2	5-13/16	F	
46-1424	4	26	30	TB73	TB73	3/827	3	5-1/2	F	10000
46-136	4	26-1/16	28-11/16	RNK	RNK	8/447	8	5-1/4		6500
46-1338	4	26-1/16	28-11/16	RNK	RNK	8/447	8	5-1/4		6500
46-1342	4	26-1/16	28-11/16	RNK	RNK	2/527, 6/499, 2/401	10	4-13/16		9100
46-1238	4	26-1/16	28-11/16	RNK	RNK	2/527, 6/499, 2/401	10	4-13/16		9100
46-1308	4	26-1/16	28-11/16	RNK	RNK	2/558, 6/527, 2/423	10	4-3/8		10000
46-1236	4	26-1/16	28-11/16	RNK	RNK	2/558, 6/527, 2/423	10	4-3/8		10100
46-1372	4	26-1/16	28-11/16	RNK	RNK	2/558, 6/527, 2/423	10	4-3/8		10100
46-146	4	26-1/16	28-11/16	TB73	TB73	8/447	8	5-1/4		6500
46-1362	4	26-1/16	28-11/16	TB73	TB73	2/558, 6/527, 2/423	10	4-3/8		10100
46-1382	4	26-1/16	28-11/16	TB73	TB73	2/558, 6/527, 2/423	10	4-17/32		
46-1310	4	26-1/16	28-23/32	RNK	RNK	2/527, 6/499, 2/401	10	4-13/16		9100
46-1288	4	26-1/16	28-23/32	TB73	TB73	2/527, 6/499, 2/401	10	4-13/16		9100
46-1312	4	26-1/16	28-23/32	TB73	TB73	2/527, 6/499, 2/401	10	4-13/16		9100
46-1420	4	26-1/16	30-1/4	RNK	1-1/2	8/473	8	5-15/16		
46-178	4	26-1/8	28-11/16	RNK	RNK	6/499, 4/447	10	4-3/4		8500
46-1314	4	26-1/8	28-11/16	RNK	RNK	6/499, 4/447	10	4-3/4		8500
46-1370	4	26-1/8	28-11/16	RNK	RNK	6/499, 4/447	10	4-3/4		8500
46-1350	4	26-1/8	28-11/16	RNK	RNK	3/499, 6/447	9	5-1/4		7500
46-176	4	26-1/8	28-11/16	RNK	RNK	3/499, 6/447	9	5-1/4		7500
46-1368	4	26-1/8	28-11/16	RNK	RNK	3/499, 6/447	9	5-1/4		7500
46-1306	4	26-1/8	28-11/16	TB73	TB73	6/499, 4/447	10	4-3/4		8500
46-1272	4	26-1/8	28-11/16	TB73	TB73	6/499, 4/447	10	4-3/4		8500
46-1270	4	26-1/8	28-11/16	TB73	TB73	3/499, 6/447	9	5-1/4		7500
46-1356	4	26-1/8	28-11/16	TB73	TB73	3/499, 6/447	9	5-1/4		7500
46-1376	4	26-1/8	28-3/4	PB18	PB18	1/323, 4/788	PD/4	5-1/8	F	7000
46-1294	4	26-1/8	28-3/4	PB18	PB18	1/323, 4/788	PD/4	5-1/8	F	7000
46-1374	4	26-1/8	28-3/4	TB73	TB73	1/323, 4/788	PD/4	5-1/8	F	7000
46-1330	4	26-1/8	28-3/4	TB73	TB73	1/323, 4/788	PD/4	5-1/8	F	7000
46-1332	4	26-1/8	28-3/4	TB73	TB73	1/323, 4/788	PD/4	5-1/8	F	7000
46-1328	4	26-1/8	28-3/4	TB73	TB73	1/323, 4/788	PD/4	5-1/8	F	7000
46-220	4	26-1/8	28-7/8	RNK	RNK	1/323, 3/662	PD/3	7-1/2	F	5500
46-1336	4	26-1/8	29	RNK	RNK	2/558, 2/788, 1/323	2PD/2/PD	6-5/16	F	
46-1280	4	26-1/8	29	RNK	RNK	2/558, 2/788, 1/323	2PD/2/PD	6-5/16	F	
46-1256	4	26-1/8	29	TB73	TB73	1/401, 3/625	PD/3	7-7/16	F	
46-1322	4	26-1/8	29	TB73	TB73	1/401, 3/625	PD/3	7-7/16	F	
46-1352	4	26-1/8	29	TB73	TB73	1/401, 3/625	PD/3	7-7/16	F	
46-1282	4	26-1/8	29	TB73	TB73	2/558, 2/788, 1/323	2PD/2/PD	6-5/16	F	
46-1326	4	26-1/8	29	TB73	TB73	2/558, 2/788, 1/323	2PD/2/PD	6-5/16	F	
46-1366	4	26-1/8	29	TB73	TB73	2/558, 2/788, 1/323	2PD/2/PD	6-5/16	F	
46-1302	4	26-1/8	30	RB233	RB233	2/788	2	5-7/8	F	
46-1318	4	26-1/8	30-1/8	RNK	RNK	4/558, 4/527	8	5-1/8		
46-1410	4	26-1/8	30-1/8	TB73	TB73	4/558, 4/527	8	5-1/8		
46-148	4	26-3/16	28-11/16	TB73	TB73	1/625, 7/499	PD/7	5-7/8		7500
46-150	4	26-3/16	28-11/16	TB73	TB73	1/625, 8/499	PD/8	5-7/8		8500
46-224	4	26-3/16	28-13/16	1-1/2	1-1/2	9/401	9	5-5/8		5500
46-154	4	26-3/16	28-13/16	1-1/2	1-1/2	9/401	9	5-5/8		5500
46-222	4	26-3/16	28-13/16	1-1/2	1-1/2	1/401, 8/360	9	6-1/4		4500
46-152	4	26-3/16	28-13/16	1-1/2	1-1/2	1/401, 8/360	9	6-1/4		4500
46-1402	4	26-3/16	28-13/16	RNK	RNK	9/401	9	5-3/8		5500
46-156	4	26-3/16	28-13/16	RNK	RNK	9/401	9	5-5/8		5500
46-130	4	26-3/16	28-13/16	RNK	RNK	9/401	9	5-5/8		5500

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
46-128	4	26-3/16	28-13/16	RNK	RNK	1/401, 8/360	9	6-1/4		4500
46-1358	4	26-3/16	28-13/16	RNK	RNK	1/625, 7/499	PD/7	5-7/8		7500
46-138	4	26-3/16	28-13/16	RNK	RNK	1/625, 7/499	PD/7	5-7/8		7500
46-140	4	26-3/16	28-13/16	RNK	RNK	1/625, 8/499	PD/8	5-7/8		8500
46-144	4	26-3/16	28-13/16	TB73	TB73	9/401	9	5-5/8		5500
46-142	4	26-3/16	28-13/16	TB73	TB73	1/401, 8/360	9	6-1/4		4500
46-1360	4	26-3/16	28-13/16	TB73	TB73	1/625, 7/499	PD/7	5-7/8		7500
46-118	4	26-3/16	28-13/16	TNK	TNK	1/625, 4/590	PD/4	6-3/8	F	6000
46-116	4	26-3/16	28-13/16	TNK	TNK	1/625, 3/590	PD/3	7	F	4500
46-1346	4	26-3/16	28-7/8	RNK	RNK	1/323, 3/662	PD/3	7-1/2	F	5500
46-1364	4	26-3/16	28-7/8	RNK	RNK	1/323, 3/662	PD/3	7-1/2	F	5500
46-216	4	26-1/4	27-1/4	RNK	RNK	3/650	3	5-1/4	F	5000
46-1286	4	26-1/4	27-1/4	RNK	RNK	3/660	3	5-1/4	F	
46-218	4	26-1/4	27-1/4	RNK	RNK	3/669	3	5-1/8	F	5400
46-104	4	26-1/4	27-1/4	RNK	RNKb	4/545	4	4-7/8	F	5000
46-132	4	26-1/4	27-1/4	RNK	RNKb	4/588	4	4-5/8	F	5000
46-102	4	26-1/4	27-1/4	RNK	RNKb	4/588	4	4-5/8	F	5400
46-134	4	26-1/4	27-1/4	RNK	RNKb	4/558	4	4-3/4	F	5400
46-1380	4	26-1/4	28-3/4	RB233	RB233	2/401, 2/788, 1/323	2PD/2/PD	5-3/8	F	
46-1406	4	26-1/4	28-3/4	RB233	RB233	2/401, 2/788, 1/323	2PD/2/PD	5-3/8	F	
46-1436	4	26-1/4	28-3/4	RB263	RB233	2/401, 2/788, 1/323	2PD/2/PD	5-1/2	F	6000
46-1442	4	26-1/4	28-3/4	RNK	RNK	2/558, 2/788, 1/341	2PD/2/PD	6-3/16	F	
46-1258	4	26-1/4	28-3/4	TB73	TB73	1/323, 3/702	PD/3	6-3/4	F	7000
46-1354	4	26-1/4	28-3/4	TB73	TB73	1/323, 3/702	PD/3	6-3/4	F	7000
46-1324	4	26-1/4	28-3/4	TB73	TB73	1/323, 3/702	PD/3	6-3/4	F	7000
46-1344	4	26-1/4	28-7/8	RNK	RNK	1/325, 3/662	PD/3	6-1/8	F	5500
46-122	4	26-1/4	28-7/8	RNK	RNK	1/625, 3/662	PD/3	6-1/8	F	5500
46-1316	4	26-1/4	28-7/8	RNK	RNK	1/323, 3/702	PD/3	6-13/16	F	6500
46-1278	4	26-1/4	28-7/8	RNK	RNK	1/323, 3/702	PD/3	6-13/16	F	6500
46-1340	4	26-1/4	28-7/8	RNK	RNK	1/323, 3/702	PD/3	6-13/16	F	6500
46-1254	4	26-1/4	28-7/8	TB73	TB73	1/625, 3/662	PD/3	6-1/8	F	5500
46-1234	4	26-1/4	29	RNK	RNK	1/323, 4/750	PD/4	6-7/16	F	
46-1334	4	26-1/4	29	RNK	RNK	1/323, 4/750	PD/4	7-7/16	F	
46-1276	4	26-5/16	28-3/4	TB73	TB73	1/401, 3/750	PD/3	5-3/8	F	
46-120	4	26-5/16	28-15/16	RNK	RNK	4/625	PD/3	6-3/4	F	4500
46-1274	4	26-5/16	29	TB73	TB73	2/323, 3/625	2PD/3	6-1/2	F	5000
46-106	4	26-3/8	26-3/8	TNI	TNI	1/323, 3/592	PD/3	5-3/4	F	4500
46-108	4	26-3/8	26-3/8	TNI	TNI	1/323, 3/645	PD/3	5-3/8	F	5500
46-110	4	26-3/8	26-3/8	TNI	TNI	1/323, 3/702	PD/3	5-1/8	F	6500
46-112	4	26-3/8	26-3/8	TNI	TNI	1/323, 3/750	PD/3	4-7/8	F	7500
46-114	4	26-3/8	26-3/8	TNI	TNI	1/323, 3/810	PD/3	4-1/2	F	8500
46-212	4	27	31-5/16	PLK	PLK	4/625	4	4-3/4	F	6600
46-208	4	27	31-5/16	PLK	PLK	3/625	3	5	F	4850
46-210	4	27	31-5/16	PLK	PLK	3/662	3	5	F	5400
46-1284	4	27	31-5/16	PLK	PLK	3/788	3	3-1/2	F	
46-228	4	27	31-5/16	PLK	PLK	3/999	3	3-3/8	F	10200
46-194	4	27	31-5/16	PLKb	PLKb	1/123, 10/380	PD/10	4-3/4		4850
46-180	4	27	31-5/16	PLKb	PLKb	1/123, 11/380	PD/11	6-1/8		5400
46-198	4	27	31-5/16	PLKb	PLKb	1/123, 9/447	PD/9	5-1/2		6600
46-1290	4	27-3/16	31-5/16	PLK	PLK	3/887	3	3-1/2	F	
46-1246	4	27-15/16	33-1/16	RB211b	RB211b	2/815	2	4-3/4	F	5400
46-1240	4	27-15/16	33-1/16	RB211b	RB211b	2/887	2	4-11/16	F	4900
46-1250	4	27-15/16	33-1/16	RNKb	RNKb	8/527	8	2-15/16		7200
46-1300	4	28	33	PB18b	PB18b	8/536	7	3-1/16		7000
46-1444	4	28	33	RNK	RNK	2/827	2	4-11/16	F	
46-1438	4	28	33	RNKb	RNKb	3/812	3	2-5/8	F	
46-206	4	31-5/16	38	1-3/8b	1-3/8b	1/123, 8/499	PD/8	4-3/8		5400
46-204	4	31-5/16	38	PLK	PLK	1/123, 3/836	PD/3	4-3/4	F	6600

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
46-202	4	31-5/16	38	PLK	PLK	1/123, 2/887, 1/499	PD/2/PD	4-3/4	F	4850
46-174	4	31-5/16	38	PLK	PLK	1/123, 2/887, 1/449	PD/2/PD	4-3/4	F	5400
46-196	4	31-5/16	38	PLKb	PLKb	1/123, 8/499	PD/8	4-3/8		5400
46-192	4	31-5/16	38	PLKb	PLKb	1/123, 2/558, 7/662	PD/9	4-1/8		10200
46-200	4	31-5/16	38	PLKb	PLKb	1/123, 2/558, 6/662	PD/8	4-7/8		9200
46-190	4	31-5/16	38	PLKb	PLKb	1/123, 2/558, 6/662	PD/8	4-7/8		9200
46-188	4	31-5/16	38	PLKb	PLKb	1/123, 2/558, 5/662	PD/7	5-1/8		8200
46-186	4	31-5/16	38	PLKb	PLKb	1/123, 2/558, 5/590	PD/7	5-3/8		7200
46-182	4	31-5/16	38	PLKb	PLKb	1/123, 7/558, 1/380	PD/7/PD	5-5/8		6600
46-184	4	31-5/16	38	PLKb	PLKb	1/123, 7/558	PD/7	5-5/8		6600
46-1262	4	31-5/16	38	TB73b	TB73b	2/558, 5/590	7	4-5/16		7200
46-1268	4	31-5/16	38	TB73b	TB73b	2/558, 5/590	7	5		7200
46-230	4	31-5/16	38	TB73b	TB73b	1/123, 2/558, 6/662	PD/8	5		9200
46-214	4	31-5/16	38	TB73b	TB73b	1/123, 7/558	PD/7	5-5/8		6600
46-232	4	31-15/16	31-15/16	RNK	RNK	9/447, 2/360	11	9-1/8		6000
46-1298	4	32	32	RNK	RNK	10/499	10	8-13/16		6500
46-226	4	38	31-5/16	PLKb	PLKb	1/123, 8/662, 2/527	PD/10	3-9/16		11200

Freightliner Trucks - rear

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
46-1185	3	19-1/4	19-1/4	--	--	1/750	1	1-7/16	F	4600
46-1197	3	19-1/4	19-1/4	--	--	1/812	1	2-3/4	F	4615
46-161	3	20	20	--	--	1/662, 1/472	1/PD	4		
46-1217	3	20	25-3/4	--	RB205	2/1.625	2	2-5/16	F	
46-163	3	22-3/16	25-11/16	HK-3	--	3/944, 1/699	3/PD	3-7/8		7800
46-165	3	22-3/16	25-11/16	HK-3	--	3/984, 1/1.102	3/PD	3-1/4		8800
46-103	3	21-3/4	25-1/4	HK-2	HK-2	7/558	7	3-5/8		8800
46-101	3	21-3/4	25-1/4	HK-2	HK-2	6/588	6	4-1/4		7800
46-175	3	22	25-1/2	HK-2	--	3/558, 5/499	8	3-5/8		8800
46-167	3	22	25-1/2	HK-2	--	3/558, 4/499	7	4-1/8		7800
46-125	3	22	25-1/2	HK-2	HK-2	4/558, 4/499	8	3-3/4		8800
46-123	3	22	25-1/2	HK-2	HK-2	3/558, 4/499	7	4-3/8		7800
46-1237	3	28	28	RB135	RB135	8/447	8	4-1/4		5360
46-1241	3	28	28	RB135	RB135	9/447	9	4-3/8		5525
46-1231	3	28	28	RB135	RB135	1/447, 6/423	7	5-5/8		4000
46-1239	3	28	28	RB135	RB135	8/447	8	6		5360
46-1243	3	28	28	RB135	RB135	9/447	9	6		5525
46-1225	3	28	28	RB135	RB135	8/447	8	6-1/4		5360
46-1227	3	28	28	RB135	RB135	9/447	9	6-3/8		5525
46-1233	3	28	28	RB135	RB135	1/447, 6/423	7	7-1/4		4000
46-1249	3	28	28	RB135	RB135	9/447	9	7-3/8		6250
46-1235	3	28	28	RB135	RB135	1/447, 6/423	7	7-5/8		4000
46-1229	3	28	28	RB135	RB135	7/473	7	5-3/8		5410
46-1251	3	28	28	RB135b	RB135b	2/447, 6/423	8	5-7/8		4000
46-1273	3	28	28	RB135b	RB135b	7/447	7	6-1/2		3500
46-1285	3	28	28	RB135b	RB135b	6/473	6	2-3/4		3876
46-1283	3	28	28	RB135b	RB135b	3/473, 3/447	6	3-5/8		3480
46-1277	3	28	28	RB135b	RB135b	1/473, 6/447	7	4		3950
46-1279	3	28	28	RB135b	RB135b	7/473	7	4		4350
46-1281	3	28	28	RB135b	RB135b	7/499	7	4		5350
46-1275	3	28	28	RB135b	RB135b	2/702	2	6-1/4	F	2600
46-1215	3	29-1/2	29-1/2	--	--	2/999, 2/499, 4/360, 1/447, 1/360	2/5PD/3	3-7/8	F	
46-1189	3	29-1/2	29-1/2	HK-2	--	8/590, 2/473, 1/360, 1/447, 1/360	10/3	3		10150
46-1187	3	29-1/2	29-1/2	HK-2	--	7/590, 2/447, 2/360, 1/447	9/2PD/1	3-3/16		8850
46-1193	3	29-1/2	29-1/2	HK-2	--	6/590, 6/447	8/3PD/1	3-1/4		7700
46-1267	3	29-1/2	29-1/2	HK-3	HK-3	3/887, 2/499, 1/447, 1/360, 1/447, 1/360	3/3PD/3	3-15/15	F	6650

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
46-1265	3	29-1/2	29-1/2	HK-3	HK-3	3/887, 2/499, 4/447, 1/360, 1/447, 1/360	3/6PD/3	3-15/16	F	6650
46-1269	3	29-1/2	29-1/2	HK-3	HK-3	3/999, 1/499, 3/447, 1/360, 1/447, 1/360	3/4PD/3	3-1/2	F	7700
46-1219	3	29-1/2	29-1/2	HK-4	--	4/887, 1/447, 3/360, 1/447, 1/360	4/3PD/3	3-1/2	F	
46-1205	3	29-1/2	29-1/2	LE-3r	--	3/887, 5/558, 1/360, 1/447, 1/360	3/5PD/3	4-1/4	F	
46-1203	3	29-1/2	29-1/2	LE-3r	--	3/887, 3/447, 1/360,1/447, 1/360	3/3PD/3	4-1/4	F	
46-1207	3	29-5/8	29-5/8	HK-4	--	4/999, 3/447, 1/360, 1/447, 1/360	4/3PD/3	3-7/8	F	
46-1271	3	30	30	HK-2	--	3/360, 4/323, 3/401, 3/360, 1/401, 1/360	12/3	6-3/8		4100
46-1247	3	30	30	HK-2	--	2/401, 5/360, 3/447, 2/360, 1/447, 1/360	7/4/3	6-1/2		6650
46-1245	3	30	30	HK-2	--	7/401, 4/447, 1/360, 1/447, 1/360	7/4/3	6-3/4		7700
46-159	3	30-5/16	30-5/16	--	--	7/702	7	2-7/8		6090
46-157	3	30-5/16	30-5/16	--	--	1/662, 1/472 - 7/702	1/PD/7	2-7/8	A	10300
46-169	3	30-5/16	30-5/16	--	--	7/702	7	3-1/8		8800
46-1209	3	30-5/16	30-5/16	--	--	6/702, 1/360	6/PD	3-1/8		8800
46-171	3	30-5/16	30-5/16	--	--	7/702	7	3-1/8		10150
46-127	3	30-5/16	30-5/16	HK-2	HK-2	7/702	6/PD	3-1/4		8800
46-129	3	30-5/16	30-5/16	HK-2	HK-2	7/702	7	3-3/8		10150
46-119	4	4	17-7/8	--	1-3/4b	1/499	1	-1-7/8		
46-121	4	4	19-3/4	--	1-3/4b	1/499	1	-1-7/8		
46-933	4	6	23	HK-4	HK-1-3	4/625	4	SS		
46-105	4	16-3/16	21-5/8	--	HK-3	1/999, 1/788, 1/625	2/1	SS		
46-143	4	16-3/4	20-1/2	HK-1	HK-2	6/558	5/1	SS		
46-153	4	17	20-1/2	HK-1	HK-1-2	2/999, 1/499	2/1	SS	F	
46-107	4	17	20-1/2	HK-1	HK-2	2/999, 1/499	2/1	SS	AS	
46-951	4	17	20-9/16	HK-1	HK-3	7/499	6/1	SS		
46-155	4	17	20-5/8	HK-1	HK-1-2	2/999, 1/499	2/1	SS	F	
46-151	4	17	20-5/8	HK-1	HK-1-2	2/999, 1/499	2/1	SS	F	
46-1191	4	17	20-5/8	HK-1-2	HK-2	2/999	2	SS	AS	
46-113	4	21-3/4	24-5/8	HK-3	--	3/702, 1/1.000	3/PD	2-3/4	F	7500
46-115	4	21-3/4	24-5/8	HK-3	--	3/750, 1/1.000	3/PD	2-3/4	F	8500
46-117	4	21-3/4	24-5/8	HK-3	--	3/788, 1/1.000	3/PD	2-3/4	F	9500
46-957	4	22-9/16	24-11/16	HK-1	--	7/558	7	2-1/2		10000
46-141	4	22-11/16	24-5/8	HK-1	--	8/499	8	1-3/8		8500
46-149	4	22-11/16	24-5/8	HK-1	--	6/499	6	2-1/2		7500
46-901	4	22-11/16	24-5/8	HK-1	--	6/499, 2/500 Alum	6/2PD	3		6350
46-109	4	22-11/16	24-5/8	HK-1	--	7/499	7	3		7575
46-177	4	22-11/16	24-5/8	HK-1	--	7/499, 1/500 Alum	7/PD	3		7575
46-897	4	22-11/16	24-5/8	HK-1	--	7/499, 1/500 Alum	7/PD	3		7575
46-179	4	22-11/16	24-5/8	HK-1	--	8/499	8	3		8500
46-909	4	22-11/16	24-5/8	HK-1	--	8/499	8	3		8500
46-183	4	22-11/16	24-5/8	HK-1	--	7/499	7	3-1/8		7500
46-147	4	22-11/16	24-5/8	HK-1	--	6/499	6	3-1/8		7500
46-131	4	22-11/16	24-5/8	HK-1	--	6/499	6	3-1/8		7500
46-181	4	22-11/16	24-5/8	HK-1	--	7/558	7	3-1/8		10000
46-947	4	25	22	--	HK-1	1/1.127	1	4-5/8	F	8000
46-139	4	25-1/8	25-1/8	--	--	9/401	9	3-3/8		7000
46-145	4	25-1/8	25-1/8	--	--	9/447	9	1-3/8		8900
46-135	4	25-1/8	25-1/8	--	--	9/447, 1/401	10	2-3/8		8900
46-111	4	25-1/8	25-1/8	--	--	8/558	7/PD	-1/2		10000
46-133	4	25-1/8	25-1/8	--	--	7/558	7	1-1/4		10000

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
46-137	4	25-3/16	25-3/16	--	--	8/499	8	2-3/8		
46-1199	76.2	650	160	RB205	--	1/41.3, 1/35	2	SS	AS	
46-1211	76.2	650	160	RB205	--	1/41.3, 1/35	2	SS	F	
46-1201	76.2	650	160	RB205	--	1/41.3, 1/35	2	SS	F	
46-1213	76.2	650	160	RB205	--	1/41.3, 1/35	2	SS	F	
46-1253	76.2	650	160	RB234	--	1/41.3, 1/35	2	SS	AS	

GMC Trucks - front

48-606	4	23-3/4	32-1/4	RB73	UQG	2/499, 6/447	8	5-1/4		6300
48-546	4	23-3/4	32-1/4	UQG	UQG	2/447, 6/401	8	5-7/8		5400

GMC Trucks - rear

48-921	3	19-1/2	19-1/2	--	--	1/702	1	3		2250
48-943	3	22-5/16	24-5/8	HK-1	HO-1	1/999, 2/1.516, 1/499	PD/2/1	12-1/8		
48-947	3	29-5/8	29-5/8	HK-3	HK-3	10/401, 4/499, 1/360, 2/447	10/4/3	7-3/4		13000
48-951	5	15-1/2	24-1/4	HO-1	RB232	1/1.750	1	--	AS	

Hendrickson Suspensions - front

50-132	3-1/2	15	15	--	--	2/401, 5/360	7	2-1/4		
50-130	3-1/2	20-7/8	20-7/8	NJI	NJI	8/447, 2/401	10	4-3/8		3800
50-128	3-1/2	20-7/8	20-7/8	NJI	NJI	2/401, 5/360 - 8/447, 2/401	7/10	4-3/8	A	
50-102	3-1/2	24	24	NJI	NJI	11/360	11	4-1/4		
50-126	3-1/2	24	24	NJI	NJI	11/447	11	3-1/16		6500
50-112	3-1/2	24	24	NJI	NJI	12/447	12	3-3/8		7310
50-116	3-1/2	24	24	NJI	NJI	13/447	13	4-1/4		
50-110	3-1/2	25-3/4	25-3/4	NJI	NJI	7/360, 5/323	12	5-1/2		
50-134	3-1/2	26	26	NJI	NJI	11/360	11	6-3/4		5500
50-122	3-1/2	26-1/4	26-1/4	NJI	NJI	10/499	9/SE	4-1/4		
50-124	3-1/2	26-1/4	26-1/4	NJI	NJI	9/558	8/SE	4-3/16		
50-136	3-1/2	26-1/4	26-1/4	NJI	NJI	1/262, 4/715	PD/4	6-15/32		5450
50-118	3-1/2	26-3/8	26-3/8	NJI	NJI	7/360, 5/323	12	6-1/2		
50-120	4	23-7/8	23-7/8	NJK	NJK	3/660, 2 /558	3/2PD	5-3/4	F	5400

Hendrickson Suspensions - rear

50-361	3	SS	SS	--	--	1/1.625	1	SS	AS	
50-385	3	SS	SS	--	--	1/1.750	1	SS	AS	
50-365	3	SS	SS	--	--	1/1.875	1	SS	AS	
50-367	3	SS	SS	--	--	1/1.875	1	SS	AS	
50-387	3	SS	SS	--	--	1/1.875	1	SS	AS	
50-389	3	SS	SS	--	--	1/2.000	1	SS	AS	
50-363	3	SS	SS	--	--	1/2.375	1	SS	AS	
50-329	3	SS	SS	--	--	1/360, 1/2.375	PD/1	SS	AS	
50-323	3	SS	SS	HK-1	HO-1	1/1.625	1	--	AS	
50-325	3	SS	SS	HK-1	HO-1	1/1.875	1	--	AS	
50-143	3	15-3/8	17-3/8	PLG	--	1/447, 11/401	12	3		8850
50-129	3	15	17-1/4	PLG	--	8/447, 2/401	10	1-7/8		8400
50-117	3	15	17-1/4	PLG	--	9/447, 3/401	12	1-7/8		9970
50-119	3	15	17-1/4	PLG	--	4/499, 5/447, 3/360	12	1-7/8		10784
50-147	3	15-1/4	17-1/2	PLG	--	1/447, 10/401	11	3-1/8		8400
50-331	3	18-5/8	24-1/4	RB167	HK-1	1/360, 7/558	PD/7	3-7/16		
50-401	3	18-5/8	24-1/4	RB167	HK-1	7/558	PD/7	3-7/16		40000
50-399	3	18-29/32	24-3/16	RB167	HK-1	8/499	PD/8	2-7/8		7242
50-315	3	18-15/16	24-3/16	RB167	HK-1	1/360, 8/499	PD/8	2-7/8		7242
50-317	3	19	24-1/4	RB167	HK-1	1/360, 8/558	PD/8	2-7/8		8500

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
50-357	3	22-1/4	24-1/4	HK-1	HK-1	7/499	7	2-3/16		
50-359	3	22-1/4	24-1/4	HK-1	HK-1	4/558, 3/499	7	1-7/8		
50-417	3	29-5/8	29-5/8	HK-2	HK-2	13/447, 1/401, 3/447	13/PD/3	7-1/16		10300
50-253	4	15	20-1/2	RNK	--	7/499, 5/447	12	2-1/2		
50-287	4	15	20-3/4	TPK	--	2/558, 5/499, 2/788	7/2PD	2-1/2		
50-369	4	16-15/16	28-3/4	TPK	--	1/558, 7/540, 2/625	8/2PD	2-9/16		
50-355	4	16-15/16	28-3/4	TPK	--	1/558, 7/527, 2/625	8/2PD	2-9/16		
50-195	4	17	19-3/4	RNK	HK-2	2/447, 4/401, 9/360	15	3-3/8		13000
50-191	4	17	19-3/4	RNK	HK-2	8/499, 4/447	12	3-1/8		15470
50-301	4	17	20-3/8	TPK	HK-1	13/558	13	2-13/16		25000
50-407	4	17	20-1/2	TPK	--	12/558	12	2-3/4		
50-321	4	17	20-1/2	TPK	HK-1	13/558	13	2-3/4		25000
50-347	4	17	20-1/2	TPK	HK-1	1/662, 1/587, 9/625	8/3PD	2-13/16		
50-193	4	17	20-3/4	RNK	--	4/401, 10/360	14	3		11040
50-131	4	17	20-3/4	RNK	--	9/447, 3/401	12	1-3/4		11040
50-139	4	17	20-3/4	RNK	--	9/447, 2/499. 1/447	9/3PD	2		11300
50-257	4	17	20-3/4	RNK	--	1/447, 10/401	11	2-3/8		12950
50-199	4	17	20-3/4	RNK	--	9/447, 3/401	12	2-3/8		15087
50-377	4	17	20-3/4	RNK	--	9/447, 3/401	12	2-7/16		
50-205	4	17	20-3/4	RNK	--	9/447, 3/401	12	3-1/8		15087
50-217	4	17	20-3/4	RNK	--	9/447, 3/401	12	4-1/2		12000
50-165	4	17	20-3/4	RNK	--	9/447, 3/401	12	4-1/2		12000
50-133	4	17	20-3/4	RNK	--	10/499, 2/360	12	1-1/2		15470
50-149	4	17	20-3/4	RNK	--	9/499, 5/447	14	1-5/8		18948
50-181	4	17	20-3/4	RNK	--	2/499, 10/447	12	2		14300
50-207	4	17	20-3/4	RNK	--	8/499, 4/447	12	2-1/2		15087
50-189	4	17	20-3/4	RNK	--	8/499, 4/447	12	3-1/4		15470
50-135	4	17	20-3/4	RNK	--	10/499, 2/360	12	3-9/16		15470
50-201	4	17	20-3/4	RNK	--	8/499, 4/447	12	3-7/8		15470
50-247	4	17	20-3/4	RNK	--	1/499, 8/447, 3/401	12	4-3/8		12000
50-137	4	17	20-3/4	RPK	--	10/499, 2/360	12	3-7/16		15500
50-197	4	17	20-3/4	TPK	--	10/499, 2/360	12	1-1/2		15500
50-327	4	17	20-3/4	TPK	--	2/499, 7/447, 3/401	12	2-1/16		15500
50-379	4	17	20-3/4	TPK	--	1/558, 6/499, 5/447	12	2-1/4		17000
50-371	4	17	20-3/4	TPK	--	4/558, 6/536	8/2PD	3-3/8		34000
50-241	4	17	20-3/4	TPK	--	1/558, 6/499, 5/447	12	3-3/4		17000
50-151	4	17	20-3/4	VRK	--	2/558, 6/499, 5/447, 1/401	13/PD	1-1/2		18948
50-225	4	17	20-7/8	TPK	--	1/499, 2/558, 6/788	PD/8	2-1/8		
50-333	4	17	21	RNK	--	2/499, 4/447, 4/401, 3/447	10/3PD	2-1/4		12250
50-335	4	17	21	RNK	--	2/499, 4/447, 4/401, 4/447	10/4PD	2-1/4		12250
50-211	4	17	21	TPK	--	3/499, 6/788	PD/8	1-3/4		
50-221	4	17	21	VRK	--	8/499, 4/447	12	3-1/4		15100
50-125	4	17	21	VRK	--	10/625	10	0		24000
50-227	4	17	21	VRK	--	10/625	10	1		
50-121	4	17	21	VRK	HK-2	12/499	12	0		
50-409	4	17	21-3/8	TPK	HK-1	1/527, 3/499, 8/447, 3/558	12/3PD	3-9/16		
50-127	4	17	23	RNK	--	12/447	12	2-1/2		19900
50-167	4	17	28-1/4	RNK	--	1/499, 1/447, 3/499, 7/447	12	2-1/8		15500
50-179	4	17	28-1/2	TPK	--	12/499, 1/262	12/PD	2-3/8		
50-229	4	17	28-1/2	TPK	--	1/558, 1/447, 4/499, 7/447, 3/401	13/3PD	1-1/2		
50-299	4	17	28-1/2	TPK	--	12/558	12	2-1/8		20000
50-343	4	17	28-1/2	TPK	--	1/662, 8/625, 2/447	9/2PD	1-13/16		
50-411	4	17	28-1/2	TPK	--	1/702, 1/590, 8/662	10	2-5/16		
50-177	4	17	28-3/4	TPK	--	3/499, 9/447, 1/323	12/PD	3		15500
50-231	4	17	29	RNK	--	9/447, 3/401	12	2-1/8		11000
50-337	4	17	29	TPK	--	6/499, 4/447, 1/499, 1/447	10/2PD	2-7/8		
50-163	4	17	31	RNK	--	7/499, 5/447	12	3-1/2		15500

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
50-111	4	17	31	TPK	--	7/499, 5/447	12	3-1/2		
50-259	4	17-1/16	20-1/2	RNK	--	9/447, 1/499, 1/447	9/2PD	3-1/4		
50-203	4	17-1/16	20-11/16	RNK	--	11/499	11	1-1/2		15500
50-153	4	17-1/16	20-11/16	RNK	--	11/499	11	2-3/8		14850
50-159	4	17-1/16	20-11/16	RNK	--	10/499	10	2-3/8		15000
50-237	4	17-1/16	20-11/16	RNK	--	1/499, 8/447, 3/401	12	3-1/2		
50-283	4	17-1/16	20-11/16	TPK	--	7/499, 5/447	12	3-1/4		
50-169	4	17-1/16	20-11/16	TPK	--	2/558, 6/499, 5/447, 1/401	13/PD	1-9/16		18948
50-235	4	17-1/16	20-11/16	TPK	--	1/558, 6/449, 5/447	12	2-1/4		17000
50-215	4	17-1/16	20-11/16	TPK	--	12/558, 1/323	12/PD	2-1/2		25200
50-213	4	17-1/16	20-11/16	TPK	--	12/558	12	2-1/2		25200
50-185	4	17-1/16	20-11/16	TPK	--	10/558	10	2-3/4		16600
50-187	4	17-1/16	20-11/16	TPK	--	10/558, 2/499	10/2PD	2-3/4		16600
50-267	4	17-1/16	20-11/16	TPK	--	10/558	10	3-1/4		15500
50-291	4	17-1/16	20-11/16	TPK	--	10/558	10	3-1/4		15500
50-239	4	17-1/16	20-11/16	TPK	--	10/625	10	2		19000
50-345	4	17-1/16	20-11/16	TPK	--	7/625, 2/447	7/2PD	2-15/16		40000
50-341	4	17-1/16	20-11/16	TPK	HK-1	1/662, 1/587, 9/625	9/2PD	2-9/16		
50-245	4	17-1/16	20-11/16	VPK	--	12/558	12	2-3/4		20000
50-141	4	17-1/16	20-3/4	RNK	--	7/499, 5/447	12	2-1/2		15500
50-161	4	17-1/16	20-3/4	RNK	--	7/499, 5/447	12	2-1/2		15500
50-279	4	17-1/16	20-3/4	RNK	--	2/499, 9/447	11	3-1/4		14300
50-157	4	17-1/16	20-3/4	TPK	--	7/499, 5/447	12	2-1/4		15500
50-313	4	17-1/16	20-3/4	TPK	--	7/499, 5/447	12	3-1/4		15500
50-307	4	17-1/16	20-3/4	TPK	--	2/558, 6/499, 5/447	13	3		19000
50-145	4	17-1/16	20-13/16	RNK	--	1/447, 11/401, 1/360	12/PD	2-3/8		8400
50-373	4	17-1/16	20-13/16	TPK	--	7/558, 2/499	7/2PD	3-3/16		
50-175	4	17-1/16	26-1/4	RNK	--	7/499, 5/447	12	2-3/4		15500
50-219	4	17-1/16	28-1/4	RNK	--	1/499, 1/447, 3/499, 7/447	12	2		15500
50-251	4	17-1/16	28-1/4	RNK	--	1/499, 1/447, 3/499, 7/447	12	2-1/8		15500
50-171	4	17-1/16	28-1/2	RNK	--	3/499, 9/447, 1/262	12/PD	2-5/8		15500
50-233	4	17-1/16	28-1/2	TPK	--	3/499, 9/447, 1/291	12/PD	3		15500
50-243	4	17-1/16	28-1/2	TPK	--	1/558, 1/447, 4/449, 7/447, 1/401, 1/499	13/2PD	1-7/8		
50-183	4	17-1/16	28-1/2	TPK	--	1/558, 1/447, 4/499, 7/447, 1/401	13/PD	2-1/4		
50-255	4	17-1/16	28-1/2	TPK	--	10/625	10	2-1/4		19000
50-281	4	17-1/16	28-3/4	RNK	--	7/499, 5/447	12	2-5/8		15500
50-173	4	17-1/16	28-3/4	RNK	--	3/499, 9/447, 1/262	12/PD	2-3/4		15500
50-303	4	17-1/16	28-3/4	RNK	--	7/499, 5/447	12	2-3/4		15500
50-295	4	17-1/16	28-3/4	TPK	--	7/499, 5/447	12	2-5/8		15500
50-273	4	17-1/16	28-3/4	TPK	--	7/499, 5/447	12	2-5/8		15500
50-319	4	17-1/16	28-3/4	TPK	--	6/499, 4/447,1/499, 1/447	10/2PD	2-5/8		15500
50-293	4	17-1/16	28-3/4	TPK	--	10/625	6/4	2-1/8		20000
50-289	4	17-1/8	20-1/2	RNK	--	2/499, 9/447	11	3-1/4		14300
50-249	4	17-1/8	20-1/2	RNK	--	2/499, 9/447	11	3-1/4		14300
50-265	4	17-1/8	20-1/2	TPK	--	3/499, 3/447, 3/401, 2/499	9/2PD	3-1/4		14000
50-271	4	17-1/8	20-1/2	TPK	--	2/499, 9/447	11	3-1/4		14300
50-311	4	17-1/8	20-1/2	TPK	--	2/499, 9/447	11	3-1/4		14300
50-351	4	17-1/8	20-1/2	TPK	--	7/536, 2/499	7/2PD	3-3/16		
50-297	4	17-1/8	20-3/4	TPK	--	1/499, 8/447, 1/499, 1/447	9/2PD	3-1/4		
50-353	4	17-1/8	20-7/8	TPK	--	10/558	8/2PD	3-7/16		
50-275	4	17-1/8	28-1/2	TPK	--	1/558, 4/499, 8/447	13	2-1/4		17500
50-285	4	17-3/16	20-11/16	TPK	--	12/558	12	3-5/8		25200
50-305	4	17-3/16	28-3/4	TPK	--	1/558, 1/447, 4/499, 7/447, 1/401	13/PD	2-7/8		17500
50-309	4	17-3/16	29	TPK	--	1/558, 5/499, 7/447, 1/401, 1/499	13/2PD	3		19000

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
50-405	4	17-1/4	20-3/4	TPK	--	9/558	9	3-3/16		
50-349	4	17-1/4	28-1/2	TPK	--	9/625	7/2PD	2-3/8		40000
50-277	4	17-3/4	28-3/4	RNK	--	1/499, 12/449	13	3-3/4		15500
50-261	4	19	22-3/4	VRK	--	12/625	12	2-3/8		30000
50-155	4	19	23-1/2	VRK	--	12/625	12	2		30000
50-123	4	19	23-1/2	VRK	HK-2	12/625	12	1-3/8		25500
50-269	4	19	23-1/2	VRK	HK-2	12/625	12	1-1/2		30000
50-263	4	19	23-1/2	VRK	HK-2	12/625	12	1-5/8		25500
50-415	4	20	24	TPK	HK-2	9/625	9	3-5/8		16470
50-413	4	21	24-5/8	TPK	HK-2	10/558	10	3-1/2		

Hino Trucks - front

54-106	70	600	600	M7-3025	M7-3025	5/10	5	120		
54-122	70	650	650	M7-3025	M7-3025	1/6, 5/11, 2/9	PD/5/2PD	140		
54-102	70	700	700	M7-3630	M7-3630	1/9, 10/10, 2/6, 1/10	PD/10/2PD/SE	135		
54-104	80	700	700	M8-3830	M8-3830	1/10, 1/11, 12/10 SE/PD	PD/10/PD/	145		

Hino Trucks - rear

54-105	70	510	510	--	--	2/10, 2/11, 1/9, 1/10, 1/6	6/PD	115		
54-103	70	650	820	M7-3630	HK-2	7/11	7	165		
54-101	70	650	820	M7-3630	HK-2	2/10, 2/11, 1/9, 1/10, 1/6 - 7/11	6/PD/7	165	A	
54-257	80	543	543	--	--	7/11, 3/10	8/2PD	89		
54-117	80	581	581	--	--	11/10	10/PD	89		
54-197	80	581	581	--	--	1/11, 10/10	9/2PD	89		
54-115	80	700	870	M8-3830	HK-2	9/12	PD/8	156		
54-109	80	700	870	M8-3830	HK-2	8/12	8	156		
54-113	80	700	870	M8-3830	HK-2	11/10 - 9/12	10/PD/PD/8	156	A	
54-255	80	708	697	M8-3830	M8-3830	8/12, 1/3	8/PD	143		
54-253	80	708	697	M8-3830	M8-3830	7/11, 3/10 - 8/12, 1/3	8/2PD/8/PD	143	A	

Navistar Trucks - front

55-776	2-1/2	23	23	1	1	4/323, 1/291	5	3-3/4		
55-1204	3	25	25	NJGb	NJGb	4/447, 2/401	6	3-1/16		3875
55-1164	3	25	25	RB75b	RB75b	5/401	5	3-1/8		2550
55-1174	3	25	25	RB75b	RB75b	5/401	5	3-3/4		2550
55-892	3	25	25	RB75b	RB75b	5/401, 1/499	5/PD	4-3/8		2550
55-880	3	25	25	RB75b	RB75b	6/401, 1/262	6/PD	4-3/4		3250
55-140	3	25	25	RB75b	RB75b	6/423, 1/499	6/PD	3-3/4		3375
55-894	3	25	25	RB75b	RB75b	4/447, 2/401, 2/323	6/2PD	4		3250
55-128	3	25	25	RB75b	RB75b	1/625, 3/575	PD/3	4-3/4	F	4000
55-1162	3	25	25	RB75b	RB75b	1/625, 3/575, 1/360	PD/3/PD	4-3/4	F	4000
55-1180	3	25	25	RB75b	RB75b	1/625, 2/702, 1/401	PD/2/PD	5	F	3500
55-932	3	25	29	NJGb	NJGb	8/447	8	4-1/4		5500
55-884	3	25	29	NJGb	NJGb	4/447, 3/401, 2/323	7/2PD	5-7/8		4500
55-1178	3	25	29	NJGb	NJGb	5/499, 3/447	8	4-3/8		6000
55-1170	3	29	29	RNG	RNG	1/423, 2/1.375, 2/423	PD/2/2PD/SE	3-1/4	F	7000
55-1210	3	30	28	RNG	RNG	1/423, 1/499, 2/1.25, 3/360, 1/934	2PD/2/3PD/SE	3-3/16	F	7000
55-1172	3	30	28	RNG	RNG	1/423, 1/499, 2/1.375, 2/423	2PD/2/2PD/SE	3-1/4	F	7000
55-604	3	30	29-1/2	LHG	LHG	9/401	9	5-3/4		3420
55-600	3	30	29-1/2	LHG	LHG	7/401	7	6-3/4		2720
55-682	3	30	29-1/2	LHG	LHG	12/447	12	5-3/8		5300

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
55-608	3	30	29-1/2	LHG	LHG	9/447	9	5-5/8		4360
55-796	3	30	29-1/2	LHG	LHG	9/447	9	7-3/4		4000
55-874	3	30	30	LHG	LHG	12/449	12	5-1/8		7175
55-946	3	30	30	RNG	RNG	12/447	12	6-7/8		5920
55-948	3	30	30	RNG	RNG	12/447	12	6-7/8		5920
55-890	3	30	30	RNG	RNG	13/499	13	4-1/2		8000
55-954	3	30	30	RNG	RNG	15/499	15	4-1/2		8000
55-952	3	30	30	RNG	RNG	12/499	12	5-7/8		8000
55-950	3	30	30	RNG	RNG	12/449	12	5-7/8		8000
55-920	4	24	24	TB26	TB26	7/401	7	6		5300
55-468	4	24	24	TB26	TB26	2/447, 9/401	11	4-1/2		7250
55-978	4	25	29	1-1/2	1-1/2	2/447, 3/662	2PD/3	5-1/2	F	6000
55-136	4	25	29	1-3/4	1-3/4	1/323, 3/660, 1/323	SE/3/PD	5-5/8	F	6000
55-134	4	25	29	1-3/4	1-3/4	1/323, 3/660, 1/323	PD/3/PD	5-5/8	F	6000
55-914	4	25	29	NJK	NJK	1/323, 3/662	PD/3	4-5/8	F	6000
55-980	4	25	29	NJK	NJK	2/447, 3/662	2PD/3	5-1/2	F	6000
55-912	4	25	29	NJK	NJK	1/323, 3/662, 2/499	PD/3/2PD	5-7/8	F	6000
55-924	4	25	29	NJK	NJK	1/499, 3/702	PD/3	4-1/2	F	7000
55-970	4	25	29	NJK	NJK	1/360, 3/750	PD/3	3	F	7000
55-934	4	25	29	NJKb	NJKb	2/447, 7/401	2PD/7	4-3/4		5400
55-928	4	25	29	NJKb	NJKb	2/447, 4/401, 2/360	2PD/6	5-1/8		4500
55-940	4	25	29	NJKb	NJKb	10/447	2PD/8	3-7/8		6000
55-886	4	25	29	NJKb	NJKb	9/447	8/PD	4-1/8		6000
55-936	4	25	29	NJKb	NJKb	5/447, 4/401	2PD/7	5-1/8		6000
55-942	4	25	29	NJKb	NJKb	9/499	7/2PD	4-3/8		8000
55-910	4	25	29	RB161	RB161	1/323, 3/620, 1/.323	SE/3/PD	6	F	5400
55-902	4	25	29	RB161	RB161	1/323, 3/662, 1/323	SE/3/PD	5-7/8	F	6000
55-1236	4	25	29	RB269b	RB269b	2/590, 7/447	9	3-7/8		
55-1192	4	25	29	RNKb	RNKb	1/323, 2/702	2/PD	5-7/8	F	
55-142	4	25	29	RNKb	RNKb	2/447, 7/401	2/PD/7	4-3/4		4350
55-148	4	25	29	RNKb	RNKb	2/447, 7/423	2PD/7	4-15/16		5350
55-156	4	25	29	RNKb	RNKb	1/323, 11/447	SE/8/4PD	3-3/4		6350
55-154	4	25	29	RNKb	RNKb	10/447	2PD/8	3-13/16		6350
55-1200	4	25	29	RNKb	RNKb	1/323, 11/447	SE/8/3PD	4		
55-158	4	25	29	RNKb	RNKb	7/499	7/SE	4-1/4		7200
55-898	4	25	29	RNKb	RNKb	9/499	7/2PD	4-3/8		7200
55-944	4	25	29	RNKb	RNKb	11/499	11	4-3/8		10000
55-160	4	25	29	RNKb	RNKb	4/527, 4/499	8/SE	3-3/4		8100
55-908	4	25	29	RNKb	RNKb	2/527, 4/499, 2/447	8/2PD	4-1/2		9000
55-1206	4	25	29	RNKb	RNKb	2/815	2/PD	3-11/16	F	6350
55-828	4	25	29	TB26	TB26	9/401	9	5-1/4		6000
55-812	4	25	29	TB26	TB26	10/499	10	4-1/4		8000
55-982	4	25	29	TB26	TB26	5/558, 5/499	10	3-3/4		10000
55-1222	4	25	29	TB26	TB26	2/558, 3/527, 2/625	7	5-3/4		8850
55-132	4	25	29	TB26	TB26	1/323, 3/620, 1/323	SE/3/PD	6	F	5400
55-958	4	25	29	TB26	TB26	1/323, 3/620, 1/323	SE/3/PD	6	F	5400
55-1182	4	25	29	TB26	TB26	1/323, 3/625, 1/323	SE/3/PD	5-1/8	F	5348
55-1198	4	25	29	TB26	TB26	3/660, 3/499	3/3PD	4-1/2	F	
55-130	4	25	29	TB26	TB26	1/323, 3/660	PD/3	5-3/8	F	6000
55-960	4	25	29	TB26	TB26	1/323, 3/662, 1/323	SE/3/PD	5	F	6000
55-962	4	25	29	TB26	TB26	1/323, 3/662, 1/323	SE/3/PD	5-7/8	F	6000
55-930	4	25	29	TB26	TB26	1/323, 3/662, 1/323	SE/3/PD	5-7/8	F	6000
55-116	4	25	29	TB26	TB26	1/323, 3/750	SE/3	5	F	5350
55-900	4	25	29	TB26	TB26	1/323, 3/750, 1/827	PD/3/SE	5-3/8	F	8000
55-866	4	25	29	TB26	TB26	4/750	4	5-3/8	F	8050
55-868	4	25	29	TB26	TB26	5/750	5	5-1/2	F	8050
55-964	4	25	29	TB26	TB26	1/323, 4/760, 1/323	PD/4/SE	5-1/2	F	9000

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape

UB	U-Bolt Plate
W	Wrap
WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
55-1208	4	25	29	TB26	TB26	1/323, 2/788, 1/323, 1/447	SE/2/2PD	5-3/8	F	5350
55-138	4	25	29	TB26b	TB26b	2/447, 7/401	2PD/7	4-3/4		5400
55-1186	4	25	29	TB26b	TB26b	10/447	2PD/8	4-1/4		6350
55-122	4	25	29	TB26b	TB26b	5/447, 4/401	2PD/7	5-1/8		6000
55-110	4	25	29	TB26b	TB26b	1/323, 3/750	PD/3	2	F	6000
55-146	4	25	29	TB26b	TB26b	3/768	3	2	F	5350
55-1212	4	25-1/16	29-1/16	TB26	TB26	1/323, 2/788, 1/423	PD/2/PD	5-3/8	F	
55-1112	4	25-1/16	29-1/16	TB26	TB26	1/323, 2/788, 1/423	PD/2/PD	5-3/8	F	
55-656	4	25-1/2	28-1/2	TB26	TB26	12/360	12	5-1/2		5720
55-918	4	25-1/2	28-1/2	TB26	TB26	11/360	11	6-3/8		5235
55-860	4	25-1/2	28-1/2	TB26	TB26	6/360, 5/323	11	7-1/8		5400
55-862	4	25-1/2	28-1/2	TB26	TB26	13/401	13	6-3/8		8000
55-756	4	25-1/2	28-1/2	TB26	TB26	3/620	3	6	F	6000
55-872	4	25-1/2	28-1/2	TB26	TB26	1/1.125, 3/635, 3/499	PD/3/3PD	6	F	6000
55-974	4	25-1/2	28-1/2	TB26	TB26	4/750	4	5-3/8	F	8000
55-972	4	25-1/2	28-1/2	TB26	TB26	5/750	5	5-3/8	F	8000
55-1234	4	27	26-1/2	TB26	TB26	10/499, 1/360	10/SE	4-1/8		8000
55-840	4	27	26-1/2	TB26	TB26	10/499	10	4-1/8		8000
55-1228	4	27	26-1/2	TB26	TB26	9/499, 1/360	9/SE	5-3/8		8000
55-870	4	27	26-1/2	TB26	TB26	9/499	9	5-3/8		8000
55-1166	4	27	26-1/2	TB26	TB26	11/527	11	3-15/16		10600
55-976	4	27	26-1/2	TB26	TB26	5/558, 5/499	10	4-5/8		11500
55-826	4	27	26-1/2	TB26	TB26	4/750	4	4-5/8	F	8775
55-108	4	27	27	--	--	15/447	15	3-3/16		
55-998	4	27	27	--	--	16/558	16	3-5/16		
55-670	4	27	27	TB26	TB26	15/447	15	4-1/4		8800
55-956	4	27	29	TB26	--	8/558	8	5		9000
55-966	4	27	29	TB26	--	9/558	9	5-1/4		11000
55-814	4	27	29	TB26	HK-2	8/558	8	3-3/4		9000
55-1232	4	27	29	TB26	HK-2	8/558, 1/360	8/SE	5		9000
55-1218	4	29	29	RB253	RB253	1/323, 2/999, 1/323	PD/2/PD	3-7/8	F	6350
55-118	4	29	29	TB26	TB26	1/323, 3/715	SE/3	4-1/2	F	6000
55-1168	4	29	29	TB26	TB26	1/323, 3/715	PD/3	4-1/2	F	6000
55-150	4	29	29	TB26	TB26	1/323, 3/788	PD/3	4-1/8	F	7000
55-120	4	29	29	TB26	TB26	1/323, 3/788	SE/3	4-1/8	F	7000
55-144	4	29	29	TB26	TB26	1/323, 2/815, 2/401	PD/2/2PD	4-1/2	F	4350
55-152	4	29	29	TB26	TB26	1/323, 3/836	SE/3	4	F	8000
55-1188	4	29	29	TB26	TB26	3/999	3	2-3/8	F	
55-1176	4	29	29	TB26	TB26	1/323, 2/999, 1/323	PD/2/PD	3-7/8	F	6350
55-922	4	46-1/2	46-1/2	--	--	9/999	9	5-9/16		
55-990	4	46-1/2	46-1/2	--	--	8/999	8	5-5/8		
55-106	4	46-1/2	46-1/2	--	--	8/999	8	5-13/16		
55-996	4	46-5/8	46-5/8	--	--	7/999	6	6-3/4		
55-984	6	28	28	--	--	15/625	15	2-1/8		
55-986	6	28-3/16	28-3/16	--	--	16/625	16	3-5/8		
55-102	6	28-3/16	28-3/16	--	--	16/625	15	3-7/8		
55-994	6	28-9/16	28-9/16	--	--	14/625	14	5-1/4		
55-988	6	34-1/2	34-1/2	--	--	8/558	8	6-7/8		
55-992	6	34-1/2	34-1/2	--	--	9/558	9	6-7/8		
55-104	6	34-1/2	34-1/2	--	--	8/558	8	7-1/8		
55-124	70	630	630	M7-3428	M7-3428	2/10, 4/11	6	105		
55-126	70	650	650	M7-3428	M7-3428	6/11	6	100		
55-112	90	710	710	M9-3630	M9-3630	1/11, 2/10, 7/11	9/SE	120		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape

UB	U-Bolt Plate
W	Wrap
WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

Navistar Trucks - rear

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
55-025	3	19	19	--	--	4/630	4	3		
55-697	3	19-1/2	19-1/2	--	--	8/323	8	2-1/2		2500
55-723	3	19-1/2	19-1/2	--	--	6/323	6	2-3/4		2500
55-803	3	19-1/2	19-1/2	--	--	6/323	6	2-7/8		2000
55-689	3	19-1/2	19-1/2	--	--	7/323	7	3		2300
55-881	3	19-1/2	19-1/2	--	--	4/360	4	2-1/2		1770
55-037	3	19-3/4	19-3/4	--	--	4/360	4	3		2250
55-059	3	20	20	--	--	1/702	1	3-1/8	F	2000
55-421	3	20-1/2	20-1/2	--	--	10/323	10	2-1/8		2420
55-079	3	21-5/8	22-5/8	HK-2	--	7/499	7	4-1/8		9000
55-1191	3	21-11/16	21-11/16	--	HK-3	8/499	8	3-5/8		11000
55-039	3	22-1/8	22-1/8	HK-3	--	14/401	11/3PD	3-7/8		9000
55-883	3	22-3/8	22-5/8	HK-2	--	7/499	7	4-1/8		8500
55-993	3	22-1/2	22-1/2	HK-2	--	10/499	10	4		10000
55-951	3	22-3/4	22-3/4	HK-3	--	11/401, 1/360, 1/499, 1/360	11/3	4-5/8		8000
55-083	3	22-7/8	22-7/8	--	HK-3	15/401	12/3PD	4		10000
55-081	3	23-1/8	23-1/8	--	HK-3	14/401	11/3PD	4-1/2		
55-1131	3	23-1/8	23-1/8	--	HK-3	11/401	11	4-9/16		8500
55-687	3	27	27	PLG	PLG	9/401, 6/499	9/6	6-1/2		5980
55-809	3	27	27	PLG	PLG	10/447	10	4-1/2		5410
55-957	3	27	27	PLG	PLG	12/447	12	4-5/8		6150
55-719	3	27	27	PLG	PLG	7/447	7	4-3/4		4200
55-695	3	27	27	PLG	PLG	12/447	12	5-1/2		6150
55-691	3	27	27	PLG	PLG	10/447	10	5-3/4		5400
55-889	3	27	27	PLG	PLG	10/447	10	5-3/4		5400
55-683	3	27	27	PLG	PLG	9/447	9	5-7/8		5000
55-805	3	27-1/4	27-1/4	PLG	PLG	8/447	8	5		4470
55-807	3	27-1/4	27-1/4	PLG	PLG	9/447	9	5		5010
55-681	3	27-1/4	27-1/4	PLG	PLG	8/447	8	6		4300
55-583	3	28	28	VRG	VRG	16/447	16	4-7/8		8000
55-525	3	28	28	VRG	VRG	15/499	15	4-3/4		9750
55-045	3	28	28	VRG	VRG	1/625, 12/558	13	5-1/4		12000
55-091	3	28	28	VRG	VRG	11/702	11	6-3/8		18000
55-935	3	29-5/8	29-5/8	HK-2	HK-2	7/401, 3/499, 1/360, 1/401, 2/447	7/4/3	7-3/4		9250
55-1193	3	29-11/16	29-11/16	--	--	11/499	11	5-1/2		
55-1203	3	30-1/4	30-1/4	HK-2	HK-2	7/401, 4/447, 2/401	7/4PD/2	5-15/16		
55-1155	3	30-1/4	30-1/4	HK-2	HK-2	11/401	7/2PD/2	6-1/8		
55-1205	3	30-1/4	30-1/4	HK-2	HK-2	7/401, 4/447, 2/401	7/4PD/2	6-1/4		
55-1213	3	30-1/4	30-1/4	HK-2	HK-2	7/401, 4/499, 2/447	13	7-5/8		
55-1197	3	30-1/4	30-1/4	HK-2	HK-2	7/401, 4/499, 2/447	7/4/2	7-3/4		
55-1207	3	30-1/4	30-1/4	HK-2	HK-2	7/447, 4/401	7/2PD/2	6-1/4		
55-1209	3	30-1/4	30-1/4	HK-2	HK-2	8/447, 3/401	8/PD/2	6-1/4		
55-115	3	30-1/4	30-1/4	HK-2	HK-2	6/447, 5/401	6/3/2	6-1/2		5000
55-117	3	30-1/4	30-1/4	HK-2	HK-2	6/447, 5/401	6/3/2	6-1/2		5450
55-043	3	30-1/4	30-1/4	HK-2	HK-2	8/447, 3/401	8/1/2	6-1/2		6200
55-1215	3	30-1/4	30-1/4	HK-2	HK-2	9/473, 3/360, 2/447	9/3PD/2	6-1/4		
55-053	3	30-1/4	30-1/4	HK-2	HK-2	5/499, 6/447	9/2	5-3/4		10000
55-1217	3	30-1/4	30-1/4	HK-2	HK-2	6/499, 8/447	10/2PD/2	6-1/4		
55-1211	3	30-1/4	30-1/4	HK-2	HK-2	5/499, 3/447, 3/499, 2/447	8/3PD/2	6-1/4		
55-1219	3	30-1/4	30-1/4	HK-2	HK-2	12/499, 2/447	14	6-1/4		
55-031	3	30-1/4	30-1/4	HK-2	HK-2	5/499, 3/447, 3/499, 2/447	8/3/2	6-1/4		7700
55-729	3	30-1/4	30-1/4	HK-2	HK-2	4/499, 8/447	9/3	6-1/4		9250
55-041	3	30-1/4	30-1/4	HK-2	HK-2	5/499, 4/447, 3/360, 2/447	9/3/2	6-1/4		9620
55-029	3	30-1/4	30-1/4	HK-2	HK-2	6/499, 8/447	10/2/2	6-1/4		10400

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
55-033	3	30-1/4	30-1/4	HK-2	HK-2	7/499, 4/447, 1/360, 2/447	11/1/2	6-1/4		11400
55-035	3	30-1/4	30-1/4	HK-2	HK-2	12/499, 2/447	12/2	6-3/8		14000
55-759	3	30-1/4	30-1/4	HK-3	HK-3	5/499, 8/447	10/3	6-1/4		11500
55-1153	3	30-1/4	30-1/4	HK-4	HK-4	4/788, 4/499, 1/447, 1/499	4/4PD/2	5-3/4	F	
55-1135	3-1/2	SS	SS	--	--	1/1.500	1	SS	AS	
55-1133	3-1/2	SS	SS	--	--	1/1.500	1	SS	AS	
55-1195	3-1/2	SS	SS	--	--	1/1.500	1	SS	AS	
55-1151	3-1/2	SS	SS	--	--	1/1.500	1	SS	AS	
55-1127	3-1/2	SS	SS	HK-1	HO-1	1/1.375	1	--	AS	
55-021	3-1/2	23	25	HK-2	HK-2	8/449	8	3		7860
55-129	3-1/2	23	25	HK-2	HK-2	9/473	9	2-5/8		8360
55-023	3-1/2	23	25	HK-2	HK-2	7/499	7	3-3/4		7325
55-057	3-1/2	23	25	HK-3	HK-3	2/323, 3/730, 1/323	2PD/3/PD	3-3/4	F	7360
55-123	3-1/2	23	25	HK-3	HK-3	1/323, 3/788, 3/323	PD/3/3/P	4	F	7860
55-061	3-1/2	25-1/4	28-3/4	HK-2	HK-2	9/499	9	2-3/4		6525
55-1149	3-1/2	25-1/4	28-3/4	HK-2	HK-2	10/499	10	3		
55-1163	4	16-15/16	28-3/4	TPK	--	1/558, 7/527, 2/625	8/2PD	2-5/8		
55-119	4	17	20-3/8	TPK	HK-1	13/558	13	2-7/8		25000
55-1167	4	17	20-1/2	TPK	HK-1	1/662, 1/587, 9/625	8/3PD	2-3/4		
55-493	4	17	20-3/4	RNK	--	9/447, 3/401	12	1-3/4		11040
55-885	4	17	20-3/4	RNK	--	9/447, 3/401	12	2-3/8		15087
55-973	4	17	20-3/4	RNK	--	2/499, 10/447	12	2		14300
55-591	4	17	20-3/4	RNK	--	8/499, 4/447	12	3-1/4		15470
55-981	4	17	20-3/4	TPK	--	1/558, 6/499, 5/447	12	3-3/4		17000
55-077	4	17	28-1/2	TPK	--	12/558	12	2-1/8		20000
55-1173	4	17	28-1/2	TPK	--	1/662, 8/625, 2/447	9/2PD	1-13/16		
55-073	4	17	28-3/4	RNK	--	7/499, 5/447	12	2-5/8		15500
55-1185	4	17-1/16	20-11/16	RNK	--	1/499, 8/447, 3/401	12	3-1/2		
55-1187	4	17-1/16	20-11/16	TPK	--	7/499, 5/447	12	3-1/4		
55-955	4	17-1/16	20-11/16	TPK	--	1/558, 6/499, 5/447	12	2-1/4		17000
55-049	4	17-1/16	20-11/16	TPK	--	10/558	10	3-1/4		15500
55-959	4	17-1/16	20-11/16	TPK	--	10/625	10	2		19000
55-1171	4	17-1/16	20-11/16	TPK	--	7/625, 2/447	7/2PD	2-15/16		
55-1169	4	17-1/16	20-11/16	TPK	HK-1	1/662, 1/587, 9/625	9/2PD	2-1/2		
55-1177	4	17-1/16	20-3/4	RNK	--	7/499, 5/447	12	2-1/2		15500
55-1179	4	17-1/16	20-3/4	RNK	--	7/499, 5/447	12	2-1/2		15500
55-1189	4	17-1/16	26-1/4	RNK	--	7/499, 5/447	12	2-3/4		15000
55-923	4	17-1/16	28-1/4	RNK	--	1/499, 1/447, 3/499, 7/447	12	1-7/8		15500
55-987	4	17-1/16	28-1/4	RNK	--	1/499, 1/447, 3/499, 7/447	12	2-1/8		15500
55-975	4	17-1/16	28-1/2	RNK	--	3/499, 9/447, 1/262	12/PD	2-3/8		15500
55-985	4	17-1/16	28-1/2	TPK	--	1/558, 1/447, 4/449, 7/447, 1/401, 1/499	13/2PD	2-1/4		
55-1183	4	17-1/16	28-1/2	TPK	--	10/625	10	2-1/4		15000
55-027	4	17-1/16	28-3/4	RNK	--	7/449, 5/447	12	2-3/8		15500
55-121	4	17-1/16	28-3/4	TBK	--	7/499, 5/447	12	2-5/8		15500
55-075	4	17-1/16	28-3/4	TPK	--	7/499, 5/447	12	2-5/8		15500
55-047	4	17-1/8	20-1/2	RNK	--	2/499, 9/447	11	3-1/4		14300
55-071	4	17-1/8	20-1/2	RNK	--	2/499, 9/447	11	3-1/4		14300
55-087	4	17-1/8	20-1/2	TPK	--	2/499, 9/447	11	3-1/4		14300
55-089	4	17-1/8	20-1/2	TPK	--	2/499, 9/447	11	3-1/4		14300
55-1165	4	17-1/8	20-1/2	TPK	--	7/536, 2/499	7/2PD	3-3/16		
55-065	4	17-1/8	28-1/2	TPK	--	1/558, 4/449, 8/447	13	2-1/4		17500
55-051	4	17-3/16	20-11/16	TPK	--	12/558	12	3-5/8		25000
55-1181	4	17-3/16	29	TPK	--	1/558, 5/499, 7/447, 1/401, 1/499	13/2PD	3		19000
55-1175	4	17-1/4	28-1/2	TPK	--	9/625	7/2PD	1-15/16		
55-977	4	17-3/4	28-3/4	RNK	--	1/499, 12/447	13	3-3/4		15500
55-767	4	19	23-1/2	VRK	HK-2	12/625	12	1-9/16		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
55-1199	4	30	30	--	--	6/558	6	1-1/8		7460
55-085	5	30-1/4	30-1/4	--	--	7/887	7	-2-3/16		23350
55-109	70	520	520	--	--	1/10, 4/12, 1/14	5/PD	95		
55-113	70	520	520	--	--	6/11, 1/6	6/PD	90		
55-107	70	650	650	M7-3428	M7-3428	6/11, 2/10	6/2/PD	145		
55-105	70	650	650	M7-3428	M7-3428	1/10, 4/12, 1/14 - 6/11, 2/10	5/PD/6/2PD	145	A	
55-111	70	650	650	M7-3428	M7-3428	6/11, 1/6 - 6/11, 2/10	6/PD/6/2PD	145	A	
55-097	80	610	610	--	--	8/12	7/PD	60		
55-095	80	800	800	M8-3428	M8-3428	2/12, 7/13	9	120		
55-093	80	800	800	M8-3428	M8-3428	8/12 - 2/12, 7/13	7/PD/9	120	A	
55-067	90	SS	SS	--	--	1/33	1	SS	AS	
55-103	90	570	570	--	--	7/12, 1/13	7/PD	55		
55-101	90	800	800	M9-4235	M9-4235	9/13	9	155		
55-099	90	800	800	M9-4235	M9-4235	7/12, 1/13 - 9/13	7/PD/9	155	A	

Isuzu Truck - front

56-136	70	570	570	RB173	RB173	6/9, 1/8	6/PD	79		
56-102	70	570	570	RB173	RB173	6/9, 1/6	6/PD	80		
56-154	70	570	570	RB173	RB173	7/9, 1/8	7/PD	83		
56-130	70	570	570	RB173	RB173	4/9, 1/8, 1/6	5/PD	95		
56-132	70	570	570	RB173	RB173	4/9, 2/8	5/PD	95		
56-124	70	570	570	RB228	RB228	6/9, 1/8	6/1	79		
56-126	70	570	570	RB246	RB246	7/9, 1/8	7/1	80		
56-122	70	600	600	M7-3025	M7-3025	1/6, 2/10, 2/11, 1/10	PD/5	108		
56-142	70	603	603	M7-3025	M7-3025	1/6, 2/10, 2/11, 2/10, 1/6	PD/6/PD	105		
56-106	70	605	605	M7-3025	M73025	5/11	5	90		
56-114	70	650	650	M7-3428	M7-3428	4/11, 2/10, 2/13, 4/8	6/2/4PD	115		
56-172	70	650	650	RB228	RB186	1/10, 4/11, 1/10, 2/6, 1/8	6/2PD/PD	83		
56-176	70	650	650	RB228	RB186	1/10, 4/11, 1/10, 1/8	6/PD	91		
56-178	70	650	650	RB228	RB186	6/10, 1/8	6/PD	95		
56-182	70	650	650	RB228	RB186	1/6, 1/10, 4/11, 1/10, 1/8	WG/PD/6/PD/WG	89		
56-110	70	675	675	M7-3025	M7-3025	2/8, 1/11, 5/12, 1/8, 1/7	2PD/6/2PD	97		
56-108	70	675	675	M7-3025	M7-3025	1/11, 5/12, 1/8	6/2PD	100		
56-140	70	675	675	M7-3025	M7-3025	2/7, 1/11, 5/12, 1/10	2PD/6/PD	102		
56-128	70	675	675	M7-3025	M7-3025	1/6, 2/11, 3/12, 1/10	PD/6	114		
56-158	70	675	675	M7-3025	M7-3025	1/6, 1/11, 1/10, 2/12, 1/11, 1/10	PD/6	127		
56-138	80	737	737	M8-3822	M8-3822	2/8, 1/13, 4/14, 1/13, 2/11	2PD/6/2PD	121		
56-134	80	737	737	M8-3832	M8-3832	1/10, 2/8, 1/13, 4/14, 1/13, 1/7	3PD/6/PD	108		
56-150	80	738	738	M8-3832	M83832	2/8, 1/19, 2/21, 1/7, 2/12, 1/11	2PD/3/4PD	92	F	
56-148	80	738	738	M8-3832	M83832	2/8, 1/19, 2/21, 3/12, 1/11	2PD/3/4PD	114	F	
56-144	80	738	738	M8-3832	M83832	2/9, 1/20, 2/22, 1/9	2PD/3/PD	83	F	
56-146	80	738	738	M8-3832	M83832	1/12, 1/20, 2/22, 2/9	PD/3/2PD	118	F	
56-152	80	738	738	M8-3832	M8-3832	2/6, 1/15, 3/18	2PD/4	100	F	

Isuzu Truck - rear

56-175	2-1/2	30	30	RB172	RB172	3/840	3/SP	3-5/8	F	3968
56-165	60	550	650	40b	30b	2/6, 1/5, 1/14	3/1	162		
56-163	60	550	650	40b	30b	3/6, 1/13	3/1	186		
56-167	60	550	650	40b	30b	2/6, 1/5, 1/14	3/1	206		
56-139	60	550	650	40b	30b	2/6, 1/5, 1/14	3/1	210		
56-161	60	550	650	40b	30b	3/6, 1/13	3/1	214		
56-151	60	550	650	40b	30b	3/7, 1/13	3/1	197		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
56-157	60	550	650	RB209	30	2/6, 1/7, 1/14, 1/13	3/2	179		
56-261	60	550	650	RB209	30	3/7, 1/16	3/1	197		
56-159	60	550	650	RB209b	30b	3/6, 1/13	3/1	189		
56-155	60	550	650	RB209b	30b	3/6, 1/14	3/1	210		
56-153	60	550	650	RB209b	30b	2/7, 1/8, 1/15	WG/3/PD	184		
56-141	60	550	650	RB209b	30b	2/7, 1/8, 1/15	WG/3/1	184		
56-143	60	550	650	RB209b	30b	2/7, 1/8, 1/15	3/1	192		
56-147	60	550	650	RB209b	30b	3/7, 1/16	3/1	206		
56-263	60	550	651	RB209	30	3/7, 1/16	3/1	181		
56-149	60	551	653	RB209	30	3/7, 1/16	3/1	203		
56-115	70	483	483	--	--	4/9, 2/11	4/2PD	102		
56-103	70	485	485	--	--	2/8, 2/9	4	90		
56-195	70	485	485	--	--	4/9, 1/8	4/PD	68		
56-197	70	485	485	--	--	2/9, 3/10, 1/8	5/PD	68		
56-111	70	485	485	--	--	2/9, 3/10	5	70		
56-107	70	485	485	--	--	4/9	4	80		
56-183	70	486	486	--	--	1/9, 4/10	5	60		
56-253	70	486	486	--	--	1/8, 2/16	PD/2	60	F	
56-259	70	486	486	--	--	2/16	2	76	F	
56-205	70	495	495	--	--	2/10, 4/11, 1/10, 1/4	7/PD	13		
56-121	70	495	495	--	--	7/10, 1/6	7/PD	78		
56-119	70	495	495	--	--	7/10	7	85		
56-203	70	495	495	--	--	8/11	7/PD	76		
56-171	70	625	625	M7-3025	RB186	4/11, 2/8	4/PD/1	112		
56-191	70	625	625	M7-3025	RB186	4/11, 2/8	4/1/1	112		
56-105	70	625	625	M7-3025	RB186	4/11	4	125		
56-235	70	625	625	M7-3025	RB186	4/9 - 4/11	4/4	125	A	
56-169	70	625	625	M7-3025	RB186	4/11, 2/8	4/PD/PD	128		
56-193	70	625	625	M7-3025	RB186	4/11, 2/8	4/1/1	128		
56-109	70	625	625	M7-3025	RB186	4/11	4	135		
56-185	70	629	629	M7-3025	RB186	2/11, 3/10, 1/8	5/PD	114		
56-113	70	649	649	M7-3025	M7-3025	1/12, 3/13, 1/12, 1/9, 1/8	5/2PD	149		
56-145	70	649	649	M7-3025	M7-3025	4/9, 2/11 - 1/12, 3/13, 1/12, 1/9, 1/8	5/PD/5/2PD	149	A	
56-181	70	650	650	M7-3025	M7-3025	8/11	8	105		
56-231	70	650	650	M7-3025	M7-3025	2/10, 4/11, 1/10, 1/4 - 8/11	7/PD/8	105	A	
56-187	70	650	650	M7-3025	M7-3025	8/11	8	124		
56-189	70	650	650	M7-3025	M7-3025	2/11, 3/13, 1/11, 2/9	6/2PD	133		
56-117	70	650	650	M7-3025	M7-3025	8/11	8	160		
56-225	70	650	650	M7-3025	M7-3025	2/10, 4/11, 1/10, 1/6 - 8/11	7/PD/8	160	A	
56-251	70	675	675	RB246	RB186	5/11, 1/10	6	94		
56-257	70	675	675	RB246	RB186	5/11, 1/10	6	95		
56-255	70	675	675	RB246	RB186	2/16 - 5/11, 1/10	2/6	95	A	
56-177	80	560	560	--	--	5/13, 2/12	7	79		
56-133	80	560	560	--	--	4/13, 2/12, 1/6	6/PD	90		
56-179	80	560	560	--	--	4/13, 2/12	6	102		
56-131	80	710	845	M8-3428	HK-2	1/12, 7/13, 1/12	7/2PD	170		
56-173	80	711	845	M8-3428	HK-2	1/12, 6/13, 2/12	7/2PD	178		
56-211	80	711	845	M8-3428	HK-2	5/13, 2/12 - 1/12, 6/13, 2/12	7/7/2PD	178	A	
56-125	100	560	560	--	--	2/10, 4/11, 1/10	6/PD	165		
56-135	100	710	930	M10-3832	--	7/12, 3/10	7/3PD	160		
56-123	100	710	930	M10-3832	--	8/12	8	210		

Iveco Trucks - front

58-106	70	705	705	M7-3024	M7-3024	6/10, 2/14	6/2	127		
58-104	70	705	705	M7-3024	M7-3024	5/10, 2/14	5/2	130		
58-102	70	705	705	M7-3024	M7-3024	1/10, 3/11, 1/13	4/1	130		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
58-112	70	705	705	RB183	RB183	2/18, 1/17	2/PD	114	F	
58-110	70	705	705	RB183	RB183	2/18, 1/7	2/PD	114	F	
58-114	70	705	705	RB183	RB183	2/20, 1/10	2/PD	114	F	
58-108	70	780	780	M7-3024	M73024	2/22, 1/6	2/PD	115	F	
58-116	70	780	780	M7-3024	M7-3024	2/20	2	133	F	

Iveco Trucks - rear

58-121	70	460	460	--	--	2/8, 7/7, 1/20	9/PD	55		
58-109	70	552	552	--	--	1/18, 1/25	1/PD	67	F	
58-115	70	552	552	--	--	1/22, 1/25	1/PD	43	F	
58-145	70	552	552	--	--	2/25	1/PD	44	F	
58-127	70	552	552	--	--	2/25	1/PD	51	F	
58-101	70	710	710	M7-3024	M7-3024	4/11, 3/14	4/3	135		
58-119	70	710	710	M7-3024	M7-3024	6/11, 2/12	6/2	150		
58-117	70	710	710	M7-3024	M7-3024	2/8, 7/7, 1/20 - 6/11, 2/12	9/PD/6/2	150	A	
58-103	70	710	710	M7-3024	M7-3024	4/12, 3/19	4/3	125		
58-107	70	710	826	RB183	HK-2	2/19, 1/10, 1/25	2/2PD	137	F	
58-105	70	710	826	RB183	HK-2	1/18, 1/25 - 2/19, 1/10, 1/25	1/PD/2/2PD	137	FA	
58-113	70	710	826	RB183	HK-2	2/21, 1/10, 1/25	2/2PD	144		
58-111	70	710	826	RB183	HK-2	1/22, 1/25 - 2/21, 1/10, 1/25	1/PD/2/2PD	144	FA	
58-143	70	710	826	RB183	HK-2	2/23, 1/20	2/PD	152		
58-141	70	710	826	RB183	HK-2	2/25 - 2/23, 1/20	1/PD/2/PD	152	FA	
58-125	70	710	832	RB183	HK-2	2/23, 1/10, 1/25	2/2PD	152	F	
58-123	70	710	832	RB183	HK-2	2/25 - 2/23, 1/10, 1/25	1/PD/2/2PD	152	FA	
58-133	80	552	552	--	--	1/17, 1/20, 1/24	2/PD	70	F	
58-139	80	552	552	--	--	2/19, 1/25	2/PD	57	F	
58-135	80	812	953	M7-3024	HK-2-2	3/21, 1/25	3/PD	151	F	
58-137	80	812	953	M7-3024	HK-2-2	3/21, 1/25	3/PD	151	F	
58-131	80	812	953	M7-3024	HK-2-3	3/19, 1/24	3/PD	175	F	
58-129	80	812	953	M7-3024	KK-2-3	1/17, 1/20, 1/24 - 3/19, 1/24	3/PD	175	FA	

Kenworth Trucks - front

59-446	3-1/8	32	32	TB68	TB68	1/375, 3/984	PD/3	5-7/16	F	7200
59-450	3.543	32	32	TB68	TB68	4/999	4	3-1/2	F	
59-114	4	24	24	TB68	TB68	3/360, 8/323	11	4-1/2		5200
59-118	4	24	24	TB68	TB68	4/360, 9/323	13	4-5/8		5640
59-116	4	24	24	TB68	TB68	3/360, 8/323	11	5-1/8		4800
59-110	4	24	24	TB68	TB68	2/360, 7/323	9	5-5/8		4200
59-112	4	24	24	TB68	TB68	2/360, 8/323	10	5-5/8		4600
59-106	4	24	24	TB68	TB68	2/360, 6/323	8	6		3800
59-104	4	24-1/4	24-1/4	TB68	TB68	7/360	7	6-1/4		4200
59-108	4	24-1/4	24-1/4	TB68	TB68	8/360	8	6-3/8		4800
59-102	4	24-1/4	24-1/4	TB68	TB68	5/360	5	7-1/2		3400
59-150	4	25	27-1/4	TB68	TB68	11/360	11	6-3/4		5775
59-148	4	25	27-1/4	TB68	TB68	9/360	9	7-1/4		4725
59-146	4	25	27-1/4	TB68	TB68	8/360	8	7-1/2		4200
59-152	4	25	27-1/4	TB68	TB68	10/447	10	5-1/2		8350
59-412	4	25	29	TB68	TB68	2/625, 11/447	13	1-3/4		9190
59-460	4	25	29	TB68	TB68	1/323, 2/887, 1/1.12	PD/2/1	5-5/8	F	
59-462	4	25	29	TB68	TB68	1/323, 3/950	PD/3	4-3/16	F	
59-292	4	25-1/8	27-1/8	TB68	TB68	4/360, 1/323	4/SE	8		2450
59-202	4	25-1/8	27-5/8	TB68	TB68	12/360	10/2SE	5-3/8		6100
59-266	4	25-1/8	27-5/8	TB68	TB68	10/360	9/SE	5-5/8		4800
59-264	4	25-1/8	27-5/8	TB68	TB68	9/360	8/SE	6-1/4		4800
59-172	4	25-1/8	27-5/8	TB68	TB68	10/360	9/SE	7		4800

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
59-158	4	25-1/8	27-5/8	TB68	TB68	11/360	10/SE	7		5600
59-156	4	25-1/8	27-5/8	TB68	TB68	9/360	8/SE	7-3/8		4800
59-154	4	25-1/8	27-5/8	TB68	TB68	8/360	7/SE	7-1/2		4700
59-164	4	25-1/8	27-5/8	TB68	TB68	2/360, 6/323	7/SE	8		3300
59-222	4	25-1/8	27-5/8	TB68	TB68	2/360, 7/323	9	8-1/8		4300
59-162	4	25-1/8	27-5/8	TB68	TB68	10/447	9/SE	5-1/2		8350
59-160	4	25-1/8	27-5/8	TB68	TB68	9/447	8/SE	5-5/8		7000
59-288	4	25-1/8	27-5/8	TB68	TB68	1/323, 3/625, 1/558, 1/360	PD/3/PD/SE	6-1/2	F	6100
59-386	4	25-1/4	27-3/4	TB68	TB68	1/323, 3/590, 1/558, 1/360	PD/3/PD/SE	6-5/8	F	4800
59-454	4	25-3/8	27-3/4	TB68	TB68	1/323, 3/625, 1/558, 1/360	PD/3/PD/SE	6-5/16	F	
59-182	4	25-1/2	28	TB68	TB68	1/323, 3/580, 1/323, 2/360	PD/3/PD/2SE	6	F	5300
59-184	4	25-1/2	28	TB68	TB68	1/323, 3/625, 1/323, 2/360, 1/360	PD/3/PD/2SE	6-1/2	F	6100
59-144	4	26	26	TB68	TB68	14/360	14	5-1/4		7350
59-122	4	26	26	TB68	TB68	2/360, 7/323	9	7-1/4		3800
59-432	4	26	26	TB68	TB68	3/375, 8/323	11	6-5/8		
59-134	4	26	26	TB68	TB68	7/401	7	8		5800
59-130	4	26	26	TB68	TB68	8/447	8	6-1/2		6700
59-140	4	26	26	TB68	TB68	10/447	10	6-1/2		8350
59-236	4	26	26	TB68	TB68	10/499	10	3-1/2		8230
59-230	4	26	26	TB68	TB68	6/499, 4/401	10	3-7/8		6900
59-194	4	26	29	TB68	HK-3	14/360	14	5-3/8		7000
59-486	4	26	29-1/8	TB68	HK-3	10/499	10	3-5/8		
59-198	4	26	29-3/4	TB68	HO-1-2	15/360	15	5-1/8		7000
59-196	4	26	29-3/4	TB68	HO-1-2	14/360	14	5-5/8		7000
59-232	4	26	29-3/4	TB68	HO-1-2	7/447, 4/401	11	4		6900
59-238	4	26	29-3/4	TB68	HO-1-2	10/499	10	3-1/2		8230
59-242	4	26	29-3/4	TB68	HO-1-2	11/499	11	3-1/2		9220
59-246	4	26	29-3/4	TB68	HO-1-2	12/499	12	3-1/2		9950
59-224	4	26	29-3/4	TB68	HO-1-2	10/499	10	3-3/4		8350
59-206	4	26-1/16	26-1/16	TB68	TB68	14/360	14	4-7/8		6500
59-228	4	26-1/16	26-1/16	TB68	TB68	10/499	10	3-5/8		8350
59-188	4	26-1/8	26-1/8	TB68	TB68	4/360, 11/323	15	4-3/4		5600
59-306	4	26-1/8	26-1/8	TB68	TB68	3/360, 7/323	10	5-1/8		3800
59-142	4	26-1/8	26-1/8	TB68	TB68	3/360, 11/323	14	5-1/2		5600
59-296	4	26-1/8	26-1/8	TB68	TB68	13/360	13	5-1/2		6500
59-298	4	26-1/8	26-1/8	TB68	TB68	2/360, 7/323	9	5-7/8		3800
59-300	4	26-1/8	26-1/8	TB68	TB68	2/360, 6/323	8	6		3300
59-126	4	26-1/8	26-1/8	TB68	TB68	2/360, 10/323	12	6-1/4		4800
59-294	4	26-1/8	26-1/8	TB68	TB68	7/360	7	7		4025
59-124	4	26-1/8	26-1/8	TB68	TB68	2/360, 8/323	10	7		4200
59-212	4	26-1/8	26-1/8	TB68	TB68	12/499	12	3-7/8		8350
59-312	4	26-1/8	26-1/8	TB68	TB68	12/499	12	4-3/8		10700
59-200	4	26-1/8	26-1/8	TB68	TB68	2/323, 3/587, 1/499	2PD/3/PD	6-1/4	F	5300
59-214	4	26-1/8	26-1/8	TB68	TB68	1/625, 3/630, 2 /499	PD/3/2PD	6	F	5600
59-302	4	26-1/8	29-1/2	TB68	HO-1-2	12/499	12	4-7/8		8350
59-304	4	26-1/8	29-3/4	TB68	HO-1-2	4/360, 11/323	15	5		5600
59-204	4	26-1/8	29-3/4	TB68	HO-1-2	4/360, 10/323	14	5-1/2		5600
59-332	4	26-1/8	29-3/4	TB68	HO-1-2	12/499	12	3-1/2		8350
59-388	4	26-1/8	29-3/4	TB68	HO-1-2	10/499	10	3-7/8		6725
59-346	4	26-1/8	29-3/4	TB68	HO-1-2	11/499	11	4		10900
59-174	4	26-1/8	29-3/4	TB68	HO-1-2	9/499	9	4-1/8		8350
59-318	4	26-3/16	26-3/16	TB68	TB68	10/360	10	7-1/4		5700
59-176	4	26-3/16	26-3/16	TB68	TB68	9/499	9	4-3/8		9000
59-210	4	26-3/16	26-3/16	TB68	TB68	4/499, 6/360	10	5-3/8		7000
59-220	4	26-3/16	28-15/16	TB68	HO-1-2	4/499, 6/360	10	5-1/2		7000
59-208	4	26-1/4	24-1/4	TB68	TB68	15/360	15	5-1/2		7650
59-178	4	26-1/4	26-1/4	TB68	TB68	3/360, 8/323	11	5		4700

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
59-190	4	26-1/4	26-1/4	TB68	TB68	2/360, 10/323	12	5-1/4		5300
59-192	4	26-1/4	26-1/4	TB68	TB68	3/360, 10/323	13	5-1/4		5300
59-166	4	26-1/4	26-1/4	TB68	TB68	2/360, 8/323	10	5-3/4		4200
59-138	4	26-1/4	26-1/4	TB68	TB68	8/360	8	7-1/4		4200
59-120	4	26-1/4	26-1/4	TB68	TB68	8/360	8	7-1/4		4200
59-320	4	26-1/4	26-1/4	TB68	TB68	9/360	9	7-1/2		5120
59-226	4	26-1/4	26-1/4	TB68	TB68	4/499, 5/360	9	5-3/4		7000
59-216	4	26-1/4	30	TB68	HO-1-2	9/499	9	4-7/8		9000
59-218	4	26-1/4	30	TB68	HO-1-2	4/499, 5/360	9	5-7/8		7000
59-316	4	26-3/8	26-3/8	TB68	TB68	6/499	6	6-5/8		7220
59-314	4	26-3/8	29-7/8	TB68	HO-1-2	6/499	6	6-3/4		7220
59-308	4	26-7/16	30-3/16	TB68	HO-1-2	4/499, 6/360	10	7-1/2		7000
59-310	4	26-7/16	30-3/16	TB68	HO-1-2	4/499, 5/360	9	8		7000
59-270	4	27	27	TB68	TB68	8/360 4/323	11/SE	5		4900
59-268	4	27	27	TB68	TB68	8/360 3/323	10/SE	5-1/2		4900
59-448	4	27	27	TB68	TB68	11/499	10/SE	2-1/2		
59-470	4	27	27	TB68	TB68	5/499, 6/360	10/SE	4		
59-418	4	27	30	TB68	HK-3	12/499	12	3-1/2		10960
59-382	4	27	30-3/4	TB68	--	3/401, 10/360	13	4-1/2		5900
59-384	4	27	30-3/4	TB68	--	6/401, 6/360	12	4-3/4		5900
59-284	4	27	30-3/4	TB68	HO-1-2	9/401, 4/360	12/SE	3-5/8		5900
59-282	4	27	30-3/4	TB68	HO-1-2	12/401	11/SE	3-7/8		5900
59-278	4	27	30-3/4	TB68	HO-1-2	8/499, 4/401	11/SE	2-3/8		8417
59-280	4	27	30-3/4	TB68	HO-1-2	10/499, 1/401	10/SE	2-1/2		8417
59-274	4	27	30-3/4	TB68	HO-1-2	5/499, 5/401, 1/360	10/SE	3-1/4		7050
59-276	4	27	30-3/4	TB68	HO-1-2	6/499, 3/401, 1/360	9/SE	3-1/2		7050
59-472	4	27-1/16	27-1/16	1-3/4	TB68	11/499	10/SE	2-3/4		8420
59-354	4	27-1/16	27-1/16	TB68	TB68	3/401 10/360	12/SE	4-3/8		5900
59-352	4	27-1/16	27-1/16	TB68	TB68	5/401 7/360	11/SE	4-7/8		5900
59-366	4	27-1/16	27-1/16	TB68	TB68	11/499	10/SE	2-5/8		8420
59-362	4	27-1/16	27-1/16	TB68	TB68	5/499 6/360	10/SE	3-1/2		7050
59-364	4	27-1/16	27-1/16	TB68	TB68	8/499 2/401	9/SE	3-5/8		8420
59-360	4	27-1/16	27-1/16	TB68	TB68	5/499 5/401	9/SE	3-3/4		7050
59-356	4	27-3/16	27-3/16	TB68	TB68	7/360 3/323	9/SE	6		4400
59-480	4	27-1/4	27-1/4	RB249	RB249	1/499, 4/625, 1/499	PD/4/SE	5-3/4	F	
59-272	4	27-1/4	27-1/4	TB68	TB68	1/499, 4/558, 1/401	PD/4/SE	6-1/2	F	5000
59-440	4	27-1/4	27-1/4	TB68	TB68	1/499, 4/625, 1/449	PD/4/SE	5-3/4	F	5900
59-408	4	27-1/4	27-1/4	TB68	TB68	1/499, 4/625, 1/449	PD/4/SE	5-7/8	F	5900
59-370	4	27-1/4	27-1/4	TB68	TB68	1/499, 4/625, 1/401	PD/4/SE	6	F	5900
59-430	4	27-1/4	27-1/4	TB68	TB68	1/323, 2/827, 2/432, 1/499	PD/2/2PD/SE	5-13/16	F	5900
59-444	4	27-1/4	27-1/4	TB68	TB68	1/423, 2/827, 2/423, 1/499	PD/2/2PD/SE	6	F	5900
59-404	4	27-3/8	27-3/8	TB68	TB68	1/499, 4/558, 1/499	PD/4/SE	6	F	5400
59-128	4	28	28	TB68	TB68	14/401	14	6-1/8		8500
59-348	4	28	28	TB68	TB68	7/625	7	2-1/8		11000
59-286	4	28	28	TB68b	TB68b	4/1.000	4	2	F	12000
59-186	4	28	30	1-13/16	--	10/499	10	3-1/4		8394
59-168	4	28	30	1-7/8b	--	8/401	8	4-3/8		
59-170	4	28	30	1-7/8b	--	10/401	10	4-3/8		
59-334	4	29-1/4	35-1/4	--	--	11/499	11	5-3/4		8350
59-338	4	29-1/4	35-1/4	--	--	11/499	11	6-5/8		10910
59-340	4	29-1/4	35-1/4	--	--	11/558	11	3-7/8		13125
59-336	4	29-1/4	35-1/4	--	--	11/558	11	7		12500
59-358	4	29-1/4	35-1/4	--	--	11/625	11	2		15000
59-234	4	29-3/4	29-3/4	--	--	7/447, 4/401	11	4-1/2		6900
59-368	4	29-3/4	29-3/4	--	--	11/499	11	-1		7500
59-252	4	29-3/4	29-3/4	--	--	10/499	10	3-1/2		7470
59-254	4	29-3/4	29-3/4	--	--	11/499	11	3-1/2		9485
59-250	4	29-3/4	29-3/4	--	--	9/499	9	3-3/4		6325

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
59-350	4	29-3/4	29-3/4	--	--	7/499	7	3-3/4		8350
59-244	4	29-3/4	29-3/4	--	--	11/499	11	3-3/4		9220
59-256	4	29-3/4	29-3/4	--	--	12/499	12	3-3/4		10575
59-322	4	29-3/4	29-3/4	--	--	8/499	8	3-7/8		8350
59-248	4	29-3/4	29-3/4	--	--	12/499	12	3-7/8		9950
59-330	4	29-3/4	29-3/4	--	--	4/499, 5/360	9	4-1/4		7000
59-326	4	29-3/4	29-3/4	--	--	1/499	11	4-3/8		10930
59-324	4	29-3/4	29-3/4	--	--	7/499	7	4-5/8		8350
59-344	4	29-3/4	29-3/4	--	--	8/499	8	4-7/8		9360
59-240	4	29-3/4	29-3/4	--	--	10/499	10	5		8230
59-374	4	29-3/4	29-3/4	--	--	12/558	12	3-5/8		13000
59-422	4	32	32	TB68	TB68	9/401, 1/360	9/SE	8-1/2		
59-402	4	32	32	TB68	TB68	9/499, 1/588	10	5		
59-410	4	32	32	TB68	TB68	8/625, 1/499	9	3-7/8		9190
59-456	4	32	32	TB68	TB68	8/625, 1/499	9	4-3/16		
59-406	4	32	32	TB68	TB68	1/499, 4/702	PD/4	4-1/2	F	6560
59-400	4	32	32	TB68	TB68	3/788	3	5	F	6560
59-420	4	32	34-1/2	TB68	HO-1-2	8/625, 1/499	9	3-1/8		9110
59-452	4	32	35-3/4	TB68	HO-1-2	8/625 1/499	9	4		
59-390	4	32-1/16	32-1/16	TB68	TB68	1/401, 9/499, 1/401	10/SE	5-1/4		6780
59-398	4	32-1/16	32-1/16	TB68	TB68	1/401, 9/499, 1/401	10/SE	7		6780
59-392	4	32-1/8	32-1/8	TB68	TB68	2/401, 6/447, 2/401	9/SE	6-3/4		5600
59-438	4	32-1/4	32-1/4	TB68	TB68	Composite Spring	1	5-3/4		5600
59-372	4	33	33	--	--	3/625, 3/750, 1/625, 1/750, 2/625, 1/750,	12	4-1/2		20000
59-424	4	33	33	--	--	12/625	12	4-7/8		15000
59-258	4	33	33	--	--	12/625	12	5-1/2		15000
59-328	4	34	34	--	--	8/750	8	0		14750
59-260	4	34	34	HK-3	HK-3	13/447	13	4-3/4		8500
59-376	4	35	35	TB68	TB68	3/558, 1/499, 4/558, 2/499, 1/558, 1/499	12	6-3/4		8227
59-262	4	35-1/4	35-1/4	TB68	TB68	6/499, 2/447	7/SE	9-1/8		5600
59-342	4	35-7/16	35-7/16	TB68	TB68	7/558, 2/499	8/SE	5-3/4		8350
59-396	4	35-3/4	35-3/4	--	--	11/499	10/SE	6		
59-426	4	35-3/4	35-3/4	--	--	8/625, 1/499	9	2-7/8		9600
59-458	4	35-7/8	35-7/8	--	--	8/625, 1/499	9	3-1/2		
59-290	5	33	33	HK-3	HK-3	14/447	12/2PD	5		
59-416	5	36	36	HK-3	HK-3	15/499	15	5-3/4		13000
59-414	5	37	37	HK-3	HK-3	16/499	16	6-1/8		14360
59-482	80	813	813	RB249	RB249	1/10, 2/25, 1/12	PD/2/PD	132	F	
59-428	80	813	813	TB68	TB68	1/10, 2/25, 1/12	PD/2/PD	134	F	
59-442	80	813	813	TB68	TB68	1/10, 2/25, 1/12	PD/2/PD	134	F	
59-436	80	830	902	RB223	RB223	7/13	7	181		4300
59-466	100	686	818	RB249	RB249	1/8, 2/23	PD/2	124	F	
59-464	100	686	818	TB77	TB77	1/8, 2/23	PD/2	124	F	

Kenworth Trucks - rear

59-125	3	29-1/2	29-1/2	HK-3	HK-3	10/499, 5/447	12/3	6-1/2		
59-145	3	30-1/2	30-1/2	--	--	4/788	4	5-1/2	F	8000
59-143	3	30-1/2	30-1/2	--	HK-3	10/499	10	6-1/2		7800
59-195	3	30-1/2	30-1/2	--	HK-4	13/625	13	3-3/4		13000
59-133	3	30-1/2	30-1/2	--	HK-4	17/625, 3/499	10	6-1/4		10300
59-127	3	30-1/2	30-1/2	--	HK-4-12	10/499, 3/447	10/3	6-5/8		7500
59-267	3-1/2	19	21	--	--	8/360	8	1-5/8		4800
59-191	3-1/2	19	21	--	--	8/360	8	2-1/4		5838
59-159	3-1/2	19	21	--	--	10/360	10	3		5270
59-147	3-1/2	19	21	--	--	7/360	7	3-1/4		4455

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
59-265	3-1/2	19	21	--	--	5/499	5	2-1/8		5835
59-165	3-1/2	28-3/4	28-3/4	--	--	14/360	14	6-1/2		7500
59-101	3-1/2	28-3/4	28-3/4	--	--	4/401, 9/360	13	5-1/2		
59-113	3-1/2	28-3/4	28-3/4	--	--	14/447	14	5-1/4		
59-271	3-1/2	29	29	--	--	13/499	13	5-3/8		9700
59-193	3-1/2	29	29	--	--	14/499	14	5-1/2		10400
59-269	3-1/2	29	29	--	--	10/625	10	5-5/8		10410
59-107	3-1/2	29-1/2	29-1/2	--	--	16/360	16	6-1/2		
59-163	3-1/2	31-1/2	29-3/4	HO-1	LH-1	14/360	14	2-7/8		6200
59-155	3-1/2	31-1/2	29-3/4	HO-1	LH-1	14/360	14	5-5/8		6200
59-153	3-1/2	31-1/2	29-3/4	HO-1	LH-1	14/447	14	1-3/4		7345
59-151	3-1/2	31-1/2	29-3/4	HO-1	LH-1	14/447	14	4-1/8		7345
59-157	3-1/2	31-1/2	29-3/4	HO-1	LH-1	9/499	9	6		8200
59-139	4	22	24-1/2	--	--	5/499	5	2-7/8		6476
59-131	4	22	24-1/2	--	--	6/499	6	2-7/8		8500
59-137	4	22	24-1/2	--	--	7/499	7	2-7/8		9800
59-141	4	22	24-1/2	--	--	3/710	3	2-5/8	F	
59-115	4	29-3/8	29-3/8	HO-1-2	HO-1-2	5/999	5/UB	5-1/4	CB	
59-103	4	29-1/2	29-1/2	HO-1-2	HO-1-2	7/788	6/UB	5-1/2	CB	
59-219	4	30	30	--	--	5/1.000	5	0		19500
59-217	4	30	30	--	--	6/1.000	6	0		26500
59-225	4	30-1/2	30-1/2	--	--	2/1.000, 3/788	5	-2		16700
59-227	4	30-1/2	30-1/2	--	--	2/1.000, 4/788	6	-2		19520
59-205	4	30-1/2	30-1/2	--	--	6/1.000	6	-2		22180
59-229	4	30-1/2	30-1/2	--	--	2/1.000, 6/788	8	-2		22200
59-231	4	30-1/2	30-1/2	--	--	6/1.000	6	-2		25020
59-285	4	30-3/4	30-3/4	--	--	5/999	5	-1-1/2		
59-203	4	31	31	--	--	6/1.000	6	0		24000
59-215	4	31	31	--	--	6/1.000	6	0		26500
59-117	4	31	31	HO-1-2	HO-1-2	5/788	5	5-1/8		15800
59-233	4	31-1/2	31-1/2	--	--	7/788	7	-2		20570
59-207	4	31-1/2	31-1/2	--	--	6/1.000	6	-2		24000
59-247	4	31-1/2	31-1/2	--	--	6/1.000	6	-2		25000
59-221	4	32	32	--	--	10/625	10	1-1/2		14580
59-223	4	32	32	--	--	9/750	9	1		18900
59-129	4	32	32	--	--	2/788, 9/625	11	8		
59-213	4	32	32	--	--	5/1.000	5	3		19523
59-121	4	32	32	HO-1-2	HO-1-2	5/999	5	7		
59-251	4	32-1/2	32-1/2	--	--	6/1.000	6	0		25000
59-261	4	33	33	--	--	6/1.000	6	0		24060
59-279	4	34	34	--	--	6/999	6	-1-3/4		20740
59-249	4	34	34	--	--	6/1.000	6	1-3/8		19500
59-281	4	34	43-5/8	--	HO-1	6/999	6	-1-3/4		20740
59-235	4	35-1/2	35-1/2	--	--	6/1.000	6	0		18980
59-149	5	28-1/8	28-1/8	--	--	6/1.000	6	-2		22200
59-161	5	29-3/4	29-3/4	--	--	8/1.000	8	-2-1/2		33480
59-109	5	29-3/4	29-3/4	--	--	8/1.000	8	0		33480
59-167	5	29-3/4	29-3/4	--	--	9/1.000	9	0		40000
59-273	5	29-3/4	29-3/4	--	--	8/1.000	8	1-1/2		33840
59-105	5	30-1/8	30-1/8	--	--	10/625	10	3-1/2		
59-169	5	30-3/4	30-3/4	--	--	9/1.000	9	-2-1/2		40000
59-275	5	30-3/4	30-3/4	--	--	8/1.000	8	0		35500
59-197	5	31	31	--	--	6/1.000	6	-2-1/2		28000
59-171	5	31	31	--	--	7/1.000	7	-2-1/2		30000
59-199	5	31	31	--	--	7/1.000	7	0		32665
59-209	5	32	32	--	--	7/1.000	7	-4		32665
59-255	5	32	32	--	--	6/1.000	6	-2-1/2		28990
59-241	5	32	32	--	--	7/1.000	7	-2-1/2		35000

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
59-175	5	32	32	--	--	9/1.000	9	-2-1/2		40000
59-253	5	32	32	--	--	6/1.000	6	0		28990
59-239	5	32	32	--	--	7/1.000	7	0		35000
59-211	5	33	33	--	--	7/1.000	7	-4		29750
59-259	5	33	33	--	--	6/1.000	6	-2-1/2		29000
59-245	5	33	33	--	--	7/1.000	7	-2-1/2		35060
59-257	5	33	33	--	--	6/1.000	6	0		29000
59-243	5	33	33	--	--	7/1.000	7	0		35060
59-237	5	33-13/16	33-13/16	HO-1-2	HO-1-2	1/1.273, 4/1.354, 1/1.273	6	5-1/8	CB	33570
59-263	5	34	34	--	--	8/1.000	8	-2-1/2		35050
59-181	6	39	39	--	--	6/1.500	6	1-1/16		
59-185	6	39	39	--	--	6/1.500	6	1-3/8		
59-187	6	39	39	--	--	5/1.500	5	1-3/8		49250
59-183	6	39	39	--	--	7/1.500	7	1-3/8		68900
59-177	6	39	39	--	--	7/1.500	7	2-3/8		
59-179	6	39	39	--	--	6/1.500	6	2-1/2		
59-277	6	42-3/4	42-3/4	--	--	8/1.500	8	3-1/8		70490
59-293	90	787	807	--	--	8/14	6/2PD	92		
59-301	90	794	794	--	--	6/15, 2/10	6/2PD	38		
59-299	90	900	900	RB222	RB222	2/14, 5/15, 1/14	8	108		
59-297	90	900	900	RB222	RB222	6/15, 2/10 - 2/14, 5/15, 1/14	6/2PD/8	108	A	
59-291	90	900	900	RB222	RB222	5/14, 1/11	5/PD	170		
59-289	90	900	900	RB222	RB222	8/14 - 5/14, 1/11	6/2PD/5/PD	170	A	

Marmon - front

61-106	3	23-1/2	23-3/4	NJG	NJG	2/447, 4/360, 4/447	6/4	6		
61-108	3	23-1/2	23-3/4	NJG	NJG	2/447, 4/360, 4/447	6/4	6-3/8		5400
61-110	4	24-3/8	28-5/16	RNI	RNI	2/447, 4/360, 3/499	6/3	6-7/8		3800
61-118	4	24-3/8	28-5/16	RNK	RNK	3/558, 5/499	8	4-5/8		3800
61-116	4	24-7/16	28-3/8	RNK	RNK	3/401, 3/360, 3/499	6/3	6-1/2		3800
61-124	4	24-7/16	28-3/8	RNK	RNK	1/323, 3/625, 3/499	PD/3/3PD	6-1/8		3800
61-126	4	24-7/16	28-3/8	RNK	RNK	3/499, 1/323, 3/625	4PD/3	6-5/8		3800
61-120	4	24-5/8	28-1/2	RNK	RNK	2/447, 4/401, 2/702	6/2	6-5/8		4200
61-112	4	26-1/8	26-1/8	RNI	RNI	2/558, 9/499	11	3-3/4		6300
61-114	4	26-3/16	26-3/16	RNI	RNI	2/558, 8/499	10	4-3/8		5500

Marmon - rear

61-101	3-1/2	32-1/2	32-1/2	HK-3	HK-3	12/499, 1/360, 1/401, 1/360	12/3	5-3/4		11100
61-103	3-1/2	32-1/2	32-1/2	HK-3	HK-3	10/499, 1/360, 1/401, 1/360	10/3	6-3/4		10700

Mack Trucks - front

62-618	2-1/2	25-7/8	26-1/8	XRE	--	16/360	16	4-3/4		4740
62-598	2-1/2	25-7/8	26-1/8	XRE	--	1/401, 11/323, 4/291	16	5-1/4		3075
62-596	2-1/2	25-7/8	26-1/8	XRE	--	1/401, 6/323, 7/291	14	6-3/8		2625
62-712	2-1/2	25-7/8	26-1/8	XRE	--	14/447	14	3-3/4		
62-600	2-1/2	25-7/8	26-1/8	XRE	--	11/447	11	4-3/4		4175
62-782	3	21	23	--	RNG	12/360	12	3-1/2		
62-1048	3	21-1/16	23	--	MB1	14/360	14	3-5/8		7112
62-666	3	23	23-13/16	XRG	HO-1-2	15/401	15	3-1/2		
62-634	3	23	24-13/16	XRG	HO-1-2	12/447	12	3-1/4		8000
62-1052	3	23	25-5/16	XRG	HO-1-2	15/323	15	4-15/16		4550
62-916	3	23	26-1/2	RNG	--	14/360	14	4-1/2		
62-720	3	23	26-1/2	RNG	--	11/360	11	4-3/4		
62-674	3	23	26-1/2	RNG	--	13/360	13	4-7/8		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
62-662	3	23	26-1/2	RNG	--	5/360, 6/323	11	5		
62-672	3	23	26-1/2	RNG	--	1/401, 7/360	8	4-7/8		
62-694	3	23	26-5/8	RNG	--	10/499	10	2-3/4		
62-716	3	23	26-5/8	RNG	--	8/499	8	3-1/2		
62-592	3	24-1/4	27-3/4	XRG	--	14/291	14	5		2710
62-594	3	24-1/4	27-3/4	XRG	--	11/291	11	5		2760
62-612	3	24-1/4	27-3/4	XRG	--	15/291	15	5-7/8		4100
62-628	3	24-1/4	27-3/4	XRG	--	12/323, 1/499	12/PD	5-1/2		4100
62-630	3	24-1/4	27-3/4	XRG	--	14/323	14	6		4800
62-610	3	24-1/4	27-3/4	XRG	--	4/360, 12/323	16	3-3/4		5000
62-606	3	24-1/4	27-3/4	XRG	--	14/360	14	4-5/8		4400
62-608	3	24-1/4	27-3/4	XRG	--	10/360, 9/323	19	4-3/4		6500
62-682	3	24-1/4	27-3/4	XRG	--	13/401	13	5		
62-614	3	24-1/4	27-3/4	XRG	--	14/423	14	4		3680
62-602	3	25-7/8	26-7/8	XRG	--	3/447, 8/323	11	6-3/8		4095
62-714	3	26-3/8	26	XRG	--	11/401	11	5-1/4		
62-654	3	26-3/8	26	XRG	--	11/499	11	4		
62-648	3	26-3/8	26	XRG	--	9/499	9	5		
62-632	3	26-3/8	26-3/8	XRG	HK-2	12/401	12	4-1/2		4750
62-622	3	26-3/8	26-7/8	XRG	--	12/323	12	5-1/2		4050
62-550	3	26-3/8	26-7/8	XRG	--	15/323	15	5-1/2		4750
62-624	3	26-3/8	26-7/8	XRG	HK-2	12/323	12	5-1/2		4050
62-636	3	26-3/8	26-7/8	XRG	HK-2	15/323	15	5-1/2		4750
62-658	3	26-3/8	26-7/8	XRG	HK-2	1/360, 9/323	10	4-5/8		3000
62-646	3	26-3/8	26-7/8	XRG	HK-2	1/360, 10/323	11	4-5/8		3400
62-644	3	26-3/8	26-7/8	XRG	HK-2	1/360, 11/323	12	6-3/8		4100
62-656	3	26-3/8	26-7/8	XRG	HK-2	1/360, 14/323	15	6-3/8		4800
62-660	3	30-3/4	25-1/16	XRG	HO-2	7/360	7	4-3/4		2820
62-1020	3-1/2	19-7/8	35-1/8	TB69	MB1	8/558, 1/447	8/PD	4-1/8		
62-852	3-1/2	25-1/8	28-1/2	MB1	HK-2	6/558	6	3-7/8		6050
62-818	3-1/2	25-1/8	28-1/2	MB1	HK-2	7/558	7	3-7/8		6700
62-810	3-1/2	25-1/8	28-1/2	MB1	HK-2	8/558	8	3-7/8		7500
62-816	3-1/2	25-1/8	28-1/2	MB1	HK-2	9/558	9	3-7/8		8800
62-814	3-1/2	25-1/8	28-1/2	MB1	HK-2	10/558	10	3-7/8		10300
62-798	3-1/2	25-1/8	28-1/2	RNI	HK2	10/558	10	3-7/8		10300
62-842	3-1/2	25-1/8	28-1/2	RNI	HK-2	6/558	6	3-7/8		6050
62-800	3-1/2	25-1/8	28-1/2	RNI	HK-2	7/558	7	3-7/8		6700
62-794	3-1/2	25-1/8	28-1/2	RNI	HK-2	8/558	8	3-7/8		7500
62-746	3-1/2	25-1/8	28-1/2	RNI	HK-2	9/558	9	3-7/8		8800
62-764	3-1/2	25-1/8	28-7/8	TB69	TB69	12/323	12	4-3/4		4000
62-756	3-1/2	25-1/8	28-7/8	TB69	TB69	12/323, 2/360	12/2Pd	6		4000
62-758	3-1/2	25-1/8	28-7/8	TB69	TB69	9/360, 3/499	9/3	5-1/8		5700
62-702	3-1/2	25-1/8	28-7/8	TB69	TB69	11/360, 1/625	11/PD	6-1/4		5000
62-760	3-1/2	25-1/8	28-7/8	TB69	TB69	8/447, 3/499	8/3	5		7000
62-762	3-1/2	25-1/8	28-7/8	TB69	TB69	8/447, 3/558	8/3	5-1/2		8500
62-686	3-1/2	25-1/8	29	RNI	--	8/447	8	4-1/2		4900
62-704	3-1/2	25-1/8	29	RNI	--	7/447	7	5		
62-688	3-1/2	25-1/8	29-1/4	RNI	--	7/449	7	5		5600
62-692	3-1/2	25-1/8	29-1/4	RNI	--	10/499	10	4-1/2		7400
62-700	3-1/2	25-1/8	29-1/4	RNI	--	11/499	11	4-1/2		8140
62-696	3-1/2	25-1/8	29-1/4	RNI	--	8/499	8	4-3/4		6160
62-1060	3-1/2	25-1/8	29-7/8	1-7/8	1-7/8	1/323, 3/715	PD/3	5-1/2	F	5400
62-964	3-1/2	25-1/8	29-7/8	MB1	TB69	12/323	12	4-3/4		4000
62-1038	3-1/2	25-1/8	29-7/8	MB1	TB69	12/323	12	5-9/16		4000
62-954	3-1/2	25-1/8	29-7/8	MB1	TB69	12/323, 2/360	12/2PD	6-1/4		4000
62-822	3-1/2	25-1/8	29-7/8	MB1	TB69	11/360	11	5-1/4		4800
62-824	3-1/2	25-1/8	29-7/8	MB1	TB69	13/360	13	5-1/4		5300
62-820	3-1/2	25-1/8	29-7/8	MB1	TB69	14/360	14	5-5/8		5700

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
62-958	3-1/2	25-1/8	29-7/8	MB1	TB69	9/360, 3/499	9/3	5-5/8		5700
62-956	3-1/2	25-1/8	29-7/8	MB1	TB69	11/360, 2/323	11/2PD	6-1/2		4000
62-892	3-1/2	25-1/8	29-7/8	MB1	TB69	19/401	19	4-1/2		9600
62-836	3-1/2	25-1/8	29-7/8	MB1	TB69	16/401	16	5-1/4		8100
62-880	3-1/2	25-1/8	29-7/8	MB1	TB69	1/447, 18/401	19	4-5/8		9060
62-966	3-1/2	25-1/8	29-7/8	MB1	TB69	8/447, 4/558	8/4	5-1/8		9500
62-960	3-1/2	25-1/8	29-7/8	MB1	TB69	8/447, 3/499	8/3	5-1/4		7000
62-834	3-1/2	25-1/8	29-7/8	MB1	TB69	1/447, 13/401	14	5-1/4		7200
62-876	3-1/2	25-1/8	29-7/8	MB1	TB69	1/447, 15/401	16	5-1/4		8100
62-1022	3-1/2	25-1/8	29-7/8	MB1	TB69	8/447, 4/558	8/4	5-1/2		9500
62-962	3-1/2	25-1/8	29-7/8	MB1	TB69	8/447, 3/558	8/3	5-5/8		8500
62-882	3-1/2	25-1/8	29-7/8	MB1	TB69	12/499	12	3-5/8		8100
62-988	3-1/2	25-1/8	29-7/8	MB1	TB69	9/558	9	4-3/16		9060
62-826	3-1/2	25-1/8	29-7/8	MB1	TB69	1/323, 3/620	PD/3	5-1/4	F	4100
62-828	3-1/2	25-1/8	29-7/8	MB1	TB69	1/323, 3/660	PD/3	5	F	4700
62-830	3-1/2	25-1/8	29-7/8	MB1	TB69	1/323, 3/715	PD/3	4-3/4	F	5400
62-838	3-1/2	25-1/8	29-7/8	MB1	TB69	1/323, 3/770	PD/3	4-3/8	F	6300
62-976	3-1/2	25-1/8	29-7/8	MB1	TB69	2/323, 3/788	2PD/3	4-7/16	F	6300
62-840	3-1/2	25-1/8	29-7/8	MB1	TB69	1/323, 3/850	PD/3	3-7/8	F	7200
62-858	3-1/2	25-1/8	29-7/8	MB1	TB69	1/323, 3/910, 1/660	PD/4	3-5/8	F	9300
62-832	3-1/2	25-1/8	29-7/8	MB1	TB69	1/323, 3/910	PD/3	3-3/4	F	8100
62-1058	3-1/2	25-1/8	29-7/8	RB188	RB189	1/323, 3/660	PD/3	5-5/8	F	
62-1032	3-1/2	25-1/8	29-7/8	RB188	RB189	1/323, 3/662	PD/3	5-1/2	F	
62-984	3-1/2	25-1/8	29-7/8	RB188	RB189	2/323, 3/715	2PD/3	4-5//8	F	5400
62-968	3-1/2	25-1/8	29-7/8	RB188	RB189	1/323, 3/715	PD/3	5-1/2	F	5400
62-1044	3-1/2	25-1/8	29-7/8	RB188	RB189	1/323, 2/887, 1/323	PD/2/PD	4-3/8	F	5400
62-784	3-1/2	25-1/8	29-7/8	RNI	TB69	11/360	11	5-1/4		4500
62-792	3-1/2	25-1/8	29-7/8	RNI	TB69	13/360	13	5-1/4		5300
62-796	3-1/2	25-1/8	29-7/8	RNI	TB69	14/360	14	5-5/8		5700
62-776	3-1/2	25-1/8	29-7/8	RNI	TB69	16/401	16	5-1/4		8100
62-802	3-1/2	25-1/8	29-7/8	RNI	TB69	1/447, 13/401	14	5-1/4		7200
62-788	3-1/2	25-1/8	29-7/8	RNI	TB69	1/323, 3/620	PD/3	5-1/4	F	4100
62-770	3-1/2	25-1/8	29-7/8	RNI	TB69	1/323, 3/660	PD/3	5	F	4700
62-778	3-1/2	25-1/8	29-7/8	RNI	TB69	1/323, 3/715	PD/3	4-3/4	F	5400
62-848	3-1/2	25-1/8	29-7/8	RNI	TB69	1/323, 3/770	PD/3	4-3/8	F	6300
62-850	3-1/2	25-1/8	29-7/8	RNI	TB69	1/323, 3/850	PD/3	3-7/8	F	7200
62-772	3-1/2	25-1/8	29-7/8	RNI	TB69	1/323, 3/910	PD/3	3-3/4	F	8100
62-740	3-1/2	25-1/8	29-7/8	TB69	TB69	12/323	12	5		4000
62-732	3-1/2	25-1/8	29-7/8	TB69	TB69	12/323, 2/360	12/2PD	6-1/4		4000
62-754	3-1/2	25-1/8	29-7/8	TB69	TB69	11/360, 2/323	11/2PD	6-3/4		5000
62-886	3-1/2	25-1/8	29-7/8	TB69	TB69	8/447, 4/558	8/4	5-1/8		9000
62-736	3-1/2	25-1/8	29-7/8	TB69	TB69	8/447, 3/499	8/3	5-1/4		7000
62-738	3-1/2	25-1/8	29-7/8	TB69	TB69	8/447, 3/558	8/3	5-3/4		8500
62-734	3-1/2	25-1/8	29-7/8	TB69	TB69	9/630, 3/499	9/3	5-3/8		5700
62-942	3-1/2	25-1/8	30-1/4	MB1	HO-1-2	13/360	13	5-1/4		5300
62-866	3-1/2	25-1/8	30-1/4	MB1	HO-1-2	14/360	14	5-1/2		6000
62-878	3-1/2	25-1/8	30-1/4	MB1	HO-1-2	15/360	15	5-1/2		6400
62-914	3-1/2	25-1/8	30-1/4	MB1	HO-1-2	16/401	16	5-1/8		8100
62-868	3-1/2	25-1/8	30-1/4	MB1	HO-1-2	14/401	14	5-1/2		7200
62-640	3-1/2	25-1/8	30-1/4	RNI	HO-1-2	12/323	12	6		4080
62-638	3-1/2	25-1/8	30-1/4	RNI	HO-1-2	10/323	10	6-1/8		3400
62-690	3-1/2	25-1/8	30-1/4	RNI	HO-1-2	13/360	13	5-1/4		5300
62-652	3-1/2	25-1/8	30-1/4	RNI	HO-1-2	14/360	14	5-1/2		6000
62-766	3-1/2	25-1/8	30-1/4	RNI	HO-1-2	16/401	16	5-1/8		8100
62-678	3-1/2	25-1/8	30-1/4	RNI	HO-1-2	14/401	14	5-1/2		7200
62-642	3-1/2	25-1/8	30-1/4	RNI	PADS	11/360	11	5-3/4		4710
62-946	3-1/2	25-1/8	30-1/2	MB1	HK-2	7/447	7	5-1/4		4200
62-870	3-1/2	25-1/8	30-1/2	MB1	HK-2	8/447	8	5-1/2		4900

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
62-844	3-1/2	25-1/8	30-1/2	MB1	HK-2	10/499	10	4-1/2		7400
62-808	3-1/2	25-1/8	30-1/2	MB1	HK-2	13/499	13	4-1/2		9200
62-806	3-1/2	25-1/8	30-1/2	MB1	HK-2	8/499	8	4-3/4		6400
62-812	3-1/2	25-1/8	30-1/2	MB1	HK-2	14/499	14	5		11500
62-872	3-1/2	25-1/8	30-1/2	MB1	HK-2	7/499	7	5-3/8		5600
62-874	3-1/2	25-1/8	30-1/2	MB1	HK-2	12/558	12	3-7/8		12000
62-950	3-1/2	25-1/8	30-1/2	MB1	HK-2	1/360, 3/810	PD/3	4-1/4	F	6200
62-1042	3-1/2	25-1/8	30-1/2	MB1	HK-3	1/360, 3/917	PD/3	3-7/8	F	
62-944	3-1/2	25-1/8	30-1/2	RNI	HK-2	7/447	7	5-1/4		4200
62-884	3-1/2	25-1/8	30-1/2	RNI	HK-2	8/447	8	5-1/2		4900
62-698	3-1/2	25-1/8	30-1/2	RNI	HK-2	10/499	10	4-1/2		7400
62-748	3-1/2	25-1/8	30-1/2	RNI	HK-2	13/499	13	4-1/2		9200
62-708	3-1/2	25-1/8	30-1/2	RNI	HK-2	8/499	8	4-3/4		6400
62-890	3-1/2	25-1/8	30-1/2	RNI	HK-2	13/499	13	5		9200
62-750	3-1/2	25-1/8	30-1/2	RNI	HK-2	14/499	14	5		11500
62-742	3-1/2	25-1/8	30-1/2	RNI	HK-2	7/499	7	5-3/8		5600
62-860	3-1/2	25-1/8	30-1/2	RNI	HK-2	1/360, 3/810	PD/3	4-1/4	F	6200
62-786	3-1/2	25-1/8	30-1/2	RNI	HK-2	1/360, 4/810	PD/4	4-1/4	F	8250
62-854	3-1/2	25-1/8	30-1/2	RNI	HK-2	1/360, 3/925	PD/3	3-7/8	F	8630
62-856	3-1/2	25-1/8	30-1/2	RNI	HK-2	1/360, 4/925	PD/4	3-7/8	F	11500
62-804	3-1/2	25-1/8	30-3/4	MB1	HK-2	11/499	11	4-1/2		8500
62-706	3-1/2	25-1/8	30-3/4	RNI	HK-2	11/499	11	4-1/2		8500
62-1036	3-1/2	25-1/4	28-7/8	XRIb	--	2/401, 10/360, 1/323	13	6-7/8		
62-952	3-1/2	25-1/4	33-3/8	HK-2	HK-2	14/499	14	4-1/4		
62-1062	3-1/2	25-1/4	35-1/2	MB1	HK-2	4/360, 2/401	4/2PD	7-1/2		
62-790	3-1/2	25-1/4	35-1/2	RNI	HK-2	8/360	8	7-3/4		
62-940	3-1/2	25-1/4	35-1/2	RNI	HK-2	5/360, 1/401	5/PD	9-1/4		2500
62-1046	3-1/2	25-1/4	35-9/16	MB1	HK-2	8/360	8	8-1/16		3156
62-664	3-1/2	26-1/4	29-3/8	XRI	--	10/401, 7/360	17	4-3/4		
62-604	3-1/2	26-1/4	29-3/8	XRI	--	3/401, 11/360	14	5-1/8		5670
62-616	3-1/2	26-1/4	29-3/8	XRI	--	3/401, 14/360	17	5-3/8		7000
62-626	3-1/2	26-1/4	29-3/8	XRI	--	3/401, 8/360	11	5-1/2		4800
62-710	3-1/2	26-1/4	29-3/8	XRI	HK-3	10/401, 7/360	17	4-3/4		
62-1034	3-1/2	28-3/16	33-7/16	HK-2	HK-2	14/558	14	3-5/16		
62-1054	3-1/2	28-1/4	33-3/8	HK-2	HK-2	11/499	9/2PD	4-1/16		
62-862	3-1/2	28-1/4	33-3/8	HK-2	HK-2	11/499	11	4-1/2		8100
62-864	3-1/2	29	29	HK-3	HK-3	10/360	10	5-1/2		5200
62-918	3-1/2	29	29	HK-4	HK-4	11/360	11	5-3/8		
62-1008	3-1/2	31-7/8	37	TB69	MB1	1/323, 2/1.125	PD/2	5-1/8	F	6300
62-1006	3-1/2	31-7/8	37-1/8	RB189	RB188	1/323, 2/980	PD/2	5-3/4	F	
62-1014	3-1/2	31-7/8	37-1/8	TB69b	MB1b	7/702	7	3-1/8		
62-1018	3-1/2	32	37-1/8	TB69b	MB1b	8/702	8	3-5/16		
62-1016	3-1/2	32	37-7/8	TB69	MB-1	1/323, 3/984	PD/3	5-1/16	F	
62-1002	3-1/2	32-7/8	35-1/8	TB69	MB1	1/323, 3/1.250	PD/3	5-1/8	F	9300
62-972	3-1/2	32-7/8	35-1/8	TB69	MB-1	8/702	8	4-3/4		9300
62-974	3-1/2	32-7/8	35-1/8	TB69	RNI	7/702	7	3-7/8		8100
62-1004	3-1/2	33	35-1/8	TB69	MB1	9/702	9	3-7/8		10500
62-998	3-1/2	35-1/8	32-7/8	MB1	TB69	1/323, 1/917, 2/950	PD/3	4-7/8	F	7200
62-996	3-1/2	35-1/8	32-7/8	MB1	TB69	1/323, 3/917	PD/3	5-1/2	F	6300
62-1000	3-1/2	35-1/8	32-7/8	MB1	TB69	1/323, 3/1.062	PD/3	4-7/8	F	8100
62-1064	3-1/2	37	31-29/32	MB1b	TB69b	5/702	5	3-5/16		5300
62-1056	3-1/2	37	37	MB1	TB69	9/499	9	8-3/8		6300
62-990	3-1/2	37-1/8	36-7/8	MB1	TB69	8/499	8	9-9/16		
62-992	3-1/2	37-1/8	36-7/8	MB1	TB69	9/558	9	7-7/8		
62-1012	3-1/2	37-1/4	31-7/8	MB1	TB69	1/323, 3/1.127	PD/3	4-5/8	F	9300
62-986	4	24-13/16	30-5/16	M10-4030	TB72	1/323, 3/715	PD/3	4-3/4	F	6284
62-1010	4	24-13/16	30-15/16	RB165	RB166	1/360, 3/660	PD/3	4-1/4	F	
62-684	4	29	29	HK-3	HK-3	16/401, 3/447	16/3WG	4-1/2		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
62-680	4	29	29	HK-3	HK-3	12/401, 3/447	12/3/WG	4-1/2		
62-752	4	29	29	HK-3	HK-3	15/401, 3/447	15/3	4-1/2		
62-670	4	29	29	HK-3	HK-3	12/558, 3/499	1/11/3	3-1/4		
62-744	4	29	29	HK-3	HK-3	1/558, 14/499, 1/625	1/14/Pd	3-3/8		15310
62-1050	4	29-1/16	29-1/16	HK-4	HK-4	12/558, 3/499	RB/11/3	3-3/8		13300
62-780	5	33-1/2	33-1/2	HK-3	HK-3	1/625, 16/499	PD/16	6		
62-948	5	35	35	HK-3	HK-3	13/499	13	7		10200
62-938	5	42	42	--	--	1/788, 12/625	1/12	5-3/8		10800
62-1024	80	787	914	M8-3625	HK-2	4/13, 3/16, 1/8	7/PD	121		
62-1030	80	787	949	M8-3225	HK-2	6/10, 2/11, 1/16	8/PD	191		
62-970	80	790	915	M8-3625	HK-2	4/13, 3/16, 1/8	7/PD	108		
62-930	80	790	920	M8-3225	HK-2	4/13, 3/16, 1/8	7/PD	105		
62-922	80	790	950	M-8-3225	HK-2	7/10, 2/11, 1/16	9/PD	175		
62-920	80	790	950	M8-3225	HK-2	8/10, 1/16	8/PD	175		7500
62-1026	80	790	956	M8-3225	HK-2	7/10, 2/11, 1/16	9/PD	190		
62-906	100	630	770	M10-4030	TB72	3/8.5, 3/21.3	3/PD/3	96	F	8000
62-904	100	630	770	M10-4030	TB72	3/8.5, 3/20.2	3/PD/3	100	F	7200
62-908	100	630	770	M10-4030	TB72	12/13, 1/10	2PD/10/PD	75		7820
62-910	100	630	770	M10-4030	TB72	12/13, 2/10	3PD/9/2PD	76		6850
62-912	100	630	770	M10-4030	TB72	11/13, 3/10	3PD/8/3PD	77		5870
62-888	100	630	770	M10-4030	TB72	13/13	2PD/11	78		8990
62-896	100	630	770	RB165	RB166	1/8.5, 3/14.7	PD/3	133	F	4080
62-900	100	630	770	RB165	RB166	1/8.5, 3/15.8	PD/3	126	F	
62-894	100	630	770	RB165	RB166	1/8.5, 3/16.9	PD/3	120	F	
62-898	100	630	770	RB165	RB166	1/8.5, 3/18.2	PD/3	112	F	6270
62-902	100	630	770	RB165	RB166	1/8.5, 3/18.2	PD/3	113	F	6270

Mack Truck - rear

62-1305	3	SS	SS	--	--	1/1.187	1	SS	AS	
62-1335	3	SS	SS	--	--	1/1.625	1	SS	AS	
62-1311	3	SS	SS	--	--	1/1.625	1	SS	AS	
62-1333	3	SS	SS	--	--	1/1.875	1	SS	AS	
62-1313	3	SS	SS	--	--	1/1.875	1	SS	AS	
62-1347	3	SS	SS	--	--	1/2.000	1	SS	AS	
62-1315	3	SS	SS	--	--	1/2.375	1	SS	AS	
62-1337	3	SS	SS	--	--	1/2.375	1	SS	AS	
62-233	3	14	14	--	--	4/291	4	2-1/2		
62-1339	3	18-5/8	24-1/4	RB167	HK-1	7/558	UB/7	3-7/16		
62-1319	3	18-5/8	24-1/4	RB167	HK-1	1/360, 7/558	PD/7	3-7/16		
62-1317	3	18-29/32	24-3/16	RB167	HK-1	1/360, 8/499	PD/8	2-7/8		
62-1341	3	18-15/16	24-3/16	RB167	HK-1	1/360, 8/499	UB/8	2-7/8		7242
62-027	3	20-5/8	20-5/8	--	--	8/291	8	3-5/8		
62-215	3	20-7/8	20-7/8	--	--	1/335, 2/590	PD/2	3-1/4	F	7445
62-247	3	21-1/16	22-1/8	HK-3	--	11/401, 1/360, 1/499, 1/360	11/3	3-5/8		9000
62-165	3	21-5/8	22-5/8	HK-2	--	7/499	7	4-1/8		
62-245	3	21-11/16	22-1/8	HK-3	--	13/323, 1/360, 1/499, 1/360	13/3	4-1/2		8000
62-241	3	21-7/8	21-7/8	--	HK-3	13/323, 3/401	13/3PD	4-1/4		8000
62-1325	3	21-7/8	21-7/8	--	HK-3	3/401, 13/323	3PD/13	4-1/4		8000
62-243	3	22-1/8	22-1/8	--	HK-3	14/401	11/3PD	3-7/8		9000
62-1327	3	22-1/8	22-1/8	--	HK-3	14/401	3PD/11	3-7/8		9000
62-259	3	22-1/2	22-1/2	HK-2	--	10/401	10	4		8500
62-055	3	22-9/16	32-7/8	HO-1-3	HO-1-3	11/625	11/UB	3-1/4	CB	
62-251	3	22-3/4	23-3/4	HK-3	--	12/401, 1/360, 1/499, 1/360	12/3	3-3/4		10000
62-249	3	22-3/4	23-3/4	HK-3	--	11/401,,1/360, 1/499, 1/360	11/3	4-5/8		
62-1329	3	22-7/8	22-7/8	--	HK-3	15/401	3PD/12	4		10000
62-255	3	22-7/8	22-7/8	HK-3	--	15/401	12/3PD	4		10000
62-253	3	23-1/8	23-1/8	HK-3	--	14/401	11/3PD	4-1/2		8500

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
62-257	3	23-1/8	23-1/8	HK-3	--	14/401	3PD/11	4-5/8		8500
62-1361	3	23-3/16	23-11/16	HK-3	--	3/788	3/PD	5-3/8	F	
62-1331	3	23-11/16	23-1/8	--	HK-3	2/499, 3/788	2PD/3	5-7/16	F	
62-1359	3	27-1/8	30-7/8	1.5b	HK-2	8/558	8	5-1/4		8000
62-185	3	27-1/8	30-7/8	MB2	HK-2	4/558, 7/499	11	3-7/8		
62-179	3	27-1/8	30-7/8	MB2	HK-2	9/558	9	5-1/8		9700
62-187	3	27-1/8	30-7/8	MB2	HK-2	11/558	11	5-1/8		11800
62-1285	3	27-1/8	30-7/8	MB2	HK-2	8/558	8	5-1/4		
62-189	3	27-1/8	30-7/8	MB2	HK-2	6/558, 2/499	8	5-1/2		8000
62-199	3	27-1/8	30-7/8	MB2b	HK-2	9/558	9	5		9700
62-235	3	27-1/8	30-7/8	MB2b	HK-2	11/558	11	5-1/8		
62-201	3	27-1/8	30-7/8	MB2b	HK-2	7/625	7	3-7/8		9700
62-023	3	27-1/8	30-7/8	RNG	HK-2	11/558	11	4-3/4		11800
62-997	3	27-1/8	30-7/8	RNG	HK-2	9/558	9	5		9500
62-075	3	27-1/8	30-7/8	RNG	HK-2	9/558	9	5-1/8		9700
62-175	3	27-1/8	30-7/8	RNG	HK-2	11/558	11	5-1/8		11800
62-001	3	27-1/8	30-7/8	RNG	HK-2	6/558, 2/499	8	5-1/2		8000
62-145	3	27-1/8	30-7/8	RNGb	HK-2	9/558	9	5		9700
62-209	3	27-1/8	30-7/8	RNGb	HK-2	7/625	7	3-7/8		9700
62-051	3	27-1/8	31	RNG	HK-3	10/558	10	4-1/4		10720
62-987	3	27-1/2	27-1/2	HO-1-3	HO-1-3	14/625	14/UB	4-7/16	CB	12970
62-959	3	30-1/4	30-1/4	HK-3	HK-3	5/401, 10/360, 3/401	15/3	7		
62-029	3	30-1/4	30-1/4	HK-3	HK-3	17/447	14/3	5-3/4		13500
62-009	3	30-1/4	30-1/4	HK-3	HK-3	17/447	14/3	6		13300
62-985	3	30-1/4	30-1/4	HK-3	HK-3	13/447	10/3	7-1/4		7500
62-951	3	30-1/4	30-1/4	HK-3	HK-3	13/447	10/3	7-1/4		9500
62-963	3	30-1/4	30-1/4	HK-3	HK-3	15/447	12/3	7-1/4		11500
62-219	3	30-1/4	30-1/4	HK-3	HK-3	12/499, 3/447	12/3	6-5/8		
62-1291	3	30-1/4	30-1/4	HK-3	HK-3	15/499	12/3	6-7/8		
62-015	3	30-1/4	30-1/4	HK-3	HK-3	7/499, 9/447	13/3	7-1/4		
62-041	3	30-1/4	30-1/4	HK-3	HK-3	11/625, 1/449, 1/625, 1/499	11/3	1		
62-087	3-1/2	30	30	--	--	8/788	8	0		
62-021	3-1/2	30-1/2	30-1/2	--	--	15/499	15	3-1/2		
62-047	3-1/2	30-1/2	30-1/2	--	--	10/499	10	4-5/8		7090
62-205	3-1/2	30-1/2	30-1/2	--	--	14/558	14	3		15000
62-1281	4	17	20-3/8	TPK	HK-1	13/558	13	2-13/16		25000
62-1343	4	17-1/16	20-11/16	TPK	--	10/558	10	3-1/4		15500
62-1321	4	17-1/8	20-1/2	TPK	--	2/499, 9/447	11	3-1/4		14300
62-1277	4	17-1/8	28-1/2	TPK	--	1/558, 4/499, 8/447	13	2-1/4		17500
62-937	4	24-7/16	24-7/16	HO-1-3	HO-1-3	14/625	14	4-7/16	CB	18000
62-975	4	24-7/16	24-7/16	HO-1-3	HO-1-3	8/788	8	4-7/16	CB	
62-999	4	25	25	RB84	RB84	5/625, 1/499	5/1	3-1/2		
62-037	4	25	25	RB84	RB84	3/625, 1/788	3/1	3-1/2		
62-019	4	25	25	RB84	RB84	5/625	5	3-1/2		
62-031	4	25	25	RB84	RB84	2/625, 1/788	2/1	4		
62-939	4	25-1/8	25-1/8	HO-1-3	HO-1-3	9/625	9	4-7/16	CB	11300
62-961	4	25-1/8	25-1/8	HO-1-3	HO-1-3	14/625	14	4-7/16	CB	17550
62-193	4	25-3/8	25-3/8	RB162	RB162	1/323, 3/1.052	PD/3	4-1/2	F	15000
62-261	4	25-3/8	25-3/8	RB174	RB174	1/323, 3/1.052	PD/3	4-1/2	F	15000
62-289	4	25-3/8	25-3/8	RB187	RB187	1/323, 3/1.052	PD/3	4-1/2	F	15000
62-125	4	25-3/8	25-3/8	RB84	RB84	9/625	9	-5/16	CB	
62-181	4	25-3/8	25-3/8	RB84	RB84	1/323, 3/1.052	PD/3	4-1/2	F	15000
62-217	4	25-1/2	25-1/2	RB84	RB84	11/625	UB/11	-1/4	CB	
62-003	4	25-1/2	25-1/2	RB84	RB84	8/625	8	-1/4	CB	
62-119	4	25-5/8	25-5/8	HO-1-2	HO-1-2	2/625, 8/788	10/UB	4	CB	14840
62-117	4	25-5/8	25-5/8	HO-1-2	HO-1-2	2/625, 6/788	8/UB	4-1/2	CB	
62-083	4	25-5/8	25-5/8	HO-1-2	HO-1-2	8/625	8/UB	5	CB	
62-109	4	25-5/8	25-5/8	HO-1-2	HO-1-2	9/625	9/UB	5-3/8	CB	

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
62-077	4	25-5/8	25-5/8	HO-1-2	HO-1-2	8/625	8	7	CB	
62-105	4	25-5/8	25-5/8	HO-1-2	HO-1-2	9/625	9/UB	28	CB	
62-137	4	25-5/8	25-5/8	HO-1-3	HO-1-3	9/625	9	6	CB	14500
62-139	4	25-5/8	25-5/8	HO-1-3	HO-1-3	3/625, 7/788	10	6	CB	14500
62-203	4	25-5/8	25-5/8	HO-1-3	HO-1-3	10/788	10	4-3/4	CB	19000
62-131	4	25-5/8	25-5/8	HO-1-3	HO-1-3	8/788	8/UB	6-5/8	CB	13500
62-195	4	25-5/8	25-5/8	HO-1-3	HO-1-3	8/788	8	6-5/8	CB	13500
62-173	4	25-3/4	25-3/4	HO-1-3	HO-1-3	9/625	9	7	CB	14500
62-211	4	25-13/16	25-13/16	RB162	RB162	1/323, 3/1.127	PD/3	5-3/4	F	15500
62-213	4	25-13/16	25-13/16	RB162	RB162	1/323, 3/1.197	PD/3	5-3/4	F	17000
62-263	4	25-13/16	25-13/16	RB174	RB174	1/323, 3/1.127	PD/3	5-3/4	F	15000
62-265	4	25-13/16	25-13/16	RB174	RB174	1/323, 3/1.197	PD/3	5-3/4	F	17000
62-269	4	25-13/16	25-13/16	RB187	RB187	1/323, 3/1.127	PD/3	5-3/4	F	15000
62-1307	4	25-13/16	25-13/16	RB187	RB187	1/323, 4/1.197	PD/4	5-7/16	F	
62-267	4	25-13/16	25-13/16	RB187	RB187	1/323, 3/1.197	PD/3	5-3/4	F	15000
62-953	4	25-7/8	25-7/8	HO-1-3	HO-1-3	9/625	9/UB	4-9/16	CB	10960
62-955	4	25-7/8	25-7/8	HO-1-3	HO-1-3	14/625	14/UB	4-9/16	CB	17055
62-995	4	25-7/8	25-7/8	HO-1-3	HO-1-3	9/625	9/UB	6	CB	10960
62-005	4	26	26	HO-1-3	HO-1-3	9/625	9/PD	6-3/8	CB	10500
62-967	4	26	26	HO-1-3	HO-1-3	13/625	13/UB	6-3/4	CB	15800
62-993	4	26	26	HO-1-3	HO-1-3	8/788	8/UB	6-1/2	CB	
62-033	4	26	26	HO-1-3	HO-1-3	10/788	10	6-3/4	CB	
62-103	4	26	26	HO-1-3	HO-1-3	3/788, 7/999	10/UB	7	CB	
62-079	4	26	26	HO-1-3	HO-1-3	3/788, 7/999	10/UB	7	CB	
62-081	4	26	26	HO-1-3	HO-1-3	3/788, 7/999	10/UB	7	CB	
62-965	4	26	26	HO-1-3	HO-1-3	10/788	10/UB	7	CB	
62-121	4	26	26	HO-1-3	HO-1-3	3/788, 7/999	10/UB	7	CB	
62-113	4	26	26	HO-1-3	HO-1-3	10/788	10/UB	7	CB	
62-085	4	26	26	HO-1-3	HO-1-3	10/788	10/UB	7	CB	
62-147	4	26	26	HO-1-3	HO-1-3	3/788, 7/999	10	7	CB	19000
62-155	4	26	26	HO-1-3	HO-1-3	10/788	10	7-1/8	CB	
62-153	4	26	26	HO-1-3	HO-1-3	4/788, 6/625	10	7-1/4	CB	
62-197	4	27-1/2	27-1/2	HO-1-3	HO-1-3	3/788	3	1-1/2		15000
62-127	4	27-1/2	27-1/2	HO-1-3	HO-1-3	3/788	3	2-1/2		15000
62-171	4	27-5/8	27-5/8	HO-1-3	HO-1-3	1/323, 3/1.052	PD/3	2-3/8	F	15000
62-957	4	27-3/4	27-3/4	HO-1-3	HO-1-3	13/750	13	4-15/16	CB	20400
62-167	4	27-7/8	27-7/8	HO-1-2	HO-1-2	2/625, 7/788	9/UB	6	CB	
62-947	4	27-7/8	27-7/8	HO-1-3	HO-1-3	16/625	16	4-15/16	CB	17900
62-991	4	27-7/8	27-7/8	HO-1-3	HO-1-3	10/625	10	5	CB	10400
62-129	4	27-7/8	27-7/8	HO-1-3	HO-1-3	3/788, 7/.999	10/UB	6-3/8	CB	
62-049	4	27-7/8	27-7/8	HO-1-3	HO-1-3	11/788	11/UB	6-3/8	CB	
62-101	4	28	28	HO-1-2	HO-1-2	10/625	10/UB	5-7/8	CB	
62-035	4	28	28	HO-1-3	HO-1-3	10/625	10/UB	6-3/8	CB	
62-039	4	28	28	RB84	RB84	10/625	10	-1/4		
62-151	4	28-1/8	28-1/8	HO-1-3	HO-1-3	3/625, 9/788	12	6-1/8	CB	14500
62-149	4	28-1/8	28-1/8	HO-1-3	HO-1-3	11/625	11	6-3/8	CB	14500
62-191	4	28-1/8	28-1/8	HO-1-3	HO-1-3	11/625	11	6-3/4	CB	14500
62-089	4	28-1/8	28-1/8	HO-1-3	HO-1-3	11/788	11/UB	6-3/4	CB	
62-207	4	28-1/8	28-1/8	HO-1-3	HO-1-3	11/788	11/UB	6-3/4	CB	
62-107	4	28-1/8	28-1/8	HO-1-3	HO-1-3	11/788	11/UB	7-1/2	CB	
62-123	4	28-1/8	28-1/8	HO-1-3	HO-1-3	3/788, 8/999	11/UB	7-1/2	CB	19000
62-115	4	28-1/8	28-1/8	HO-1-3	HO-1-3	3/788, 8/999	11/UB	7-1/2	CB	19000
62-095	4	28-1/4	28-1/4	HO-1-3	HO-1-3	11/788	11/UB	6-3/8	CB	
62-157	4	28-1/4	28-1/4	HO-1-3	HO-1-3	11/788	11	6-7/8	CB	19000
62-143	4	28-1/4	28-1/4	HO-1-3	HO-1-3	3/788, 8/999	11	6-7/8	CB	19000
62-141	4	28-1/4	28-1/4	HO-1-3	HO-1-3	9/788	9	7-1/8	CB	16500
62-1287	4	28-3/8	28-3/8	HO-1-3	HO-1-3	3/999, 6/1.250	9	6-5/8	CB	
62-133	4	30-3/4	30-3/4	HO-1-3	HO-1-3	11/788	11/UB	6-3/4	CB	17000

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
62-159	4	30-3/4	30-3/4	HO-1-3	HO-1-3	11/788	11	6-3/4	CB	17000
62-239	4	30-3/4	30-3/4	HO-1-3	HO-1-3	10/788	10/UB	6-3/4	CB	19000
62-161	4	30-3/4	30-3/4	HO-1-3	HO-1-3	3/788, 8/999	11	7	CB	17000
62-163	4	30-3/4	30-3/4	HO-1-3	HO-1-3	3/788, 8/999	11/UB	7	CB	17000
62-973	5	27-1/4	27-1/4	HO-1-3	HO-1-3	13/788	13	5-7/8	CB	26400
62-135	5	27-5/8	27-5/8	HK-3	HK-2-3-4	14/625	14	2-1/2		
62-983	5	27-5/8	27-5/8	HO-1-3	HO-1-3	13/788	13	6-3/8	CB	
62-981	5	27-11/16	27-11/16	HO-1-2	HO-1-2	10/999	10	5-1/2	CB	36000
62-977	5	27-15/16	27-15/16	HO-1-3	HO-1-3	14/625	14	4-15/16	CB	19500
62-979	5	28-3/16	28-3/16	HO-1-3	HO-1-3	13/750	13	4-15/16	CB	25900
62-057	5	28-3/16	28-3/16	HO-1-3	HO-1-3	14/625	14	4-15/16	CB	19500
62-091	5	28-1/2	28-1/2	HK-3	HK-2-3-4	11/788	11	1-3/8		
62-093	5	29	29	HK-3	HK-3	14/625	14	2-1/8		
62-053	5	29	29	HK-3	HK-3	9/625, 3/499	9/3	2-1/2		
62-043	5	29	29	HK-3	HK-3	12/625	12	3		
62-017	5	29-5/8	29-5/8	HO-1-2	HO-1-2	10/999	10	6	CB	25500
62-097	5	29-5/8	29-5/8	HO-1-2	HO-1-2	8/1.25	8	5-3/4	CB	25500
62-945	5	29-11/16	29-11/16	HO-1-2	HO-1-2	12/625	12	5-7/8	CB	15800
62-007	5	30-1/2	30-1/2	HO-1-2	HO-1-2	10/999	10	5-3/8	CB	
62-099	5	30-3/4	30-3/4	HO-1-2	HO-1-2	9/1.125	9	5-1/2	CB	
62-059	5	31-1/8	31-1/8	HO-1-3	HO-1-3	10/788	10	4	CB	20000
62-061	5	31-7/16	31-7/16	HO-1-3	HO-1-3	12/788	12	6-5/16	CB	24200
62-071	5	31-5/8	31-5/8	HO-1-3	HO-1-3	13/788	13	7-1/4	CB	26060
62-1345	5	32-1/2	32-1/2	--	--	9/999	9	1-1/4		
62-231	5	36	36	HK-4	HK-4	12/788	12	2-3/8		24500
62-1357	5	36-1/16	36-1/16	HK4@7	--	13/788	13	2-11/16		
62-169	6	39-1/2	39-1/2	HO-1-2-3	HO-1-2-3	5/1.273	5	0		
62-237	6	43-1/2	43-1/2	HO-1-3	HO-1-3	6/1.250	6	0		
62-1353	77	SS	SS	--	--	1/48	1	SS	AS	
62-1351	77	SS	SS	SS	SS	1/45	1	SS	AS	
62-225	80	690	690	--	--	10/11	8/2PD	80		
62-229	80	690	690	--	--	10/11	10	80		
62-1297	80	692	692	--	--	10/11	8/2PD	76		
62-1303	80	692	692	--	--	10/11	10	83		
62-1309	80	800	711	M8-4030b	HK-2	12/14	10/2PD	125		
62-1295	80	800	940	M8-4030	HK-2	9/14	9	148		
62-1293	80	800	940	M8-4030	HK-2	11/11 - 9/14	9/2PD/9	148	A	
62-1301	80	803	940	M8-4030b	HK-2	9/14	9	156		
62-1299	80	803	940	M8-4030b	HK-2	10/11 - 9/14	9	156	A	
62-223	80	805	930	M8-4030d	HK-2	9/14	9	150		
62-227	80	805	930	M8-4030d	HK-2	10/11 - 9/14	10/9	150	A	
62-221	80	805	930	M8-4030d	HK-2	10/11 - 9/14	8/2PD/9	150	A	7500
62-1323	100	883	883	--	--	11/25, 1/10	11/PD	51		
62-275	101.6	655	655	RB84	RB84	1/8.5, 3/28.6	PD/3	146	F	15000

Mazda Trucks - rear

63-201	60	529	674	32	32	1/7, 2/6, 1/12	3/1	115		
63-203	60	650	675	32	32	1/7, 2/6, 1/14	3/1	216		

Mitsubishi Trucks - front

64-120	70	603	603	40	40	2/10, 3/11, 1/8	5/WG	83		
64-116	70	603	603	40	40	5/10, 1/8	5/WG	86		
64-118	70	603	603	40	40	2/10, 3/11, 1/8	5/WG	95		
64-114	70	603	603	40	40	5/10, 1/8	5/WG	95		
64-110	70	603	603	40	40	2/10, 2/9, 1/16, 2/10	4/1/2PD	122		
64-112	70	603	603	40	40	2/10, 2/9, 1/16, 2/10	4/1/2PD	122		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
64-108	70	603	603	40	40	2/10, 2/9, 1/16	4/1	130		
64-106	70	603	603	40	40	2/10, 2/9, 1/16	4/1	130		
64-140	70	654	654	M7-3428	M7-3428	2/10, 2/11, 2/10	6	105		
64-138	70	654	654	M7-3428	M7-3428	2/10, 2/11, 2/10	6	114		
64-124	70	654	654	M7-3428	M7-3428	9/10	9	118		
64-122	70	654	654	M7-3428	M7-3428	9/10	9	128		
64-132	70	702	702	M7-3428	M7-3428	11/10	11	114		
64-126	70	702	702	M7-3428	M7-3428	11/10	11	140		
64-130	70	702	702	M7-3428	M7-3428	10/11	11	125		
64-128	70	702	702	M7-3428	M7-3428	11/10	11	124		
64-102	80	700	700	M8-3530	M8-3580	1/13, 10/11	PD/10	102		
64-104	80	700	700	M8-3580	M8-3580	1/13, 10/11	PD/10	113		

Mitsubishi Trucks - rear

64-151	70	495	495	--	--	2/11, 2/10, 1/6	4/PD	89	F	
64-135	70	495	495	--	--	2/11, 1/10, 1/6	3/PD	102	F	
64-147	70	495	495	--	--	2/11, 1/10, 1/6	3/PD	105	F	
64-143	70	495	495	--	--	2/11, 1/10, 1/6	3/PD	114	F	
64-123	70	514	686	RB210o	28	2/8, 1/12	2/1	140		
64-131	70	526	526	--	--	10/10, 1/6	10/PD	105		
64-127	70	527	527	--	--	9/10, 1/6	9/PD	111		
64-163	70	527	527	--	--	5/10, 1/6	5/PD	117		
64-159	70	527	527	--	--	5/10, 1/6	5/PD	133		
64-133	70	625	625	M7-3428	M7-3428	1/10, 5/11, 2/10	6/2PD	114		
64-145	70	625	625	M7-3428	M7-3428	1/10, 5/11	6	114		
64-101	70	625	625	M7-3428	M7-3428	2/11, 1/10, 1/6 - 1/10, 5/11, 2/10	3/PD/6/2PD	114	A	
64-109	70	625	625	M7-3428	M7-3428	2/11, 1/10, 1/6 - 1/10, 5/11	3/PD/6	114	A	
64-149	70	625	625	M7-3428	M7-3428	1/10, 5/11	6	117		
64-111	70	625	625	M7-3428	M7-3428	2/11, 2/10, 1/6 - 1/10, 5/11	4/PD/6	117	A	
64-141	70	625	625	M7-3428	M7-3428	5/11	5	114		
64-107	70	625	625	M7-3428	M7-3428	2/11, 1/10, 1/6 - 5/11	3/PD/5	114	A	
64-161	70	650	650	M7-3428	M7-3428	7/11	7	113		
64-121	70	650	650	M7-3428	M7-3428	5/10, 1/6 - 7/11	5/PD/7	113	A	
64-157	70	650	650	M7-3428	M7-3428	7/11	7	127		
64-119	70	650	650	M7-3428	M7-3428	5/10, 1/6 - 7/11	5/PD/7	127	A	
64-129	70	652	652	M7-3428	M7-3428	11/11	11	146		
64-125	70	654	654	M7-3428	M7-3428	11/11	11	146		
64-113	70	654	654	M7-3428	M7-3428	9/10, 1/6 - 11/11	9/PD/11	146	A	
64-169	80	565	565	--	--	8/11, 1/10	8/PD	73		
64-173	80	700	700	M8-3630	M8-3630	10/11	10	143		
64-167	80	703	703	M8-3530	M8-3530	9/11	9	137		
64-165	80	703	703	M8-3530	M8-3530	8/11, 1/10 - 9/11	8/PD/9	137	A	
64-153	80	705	705	M8-3630	M8-3630	11/11	11	141		
64-105	80	705	705	M8-3630	M8-3630	10/11, 1/9 - 11/11	11/11	141	A	

Mercedes Benz - rear

65-131	80	600	600	M8-3520	M8-3520	5/20	5/WG	118	F	

Mercury Cars - rear

66-331	3-1/2	25-19/32	26-3/8	RB200	1.30	2/380	2	6-11/16	F	1184
66-329	3-1/2	25-19/32	26-3/8	RB200	1.30	2/380	2	7-1/8	F	1200
66-335	3-1/2	25-19/32	26-3/8	RB244	1.30	2/380	2	6-7/16	F	670
66-333	3-1/2	25-19/32	26-3/8	RB244	1.30	2/380	2	6-7/8	F	674

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
Datsun - rear										
68-101	50	525	650	35	23	1/6, 2/7, 1/6	4	140		
68-103	60	530	675	45	30	1/6, 3/7, 1/6	4/PD	130		
Nissan - front										
69-130	70	625	675	M7-3428	M7-3428	1/11, 3/12, 2/11	6	95		
69-104	70	630	630	M7-3428	M7-3428	2/10, 4/11	6	105		
69-102	70	650	650	M7-3428	M7-3428	6/11	6	100		
69-136	80	700	700	M8-3630	M8-3630	1/6, 1/12, 3/13, 1/12, 1/11	PD/5/SE	114		
69-106	90	710	710	M9-3630	M9-3630	1/11, 2/10, 7/11	9/SE	120		
Nissan - rear										
69-247	3-1/2	25-15/32	26-3/8	RB200	1.30	2/380	2	6-11/16	F	1184
69-245	3-1/2	25-15/32	26-3/8	RB200	1.30	2/380	2	7-1/2	F	1202
69-105	60	550	650	40	33	2/7, 2/6, 1/12	4/1	162		
69-147	60	562	638	RB202b	RB201b	1/7, 1/8, 2/12	2/2	108		
69-111	60	565	635	40	33	3/6, 1/5, 1/13	4/1	160		
69-113	60	565	635	40	33	2/7, 1/13	2/1	170		
69-103	60	565	635	40	33	2/7, 1/13	2/1	170		
69-109	60	565	635	40	33	2/7, 1/13	2/1	170		
69-107	60	565	635	40	33	2/8, 2/13	2/2	117		
69-115	60	565	635	40b	33b	1/7, 1/8, 2/12	2/2	100		
69-101	60	565	635	40b	33b	1/7, 1/8, 2/12	2/2	102		
69-139	60	565	635	40b	33b	1/7, 1/8, 2/13	2/2	102		
69-253	60	565	635	RB252b	RB201b	2/7, 1/14	2/1	159		
69-255	60	565	635	RB252b	RB201b	2/7, 1/15	2/1	162		
69-151	60	597	610	RB201	40	2/7, 1/13	2/1	178		
69-149	60	600	600	40	33	2/8, 2/14	2/2	140		
69-251	60	600	600	40	RB201	1/7, 1/6.5, 1/14	2/1	197		
69-249	60	600	600	40	RB201	1/7, 1/6.5, 1/14	2/1	200		
69-141	60	603	603	40	33	2/7, 1/13	2/1	197		
69-125	70	520	520	--	--	1/10, 4/12, 1/14	5/PD	95		
69-181	70	520	520	--	--	7/11, 1/6	7/PD	73		
69-121	70	520	520	--	--	6/11, 1/6	6/PD	90		
69-179	70	650	650	M7-3428	M7-3428	7/11, 1/6	7/PD	140		
69-177	70	650	650	M7-3428	M7-3428	7/11, 1/6 - 7/11, 1/6	7/PD/7/PD	140	A	
69-119	70	650	650	M7-3428	M7-3428	6/11, 2/10	6/2PD	145		
69-117	70	650	650	M7-3428	M7-3428	6/11, 1/6 - 6/11, 2/10	6/PD/6/2PD	145	A	
69-123	70	650	650	M7-3428	M7-3428	1/10, 4/12, 1/14 - 6/11, 2/10	5/PD/6/2P	145	A	
69-193	80	575	575	--	--	5/12, 1/11, 3/12	5/4PD	51		
69-211	80	575	575	--	--	5/12, 1/11, 3/12	5/4PD	51		
69-131	80	610	610	--	--	8/12	7/PD	60		
69-129	80	800	800	M8-3428	M8-3428	2/12, 7/13	9	120		
69-127	80	800	800	M8-3428	M8-3428	8/12 - 2/12, 7/13	7/PD/9	120	A	
69-191	80	800	800	M8-3680	M8-3680	1/13, 5/14, 1/12	6/PD	156		
69-209	80	803	803	M8-3630	M8-3630	2/13, 5/14, 1/12	7/PD	133		
69-137	90	570	570	--	--	7/12, 1/13	7/PD	55		
69-135	90	800	800	M9-4235	M9-4235	9/13	9	155		
69-133	90	800	800	M9-4235	M9-4235	7/12, 1/13 - 9/13	7/PD/9	155	A	
Oskosh - front										
71-236	2	22-1/8	22-1/8	NJG	NJG	2/401, 4/360 - 1/499, 7/401, 3/360	6/11	3-1/8	A	

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
71-170	3	16-9/16	16-9/16	--	--	2/401, 4/360	6	2-1/4		
71-222	3	20-1/8	20-1/8	--	--	6/401, 1/360	7	2-7/16		
71-148	3	20-1/8	20-1/8	--	--	6/401, 1/360	7	2-7/16		
71-260	3	20-1/8	20-1/8	--	--	5/447	5	2-1/4		
71-210	3	20-1/8	20-1/8	--	--	5/447	5	2-1/4		
71-228	3	20-1/8	20-1/8	--	--	6/447	6	2-11/16		
71-132	3	20-3/4	20-3/4	--	--	5/401, 1/360	5/PD	2		
71-238	3	22-1/8	22-1/8	NJG	NJG	1/499, 7/401, 3/360	11	3-1/8		
71-168	3	22-1/8	22-1/8	NJG	NJG	1/499, 6/401, 3/360	10	3-1/4		
71-166	3	22-1/8	22-1/8	NJG	NJG	2/401, 4/360 - 1/499, 6/401, 3/360	6/10	3-1/4	A	
71-188	3	24-5/16	24-5/16	NJG	NJG	2/401, 4/360 - 2/447, 5/401, 5/360	6/12	2-7/8	A	
71-130	3	24-5/16	24-5/16	NJG	NJG	4/447, 4/401, 6/360	14	3-3/4		7350
71-160	3	24-5/16	24-5/16	NJG	NJG	5/401, 1/360 - 4/447, 4/401, 6/360	5/PD/14	3-3/4	A	
71-204	3	24-5/16	24-5/16	PLGb	PLGb	5/499, 5/447	10	3-3/4		
71-196	3	24-3/8	24-3/8	NJG	NJG	5/401 - 4/447, 4/401, 5/360	5/13	4	A	
71-146	3	24-3/8	24-3/8	NJG	NJG	4/499, 4/447, 5/401	13	3-3/4		
71-144	3	24-3/8	24-3/8	NJG	NJG	6/401, 1/360 - 4/499, 4/447, 5/401	7/13	3-3/4	A	
71-150	3	24-3/8	24-3/8	NJGb	NJGb	4/447, 4/401, 6/360	14	3-3/4		7470
71-220	3	24-3/8	24-3/8	NJGb	NJGb	4/499, 4/447, 5/401	13	3-3/4		8700
71-218	3	24-3/8	24-3/8	NJGb	NJGb	6/401, 1/360 - 4/499, 4/447, 5/401	7/13	3-3/4	A	
71-208	3	24-3/8	24-3/8	PLG	PLG	7/558	7	3-1/8		
71-206	3	24-3/8	24-3/8	PLG	PLG	5/447 - 7/558	7/5	3-1/8	A	
71-226	3	24-3/8	24-3/8	PLG	PLG	3/625, 6/558	9	3-1/8		
71-224	3	24-3/8	24-3/8	PLG	PLG	6/447 - 3/625, 6/558	6/9	3-1/8	A	
71-258	3	24-3/8	24-3/8	PLG	PLG	3/662, 4/590	7	3-1/8		
71-256	3	24-3/8	24-3/8	PLG	PLG	5/447 - 3/662, 4/590	5/7	3-1/8	A	
71-192	3	24-1/2	24-1/2	NJG	NJG	5/401, 1/360 - 4/447, 4/401, 5/360, 1/323	6/14	3-5/8	A	
71-200	3	25-1/2	25-1/2	PLG	PLG	5/401, 1/360 - 11/447, 4/401	6/15	3-3/8	A	
71-194	3	25-1/2	25-1/2	PLG	PLG	4/447, 2/401 - 11/447, 4/401	6/15	3-7/8	A	
71-242	3	26	26	RB134	RB134	6/323	6	3		1500
71-214	3	26	26	RB134	RB134	6/323	6	3-5/16		
71-234	3	26	26	RB134	RB134	7/323	7	5		
71-250	3	26	26	RB134	RB134	1/360, 5/323	6	3		1825
71-252	3	26	26	RB134	RB134	1/360, 5/323	6	3		1825
71-184	3	26	26	RB134	RB134	4/360, 3/341	7	4-1/2		
71-216	3	26	26	RB134	RB134	4/360, 3/341	7	4-3/4		
71-182	3	26	26	RB134	RB134	1/291, 8/360	SE/8	5		
71-232	3	26-15/16	26-15/16	JFG	JFG	9/360	9	4-11/16		2860
71-254	3	28	28	RB135b	RB135b	7/380	7	5-1/8		
71-186	3	29	29	RB134	RB134	7/360	7/WG	4-1/4		
71-230	3	29	29	RB134	RB134	7/380	7/WG	4-1/2		
71-240	3	29	29	RB134	RB134	7/401	7/WG	4-3/8		3300
71-246	3	29	29	RB135	RB135	7/380	7	4-3/8		2800
71-244	3	29	29	RB135	RB135	7/401	7	4-3/8		3300
71-248	3	29	29	RB135	RB135	7/423	7	3-3/4		3700
71-178	3	30	30	HK-3	HK-3	10/447	7	6-1/4		4470
71-158	3-1/2	17-1/2	17-1/2	--	--	2/401, 4/360	6	2-3/4		
71-176	3-1/2	17-1/2	17-1/2	--	--	2/401, 4/360	6	2-7/8		
71-156	3-1/2	24-1/8	24-1/8	RNI	RNI	9/447, 2/401	11	3		
71-174	3-1/2	24-1/8	24-1/8	RNI	RNI	8/447, 3/401	11	3		8200
71-154	3-1/2	24-1/8	24-1/8	RNI	RNI	2/401, 4/360 - 9/447, 2/401	6/11	3	A	
71-164	3-1/2	24-1/8	24-1/8	RNI	RNI	1/499, 3/401, 8/360	11	4-3/16		6600

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
71-162	3-1/2	24-1/8	24-1/8	RNI	RNI	2/401, 4/360 - 1/499, 3/401, 8/360	6/12	4-3/16	A	
71-180	4	26-1/2	26-1/2	HK-2	HK-2	11/499	11	4-5/8		5489
71-212	4	29	29	RB181	RB181	9/473	9	5		
71-142	4	30	30	RNK	RNK	9/447	9	6		6200
71-152	4	30-1/2	30-1/2	RNK	RNK	9/401	9	7-3/4		5150

Oskosh - rear

71-143	3	28	28	RB135	RB135	8/401	8	5-1/2		
71-141	3	28	28	RB135	RB135	9/447	9	7		
71-157	3	28	28	RB135b	RB135b	7/380	7	5-1/8		3000
71-145	3	28	28	RB135b	RB135b	10/401	10	6-3/8		
71-147	3	28	28	RB135b	RB135b	12/401	12	6-3/8		6000
71-155	3	28	28	RB135b	RB135b	8/423	8	5-1/4		4225
71-151	3	28	28	RB135b	RB135b	8/423	8	7-3/4		
71-153	3	31-1/4	31-1/4	HK-3	HK-3	8/401, 4/499, 2/447	8/4/2	7-3/8		
71-139	3	31-1/4	31-1/4	HK-3	HK-3	7/401, 4/499, 2/447	7/4/2	7-3/8		
71-137	4	17-1/4	17-1/4	--	--	4/447, 2/401	6	2-1/4		
71-135	4	25-11/16	25-11/16	RNK	RNK	12/447, 3/401	15	4-3/16		
71-133	4	25-11/16	25-11/16	RNK	RNK	4/447, 2/401 - 12/447, 3/401	6/15	4-3/16	A	

Peterbilt Trucks - front

75-132	3-1/2	24	24	RNI	RNI	2/360, 5/323, 4/401	7/4	6-1/2		
75-120	3-1/2	24	24	RNI	RNI	2/360, 4/323, 4/401	6/4	6-1/2		4650
75-108	3-1/2	24	24	RNI	RNI	2/360, 4/323, 4/401	6/4	6-7/8		4650
75-130	3-1/2	24	24	RNI	RNI	2/401, 1/360, 3/323, 5/401	6/5	6-3/4		5260
75-134	3-1/2	24	26-3/4	RNI	HK-3	6/447, 8/499	6/8	3-1/2		
75-152	3-1/2	24	27	RNI	HO-2HK-6	9/401, 3/558	9/3	3-7/8		8200
75-126	3-1/2	24	27-1/16	RNI	HK-2-5	6/447, 8/499	6/8	3-1/2		10095
75-124	3-1/2	24	27-1/16	RNI	HK-2-5	6/447, 6/499	6/6	5		
75-122	3-1/2	24	27-1/16	RNI	HK-2-6	2/401, 6/360, 5/447	8/5	5		
75-110	3-1/2	24-1/16	24-1/16	RNI	RNI	6/360, 6/323	12	4-1/2		
75-114	3-1/2	24-1/16	24-1/16	RNI	RNI	1/360, 10/323	11	5-3/8		4650
75-142	3-1/2	24-1/16	26-13/16	RNI	HK-2-6	6/447, 7/360	13	3-5/8		5370
75-182	3-1/2	24-1/8	24-1/8	PB1	PB1	2/401, 1/360, 3/323, 5/401	6/5	6-3/4		5260
75-154	3-1/2	24-3/16	24-3/16	PB1	PB1	2/401, 4/587	2PD/4	5-7/16	F	5775
75-140	3-1/2	24-3/16	24-3/16	RNI	RNI	4/401, 4/587	4PD/4	5-7/16	F	5775
75-128	3-1/2	24-3/16	24-3/16	RNI	RNI	2/401, 4/587	2PD/4	5-7/16	F	5775
75-194	3.93	33-3/4	22-13/16	SS	SS	1/1.21	1	SS	AS	
75-188	4	SS	SS	SS	SS	1/1.21	1	SS	AS	
75-190	4	24-3/32	32	TB68	TB68	1/394, 11/499	SE/11	4		8173
75-192	4	24-3/32	32	TB68	TB68	11/499, 1/394	11/SE	4		8173
75-138	4	24-7/8	26-5/8	RNK	RNK	2/401, 4/360, 5/401	6/5	6-7/8		5600
75-164	4	24-7/8	26-11/16	RNK	RNK	2/625, 1/449, 3/447, 4/360, 4/625	2PD/8/4	4-7/8		8200
75-202	4	25-1/8	26-5/8	PB18	PB18	1/323, 5/499, 1/999	PD/5/1	4-1/2		8200
75-218	4	25-1/8	26-5/8	PB18	PB18	1/323, 3/788, 1/1.17	PD/3/1	4-11/16	F	
75-172	4	25-1/8	26-5/8	RNK	RNK	1/323, 2/447, 2/401, 1/360, 1/788	PD/5/1	6-1/8		5400
75-176	4	25-1/8	26-5/8	RNK	RNK	1/360, 5/499, 1/999	PD/5/1	4-1/8		8200
75-174	4	25-1/8	26-5/8	RNK	RNK	1/360, 2/499, 3/447, 1/999	PD/5/1	4-3/8		7200
75-136	4	25-1/4	26-3/4	RNK	RNK	2/447, 3/677	2PD/3	6	F	5600
75-162	4	25-1/2	26-5/8	RNK	RNK	4/447, 2/401, 5/499	6/5	5		6700
75-226	4	25-1/2	27	24	PB18	3/401, 2/887	3PD/2	5-3/8	F	
75-196	4	25-1/2	27	RNK	RNK	4/323, 2/750	4PD/2	6	F	

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
75-220	4	25-5/8	26-7/8	PB18	PB18	1/1.500, 2/938	PD/2	5-11/16	F	
75-170	4	25-13/16	25-13/16	RNK	RNK	1/360, 5/499, 1/1.21	PD/5/1	4-3/8		9200
75-212	4	26-17/32	25-1/8	PB18	PB18	3/394, 2/866	3PD/2	6	F	5400
75-198	4	26-21/32	25-9/32	PB18	PB18	1/401, 2/499, 2/401, 1/360, 1/788	PD/5/1	5-3/16		9200
75-148	4	29	29	HK-3	HK-3	8/447, 8/499	16	4		14200
75-150	4	29	29	HK-3	HK-3	16/447	16	5-1/2		11075
75-144	4	29	29	HK-3	HK-3	4/499, 8/558	12	2-7/8		14200
75-146	4	29	29	HK-3	HK-3	10/499	10	7-1/2		11075
75-168	4	32	32	--	--	2/499, 1/447, 4/499, 1/447, 1/499, 1/447,	12/SE	5		9350
75-186	4	32	32	RNK	RNK	1/323, 2/499, 3/625, 1/499, 2/999	PD/5/PD/2	3-15/16		8250
75-206	4	32	32	TB68	TB68	9/499, 1/401	9/SE	5-1/2		8150
75-166	4	32	32	TB68	TB68	2/499, 1/447, 7/449, 1/447	10/SE	5-5/8		8150
75-216	4	32	35-1/8	PB18	HO-1HK-3	6/625, 1/1.210	6/1	4		10500
75-180	4	32	35-3/8	PB18	HK-3	2/499, 6/558, 1/1.061	2PD/6/1	4-1/8		7200
75-178	4	32	35-3/8	PB18	HK-3	6/625, 1/1.197	PD/6/1	4		10500
75-204	4	32-1/8	32-1/8	PB18	PB18	4/323, 2/917	4PD/2	6-1/8	F	5400
75-210	4	32-1/8	32-1/8	RNK	RNK	4/323, 2/999	4PD/2	6-1/8	F	5400
75-208	4	32-1/8	32-1/8	RNK	RNK	4/323, 2/1.022	4PD/2	6-1/4	F	
75-214	4	32-1/4	32-1/4	PB18	PB18	Composite Spring	1	5-3/4		
75-222	4	35	35	HK-3	HK-3	3/499, 6/527, 4/499, 2/447	3PD/12	6-1/4		
75-200	4	35-3/4	35-3/4	--	--	13/499	12/SE	5		
75-184	4	36	36	HK-3	HK-3	2/447, 7/527, 3/499, 2/447	2PD/12	6-1/8		10500
75-224	80	813	813	PB18	PB18	1/10, 3/25	PD/3	137	F	
75-158	100	648	679	PB18	PB18	3/11, 2/20	3PD/2	153	F	
75-160	100	648	679	PB2	PB2	1/11, 3/20	PD/3	134	F	
75-156	100	813	813	PB2	PB2	2/16, 2/25.4	2PD/2	127	F	

Peterbilt Trucks - rear

75-153	2.95	22-13/16	22-1/16	--	HK-2	5/423, 1/1.25	5/1	3-5/16		7800
75-107	3	22-1/8	23-7/8	--	HK-2-3	11/401	11	3-3/8		
75-117	3	22-1/8	23-7/8	--	HK-2-3	5/447, 6/401	11	3-3/8		7800
75-141	3	22-1/8	23-7/8	--	HK-2-3	5/323, 3/788, 1/323	5PD/3/PD	3-1/4		7800
75-127	3	22-1/8	23-7/8	--	HK-2-3	2/625, 3/820	2PD/3	3-1/2	F	8250
75-161	3	22-1/8	24-1/8	HK-2	--	3/401, 2/945, 1/401	3PD/2/PD	3-11/16	F	
75-157	3	22-1/4	24-1/8	HK-2	--	3/401, 2/938, 1/401	3PD/2/PD	3-11/16	F	
75-159	3	23-1/8	23-1/8	--	HK-3	14/401	11/3PD	4-1/2		8500
75-147	3-1/2	SS	SS	--	HK-1-2	2/1.250	2	SS	AS	
75-163	3-1/2	SS	SS	--	HK-1-2	1/1.250, 1/1.375	2	SS	AS	
75-149	3-1/2	21	21	--	--	6/499	6	1-9/16		3600
75-145	3-1/2	29-7/16	31	HK-2-5	HK-3	7/447, 5/788	7/5	4-3/4		11350
75-119	3-1/2	29-7/16	31	HK-2-5	HK-3	7/447, 5/788	7/5	4-3/4		11350
75-155	3-1/2	29-1/2	29-1/2	--	--	13/558	13	2-3/16		11890
75-123	3-1/2	29-1/2	31	HK-2-4	HK-2	7/447, 7/499	7/7	4-1/4		
75-121	3-1/2	29-1/2	31	HK-2-5	HK-3	7/447, 8/499	7/8	4-1/2		
75-129	4	4-3/8	23-1/2	--	HK-1-2	2/1.210	2	0	F	
75-125	4	4-3/8	24-3/4	--	HK-2	2/1.210	2	0	F	
75-105	4	5-3/8	20-3/8	--	HK-1-2	3/788	3	0		
75-109	4	5-3/8	20-3/8	--	HK-1-2	3/887	3	0		
75-111	4	5-3/4	23-1/8	--	HK-1-2	3/887	3	0		
75-115	4	28-1/8	28-1/8	--	--	9/625	9	-1		
75-113	4	28-1/8	28-1/8	--	--	9/625	9	-1		
75-135	4	30-1/8	30-1/8	--	--	7/887	7	-1-11/16		22100
75-101	5	28-7/8	28-7/8	--	--	10/788	10	1		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
75-131	5	31-1/2	31-1/2	--	--	5/788, 5/702	10	1/2		22000
75-137	5	31-7/8	31-7/8	--	--	5/999	5	1/4		24035
75-133	5	32	32	--	--	8/999	8	-3-1/4		27500
75-139	5	32-1/4	32-1/4	--	--	7/1.273	7	0		35350
75-143	5	35	35	--	--	6/1.273	6	-3-1/4		35000

Plymouth - cars

78-775	2-1/2	24	34	RB139o	1	1/262, 1/291, 3/262	5	7-1/8		850
78-755	2-1/2	24	34	RB139o	1	2/291, 2/262	4	7-1/2		870

Reo Trucks

82-512	4	25	27	TB26	TB26	9/360, 3/499	9/3PD	6-1/2		
82-510	4	25	27	TB26	TB26	11/401, 2/788	11/2	6-1/8		9150
82-516	4	25	27	TB26	TB26	8/499	8	4-1/2		

Reyco Suspensions

83-167	2.94	SS	SS	SS	SS	1/1.750	1	SS	AS	
83-193	2.94	SS	SS	SS	SS	1/1.750	1	SS	AS	
83-279	2.94	SS	SS	SS	SS	1/1.750 - RH	1	SS	AS	
83-281	2.94	SS	SS	SS	SS	1/1.750 - LH	1	SS	AS	
83-255	2.94	SS	SS	SS	SS	1/1.940	1	SS	AS	
83-231	3	13-25/32	27-31/32	HO-1	RB221	1/499, 1/1.375	2	1-7/16		
83-233	3	13-25/32	27-31/32	HO-1	RB221	1/1.375	1	1-7/16		
83-241	3	14-5/32	27-27/32	--	RB221	1/1.375	1	-3/4	F	
83-141	3	19	24-1/16	RB154	HK-1	1/360, 7/558	PD/7	2-3/8		8500
83-123	3	19	24-1/8	RB154	HK-1	1/360, 1/499, 3/792	PD/4	4-1/4		7500
83-129	3	19	24-7/16	RB154	HK-1	1/360, 7/499, 1/360	PD/7/PD	2-3/4		7500
83-261	3	20-1/2	20-1/2	--	--	1/625	1	2-3/4	F	
83-163	3	21-1/16	22-1/8	HK-3	--	1/360, 3/735, 1/2.00, 1/360, 1/499, 1/360	PD/3/PD/3	3-5/8		8000
83-149	3	21-1/16	22-1/8	HK-3	--	11/401, 1/360, 1/499, 1/360	11/3	3-5/8		9000
83-205	3	21-1/2	21-1/2	HK-3	--	9/499	9	2-5/8		13000
83-111	3	21-11/16	22-1/8	HK-3	--	13/323, 1/360, 1/499, 1/360	13/3	4-1/2		8000
83-117	3	21-7/8	21-7/8	HK-3	--	13/323, 3/401	13/3PD	4-1/4		8000
83-143	3	21-7/8	21-7/8	HK-3	--	3/401, 13/323	3PD/13	4-1/4		8000
83-239	3	22-1/32	--	W	RB220r	1/499	1	0		
83-171	3	22-1/8	22-1/8	HK-2	--	13/360	13	4-3/8		8500
83-121	3	22-1/8	22-1/8	HK-3	--	14/401	11/3PD	3-7/8		9000
83-235	3	22-9/16	--	W	RB220b	1/499	1	0		
83-113	3	22-3/4	23-3/4	HK-3	--	12/401, 1/360, 1/499, 1/360	12/3	3-3/4		10000
83-107	3	22-3/4	23-3/4	HK-3	--	11/401, 1/360, 1/499, 1/360	11/3	4-5/8		8500
83-209	3	22-7/8	22-7/8	--	HK-3	12/401	12	4		
83-213	3	22-7/8	22-7/8	--	HK-3	1/360, 3/800	PD/3	4	F	8500
83-133	3	22-7/8	22-7/8	--	HK-3	1/360, 3/800, 6/499	PD/3/6/P	4-1/16	F	8500
83-147	3	22-7/8	22-7/8	HK-3	--	15/401	3PD/12	4		10000
83-127	3	22-7/8	22-7/8	HK-3	--	15/401	12/3PD	4		10000
83-115	3	23-1/8	23-1/8	HK-3	--	14/401	11/3PD	4-1/2		8500
83-243	3	23-1/8	23-3/8	HK-3	--	1/1.00, 3/788, 1/2.10	PD/3/PD	5-13/32	F	
83-247	3	23-1/8	23-3/8	HK-3	--	3/788, 1/2.10	3/PD	5-7/16	F	
83-245	3	23-1/8	23-3/8	HK-3	--	2/499, 3/788, 1/2.10	2PD/3/PD	5-7/16	F	
83-249	3	23-1/8	23-3/8	HK-3	--	1/2.125, 3/788, 2/499	PD/3/2PD	5-7/16	F	
83-271	3	23-1/4	23-5/8	HK-4	--	1/291, 1/499, 4/788, 3/499	2PD/4/3/PD	5	F	10500
83-275	3	23-11/16	23-3/16	--	HK-3	3/788	3/PD	5-3/8	F	
83-225	3	23-11/16	23-3/16	--	HK-3	2/499, 3/788	2PD/3	5-7/16	F	

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
83-277	3	28-7/8	28-7/8	--	--	3/788, 1/291, 1/499	3/2PD	5-1/2	F	
83-257	3	28-7/8	28-7/8	--	--	4/788	4	5-1/2	F	9250
83-223	3	28-7/8	28-7/8	--	--	4/788	4	5-1/2	F	9250
83-273	3	29	29	--	--	4/866	4	5-1/4	F	
83-169	3	29-3/16	29-3/16	--	--	13/499	13	4-1/2		12000
83-227	3	29-9/32	29-9/32	--	--	13/499	13	4-1/2		12000
83-285	3	29-5/16	29-5/16	--	--	15/499	PD/14	4-1/2		
83-287	3	29-3/8	29-3/8	--	--	16/499	16	4-1/2		14500
83-201	3	29-1/2	29-1/2	--	--	14/499	14	5		13000
83-269	3	29-1/2	29-1/2	--	--	8/499	8	5-1/2		
83-221	3	29-11/16	29-11/16	--	--	11/499	11	5-1/2		10000
83-217	3	29-3/4	29-3/4	--	--	16/499	16	5		14500
83-263	3	29-3/4	29-3/4	--	--	10/499, 1/401	10/PD	5-1/2		
83-267	3	29-3/4	29-3/4	--	--	9/499, 2/401	9/2PD	5-1/2		
83-191	3	29-3/4	29-3/4	--	--	11/499	11	5-1/2		11000
83-259	3	29-3/4	29-3/4	--	--	8/499, 3/401	8/3PD	5-5/8		
83-265	3	29-3/4	29-3/4	--	--	10/499, 1/401	10/PD	5-5/8		
83-151	3	31-7/8	31-7/8	HK-2	HK-2	10/558	10	5-1/4		7800
83-153	3	31-7/8	31-7/8	HK-2	HK-2	10/625	10	4		11800
83-215	4	17-1/4	21-1/2	VRK	--	2/558, 7/625	9	2		
83-159	4	17-1/4	21-1/2	VRK	--	9/558	9	2		19000
83-161	4	17-1/4	21-1/2	VRK	--	10/558	10	2		22000
83-199	4	21-3/8	21-3/8	--	--	4/558	3/PD	2-3/4		
83-185	4	21-1/2	21-1/2	--	--	3/625, 1/360	3/PD	3		
83-197	4	32-1/16	32-1/16	--	--	7/625	7	6-3/16		
83-195	4	32-1/16	32-1/16	--	--	4/558 - 7/625	3/PD/7	6-3/16	A	16000
83-183	4	32-1/4	32-1/4	--	--	6/702	6	6-3/8		
83-189	4	32-1/4	32-1/4	--	--	7/702	7	6-3/8		
83-181	4	32-1/4	32-1/4	--	--	3/625, 1/360 - 6/702	3/PD/6	6-3/8	A	19000
83-187	4	32-1/4	32-1/4	--	--	3/625, 1/360 - 7/702	3/PD/7	6-3/8	A	21000

Scania - frount

85-202	3-1/2	35-7/8	35-7/8	TB78	TB78	7/587	6/PD	7		
85-204	3-1/2	36-1/2	36-1/2	TB78	TB78	9/587	9	7-1/4		

Scania - rear

85-205	3-1/2	24-7/8	34-7/8	TB78	TB78	7/587	7	7-1/8		
85-203	4	29-1/4	29-1/4	--	--	10/788	10	2-1/2		
85-201	4	29-1/4	29-1/4	--	--	8/788	8	3		

Seagrave - front

85-114	3	24-1/8	24-1/8	RNG	RNG	1/625, 1/499, 9/625	11	3-3/4	A	14000
85-112	3	24-1/4	24-1/4	RNG	RNG	8/625	8	3-7/8		10500

Seagrave - rear

85-117	3	26	26	PLG	PLG	12/558	12	4-1/4		
85-105	3	28	28	LHG	LHG	12/447	12	6		7000
85-107	3	28	28	LHG	LHG	14/499	14	5-1/4		10000
85-109	3	28	28	PLG	PLG	13/558	13	4-3/4		11500
85-111	3	28-1/8	28-1/8	PLG	PLG	11/558	11	4-1/2		10000

Spartan - front

86-202	4	25	29	TB26	TB26	2/558, 3/499, 2/788	5/2	4-1/16		9200

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
Thomas Bus - front										
88-124	3-1/2	28-1/16	28-1/16	RB190	RB190	3/750	3	4-1/2	F	4670
88-126	3-1/2	28-1/16	28-1/16	RB190	RB190	3/910	3	3-5/8	F	3400
88-122	3-1/2	28-1/16	28-1/16	RB190	RB190	1/360, 2/910	PD/2	5-1/4	F	
88-110	4	28	28	NJK	NJK	4/401, 4/360, 2/401	5/5	6-5/8		
88-102	4	28	28	NJK	NJK	5/401, 5/360	5/5	6-5/8		3975
88-106	4	28	28	NJK	NJK	6/4401, 4/360	7/3	6-5/8		5900
88-108	4	28	28	NJK	NJK	6/401, 4/360	7/3	6-5/8		6000
88-104	4	28	28	NJK	NJK	6/401, 4/360	7/3	6-5/8		6000
88-120	4	28	28	RNK	RNK	1/499, 3/447, 6/401	6/4	7		
88-118	4	33-1/16	33-1/16	PLK	PLK	1/380, 3/788	PD/3	5-11/16	F	5620
88-116	4	33-1/16	33-1/16	PLK	PLK	1/380, 3/788	PD/3	5-13/16	F	5620
88-112	4	33-1/16	33-1/16	PLK	PLK	1/380, 3/788	PD/3	6	F	5620
88-114	4	33-1/16	33-1/16	PLK	PLK	1/380, 2/866	PD/2	6-3/8	F	4850
Thomas Bus - rear										
88-125	3	32	32	HK-2	HK-2	4/558, 6/499, 2/447	10/2	5-1/8		
88-119	3	32	32	HK-2	HK-2	7/588, 3/499, 2/447	10/2	4-7/8		8450
88-123	3	32	32	HK-2	HK-2	6/625, 4/558, 2/447	10/2	3-1/2		
88-121	3	32	32	HK-2	HK-2	7/625, 2/558, 2/447	9/2	4		
88-103	4	28	28	RNK	RNK	3/447, 11/401	10/4	6-7/8		
88-101	4	28	28	RNK	RNK	6/447, 7/401	9/4	6-7/8		7700
88-117	4	28	28	RNK	RNK	10/447	7/3	6-7/8		8288
88-111	4	28	28	RNK	RNK	1/499, 5/447, 4/401	9/1	6-7/8		
88-109	4	28	28	RNK	RNK	1/499, 6/447, 5/401	10/2	6-7/8		
88-105	4	28	28	RNK	RNK	1/499, 5/447, 7/401	9/4	6-7/8		10300
88-107	4	32	42	HK-2	HK-2	7/625	7	5-1/2		12500
88-113	4	34	40	HK-2	HK-2	4/625, 4/558, 2/447	8/2	5-5/16		8450
88-115	4	34	40	HK-2	HK-2	8/625, 2/447	8/2	5-5/8		9800
Toyota Trucks - front										
90-122	60	575	575	30	30	1/7, 2/8, 1/7	4	64		
90-124	60	578	578	30	30	1/7, 2/8, 1/7	4	70		
90-126	60	578	578	30	30	1/7, 2/8, 1/7	4	86		
90-118	70	527	590	35	35	5/7	5	178		
90-128	70	546	565	35	35	3/6, 2/7	5	159		
90-120	70	546	584	35	35	6/7	6	178		
90-130	70	552	600	35	35	6/8	6	216		
Toyota Trucks - rear										
90-137	60	514	686	RB192	30	1/7, 3/6, 1/14	4/1	143		
90-121	60	515	685	RB192	30	1/6, 1/7, 2/6, 1/14	PD/3/1	175		
90-115	60	520	680	RB192	30	3/6, 1/14	3/1	170		
90-141	60	520	680	RB192	30	1/6, 1/7, 2/6, 1/14	PD/3/1	175		
90-119	60	520	685	RB192	30	1/4, 3/6, 1/14	PD/3/1	170		
90-129	60	527	667	RB192	30	1/7, 1/6, 1/13	2/1	175		
90-127	60	530	670	30	30	2/6, 1/7, 2/13	3/2	156		
90-175	60	530	670	30b	30b	3/7, 2/12	3/2	160		
90-139	60	530	670	RB192	30	2/7, 1/14	2/1	156		
90-205	60	533	673	30	30	1/7, 2/8, 2/14	3/2	171		
90-135	60	559	743	RB192b	RB192	1/7, 2/6, 1/16	3/1	165		
90-117	60	560	740	RB192b	RB192	1/7, 1/6, 1/7, 1/16	3/1	170		
90-149	60	568	735	RB192	30	1/7, 1/8, 1/14	2/1	141		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape

UB	U-Bolt Plate
W	Wrap
WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
90-167	60	570	730	RB192	RB192b	2/7, 1/6, 1/16	3/1	110		
90-169	60	570	730	RB192	RB192b	2/7, 1/6, 1/16	3/1	125		
90-161	60	572	727	RB192	30	2/8, 1/14	2/1	127		
90-163	60	572	727	RB192	30	2/8, 1/14	2/1	140		
90-171	60	572	727	RB192	RB192b	2/7, 1/6, 1/16	3/1	127		
90-173	60	572	727	RB192	RB192b	2/7, 1/6, 1/16	3/1	143		
90-151	60	572	732	RB192	30	1/7, 1/8, 1/15	2/1	149		
90-133	60	572	737	RB192	30	2/7, 1/15	2/1	178		
90-131	60	572	737	RB192	30	2/7, 1/16	2/1	191		
90-153	60	573	730	RB192b	RB192b	1/7, 1/8, 1/16	2/1	141		
90-155	60	573	730	RB192b	RB192b	1/7, 1/8, 1/16	2/1	149		
90-143	60	593	800	RB192b	RB192	1/9, 1/10, 1/14	2/1	172		
90-159	60	597	802	35b	30	1/9, 1/10, 1/16, 1/PD	2/1/PD	175		
90-157	60	610	791	35b	30b	3/8, 1/17	3/1	184		
90-179	60	610	791	RB192	30	1/8, 1/9, 1/18	2/1	140		
90-181	60	610	791	RB192	30	1/8, 1/9, 1/18	2/1	143		
90-183	60	610	791	RB192	30	1/8, 1/9, 1/18	2/1	143		
90-197	60	610	791	RB192	RB192b	2/7, 1/8, 1/18	3/1	105		
90-189	60	610	791	RB192	RB192b	2/7, 1/8, 1/18, WG	3/1/WG	108		
90-191	60	610	791	RB192	RB192b	2/7, 1/8, 1/18, WG	3/1/WG	118		
90-199	60	610	791	RB192	RB192b	2/7, 1/8, 1/18	3/1	121		
90-185	60	610	791	RB192	RB192b	2/7, 1/8, 1/18, WG	3/1/WG	124		
90-193	60	610	791	RB192	RB192b	2/7, 1/8, 1/18, WG	3/1/WG	127		
90-187	60	610	791	RB192	RB192b	2/7, 1/8, 1/18, WG	3/1/WG	133		
90-195	60	610	791	RB192	RB192b	2/7, 1/8, 1/18, WG	3/1/WG	133		
90-201	60	610	791	RB192	RB192b	3/7, 1/18	3/1	143		
90-203	60	610	791	RB192	RB192b	3/7, 1/18	3/1	172		
90-147	60	610	791	RB192b	30b	3/8, 1/14	3/1	197		
90-177	60	613	791	35b	30b	3/8, 1/16	3/1	221		
90-145	60	613	791	35b	30b	1/9, 1/8, 1/9, 1/17	3/1	203		
90-223	60	725	810	RB260	RB260	1/8, 1/9, 1/8, 1/17	3/1	215		
90-219	60	725	810	RB260	RB260	3/9, 1/18	3/1	220		
90-221	60	725	810	RB260	RB260	3/9, 1/18	3/1	225		
90-207	60	725	810	RB260	RB260	2/10, 1/9, 1/15	3/1	175		
90-225	60	725	810	RB260	RB260	2/10, 1/9, 1/15	3/1	177		
90-217	60	725	810	RB260	RB260	2/10, 1/9, 1/15	3/1	178		
90-209	70	562	648	35	35	1/7, 7/6	8	150		
90-123	70	603	724	40	40	6/7, 3/13	6/3	165		
90-233	70	603	724	40b	40	6/8, 4/12	6/4	184		
90-125	70	603	749	40	40	6/7, 4/13	6/4	165		
90-227	70	690	812	40b	40	3/9, 4/8, 4/14	7/4	185		
90-229	70	690	812	40b	40	7/10, 4/13	7/4	178		
Volvo Trucks (Sweden) - front										
92-144	3	35-7/16	35-7/16	RB193	RB194	2/662, 3/625	5	4-1/4		
92-136	80	785	1045	RB193	--	6/15, 1/12	6/PD	80		
92-134	80	785	1045	RB193	--	5/15, 1/12	5/PD	115		
92-122	100	565	955	TB74	HK-3	6/12, 1/35	6/PD	117		2400
92-132	100	565	955	TB74	HK-3	8/12, 1/10	8/PD	117		3300
92-104	100	565	955	TB74	HK-3	3/12, 3/11, 1/35	6/PD	119		2200
92-114	100	565	955	TB74	HK-3	3/12, 3/11, 1/21	6/PD	119		2200
92-108	100	565	955	TB74	HK-3	7/12, 1/4	7/PD	119		2850
92-102	100	565	955	TB74	HK-3	7/12, 1/35	7/PD	119		2850
92-138	100	686	859	TB74	TB74	3/13, 4/11, 2/10	7/2PD	127		
92-130	100	845	1035	TB74	--	9/14	9	135		3400
92-118	100	845	1035	TB74	--	5/14, 1/21, 1/10	5/2/PD	140		1750
92-116	100	845	1035	TB74	--	6/14, 1/10, 1/6	6/2PD	140		2200

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape

UB	U-Bolt Plate
W	Wrap
WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
92-110	100	845	1035	TB74	HK-3	8/14	8	133		2850
92-120	100	845	1035	TB74	HK-3	9/14	9	137		3100
92-112	100	845	1035	TB74	HK-4	1/12, 2/11, 11/10	14	184		2850
92-124	100	935	1035	TB74	--	8/12, 1/21	8/PD	186		2200
92-126	100	935	1035	TB74	--	9/14	9	137		2850
92-128	100	935	1035	TB74	--	9/14	9	150		3300
92-106	100	935	1035	TB74	HK-3	10/12	10	196		2850
92-146	100	937	937	RB196	RB195	6/17	6	102		
92-148	100	937	937	RB196	RB195	7/17	6/PD	102		

Volvo Trucks (Sweden) - rear

92-127	3	25-1/2	25-1/2	TB75	TB75	5/702	5	4-3/4	F	8500
92-119	4	28	4-5/8	RB184b	--	2/558	2	0		
92-133	80	521	521	--	--	5/10	5	64		
92-131	80	649	649	TB75	TB75	10/14	10	86		
92-129	80	649	649	TB75	TB75	5/10 - 10/14	5/10	86	A	
92-139	80	660	660	--	--	6/12	6	114		
92-125	80	686	686	--	--	6/12	6	133		
92-147	80	689	689	--	--	6/11	6	119		
92-137	80	800	800	RB208	RB194	10/12	10	156		
92-135	80	800	800	RB208	RB194	6/12-10/12	6/10	156		
92-141	80	800	800	TB75	TB75	11/16	11	76		
92-145	80	800	953	RB193	--	9/12	9	157		
92-143	80	800	953	RB193	--	6/11 - 9/12	6/9	157	A	
92-123	80	807	946	RB193	--	10/12	10	194		
92-121	80	807	946	RB193	--	6/12 - 10/12	6/10	194	A	
92-115	100	595	620	--	HK-2	10/11	10	48		
92-113	100	825	825	HK-1	HK-1	9/14	9	54		4500
92-109	100	825	825	HK-1	HK-1	11/14	11	55		5750
92-111	100	825	825	HK-1	HK-1	7/14, 3/13	10	110		5000
92-105	100	825	825	HK-1	HK-1	6/14, 3/13	9	114		4500
92-101	100	1000	1000	HK-1	HK-1	5/17, 1/14, 1/10	5/2PD	144		3225
92-117	100	1000	1000	HK-1	HK-1	5/17, 1/10	5/PD	144		3225
92-107	100	1000	1000	HK-1	HK-1	5/17, 1/16	6	144		3225
92-103	100	1000	1000	HK-1	HK-1	3/19, 3/18	6	128		4500

Western Star Trucks - front

94-232	4	26-1/4	26-1/4	NJK	NJK	10/447	7/3PD	5-1/16		5280
94-190	4	26-1/4	26-1/4	NJK	NJK	9/447	7/3PD	5-1/16		7300
94-1248	4	26-1/4	26-1/4	NJK	NJK	4/544	4	5-5/16	F	5250
94-214	4	26-1/4	26-1/4	PLK	PLK	10/558	10	3-3/4		11500
94-208	4	26-1/4	26-1/4	PLK	PLK	8/558	8	3-7/8		9500
94-210	4	26-1/4	26-1/4	PLK	PLK	9/558	9	3-7/8		10500
94-230	4	26-1/4	26-1/4	PLK	PLK	4/750	4	4-1/2	F	9500
94-1330	4	26-1/4	26-1/4	TB74	TB74	10/558	10	3-3/4		11500
94-1324	4	26-1/4	26-1/4	TB74	TB74	8/558	8	3-7/8		9500
94-1326	4	26-1/4	26-1/4	TB74	TB74	9/558	9	3-7/8		10500
94-1310	4	26-1/4	26-1/4	TB74	TB74	4/750	4	4-1/2	F	
94-1270	4	26-5/16	26-5/16	PLK	PLK	10/401	8/2PD	4-1/2		
94-1250	4	26-5/16	26-5/16	PLK	PLK	10/401	10	5		6250
94-1274	4	26-5/16	26-5/16	PLK	PLK	6/401, 3/625	6/3	5-1/4		8500
94-202	4	26-5/16	26-5/16	PLK	PLK	6/401, 3/625	6/3	5-5/8		7500
94-212	4	26-5/16	26-5/16	PLK	PLK	7/447, 2/788	7/2	4-5/8		8500
94-206	4	26-5/16	26-5/16	PLK	PLK	6/447, 2/788	6/2	5		8500
94-194	4	26-5/16	26-5/16	PLK	PLK	4/536	4	4-7/8	F	5250

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
94-196	4	26-5/16	26-5/16	PLK	PLK	4/551	4	4-7/8	F	5250
94-198	4	26-5/16	26-5/16	PLK	PLK	4/558	4	4-7/8	F	5250
94-238	4	26-5/16	26-5/16	PLK	PLK	4/660	4	4-1/2	F	7500
94-200	4	26-5/16	26-5/16	PLK	PLK	3/702	3	4-1/2	F	6500
94-204	4	26-5/16	26-5/16	PLK	PLK	4/702	4	4-1/2	F	8500
94-1266	4	26-5/16	26-5/16	PLK	PLK	3/702	3	4-3/4	F	6500
94-1346	4	26-5/16	26-5/16	TB74	TB74	6/401, 3/625	6/3	5-1/4		7500
94-1320	4	26-5/16	26-5/16	TB74	TB74	6/401, 3/625	6/3	5-5/8		7500
94-1328	4	26-5/16	26-5/16	TB74	TB74	7/447, 2/788	7/2	4-5/8		8500
94-1322	4	26-5/16	26-5/16	TB74	TB74	6/447, 2/788	6/2	5		8500
94-1308	4	26-5/16	26-5/16	TB74	TB74	7/558	7	3-1/2		9500
94-1318	4	26-5/16	26-5/16	TB74	TB74	4/702	4	4-3/4	F	8500
94-1292	4	26-3/8	26-3/8	PLK	PLK	3/715	3	4-3/4	F	6500
94-1314	4	26-3/8	26-3/8	TB74	TB74	4/660	4	4-1/4	F	7500
94-188	4	26-7/16	26-7/16	NJK	NJK	15/401	15	6-15/16		6250
94-236	4	26-7/16	34-1/8	NJK	NJK	16/401	14/2SE	6-7/8		
94-234	4	26-7/16	34-1/8	NJK	NJK	17/401	15/2SE	6-7/8		
94-192	4	26-1/2	28-1/2	PLK	PLK	14/447	13/SE	5-13/16		9500
94-1280	4	30-1/8	33-7/8	HK-2	HK-2	12/499	12	2-3/4		9500
94-1300	4	30-9/16	30-9/16	HK-2	HK-2	14/499	14	4-3/4		8500
94-244	4	31-9/32	31-9/32	PLK	PLK	1/312, 3/766	PD/3	6-5/8	F	6500
94-242	4	31-9/32	31-9/32	PLK	PLK	1/312, 2/856	PD/2	6-1/8	F	5250
94-1260	4	31-5/16	31-5/16	PLK	PLK	15/558	14/SE	4-1/2		10500
94-1284	4	31-5/16	31-5/16	PLK	PLK	15/558	14/SE	4-1/2		10500
94-1290	4	31-5/16	31-5/16	PLK	PLK	4/788	4	5	F	7500
94-1316	4	31-5/16	31-5/16	TB74	TB74	4/788	4	5	F	7500
94-1298	4	31-3/8	31-3/8	PLK	PLK	1/323, 10/499, 1/558	PD/10/PD	5-9/16		6500
94-1262	4	31-3/8	31-3/8	PLK	PLK	1/323, 3/788	PD/3	5-3/4	F	6500
94-1268	4	31-3/8	31-3/8	PLK	PLK	1/323, 3/788	PD/3	5-3/4	F	6500
94-1288	4	31-3/8	31-3/8	PLK	PLK	2/887	2	5-1/8	F	
94-1336	4	31-3/8	31-3/8	TB74	TB74	1/323, 10/499, 1/558	PD/10/PD	5-9/16		6500
94-1332	4	31-3/8	31-3/8	TB74	TB74	1/323, 9/499, 1/558	PD/9/PD	5-5/8		6500
94-1334	4	31-3/8	31-3/8	TB74	TB74	1/323, 9/499, 1/558	PD/9/PD	6-3/8		6500
94-1312	4	31-3/8	31-3/8	TB74	TB74	1/323, 3/788	PD/3	5-3/4	F	6500
94-1286	4	31-7/16	31-7/16	PLK	PLK	3/827	3	5-3/8	F	
94-1256	4	31-1/2	31-1/2	PLK	PLK	1/323, 9/499, 1/558	PD/9/PD	5-5/16		6500
94-226	4	31-1/2	31-1/2	PLK	PLK	9/499, 1/558	9/SE	6-1/4		6500
94-224	4	31-1/2	31-1/2	PLK	PLK	9/499, 1/558	9/SE	6-1/4		6500
94-220	4	31-1/2	31-1/2	PLK	PLK	9/558	9	5-7/16		6500
94-218	4	31-1/2	31-1/2	PLK	PLK	10/558	10	5-9/16		7500
94-1348	4	31-1/2	31-1/2	PLK	PLK	13/558	13	5-9/16		9500
94-216	4	31-1/2	31-1/2	PLK	PLK	13/558	12/SE	5-9/16		9500
94-222	4	31-1/2	31-1/2	PLK	PLK	13/558	12/SE	5-9/16		9500
94-1258	4	31-1/2	31-1/2	PLK	PLK	10/558	10	5-5/8		7500
94-1302	4	31-1/2	31-1/2	TB74	TB74	10/558	10	5-9/16		7500
94-1306	4	31-1/2	31-1/2	TB74	TB74	11/558	10/SE	5-9/16		7500
94-1304	4	31-1/2	31-1/2	TB74	TB74	13/558	12/SE	5-9/16		9500
94-1282	4	34-5/8	34-5/8	HK-2	HK-2	13/558	13	2-13/16		9500
94-1278	4	34-25/32	34-25/32	HK-2	HK-2	10/558	10	4-1/4		7500
94-1264	4	34-25/32	34-25/32	HK-2	HK-2	14/558	14	4-3/4		10500
94-1340	4	34-13/16	34-13/16	HK-2	HK-2	12/558	9/3PD	4-15/16		8500
94-1342	4	34-13/16	34-13/16	HK-2	HK-2	12/558	10/2PD	5		9500
94-1344	4	34-13/16	34-13/16	HK-2	HK-2	12/558	11/PD	5		9500
94-1338	4	34-13/16	34-13/16	HK-2	HK-2	12/558	8/4PD	5-1/16		7500
94-1252	4	35-5/8	35-5/8	HK-2	HK-2	13/558	13	4-3/4		
94-228	4	35-5/8	35-5/8	HK-2	HK-2	13/558	13	4-3/4		9500

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

Western Star Trucks - rear

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
94-191	3	30	30	HK-2	HK-2	12/499	12	6-1/4		15500
94-201	3	30-1/4	30-1/4	HK-2	HK-2	16/447	13/3	6-1/4		13000
94-185	4	32-3/4	32-3/4	--	--	10/788	10	-2		30000
94-187	5	33-1/8	33-1/8	--	--	4/999, 3/788	7	-2-1/8		
94-189	5	33-1/8	33-1/8	--	--	5/999, 4/788	9	-1-1/8		

White Trucks - front

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
96-712	3	25	25	NJG	NJG	11/401	11	3-3/4		6650
96-854	3	25	25	NJG	NJG	6/558	6	4		7500
96-150	3.937	26-1/4	26-1/4	PLK	PLK	3/689	3	3-1/2	F	5500
96-734	4	23-1/16	26-5/16	PLK	PLK	2/401, 4/360, 3/625	6/3	4-3/4		6000
96-940	4	23-1/16	26-5/16	PLK	PLK	2/401, 6/360, 3/625	8/3	4-3/4		7500
96-728	4	23-1/16	26-5/16	PLK	PLK	6/447, 2/788	6/2	4-3/16		8500
96-240	4	25-1/16	25-1/16	PLK	PLK	9/499	9	3-5/8		9195
96-1302	4	25-15/32	25-15/32	PLK	PLK	1/360, 2/840	PD/2	3-13/16	F	5850
96-184	4	25-1/2	25-1/2	PLK	PLK	3/662	3	3-5/8	F	5500
96-1320	4	25-1/2	25-1/2	PLK	PLK	3/788, 1/341	3/PD	4-13/16	F	7500
96-972	4	26-1/4	26-1/4	1-3/8	1-3/8	3/380, 5/360	8	5-5/8		4750
96-978	4	26-1/4	26-1/4	1-3/8	1-3/8	9/401	8/PD	5-1/4		5500
96-998	4	26-1/4	26-1/4	1-3/8	1-3/8	3/401, 5/360	8	5-3/4		4750
96-992	4	26-1/4	26-1/4	1-3/8	1-3/8	3/401, 5/360	8	5-3/4		4750
96-108	4	26-1/4	26-1/4	1-3/8	1-3/8	3/401, 5/360	8	5-3/4		4750
96-988	4	26-1/4	26-1/4	1-3/8	1-3/8	9/447	9	4-3/8		7500
96-980	4	26-1/4	26-1/4	1-3/8	1-3/8	4/447, 5/401	9	4-5/8		6500
96-984	4	26-1/4	26-1/4	1-3/8	1-3/8	4/447, 5/401	9	4-5/8		6500
96-152	4	26-1/4	26-1/4	1-3/8	1-3/8	4/447, 5/401	9	4-7/8		6500
96-976	4	26-1/4	26-1/4	1-3/8	1-3/8	8/499	8	4		8500
96-104	4	26-1/4	26-1/4	1-3/8	1-3/8	3/558, 5/499	8	3-7/8		9500
96-986	4	26-1/4	26-1/4	1-3/8	1-3/8	3/625	3	4-5/8	F	4750
96-112	4	26-1/4	26-1/4	1-3/8	1-3/8	3/625	3	4-3/4		4750
96-974	4	26-1/4	26-1/4	1-3/8	1-3/8	3/652	3	4-7/8	F	5500
96-114	4	26-1/4	26-1/4	1-3/8	1-3/8	3/662	3	5	F	5500
96-912	4	26-1/4	26-1/4	NJK	NJK	10/360	7/3PD	6-1/8		4250
96-938	4	26-1/4	26-1/4	NJK	NJK	10/360	7/2PD/SE	6-3/8		
96-676	4	26-1/4	26-1/4	NJK	NJK	7/360, 7/360	7/6PD/SE	6-3/4		4250
96-134	4	26-1/4	26-1/4	NJK	NJK	9/401, 4/360	7/6PD	5-1/4		5250
96-136	4	26-1/4	26-1/4	NJK	NJK	9/401, 2/360	7/4PD	5-1/4		5250
96-914	4	26-1/4	26-1/4	NJK	NJK	9/401	7/2PD	5-3/8		5250
96-662	4	26-1/4	26-1/4	NJK	NJK	9/401, 4/360	7/5PD/SE	5-3/4		5250
96-232	4	26-1/4	26-1/4	NJK	NJK	10/447	7/3PD	5-1/16		5280
96-190	4	26-1/4	26-1/4	NJK	NJK	10/447	7/3PD	5-1/16		7300
96-714	4	26-1/4	26-1/4	NJK	NJK	9/447	6/3PD	5-1/2		6250
96-694	4	26-1/4	26-1/4	NJK	NJK	4/536	4	5-3/8	F	4875
96-890	4	26-1/4	26-1/4	NJK	NJK	4/536	4	5-3/8	F	5250
96-698	4	26-1/4	26-1/4	NJK	NJK	3/536	3	5-5/8	F	3875
96-692	4	26-1/4	26-1/4	NJK	NJK	4/536	4	6	F	5625
96-696	4	26-1/4	26-1/4	NJK	NJK	3/536	3	6-3/8	F	4625
96-1248	4	26-1/4	26-1/4	NJK	NJK	4/544	4	5-5/16	F	5250
96-1298	4	26-1/4	26-1/4	PLK	1-3/8	3/662	3	5	F	5500
96-846	4	26-1/4	26-1/4	PLK	PLK	9/360, 1/401	7/3PD	5-3/4		4000
96-968	4	26-1/4	26-1/4	PLK	PLK	9/360, 1/401	7/3PD	5-7/8		4000
96-908	4	26-1/4	26-1/4	PLK	PLK	7/360, 1/291	7/PD	6-1/4		4500
96-670	4	26-1/4	26-1/4	PLK	PLK	6/401, 3/625	6/3	5-1/8		7500
96-944	4	26-1/4	26-1/4	PLK	PLK	9/401	8/PD	5-1/4		5500

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
96-842	4	26-1/4	26-1/4	PLK	PLK	9/401	8/PD	5-1/4		5500
96-924	4	26-1/4	26-1/4	PLK	PLK	3/401, 5/360	8	5-5/8		4750
96-942	4	26-1/4	26-1/4	PLK	PLK	3/401, 5/360, 2/323	8/2PD	5-3/4		4750
96-838	4	26-1/4	26-1/4	PLK	PLK	3/401, 5/360, 2/323	8/2PD	5-3/4		4750
96-894	4	26-1/4	26-1/4	PLK	PLK	4/447, 2/401, 2/788	6/2	3-7/8		7500
96-172	4	26-1/4	26-1/4	PLK	PLK	7/447, 4/401	11	4		7500
96-158	4	26-1/4	26-1/4	PLK	PLK	7/447, 4/401	11	4		7500
96-904	4	26-1/4	26-1/4	PLK	PLK	9/447	9	4-1/8		7250
96-964	4	26-1/4	26-1/4	PLK	PLK	4/447, 2/401, 2/788	6/2	4-1/8		7500
96-910	4	26-1/4	26-1/4	PLK	PLK	6/447, 2/788	6/2	4-1/8		8500
96-902	4	26-1/4	26-1/4	PLK	PLK	10/447	10	4-1/8		8500
96-962	4	26-1/4	26-1/4	PLK	PLK	1/447, 5/401, 3/625	6/3	4-3/8		6500
96-844	4	26-1/4	26-1/4	PLK	PLK	1/447, 5/401, 3/625	6/3	4-3/8		6500
96-948	4	26-1/4	26-1/4	PLK	PLK	9/447	9	4-3/8		7500
96-906	4	26-1/4	26-1/4	PLK	PLK	7/447	7	4-5/8		6250
96-918	4	26-1/4	26-1/4	PLK	PLK	4/447, 5/401	9	4-5/8		6500
96-946	4	26-1/4	26-1/4	PLK	PLK	4/447, 5/401	9	4-5/8		6500
96-830	4	26-1/4	26-1/4	PLK	PLK	4/447, 5/401	9	4-5/8		6500
96-674	4	26-1/4	26-1/4	PLK	PLK	6/447, 2/788	6/2	4-5/8		8500
96-896	4	26-1/4	26-1/4	PLK	PLK	9/447	9	4-3/4		7500
96-858	4	26-1/4	26-1/4	PLK	PLK	2/499, 4/447, 2/788	6/2	4		
96-840	4	26-1/4	26-1/4	PLK	PLK	8/499	8	4		8500
96-950	4	26-1/4	26-1/4	PLK	PLK	8/499	8	4		8500
96-966	4	26-1/4	26-1/4	PLK	PLK	2/499, 4/447, 2/788	6/2	4		8500
96-920	4	26-1/4	26-1/4	PLK	PLK	8/499	8	4		8500
96-850	4	26-1/4	26-1/4	PLK	PLK	9/499	9	4		9500
96-110	4	26-1/4	26-1/4	PLK	PLK	3/536	3	5-3/8	F	4000
96-106	4	26-1/4	26-1/4	PLK	PLK	3/536	3	5-3/8	F	4000
96-146	4	26-1/4	26-1/4	PLK	PLK	9/558	9	2-1/2		10500
96-148	4	26-1/4	26-1/4	PLK	PLK	10/558	10	2-1/2		10500
96-154	4	26-1/4	26-1/4	PLK	PLK	5/558, 6/499	11	3		9500
96-1296	4	26-1/4	26-1/4	PLK	PLK	7/558, 2/447	9	3-1/8		
96-142	4	26-1/4	26-1/4	PLK	PLK	8/558	8	3-1/2		9500
96-898	4	26-1/4	26-1/4	PLK	PLK	3/558, 5/499	8	3-5/8		9500
96-214	4	26-1/4	26-1/4	PLK	PLK	10/558	10	3-3/4		11500
96-208	4	26-1/4	26-1/4	PLK	PLK	8/558	8	3-7/8		9500
96-952	4	26-1/4	26-1/4	PLK	PLK	3/558, 5/499	8	3-7/8		9500
96-922	4	26-1/4	26-1/4	PLK	PLK	3/558, 5/499	8	3-7/8		9500
96-102	4	26-1/4	26-1/4	PLK	PLK	3/558, 2/449, 3/558	8	3-7/8		10100
96-210	4	26-1/4	26-1/4	PLK	PLK	9/558	9	3-7/8		10500
96-970	4	26-1/4	26-1/4	PLK	PLK	3/625	3	5-1/8	F	4750
96-954	4	26-1/4	26-1/4	PLK	PLK	3/625	3	5-1/8	F	4750
96-1306	4	26-1/4	26-1/4	PLK	PLK	3/625	3	5-1/2	F	
96-848	4	26-1/4	26-1/4	PLK	PLK	3/652	3	4-7/8	F	5500
96-956	4	26-1/4	26-1/4	PLK	PLK	3/662	3	5	F	5500
96-916	4	26-1/4	26-1/4	PLK	PLK	3/662	3	5	F	5500
96-1286	4	26-1/4	26-1/4	PLK	PLK	3/685	3	5-7/16	F	
96-1290	4	26-1/4	26-1/4	PLK	PLK	4/702	4	3-5/8	F	
96-926	4	26-1/4	26-1/4	PLK	PLK	5/702	5	4-1/2	F	8500
96-930	4	26-1/4	26-1/4	PLK	PLK	4/702	4	4-3/4	F	8500
96-960	4	26-1/4	26-1/4	PLK	PLK	4/715	4	4-3/8	F	8500
96-928	4	26-1/4	26-1/4	PLK	PLK	3/750	3	4-1/4	F	6500
96-958	4	26-1/4	26-1/4	PLK	PLK	3/750	3	4-1/4	F	6500
96-990	4	26-1/4	26-1/4	PLK	PLK	4/750	4	4-3/8	F	9500
96-982	4	26-1/4	26-1/4	PLK	PLK	4/750	4	4-3/8	F	9500
96-1312	4	26-1/4	26-1/4	PLK	PLK	4/750	4	4-1/2	F	
96-1316	4	26-1/4	26-1/4	PLK	PLK	4/750	4	4-9/16	F	

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
96-1310	4	26-1/4	26-1/4	PLK	PLK	2/788, 2/323	2/2PD	3-5/8	F	
96-1284	4	26-1/4	26-1/4	PLK	PLK	2/788, 1/401	2/PD	4-3/4	F	5750
96-166	4	26-9/32	26-9/32	PLK	PLK	6/360, 5/323	11	4-3/4		4750
96-162	4	26-9/32	26-9/32	PLK	PLK	6/360, 5/323	11	4-3/4		4750
96-156	4	26-9/32	26-9/32	PLK	PLK	5/401, 5/360	10	5-1/8		5500
96-168	4	26-9/32	26-9/32	PLK	PLK	5/401, 5/360	10	5-1/8		5500
96-170	4	26-9/32	26-9/32	PLK	PLK	4/447, 5/401	9	4-7/8		6500
96-160	4	26-9/32	26-9/32	PLK	PLK	7/499, 2/401	9	3-11/16		8500
96-1294	4	26-9/32	26-9/32	PLK	PLK	7/499, 2/401	9	3-11/16		8500
96-178	4	26-9/32	26-9/32	PLK	PLK	7/499, 2/401	9	3-11/16		8500
96-164	4	26-9/32	26-9/32	PLK	PLK	3/750	3	3-3/8	F	6500
96-176	4	26-9/32	26-9/32	PLK	PLK	4/750	4	4-1/8	F	8500
96-810	4	26-5/16	26-5/16	NJK	NJK	2/401, 4/360, 3/625	6/3	5-1/2		6000
96-1250	4	26-5/16	26-5/16	PLK	PLK	10/401	10	5		6250
96-1274	4	26-5/16	26-5/16	PLK	PLK	6/401, 3/625	6/3	5-1/4		8500
96-202	4	26-5/16	26-5/16	PLK	PLK	6/401, 3/625	6/3	5-5/8		7500
96-212	4	26-5/16	26-5/16	PLK	PLK	7/447, 2/788	7/2	4-5/8		8500
96-206	4	26-5/16	26-5/16	PLK	PLK	6/447, 2/788	6/2	5		8500
96-194	4	26-5/16	26-5/16	PLK	PLK	4/536	4	4-7/8	F	5250
96-196	4	26-5/16	26-5/16	PLK	PLK	4/551	4	4-7/8	F	5250
96-198	4	26-5/16	26-5/16	PLK	PLK	4/558	4	4-7/8	F	5250
96-994	4	26-5/16	26-5/16	PLK	PLK	3/662	3	5-1/2	F	5500
96-996	4	26-5/16	26-5/16	PLK	PLK	3/662	3	5-1/2	F	5500
96-200	4	26-5/16	26-5/16	PLK	PLK	3/702	3	4-1/2	F	6500
96-204	4	26-5/16	26-5/16	PLK	PLK	4/702	4	4-1/2	F	8500
96-832	4	26-3/8	26-3/8	PLK	PLK	3/592	3	5-3/4	F	4750
96-882	4	26-3/8	26-3/8	PLK	PLK	3/592	3	5-3/4	F	4750
96-886	4	26-3/8	26-3/8	PLK	PLK	4/700	4	4-3/4	F	8500
96-884	4	26-3/8	26-3/8	PLK	PLK	3/702	3	4-7/8	F	6500
96-1304	4	26-3/8	26-1/2	PLK	PLK	6/360, 5/323	11	5-1/8		
96-144	4	26-7/16	34-1/8	NJK	NJK	15/401	14/SE	6-7/8		6250
96-188	4	26-7/16	34-1/8	NJK	NJK	15/401	15	6-15/16		6250
96-192	4	26-1/2	28-1/2	PLK	PLK	14/447	13/SE	5-13/16		9500
96-124	4	29-1/4	29-1/4	PLK	PLK	2/887	2	5-1/8	F	5800
96-130	4	29-1/4	29-1/4	PLK	PLK	3/887	3	4-5/8	F	8500
96-126	4	29-1/4	29-1/4	PLK	PLK	2/999	2	4-3/8	F	6500
96-132	4	29-1/4	29-1/4	PLK	PLK	3/999	3	4-3/8	F	10500
96-128	4	29-1/4	29-1/4	PLK	PLK	2/1.062	2	4-1/4	F	7500
96-174	4	29-1/4	29-1/4	PLKb	PLKb	7/499	7	4-3/8		6500
96-118	4	29-1/4	29-1/4	PLKb	PLKb	7/558	7	4-1/8		8500
96-116	4	29-1/4	29-1/4	PLKb	PLKb	4/588, 3/499	7	4-1/4		7500
96-120	4	29-1/4	29-1/4	PLKb	PLKb	7/625	7	3-3/8		9500
96-122	4	29-1/4	29-1/4	PLKb	PLKb	5/625, 3/558	8	3-3/4		10500
96-138	4	30-1/4	30-1/4	--	--	9/788	9	-4		
96-140	4	30-1/4	30-1/4	--	--	9/788	9	-2		
96-226	4	31-1/4	31-1/4	PLK	PLK	9/499, 1/558	10	6-1/4		6500
96-1244	4	31-9/32	31-9/32	PLK	PLK	1/312, 3/766	PD/3	6-5/8	F	6500
96-1242	4	31-9/32	31-9/32	PLK	PLK	1/312, 2/856	PD/2	6-1/8	F	5250
96-1262	4	31-3/8	31-3/8	PLK	PLK	1/323, 3/788	PD/3	5-3/4	F	6500
96-1268	4	31-3/8	31-3/8	PLK	PLK	1/323, 3/788	PD/3	5-3/4	F	6500
96-224	4	31-1/2	31-1/2	PLK	PLK	9/499, 1/558	10	6-1/4		6500
96-220	4	31-1/2	31-1/2	PLK	PLK	9/558	9	5-7/16		6500
96-218	4	31-1/2	31-1/2	PLK	PLK	10/558	10	5-9/16		7500
96-216	4	31-1/2	31-1/2	PLK	PLK	13/558	13	5-9/16		9500
96-222	4	31-1/2	31-1/2	PLK	PLK	13/558	13	5-9/16		9500
96-1282	4	34-5/8	34-5/8	HK-2	HK-2	13/558	13	2-13/16		9500
96-180	4	36-1/4	36-1/4	PLK	PLK	3/590, 3/625	6	2-7/8		5250

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape

UB	U-Bolt Plate
W	Wrap
WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
96-1246	4	36-1/4	36-1/4	PLK	PLK	5/590	5	4-13/16		4250
96-1300	4	36-1/4	36-1/4	PLK	PLK	3/625, 3/660	6	3-1/2		
96-182	4	36-1/4	36-1/4	PLK	PLK	2/999, 1/750	2/PD	6-5/8	F	5250
96-1308	100	700	794	TB78	TB78	2/23.5	2	133	F	
96-1318	100	700	794	TB78	TB78	2/25.4	2	120	F	
96-1314	100	700	800	TB78	TB78	2/26.5	2	111	F	

White Trucks - rear

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
96-177	2.935	SS	SS	HK-1	HO-1	1/1.750	1	--	AS	
96-1271	3	SS	SS	--	--	1/750	1	SS	AS	
96-1273	3	SS	SS	--	--	1/750	1	SS	AS	
96-1231	3	SS	SS	--	--	1/360, 1/1.875	PD/1	SS	AS	
96-1233	3	SS	SS	--	--	1/360, 1/2.375	PD/1	SS	AS	
96-103	3	SS	SS	SS	SS	1/1.750	1	--	AS	
96-1215	3	SS	SS	SS	SS	1/1.750	1	SS	AS	
96-1275	3	3	23	--	RB259b	1/662	1	-1-7/16	F	
96-1269	3	3-1/16	24-3/8	--	RB259b	1/662	1	-5-3/16	F	
96-1213	3	4	22-29/32	--	RB164b	1/662	1	1-7/16	F	
96-183	3	4	22-29/32	--	RB164b	1/669	1	-1-7/16	F	
96-1263	3	4-1/4	23	--	RB164b	1/662	1	-1-7/16	F	
96-1235	3	18-29/32	24-3/16	RB167	HK-1	1/360, 8/499	PD/8	2-7/8		7240
96-1237	3	19	24-1/4	RB167	HK-1	1/360, 8/558	PD/8	2-7/8		8500
96-935	3	19-1/2	19-1/2	--	--	7/360	7	2-1/4		
96-925	3	20	20	--	--	8/291	8	3-1/4		3780
96-111	3	20-1/2	4-5/8	RB146b	--	3/447	3	0		
96-159	3	21-1/16	22-1/8	HK-3	--	11/401, 1/360, 1/499, 1/360	11/3	3-5/8		9000
96-937	3	21-5/8	24-9/16	HK-2	HK-2	2/920	2	3-1/2	F	7500
96-955	3	21-5/8	24-9/16	HK-3	HK-3	3/920	3	3	F	8800
96-107	3	21-15/16	4-5/8	RB146b	--	3/447	3	0		
96-161	3	22-1/8	22-1/8	--	HK-3	14/401	11/3PD	3-7/8		9000
96-105	3	23	4	RB164b	--	3/447	1/2	0		
96-163	3	23-1/8	23-1/8	--	HK-3	14/401	11/3PD	4-1/2		8500
96-155	3	23-7/16	26-5/16	HK-1	HK-2	8/558, 3/447	8/3	3-3/8		
96-137	3	23-7/16	26-5/16	HK-1	HK-2	7/558, 3/447	7/3	5-1/4		
96-139	3	23-7/16	26-5/16	HK-1	HK-2	6/558, 3/447	6/3	5-1/4		
96-151	3	23-7/16	26-5/16	HK-1	HK-2	6/558, 3/447, 1/558	6/4	5-1/4		
96-149	3	23-7/16	26-5/16	HK-1	HK-2	6/558, 3/447, 1/558	6/4	5-1/4		
96-141	3	23-7/16	26-5/16	HK-1	HK-2	6/558, 3/447	6/3	5-1/4		
96-999	3	23-7/16	26-5/16	HK-1	HK-2	6/558, 3/447	6/3	5-1/4		8000
96-121	3	23-7/16	26-5/16	HK-1	HK-2	7/558, 3/447	7/3	5-1/4		9150
96-157	3	23-7/16	26-5/16	HK-1	HK-2	2/590, 4/558, 3/447	6/3	4-7/8		
96-145	3	23-7/16	26-5/16	HK-1	HK-2	2/590, 4/558, 3/447	6/3	4-7/8		
96-143	3	23-7/16	26-5/16	HK-1	HK-2	2/590, 4/558, 3/447	6/3	4-7/8		
96-169	3	23-7/16	26-5/16	HK-1	HK-2	2/590, 4/558, 3/447	6/3	4-7/8		
96-167	3	23-7/16	26-5/16	HK-1	HK-2	2/590, 4/558, 3/447	6/3	4-7/8		7500
96-117	3	23-7/16	26-5/16	HK-1	HK-2	5/590, 1/262, 3/447	5/PD/3	5-1/8		7500
96-181	3	23-7/16	26-3/8	HK-1	HK-3	3/938, 1/662	3/1	5-5/8		
96-1211	3	23-7/16	26-3/8	HK-1	HK-3	3/938, 1/750	3/1	5-5/8	F	
96-1225	3	23-1/2	26-5/16	HK-1	HK-3	3/938, 2/558, 3/447	3/2PD/3	5-9/16	F	
96-1227	3	23-1/2	26-5/16	HK-1	HK-3	3/938, 3/447, 1/558	3/3/PD	5-3/4	F	
96-967	3	23-1/2	26-3/8	HK-1	HK-2	3/625, 3/558, 1/262, 3/447	6/1/3	4-1/4		8800
96-965	3	23-1/2	26-3/8	HK-1	HK-2	3/625, 3/558, 1/262, 3/447	6/1/3	4-1/4		8800
96-963	3	23-1/2	26-3/8	HK-1	HK-2	1/625, 4/558, 1/262, 3/447	5/1/3	5-1/8		7500
96-985	3	23-1/2	26-3/8	HK-1	HK-2	1/625, 4/558, 1/262, 3/447	5/PD/3	5-1/8		7500
96-129	3	23-1/2	26-3/8	HK-1	HK-2	2/625, 3/558, 1/262, 3/447	5/PD/3	5-1/8		7500
96-961	3	23-1/2	26-3/8	HK-1	HK-2	1/625, 4/558, 1/262, 3/447	5/1/3	5-1/8		7500

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape

UB	U-Bolt Plate
W	Wrap
WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
96-923	3	23-1/2	27-7/8	HK-1	HK-1	1/625, 4/558, 1/262, 3/447	5/PD/3	5-1/2		7500
96-927	3	23-1/2	27-7/8	HK-1	HK-1	1/625, 4/558, 1/262, 3/447	5/PD/3	5-1/2		7500
96-997	3	23-1/2	27-7/8	HK-1	HK-1	1/625, 4/558, 1/262, 3/447	5/PD/3	5-1/2		7500
96-889	3	23-1/2	27-7/8	HK-1	HK-1	1/625, 4/558	5	5-1/2		7500
96-931	3	23-5/8	26-3/8	HK-1	HK-2	5/625, 1/262, 3/447	5/1/3	5-1/4		
96-179	3	23-3/4	26-3/8	HK-1	HK-3	3/938, 1/662	3/1	5-5/8		
96-1209	3	23-3/4	26-3/8	HK-1	HK-3	3/938, 1/750	3/1	5-5/8	F	8400
96-109	3	26	4-5/8	RB146b	--	3/447	3	0		
96-113	3	26	4-5/8	RB146b	--	3/447	3	1-1/4		
96-125	3	26	4-5/8	RB146b	--	3/447	3	2-1/8		
96-101	3	26-5/16	23-7/16	HK-2	HK-1	6/558, 3/447	6/3	5-1/4		8000
96-119	3	26-5/16	23-7/16	HK-2	HK-1	7/558, 3/447	7/3	5-1/4		9150
96-115	3	26-5/16	23-7/16	HK-2	HK-1	5/590, 1/262, 3/447	5/PD/3	5-1/8		7500
96-127	3	26-3/8	23-1/2	HK-2	HK-1	3/625, 3/558, 1/262, 3/447	6/PD/3	4-1/8		8800
96-917	3	26-3/8	23-5/8	HK-2	HK-1	5/625, 1/291, 3/447	5/1/3	5-5/8		
96-939	3	26-3/8	23-5/8	HK-2	HK-1	3/625, 3/558, 1/262, 3/447	6/1/3	5-5/8		
96-915	3	27-7/8	23-1/2	HK-1	HK-1	6/590, 1/262, 3/447	6/1/3	5-1/2		8800
96-995	3	28	28	HK-1	HK-1	6/788, 3/447	6/3	0		20000
96-983	3	30	30	HK-2	HK-2	13/447	10/3	5		10000
96-147	3	30	30	HK-2	HK-2	14/447	11/3	5		11500
96-153	3	30	30	HK-2	HK-2	11/447	11	5		11500
96-943	3	30	30	HK-2	HK-2	13/447	10/3	5-1/8		8000
96-969	3	30	30	HK-2	HK-2	14/447	11/3	5-1/8		11500
96-959	3	30	30	HK-2	HK-2	13/447	8/2/3	6-1/4		8000
96-1207	3	30	30	HK-2	HK-2	13/447	8/2/3	6-1/4		8000
96-907	3	30	30	HK-2	HK-2	13/447	10/3	6-1/4		10000
96-871	3	30	30	HK-2	HK-2	13/447	10/3	6-1/4		10000
96-873	3	30	30	HK-2	HK-2	14/447	11/3	6-1/4		11500
96-913	3	30	30	HK-2	HK-2	14/447	11/3	6-1/4		11500
96-171	3	30	30	HK-2	HK-2	6/499, 4/447	10	4-7/16		10000
96-1259	3	30	30	HK-2	HK-2	6/499, 7/447	10/3	4-3/4		
96-135	3	30	30	HK-2	HK-2	6/499, 7/447	10/3	5		10000
96-131	3	30	30	HK-2	HK-2	6/499, 7/447	10/3	5		10000
96-941	3	30	30	HK-2	HK-2	12/499, 3/447	12/3	6-1/4		15500
96-191	3	30	30	HK-2	HK-2	12/499	12	6-1/4		15500
96-1203	3	30	30	HK-4	HK-4	4/887, 2/447, 1/887	4/2/1	2-3/8	F	11500
96-1205	3	30	30	HK-4	HK-4	4/887, 1/447, 1/887	4/1/1	2-3/8	F	11500
96-173	3	30	30	HK-4	HK-4	4/887, 4/447, 1/887	4/4PD/1	2-5/8	F	10250
96-1223	3	30	30	HK-4	HK-4	4/887, 3/447, 1/887	4/3PD/1	3-1/2	F	10250
96-201	3	30-1/4	30-1/4	HK-2	HK-2	16/447	13/3	6-1/4		13000
96-981	3	30-1/4	30-1/4	HK-2	HK-2	3/447, 8/401, 3/447	11/3	7-1/4		8000
96-1267	3	30-1/4	30-1/4	HK-2	HK-2	6/499, 7/447	8/2PD/3	4-11/16		9000
96-1219	3	31-7/8	31-7/8	--	--	1/1.500, 2/1.89	3	2-15/16	F	
96-165	4	17	20-3/8	TPK	HK-1	13/558	13	2-13/16		25000
96-1257	4	17	20-3/4	RNK	--	9/447, 2/499, 1/447	12	2		11300
96-1255	4	17	23	RNK	--	12/447	12	2-1/2		19900
96-977	4	17	28-1/2	TPK	--	12/558	12	2-1/8		20000
96-811	4	17-1/16	20-11/16	TPK	--	2/588, 6/499, 5/447, 1/401	14	1-9/16		18950
96-1245	4	17-1/16	20-11/16	TPK	--	10/558	10	2-3/4		16600
96-1247	4	17-1/16	20-11/16	TPK	--	10/558	10	3-1/4		15500
96-1239	4	17-1/16	20-3/4	RNK	--	7/499, 5/447	12	2-1/2		15500
96-1241	4	17-1/16	20-3/4	RNK	--	7/499, 5/447	12	2-1/2		15500
96-1251	4	17-1/16	20-3/4	RNK	--	2/499, 9/447	11	3-1/4		14300
96-973	4	17-1/16	20-3/4	TPK	--	7/499, 5/447	12	3-1/4		15500
96-993	4	17-1/16	20-3/4	TPK	--	2/558, 6/499, 5/447	13	3		19000
96-1243	4	17-1/16	28-3/4	RNK	--	3/499, 9/447, 1/262	13	2-3/4		15500
96-133	4	17-1/16	28-3/4	TPK	--	10/625	6/4	2-1/8		20000

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
96-1253	4	17-1/8	20-1/2	TPK	--	2/499, 9/447	11	3-1/4		14300
96-1249	4	17-1/8	20-1/2	TPK	--	2/499, 9/447	11	3-1/4		14300
96-975	4	17-1/8	28-1/2	TPK	--	1/558, 4/499, 8/447	13	2-1/4		17500
96-945	4	17-5/32	20-11/16	TPK	--	12/558	12	3-5/8		25200
96-123	4	17-3/16	28-3/4	TPK	--	1/558, 1/447, 4/499, 7/447, 1/401	13/PD	2-7/8		17500
96-175	4	26-1/4	26-1/4	1.38	1.38	3/380, 5/360	8	5-5/8		4750
96-185	4	32-3/4	32-3/4	--	--	10/788	10	-2		30000
96-187	5	33-1/8	33-1/8	--	--	4/999, 3/788	7	-2-1/8		
96-189	5	33-1/8	33-1/8	--	--	5/999, 4/788	9	-1-1/8		

Jeep - front

97-444	2-1/2	18-13/16	20-13/16	RB85r	RB87r	2/291, 2/262	4	4-5/8		1090
97-400	2-1/2	22-1/2	24-1/2	RB145	RB85	7/262	7	5-7/8		1069
97-402	2-1/2	22-1/2	24-1/2	RB145	RB85	4/291, 3/262	7	5-1/8		1125
97-404	2-1/2	22-1/2	24-1/2	RB153	RB85	2/237, 5/214	7	7		912
97-406	2-1/2	22-1/2	24-1/2	RB153	RB85	2/237, 5/214	7	7-7/8		1069
97-398	2-1/2	22-1/2	24-1/2	RB153	RB85	4/262, 2/237	6	6-3/8		1069
97-396	2-1/2	22-1/2	24-1/2	RB153	RB85	1/291, 4/262	5	5-1/2		912
97-436	2-1/2	22-1/2	24-1/2	RB85	RB145	4/323, 3/291	7	2-1/8		1100
97-438	2-1/2	22-11/16	22-11/16	RB170	1-1/4	4/237	4	5-7/8		575
97-440	2-1/2	22-11/16	22-11/16	RB170	1-1/4	4/237	4	6-1/2		650
97-446	2-1/2	22-11/16	22-11/16	RB170	1-1/4	4/276	4	4-3/4		650
97-442	2-1/2	22-11/16	22-11/16	RB170	1-1/4	2/291, 2/262	4	4-7/8		650

Jeep - rear

97-569	2-1/2	21-1/8	22-5/8	RB85b	RB87	4/360	4	4-3/4		1810
97-563	2-1/2	22-11/16	22-11/16	RB170	1-1/4	4/237, 1/214	5	5-3/8		560
97-565	2-1/2	22-11/16	22-11/16	RB170	1-1/4	4/237, 1/214	5	5-7/8		620
97-567	2-1/2	22-11/16	22-11/16	RB170	1-1/4	4/262, 2/237	6	4-1/4		620
97-531	2-1/2	23	28-5/8	RB163	RB138	4/262	4	5-5/8		485
97-533	2-1/2	23	28-5/8	RB163	RB138	4/262	4	6-1/8		545
97-535	2-1/2	23	28-5/8	RB163	RB138	4/262	4	6-5/8		605
97-537	2-1/2	23	28-5/8	RB163	RB138	2/291, 2/262	4	5-1/8		485
97-539	2-1/2	23	28-5/8	RB163	RB138	2/291, 2/262	4	5-1/2		545
97-541	2-1/2	23	28-5/8	RB163	RB138	2/291, 2/262	4	5-7/8		605
97-545	2-1/2	23	28-5/8	RB163	RB138	2/291, 2/262	4	6-3/8		675
97-547	2-1/2	23	28-5/8	RB163	RB138	2/291, 2/262	4	7		755
97-585	2-1/2	23	28-5/8	RB163b	RB138b	2/291, 2/262	4	4-9/16		
97-519	2-1/2	25-1/4	31-1/4	RB145	RB85	1/401, 7/360, 1/323	9	4-1/8		1600
97-517	2-1/2	25-1/4	31-3/4	RB145	RB85	1/401, 4/360, 1/323	6	4-7/8		1100
97-459	2-1/2	25-1/4	31-3/4	RB145	RB85	1/401, 3/360	4	7-1/8		1100
97-561	2-1/2	26	31	RB145	RB85	7/401	7	2-7/8		2000
97-493	2-1/2	26	31	RB153	RB85	1/323, 3/291, 1/527	4/1	6-1/8		860
97-583	2-1/2	26	31	RB169b	RB138b	4/276, 1/625	4/1	9-1/4		1440
97-573	2-1/2	26	31	RB169b	RB138b	2/291, 1/276, 1/625	3/1	7-5/8		980
97-559	2-1/2	26	31	RB169b	RB138b	2/291, 1/622	3/1	7-5/8		980
97-549	2-1/2	26	31	RB169b	RB138b	2/291, 1/622	3/1	8-3/4		1100
97-575	2-1/2	26	31	RB169b	RB138b	2/291, 1/276, 1/625	3/1	8-3/4		1100
97-577	2-1/2	26	31	RB169b	RB138b	2/291, 1/276, 1/625	3/1	9-1/4		1160
97-551	2-1/2	26	31	RB169b	RB138b	2/291, 1/622	3/1	9-1/4		1160
97-571	2-1/2	26	31	RB169b	RB138b	1/291, 2/323, 1/590, 1/625	3/2	9-1/2		1700
97-579	2-1/2	26	31	RB169b	RB138b	2/291, 1/276, 1/625	3/1	9-3/4		1200
97-553	2-1/2	26	31	RB169b	RB138b	2/291, 1/622	3/1	9-3/4		1220
97-555	2-1/2	26	31	RB169b	RB138b	2/291, 1/622	3/1	10-1/4		1280
97-581	2-1/2	26	31	RB169b	RB138b	2/291, 1/276, 1/625	3/1	10-1/4		1280

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
Advance - front										
99-102	3-1/2	25-1/4	25-1/4	RNI	RNI	1/360, 5/558, 3/625, 3/788	PD/8/3	3-1/16		14500
99-198	3-1/2	25-1/4	25-1/4	RNI	RNI	1/360, 3/660, 5/590, 3/558	PD/8/3	3-1/4		11500
99-122	4	25-3/4	39-1/4	RNK	--	9/558	9	6		
99-124	4	25-3/4	39-1/4	RNK	--	8/558	8	6		
99-150	4	26-1/2	39-1/2	RNK	--	8/558	8	6-1/4		
99-160	4	28	28	TB68	TB68	8/447	8	7		
Advance - rear										
99-173	4	32	32	TB68	TB68	17/447	10/7	7		
AM General										
99-142	4	23	29	PLK	PLK	9/401	9	5-15/16		5600
99-126	4	23	29	PLK	PLK	9/447	9	4-5/8		7800
Autocar Yard Jockey										
99-166	4	25	25	PLK	PLK	10/401	10	5		
Capacity Yard Jockey										
99-164	4	25	25	PLK	PLK	9/401	9	5-1/8		
Carpenter										
99-188	3	25	25	RNGb	RNGb	6/499, 2/447	8	2-9/16		6600
99-186	4	25	25	RJK	RJK	8/447	8	4-1/16		6850
99-192	4	25	25	RJK	RJK	7/447	7	4-5/8		6600
99-190	4	25	25	RNK	RNK	8/499	8	3-1/16		8500
Champian Yard Jockey										
99-172	3-1/2	21-1/2	21-1/2	RNI	RNI	3/447, 9/360	12	4-5/8		
Crown Coach - front										
99-158	4	23-1/4	25-1/2	HK-2-4	2-1/4	1/360, 6/323, 3/360	6/4	4-5/8		
99-156	4	23-1/4	25-1/2	HK-2-5	2-1/4	1/360, 10/323, 3/360	10/4	4-5/8		
99-154	4	23-1/4	25-1/2	HK-2-5	2-1/4	1/360, 9/323, 3/360	9/4	4-5/8		
99-152	4	23-1/4	25-1/2	HK-2-5	2-1/4	1/360, 6/323, 1/323, 3/360	7/4	4-5/8		
99-104	4	23-1/4	25-1/2	HK-2-5	2-1/4	1/360, 8/323, 3/360	8/4	4-5/8		
99-114	4	23-1/4	25-1/2	HK-2-5	2-1/4	1/360, 8/323, 3/360	8/4	5-7/8		
99-110	4	23-1/4	25-1/2	HK-2-5	2-1/4	1/360, 7/323, 3/360	8/3	5-7/8		
99-116	4	25-1/2	25-1/2	2-1/4	2-1/4	3/401, 5/360, 3/401	8/3	5-7/8		
99-112	4	25-1/2	25-1/2	2-1/4	2-1/4	1/401, 6/360, 3/401	7/3	5-7/8		
99-106	4	25-1/2	25-1/2	2-1/4	2-1/4	4/401, 5/360, 3/401	9/3	5-7/8		
Crown Coach - rear										
99-171	4	27-3/4	30	HK-2-5	2-1/4	4/360, 6/323, 5/360	10/5	5-3/4		
99-161	4	27-3/4	30	HK-2-6	2-1/4	5/360, 6/323, 5/360	11/5	4-5/8		
99-165	4	27-3/4	30	HK-2-6	2-1/4	5/360, 6/323, 5/360	11/5	5-3/4		
99-163	4	27-3/4	30	HK-2-7	2-1/4	7/360, 6/323, 5/360	13/5	4-5/8		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape

UB	U-Bolt Plate
W	Wrap
WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
99-109	4	27-3/4	30	HK-2-7	2-1/4	6/360, 6/323, 5/360	12/5	4-5/8		
99-115	4	27-3/4	30	HK-2-7	2-1/4	6/360, 6/323, 5/360	12/5	5-3/4		
99-169	4	27-3/4	30	HK-2-8	2-1/4	7/360, 8/323, 5/360	15/5	5-3/4		
99-167	4	27-3/4	30	HK-2-8	2-1/4	7/360, 7/323, 5/360	14/5	5-3/4		
99-121	4	27-3/4	30	HK-2-8	2-1/4	7/360, 6/323, 5/360	13/5	5-3/4		
99-111	4	29-3/4	29-3/4	--	--	9/360	9	6-3/8		
99-119	4	29-3/4	29-3/4	--	--	11/360	11	7-1/4		
99-123	4	30	30	2-1/4	2-1/4	6/401, 7/360, 4/401	13/4	5-3/4		
99-113	4	30	30	2-1/4	2-1/4	4/401, 7/360, 4/401	11/4	5-3/4		
ECO										
99-107	4	14	15-1/2	RB84	--	3/625	3	1/8		
EVO - Loadall										
99-108	4	27	33	NJK	HK-2	10/447	10	6		
Gillig - front										
99-130	4	25	26-1/2	RNK	RNK	12/401	PD/6/5	6-1/2		5600
99-128	4	27-1/2	27-1/2	TB68	TB68	8/447	8	3-1/2		
99-136	4	27-1/2	27-1/2	TB68	TB68	7/447	7	4		
99-132	4	28	28	TB68	TB68	11/447	8/3	6-3/4		
99-134	4	28-1/4	28-1/4	TB68	TB68	8/447	8	4-1/4		
99-162	4	28-1/4	28-1/4	TB68	TB68	10/447	10	4-1/4		
Gillig - rear										
99-175	4	30	30	--	--	13/401	13	-1/2		
99-149	4	32	32	TB68	TB68	17/447	12/5	7		
Gradal										
99-105	3	16-1/4	16-1/4	--	--	5/323	5	3-1/2		
99-103	3	21-1/4	21-1/4	NJG	NJG	12/401	12	4		
99-101	3	21-1/4	21-1/4	NJG	NJG	5/323 - 12/401	5/12	4	A	
99-155	3	21-1/4	26	NJG	--	6/447, 8/401	RB/13	4		
99-177	3	24-3/8	29-1/8	1	--	8/447	8	5-1/2		6343
Grove										
99-194	4	23-7/8	38-5/8	1-11/16	HK-2	9/499	9	5-1/4		9230
99-196	4	23-7/8	38-5/8	1-11/16	HK-2	5/558, 4/499	9	4-7/8		10250
Land Rover - front										
99-138	2-1/2	18-1/8	18-1/8	RB52	RB52	9/180	9	5-1/2		
99-140	2-1/2	18-1/8	18-1/8	RB52	RB52	9/180	9	6		
Land Rover - rear										
99-153	2-1/2	23-7/8	23-7/8	RB52	RB52	1/237, 6/214, 4/180	11	6-3/4		
99-151	2-1/2	23-7/8	23-7/8	RB52	RB52	1/237, 6/214, 4/180	11	7-7/16		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape

UB	U-Bolt Plate
W	Wrap
WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
Loadal										
99-180	4	27	33	RNK	HK-2	10/499	10	5-3/4		
Maxium										
99-202	3	25-1/4	25-1/4	RNG	RNG	1/360, 6/558, 4/702	PD/10	4		
MG										
99-157	1-3/4	20-1/2	20-1/2	RB27r	RB27r	7/214	7	7-1/2		
New Holland - front										
99-118	2-1/2	23	23	LHE	LHE	3/499, 6/401	9	5-1/4		
99-120	3	23	23	LHG	LHG	10/401	10	5-3/8		
New Holland - rear										
99-127	1-3/4	13-1/8	13-1/8	HDB	HK	6/360	6	3-1/4		
99-141	2	17-3/4	18	7/8	--	11/360	11	4-3/8		
99-139	2	17-3/4	18	HDC	--	8/360	8	4-3/8		
99-137	2	17-3/4	18	HDC	--	5/360	5	4-3/8		
99-129	2	18-1/16	18-1/16	HDC	HDC	14/360	14	4-5/8		
99-131	2	18-1/16	18-1/16	HDC	HDC	10/360	10	4-5/8		
99-135	2-1/2	23	23	LHE	LHE	9/447	9	5-1/4		
99-159	3	21-1/16	21-1/16	NJG	NJG	9/499	9	5-1/4		
99-125	3	21-1/16	21-1/16	NJG	NJG	7/499	7	5-1/4		
Ottawa Yard Jockey										
99-184	4	25	25	PLK	PLK	9/401	9	5-1/16		
99-182	4	25-1/8	25-1/8	PLK	PLK	11/401	11	5-3/16		
99-170	4	25-3/4	25-3/4	PLK	PLK	9/401	9	5-5/8		
99-168	4	25-3/4	25-3/4	PLK	PLK	8/401	8	5-3/4		
99-170N	4	26-1/4	26-1/4	PLK	PLK	9/401	9	5-3/4		
99-168N	4	26-1/4	26-1/4	PLK	PLK	8/401	8	5-3/4		
99-204	4	26-1/4	26-1/4	PLK	PLK	11/401	11	6		
99-178	4	26-1/4	26-1/4	PLK	PLK	10/401	10	6		
Pacific Truck										
99-174	4	27	27	TB26	TB26	5/375, 12/323	17	6-3/8		
Sisu - front										
99-176	3-1/2	24-3/8	24-3/8	RNI	RNI	12/499	12	2-3/4		
Spitfire										
99-147	1-3/4	20-3/8	20-3/8	1b	1b	2/262, 3/360	5	3		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No	SPRING WIDTH	LENGTHS A	LENGTHS B	ENDS A	ENDS B	LEAVES GAUGES	NUMBER LEAVES	FREE ARCH	SPG TYPE	SPRING CAPACITY
Total Energy Truck										
99-148	3-1/2	19	19	--	--	4/499	4	2-1/4		
99-146	3-1/2	24	24	RNI	RNI	7/499, 5/447	12	3-5/8		
99-144	3-1/2	24	24	RNI	RNI	8/499, 5/447	13	3-5/8		

A	Assembly	CB	Camel Back	HK	Hook	LH	Loop Hook	PD	Pad/Block/Spacer	RB	Rebound Plate	UB	U-Bolt Plate
AS	Air Suspension	d	Dutch eye	HO	Hole	N	New model	PL	Plate	SE	Shock Eye/Towing Eye	W	Wrap
b	Berlin eye	F	Full Taper	LE	Loop Eye	o	Oval eye	r	Reversed eye	SS	Special Shape	WG	Wedge

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM Numbers To SRI Numbers

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
003100004	61-106	0201849	75-154	0301663	75-105	1001508A	13-312
003100008	61-108	0201850	75-182	0301992	75-107	1017497	96-1243
003100011	61-110	0201922	75-190	0302158	75-109	1017498	96-1241
003100013	61-112	0201923	75-192	0302160	75-111	1020801	83-163
003100014	61-114	0202032	75-194	0302432	75-125	1021201	62-241
003100015	61-116	0202064	75-188	0302729	75-117	1021201	83-117
003100016	61-118	0202070	75-198	0302912	75-155	102197	46-105
003100017	61-120	0202074	75-202	0302913	75-149	1028180	13-302
003100019	61-124	0202099	75-220	0303269	75-135	1028183	13-296
003100021	61-126	0202148	75-208	0303350	75-137	1029328	13-322
004900004A4	12-128	0202149	75-186	0303858	75-139	1042	99-150
004900004A5	12-136	0202177	75-212	0303953	75-129	1042407	14-102
005000013	61-101	0202336	75-204	0304193	75-145	1042779	14-104
005000132	61-103	0202375	75-216	0304333	75-127	1042933	13-330
005C00027	41-406	0202577	75-214	0304334	75-141	105399HC	55-493
005C00028	41-404	0202595	75-184	0304584	75-143	1063151	13-308
005C00029	41-402	0202600	75-222	0304809	75-159	1066145	13-310
005C00030	41-400	0202889B	75-224	0305121	75-147	1077174	13-328
010193	71-190	0202906	78-218	0305845	75-157	1085138	13-321
0105991	71-212	0202906	75-218	0305850	75-151	1085142	13-315
01762697	59-170	0202937	75-226	0306552	75-153	1085170	13-323
01762698	59-168	020381194	41-401	0306996	75-161	1085273	13-327
01763100	59-186	020381194H	41-405	0307640	75-163	1085298	13-329
01763101	59-186	020381194M	41-403	031840M	41-604	1087885	13-331
0177SS21	86-202	0203B2106	41-409	032126M	41-605	111133R91	55-1199
0200171	75-110	0203B2106	41-411	0350686	14-103	1115872	14-106
0200277	75-114	0203B2106	41-407	03726	75-121	1115880	14-109
0200291	75-142	0205845	75-210	049040263	96-134	115726	71-151
0200339	75-124	027000872	96-938	049040615	96-136	1181	99-107
0200355	75-126	027006837	96-871	049045647	96-714	11B11409	12-134
0200490	75-108	027006838	96-873	0632501	55-1193	1215425	14-108
0200519	75-122	027011559	96-940	0815701	83-113	1228535	14-113
0200664	75-120	027012440	96-107	0815701	62-251	1233001	83-169
0200774	75-128	027012441	96-109	0842601	55-039	12361135	22-1131
0200927	75-132	027018431	96-889	0842601	96-161	12361135	22-1061
0200935	75-134	027024542	96-912	0842601	83-121	12361238	22-1153
0200960	75-130	027024544	96-914	0842601	62-243	12361239	22-1155
0201056	75-144	027068875	96-810	0847001	62-247	12361257	22-1157
0201111	75-146	027088690	96-123	0847001	96-159	12403F1	71-132
0201113	75-140	027100561	96-728	0847701	83-107	12454F3	71-166
0201147	75-136	027101303	96-995	0847701	62-249	12454F3	71-170
0201160	75-138	027101500	96-159	0847701	55-951	12454F3	71-168
0201207	75-162	027102459	96-981	0864701	83-191	12454F4	71-238
0201333	75-148	02710328	96-1239	0886200	14-121	12454F4	71-236
0201420	75-150	027104738	96-854	0906487	14-105	125171C	71-180
0201441	75-164	027109188	96-161	0906495	14-107	1258901	83-123
0201472	75-152	027134253	96-133	0947501	83-115	1261001	62-1325
0201708	75-166	027136992	96-919	0947501	62-253	1261001	83-143
0201726	75-168	027140464	96-1251	0947501	96-163	1261101	62-1327
0201728	75-170	027140698	96-125	0947501	55-081	1261201	62-257
0201788	75-156	0300333	75-101	0969601	62-245	1261201	96-1257
0201789	75-172	0300385	75-121	0969601	83-111	1261301	62-1329
0201790	75-158	0300445	75-113	0988401	62-255	1261301	83-147
0201791	75-174	0300450	75-131	0988401	83-127	1272001	83-149
0201792	75-176	0300526	75-115	0988401	96-1255	1274101	83-123
0201799	75-160	0300725	75-123	0988401	55-083	1281201	83-151
0201806	75-196	0300726	75-121	0996918	14-111	1281301	83-153
0201817	75-178	0300751	75-119	0996926	14-110	1285001	83-129
0201818	75-180	0300950	75-133	0997007	14-117	1285801	83-133

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
1309801	83-141	1492101	83-209	1513004600	56-245	15507470	48-546
1317924	14-115	1492201	83-211	1513005030	56-223	15507477	48-606
1363134	14-112	15000890	22-1205	1513102322	22-751	15509938	22-731
1363142	14-119	15000891	22-1207	1513103090	56-113	15517720	22-749
1388101	83-201	15000892	22-1209	1513106551	56-131	15529526	22-795
138985R91	55-468	15009101	22-592	1513106552	56-131	15529528	22-797
1390004	14-123	15028068	22-1211	1513106931	56-123	15529585	22-801
1395001	83-129	15030575	22-1213	1513107131	56-117	15535384	22-470
13EW011	13-293	15032521	22-1215	1513107190	56-135	15538385	22-472
13HAJ409	13-324	15033926	22-1217	1513108840	56-173	15538386	22-474
13HAR009	13-302	15033927	22-1219	1513109420	56-181	15548461	22-793
13HAS009	13-296	15033928	22-1221	1513109610	56-187	15549359	22-509
13HAS009A	13-296	15035980	22-1243	1513403941	56-115	15549360	22-809
13HBB009A	13-312	15035981	22-1245	1513404130	56-119	15553584	22-450
13HCL409	13-322	15035982	22-1247	1513404210	56-133	15565043	22-460
13HCM009	13-330	15035983	22-1249	1513404341	56-125	15565044	22-462
13HDA009	13-308	15035984	22-1251	1513404480	56-175	15565045	22-464
13HDB009	13-310	15035985	22-1253	1513404570	56-121	15565393	22-811
13KCA011	13-317	15035986	22-1255	1513404880	56-207	15565394	22-813
13KCC411	13-307	15035988	22-1257	1513405090	56-203	15565395	22-819
13KCD011	13-281	15035989	22-1235	1513405170	56-179	15565396	22-815
13KCG409	13-328	15063185	22-1289	1513405190	56-177	15565397	22-817
13KCL011	13-325	15063185	22-1291	1513405520	56-205	15567748	22-799
13KMA011	13-321	15063185	22-1287	1513405590	56-199	15567937	22-801
13KMB011	13-315	1511106451	56-116	1513405960	56-201	15568339	22-807
13KMC011	13-323	1511106690	56-112	1514100340	56-189	15573189	22-1027
13KME011	13-327	1511106921	56-106	15148692	22-588	15574818	22-486
13KMF011	13-329	1511107530	56-108	15148693	22-594	15574819	22-490
13KMG011	13-331	1511108310	56-144	15148694	22-596	15574823	22-488
14000564	22-597	1511108320	56-152	15148695	22-598	15574842	22-837
1400087	99-176	1511108360	56-110	15148696	22-616	15597986	22-1001
14007621	22-605	1511108480	56-166	15151112	22-1241	15599368	22-759
14015741	22-607	1511108560	56-122	15151112	22-1239	15599375	22-761
14015753	22-611	1511108561	56-122	15151112	22-1237	15599376	22-757
14018677	22-605	1511109350	56-164	15151114	22-612	15599376	22-805
14021603	21-383	1511109400	56-148	15151115	22-614	15599380	22-442
14021604	21-385	151110970	56-150	15153722	22-1259	15599391	22-440
14032937	22-627	1511109710	56-156	15153861	22-1223	15601381	48-947
14038801	22-695	1511109780	56-142	15153863	22-1261	15604163	22-863
14040293	22-709	1511109790	56-138	15153865	22-1225	15604164	22-869
14040294	22-719	1511109891	56-160	15153867	22-1263	15604165	22-849
14054767	22-741	1511109901	56-162	15153868	22-1265	15604166	22-847
14054768	22-743	1511300500	56-140	151799	85-105	15604179	22-851
14054769	22-745	1511300940	56-134	151812	85-107	15620356	22-793
14060056	22-687	1511301250	56-128	1518880	71-152	15620357	22-795
14067753	22-737	1511301261	56-158	151945	44-180	15620358	22-797
14071877	22-755	1511302230	56-146	151955	44-178	15620359	22-799
14073375	22-733	1511302320	56-168	1520401	83-215	15623795	22-879
14073376	22-735	1511401	83-213	152056	85-109	15623796	22-877
143085C91	55-045	1513003033	56-215	152059	85-112	15629101	22-883
1432201	83-159	1513003120	56-221	152133	85-114	15629294	22-871
1446970	14-116	1513003250	56-111	152206	44-182	15634976	22-875
1446988	14-122	1513003250	56-145	152223	44-176	15636134	22-873
1446996	14-114	1513003290	56-229	152243	85-111	15638120	22-825
1447002	14-118	1513003500	56-209	152255	85-117	15638995	22-492
1448201	83-161	1513003621	56-225	152255	44-117	15641026	22-827
1465301	83-171	1513003900	56-217	1530301	83-217	15641026	22-853
1465401	83-203	1513004020	56-227	1543330	71-178	15641027	22-829
1468503	14-120	1513004110	56-219	15500095	48-546	15641028	22-831
1471201	83-205	1513004120	56-211	15503198	22-685	15641029	22-833
1472001	83-207	1513004200	56-247	15503416	48-606	15641030	22-835
1489236	14-125	1513004480	56-231	15506685	48-943	15641031	22-841

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
15641032	22-839	15697901	22-1183	15985735	22-578	1654696C91	55-122
15641033	22-843	15697901	22-985	15985736	22-580	1654700C91	55-130
15641034	22-845	15699713	22-947	15985737	22-582	1654701C91	55-110
15642471	22-859	15705505	22-1029	15990535	22-1057	1657311	14-126
15644917	22-909	15707516	22-1149	15993272	22-1025	1658830	14-124
15644918	22-905	15707517	22-1151	15995891	22-1159	1659948C91	55-129
15644919	22-907	15711752	22-1267	15996780	22-1137	1660201	83-227
15651011	22-476	15711753	22-1269	15996781	22-1139	1660586C91	55-152
15651012	22-478	15722651	22-550	15996782	22-1133	1660689C91	55-1127
15651013	22-480	15722652	22-586	15996783	22-1141	1660689C91	55-127
15651014	22-482	15722956	22-1163	15996784	22-1143	1660701	83-193
15651015	22-484	15722959	22-1227	15999878	22-556	1660853C91	55-128
15651679	22-857	15725360	22-1135	15999879	22-558	1661421C91	55-140
15654051	22-865	15731231	22-1189	15999880	22-560	1661469C91	55-148
15654056	22-959	15739920	22-1191	15999881	22-552	1661476C91	55-154
1565601	83-229	15741120	22-1197	15999882	22-554	1661498C91	55-142
15659389	22-861	15741121	22-1195	1606263C91	55-125	1662490	71-210
15659390	22-801	15746328	22-1271	1606304C1	55-132	1662490	71-208
15659463	22-885	15746407	22-1273	1606304C91	55-132	1662490	71-206
15659464	22-887	15746408	22-1275	1606385C91	55-087	1663GX	71-133
15659692	22-961	15752842	22-1277	1606839C91	55-976	1664618C91	55-144
15659738	22-933	15756875	22-1279	1607784C91	55-942	1664GX	71-135
15659739	22-1051	1586320	71-204	1608878C91	55-134	1665GX	71-137
15659740	22-935	1588220	71-146	1608879C91	55-134	1666GX	71-172
15659741	22-977	1588220	71-144	1610280C91	55-1166	1667482C91	55-156
15659742	22-931	1588220	71-148	1610720C91	55-1139	1667488C92	55-160
15660719	22-921	15953429	22-945	1610818C91	55-978	1667493C91	55-150
15667761	22-901	15953429	22-1007	1610920C91	55-119	1667499C92	55-158
15667762	22-889	15953829	22-500	1611146	18-333	1667G	71-174
15667763	22-897	15956498	22-1019	1611147	18-335	1668G	71-176
15667764	22-899	15958652	22-973	1611205C91	55-1187	1669197C91	55-146
15667765	22-891	15962403	22-1011	1612143C91	55-117	1670397	14-136
15667766	22-893	15963121	22-1063	1614938C91	55-116	1671784C91	55-1164
15667767	22-895	15963122	22-1065	1615574C91	55-982	1673202	83-285
15667768	22-903	15963154	22-1067	1616790C91	55-1131	1673301	83-287
1567601	83-167	15971658	22-963	1616929C91	55-1162	1673301	55-1189
1567603	83-255	15973088	22-991	1616929C91	55-162	1680499C91	55-1180
15676883	22-913	15973089	22-993	1616929C91	55-164	1684288C91	55-1135
15680283	22-911	15973090	22-995	1617575C91	55-1168	1684471C91	55-1133
15680346	22-937	15973091	22-997	1619987C91	55-1182	1686999C91	55-1170
15684619	22-496	15973720	22-965	1620651C91	55-1141	1688926C91	55-1188
15685851	22-949	15976726	22-979	162203	83-245	1688942C91	55-1174
15685851	22-889	15976727	22-981	1622209C91	55-1186	1690040C91	55-1172
15685852	22-951	15976728	22-983	1622380C1	55-1143	1690040C92	55-1210
15685852	22-891	15977497	22-1021	1622701	83-225	1690075C91	55-1176
15685853	22-893	15978567	22-967	1622701	62-1331	1693210C91	55-1203
15685853	22-953	15978568	22-969	1622702	83-243	1693210C92	55-1203
15685855	22-955	15979257	22-1179	1622704	83-247	169505R91	55-697
15687077	22-1187	15979257	22-1181	1622705	83-249	169514R91	55-803
15687311	22-915	15980613	22-1053	1622706	83-275	169536R91	55-689
15687312	22-939	15980961	22-999	1626401	83-219	169596R92	55-681
15687313	22-1003	15981141	22-1005	1628601	83-261	169605R91	55-683
15687316	22-941	15983336	22-584	1628701	83-223	1697120C91	55-1163
15687350	22-943	15983750	22-1055	1632501	83-221	1697121C91	55-1165
15687390	22-498	15985727	22-562	1646756C91	55-934	1697122C91	55-1167
15688271	22-1059	15985728	22-564	1646760C91	55-940	1697124C91	55-1169
15689556	22-975	15985729	22-566	1646764C91	55-970	1697126C91	55-1171
15689558	22-971	15985730	22-568	1646765C91	55-980	1697127C91	55-1173
15689576	22-1015	15985731	22-570	1653031C91	55-1145	1697129C91	55-1175
15689577	22-1017	15985732	22-572	1653685C91	55-118	1701801	83-233
15689578	22-1013	15985733	22-574	1653751C91	55-120	1701901	83-235
15697901	22-1185	15985734	22-576	1654692C91	55-138	1702601	83-183

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
1702601	83-181	2016202	83-241	2551173	99-106	289139	24-138
1702601	83-261	2016301	83-251	256019C92	55-805	289143	24-168
1702601	83-185	2017504	22-639	2566225	99-109	289144	24-164
1740101	83-233	2027488C91	55-1197	2566242	99-115	289145	24-162
1740201	83-235	2028812C91	55-1157	2566243	99-121	289149	24-170
174108R91	55-687	2028960C91	55-1198	2566244	99-167	28942	24-130
174136R93	55-695	2028987C91	55-1204	2566245	99-169	28981	24-124
1760289	14-128	2035798C91	55-1200	2566254	99-117	28981	24-122
177156R92	55-691	2035933C1	55-1193	2566279	99-111	28987	24-154
177156R93	55-889	2040041C92	55-1214	2566307	99-113	28987	24-156
1778701	83-187	2041622C91	55-1202	2566308	99-123	28987	24-158
1778701	83-189	2054072	22-422	2566309	99-119	28990	24-114
1778701	83-185	2060840	71-222	257229	92-102	28991	24-116
178049640	41-502	2060840	71-220	257230	92-104	28995	24-118
1782600	71-224	2060840	71-218	257252	92-101	28999	24-120
1782600	71-226	2075478	22-647	257259	92-103	2QK2254BP2	62-1036
1782600	71-228	2083744	22-434	257433	92-140	2QK2400	62-1052
1823001	83-197	2091375	22-705	257434	92-142	2QK3115A	62-592
1823001	83-195	2094053	22-677	257526	92-106	2QK3116	62-594
1823001	83-199	2094055	22-679	257534	92-105	2QK3119	62-596
1847359	14-134	2094057	22-683	257546	92-108	2QK3120	62-598
1864727	14-130	2094060	22-727	257547	92-110	2QK3121	62-600
1868601	83-231	2094061	22-729	257548	92-112	2QK3122	62-602
1873603	14-127	2114701	83-277	257555	92-114	2QK3124	62-604
1874684	14-129	2128601	83-271	257558	92-107	2QK3125	62-606
1883401	62-1355	2146701	83-269	257560	92-116	2QK3126	62-608
1883401	83-283	218776R91	55-767	257563	92-118	2QK3127	62-610
1884501	83-263	22077395	22-917	257566	92-120	2QK3129A	62-550
1884502	83-265	22077558	22-919	257572	92-122	2QK3129B	62-636
1893101	83-267	22112570	59-438	257573	92-124	2QK3130	62-612
1893201	83-259	22132570	22-1161	257577	92-109	2QK3131	62-614
190131R91	55-723	22132570	22-1193	257578	92-111	2QK3134	62-616
190150R91	55-719	22132571	22-1177	257579	92-113	2QK3135	62-618
1904401	83-237	22132572	22-1165	257580	92-115	2QK3138A	62-622
1904501	83-239	22132573	22-1167	257581	92-126	2QK3138B	62-624
1904601	83-239	22132574	22-1169	257584	92-117	2QK3139	62-626
1904801	83-253	22132575	22-1171	257585	92-128	2QK3143	62-628
19310C4	71-160	22132577	22-1175	257590	92-130	2QK3144	62-630
19310C4	71-130	22133450	22-1229	257594	92-132	2QK3145	62-632
1987601	83-279	22133451	22-1231	257606	92-138	2QK3146	62-634
1987701	83-281	22133452	22-1233	257810	96-1308	2QK3170	62-638
1996701	83-257	22586	41-208	257811	96-1314	2QK3171	62-640
1AAB23	75-107	240616	41-206	25920351S	75-108	2QK3172	62-642
1JD419	71-145	240930	41-204	267287C93	55-670	2QK3173A	62-652
1JD420	71-147	241016	41-202	267967C92	55-682	2QK3174	62-678
1X251493	41-210	241283	99-140	27224X	71-130	2QK3175A	62-766
2004175C1	55-1178	242863	99-138	277237C91	55-656	2QK3179	62-656
2004524C91	55-1190	2453876	22-315	277237C92	55-918	2QK3180	62-644
2005512C1	55-1147	24QK2347	62-945	289104	24-126	2QK3181	62-646
2006449C91	55-1194	251493	41-210	289115	24-140	2QK3188B	62-670
2007043C91	55-1149	25250	14-101	289116	24-142	2QK3189A	62-684
2007045C91	55-1151	25251	14-105	289117	24-112	2QK3190A	62-680
2007051C1	55-1189	253337C91	55-085	289121	24-132	2QK3190B	62-752
2007226C91	55-1196	2551149	99-152	289122	24-144	2QK3191	62-658
2009974C91	55-1191	2551150	99-104	289129	24-128	2QK3192	62-660
2010803	22-559	2551151	99-154	289131	24-146	2QK3193	62-666
2010805	22-557	2551152	99-156	289132	24-134	2QK3195	62-664
2011346C91	55-1192	2551153	99-158	289133	24-136	2QK3195A	62-710
2015155C91	55-1153	2551155	99-110	289134	24-148	2QK3197	62-682
2015300	22-561	2551156	99-114	289135	24-150	2QK3201	62-648
2016026C91	55-1155	2551171	99-112	289136	24-160	2QK3202	62-712
2016201	83-241	2551172	99-116	289137	24-152	2QK3203	62-654

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
2QK3209	62-714	2QK3301A	62-848	2QK3395M	62-894	2QK481M	62-1008
2QK3210	62-790	2QK3303A	62-772	2QK3398	62-826	2QK484M	62-1064
2QK3211	62-672	2QK3304	62-782	2QK3399	62-838	2QK486	62-1014
2QK3214	62-662	2QK3305A	62-850	2QK3403	62-832	2QK486M	62-1014
2QK3221	62-674	2QK3306A	62-860	2QK3404	62-840	2QK487	62-1018
2QK3222	62-694	2QK3307A	62-854	2QK3405	62-858	2QK487M	62-1018
2QK3232	62-690	2QK3308A	62-856	2QK3407A	62-854	2QK489	62-1020
2QK3233	62-720	2QK3309A	62-802	2QK3408A	62-856	2QK4977	62-1058
2QK3234AP1	62-732	2QK3310A	62-776	2QK3409	62-950	2QK499	62-1060
2QK3234AP2	62-754	2QK3316	62-1046	2QK3413AP1	62-854	2QKX3433	62-1010
2QK3234AP3	62-734	2QK3321	62-642	2QK3413AP2	62-856	307150C91	55-885
2QK3234AP4	62-736	2QK3322	62-866	2QK3413P3	62-950	307150C91	50-199
2QK3234AP5	62-738	2QK3323	62-868	2QK3425M	62-898	307154C91	50-201
2QK3234AP6	62-740	2QK3324	62-942	2QK3426M	62-900	3082253	96-1294
2QK3234AP7	62-886	2QK3325	62-946	2QK3429	62-914	3082254	96-1304
2QK3234P1	62-756	2QK3326	62-870	2QK3430M	62-984	310591	96-1245
2QK3234P2	62-702	2QK3327	62-872	2QK3431M	62-1032	310675R93	55-984
2QK3234P3	62-758	2QK3328	62-844	2QK3433	62-1010	3172576343	85-205
2QK3234P4	62-760	2QK3329	62-804	2QK3433M	62-1010	322074C92	50-207
2QK3234P5	62-762	2QK3330	62-806	2QK3435M	62-968	322078C91	50-205
2QK3234P6	62-764	2QK3331	62-808	2QK3441P	62-994	3254455	71-260
2QK3234P7	62-1028	2QK3332	62-810	2QK3441P2	62-996	3254455	71-256
2QK3236	62-704	2QK3333	62-812	2QK3441P3	62-998	3254455	71-258
2QK3236B	62-944	2QK3334	62-814	2QK3441P4	62-1000	326635C92	55-957
2QK3237	62-686	2QK3335	62-816	2QK3441P5	62-1002	32774	44-170
2QK3237B	62-884	2QK3336	62-852	2QK3442M	62-986	32775	44-172
2QK3238	62-688	2QK3337	62-818	2QK3443	62-1022	32791	44-174
2QK3238B	62-742	2QK3338A	62-820	2QK3444M	62-976	332542C92	55-923
2QK3239	62-692	2QK3339	62-1038	2QK3457	62-988	332841	22-487
2QK3239B	62-698	2QK3340	62-822	2QK3458	62-1042	332908	22-989
2QK3240	62-700	2QK3341	62-824	2QK3463	62-1066	332908	22-495
2QK3240A	62-706	2QK3342	62-826	2QK3919M	62-894	332949	22-987
2QK3241	62-744	2QK3343	62-828	2QK39303AP1	62-954	340197C91	55-881
2QK3242	62-696	2QK3345	62-838	2QK39303AP2	62-956	342505	22-509
2QK3242A	62-708	2QK3347	62-840	2QK39303AP3	62-958	345120	22-531
2QK3243B	62-748	2QK3348A	62-834	2QK39303AP4	62-960	345977C91	55-883
2QK3245	62-916	2QK3349	62-836	2QK39303AP5	62-962	349496C91	55-973
2QK3246	62-716	2QK3351	62-830	2QK39303AP6	62-964	349501C91	55-975
2QK3249A	62-794	2QK3352	62-892	2QK39303AP7	62-966	350013201	96-103
2QK3249B	62-794	2QK3358M	62-902	2QK39307	62-832	350013202	96-1215
2QK3250	62-846	2QK3359M	62-904	2QK4100	62-1044	350013202	96-177
2QK3252A	62-750	2QK3360M	62-906	2QK441	62-948	350030001	96-907
2QK3254B	62-798	2QK3363	62-858	2QK446	62-780	350030002	96-913
2QK3255A	62-746	2QK3364	62-828	2QK447	62-938	350030003	96-941
2QK3256B	62-842	2QK3365	62-830	2QK450	62-990	350030004	96-959
2QK3257	62-1050	2QK3368	62-950	2QK451A	62-992	350030007	96-937
2QK3264A	62-800	2QK3371M	62-896	2QK452	62-1056	350030008	96-1255
2QK3267A	62-786	2QK3372M	62-900	2QK453M	62-952	350030008	96-943
2QK3268	62-744	2QK3373M	62-894	2QK455	62-862	350030010	96-969
2QK3269	62-940	2QK3377	62-890	2QK456M	62-888	350030014	96-163
2QK3273	62-864	2QK3378P1	62-828	2QK457M	62-908	350030016	96-955
2QK3275A	62-770	2QK3378P2	62-830	2QK458M	62-910	350030021	96-937
2QK3277	62-1062	2QK3378P3	62-832	2QK459M	62-912	350030022	96-1257
2QK3278	62-796	2QK3378P4	62-858	2QK460	62-1034	350030027	96-983
2QK3280A	62-784	2QK3378P5	62-826	2QK466	62-1054	350030029	96-943
2QK3281A	62-792	2QK3378P6	62-838	2QK467AM	62-1012	350030030	96-983
2QK3286A	62-860	2QK3378P7	62-840	2QK468M	62-982	350030031	96-969
2QK3287	62-918	2QK3380	62-874	2QK469M	62-1006	350030033	96-1235
2QK3288	62-1048	2QK3381A	62-876	2QK470AM	62-1016	350030035	96-1237
2QK3298A	62-788	2QK3382	62-878	2QK476	62-974	350030036	96-147
2QK3299A	62-770	2QK3383A	62-880	2QK477	62-972	350030037	96-149
2QK3300A	62-778	2QK3388	62-882	2QK478	62-1004	350030039	96-153

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
350030045	96-171	350270005	96-105	371010032	96-946	371013402	96-890
350033202	96-103	350273202	96-183	371010032	96-186	371013404	96-138
350033205	96-131	350273203	96-1288	371010033	96-948	371013405	96-140
350033206	96-135	350486	22-809	371010034	96-950	371013407	96-142
350033210	96-1267	350493401	94-201	371010035	96-952	371013413	94-188
350033211	96-173	350493401	96-201	371010036	96-954	371013413	96-188
350033402	96-187	350726	22-531	371010037	96-956	371013421	96-144
350033402	94-187	3509153C92	55-1206	371010038	96-958	371013425	96-146
350033403	94-185	35149005	59-398	371010039	96-960	371013426	96-148
350033403	96-185	35149203	59-390	371010044	96-916	371013429	94-190
350033405	96-189	35149217	59-402	371010045	96-924	371013429	96-190
350033405	94-189	35153201	75-206	371010046	96-838	371013431	96-1248
350033406	94-191	35153205	75-200	371010047	96-842	371013431	94-1248
350033406	96-191	35162036	59-422	371010048	96-918	371013434	94-192
350033416	94-1217	35162315	59-392	371010049	96-896	371013434	96-192
350033801	13-319	35165016	59-396	371010050	96-920	371013437	96-194
350033806	96-1231	3518227C1	55-1112	371010051	96-922	371013437	94-194
350033809	96-1233	3518227C1	55-1212	371010052	96-924	371013437A	94-196
350035005	96-975	3518228C1	55-1208	371010053	96-962	371013437A	96-196
350035008	96-945	3518644C1	55-1220	371010054	96-964	371013437B	94-198
350035009	96-1249	3521859C91	55-1222	371010055	96-966	371013437B	96-198
350035013	96-977	3527262C91	55-1216	371010056	96-968	371013438	96-1242
350035014	96-973	3527263C91	55-1218	371010057	96-972	371013438	94-242
350035016	96-993	3534531C91	55-1205	371010057	96-175	371013438	96-242
350035019	96-1247	3534532C91	55-1207	371010058	96-982	371013439	94-200
350035020	96-165	3534533C91	55-1209	371010059	96-976	371013439	96-200
350035021	96-1253	3534534C91	55-1211	371010060	96-984	371013440	96-202
350038006	96-1203	3534535C91	55-1213	371010061	96-986	371013440	94-202
350038007	96-1205	3534536C91	55-1215	371010062	96-988	371013441	94-204
350038013	96-1207	3534537C91	55-1217	371010063	96-990	371013441	96-204
350040001	96-935	3534538C91	55-1219	371010065	96-992	371013442	94-206
350090001	96-927	3540083C91	55-1236	371010066	96-108	371013442	96-206
350090002	96-923	354130	21-381	371010067	96-994	371013443	96-208
350090003	96-915	3558762C91	55-1232	371010068	96-996	371013444	96-210
350090004	96-997	3565036C91	55-1228	371010071	96-998	371013444	94-210
350090007	96-917	3570579C91	55-1234	371010072	96-110	371013445	96-212
350090008	96-931	357246	22-547	371010073	96-102	371013445	94-212
350090009	96-939	362153	21-379	371010074	96-112	371013446	96-214
350090012	96-961	363915	22-408	371010075	96-114	371013446	94-214
350090014	96-963	370350	21-381	371010076	96-104	371013449	94-216
350090015	96-965	370388	21-379	371010077	96-152	371013449	96-216
350090016	96-967	371010001	96-838	371010078	96-154	371013450	94-218
350090018	96-963	371010002	96-842	371010079	96-156	371013450	96-218
350090019	96-965	371010003	96-830	371010082	96-158	371013451	94-220
350090020	96-119	371010004	96-832	371010084	96-160	371013451	96-220
350090021	96-121	371010005	96-848	371010085	96-162	371013453	94-244
350090022	96-127	371010006	96-896	371010086	96-164	371013453	96-1244
350090023	96-129	371010007	96-840	371010089	96-184	371013453	96-244
350090028	96-137	371010008	96-898	371013201	96-150	371013454	96-222
350090029	96-139	371010009	96-844	371013202	96-116	371013454	94-222
350090030	96-141	371010010	96-894	371013203	96-118	371013455	96-238
350090031	96-155	371010011	96-858	371013204	96-120	371013455	94-238
350090032	96-157	371010012	96-106	371013205	96-122	371013456	96-224
350090033	96-167	371010013	96-846	371013206	96-166	371013456	94-224
350090034	96-169	371010015	96-884	371013207	96-168	371013457	96-226
350090038	96-151	371010016	96-848	371013208	96-170	371013457	94-226
350093201	96-985	371010017	96-882	371013209	96-172	371013458	96-228
350093204	96-999	371010018	96-886	371013211	96-180	371013458	94-228
350093205	96-143	371010019	96-850	371013212	96-182	371013459	94-230
350093206	96-145	371010029	96-974	371013213	96-1300	371013459	96-230
350270001	96-111	371010030	96-942	371013214	96-1246	371013460	96-1250
350270002	96-113	371010031	96-944	371013215	96-1292	371013460	94-1250

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
371013461	94-1252	371013811	13-342	403346	41-012	4228420	34-223
371013462	94-1254	371013813	96-174	403527	41-014	4228421	34-225
371013463	94-1256	371013815	96-240	403528	41-016	4228422	34-227
371013464	94-1258	371013815	13-338	403529	41-015	4228423	34-229
371013465	94-1260	371013817	96-176	403772	41-017	4228424	34-231
371013466	96-1262	371013818	13-344	403773	41-019	4228425	34-233
371013466	94-1262	371013825	13-346	403774	41-021	4228426	34-235
371013467	94-1264	371014004	94-232	403913	41-018	4228427	34-237
371013468	94-1266	371014004	96-232	403915	41-023	4228428	34-239
371013469	96-1268	371014005	94-234	403949	41-020	4228429	34-241
371013469	94-1268	371014005	96-234	404004	41-022	4228430	34-243
371013470	94-1270	371014006	96-236	404005	41-024	4228431	34-245
371013471	94-1272	371014006	94-236	404306	41-025	4228432	34-247
371013472	96-1274	37101443	94-208	404307	41-027	4228433	34-249
371013472	94-1274	371018001	96-178	404466	41-054	4228434	34-251
371013473	94-1276	371295035	13-312	404517	41-029	4228438	34-253
371013474	94-1278	37521	41-900	404531	41-031	4228449	34-255
371013475	94-1280	37521	50-339	404532	41-033	4228584	33-423
371013476	96-1282	3763201108	65-131	404533	41-035	4228585	33-385
371013476	94-1282	3763787	22-315	404534	41-037	4228586	33-427
371013480	94-1348	37678	50-120	404991	41-026	4228716	34-263
371013485	94-1284	383166C91	55-935	405021	41-039	4228974	34-257
371013486	94-1290	3845953	33-381	405064	41-028	4228984	34-259
371013491	94-1288	3845954	78-775	405067	41-041	4228994	34-261
371013492	94-1292	38491	41-607	405308	41-030	422973C93	55-840
371013494	94-1286	3850839	21-307	405344	41-032	422981C91	55-826
371013501	94-1298	3865743	22-292	405345	41-043	4229873C92	55-840
371013502	94-1300	388265C91	55-756	405421	41-034	423529C91	50-239
371013503	94-1302	3891343	22-334	405493	41-045	423529C91	55-959
371013505	94-1304	3891344	22-336	405846	41-036	426160R92	55-729
371013508	94-1306	3891345	22-338	406969	41-040	4293178	33-381
371013509	94-1308	3897283	34-169	406970	41-042	429357C91	55-1183
371013510	94-1310	3897286	34-165	406988	41-038	433821C91	55-862
371013511	94-1312	39100003	55-079	407598C91	55-985	437497C91	55-812
371013513	94-1314	39100003	62-165	407598C91	50-243	4420334	33-393
371013514	94-1316	39100021	55-883	407643C91	50-251	4420336	33-391
371013518	94-1318	39100091	62-177	407643C91	55-987	4420351	34-279
371013520	94-1320	39100091	62-259	408544	41-044	4420405	33-397
371013521	94-1322	39100091	55-993	408545	41-046	4420415	33-399
371013522	94-1324	3911672	22-360	408546	41-048	4420416	33-389
371013523	94-1326	3928105	22-348	409354	41-050	4420425	33-395
371013524	94-1328	3933461	96-1302	409355	41-052	443007C91	55-814
371013525	94-1330	3934167	96-1229	41040009	99-122	4513F	71-188
371013526	94-1332	393599	41-212	4104000A	99-124	4518355	33-401
371013527	94-1334	3938112	96-1310	4131332	78-775	4518356	33-407
371013528	94-1336	3973352	96-1265	413206C91	50-241	4518365	33-403
371013529	94-1338	3977579	21-307	413206C91	55-981	4518367	23-405
371013530	94-1340	400253	41-002	415340C91	55-981	4518367	33-405
371013531	94-1342	400266	41-004	415344C91	50-235	4545F	71-194
371013532	94-1344	400267	41-001	415344C91	55-955	4546F	71-200
371013533	94-1346	400267	41-003	419656C91	55-776	457949C91	55-866
371013601	96-978	400267	41-005	4220406	33-387	45874000	50-405
371013602	96-980	400285	41-007	4228216	33-373	462061C91	55-860
371013604	96-926	400285	41-011	4228224	33-375	462577	21-391
371013605	96-928	400285	41-009	4228226	33-377	462598	21-393
371013606	96-930	400288	41-006	4228235	33-383	4636975	97-448
371013607	96-970	4005139	38-135	4228236	33-379	466017C91	55-993
371013801	13-332	400980	41-013	4228415	34-780	467752C91	55-868
371013802	13-326	402011C91	50-221	4228416	34-782	468456	22-989
371013806	13-334	402480	41-008	4228417	34-784	468456	22-495
371013807	13-336	4026817	78-755	4228418	34-786	4684604	33-409
371013810	13-340	403344	41-010	4228419	34-788	4684605	33-411

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
4684606	33-413	4811035111	90-126	4821035701	90-135	482304320	54-207
4684607	33-415	4811060250	90-118	4821035770	90-117	482304330	54-213
4684704	33-425	4811060391	90-120	4821035810	90-131	482304380	54-109
4684705	33-461	4811060411	90-128	482104281	54-239	482304390	54-203
4684706	33-463	4811060560	90-130	482104291	54-243	482304790	54-103
4684707	33-465	481108192	54-102	482104301	54-233	482304800	54-127
4684714	33-467	481108213	54-104	482104311	54-237	482304810	54-181
4684715	33-469	481108812	54-112	482105091	54-131	482304820	54-115
4684716	33-471	481109112	54-114	482105891	54-137	482304830	54-185
4684717	33-473	481109590	54-126	4821060201	90-211	482304840	54-191
4684744	33-429	481109770	54-128	4821060250	90-213	482304930	54-167
4684745	33-431	481109840	54-130	4821060430	90-123	482304931	54-171
4684746	33-433	481109850	54-132	4821060651	90-209	482304940	54-161
4684747	33-435	48112000	50-323	4821060661	90-215	482304941	54-177
4684764	33-437	48112001	50-361	4821060740	90-125	482305280	54-151
4684765	33-439	481201300	54-108	4821060742	90-233	482305290	54-157
4684766	33-441	481201320	54-110	482106100	54-119	482305730	54-145
4684767	33-443	481202190	54-106	482106A040	90-227	482305890	54-265
4684795	33-499	481202470	54-116	482108631	54-205	482306010	54-255
4684854	33-475	481202471	54-118	482108641	54-211	482306020	54-261
4684855	33-477	481202550	54-134	482108710	54-217	482306500	54-247
4684856	33-479	481202560	54-136	482108720	54-221	482306510	54-251
4684857	33-481	481202561	54-138	482108910	54-201	482601771	54-135
4684874	33-483	4812035051	90-124	482109580	54-125	482601840	54-241
4684875	33-485	481203940	54-122	482109590	54-195	482601850	54-235
4684876	33-487	481204381	54-120	482109600	54-199	482602040	54-141
4684877	33-489	481204650	54-124	482109630	54-183	482602200	54-123
4684944	33-445	4821004031	90-149	482109640	54-189	482602550	54-227
4684945	33-447	4821004032	90-161	482109800	54-165	482602921	54-209
4684946	33-449	4821004041	90-151	482109801	54-169	482602931	54-215
4684947	33-451	4821004042	90-165	482109840	54-159	482602950	54-219
4684954	33-453	4821004053	90-167	482109841	54-175	482603250	54-105
4684955	33-455	4821004080	90-171	4822004011	90-163	482603260	54-129
4684956	33-457	4821004090A	90-181	4822004020	90-155	482603270	54-197
4684957	33-459	4821004100	90-179	4822004022	90-169	482603280	54-117
4684994	33-491	4821004110A	90-197	4822004030	90-173	482603300	54-163
4684995	33-493	4821004130	90-193	4822004040A	90-183	482603301	54-173
4684996	33-495	4821004180A	90-201	4822004050A	90-199	482603310	54-187
4684997	33-497	4821004230	90-189	4822004060A	90-195	482603320	54-193
4694014	33-417	4821004240	90-185	4822004070	90-203	482603470	54-153
4694015	33-419	482100C010	90-207	4822004080	90-191	482603860	54-267
4694016	33-421	482100C030	90-217	4822004090	90-187	482603970	54-257
471286C91	55-043	482100C040	90-221	482200C010	90-223	482605750	54-147
471287C91	55-031	4821034050	90-147	482200C030	90-225	483683002	99-155
471292C91	55-029	4821034060	90-145	482200C040	90-219	485099C1	55-059
471293C91	55-033	4821034070	90-143	482201070	54-179	48645000	43-1149
471339C91	55-047	4821034080	90-177	482201740	54-149	48645000	96-1233
471339C91	50-289	4821034090	90-159	482201750	54-155	48645000	50-329
471343C91	50-281	4821034110	90-157	482202530	54-143	48645001	50-363
471343C91	55-027	4821035261	90-139	482202910	54-263	48645001	62-1337
471347C91	50-291	4821035271	90-129	482203100	54-253	48701000	50-407
471347C91	55-049	4821035311	90-127	482203110	54-259	48874000	50-325
471351C91	55-051	4821035341	90-121	482204050	54-245	48874000	96-1231
471821	21-393	4821035401	90-141	482204060	54-249	48874001	50-365
471888	22-603	4821035420	90-137	4822060100	90-229	488772C92	55-123
471889	22-601	4821035460	90-115	482207760	54-223	488954C91	55-057
472620C91	55-870	4821035490	90-119	482207770	54-229	488972C91	55-023
473276C91	55-035	4821035610	90-133	482302231	54-121	490557	41-200
473725C91	55-037	4821035640	90-175	482302481	54-225	49202	50-413
4743305	33-501	4821035660	90-205	482302491	54-231	492803C91	55-041
47553	50-409	4821035700	90-135	482302870	51-133	49374C	71-149
477649C91	55-872	4821035700	90-122	482303080	54-139	493962C91	55-021

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
49733	50-415	4QK3159	62-993	4QK3319	62-197	4QK4126M4	62-1289
4QK129AP10	62-217	4QK3161	62-995	4QK3321	62-181	4QK4129M	62-1311
4QK129AP3	62-031	4QK3167A	62-049	4QK3324A	62-185	4QK4131	62-1307
4QK129AP4	62-037	4QK3167B	62-095	4QK3325	62-179	4QK4132M	62-1315
4QK129AP5	62-999	4QK3174	62-055	4QK3326	62-187	4QK4138	62-1355
4QK129AP6	62-019	4QK3183	62-169	4QK3327	62-189	4QK4139M	62-1335
4QK129AP7	62-003	4QK3187C	62-005	4QK3328	62-1291	4QK4140M	62-1305
4QK129AP8	62-039	4QK3192	62-007	4QK3328	62-219	4QK4141M	62-1337
4QK129AP9	62-125	4QK3193	62-099	4QK3330	62-243	4QK4146M	62-1333
4QK19302A	62-245	4QK3194C	62-017	4QK3338	62-241	4QK4148M	62-1351
4QK19303	62-247	4QK3198A	62-097	4QK3342	62-285	4QK4149M	62-1353
4QK19306	62-249	4QK3201	62-053	4QK3342	62-1285	4QK4150M	62-1347
4QK19307	62-251	4QK3205A	62-035	4QK3343	62-199	4QK4151M	62-1339
4QK19350	62-241	4QK3208A	62-033	4QK3344	62-235	4QK4152M	62-1341
4QK19351	62-243	4QK3210	62-089	4QK3345	62-179	4QK4156M	62-1349
4QK19352	62-253	4QK3211	62-997	4QK3346	62-187	4QK4160M	62-1361
4QK19353	62-255	4QK3211B	62-075	4QK3347	62-189	4QK472	62-231
4QK19368	62-1325	4QK3212	62-023	4QK3353M	62-275	4QK497	62-137
4QK19369	62-1327	4QK3212A	62-175	4QK3354	62-253	4QK497A	62-137
4QK19370	62-257	4QK3212B	62-175	4QK3355	62-201	4QK498	62-149
4QK19371	62-1329	4QK3219A	62-031	4QK3361	62-261	4QK499	62-139
4QK2347A	62-945	4QK3220A	62-037	4QK3361	62-193	4QK588M	62-1323
4QK2417	62-047	4QK3226C	62-001	4QK3368M	62-263	50000541906	62-1030
4QK2467	62-947	4QK3227	62-999	4QK3368M	62-211	50000541907	62-1026
4QK2468	62-957	4QK3229	62-019	4QK3369AM	62-213	50001000360	62-229
4QK2473	62-937	4QK3234A	62-003	4QK3369AM	62-265	50001000361	62-223
4QK2473A	62-937	4QK3235A	62-039	4QK3369M	62-265	50001000362	62-225
4QK2473A	62-961	4QK3240	62-237	4QK3369M	62-213	5000447749	62-936
4QK2480A	62-939	4QK3244	62-051	4QK3370	62-1277	5000448209	62-928
4QK2521A	62-973	4QK3245	62-077	4QK3372	62-1343	5000448212	62-924
4QK2521B	62-973	4QK3246	62-205	4QK3373	62-1281	5000448214	62-978
4QK2528	62-991	4QK3251	62-079	4QK3374	62-1321	5000448215	62-926
4QK2540A	62-975	4QK3254	62-081	4QK3384M	62-269	5000448217	62-980
4QK2552	62-043	4QK3256	62-125	4QK3385M	62-267	5000448218	62-932
4QK2552A	62-093	4QK3258	62-123	4QK3389M	62-1317	5000449633	62-934
4QK2553A	62-985	4QK3259	62-129	4QK3390M	62-1319	5000454382	62-1293
4QK2555A	62-951	4QK3261	62-091	4QK3394M	62-1331	5000454382	62-1295
4QK2557A	62-963	4QK3264	62-083	4QK3397	62-1359	5000454382	62-1297
4QK2563A	62-959	4QK3264	62-105	4QK4000	62-151	5000454383	62-1303
4QK2566	62-015	4QK3266	62-113	4QK4001	62-153	5000454383	62-1301
4QK2569	62-021	4QK3267	62-085	4QK4002	62-141	5000454383	62-1299
4QK2569	62-087	4QK3268	62-207	4QK4003	62-155	5000540104	62-227
4QK2585A	62-029	4QK3269	62-121	4QK4004	62-143	5000540796	62-922
4QK2589	62-009	4QK3273A	62-117	4QK4005	62-147	5000540858	62-920
4QK2597	62-041	4QK3274	62-101	4QK4006	62-157	5000541098	62-221
4QK2620	62-165	4QK3275	62-103	4QK4007	62-159	5000541166	62-922
4QK2621	62-177	4QK3276	62-107	4QK4008	62-161	5000541859	62-970
4QK2629	62-209	4QK3280	62-133	4QK4013	62-173	5000546211	62-930
4QK29303	62-259	4QK3283	62-163	4QK4014	62-191	50020Z5162	69-117
4QK3108	62-057	4QK3285	62-145	4QK4018	62-1345	5010064764	62-1323
4QK3109	62-059	4QK3286	62-115	4QK4020	62-203	5010165553	62-1024
4QK3110	62-061	4QK3289A	62-167	4QK4104	62-275	5010167523	62-1309
4QK3115	62-977	4QK3290A	62-111	4QK4108	62-287	501566C92	55-067
4QK3116	62-979	4QK3291	62-131	4QK4108	62-1287	501566C93	55-1195
4QK3131A	62-981	4QK3292	62-109	4QK4119M	62-1313	503597C91	55-061
4QK3139	62-071	4QK3293	62-119	4QK4124M	62-269	503609C91	55-136
4QK3141	62-987	4QK3294	62-135	4QK4124M2	62-211	503960C91	55-910
4QK3142	62-953	4QK3295A	62-171	4QK4124M4	62-275	503961C91	55-902
4QK3143	62-955	4QK3296	62-1357	4QK4125M	62-267	507206C91	55-900
4QK3153	62-967	4QK3300	62-127	4QK4125M2	62-213	50795000	43-1177
4QK3155	62-983	4QK3305	62-239	4QK4126M	62-193	50795000	50-357
4QK3156A	62-965	4QK3318	62-195	4QK4126M3	62-181	50796000	50-359

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
50815000	50-381	52038771	34-1319	52106360AA	34-1419	5401001D00	69-114
510407	99-131	52038806	34-1327	52106361AA	34-1421	5401001D01	69-116
511320	99-129	52038807	34-1331	52106362AA	34-1423	540100T900	69-118
511458C91	55-1177	52039004	34-1323	52106363AA	34-1425	540100T910	69-120
512479	99-137	52039085	34-1347	52106364	34-1427	540103OZ14	69-140
512938	99-141	52039086	34-1349	52106364AA	34-1427	5401030Z15	69-156
513020C91	55-081	52039087	34-1351	52106365AA	34-1439	5401030Z62	69-128
514342	99-139	52039089	34-1353	52106402	34-1367	5401030Z64	69-142
516696	99-135	52039092	34-1355	52106437AB	34-1443	5401030Z65	69-138
517588	99-151	52039116	34-1357	52106743AA	34-1429	5401030Z66	69-160
517589	99-153	52039121	34-1325	52106744AA	34-1431	5401030Z67	69-158
518404	99-127	52039122	34-1329	52106745AA	34-1433	5401030Z69	69-134
518853	99-125	52039123	34-1333	52106746AA	34-1435	54010Z0103	55-112
518963	96-811	52039181	34-1369	52113120AD	34-1449	54010Z0103	69-106
519289C91	55-828	52039224	34-1335	52113141AD	34-1451	54010Z0104	55-112
52000050	97-531	52039226	34-1339	524251C91	55-1179	54010Z0104	69-106
52000051	97-533	52039227	34-1341	524273	99-125	54010Z0109	69-176
52000543	97-585	52039228	34-1343	524281	99-118	54010Z5073	69-104
52000544	97-537	52039229	34-1345	525973C91	55-075	54010Z5073	55-124
52000545	97-539	52039325	34-1337	526020C91	55-1185	54010Z5112	69-102
52000706	97-535	52039362	34-1371	526931C91	55-039	54010Z5112	55-126
52000707	97-541	52106009	34-1359	527387C91	55-083	54010Z5202	69-146
52001240	97-549	52106010	34-1361	530993C91	55-065	54010Z5207	69-152
52001824	97-553	52106012	34-1363	531247C91	55-920	54010Z5208	69-144
52001825	97-583	52106013	34-1365	531544C91	55-073	54010Z5209	69-148
52002312	97-559	52106015	34-1407	5317619	99-130	54010Z5210	69-166
52002350	97-555	52106015AF	34-1407	53178	99-175	54010Z5211	69-164
52002351	97-551	52106016	34-1409	531817C91	55-912	54010Z5211	55-1184
52002390	97-545	52106016AF	34-1409	53196	99-160	54010Z5212	69-168
52002392	97-547	52106017	34-1411	53198	99-173	54010Z5213	69-150
52003206	97-440	52106017AF	34-1411	53199	99-149	54010Z5214	69-154
52003207	97-438	52106019AF	34-1441	532948C91	55-071	54010Z5215	69-172
52003208	97-563	52106032AF	34-1437	533563C91	55-944	54010Z5216	69-170
52003209	97-565	52106033	34-1413	53405	99-128	54010Z5217	69-174
52003448	97-446	52106033AE	34-1413	53406	99-162	54010Z5260	69-124
52003448	97-442	52106152AB	34-1389	534095C91	55-079	54010Z5261	69-122
52003449	97-567	52106153AB	34-1375	53540075	99-170N	54010Z5263	69-162
52003676	97-571	52106154	34-1377	53540075	99-170	54010Z5265	69-108
520052	99-192	52106155	34-1379	53540076	99-168	54010Z5271	69-136
520053	99-188	52106156	34-1417	53540076	99-168N	54010Z5274	69-130
520056	99-186	52106156AC	34-1417	5355576	97-459	54010Z5276	69-132
52006444	97-575	52106157AA	34-1391	535S218	82-512	54010Z5308	69-126
52006445	97-579	52106288	34-1393	535S219	82-514	54040Z5219	69-112
52006446	97-577	52106288AB	34-1393	535S221	82-516	54040Z5262	69-110
52006447	97-581	52106289AD	34-1381	535S222	82-518	543847C91	55-956
52006448	97-573	52106290	34-1395	535S223	82-520	544187C91	55-966
520068	99-190	52106291	34-1373	535SS217	82-510	544942	96-670
52037755	34-1305	52106291AD	34-1373	5362949	97-398	544943	96-674
52038040	34-790	52106292	34-1397	5362950	97-396	546320C91	55-115
52038041	34-792	52106292AB	34-1397	5362951	97-400	546491C92	55-962
52038042	34-794	52106293	34-1399	5362952	97-402	547208C91	55-089
52038043	34-796	52106293AC	34-1399	5362953	97-406	547297C91	55-924
52038044	34-798	52106294	34-1401	5362954	97-404	548208C2	55-962
52038045	34-800	52106294AD	34-1401	5362956	97-493	548507C91	55-960
52038460	34-1321	52106295	34-1383	5364155	97-519	548836C91	55-077
52038764	34-1293	52106295AC	34-1383	5364156	97-517	5492G	71-154
52038765	34-1297	52106296	34-1403	537595	99-136	5493G	71-156
52038766	34-1299	52106297	34-1385	537842	99-134	5494G	71-158
52038767	34-1303	52106297AD	34-1385	538821	96-925	55010Z0116	69-133
52038768	34-1309	52106298AF	34-1387	539022C91	55-121	5502001D00	69-153
52038769	34-1313	52106325	34-1405	539484C91	55-091	5502001D00	69-155
52038770	34-1315	52106325AC	34-1405	539559C91	55-932	5502001D00	69-157

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
5502001D01	69-163	55020Z5170	69-197	573569	96-734	62300165	88-116
5502001D01	69-159	55020Z5170	69-195	5738895	99-126	62300169	88-114
5502001D01	69-161	55020Z5170	69-199	575SS2	82-522	62300178	88-122
5502001G01	69-151	55020Z5171	69-205	58176000	55-1163	62300210	88-124
5502001W00	69-107	55020Z5171	69-203	58176000	50-355	62300212	88-126
5502004W00	69-103	55020Z5171	69-201	58177000	50-353	62310221	88-109
5502009D00	69-167	55020Z5172	69-211	58178000	50-351	62310222	88-111
5502009D00	69-165	55020Z5172	69-207	58178000	55-1165	62310228	88-115
5502009D00	69-169	55020Z5172	69-209	58179000	55-1171	62310268	88-120
550200B012	69-247	55020Z5172	69-193	58179000	50-345	62310270	88-113
5502013600	69-141	55020Z5175	69-239	58192000	50-369	62310309	88-125
5502015G00	69-149	55020Z5175	69-237	58193000	50-371	62310310	88-119
5502020500	69-105	55020Z5175	69-145	58194000	50-373	62310311	88-121
5502030W00	69-139	55020Z5175	55-1137	58195000	55-1173	62310347	88-123
5502030Z19	69-173	55020Z5176	69-215	58195000	50-343	6271495	22-989
5502030Z19	69-175	55020Z5176	69-213	5821004051	90-153	6271495	22-495
5502030Z19	69-171	55020Z5176	69-217	58251000	55-1169	62977R91	55-525
5502030Z62	69-187	55020Z5179	69-227	58251000	50-341	62977R92	55-525
5502030Z62	69-183	55020Z5179	69-229	58252000	55-1175	660130	48-921
5502030Z62	69-185	55020Z5179	69-225	58252000	50-349	660927	48-546
5502031G00	69-147	55020Z5179	55-1161	58340C	71-150	664378C91	55-986
5502034W00	69-109	55020Z5200	69-235	584647C92	55-964	6771287	92-139
550203S504	69-249	55020Z5200	69-231	58557000	50-375	6771287	92-137
550203S505	69-251	55020Z5200	69-233	58558000	50-377	6771287	92-135
550203S563	69-253	55020Z5201	69-143	58559000	50-379	6771299	92-144
5502044W01	69-101	55020Z5201	69-243	588203C1	55-958	6776744	92-127
5502048W00	69-115	55020Z5201	69-241	588204C1	55-930	67872C	71-142
550204S100	69-255	55020Z5202	69-191	58847000	50-347	6792235	92-146
550207Z101	69-257	55020Z5202	69-189	58847000	55-1167	6793921	92-148
550207Z300	69-259	550300B002	69-245	58863000	43-1081	6794632	92-129
55020B8000	69-111	550816	96-692	58863000	62-1341	6794632	92-133
55020B9800	69-113	550817	96-694	58863000	50-399	6794632	92-131
55020H5200	68-101	550818	96-714	58865000	50-401	6795411	92-141
55020W6802	68-103	550819	96-638	58865000	62-1339	6803200002	46-1240
55020Z0064	69-221	550820	96-696	59231R92	50-189	6803200005	46-1189
55020Z0064	69-219	550821	96-698	59231R92	55-591	6803200005	46-189
55020Z0064	69-223	550828	96-662	598241	99-120	6803200102	46-1242
55020Z0115	55-097	554584	96-712	5984516	97-436	6803200105	46-1197
55020Z0115	69-129	555196C91	55-914	5984517	97-561	680320010502	46-1185
55020Z0115	69-127	56197	99-132	5995653	97-444	68032001052	46-185
55020Z0115	55-095	56871001	50-367	5995976	97-569	6803200202	46-1244
55020Z0115	69-131	569238	96-676	5JD726	71-230	6803200205	46-1193
55020Z0115	55-093	56925000	50-391	5QK246	62-027	6803200302	46-1246
55020Z0116	55-099	56928000	50-393	5QK247	62-233	6803200305	46-187
55020Z0116	55-103	56931000	50-395	5QK31M	62-215	6803200305	46-1187
55020Z0116	55-101	56934000	50-397	6055A	50-227	6803200402	46-1248
55020Z0116	69-137	56937000	50-383	61300499	88-102	6803200405	46-1203
55020Z0116	69-135	56940000	50-385	61300501	88-104	6803200505	46-1205
55020Z5105	55-111	56943000	50-387	61300509	88-106	6803200702	46-1250
55020Z5105	55-113	56946000	50-389	61310200	88-101	6803200902B	46-1300
55020Z5105	55-107	57094C	71-192	61310208	88-103	680320W004	46-1252
55020Z5105	69-121	57217000	50-403	61310211	88-105	680706	48-951
55020Z5105	69-117	572347C91	55-892	61310215	88-107	680812R93	55-807
55020Z5105	69-119	572351C91	55-880	61310216	88-117	680822R91	55-809
55020Z5106	69-179	572355C91	55-894	62030065	88-108	6813200005	46-123
55020Z5106	69-177	572359C91	55-884	62031099	88-101	6813200105	46-125
55020Z5106	69-181	572375C91	55-886	62039	99-172	6813200108	46-161
55020Z5162	69-123	572379C91	55-898	62106289	34-1381	6813200108	46-159
55020Z5162	55-105	572383C91	55-908	62106298	34-1387	6813200108	46-157
55020Z5162	55-107	572500C91	55-053	62300098	88-110	6813200205	46-127
55020Z5162	55-109	573367C91	55-936	62300121	88-118	6813200208	46-157
55020Z5162	69-125	573371C91	55-928	62300161	88-112	6813200208	46-159

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
6813200208	46-161	702165C92	55-998	8075378	96-1259	87HU5310AA	43-524
6813200302	46-132	702322021	46-102	8083845/60094	96-1318	8941032260	56-167
6813200305	46-129	702325018	46-101	8085457	96-1275	8941668560	56-139
6813200402	46-134	702325020	46-103	8086647	96-1273	8941668570	56-165
6813200405	46-163	702354C91	55-102	8086648	96-1269	8941668590	56-163
6813200505	46-165	702355C91	55-104	8086653	96-1271	894168580	56-161
6813200605	46-167	702356C91	55-106	8161949	96-1286	8941784310	56-243
6813200702	46-180	702939C92	55-108	8161966	96-1312	8943106130	56-153
6813200705	46-175	703322022	46-104	8162437	96-1284	8943388421	56-155
6813200802	46-182	7060000	99-102	81659	50-411	8943608011	56-147
6813200805	46-169	719479	22-404	8178082	96-1225	8943651680	56-130
6813200902	46-1290	719480	22-412	8178083	96-1227	8943666120	56-263
6813200905	46-171	76046213	41-516	8180246	96-1261	8943700940	56-136
6813201102	46-184	76049732	41-505	8180247	96-1263	8943700950	56-132
6813201202	46-186	76053800	41-514	8181099	96-1316	8943700960	56-154
6813201205	46-167	76053801	41-509	827000000	41-600	8943700970	56-237
6813201302	46-188	76054751	41-500	827001	50-124	8943700980	56-239
6813201305	46-175	76054752	41-503	82701	50-124	8943876341	56-141
6813201402	46-190	76058600	41-511	827010000	41-602	8944289260	56-151
6813201405	46-169	76059282	41-518	8304867	14-132	8944353221	56-159
6813201502	46-192	76060285	41-510	8555218	58-117	8944353240	56-155
6813201505	46-171	76060286	41-512	8555218	58-119	8944407860	56-233
6813201705	46-1195	76060322	41-506	8555218	58-121	8944407870	56-235
6813201902	46-202	76060323	41-507	8559396	58-102	8944496552	56-143
6813202002	46-174	76060324	41-504	8559528	58-106	8944673761	56-157
6813202102	46-204	76061814	41-508	8559538	58-104	8952000050	97-531
6813202105	46-1209	76134	50-122	8563188	58-101	8952000051	97-533
6813202205	46-1199	762056	41-603	8578750	58-103	8952000543	97-585
6813202305	46-1201	762057	41-609	8581299	58-108	8952000544	97-537
6813202502	46-216	76333R91	55-583	8583544	58-123	8952000545	97-539
6813202602	46-218	775840C91	55-951	8583756	58-135	8952000706	97-535
6813202702	46-194	78005341	41-513	8583756	58-139	8952000707	97-541
6813202802	46-196	78046731	41-520	8583756	58-137	8952001240	97-549
6813202902	46-198	78046732	41-501	8583961	58-131	8952001824	97-553
6813203302	46-1286	78049640	41-502	8583961	58-129	8952002312	97-559
6813203502	46-206	7834000197	99-196	8583961	58-133	8952002350	97-555
6813203602	46-208	786218C91	55-1181	8584904	58-116	8952002351	97-551
6813203702	46-210	790707	13-307	8587382	58-114	8952002390	97-545
6813203802	46-212	791901C91	55-972	8587472	58-112	8952002392	97-547
6813203902	46-174	791902C91	55-974	8587477	58-111	8952003206	97-440
6813204002	46-1284	792696	13-293	8587477	58-113	8952003207	97-438
6813204102	46-200	7EQ5588	43-185	8587477	58-115	8952003208	97-563
6813204302	46-214	8001036	96-902	8587483	58-110	8952003209	97-565
6813204802	46-226	8001037	96-904	8587488	58-105	8952003448	97-446
6813204902	46-228	8001071	96-906	8587488	58-107	8952003448	97-442
6813205002	46-230	8001080	96-908	8587488	58-109	8952003449	97-567
6813206202	46-1268	8001082	96-910	8593544	58-127	8952003676	97-571
6813206302	46-1262	8021566	96-1298	8593544	58-125	896343R91	55-600
6813240006	46-163	8024559	96-1306	8600160	58-141	896344R91	55-604
6813240106	46-165	8027417	96-101	8600160	58-143	896346R91	55-608
6872264	92-134	8027418	96-999	8600160	58-145	8970162870	56-149
6875444	92-136	8027786	96-1320	862905	13-281	8970326210	56-241
6877435	92-121	8028398	96-1290	863937C91	55-977	8970394090	56-185
690753R91	50-195	80383233	99-177	865889C91	55-796	8970394100	56-183
691349R91	50-191	8057302	96-115	869647C92	55-948	8970446942	56-261
700043	22-416	8057303	96-117	870743C92	55-946	8970625700	56-159
700693C91	55-988	8060822	96-1219	871098C92	55-874	8970654850	56-124
700695C91	55-990	8060980	96-1223	873413C92	55-952	8970654860	56-126
700696C91	55-992	8062823	96-1296	873414C92	55-950	8970654870	56-191
700698C91	55-922	8065215	96-1213	87779	50-417	8970654870	56-171
701761C91	55-994	8065216	96-1215	87779	41-601	8970654870	56-195
701762C91	55-996	8069347	96-1209	87990	50-136	8970654880	56-197
		8069348	96-1211				

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
8970654880	56-193	94051021	56-119	94440786	22-1113	9B9375C	12-123
8970654880	56-169	94051021	22-785	94440787	22-1115	9B9876	12-125
8970740760	56-170	94051022	22-787	94448152	56-109	9C1339	12-132
8970740811	56-249	94051022	56-121	94448152	22-779	A0200927	75-132
8971199470	56-180	94051235	22-1033	94448153	22-781	A0200960	75-130
8971199480	56-174	94051235	56-175	94448153	56-111	A02171	75-110
89711995002	56-255	94054276	22-524	94450398	22-775	A02277	75-114
8971412350	56-257	94054276	56-144	94450398	56-105	A02339	75-124
8971412361	56-259	94054277	22-532	94450399	22-777	A02340	75-124
8971488010	56-172	94054277	56-152	94450399	56-107	A02490	75-108
8971490220	56-178	94054278	22-468	94454978	56-104	A02519	75-122
8971490250	56-176	94054950	22-466	94947773	56-125	A02520	75-122
8972141280	56-182	94054958	22-1129	94947773	22-773	A02664	75-120
90007196	99-166	94054958	56-145	9620442	99-159	A0300445	75-113
90007196	99-182	94054959	56-113	96253R91	50-193	A0300526	75-115
90009756	99-164	94054959	22-821	97032621	22-1121	A0302729	75-117
90009756	99-184	94054965	22-823	97039409	22-1043	A031292	75-107
90022880	99-178	94055965	56-115	97039410	22-1041	A031663	75-105
90022881	99-204	94057590	22-546	97065485	22-520	A032158	75-109
9166810	99-107	94057591	56-122	97065486	22-522	A032160	75-111
9181858	38-137	94057591	22-510	97065487	22-1047	A03333	75-101
9187605	38-139	94057592	22-1097	97065487	22-1075	A03646	75-119
9196437	38-132	94057773	22-1087	97065487	22-1071	A03751	75-119
9198023	38-141	94058247	22-1107	97065488	22-1073	A1610001	46-137
9207643	38-133	94058248	22-1083	97065488	22-1049	A1610342007	46-172
9236817	38-134	94058248	56-203	97065488	22-1077	A1610365	46-852
9318G	71-162	94058263	22-518	97074018	22-1199	A1610366	46-162
9319G	71-164	94058271	22-1127	97074076	22-590	A1610368	46-164
94038289	22-438	94058317	22-1099	97119947	22-608	A1610436	46-901
94038289	56-114	94058318	22-1091	97119948	22-604	A1610436	46-173
94040262	56-127	94058359	22-528	97119950	22-1281	A1610437	46-177
94040262	22-751	94058360	22-536	97119950	22-1023	A1610437	46-897
94040270	22-753	94058361	22-530	97119980	22-1201	A1610438	46-179
94040270	56-129	94058516	22-544	97119980	56-251	A1610438	46-909
94044526	22-444	94058517	22-514	97119981	56-253	A1610439	46-181
94044531	22-1095	94058522	22-1037	97119981	22-1203	A1610439	46-957
94045526	56-116	94058544	22-1031	97141235	56-257	A1610529000	46-106
94046730	22-767	94058553	22-1035	97141235	22-1283	A1610529001	46-108
94046730	56-131	94059551	22-508	97141236	56-259	A1610529002	46-110
94046738	22-769	94059821	22-1111	97141236	22-1285	A1610529003	46-112
94046738	56-133	94059822	22-1039	97148801	22-600	A1610529004	46-114
94047772	22-446	94059831	22-1085	97149022	56-178	A1610559	46-160
94047772	56-112	94060795	22-502	97149022	22-606	A1610671	46-147
94047773	22-1101	94060796	22-538	97149025	22-602	A16106711	46-149
94047774	56-123	94060813	22-1125	97214128	56-182	A1611001	46-933
94047774	22-771	94060814	22-1045	97214128	22-610	A1611033	46-951
94047783	56-125	94061085	22-516	97715248	22-548	A1611114	46-135
94047783	22-773	94061382	22-1079	97715431	22-540	A1611532	46-183
94050048	22-456	94099563	22-526	97715432	22-542	A1611687	46-107
94050048	56-118	94178422	22-448	97715444	22-1103	A16116900	46-116
94050050	22-1089	94178422	56-102	97715454	22-1069	A16116901	46-118
94050429	22-458	94365168	22-504	97715455	22-1081	A1611810	46-120
94050429	56-120	94370094	22-512	978441R91	55-759	A1611812	46-122
94050436	56-135	94370095	22-506	980065	99-202	A1611814	46-136
94050436	22-789	94370096	22-534	98435HA	55-421	A1611816	46-138
94050444	22-791	94370097	22-1117	993122C91	55-954	A1611818	46-140
94050444	56-137	94370098	22-1119	993189C91	55-025	A1611819	46-113
94050896	22-454	94409670	56-101	9961346	99-108	A1611820	46-115
94050900	22-1109	94409670	22-763	9963086	99-180	A1611826	46-117
94050901	22-1105	94409671	22-765	997974C91	55-890	A1611850	46-124
94051012	22-783	944096710	56-103	9B9370C	12-130	A1611878	46-126
94051012	56-117	94440785	22-452	9B9372C	12-121	A16119431	46-119

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
A16119432	46-121	A1612612	46-220	A1614672000	46-1448	BA20341	50-116
A1611944	46-153	A1612614000	46-1278	A1614695000	46-1406	BA20341	50-112
A1612132000	46-1344	A1612616	46-176	A1614695001	46-1436	BA20341B	50-116
A1612132001	46-1346	A1612618	46-178	A1614729000	46-1249	BA21543	50-159
A1612132002	46-1348	A1613186	46-232	A1614822000	46-1390	BA21791	43-439
A1612132003	46-1350	A1613205	46-1266	A1614862000	46-1257	BA21791	50-161
A1612132004	46-1310	A1613411000	46-1215	A1614862001	46-1259	BA21791	96-1241
A1612132005	46-1316	A1613412001	46-1280	A1614862002	46-1261	BA21791	55-1179
A1612132006	46-1352	A1613412002	46-1282	A1614862003	46-1263	BA21792	50-203
A1612132007	46-1354	A1613415000	46-1265	A1614883000	46-1446	BA22873	50-211
A1612132008	46-1314	A1613415001	46-1267	A1614898000	46-1432	BA23026	50-257
A1612132009	46-1356	A1613417000	46-1269	A1615138000	46-1418	BA23027	50-137
A1612132010	46-1358	A1613419000A	46-1219	A1615154000	46-1384	BA23089	50-163
A1612132011	46-1360	A1613420	46-1234	A1615421000	46-1460	BA23310	50-165
A1612132012	46-1306	A1613423000	46-1207	A1615459000	46-1229	BA23452	50-197
A1612132013	46-1312	A16135200	46-1238	A1615498000	46-1245	BA23452	43-1145
A1612132014	46-1334	A1613522	46-1236	A1615500000	46-1243	BA24310A	50-167
A1612132015	46-1362	A1613586000	46-1322	A1615502000	46-1239	BA24313	96-811
A1612132016	46-1308	A1613586001	46-1324	A1615504000	46-1233	BA24313	50-169
A1612132017	46-1364	A1613586002	46-1326	A1615506000	46-1235	BA24703	50-335
A1612132018	46-1366	A1613586003	46-1328	A1615512000	46-1231	BA24840	50-171
A1612132019	46-1336	A1613641000	46-1298	A1615514000	46-1241	BA24853	50-111
A1612132020	46-1368	A1613700	46-1264	A1615516000	46-1237	BA24929	55-975
A1612132021	46-1370	A1613922000	46-1444	A1615768000	46-1247	BA24929	96-1243
A1612132022	46-1342	A1613931000	46-1442	A1615775000	46-1392	BA24929	50-173
A1612132023	46-1372	A1613974000	46-1292	A1615820000	46-1454	BA24929	43-441
A1612132024	46-1338	A1613977000	46-1426	A1615845000	46-1452	BA25036	50-175
A1612132025	46-1374	A1613977001	46-1428	A1615871000	46-1386	BA25692	50-177
A1612132026	46-1340	A1613978002	46-1420	A1615987000	46-1450	BA25694	50-179
A1612132027	46-1376	A1613979000	46-1396	A1615989000	46-1271	BA25718	50-181
A1612132028	46-1378	A1613979001	46-1408	A1616059000	46-1458	BA25718	55-973
A1612132029	46-1380	A1613980000	46-1318	A1616060000	46-1283	BA25912	50-183
A1612243	46-128	A1613980001	46-1410	A1616204000	46-1273	BA27168	43-481
A1612244	46-130	A1613981000	46-1422	A1616241000	46-1456	BA27168	50-185
A1612305	46-168	A1613981001	46-1424	A1616843000	46-1275	BA27168	96-1245
A1612305000	46-142	A1613982000	46-1398	A1617175000	46-1285	BA27206	50-139
A1612305001	46-144	A1613982001	46-1412	A1617176000	46-1277	BA27285	50-327
A1612305002	46-146	A1613983000	46-1400	A1617177000	46-1279	BA27321	50-187
A1612305003	46-148	A1613983001	46-1414	A1617178000	46-1281	BA27321	43-625
A1612305004	46-150	A1613984000	46-1304	A2566224	99-161	BA27535	43-645
A1612305005	46-170	A1613985000	46-1404	A2566233	99-163	BA27535	50-261
A1612305006	46-1270	A1613997000	46-1217	A2566241	99-165	BA28186	50-231
A1612305007	46-1272	A1613999000	46-1211	A2566253	99-171	BA29401	50-217
A1612305008	46-1288	A1613999001	46-1213	B4Q5588A	43-185	BA29720	55-985
A1612305009	46-1382	A1613999002	46-1253	B4QH5588A	43-207	BA29720	50-243
A1612308	46-152	A1613999003	43-1255	B7Q5310C	43-220	BA29873	50-225
A16123082	46-222	A1614012000	46-1294	B7QH5310E	43-222	BA30192	50-213
A1612309	46-154	A1614012001	46-1330	B7QH5560A	43-257	BA30583	50-233
A1612309003	46-1402	A1614136000	46-1438	B7QH5660C	43-263	BA30657	55-1183
A16123092	46-224	A1614252000	46-1416	B8QH5310B	43-230	BA30657	50-255
A1612310000	46-1274	A1614260000	46-1221	B8QH5588A	43-283	BA30813	50-305
A1612310001	46-1254	A1614260001	46-1223	BA13124	50-149	BA30813	96-123
A1612310002	46-1256	A1614436000	46-1296	BA13996	50-227	BA30814	50-277
A1612310003	46-1276	A1614438000	46-1388	BA14988	50-151	BA30814	55-977
A1612310004	46-1258	A1614442000	46-1394	BA17988	50-126	BA30840	50-215
A1612310005	46-1332	A1614463000	46-1302	BA1945	50-128	BA30840	43-537
A1612374	46-139	A1614464000	46-1430	BA1945	50-130	BA31349	50-229
A1612396	46-145	A1614464001	46-1440	BA1945	50-132	BA31456	50-247
A1612414000	46-1260	A1614602000	46-1434	BA1947	50-117	BA31545	50-219
A1612420	46-158	A1614617000	46-1251	BA1948	50-119	BA31545	55-923
A1612582	46-151	A1614637000	46-1225	BA19963	50-333	BA32541	50-309
A1612583	46-155	A1614671000	46-1227	BA2008	50-121	BA32541	55-1181

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
BA32701	50-251	BA46336	62-1277	D0HZ5560A	43-537	E0HZ5310A	43-488
BA32701	55-987	BA46336	50-275	D1TA5588AA	43-545	E0HZ5310B	43-490
BA33308	50-239	BA46684	50-319	D1TZ5588A	43-545	E0HZ5310D	43-486
BA35933	50-259	BA47057	55-119	D2HA5310AA	43-410	E0HZ5560B	43-737
BA35943	50-303	BA47057	96-165	D2HZ5310A	43-410	E0HZ5560C	43-739
BA35978	55-071	BA47057	22-705	D2HZ5560A	43-645	E0HZ5560D	43-741
BA35978	50-249	BA47057	50-301	D3HA5560AA	43-583	E0HZ5560E	43-743
BA35984	50-253	BA47057	62-1281	D3HZ5560A	43-583	E0TA5310AA	43-474
BA42544	50-237	BA47474	43-813	D3TA5560CA	43-579	E0TA5310AAB	43-474
BA42544	55-1185	BA47474	50-315	D3TZ5560K	43-579	E0TA5310ABA	43-476
BA42623	50-134	BA47474	96-1235	D5HZ5310D	43-432	E0TA5310ABB	43-476
BA4370	50-125	BA47474	62-1317	D5HZ5310E	43-434	E0TA5310ACA	43-478
BA44064	50-279	BA47475	96-1237	D5HZ5310F	43-436	E0TA5310ACB	43-478
BA44064	96-1251	BA47475	43-833	D5HZ5560A	43-625	E0TA5560AZB	42-813
BA44064	55-047	BA47475	50-317	D5HZ5560B	43-1145	E0TA5560BLB	43-723
BA44066	55-027	BA47800	50-321	D5UA5560ABA	43-593	E0TA5560BVA	43-791
BA44066	50-281	BA4839	50-127	D5UA5560ABB	43-593	E0TA5588BA	43-735
BA44072	96-133	BA48400	43-1147	D5UA5560ASB	43-599	E0TZ5310N	43-474
BA44072	50-293	BA48400	50-331	D5UA5560ATA	43-609	E0TZ5310R	43-476
BA45025	50-313	BA48400	62-1319	D5UA5560ATB	43-609	E0TZ5310S	43-478
BA45025	96-973	BA4986	50-135	D5UA5560HB	43-611	E0TZ5560AE	43-791
BA45026	96-993	BA4986F	50-137	D5UA5560JB	43-613	E0TZ5560B	43-689
BA45026	50-307	BA8762	50-145	D5UA5560KB	43-615	E0TZ5560K	42-813
BA45027	62-1343	BA8763	50-147	D5UA5560LB	43-621	E0TZ5560Y	43-723
BA45027	22-561	BE7991	50-143	D5UZ5560B	43-611	E0TZ5588E	43-735
BA45027	50-267	BX20341A	50-112	D5UZ5560C	43-613	E1610671	46-131
BA45027	55-049	BX25082	50-110	D5UZ5560D	43-615	E1610851	46-166
BA45027	43-653	BX30192	50-245	D5UZ5560F	43-623	E1610892	46-143
BA45027	96-1247	BX45079	50-263	D5UZ5560H	43-593	E1611532	46-109
BA45028	96-945	C2TA5560C	43-349	D5UZ5560S	43-599	E1611748	46-141
BA45028	50-285	C2TA5588B	43-347	D5UZ5560T	43-609	E1611776	46-111
BA45028	55-051	C2TZ5560A	43-349	D5UZ5660E	43-621	E1611880	46-191
BA45030	43-663	C2TZ5588A	43-347	D6UZ5560E	43-627	E1611880	46-1191
BA45030	55-075	C3TA5560AC	43-411	D6UZ5560F	43-885	E16120710	46-133
BA45030	22-559	C3TA5560AD	43-413	D7834000151	99-194	E16123590	46-156
BA45030	50-273	C3TA5560AE	43-415	D7HT5310AHA	43-460	E1HT5310AA	43-386
BA45031	43-651	C3TA5560L	43-377	D7HT5310AL	43-454	E1TA5560ALA	43-779
BA45031	50-265	C3TZ5560D	43-377	D7HT5310AM	43-454	E1TA5560TA	43-723
BA45032	96-1253	C3TZ5560T	43-411	D7UA5560TA	43-659	E1TD5310AA	43-532
BA45032	55-089	C3TZ5560U	43-413	D8HZ5310C	43-454	E1TZ5310A	43-492
BA45032	50-311	C3TZ5660V	43-415	D8HZ5310D	43-460	E2TA5310YA	43-492
BA45068	55-1187	C5TA5560K	43-439	D8HZ5560C	43-653	E2TA5560UA	43-689
BA45068	22-557	C5TZ5560M	43-439	D8HZ5560D	43-651	E2TZ5560H	43-779
BA45068	50-283	C6TZ5560V	43-481	D8HZ5560G	43-663	E3HS5310AA	43-534
BA45071	96-1249	C6TZ5660D	43-441	D8HZ5560H	43-665	E3HT5310AA	43-494
BA45071	55-087	CA15060	50-153	D8TA5560ZA	43-623	E3HZ5310A	43-494
BA45071	50-271	CA17006	50-155	D8UZ5560A	43-659	E3TA5310ABA	43-498
BA45072	50-297	CA2056	50-123	D9HT5310AA	43-470	E3TA5560AJA	43-815
BA45121	96-975	CA2056	50-269	D9HT5310BA	43-472	E3TZ5310R	43-498
BA45121	43-665	CA2056	55-767	D9HZ5310A	43-470	E3TZ5560M	43-803
BA45121	22-639	CA2309	50-102	D9HZ5310B	43-472	E3TZ5560T	43-815
BA45121	55-065	CE4911	50-129	D9TA5560AVA	43-627	E4HT5560AA	43-813
BA45121	62-1277	CE4925	50-131	D9TA5560AYA	43-885	E4HT5560BA	43-833
BA45121	50-275	CE4985	50-133	DA19800	50-157	E4HZ5560A	43-813
BA45154	55-121	CE80633	50-118	DE7977	50-141	E4HZ5560B	43-833
BA45154	22-647	D0HA5310D	43-386	DE7977	96-1239	E5HS5310AA	43-518
BA45154	50-295	D0HA5310H	43-404	DE7977	55-1177	E5HT5310BA	43-502
BA45322	50-299	D0HA5310J	43-392	DX4985F	43-1145	E5HT5310CA	43-504
BA45322	96-977	D0HZ5310A	43-386	E0HS5310AA	43-520	E5HT5310DA	43-506
BA45322	55-077	D0HZ5310D	43-392	E0HT5310BA	43-490	E5HT5310EA	43-508
BA45506	50-337	D0HZ5310G	43-398	E0HT5560BA	43-737	E5HT5310FA	43-510
BA46029	50-287	D0HZ5310K	43-404	E0HT5560FA	43-743	E5HT5310KA	43-512

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
E5HT5310LA	43-514	E8HZ5560AA	43-1147	F17A5560DC	43-967	F1TZ5310L	43-622
E5HT5560DA	43-843	E8TA5310AA	43-526	F17A5560ED	43-969	F1TZ5310M	43-626
E5HT5560EA	43-847	E8TZ5310A	43-526	F17A5560FD	43-971	F1TZ5560A	43-967
E5HT5588DA	43-845	E8TZ5560A	43-903	F17A5560GA	43-1299	F1TZ5560B	43-969
E5HZ5310A	43-502	E8TZ5560A	43-901	F17A5560JA	43-1301	F1TZ5560C	43-971
E5HZ5310B	43-504	E8TZ5560A	43-899	F17A5560KA	43-1303	F1TZ5560D	43-1053
E5HZ5310C	43-506	E8UZ5560A	43-941	F17A5560LA	43-1305	F1TZ5560E	43-1051
E5HZ5310D	43-508	E97A5560HA	43-943	F1HT5310BB	43-558	F1TZ5560F	43-1047
E5HZ5310E	43-510	E97A5560JA	43-945	F1HT5310DA	43-546	F1TZ5560G	43-1299
E5TA5310NA	43-516	E9HS5310CA	43-786	F1HT5310EA	43-544	F1TZ5560J	43-1301
E5TA5310SA	43-522	E9HS5310DA	43-542	F1HT5310FB	43-560	F1TZ5560K	43-1303
E5TA5310TA	43-536	E9HS5310EA	43-734	F1HT5310GB	43-562	F1TZ5560L	43-1305
E5TA5588GA	43-869	E9HS5560BA	43-947	F1HT5310HA	43-564	F27A5560XB	43-1067
E5TZ5310J	43-628	E9HS5588AA	43-949	F1HT5310LA	43-570	F2HS5310AA	43-726
E5TZ5310K	43-516	E9HZ5889J	43-1137	F1HT5310RA	43-552	F2HS5588AA	43-1017
E5TZ5310L	43-672	E9HZ5889L	43-1139	F1HT5310SA	43-554	F2HT5310AA	43-586
E5TZ5310M	43-536	E9TA5310AD	43-528	F1HT5310T	43-670	F2HT5310BA	43-584
E5TZ5588A	43-869	E9TA5310BB	43-530	F1HT5310TA	43-556	F2HT5310CA	43-486
E6HT5560AA	43-927	E9TA5560EB	43-923	F1HT5310UA	43-594	F2HT5310DA	43-488
E6HT5560BA	43-931	E9TA5560KA	43-965	F1HT5310VA	43-578	F2HT5310FA	43-596
E6HT5560CA	43-893	E9TD5560AE	43-905	F1HT5560AA	43-977	F2HT5310GA	43-658
E6HT5588AA	43-929	E9TD5560BD	43-907	F1HT5560BA	43-973	F2HT5310GA	43-598
E6HT5588BA	43-933	E9TD5560CA	43-911	F1HT5560CA	43-975	F2HT5310JA	43-616
E6HT5588CA	43-897	E9TD5560CA	43-909	F1HT5560DA	43-981	F2HT5310KA	43-602
E6HT5588EA	43-849	E9TD5560CA	43-913	F1HT5560EA	43-979	F2HT5310KA	43-398
E6HZ5310A	43-512	E9TZ5310A	43-528	F1HT5588AA	43-989	F2HT5310LA	43-604
E6HZ5310B	43-514	E9TZ5310B	43-530	F1HT5588BA	43-983	F2HT5310NA	43-606
E6HZ5560A	43-927	E9TZ5560A	43-905	F1HT5588CA	43-985	F2HT5310NA	43-600
E6HZ5560A	43-843	E9TZ5560B	43-907	F1HT5588DA	43-987	F2HT5310RA	43-608
E6HZ5560B	43-847	E9TZ5560C	43-909	F1HX5310B	43-546	F2HT5310SA	43-432
E6HZ5560B	43-931	E9TZ5560C	43-911	F1HX5310G	43-580	F2HT5310TA	43-434
E6HZ5588A	43-849	E9TZ5560D	43-923	F1HZ5310C	43-544	F2HT5310UA	43-436
E6HZ5588A	43-933	E9TZ5560G	43-943	F1HZ5310D	43-556	F2HT5560AA	43-993
E6HZ5588C	43-845	E9TZ5560H	43-945	F1HZ5310D	43-574	F2HT5560EA	43-1013
E6HZ5588C	43-929	E9TZ5560J	43-965	F1HZ5310E	43-552	F2HT5560HA	43-1003
E6TA5560HA	42-819	E9TZ5588A	43-913	F1HZ5310F	43-554	F2HT5560MA	43-1083
E6TA5560JA	42-821	F07A5560EA	43-957	F1HZ5310G	43-550	F2HT5560MA	43-995
E6TA5588AA	43-867	F07A5560FA	43-959	F1HZ5310H	43-558	F2HT5560RA	43-1321
E6TZ5560E	42-819	F07A5560GA	43-961	F1HZ5310J	43-560	F2HT5560SA	43-1113
E6TZ5560F	42-821	F07A5560HA	43-963	F1HZ5310K	43-562	F2HT5560TA	43-1125
E6TZ5588A	43-867	F07A5560JA	43-991	F1HZ5310L	43-564	F2HT5560UA	43-1165
E7HU5588AA	43-895	F0HS5589AA	43-1149	F1HZ5310M	43-566	F2HX5310G	43-658
E7HZ5310A	43-524	F0HT5310AA	43-538	F1HZ5310N	43-568	F2HX5310X	43-652
E7HZ5560A	43-893	F0HT5310BA	43-540	F1HZ5310R	43-570	F2HZ5310A	43-586
E7HZ5588A	43-895	F0HT5560CB	43-953	F1HZ5310S	43-572	F2HZ5310AA	43-618
E7HZ5588C	43-897	F0HT5560DB	43-955	F1HZ5310T	43-594	F2HZ5310AB	43-644
E7TA5560FA	43-879	F0HT5560EB	43-951	F1HZ5310U	43-578	F2HZ5310AC	43-646
E7TA5560KA	43-881	F0HZ5310A	43-538	F1HZ5560A	43-973	F2HZ5310AD	43-648
E7TA5560NA	43-883	F0HZ5310B	43-540	F1HZ5560B	43-975	F2HZ5310AE	43-650
E7TA5560RA	43-891	F0HZ5310C	43-542	F1HZ5560C	43-953	F2HZ5310AE	43-548
E7TA5560YA	43-889	F0HZ5560D	43-947	F1HZ5560C	43-981	F2HZ5310AF	43-676
E7TA5588CB	43-877	F0HZ5560E	43-955	F1HZ5560D	43-979	F2HZ5310AH	43-660
E7TA5588DA	43-875	F0HZ5560F	43-951	F1HZ5560E	43-977	F2HZ5310AJ	43-662
E7TZ5560A	43-879	F0HZ5588A	43-949	F1HZ5588A	43-983	F2HZ5310AK	43-664
E7TZ5560B	43-881	F0TA5560LA	43-1053	F1HZ5588B	43-985	F2HZ5310AL	43-666
E7TZ5560C	43-883	F0TD5310AA	43-576	F1HZ5588C	43-987	F2HZ5310AM	43-654
E7TZ5560D	43-891	F0TZ5310G	43-576	F1HZ5588D	43-989	F2HZ5310AN	43-656
E7TZ5560F	43-889	F0TZ5560A	43-957	F1TA5560MA	43-1051	F2HZ5310AN	43-620
E7TZ5588A	43-875	F0TZ5560B	43-959	F1TA5560R	43-1047	F2HZ5310B	43-584
E7TZ5588B	43-877	F0TZ5560C	43-961	F1TD5310AA	43-622	F2HZ5310C	43-486
E7UA5560AJA	43-941	F0TZ5560D	43-963	F1TD5310BA	43-626	F2HZ5310D	43-488
E8HZ5310A	43-574	F0TZ5560E	43-991	F1TZ5310ANA	43-628	F2HZ5310E	43-490

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
F2HZ5310F	43-596	F2UZ5560E	43-1041	F4HT5560DB	43-1239	F57Z5560B	43-1161
F2HZ5310G	43-598	F2UZ5560F	43-1043	F4HT5560EB	43-1241	F57Z5560LC	43-1183
F2HZ5310J	43-600	F2UZ5560G	43-1045	F4HT5560GB	43-1243	F5HS5310BA	43-788
F2HZ5310J	43-606	F2UZ5560H	43-1031	F4HT5560HB	43-1245	F5HT5310AA	43-712
F2HZ5310K	43-608	F37A5560BB	43-1069	F4HT5560JB	43-1247	F5HT5588BA	43-1173
F2HZ5310L	43-432	F37A5560CC	43-1071	F4HZ5310A	43-668	F5HZ5310A	43-752
F2HZ5310M	43-434	F37A5560DB	43-1073	F4HZ5310FA	43-798	F5HZ5310AA	43-712
F2HZ5310N	43-436	F37A5560EC	43-1075	F4HZ5560A	43-1125	F5HZ5310B	43-756
F2HZ5310P	43-616	F37A5560FA	43-1309	F4HZ5560B	43-1133	F5HZ5310C	43-754
F2HZ5310R	43-398	F37A5560KA	43-1077	F4HZ5560C	43-1131	F5HZ5310D	43-710
F2HZ5310R	43-602	F37Z5560A	43-1069	F4HZ5560D	43-1135	F5HZ5310E	43-718
F2HZ5310S	43-604	F37Z5560C	43-1073	F4HZ5560E	43-1127	F5HZ5310F	43-720
F2HZ5310U	43-582	F37Z5560D	43-1075	F4HZ5560F	43-1129	F5HZ5310G	43-714
F2HZ5310W	43-638	F37Z5560E	43-1077	F4TA5310HA	43-674	F5HZ5310H	43-748
F2HZ5310Y	43-640	F3HT5310BA	43-638	F4TA5310HA	43-630	F5HZ5310J	43-750
F2HZ5310Z	43-642	F3HT5310CA	43-652	F4TA5560DA	43-1091	F5HZ5310K	43-716
F2HZ5560A	43-993	F3HT5310DA	43-640	F4TA5560EA	43-1111	F5HZ5560A	43-1235
F2HZ5560B	43-995	F3HT5310EA	43-642	F4TA5560FB	43-1087	F5HZ5560B	43-1237
F2HZ5560B	43-1083	F3HT5310GA	43-644	F4TA5560GA	43-1093	F5HZ5560C	43-1239
F2HZ5560D	43-1003	F3HT5310HA	43-646	F4TA5560HA	43-1095	F5HZ5560D	43-1241
F2HZ5560E	43-349	F3HT5310JA	43-648	F4TA5560JA	43-1097	F5HZ5560E	43-1243
F2HZ5560F	43-737	F3HT5310KA	43-548	F4TA5560LA	43-1101	F5HZ5560F	43-1245
F2HZ5560G	43-739	F3HT5310KA	43-650	F4TA5560MA	43-1103	F5HZ5560G	43-1247
F2HZ5560H	43-1013	F3HT5310LA	43-676	F4TA5560NB	43-1105	F5HZ5588A	43-1173
F2HZ5560J	43-411	F3HT5310NA	43-660	F4TA5560PB	43-1107	F5TA5310ACA	43-678
F2HZ5560K	43-413	F3HT5310RA	43-662	F4TA5560TA	43-1121	F5TA5560BA	43-1211
F2HZ5560L	43-1015	F3HT5310SA	43-664	F4TA5A975AA	43-1089	F5TA5560BA	43-1213
F2HZ5560L	43-377	F3HT5310TA	43-666	F4TD5310AB	43-634	F5TA5560BA	43-1215
F2HZ5560M	43-741	F3HT5310UA	43-654	F4TD5310BB	43-632	F5TA5560MA	43-1117
F2HZ5560N	43-1081	F3HT5310VA	43-620	F4TD5310CA	43-636	F5TA5560UA	43-1119
F2HZ5560R	43-1321	F3HT5310VA	43-656	F4TD5560AB	43-1123	F5TA5588AA	43-1163
F2HZ5560S	43-1113	F3TA5560JA	43-1079	F4TD5560BA	43-1217	F5TZ5310A	43-636
F2HZ5560UA	43-1165	F3TA5560RA	43-1115	F4TD5560BA	43-1221	F5TZ5310B	43-678
F2HZ5889A	43-1141	F3TZ5560A	43-1079	F4TD5560BA	43-1219	F5TZ5560A	43-1117
F2HZ5889B	43-1143	F3TZ5560B	43-1071	F4TZ5310A	43-674	F5TZ5560B	43-1219
F2TA5560PA	43-1057	F3TZ5560B	43-1115	F4TZ5310F	43-630	F5TZ5560B	43-1221
F2TA5560RA	43-1059	F3UA5560NA	43-1085	F4TZ5310S	43-634	F5TZ5560B	43-1217
F2TA5560TA	43-1063	F3UZ5560A	43-1085	F4TZ5310T	43-632	F5TZ5560BA	43-1211
F2TA5560UB	43-1065	F3XA5560FF	69-245	F4TZ5560A	43-1089	F5TZ5560BA	43-1213
F2TA5560VB	43-1055	F3XA5560FF	66-329	F4TZ5560B	43-1091	F5TZ5560BA	43-1215
F2TD5310AA	43-624	F3XA5560GF	69-247	F4TZ5560D	43-1087	F5TZ5560C	43-1119
F2TS5560AA	43-1049	F3XA5560GF	66-331	F4TZ5560E	43-1093	F5TZ5560D	43-1121
F2TZ5310A	43-624	F3XY5560A	66-329	F4TZ5560F	43-1095	F5TZ5588A	43-1163
F2TZ5560A	43-1061	F3XY5560B	66-331	F4TZ5560G	43-1097	F5UA5560NA	43-1151
F2TZ5560B	43-1057	F4HS5310AA	43-724	F4TZ5560H	43-1099	F5UA5560PA	43-1153
F2TZ5560C	43-1059	F4HS5310BA	43-760	F4TZ5560J	43-1101	F5UA5560SA	43-1157
F2TZ5560D	43-1063	F4HS5310CA	43-762	F4TZ5560K	43-1103	F5UA5560V	43-1249
F2TZ5560E	43-1065	F4HS5310DA	43-758	F4TZ5560M	43-1107	F5UA5560XA	43-1251
F2TZ5560F	43-1049	F4HT4310VA	43-668	F4TZ5560N	43-1111	F5UA560RA	43-1155
F2TZ5560G	43-1055	F4HT5310AC	43-752	F4TZ5560R	43-1123	F5UZ5560A	43-1151
F2TZ5560H	43-1209	F4HT5310FA	43-798	F4TZ5560Z	43-1105	F5UZ5560B	43-1153
F2TZ5560J	43-1067	F4HT5310GB	43-756	F4UA5560CB	43-1109	F5UZ5560C	43-1155
F2UA5560CA	43-1033	F4HT5310HB	43-754	F4UZ5560A	43-1109	F5UZ5560D	43-1157
F2UA5560DE	43-1035	F4HT5310LB	43-710	F4XA5560AB	66-333	F5UZ5560V	43-1249
F2UA5560FE	43-1037	F4HT5310MA	43-718	F4XA5560BA	66-335	F5UZ5560XA	43-1251
F2UA5560GB	43-1039	F4HT5310NB	43-720	F4XA5560BB	66-335	F65A5560AD	43-1185
F2UA5560HE	43-1041	F4HT5310RB	43-714	F4XY5560A	66-333	F65A5560BC	43-1187
F2UA5560JE	43-1043	F4HT5310TA	43-748	F4XY5560B	66-335	F65A5560CC	43-1189
F2UZ5560A	43-1033	F4HT5310UA	43-750	F57A5560FD	43-1159	F65A5560DD	43-1191
F2UZ5560B	43-1035	F4HT5310YA	43-716	F57A5560HC	43-1161	F65A5560FC	43-1193
F2UZ5560C	43-1037	F4HT5560AA	43-1235	F57A5560LC	43-1183	F65A5560GD	43-1195
F2UZ5560D	43-1039	F4HT5560CA	43-1237	F57Z5560A	43-1159	F65A5560MA	43-1197

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
F65A5560NA	43-1199	F75A5560AJB	43-1203	F81Z5560BA	43-1261	K2231028	59-230
F65A5560PB	43-1201	F75A5560AKB	43-1205	F81Z5560BB	43-1275	K2231029	59-232
F65Z5560AC	43-1185	F75A5560ALA	43-1207	F81Z5560BB	43-1291	K2231030	59-234
F65Z5560BC	43-1187	F75A5560BG	43-1229	F81Z5560BB	43-1289	K2231032	59-236
F65Z5560CC	43-1189	F75A5560CG	43-1231	F81Z5560BC	43-1273	K2231033	59-238
F65Z5560DC	43-1191	F75A5560DG	43-1233	F81Z5560BD	43-1341	K2231034	59-240
F65Z5560FC	43-1193	F75Z5560AA	43-1227	F81Z5560CD	43-1263	K2231035	59-242
F65Z5560GD	43-1195	F75Z5560AB	43-1203	F81Z5560DA	43-1265	K2231036	59-244
F65Z5560MA	43-1197	F75Z5560AC	43-1205	F81Z5560EA	43-1267	K2231037	59-246
F65Z5560NA	43-1199	F75Z5560AD	43-1207	F81Z5560GA	43-1323	K2231038	59-248
F65Z5560PB	43-1201	F75Z5560BA	43-1229	F81Z5560HA	43-1333	K2231039	59-250
F6HS5310AA	43-732	F75Z5560CB	43-1231	F81Z5560KA	43-1335	K2231041	59-252
F6HS5310CA	43-722	F75Z5560DB	43-1233	F81Z5588CA	43-1279	K2231042	59-254
F6HS5310GA	43-728	F7HS5310AA	43-744	F81Z5588DA	43-1277	K2231043	59-256
F6HS5310HA	43-730	F7HT5310CA	43-706	F85A5560BA	43-1297	K2231044	59-376
F6HT5310AAA	43-686	F7HT5310GA	43-736	F85A5560CB	43-1307	K2231046	59-265
F6HT5310AB	43-704	F7HT5310HA	43-740	F85Z5560BA	43-1297	K2231047	59-267
F6HT5310ABA	43-682	F7HT5310JA	43-738	F85Z5560CA	43-1307	K2231048	59-269
F6HT5310ACA	43-698	F7HT5310KA	43-742	F87A5560EA	43-1257	K2231049	59-271
F6HT5310AEB	43-680	F7HZ5310CA	43-706	F87A5560KA	43-1259	K2231052	59-286
F6HT5310AHB	43-690	F7HZ5310DA	43-708	F87A5560NA	43-1311	K2231073	59-400
F6HT5310AKB	43-746	F7HZ5310GA	43-736	F87Z5560EA	43-1257	K2231084	59-382
F6HT5310EA	43-696	F7HZ5310HA	43-740	F87Z5560FA	43-1309	K2231085	59-384
F6HT5310FA	43-618	F7HZ5310JA	43-738	F87Z5560KA	43-1259	K2231092	59-288
F6HT5310FA	43-700	F7HZ5310KA	43-742	F87Z5560NA	43-1311	K2231093	59-386
F6HT5310HA	43-684	F7TD5560AA	43-1169	F8HS5310AA	43-784	K2231102	59-388
F6HT5310KA	43-694	F7UZ5560AA	43-1253	F8HT310EA	43-708	K2231114	59-406
F6HT5310NA	43-688	F81A5310ABD	43-772	FIHT5310NA	43-550	K2231124	59-404
F6HT5310SA	43-692	F81A5310ACD	43-770	FIHT5310YA	43-582	K2231125A	59-408
F6HT5310UA	43-702	F81A5310ADD	43-766	FL164	46-947	K2231134	59-410
F6HT5310YA	43-764	F81A5310AED	43-778	FZUA5560AGA	43-1253	K2231155	59-412
F6HT5560EA	43-1179	F81A5310AFD	43-776	H0HT5560EA	43-741	K2231166	59-458
F6HT5560FA	43-1171	F81A5310AGD	43-774	HK481101360	59-430	K2231167	59-452
F6HT5560KB	43-1181	F81A5310AHD	43-768	HK481101440	59-428	K2231168	59-279
F6HT5588AA	43-1175	F81A5310BMBC	43-792	HK481101449	59-482	K2231169	59-281
F6HZ5310AAA	43-686	F81A5560AC	43-1269	HK481102190	49-446	K2231171	59-420
F6HZ5310AB	43-704	F81A5560AC	43-1341	HK481102190	59-446	K2231172	59-426
F6HZ5310ABA	43-682	F81A5560BD	43-1275	HK481102200	59-450	K2231179	59-424
F6HZ5310ABE	43-680	F81A5560BE	43-1261	HK481102250	59-460	K223120930	59-478
F6HZ5310ACA	43-698	F81A5560CA	43-1263	HK481102330	59-444	K2231212A30	59-470
F6HZ5310AHB	43-690	F81A5560DB	43-1265	HK481102702	59-466	K2231212A40	59-474
F6HZ5310AKB	43-746	F81A5560EB	43-1267	HK481102706	59-464	K223121330	59-448
F6HZ5310EA	43-696	F81A5560GA	43-1323	HK481102709	59-468	K2231213A40	59-472
F6HZ5310FA	43-700	F81A5560HA	43-1333	HK481103030	59-462	K2231214A30	59-456
F6HZ5310HA	43-684	F81A5560KA	43-1335	HK482101000	59-287	K2231214A40	59-476
F6HZ5310KA	43-694	F81A5588DC	43-1277	HK738101	59-145	K223121530	59-454
F6HZ5310NA	43-688	F81D5310AA	43-780	HP482101500A	83-273	K2231242	59-442
F6HZ5310SA	43-692	F81D5310BA	43-782	K2231000	59-251	K223127330	59-440
F6HZ5310UA	43-702	F81Z5310AA	43-772	K2231001	59-253	K223127390	59-480
F6HZ5310YA	43-764	F81Z5310AB	43-770	K2231002	59-255	K223189R	59-112
F6HZ5560EA	43-1179	F81Z5310AC	43-766	K2231003	59-257	K223251	59-126
F6HZ5560FA	43-1171	F81Z5310AD	43-778	K2231004	59-259	K223252	59-142
F6HZ5560GA	43-1177	F81Z5310AE	43-776	K2231007	59-274	K223265	59-432
F6HZ5560KB	43-1181	F81Z5310AF	43-774	K2231008	59-276	K223310	59-138
F6HZ5588AA	43-1175	F81Z5310AG	43-768	K2231009	59-278	K223343	59-149
F6TA5560UA	43-1223	F81Z5310AH	43-780	K2231010	59-280	K223361	59-151
F6TA5560XA	43-1225	F81Z5310BB	43-782	K2231016	59-282	K223362	59-153
F6TZ5560UA	43-1223	F81Z5310BE	43-792	K2231017	59-284	K223363	59-155
F6TZ5560XA	43-1225	F81Z5560AA	43-1269	K2231018	59-261	K223364	59-157
F6US5560AB	43-1167	F81Z5560AA	43-1287	K2231019	59-372	K223368	59-159
F6UZ5560AA	43-1167	F81Z5560AA	43-1285	K2231022	59-263	K22337	59-147
F75A5560AG	43-1227	F81Z5560AB	43-1271	K2231027	59-374	K223377	59-161

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
K223388	59-115	K223777	59-312	K223988	59-249	MC093507	64-167
K223407	59-273	K223778	59-214	K223990	59-277	MC2892000	99-142
K223433	59-163	K223785	59-314	K223994	59-360	MC28920001	99-126
K223439	59-165	K223786	59-316	K223995	59-362	MC450263B	64-140
K223515	59-296	K223787	59-318	K223996	59-364	MC450264B	64-138
K223529	59-167	K223788	59-320	K223997	59-366	MC450269	64-119
K223539	59-298	K223795	59-212	K223998	59-368	MC450269	64-157
K223540	59-166	K223799	59-197	K223999	59-370	MC450269	64-159
K223541	59-190	K223801	59-199	K223C139	59-109	MC452388A	64-161
K223547	59-169	K223806	59-201	K223C153	59-101	MC452388A	64-163
K223568	59-171	K223812	59-322	K223C170	59-113	MC452388A	64-121
K223572	59-173	K223813	59-324	K223C294	59-102	MC612688	64-126
K223597	59-175	K223814	59-326	K223C309	59-130	MC612689	64-128
K223599	59-275	K223817	59-328	K223C500	59-176	MC612690	64-130
K223605	59-258	K223819	59-203	K223C535	59-127	MC612691	64-132
K223606	59-177	K223828	59-285	K223C603	59-194	MC626460	64-134
K223607	59-179	K223829	59-205	K223C668	59-154	MC626460	64-104
K223608	59-300	K223836	59-330	K223C669	59-156	MC626461	64-136
K223619	59-290	K223838	59-207	K223C670	59-158	MC626461	64-102
K223621	59-292	K223844	59-209	K223C671	59-160	MC626464B	64-113
K223623	59-181	K223848	59-211	K223C672	59-162	MC626464B	64-125
K223628	59-294	K223849	59-213	K223C674	59-164	MC626465	64-115
K223644	59-260	K223865	59-215	K223C726	59-172	MC626465B	64-129
K223661	59-196	K223867	59-332	K233956	59-241	MC626466	64-117
K223662	59-174	K223872	59-217	K666100	59-141	MC626466	64-105
K223663	59-204	K223873	59-262	M2A002240	46-947	MC626890	64-124
K223664	59-302	K223876	59-334	MB111210E	34-267	MC626899	64-122
K223665	59-137	K223878	59-219	MB242814	34-281	MC626909	64-171
K223666	59-131	K223881	59-221	MB294780	64-114	MC626909	64-173
K223675	59-222	K223882	59-223	MB294781B	64-116	NC626466B	64-153
K223677	59-183	K223884	59-264	MB294812G	64-118	NPN	54-107
K223678	59-185	K223885	59-266	MB294818	64-120	NPN	54-111
K223679	59-187	K223892	59-414	MB294980A	64-106	NPN	54-101
K223681	59-189	K223898	59-336	MB294981	64-108	NPN	54-113
K223710	59-202	K223904	59-338	MB294994	64-110	P106708	71-232
K223711	59-192	K223907	59-340	MB294995	64-112	RE36293A	71-157
K223712	59-228	K223911	59-225	MB338585	34-265	RE36293A	71-254
K223713	59-188	K223912	59-227	MB339458	64-123	RE36294	71-143
K223714	59-198	K223913	59-229	MB391105A	64-107	RE36573	71-216
K223715	59-178	K223914	59-342	MB391105A	64-143	RE36574	71-234
K223716	59-208	K223918	59-231	MB391105A	64-141	RE37064	71-214
K223717	59-224	K223923	59-344	MB391106	64-109	RW23809	71-184
K223718	59-304	K223925	59-346	MB391106A	64-145	RW23988	71-182
K223724	59-306	K223932	59-233	MB391106A	64-147	RW24010	99-143
K223725	59-206	K223933	59-416	MB391106B	64-135	RW24011	99-145
K223729	59-182	K223934	59-235	MB391107A	64-149	RW24342	71-145
K223730	59-184	K223940	59-237	MB391107A	64-111	RW24343	71-147
K223736	59-191	K223943	59-348	MB391107A	64-151	S179	99-174
K223737	59-193	K223945	59-350	MB391206B	64-133	S410	99-164
K223738	59-143	K223955	59-239	MB391206B	64-101	T15411101	59-434
K223745	59-216	K223957	59-418	MB391326	64-103	T16511157	59-295
K223747	59-200	K223958	59-243	MB515300D	34-269	TAJAA5588A	43-283
K223750	59-133	K223959	59-245	MB515304D	34-275	TE3411101	59-436
K223750	59-124	K223964	59-268	MB515771	34-273	TE3511151	59-293
K223759	59-195	K223965	59-270	MB584310E	34-271	TE3511151	59-291
K223766	59-139	K223966	59-352	MB584312	34-277	TE3511151	59-289
K223767	59-226	K223967	59-354	MB631455G	34-283	TE3511151A	59-297
K223768	59-210	K223968	59-272	MB631456	34-285	TE3511151A	59-299
K223773	59-218	K223969	59-486	MB631457	34-287	TE3511151A	59-301
K223774	59-220	K223978	59-356	MB631458	34-289	TGBV5560A	43-257
K223775	59-308	K223981	59-358	MC093507	64-165	TLBC5310A	43-222
K223776	59-310	K223982	59-247	MC093507	64-169	TN7706	41-310

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.
TN7707	41-308	V6877432	92-145	W223C239	59-122	YC355310JC	43-808
TN77071	41-302	V6877432	92-147	W223C248	59-116	YC355560AA	43-1345
TN77082	41-306	V8001036	96-902	W223C292	59-120	YC355560AA	43-1347
TN7814	41-304	V8001037	96-904	W223C296	59-108	YC355560AA	43-1349
TN7816	41-312	V8001071	96-906	W223C297	59-104	YC355560AC	43-1325
TN78161	41-303	V8001080	96-908	W223C300	59-134	YC355560BA	43-1337
TQAS5310A	43-220	V8001082	96-910	W223C331	59-140	YC355560DA	43-1343
TTBE5310A	43-230	V8057232	96-1221	W223C545	59-129	YC355560EA	43-1327
TUAA5588A	43-207	V8057994	96-124	W223C63	59-105	YC355560FA	43-1329
TUAA5588B	43-207	V8057996	96-126	W223C9	59-107	YC355560GC	43-1331
TUBV5560B	43-263	V8057997	96-128	XC3Z5560DA	43-1295	YC3Z5310AA	43-794
U101801	71-141	V8057998	96-130	XC455310CA	43-790	YC3Z5310AC	43-800
U102128	71-139	V8059619	96-132	XC455560AA	43-1315	YC3Z5310AD	43-802
U102350	71-230	V8060664	96-179	XC455560CA	43-1313	YC3Z5310AE	43-804
U104914	71-240	V8060665	96-181	XC455560DA	43-1317	YC3Z5310AH	43-808
U104962	71-186	W22305C62	59-117	XC455560EA	43-1319	YC3Z5310AJ	43-810
U105991	71-212	W22305C75	59-103	XC4S5310AA	43-796	YC3Z5310AK	43-812
U106029	71-153	W223258	59-144	XL345560CA	43-1293	YC3Z5310AL	43-814
U111464	71-155	W223342	59-121	XL3Z5560CA	43-1293	YC3Z5310AM	43-816
U111612	71-250	W223536	59-125	YC255560AA	43-1339	YC3Z5310AN	43-818
U111722	71-248	W223577	59-146	YC2Z5560AA	43-1339	YC3Z5560AA	43-1325
U116169	71-242	W223578	59-148	YC355310AB	43-794	YC3Z5560AB	43-1345
U116170	71-252	W223579	59-150	YC355310ABE	43-800	YC3Z5560AB	43-1347
U117067	71-246	W223581	59-152	YC355310ACE	43-802	YC3Z5560BA	43-1337
U117477	71-244	W223C157	59-114	YC355310ADC	43-804	YC3Z5560DA	43-1343
U702350	71-230	W223C189L	59-110	YC355310AKC	43-810	YC3Z5560EA	43-1327
UB3928010B	63-203	W223C195	59-118	YC355310AMC	43-814	YC3Z5560FA	43-1329
UC8628010A	63-201	W223C209	59-106	YC355310ANC	43-816	YC3Z5560GA	43-1331
V6877432	92-143	W223C236	59-128	YC355310APC	43-818	YC3Z5588AB	43-1349

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI Numbers To OEM Numbers

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
12-121	9B9372C	14-104	1042779	22-1033	94051235	22-1157	12361257
12-123	9B9375C	14-105	0906487	22-1035	94058553	22-1159	15995891
12-125	9B9876	14-105	25251	22-1037	94058522	22-1161	22132570
12-128	004900004A4	14-106	1115872	22-1039	94059822	22-1163	15722956
12-130	9B9370C	14-107	0906495	22-1041	97039410	22-1165	22132572
12-132	9C1339	14-108	1215425	22-1043	97039409	22-1167	22132573
12-134	11B11409	14-109	1115880	22-1045	94060814	22-1169	22132574
12-136	004900004A5	14-110	0996926	22-1047	97065487	22-1171	22132575
13-281	13KCD011	14-111	0996918	22-1049	97065488	22-1175	22132577
13-281	862905	14-112	1363134	22-1051	15659739	22-1177	22132571
13-293	13EW011	14-113	1228535	22-1053	15980613	22-1179	15979257
13-293	792696	14-114	1446996	22-1055	15983750	22-1181	15979257
13-296	1028183	14-115	1317924	22-1057	15990535	22-1183	15697901
13-296	13HAS009	14-116	1446970	22-1059	15688271	22-1185	15697901
13-296	13HAS009A	14-117	0997007	22-1061	12361135	22-1187	15687077
13-302	1028180	14-118	1447002	22-1063	15963121	22-1189	15731231
13-302	13HAR009	14-119	1363142	22-1065	15963122	22-1191	15739920
13-307	13KCC411	14-120	1468503	22-1067	15963154	22-1193	22132570
13-307	790707	14-121	0886200	22-1069	97715454	22-1195	15741121
13-308	1063151	14-122	1446988	22-1071	97065487	22-1197	15741120
13-308	13HDA009	14-123	1390004	22-1073	97065488	22-1199	97074018
13-310	1066145	14-124	1658830	22-1075	97065487	22-1201	97119980
13-310	13HDB009	14-125	1489236	22-1077	97065488	22-1203	97119981
13-312	1001508A	14-126	1657311	22-1079	94061382	22-1205	15000890
13-312	371295035	14-127	1873603	22-1081	97715455	22-1207	15000891
13-312	13HBB009A	14-128	1760289	22-1083	94058248	22-1209	15000892
13-315	13KMB011	14-129	1874684	22-1085	94059831	22-1211	15028068
13-315	1085142	14-130	1864727	22-1087	94057773	22-1213	15030575
13-317	13KCA011	14-132	8304867	22-1089	94050050	22-1215	15032521
13-319	350033801	14-134	1847359	22-1091	94058318	22-1217	15033926
13-321	1085138	14-136	1670397	22-1093	- - - - -	22-1219	15033927
13-321	13KMA011	18-333	1611146	22-1095	94044531	22-1221	15033928
13-322	13HCL409	18-335	1611147	22-1097	94057592	22-1223	15153861
13-322	1029328	21-307	3977579	22-1099	94058317	22-1225	15153865
13-323	13KMC011	21-307	3850839	22-1101	94047773	22-1227	15722959
13-323	1085170	21-379	370388	22-1103	97715444	22-1229	22133450
13-324	13HAJ409	21-379	362153	22-1105	94050901	22-1231	22133451
13-325	13KCL011	21-381	370350	22-1107	94058247	22-1233	22133452
13-326	371013802	21-381	354130	22-1109	94050900	22-1235	15035989
13-327	1085273	21-383	14021603	22-1111	94059821	22-1237	15151112
13-327	13KME011	21-385	14021604	22-1113	94440786	22-1239	15151112
13-328	1077174	21-391	462577	22-1115	94440787	22-1241	15151112
13-328	13KCG409	21-393	462598	22-1117	94370097	22-1243	15035980
13-329	13KMF011	21-393	471821	22-1119	94370098	22-1245	15035981
13-329	1085298	22-1001	15597986	22-1121	97032621	22-1247	15035982
13-330	1042933	22-1003	15687313	22-1123	- - - - -	22-1249	15035983
13-330	13HCM009	22-1005	15981141	22-1125	94060813	22-1251	15035984
13-331	13KMG011	22-1007	15953429	22-1127	94058271	22-1253	15035985
13-331	1087885	22-1009	- - - - -	22-1129	94054958	22-1255	15035986
13-332	371013801	22-1011	15962403	22-1131	12361135	22-1257	15035988
13-334	371013806	22-1013	15689578	22-1133	15996782	22-1259	15153722
13-336	371013807	22-1015	15689576	22-1135	15725360	22-1261	15153863
13-338	371013815	22-1017	15689577	22-1137	15996780	22-1263	15153867
13-340	371013810	22-1019	15956498	22-1139	15996781	22-1265	15153868
13-342	371013811	22-1021	15977497	22-1141	15996783	22-1267	15711752
13-344	371013818	22-1023	97119950	22-1143	15996784	22-1269	15711753
13-346	371013825	22-1025	15993272	22-1149	15707516	22-1271	15746328
14-101	25250	22-1027	15573189	22-1151	15707517	22-1273	15746407
14-102	1042407	22-1029	15705505	22-1153	12361238	22-1275	15746408
14-103	0350686	22-1031	94058544	22-1155	12361239	22-1277	15752842

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
22-1279	15756875	22-512	94370094	22-608	97119947	22-801	15659390
22-1281	97119950	22-514	94058517	22-610	97214128	22-801	15567937
22-1283	97141235	22-516	94061085	22-611	14015753	22-805	15599376
22-1285	97141236	22-518	94058263	22-612	15151114	22-807	15568339
22-1287	15063185	22-520	97065485	22-614	15151115	22-809	350486
22-1289	15063185	22-522	97065486	22-616	15148696	22-809	15549360
22-1291	15063185	22-524	94054276	22-627	14032937	22-811	15565393
22-292	3865743	22-526	94099563	22-639	2017504	22-813	15565394
22-315	2453876	22-528	94058359	22-639	BA45121	22-815	15565396
22-315	3763787	22-530	94058361	22-647	2075478	22-817	15565397
22-334	3891343	22-531	350726	22-647	BA45154	22-819	15565395
22-336	3891344	22-531	345120	22-677	2094053	22-821	94054959
22-338	3891345	22-532	94054277	22-679	2094055	22-823	94054965
22-348	3928105	22-534	94370096	22-683	2094057	22-825	15638120
22-360	3911672	22-536	94058360	22-685	15503198	22-827	15641026
22-404	719479	22-538	94060796	22-687	14060056	22-829	15641027
22-408	363915	22-540	97715431	22-695	14038801	22-831	15641028
22-412	719480	22-542	97715432	22-705	2091375	22-833	15641029
22-416	700043	22-544	94058516	22-705	BA47057	22-835	15641030
22-422	2054072	22-546	94057590	22-709	14040293	22-837	15574842
22-434	2083744	22-547	357246	22-719	14040294	22-839	15641032
22-438	94038289	22-548	97715248	22-727	2094060	22-841	15641031
22-440	15599391	22-550	15722651	22-729	2094061	22-843	15641033
22-442	15599380	22-552	15999881	22-731	15509938	22-845	15641034
22-444	94044526	22-554	15999882	22-733	14073375	22-847	15604166
22-446	94047772	22-556	15999878	22-735	14073376	22-849	15604165
22-448	94178422	22-557	BA45068	22-737	14067753	22-851	15604179
22-450	15553584	22-557	2010805	22-741	14054767	22-853	15641026
22-452	94440785	22-558	15999879	22-743	14054768	22-855	- - - - -
22-454	94050896	22-559	2010803	22-745	14054769	22-857	15651679
22-456	94050048	22-559	BA45030	22-749	15517720	22-859	15642471
22-458	94050429	22-560	15999880	22-751	94040262	22-861	15659389
22-460	15565043	22-561	2015300	22-751	1513102322	22-863	15604163
22-462	15565044	22-561	BA45027	22-753	94040270	22-865	15654051
22-464	15565045	22-562	15985727	22-755	14071877	22-869	15604164
22-466	94054950	22-564	15985728	22-757	15599376	22-871	15629294
22-468	94054278	22-566	15985729	22-759	15599368	22-873	15636134
22-470	15535384	22-568	15985730	22-761	15599375	22-875	15634976
22-472	15538385	22-570	15985731	22-763	94409670	22-877	15623796
22-474	15538386	22-572	15985732	22-765	94409671	22-879	15623795
22-476	15651011	22-574	15985733	22-767	94046730	22-881	- - - - -
22-478	15651012	22-576	15985734	22-769	94046738	22-883	15629101
22-480	15651013	22-578	15985735	22-771	94047774	22-885	15659463
22-482	15651014	22-580	15985736	22-773	94047783	22-887	15659464
22-484	15651015	22-582	15985737	22-773	94947773	22-889	15667762
22-486	15574818	22-584	15983336	22-775	94450398	22-889	15685851
22-487	332841	22-586	15722652	22-777	94450399	22-891	15667765
22-488	15574823	22-588	15148692	22-779	94448152	22-891	15685852
22-490	15574819	22-590	97074076	22-781	94448153	22-893	15667766
22-492	15638995	22-592	15009101	22-783	94051012	22-893	15685853
22-495	468456	22-594	15148693	22-785	94051021	22-895	15667767
22-495	332908	22-596	15148694	22-787	94051022	22-897	15667763
22-495	6271495	22-597	14000564	22-789	94050436	22-899	15667764
22-496	15684619	22-598	15148695	22-791	94050444	22-901	15667761
22-498	15687390	22-600	97148801	22-793	15620356	22-903	15667768
22-500	15953829	22-601	471889	22-793	15548461	22-905	15644918
22-502	94060795	22-602	97149025	22-795	15620357	22-907	15644919
22-504	94365168	22-603	471888	22-795	15529526	22-909	15644917
22-506	94370095	22-604	97119948	22-797	15620358	22-911	15680283
22-508	94059551	22-605	14007621	22-797	15529528	22-913	15676883
22-509	15549359	22-605	14018677	22-799	15620359	22-915	15687311
22-509	342505	22-606	97149022	22-799	15567748	22-917	22077395
22-510	94057591	22-607	14015741	22-801	15529585	22-919	22077558

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
22-921	15660719	24-158	28987	33-485	4684875	34-1397	52106292AB
22-923	- - - - -	24-160	289136	33-487	4684876	34-1399	52106293
22-931	15659742	24-162	289145	33-489	4684877	34-1399	52106293AC
22-933	15659738	24-164	289144	33-491	4684994	34-1401	52106294
22-935	15659740	24-168	289143	33-493	4684995	34-1401	52106294AD
22-937	15680346	24-170	289149	33-495	4684996	34-1403	52106296
22-939	15687312	33-373	4228216	33-497	4684997	34-1405	52106325
22-941	15687316	33-375	4228224	33-499	4684795	34-1405	52106325AC
22-943	15687350	33-377	4228226	33-501	4743305	34-1407	52106015AF
22-945	15953429	33-379	4228236	34-1293	52038764	34-1407	52106015
22-947	15699713	33-381	4293178	34-1297	52038765	34-1409	52106016AF
22-949	15685851	33-381	3845953	34-1299	52038766	34-1409	52106016
22-951	15685852	33-383	4228235	34-1303	52038767	34-1411	52106017AF
22-953	15685853	33-385	4228585	34-1305	52037755	34-1411	52106017
22-955	15685855	33-387	4220406	34-1309	52038768	34-1413	52106033
22-957	- - - - -	33-389	4420416	34-1313	52038769	34-1413	52106033AE
22-959	15654056	33-391	4420336	34-1315	52038770	34-1417	52106156AC
22-961	15659692	33-393	4420334	34-1319	52038771	34-1417	52106156
22-963	15971658	33-395	4420425	34-1321	52038460	34-1419	52106360AA
22-965	15973720	33-397	4420405	34-1323	52039004	34-1421	52106361AA
22-967	15978567	33-399	4420415	34-1325	52039121	34-1423	52106362AA
22-969	15978568	33-401	4518355	34-1327	52038806	34-1425	52106363AA
22-971	15689558	33-403	4518365	34-1329	52039122	34-1427	52106364AA
22-973	15958652	33-405	4518367	34-1331	52038807	34-1427	52106364
22-975	15689556	33-407	4518356	34-1333	52039123	34-1429	52106743AA
22-977	15659741	33-409	4684604	34-1335	52039224	34-1431	52106744AA
22-979	15976726	33-411	4684605	34-1337	52039325	34-1433	52106745AA
22-981	15976727	33-413	4684606	34-1339	52039226	34-1435	52106746AA
22-983	15976728	33-415	4684607	34-1341	52039227	34-1437	52106032AF
22-985	15697901	33-417	4694014	34-1343	52039228	34-1439	52106365AA
22-987	332949	33-419	4694015	34-1345	52039229	34-1441	52106019AF
22-989	468456	33-421	4694016	34-1347	52039085	34-1443	52106437AB
22-989	332908	33-423	4228584	34-1349	52039086	34-1449	52113120AD
22-989	6271495	33-425	4684704	34-1351	52039087	34-1451	52113141AD
22-991	15973088	33-427	4228586	34-1353	52039089	34-165	3897286
22-993	15973089	33-429	4684744	34-1355	52039092	34-169	3897283
22-995	15973090	33-431	4684745	34-1357	52039116	34-223	4228420
22-997	15973091	33-433	4684746	34-1359	52106009	34-225	4228421
22-999	15980961	33-435	4684747	34-1361	52106010	34-227	4228422
23-405	4518367	33-437	4684764	34-1363	52106012	34-229	4228423
24-112	289117	33-439	4684765	34-1365	52106013	34-231	4228424
24-114	28990	33-441	4684766	34-1367	52106402	34-233	4228425
24-116	28991	33-443	4684767	34-1369	52039181	34-235	4228426
24-118	28995	33-445	4684944	34-1371	52039362	34-237	4228427
24-120	28999	33-447	4684945	34-1373	52106291	34-239	4228428
24-122	28981	33-449	4684946	34-1373	52106291AD	34-241	4228429
24-124	28981	33-451	4684947	34-1375	52106153AB	34-243	4228430
24-126	289104	33-453	4684954	34-1377	52106154	34-245	4228431
24-128	289129	33-455	4684955	34-1379	52106155	34-247	4228432
24-130	28942	33-457	4684956	34-1381	62106289	34-249	4228433
24-132	289121	33-459	4684957	34-1381	52106289AD	34-251	4228434
24-134	289132	33-461	4684705	34-1383	52106295	34-253	4228438
24-136	289133	33-463	4684706	34-1383	52106295AC	34-255	4228449
24-138	289139	33-465	4684707	34-1385	52106297	34-257	4228974
24-140	289115	33-467	4684714	34-1385	52106297AD	34-259	4228984
24-142	289116	33-469	4684715	34-1387	62106298	34-261	4228994
24-144	289122	33-471	4684716	34-1387	52106298AF	34-263	4228716
24-146	289131	33-473	4684717	34-1389	52106152AB	34-265	MB338585
24-148	289134	33-475	4684854	34-1391	52106157AA	34-267	MB111210E
24-150	289135	33-477	4684855	34-1393	52106288	34-269	MB515300D
24-152	289137	33-479	4684856	34-1393	52106288AB	34-271	MB584310E
24-154	28987	33-481	4684857	34-1395	52106290	34-273	MB515771
24-156	28987	33-483	4684874	34-1397	52106292	34-275	MB515304D

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
34-277	MB584312	41-039	405021	41-609	762057	43-1083	F2HZ5560B
34-279	4420351	41-040	406969	41-900	37521	43-1083	F2HT5560MA
34-281	MB242814	41-041	405067	42-813	E0TZ5560K	43-1085	F3UZ5560A
34-283	MB631455G	41-042	406970	42-813	E0TA5560AZB	43-1085	F3UA5560NA
34-285	MB631456	41-043	405345	42-819	E6TZ5560E	43-1087	F4TZ5560D
34-287	MB631457	41-044	408544	42-819	E6TA5560HA	43-1087	F4TA5560FB
34-289	MB631458	41-045	405493	42-821	E6TZ5560F	43-1089	F4TZ5560A
34-780	4228415	41-046	408545	42-821	E6TA5560JA	43-1089	F4TA5A975AA
34-782	4228416	41-048	408546	43-1003	F2HZ5560D	43-1091	F4TZ5560B
34-784	4228417	41-050	409354	43-1003	F2HT5560HA	43-1091	F4TA5560DA
34-786	4228418	41-052	409355	43-1013	F2HZ5560H	43-1093	F4TZ5560E
34-788	4228419	41-054	404466	43-1013	F2HT5560EA	43-1093	F4TA5560GA
34-790	52038040	41-200	490557	43-1015	F2HZ5560L	43-1095	F4TZ5560F
34-792	52038041	41-202	241016	43-1017	F2HS5588AA	43-1095	F4TA5560HA
34-794	52038042	41-204	240930	43-1031	F2UZ5560H	43-1097	F4TZ5560G
34-796	52038043	41-206	240616	43-1033	F2UZ5560A	43-1097	F4TA5560JA
34-798	52038044	41-208	22586	43-1033	F2UA5560CA	43-1099	F4TZ5560H
34-800	52038045	41-210	251493	43-1035	F2UZ5560B	43-1101	F4TZ5560J
38-132	9196437	41-210	1X251493	43-1035	F2UA5560DE	43-1101	F4TA5560LA
38-133	9207643	41-212	393599	43-1037	F2UZ5560C	43-1103	F4TZ5560K
38-134	9236817	41-302	TN77071	43-1037	F2UA5560FE	43-1103	F4TA5560MA
38-135	4005139	41-303	TN78161	43-1039	F2UZ5560D	43-1105	F4TZ5560Z
38-137	9181858	41-304	TN7814	43-1039	F2UA5560GB	43-1105	F4TA5560NB
38-139	9187605	41-306	TN77082	43-1041	F2UZ5560E	43-1107	F4TZ5560M
38-141	9198023	41-308	TN7707	43-1041	F2UA5560HE	43-1107	F4TA5560PB
41-001	400267	41-310	TN7706	43-1043	F2UZ5560F	43-1109	F4UZ5560A
41-002	400253	41-312	TN7816	43-1043	F2UA5560JE	43-1109	F4UA5560CB
41-003	400267	41-400	005C00030	43-1045	F2UZ5560G	43-1111	F4TZ5560N
41-004	400266	41-401	020381194	43-1047	F1TZ5560F	43-1111	F4TA5560EA
41-005	400267	41-402	005C00029	43-1047	F1TA5560R	43-1113	F2HZ5560S
41-006	400288	41-403	020381194M	43-1049	F2TZ5560F	43-1113	F2HT5560SA
41-007	400285	41-404	005C00028	43-1049	F2TS5560AA	43-1115	F3TZ5560B
41-008	402480	41-405	020381194H	43-1051	F1TZ5560E	43-1115	F3TA5560RA
41-009	400285	41-406	005C00027	43-1051	F1TA5560MA	43-1117	F5TZ5560A
41-010	403344	41-407	0203B2106	43-1053	F1TZ5560D	43-1117	F5TA5560MA
41-011	400285	41-409	0203B2106	43-1053	F0TA5560LA	43-1119	F5TZ5560C
41-012	403346	41-411	0203B2106	43-1055	F2TZ5560G	43-1119	F5TA5560UA
41-013	400980	41-500	76054751	43-1055	F2TA5560VB	43-1121	F5TZ5560D
41-014	403527	41-501	78046732	43-1057	F2TZ5560B	43-1121	F4TA5560TA
41-015	403529	41-502	78049640	43-1057	F2TA5560PA	43-1123	F4TZ5560R
41-016	403528	41-502	178049640	43-1059	F2TZ5560C	43-1123	F4TD5560AB
41-017	403772	41-503	76054752	43-1059	F2TA5560RA	43-1125	F4HZ5560A
41-018	403913	41-504	76060324	43-1061	F2TZ5560A	43-1125	F2HT5560TA
41-019	403773	41-505	76049732	43-1063	F2TZ5560D	43-1127	F4HZ5560E
41-020	403949	41-506	76060322	43-1063	F2TA5560TA	43-1129	F4HZ5560F
41-021	403774	41-507	76060323	43-1065	F2TZ5560E	43-1131	F4HZ5560C
41-022	404004	41-508	76061814	43-1065	F2TA5560UB	43-1133	F4HZ5560B
41-023	403915	41-509	76053801	43-1067	F2TZ5560J	43-1135	F4HZ5560D
41-024	404005	41-510	76060285	43-1067	F27A5560XB	43-1137	E9HZ5889J
41-025	404306	41-511	76058600	43-1069	F37Z5560A	43-1139	E9HZ5889L
41-026	404991	41-512	76060286	43-1069	F37A5560BB	43-1141	F2HZ5889A
41-027	404307	41-513	78005341	43-1071	F3TZ5560B	43-1143	F2HZ5889B
41-028	405064	41-514	76053800	43-1071	F37A5560CC	43-1145	D5HZ5560B
41-029	404517	41-516	76046213	43-1073	F37Z5560C	43-1145	BA23452
41-030	405308	41-518	76059282	43-1073	F37A5560DB	43-1145	DX4985F
41-031	404531	41-520	78046731	43-1075	F37Z5560D	43-1147	E8HZ5560AA
41-032	405344	41-600	827000000	43-1075	F37A5560EC	43-1147	BA48400
41-033	404532	41-601	87779	43-1077	F37Z5560E	43-1149	F0HS5589AA
41-034	405421	41-602	827010000	43-1077	F37A5560KA	43-1149	48645000
41-035	404533	41-603	762056	43-1079	F3TZ5560A	43-1151	F5UZ5560A
41-036	405846	41-604	031840M	43-1079	F3TA5560JA	43-1151	F5UA5560NA
41-037	404534	41-605	032126M	43-1081	F2HZ5560N	43-1153	F5UZ5560B
41-038	406988	41-607	38491	43-1081	58863000	43-1153	F5UA5560PA

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
43-1155	F5UZ5560C	43-1219	F4TD5560BA	43-1295	XC3Z5560DA	43-257	TGBV5560A
43-1155	F5UA560RA	43-1221	F5TZ5560B	43-1297	F85Z5560BA	43-263	B7QH5660C
43-1157	F5UZ5560D	43-1221	F4TD5560BA	43-1297	F85A5560BA	43-263	TUBV5560B
43-1157	F5UA5560SA	43-1223	F6TZ5560UA	43-1299	F1TZ5560G	43-283	B8QH5588A
43-1159	F57Z5560A	43-1223	F6TA5560UA	43-1299	F17A5560GA	43-283	TAJAA5588A
43-1159	F57A5560FD	43-1225	F6TZ5560XA	43-1301	F1TZ5560J	43-347	C2TZ5588A
43-1161	F57Z5560B	43-1225	F6TA5560XA	43-1301	F17A5560JA	43-347	C2TA5588B
43-1161	F57A5560HC	43-1227	F75Z5560AA	43-1303	F1TZ5560K	43-349	C2TZ5560A
43-1163	F5TZ5588A	43-1227	F75A5560AG	43-1303	F17A5560KA	43-349	C2TA5560C
43-1163	F5TA5588AA	43-1229	F75Z5560BA	43-1305	F1TZ5560L	43-349	F2HZ5560E
43-1165	F2HT5560UA	43-1229	F75A5560BG	43-1305	F17A5560LA	43-377	C3TZ5560D
43-1165	F2HZ5560UA	43-1231	F75Z5560CB	43-1307	F85Z5560CA	43-377	F2HZ5560L
43-1167	F6UZ5560AA	43-1231	F75A5560CG	43-1307	F85A5560CB	43-377	C3TA5560L
43-1167	F6US5560AB	43-1233	F75Z5560DB	43-1309	F87Z5560FA	43-386	D0HZ5310A
43-1169	F7TD5560AA	43-1233	F75A5560DG	43-1309	F37A5560FA	43-386	D0HA5310D
43-1171	F6HZ5560FA	43-1235	F5HZ5560A	43-1311	F87Z5560NA	43-386	E1HT5310AA
43-1171	F6HT5560FA	43-1235	F4HT5560AA	43-1311	F87A5560NA	43-392	D0HZ5310D
43-1173	F5HZ5588A	43-1237	F5HZ5560B	43-1313	XC455560CA	43-392	D0HA5310J
43-1173	F5HT5588BA	43-1237	F4HT5560CA	43-1315	XC455560AA	43-398	F2HZ5310R
43-1175	F6HZ5588AA	43-1239	F5HZ5560C	43-1317	XC455560DA	43-398	F2HT5310KA
43-1175	F6HT5588AA	43-1239	F4HT5560DB	43-1319	XC455560EA	43-398	D0HZ5310G
43-1177	F6HZ5560GA	43-1241	F5HZ5560D	43-1321	F2HZ5560R	43-404	D0HZ5310K
43-1177	50795000	43-1241	F4HT5560EB	43-1321	F2HT5560RA	43-404	D0HA5310H
43-1179	F6HZ5560EA	43-1243	F5HZ5560E	43-1323	F81Z5560GA	43-410	D2HZ5310A
43-1179	F6HT5560EA	43-1243	F4HT5560GB	43-1323	F81A5560GA	43-410	D2HA5310AA
43-1181	F6HZ5560KB	43-1245	F5HZ5560F	43-1325	YC3Z5560AA	43-411	C3TZ5560T
43-1181	F6HT5560KB	43-1245	F4HT5560HB	43-1325	YC355560AC	43-411	C3TA5560AC
43-1183	F57Z5560LC	43-1247	F5HZ5560G	43-1327	YC3Z5560EA	43-411	F2HZ5560J
43-1183	F57A5560LC	43-1247	F4HT5560JB	43-1327	YC355560EA	43-413	C3TZ5560U
43-1185	F65Z5560AC	43-1249	F5UZ5560V	43-1329	YC3Z5560FA	43-413	C3TA5560AD
43-1185	F65A5560AD	43-1249	F5UA5560V	43-1329	YC355560FA	43-413	F2HZ5560K
43-1187	F65Z5560BC	43-1251	F5UZ5560XA	43-1331	YC3Z5560GA	43-415	C3TZ5660V
43-1187	F65A5560BC	43-1251	F5UA5560XA	43-1331	YC355560GC	43-415	C3TA5560AE
43-1189	F65Z5560CC	43-1253	F7UZ5560AA	43-1333	F81Z5560HA	43-432	F2HZ5310L
43-1189	F65A5560CC	43-1253	FZUA5560AGA	43-1333	F81A5560HA	43-432	F2HT5310SA
43-1191	F65Z5560DC	43-1255	A1613999003	43-1335	F81Z5560KA	43-432	D5HZ5310D
43-1191	F65A5560DD	43-1257	F87Z5560EA	43-1335	F81A5560KA	43-434	F2HZ5310M
43-1193	F65Z5560FC	43-1257	F87A5560EA	43-1337	YC3Z5560BA	43-434	F2HT5310TA
43-1193	F65A5560FC	43-1259	F87Z5560KA	43-1337	YC355560BA	43-434	D5HZ5310E
43-1195	F65Z5560GD	43-1259	F87A5560KA	43-1339	YC2Z5560AA	43-436	F2HZ5310N
43-1195	F65A5560GD	43-1261	F81Z5560BA	43-1339	YC255560AA	43-436	F2HT5310UA
43-1197	F65Z5560MA	43-1261	F81A5560BE	43-1341	F81Z5560BD	43-436	D5HZ5310F
43-1197	F65A5560MA	43-1263	F81Z5560CD	43-1341	F81A5560AC	43-439	C5TZ5560M
43-1199	F65Z5560NA	43-1263	F81A5560CA	43-1343	YC3Z5560DA	43-439	BA21791
43-1199	F65A5560NA	43-1265	F81Z5560DA	43-1343	YC355560DA	43-439	C5TA5560K
43-1201	F65Z5560PB	43-1265	F81A5560DB	43-1345	YC3Z5560AB	43-441	C6TZ5660D
43-1201	F65A5560PB	43-1267	F81Z5560EA	43-1345	YC355560AA	43-441	BA24929
43-1203	F75Z5560AB	43-1267	F81A5560EB	43-1347	YC3Z5560AB	43-454	D8HZ5310C
43-1203	F75A5560AJB	43-1269	F81Z5560AA	43-1347	YC355560AA	43-454	D7HT5310AM
43-1205	F75Z5560AC	43-1269	F81A5560AC	43-1349	YC3Z5588AB	43-454	D7HT5310AL
43-1205	F75A5560AKB	43-1271	F81Z5560AB	43-1349	YC355560AA	43-460	D8HZ5310D
43-1207	F75Z5560AD	43-1273	F81Z5560BC	43-185	B4Q5588A	43-460	D7HT5310AHA
43-1207	F75A5560ALA	43-1275	F81Z5560BB	43-185	7EQ5588	43-470	D9HZ5310A
43-1209	F2TZ5560H	43-1275	F81A5560BD	43-207	B4QH5588A	43-470	D9HT5310AA
43-1211	F5TZ5560BA	43-1277	F81Z5588DA	43-207	TUAA5588B	43-472	D9HZ5310B
43-1211	F5TA5560BA	43-1277	F81A5588DC	43-207	TUAA5588A	43-472	D9HT5310BA
43-1213	F5TZ5560BA	43-1279	F81Z5588CA	43-220	B7Q5310C	43-474	E0TZ5310N
43-1213	F5TA5560BA	43-1285	F81Z5560AA	43-220	TQAS5310A	43-474	E0TA5310AA
43-1215	F5TZ5560BA	43-1287	F81Z5560AA	43-222	B7QH5310E	43-474	E0TA5310AAB
43-1215	F5TA5560BA	43-1289	F81Z5560BB	43-222	TLBC5310A	43-476	E0TZ5310R
43-1217	F5TZ5560B	43-1291	F81Z5560BB	43-230	B8QH5310B	43-476	E0TA5310ABA
43-1217	F4TD5560BA	43-1293	XL3Z5560CA	43-230	TTBE5310A	43-476	E0TA5310ABB
43-1219	F5TZ5560B	43-1293	XL345560CA	43-257	B7QH5560A	43-478	E0TZ5310S

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
43-478	E0TA5310ACA	43-546	F1HT5310DA	43-609	D5UA5560ATB	43-656	F3HT5310VA
43-478	E0TA5310ACB	43-548	F2HZ5310AE	43-609	D5UA5560ATA	43-658	F2HX5310G
43-481	C6TZ5560V	43-548	F3HT5310KA	43-611	D5UZ5560B	43-658	F2HT5310GA
43-481	BA27168	43-550	F1HZ5310G	43-611	D5UA5560HB	43-659	D8UZ5560A
43-486	F2HZ5310C	43-550	FIHT5310NA	43-613	D5UZ5560C	43-659	D7UA5560TA
43-486	F2HT5310CA	43-552	F1HZ5310E	43-613	D5UA5560JB	43-660	F2HZ5310AH
43-486	E0HZ5310D	43-552	F1HT5310RA	43-615	D5UZ5560D	43-660	F3HT5310NA
43-488	F2HZ5310D	43-554	F1HZ5310F	43-615	D5UA5560KB	43-662	F2HZ5310AJ
43-488	F2HT5310DA	43-554	F1HT5310SA	43-616	F2HZ5310P	43-662	F3HT5310RA
43-488	E0HZ5310A	43-556	F1HZ5310D	43-616	F2HT5310JA	43-663	D8HZ5560G
43-490	E0HZ5310B	43-556	F1HT5310TA	43-618	F2HZ5310AA	43-663	BA45030
43-490	E0HT5310BA	43-558	F1HZ5310H	43-618	F6HT5310FA	43-664	F2HZ5310AK
43-490	F2HZ5310E	43-558	F1HT5310BB	43-620	F2HZ5310AN	43-664	F3HT5310SA
43-492	E1TZ5310A	43-560	F1HZ5310J	43-620	F3HT5310VA	43-665	D8HZ5560H
43-492	E2TA5310YA	43-560	F1HT5310FB	43-621	D5UZ5660E	43-665	BA45121
43-494	E3HZ5310A	43-562	F1HZ5310K	43-621	D5UA5560LB	43-666	F2HZ5310AL
43-494	E3HT5310AA	43-562	F1HT5310GB	43-622	F1TZ5310L	43-666	F3HT5310TA
43-498	E3TZ5310R	43-564	F1HZ5310L	43-622	F1TD5310AA	43-668	F4HZ5310A
43-498	E3TA5310ABA	43-564	F1HT5310HA	43-623	D5UZ5560F	43-668	F4HT4310VA
43-502	E5HZ5310A	43-566	F1HZ5310M	43-623	D8TA5560ZA	43-670	F1HT5310T
43-502	E5HT5310BA	43-568	F1HZ5310N	43-624	F2TZ5310A	43-672	E5TZ5310L
43-504	E5HZ5310B	43-570	F1HZ5310R	43-624	F2TD5310AA	43-674	F4TZ5310A
43-504	E5HT5310CA	43-570	F1HT5310LA	43-625	D5HZ5560A	43-674	F4TA5310HA
43-506	E5HZ5310C	43-572	F1HZ5310S	43-625	BA27321	43-676	F2HZ5310AF
43-506	E5HT5310DA	43-574	E8HZ5310A	43-626	F1TZ5310M	43-676	F3HT5310LA
43-508	E5HZ5310D	43-574	F1HZ5310D	43-626	F1TD5310BA	43-678	F5TZ5310B
43-508	E5HT5310EA	43-576	F0TZ5310G	43-627	D6UZ5560E	43-678	F5TA5310ACA
43-510	E5HZ5310E	43-576	F0TD5310AA	43-627	D9TA5560AVA	43-680	F6HZ5310ABE
43-510	E5HT5310FA	43-578	F1HZ5310U	43-628	E5TZ5310J	43-680	F6HT5310AEB
43-512	E6HZ5310A	43-578	F1HT5310VA	43-628	F1TZ5310ANA	43-682	F6HZ5310ABA
43-512	E5HT5310KA	43-579	D3TZ5560K	43-630	F4TZ5310F	43-682	F6HT5310ABA
43-514	E6HZ5310B	43-579	D3TA5560CA	43-630	F4TA5310HA	43-684	F6HZ5310HA
43-514	E5HT5310LA	43-580	F1HX5310G	43-632	F4TZ5310T	43-684	F6HT5310HA
43-516	E5TZ5310K	43-582	F2HZ5310U	43-632	F4TD5310BB	43-686	F6HZ5310AAA
43-516	E5TA5310NA	43-582	FIHT5310YA	43-634	F4TZ5310S	43-686	F6HT5310AAA
43-518	E5HS5310AA	43-583	D3HZ5560A	43-634	F4TD5310AB	43-688	F6HZ5310NA
43-520	E0HS5310AA	43-583	D3HA5560AA	43-636	F5TZ5310A	43-688	F6HT5310NA
43-522	E5TA5310SA	43-584	F2HZ5310B	43-636	F4TD5310CA	43-689	E0TZ5560B
43-524	E7HZ5310A	43-584	F2HT5310BA	43-638	F2HZ5310W	43-689	E2TA5560UA
43-524	87HU5310AA	43-586	F2HZ5310A	43-638	F3HT5310BA	43-690	F6HZ5310AHB
43-526	E8TZ5310A	43-586	F2HT5310AA	43-640	F2HZ5310Y	43-690	F6HT5310AHB
43-526	E8TA5310AA	43-593	D5UZ5560H	43-640	F3HT5310DA	43-692	F6HZ5310SA
43-528	E9TZ5310A	43-593	D5UA5560ABB	43-642	F2HZ5310Z	43-692	F6HT5310SA
43-528	E9TA5310AD	43-593	D5UA5560ABA	43-642	F3HT5310EA	43-694	F6HZ5310KA
43-530	E9TZ5310B	43-594	F1HZ5310T	43-644	F2HZ5310AB	43-694	F6HT5310KA
43-530	E9TA5310BB	43-594	F1HT5310UA	43-644	F3HT5310GA	43-696	F6HZ5310EA
43-532	E1TD5310AA	43-596	F2HZ5310F	43-645	D2HZ5560A	43-696	F6HT5310EA
43-534	E3HS5310AA	43-596	F2HT5310FA	43-645	BA27535	43-698	F6HZ5310ACA
43-536	E5TZ5310M	43-598	F2HZ5310G	43-646	F2HZ5310AC	43-698	F6HT5310ACA
43-536	E5TA5310TA	43-598	F2HT5310GA	43-646	F3HT5310HA	43-700	F6HZ5310FA
43-537	D0HZ5560A	43-599	D5UZ5560S	43-648	F2HZ5310AD	43-700	F6HT5310FA
43-537	BA30840	43-599	D5UA5560ASB	43-648	F3HT5310JA	43-702	F6HZ5310UA
43-538	F0HZ5310A	43-600	F2HZ5310J	43-650	F2HZ5310AE	43-702	F6HT5310UA
43-538	F0HT5310AA	43-600	F2HT5310NA	43-650	F3HT5310KA	43-704	F6HZ5310AB
43-540	F0HZ5310B	43-602	F2HZ5310R	43-651	D8HZ5560D	43-704	F6HT5310AB
43-540	F0HT5310BA	43-602	F2HT5310KA	43-651	BA45031	43-706	F7HZ5310CA
43-542	F0HZ5310C	43-604	F2HZ5310S	43-652	F2HX5310X	43-706	F7HT5310CA
43-542	E9HS5310DA	43-604	F2HT5310LA	43-652	F3HT5310CA	43-708	F7HZ5310DA
43-544	F1HZ5310C	43-606	F2HZ5310J	43-653	D8HZ5560C	43-708	F8HT310EA
43-544	F1HT5310EA	43-606	F2HT5310NA	43-653	BA45027	43-710	F5HZ5310D
43-545	D1TZ5588A	43-608	F2HZ5310K	43-654	F2HZ5310AM	43-710	F4HT5310LB
43-545	D1TA5588AA	43-608	F2HT5310RA	43-654	F3HT5310UA	43-712	F5HZ5310AA
43-546	F1HX5310B	43-609	D5UZ5560T	43-656	F2HZ5310AN	43-712	F5HT5310AA

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
43-714	F5HZ5310G	43-772	F81A5310ABD	43-869	E5TA5588GA	43-957	F07A5560EA
43-714	F4HT5310RB	43-774	F81Z5310AF	43-875	E7TZ5588A	43-959	F0TZ5560B
43-716	F5HZ5310K	43-774	F81A5310AGD	43-875	E7TA5588DA	43-959	F07A5560FA
43-716	F4HT5310YA	43-776	F81Z5310AE	43-877	E7TZ5588B	43-961	F0TZ5560C
43-718	F5HZ5310E	43-776	F81A5310AFD	43-877	E7TA5588CB	43-961	F07A5560GA
43-718	F4HT5310MA	43-778	F81Z5310AD	43-879	E7TZ5560A	43-963	F0TZ5560D
43-720	F5HZ5310F	43-778	F81A5310AED	43-879	E7TA5560FA	43-963	F07A5560HA
43-720	F4HT5310NB	43-779	E2TZ5560H	43-881	E7TZ5560B	43-965	E9TZ5560J
43-722	F6HS5310CA	43-779	E1TA5560ALA	43-881	E7TA5560KA	43-965	E9TA5560KA
43-723	E0TZ5560Y	43-780	F81Z5310AH	43-883	E7TZ5560C	43-967	F1TZ5560A
43-723	E1TA5560TA	43-780	F81D5310AA	43-883	E7TA5560NA	43-967	F17A5560DC
43-723	E0TA5560BLB	43-782	F81Z5310BB	43-885	D6UZ5560F	43-969	F1TZ5560B
43-724	F4HS5310AA	43-782	F81D5310BA	43-885	D9TA5560AYA	43-969	F17A5560ED
43-726	F2HS5310AA	43-784	F8HS5310AA	43-889	E7TZ5560F	43-971	F1TZ5560C
43-728	F6HS5310GA	43-786	E9HS5310CA	43-889	E7TA5560YA	43-971	F17A5560FD
43-730	F6HS5310HA	43-788	F5HS5310BA	43-891	E7TZ5560D	43-973	F1HZ5560A
43-732	F6HS5310AA	43-790	XC455310CA	43-891	E7TA5560RA	43-973	F1HT5560BA
43-734	E9HS5310EA	43-791	E0TZ5560AE	43-893	E7HZ5560A	43-975	F1HZ5560B
43-735	E0TZ5588E	43-791	E0TA5560BVA	43-893	E6HT5560CA	43-975	F1HT5560CA
43-735	E0TA5588BA	43-792	F81Z5310BE	43-895	E7HZ5588A	43-977	F1HZ5560E
43-736	F7HZ5310GA	43-792	F81A5310BMBC	43-895	E7HU5588AA	43-977	F1HT5560AA
43-736	F7HT5310GA	43-794	YC3Z5310AA	43-897	E7HZ5588C	43-979	F1HZ5560D
43-737	E0HZ5560B	43-794	YC355310AB	43-897	E6HT5588CA	43-979	F1HT5560EA
43-737	E0HT5560BA	43-796	XC4S5310AA	43-899	E8TZ5560A	43-981	F1HZ5560C
43-737	F2HZ5560F	43-798	F4HZ5310FA	43-901	E8TZ5560A	43-981	F1HT5560DA
43-738	F7HZ5310JA	43-798	F4HT5310FA	43-903	E8TZ5560A	43-983	F1HZ5588A
43-738	F7HT5310JA	43-800	YC3Z5310AC	43-905	E9TZ5560A	43-983	F1HT5588BA
43-739	E0HZ5560C	43-800	YC355310ABE	43-905	E9TD5560AE	43-985	F1HZ5588B
43-739	F2HZ5560G	43-802	YC3Z5310AD	43-907	E9TZ5560B	43-985	F1HT5588CA
43-740	F7HZ5310HA	43-802	YC355310ACE	43-907	E9TD5560BD	43-987	F1HZ5588C
43-740	F7HT5310HA	43-803	E3TZ5560M	43-909	E9TZ5560C	43-987	F1HT5588DA
43-741	E0HZ5560D	43-804	YC3Z5310AE	43-909	E9TD5560CA	43-989	F1HZ5588D
43-741	F2HZ5560M	43-804	YC355310ADC	43-911	E9TZ5560C	43-989	F1HT5588AA
43-741	H0HT5560EA	43-808	YC3Z5310AH	43-911	E9TD5560CA	43-991	F0TZ5560E
43-742	F7HZ5310KA	43-808	YC355310JC	43-913	E9TZ5588A	43-991	F07A5560JA
43-742	F7HT5310KA	43-810	YC3Z5310AJ	43-913	E9TD5560CA	43-993	F2HZ5560A
43-743	E0HZ5560E	43-810	YC355310AKC	43-923	E9TZ5560D	43-993	F2HT5560AA
43-743	E0HT5560FA	43-812	YC3Z5310AK	43-923	E9TA5560EB	43-995	F2HZ5560B
43-744	F7HS5310AA	43-813	E4HZ5560A	43-927	E6HZ5560A	43-995	F2HT5560MA
43-746	F6HZ5310AKB	43-813	BA47474	43-927	E6HT5560AA	44-117	152255
43-746	F6HT5310AKB	43-813	E4HT5560AA	43-929	E6HZ5588C	44-170	32774
43-748	F5HZ5310H	43-814	YC3Z5310AL	43-929	E6HT5588AA	44-172	32775
43-748	F4HT5310TA	43-814	YC355310AMC	43-931	E6HZ5560B	44-174	32791
43-750	F5HZ5310J	43-815	E3TZ5560T	43-931	E6HT5560BA	44-176	152223
43-750	F4HT5310UA	43-815	E3TA5560AJA	43-933	E6HZ5588A	44-178	151955
43-752	F5HZ5310A	43-816	YC3Z5310AM	43-933	E6HT5588BA	44-180	151945
43-752	F4HT5310AC	43-816	YC355310ANC	43-941	E8UZ5560A	44-182	152206
43-754	F5HZ5310C	43-818	YC3Z5310AN	43-941	E7UA5560AJA	46-101	702325018
43-754	F4HT5310HB	43-818	YC355310APC	43-943	E9TZ5560G	46-102	702322021
43-756	F5HZ5310B	43-833	E4HZ5560B	43-943	E97A5560HA	46-103	702325020
43-756	F4HT5310GB	43-833	E4HT5560BA	43-945	E9TZ5560H	46-104	703322022
43-758	F4HS5310DA	43-833	BA47475	43-945	E97A5560JA	46-105	102197
43-760	F4HS5310BA	43-843	E6HZ5560A	43-947	F0HZ5560D	46-106	A1610529000
43-762	F4HS5310CA	43-843	E5HT5560DA	43-947	E9HS5560BA	46-107	A1611687
43-764	F6HZ5310YA	43-845	E6HZ5588C	43-949	F0HZ5588A	46-108	A1610529001
43-764	F6HT5310YA	43-845	E5HT5588DA	43-949	E9HS5588AA	46-109	E1611532
43-766	F81Z5310AC	43-847	E6HZ5560B	43-951	F0HZ5560F	46-110	A1610529002
43-766	F81A5310ADD	43-847	E5HT5560EA	43-951	F0HT5560EB	46-111	E1611776
43-768	F81Z5310AG	43-849	E6HZ5588A	43-953	F1HZ5560C	46-112	A1610529003
43-768	F81A5310AHD	43-849	E6HT5588EA	43-953	F0HT5560CB	46-113	A1611819
43-770	F81Z5310AB	43-867	E6TZ5588A	43-955	F0HZ5560E	46-114	A1610529004
43-770	F81A5310ACD	43-867	E6TA5588AA	43-955	F0HT5560DB	46-115	A1611820
43-772	F81Z5310AA	43-869	E5TZ5588A	43-957	F0TZ5560A	46-116	A16116900

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
46-117	A1611826	46-1263	A1614862003	46-1350	A1612132003	46-1456	A1616241000
46-118	A16116901	46-1264	A1613700	46-1352	A1612132006	46-1458	A1616059000
46-1185	680320010502	46-1265	A1613415000	46-1354	A1612132007	46-146	A1612305002
46-1187	6803200305	46-1266	A1613205	46-1356	A1612132009	46-1460	A1615421000
46-1189	6803200005	46-1267	A1613415001	46-1358	A1612132010	46-147	A1610671
46-119	A16119431	46-1268	6813206202	46-136	A1611814	46-148	A1612305003
46-1191	E1611880	46-1269	A1613417000	46-1360	A1612132011	46-149	A16106711
46-1193	6803200205	46-127	6813200205	46-1362	A1612132015	46-150	A1612305004
46-1195	6813201705	46-1270	A1612305006	46-1364	A1612132017	46-151	A1612582
46-1197	6803200105	46-1271	A1615989000	46-1366	A1612132018	46-152	A1612308
46-1199	6813202205	46-1272	A1612305007	46-1368	A1612132020	46-153	A1611944
46-120	A1611810	46-1273	A1616204000	46-137	A1610001	46-154	A1612309
46-1201	6813202305	46-1274	A1612310000	46-1370	A1612132021	46-155	A1612583
46-1203	6803200405	46-1275	A1616843000	46-1372	A1612132023	46-156	E16123590
46-1205	6803200505	46-1276	A1612310003	46-1374	A1612132025	46-157	6813200208
46-1207	A1613423000	46-1277	A1617176000	46-1376	A1612132027	46-157	6813200108
46-1209	6813202105	46-1278	A1612614000	46-1378	A1612132028	46-158	A1612420
46-121	A16119432	46-1279	A1617177000	46-138	A1611816	46-159	6813200208
46-1211	A1613999000	46-128	A1612243	46-1380	A1612132029	46-159	6813200108
46-1213	A1613999001	46-1280	A1613412001	46-1382	A1612305009	46-160	A1610559
46-1215	A1613411000	46-1281	A1617178000	46-1384	A1615154000	46-161	6813200208
46-1217	A1613997000	46-1282	A1613412002	46-1386	A1615871000	46-161	6813200108
46-1219	A1613419000A	46-1283	A1616060000	46-1388	A1614438000	46-162	A1610366
46-122	A1611812	46-1284	6813204002	46-139	A1612374	46-163	6813240006
46-1221	A1614260000	46-1285	A1617175000	46-1390	A1614822000	46-163	6813200405
46-1223	A1614260001	46-1286	6813203302	46-1392	A1615775000	46-164	A1610368
46-1225	A1614637000	46-1288	A1612305008	46-1394	A1614442000	46-165	6813200505
46-1227	A1614671000	46-129	6813200305	46-1396	A1613979000	46-165	6813240106
46-1229	A1615459000	46-1290	6813200902	46-1398	A1613982000	46-166	E1610851
46-123	6813200005	46-1292	A1613974000	46-140	A1611818	46-167	6813201205
46-1231	A1615512000	46-1294	A1614012000	46-1400	A1613983000	46-167	6813200605
46-1233	A1615504000	46-1296	A1614436000	46-1402	A1612309003	46-168	A1612305
46-1234	A1613420	46-1298	A1613641000	46-1404	A1613985000	46-169	6813201405
46-1235	A1615506000	46-130	A1612244	46-1406	A1614695000	46-169	6813200805
46-1236	A1613522	46-1300	6803200902B	46-1408	A1613979001	46-170	A1612305005
46-1237	A1615516000	46-1302	A1614463000	46-141	E1611748	46-171	6813201505
46-1238	A16135200	46-1304	A1613984000	46-1410	A1613980001	46-171	6813200905
46-1239	A1615502000	46-1306	A1612132012	46-1412	A1613982001	46-172	A1610342007
46-124	A1611850	46-1308	A1612132016	46-1414	A1613983001	46-173	A1610436
46-1240	6803200002	46-131	E1610671	46-1416	A1614252000	46-174	6813203902
46-1241	A1615514000	46-1310	A1612132004	46-1418	A1615138000	46-174	6813202002
46-1242	6803200102	46-1312	A1612132013	46-142	A1612305000	46-175	6813201305
46-1243	A1615500000	46-1314	A1612132008	46-1420	A1613978002	46-175	6813200705
46-1244	6803200202	46-1316	A1612132005	46-1422	A1613981000	46-176	A1612616
46-1245	A1615498000	46-1318	A1613980000	46-1424	A1613981001	46-177	A1610437
46-1246	6803200302	46-132	6813200302	46-1426	A1613977000	46-178	A1612618
46-1247	A1615768000	46-1322	A1613586000	46-1428	A1613977001	46-179	A1610438
46-1248	6803200402	46-1324	A1613586001	46-143	E1610892	46-180	6813200702
46-1249	A1614729000	46-1326	A1613586002	46-1430	A1614464000	46-181	A1610439
46-125	6813200105	46-1328	A1613586003	46-1432	A1614898000	46-182	6813200802
46-1250	6803200702	46-133	E16120710	46-1434	A1614602000	46-183	A1611532
46-1251	A1614617000	46-1330	A1614012001	46-1436	A1614695001	46-184	6813201102
46-1252	680320W004	46-1332	A1612310005	46-1438	A1614136000	46-185	68032001052
46-1253	A1613999002	46-1334	A1612132014	46-144	A1612305001	46-186	6813201202
46-1254	A1612310001	46-1336	A1612132019	46-1440	A1614464001	46-187	6803200305
46-1256	A1612310002	46-1338	A1612132024	46-1442	A1613931000	46-188	6813201302
46-1257	A1614862000	46-134	6813200402	46-1444	A1613922000	46-189	6803200005
46-1258	A1612310004	46-1340	A1612132026	46-1446	A1614883000	46-190	6813201402
46-1259	A1614862001	46-1342	A1612132022	46-1448	A1614672000	46-191	E1611880
46-126	A1611878	46-1344	A1612132000	46-145	A1612396	46-192	6813201502
46-1260	A1612414000	46-1346	A1612132001	46-1450	A1615987000	46-194	6813202702
46-1261	A1614862002	46-1348	A1612132002	46-1452	A1615845000	46-196	6813202802
46-1262	6813206302	46-135	A1611114	46-1454	A1615820000	46-198	6813202902

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
46-200	6813204102	50-136	87990	50-255	BA30657	50-377	58558000
46-202	6813201902	50-137	BA4986F	50-257	BA23026	50-379	58559000
46-204	6813202102	50-137	BA23027	50-259	BA35933	50-381	50815000
46-206	6813203502	50-139	BA27206	50-261	BA27535	50-383	56937000
46-208	6813203602	50-141	DE7977	50-263	BX45079	50-385	56940000
46-210	6813203702	50-143	BE7991	50-265	BA45031	50-387	56943000
46-212	6813203802	50-145	BA8762	50-267	BA45027	50-389	56946000
46-214	6813204302	50-147	BA8763	50-269	CA2056	50-391	56925000
46-216	6813202502	50-149	BA13124	50-271	BA45071	50-393	56928000
46-218	6813202602	50-151	BA14988	50-273	BA45030	50-395	56931000
46-220	A1612612	50-153	CA15060	50-275	BA45121	50-397	56934000
46-222	A16123082	50-155	CA17006	50-275	BA46336	50-399	58863000
46-224	A16123092	50-157	DA19800	50-277	BA30814	50-401	58865000
46-226	6813204802	50-159	BA21543	50-279	BA44064	50-403	57217000
46-228	6813204902	50-161	BA21791	50-281	BA44066	50-405	45874000
46-230	6813205002	50-163	BA23089	50-281	471343C91	50-407	48701000
46-232	A1613186	50-165	BA23310	50-283	BA45068	50-409	47553
46-852	A1610365	50-167	BA24310A	50-285	BA45028	50-411	81659
46-897	A1610437	50-169	BA24313	50-287	BA46029	50-413	49202
46-901	A1610436	50-171	BA24840	50-289	471339C91	50-415	49733
46-909	A1610438	50-173	BA24929	50-291	471347C91	50-417	87779
46-933	A1611001	50-175	BA25036	50-293	BA44072	51-133	482302870
46-947	FL164	50-177	BA25692	50-295	BA45154	54-101	NPN
46-947	M2A002240	50-179	BA25694	50-297	BA45072	54-102	481108192
46-951	A1611033	50-181	BA25718	50-299	BA45322	54-103	482304790
46-957	A1610439	50-183	BA25912	50-301	BA47057	54-104	481108213
48-546	15500095	50-185	BA27168	50-303	BA35943	54-105	482603250
48-546	660927	50-187	BA27321	50-305	BA30813	54-106	481202190
48-546	15507470	50-189	59231R92	50-307	BA45026	54-107	NPN
48-606	15507477	50-191	691349R91	50-309	BA32541	54-108	481201300
48-606	15503416	50-193	96253R91	50-311	BA45032	54-109	482304380
48-921	660130	50-195	690753R91	50-313	BA45025	54-110	481201320
48-943	15506685	50-197	BA23452	50-315	BA47474	54-111	NPN
48-947	15601381	50-199	307150C91	50-317	BA47475	54-112	481108812
48-951	680706	50-201	307154C91	50-319	BA46684	54-113	NPN
49-446	HK481102190	50-203	BA21792	50-321	BA47800	54-114	481109112
50-102	CA2309	50-205	322078C91	50-323	48112000	54-115	482304820
50-110	BX25082	50-207	322074C92	50-325	48874000	54-116	481202470
50-111	BA24853	50-211	BA22873	50-327	BA27285	54-117	482603280
50-112	BX20341A	50-213	BA30192	50-329	48645000	54-118	481202471
50-112	BA20341	50-215	BA30840	50-331	BA48400	54-119	482106100
50-116	BA20341B	50-217	BA29401	50-333	BA19963	54-120	481204381
50-116	BA20341	50-219	BA31545	50-335	BA24703	54-121	482302231
50-117	BA1947	50-221	402011C91	50-337	BA45506	54-122	481203940
50-118	CE80633	50-225	BA29873	50-339	37521	54-123	482602200
50-119	BA1948	50-227	BA13996	50-341	58251000	54-124	481204650
50-120	37678	50-227	6055A	50-343	58195000	54-125	482109580
50-121	BA2008	50-229	BA31349	50-345	58179000	54-126	481109590
50-122	76134	50-231	BA28186	50-347	58847000	54-127	482304800
50-123	CA2056	50-233	BA30583	50-349	58252000	54-128	481109770
50-124	827001	50-235	415344C91	50-351	58178000	54-129	482603260
50-124	82701	50-237	BA42544	50-353	58177000	54-130	481109840
50-125	BA4370	50-239	BA33308	50-355	58176000	54-131	482105091
50-126	BA17988	50-239	423529C91	50-357	50795000	54-132	481109850
50-127	BA4839	50-241	413206C91	50-359	50796000	54-134	481202550
50-128	BA1945	50-243	BA29720	50-361	48112001	54-135	482601771
50-129	CE4911	50-243	407598C91	50-363	48645001	54-136	481202560
50-130	BA1945	50-245	BX30192	50-365	48874001	54-137	482105891
50-131	CE4925	50-247	BA31456	50-367	56871001	54-138	481202561
50-132	BA1945	50-249	BA35978	50-369	58192000	54-139	482303080
50-133	CE4985	50-251	BA32701	50-371	58193000	54-141	482602040
50-134	BA42623	50-251	407643C91	50-373	58194000	54-143	482202530
50-135	BA4986	50-253	BA35984	50-375	58557000	54-145	482305730

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
54-147	482605750	55-025	993189C91	55-112	54010Z0103	55-1189	1673301
54-149	482201740	55-027	471343C91	55-1127	1660689C91	55-119	1610920C91
54-151	482305280	55-027	BA44066	55-113	55020Z5105	55-119	BA47057
54-153	482603470	55-029	471292C91	55-1131	1616790C91	55-1190	2004524C91
54-155	482201750	55-031	471287C91	55-1133	1684471C91	55-1191	2009974C91
54-157	482305290	55-033	471293C91	55-1135	1684288C91	55-1192	2011346C91
54-159	482109840	55-035	473276C91	55-1137	55020Z5175	55-1193	2035933C1
54-161	482304940	55-037	473725C91	55-1139	1610720C91	55-1193	0632501
54-163	482603300	55-039	0842601	55-1141	1620651C91	55-1194	2006449C91
54-165	482109800	55-039	526931C91	55-1143	1622380C1	55-1195	501566C93
54-167	482304930	55-041	492803C91	55-1145	1653031C91	55-1196	2007226C91
54-169	482109801	55-043	471286C91	55-1147	2005512C1	55-1197	2027488C91
54-171	482304931	55-045	143085C91	55-1149	2007043C91	55-1198	2028960C91
54-173	482603301	55-047	471339C91	55-115	546320C91	55-1199	111133R91
54-175	482109841	55-047	BA44064	55-1151	2007045C91	55-120	1653751C91
54-177	482304941	55-049	471347C91	55-1153	2015155C91	55-1200	2035798C91
54-179	482201070	55-049	BA45027	55-1155	2016026C91	55-1202	2041622C91
54-181	482304810	55-051	471351C91	55-1157	2028812C91	55-1203	1693210C91
54-183	482109630	55-051	BA45028	55-116	1614938C91	55-1203	1693210C92
54-185	482304830	55-053	572500C91	55-1161	55020Z5179	55-1204	2028987C91
54-187	482603310	55-057	488954C91	55-1162	1616929C91	55-1205	3534531C91
54-189	482109640	55-059	485099C1	55-1163	1697120C91	55-1206	3509153C92
54-191	482304840	55-061	503597C91	55-1163	58176000	55-1207	3534532C91
54-193	482603320	55-065	530993C91	55-1164	1671784C91	55-1208	3518228C1
54-195	482109590	55-065	BA45121	55-1165	1697121C91	55-1209	3534533C91
54-197	482603270	55-067	501566C92	55-1165	58178000	55-121	539022C91
54-199	482109600	55-071	532948C91	55-1166	1610280C91	55-121	BA45154
54-201	482108910	55-071	BA35978	55-1167	1697122C91	55-1210	1690040C92
54-203	482304390	55-073	531544C91	55-1167	58847000	55-1211	3534534C91
54-205	482108631	55-075	525973C91	55-1168	1617575C91	55-1212	3518227C1
54-207	482304320	55-075	BA45030	55-1169	1697124C91	55-1213	3534535C91
54-209	482602921	55-077	548836C91	55-1169	58251000	55-1214	2040041C92
54-211	482108641	55-077	BA45322	55-117	1612143C91	55-1215	3534536C91
54-213	482304330	55-079	534095C91	55-1170	1686999C91	55-1216	3527262C91
54-215	482602931	55-079	39100003	55-1171	1697126C91	55-1217	3534537C91
54-217	482108710	55-081	513020C91	55-1171	58179000	55-1218	3527263C91
54-219	482602950	55-081	0947501	55-1172	1690040C91	55-1219	3534538C91
54-221	482108720	55-083	527387C91	55-1173	1697127C91	55-122	1654696C91
54-223	482207760	55-083	0988401	55-1173	58195000	55-1220	3518644C1
54-225	482302481	55-085	253337C91	55-1174	1688942C91	55-1222	3521859C91
54-227	482602550	55-087	1606385C91	55-1175	1697129C91	55-1228	3565036C91
54-229	482207770	55-087	BA45071	55-1175	58252000	55-123	488772C92
54-231	482302491	55-089	547208C91	55-1176	1690075C91	55-1232	3558762C91
54-233	482104301	55-089	BA45032	55-1177	511458C91	55-1234	3570579C91
54-235	482601850	55-091	539484C91	55-1177	DE7977	55-1236	3540083C91
54-237	482104311	55-093	55020Z0115	55-1178	2004175C1	55-124	54010Z5073
54-239	482104281	55-095	55020Z0115	55-1179	524251C91	55-125	1606263C91
54-241	482601840	55-097	55020Z0115	55-1179	BA21791	55-126	54010Z5112
54-243	482104291	55-099	55020Z0116	55-118	1653685C91	55-127	1660689C91
54-245	482204050	55-101	55020Z0116	55-1180	1680499C91	55-128	1660853C91
54-247	482306500	55-102	702354C91	55-1181	786218C91	55-129	1659948C91
54-249	482204060	55-103	55020Z0116	55-1181	BA32541	55-130	1654700C91
54-251	482306510	55-104	702355C91	55-1182	1619987C91	55-132	1606304C1
54-253	482203100	55-105	55020Z5162	55-1183	429357C91	55-132	1606304C91
54-255	482306010	55-106	702356C91	55-1183	BA30657	55-134	1608879C91
54-257	482603970	55-107	55020Z5162	55-1184	54010Z5211	55-134	1608878C91
54-259	482203110	55-107	55020Z5105	55-1185	526020C91	55-136	503609C91
54-261	482306020	55-108	702939C92	55-1185	BA42544	55-138	1654692C91
54-263	482202910	55-109	55020Z5162	55-1186	1622209C91	55-140	1661421C91
54-265	482305890	55-110	1654701C91	55-1187	1611205C91	55-142	1661498C91
54-267	482603860	55-111	55020Z5105	55-1187	BA45068	55-144	1664618C91
55-021	493962C91	55-1112	3518227C1	55-1188	1688926C91	55-146	1669197C91
55-023	488972C91	55-112	54010Z0104	55-1189	2007051C1	55-148	1661469C91

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
55-150	1667493C91	55-892	572347C91	55-990	700695C91	56-140	1511300500
55-152	1660586C91	55-894	572355C91	55-992	700696C91	56-141	8943876341
55-154	1661476C91	55-898	572379C91	55-993	39100091	56-142	1511109780
55-156	1667482C91	55-900	507206C91	55-993	466017C91	56-143	8944496552
55-158	1667499C92	55-902	503961C91	55-994	701761C91	56-144	1511108310
55-160	1667488C92	55-908	572383C91	55-996	701762C91	56-144	94054276
55-162	1616929C91	55-910	503960C91	55-998	702165C92	56-145	1513003250
55-164	1616929C91	55-912	531817C91	56-101	94409670	56-145	94054958
55-421	98435HA	55-914	555196C91	56-102	94178422	56-146	1511302230
55-468	138985R91	55-918	277237C92	56-103	944096710	56-147	8943608011
55-493	105399HC	55-920	531247C91	56-104	94454978	56-148	1511109400
55-525	62977R92	55-922	700698C91	56-105	94450398	56-149	8970162870
55-525	62977R91	55-923	332542C92	56-106	1511106921	56-150	151110970
55-583	76333R91	55-923	BA31545	56-107	94450399	56-151	8944289260
55-591	59231R92	55-924	547297C91	56-108	1511107530	56-152	1511108320
55-600	896343R91	55-928	573371C91	56-109	94448152	56-152	94054277
55-604	896344R91	55-930	588204C1	56-110	1511108360	56-153	8943106130
55-608	896346R91	55-932	539559C91	56-111	94448153	56-154	8943700960
55-656	277237C91	55-934	1646756C91	56-111	1513003250	56-155	8944353240
55-670	267287C93	55-935	383166C91	56-112	1511106690	56-155	8943388421
55-681	169596R92	55-936	573367C91	56-112	94047772	56-156	1511109710
55-682	267967C92	55-940	1646760C91	56-113	94054959	56-157	8944673761
55-683	169605R91	55-942	1607784C91	56-113	1513103090	56-158	1511301261
55-687	174108R91	55-944	533563C91	56-114	94038289	56-159	8944353221
55-689	169536R91	55-946	870743C92	56-115	1513403941	56-159	8970625700
55-691	177156R92	55-948	869647C92	56-115	94055965	56-160	1511109891
55-695	174136R93	55-950	873414C92	56-116	94045526	56-161	894168580
55-697	169505R91	55-951	775840C91	56-116	1511106451	56-162	1511109901
55-719	190150R91	55-951	0847701	56-117	1513107131	56-163	8941668590
55-723	190131R91	55-952	873413C92	56-117	94051012	56-164	1511109350
55-729	426160R92	55-954	993122C91	56-118	94050048	56-165	8941668570
55-756	388265C91	55-955	415344C91	56-119	1513404130	56-166	1511108480
55-759	978441R91	55-956	543847C91	56-119	94051021	56-167	8941032260
55-767	218776R91	55-957	326635C92	56-120	94050429	56-168	1511302320
55-767	CA2056	55-958	588203C1	56-121	1513404570	56-169	8970654880
55-776	419656C91	55-959	423529C91	56-121	94051022	56-170	8970740760
55-796	865889C91	55-960	548507C91	56-122	1511108560	56-171	8970654870
55-803	169514R91	55-962	546491C92	56-122	1511108561	56-172	8971488010
55-805	256019C92	55-962	548208C2	56-122	94057591	56-173	1513108840
55-807	680812R93	55-964	584647C92	56-123	1513106931	56-174	8971199480
55-809	680822R91	55-966	544187C91	56-123	94047774	56-175	1513404480
55-812	437497C91	55-970	1646764C91	56-124	8970654850	56-175	94051235
55-814	443007C91	55-972	791901C91	56-125	94047783	56-176	8971490250
55-826	422981C91	55-973	349496C91	56-125	1513404341	56-177	1513405190
55-828	519289C91	55-973	BA25718	56-125	94947773	56-178	8971490220
55-840	422973C93	55-974	791902C91	56-126	8970654860	56-178	97149022
55-840	4229873C92	55-975	349501C91	56-127	94040262	56-179	1513405170
55-860	462061C91	55-975	BA24929	56-128	1511301250	56-180	8971199470
55-862	433821C91	55-976	1606839C91	56-129	94040270	56-181	1513109420
55-866	457949C91	55-977	863937C91	56-130	8943651680	56-182	8972141280
55-868	467752C91	55-977	BA30814	56-131	1513106551	56-182	97214128
55-870	472620C91	55-978	1610818C91	56-131	94046730	56-183	8970394100
55-872	477649C91	55-980	1646765C91	56-131	1513106552	56-185	8970394090
55-874	871098C92	55-981	413206C91	56-132	8943700950	56-187	1513109610
55-880	572351C91	55-981	415340C91	56-133	1513404210	56-189	1514100340
55-881	340197C91	55-982	1615574C91	56-133	94046738	56-191	8970654870
55-883	345977C91	55-984	310675R93	56-134	1511300940	56-193	8970654880
55-883	39100021	55-985	407598C91	56-135	1513107190	56-195	8970654870
55-884	572359C91	55-985	BA29720	56-135	94050436	56-197	8970654880
55-885	307150C91	55-986	664378C91	56-136	8943700940	56-199	1513405590
55-886	572375C91	55-987	407643C91	56-137	94050444	56-201	1513405960
55-889	177156R93	55-987	BA32701	56-138	1511109790	56-203	1513405090
55-890	997974C91	55-988	700693C91	56-139	8941668560	56-203	94058248

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
56-205	1513405520	59-101	K223C153	59-170	01762697	59-233	K223932
56-207	1513404880	59-102	K223C294	59-171	K223568	59-234	K2231030
56-209	1513003500	59-103	W22305C75	59-172	K223C726	59-235	K223934
56-211	1513004120	59-104	W223C297	59-173	K223572	59-236	K2231032
56-213	- - - - -	59-105	W223C63	59-174	K223662	59-237	K223940
56-215	1513003033	59-106	W223C209	59-175	K223597	59-238	K2231033
56-217	1513003900	59-107	W223C9	59-176	K223C500	59-239	K223955
56-219	1513004110	59-108	W223C296	59-177	K223606	59-240	K2231034
56-221	1513003120	59-109	K223C139	59-178	K223715	59-241	K233956
56-223	1513005030	59-110	W223C189L	59-179	K223607	59-242	K2231035
56-225	1513003621	59-112	K223189R	59-181	K223623	59-243	K223958
56-227	1513004020	59-113	K223C170	59-182	K223729	59-244	K2231036
56-229	1513003290	59-114	W223C157	59-183	K223677	59-245	K223959
56-231	1513004480	59-115	K223388	59-184	K223730	59-246	K2231037
56-233	8944407860	59-116	W223C248	59-185	K223678	59-247	K223982
56-235	8944407870	59-117	W22305C62	59-186	01763100	59-248	K2231038
56-237	8943700970	59-118	W223C195	59-186	01763101	59-249	K223988
56-239	8943700980	59-120	W223C292	59-187	K223679	59-250	K2231039
56-241	8970326210	59-121	W223342	59-188	K223713	59-251	K2231000
56-243	8941784310	59-122	W223C239	59-189	K223681	59-252	K2231041
56-245	1513004600	59-124	K223750	59-190	K223541	59-253	K2231001
56-247	1513004200	59-125	W223536	59-191	K223736	59-254	K2231042
56-249	8970740811	59-126	K223251	59-192	K223711	59-255	K2231002
56-251	97119980	59-127	K223C535	59-193	K223737	59-256	K2231043
56-253	97119981	59-128	W223C236	59-194	K223C603	59-257	K2231003
56-255	89711995002	59-129	W223C545	59-195	K223759	59-258	K223605
56-257	8971412350	59-130	K223C309	59-196	K223661	59-259	K2231004
56-257	97141235	59-131	K223666	59-197	K223799	59-260	K223644
56-259	8971412361	59-133	K223750	59-198	K223714	59-261	K2231018
56-259	97141236	59-134	W223C300	59-199	K223801	59-262	K223873
56-261	8970446942	59-137	K223665	59-200	K223747	59-263	K2231022
56-263	8943666120	59-138	K223310	59-201	K223806	59-264	K223884
58-101	8563188	59-139	K223766	59-202	K223710	59-265	K2231046
58-102	8559396	59-140	W223C331	59-203	K223819	59-266	K223885
58-103	8578750	59-141	K666100	59-204	K223663	59-267	K2231047
58-104	8559538	59-142	K223252	59-205	K223829	59-268	K223964
58-105	8587488	59-143	K223738	59-206	K223725	59-269	K2231048
58-106	8559528	59-144	W223258	59-207	K223838	59-270	K223965
58-107	8587488	59-145	HK738101	59-208	K223716	59-271	K2231049
58-108	8581299	59-146	W223577	59-209	K223844	59-272	K223968
58-109	8587488	59-147	K22337	59-210	K223768	59-273	K223407
58-110	8587483	59-148	W223578	59-211	K223848	59-274	K2231007
58-111	8587477	59-149	K223343	59-212	K223795	59-275	K223599
58-112	8587472	59-150	W223579	59-213	K223849	59-276	K2231008
58-113	8587477	59-151	K223361	59-214	K223778	59-277	K223990
58-114	8587382	59-152	W223581	59-215	K223865	59-278	K2231009
58-115	8587477	59-153	K223362	59-216	K223745	59-279	K2231168
58-116	8584904	59-154	K223C668	59-217	K223872	59-280	K2231010
58-117	8555218	59-155	K223363	59-218	K223773	59-281	K2231169
58-119	8555218	59-156	K223C669	59-219	K223878	59-282	K2231016
58-121	8555218	59-157	K223364	59-220	K223774	59-284	K2231017
58-123	8583544	59-158	K223C670	59-221	K223881	59-285	K223828
58-125	8593544	59-159	K223368	59-222	K223675	59-286	K2231052
58-127	8593544	59-160	K223C671	59-223	K223882	59-287	HK482101000
58-129	8583961	59-161	K223377	59-224	K223717	59-288	K2231092
58-131	8583961	59-162	K223C672	59-225	K223911	59-289	TE3511151
58-133	8583961	59-163	K223433	59-226	K223767	59-290	K223619
58-135	8583756	59-164	K223C674	59-227	K223912	59-291	TE3511151
58-137	8583756	59-165	K223439	59-228	K223712	59-292	K223621
58-139	8583756	59-166	K223540	59-229	K223913	59-293	TE3511151
58-141	8600160	59-167	K223529	59-230	K2231028	59-294	K223628
58-143	8600160	59-168	01762698	59-231	K223918	59-295	T16511157
58-145	8600160	59-169	K223547	59-232	K2231029	59-296	K223515

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
59-297	TE3511151A	59-424	K2231179	62-039	4QK3235A	62-1062	2QK3277
59-298	K223539	59-426	K2231172	62-039	4QK129AP8	62-1064	2QK484M
59-299	TE3511151A	59-428	HK481101440	62-041	4QK2597	62-1066	2QK3463
59-300	K223608	59-430	HK481101360	62-043	4QK2552	62-107	4QK3276
59-301	TE3511151A	59-432	K223265	62-047	4QK2417	62-109	4QK3292
59-302	K223664	59-434	T15411101	62-049	4QK3167A	62-111	4QK3290A
59-304	K223718	59-436	TE3411101	62-051	4QK3244	62-113	4QK3266
59-306	K223724	59-438	22112570	62-053	4QK3201	62-115	4QK3286
59-308	K223775	59-440	K223127330	62-055	4QK3174	62-117	4QK3273A
59-310	K223776	59-442	K2231242	62-057	4QK3108	62-119	4QK3293
59-312	K223777	59-444	HK481102330	62-059	4QK3109	62-121	4QK3269
59-314	K223785	59-446	HK481102190	62-061	4QK3110	62-123	4QK3258
59-316	K223786	59-448	K223121330	62-071	4QK3139	62-125	4QK3256
59-318	K223787	59-450	HK481102200	62-075	4QK3211B	62-125	4QK129AP9
59-320	K223788	59-452	K2231167	62-077	4QK3245	62-127	4QK3300
59-322	K223812	59-454	K223121530	62-079	4QK3251	62-1277	4QK3370
59-324	K223813	59-456	K2231214A30	62-081	4QK3254	62-1277	BA45121
59-326	K223814	59-458	K2231166	62-083	4QK3264	62-1277	BA46336
59-328	K223817	59-460	HK481102250	62-085	4QK3267	62-1281	4QK3373
59-330	K223836	59-462	HK481103030	62-087	4QK2569	62-1281	BA47057
59-332	K223867	59-464	HK481102706	62-089	4QK3210	62-1285	4QK3342
59-334	K223876	59-466	HK481102702	62-091	4QK3261	62-1287	4QK4108
59-336	K223898	59-468	HK481102709	62-093	4QK2552A	62-1289	4QK4126M4
59-338	K223904	59-470	K2231212A30	62-095	4QK3167B	62-129	4QK3259
59-340	K223907	59-472	K2231213A40	62-097	4QK3198A	62-1291	4QK3328
59-342	K223914	59-474	K2231212A40	62-099	4QK3193	62-1293	5000454382
59-344	K223923	59-476	K2231214A40	62-1000	2QK3441P4	62-1295	5000454382
59-346	K223925	59-478	K223120930	62-1002	2QK3441P5	62-1297	5000454382
59-348	K223943	59-480	K223127390	62-1004	2QK478	62-1299	5000454383
59-350	K223945	59-482	HK481101449	62-1006	2QK469M	62-1301	5000454383
59-352	K223966	59-486	K223969	62-1008	2QK481M	62-1303	5000454383
59-354	K223967	61-101	005000013	62-101	4QK3274	62-1305	4QK4140M
59-356	K223978	61-103	005000132	62-1010	2QK3433M	62-1307	4QK4131
59-358	K223981	61-106	003100004	62-1010	2QKX3433	62-1309	5010167523
59-360	K223994	61-108	003100008	62-1010	2QK3433	62-131	4QK3291
59-362	K223995	61-110	003100011	62-1012	2QK467AM	62-1311	4QK4129M
59-364	K223996	61-112	003100013	62-1014	2QK486	62-1313	4QK4119M
59-366	K223997	61-114	003100014	62-1014	2QK486M	62-1315	4QK4132M
59-368	K223998	61-116	003100015	62-1016	2QK470AM	62-1317	4QK3389M
59-370	K223999	61-118	003100016	62-1018	2QK487	62-1317	BA47474
59-372	K2231019	61-120	003100017	62-1018	2QK487M	62-1319	4QK3390M
59-374	K2231027	61-124	003100019	62-1020	2QK489	62-1319	BA48400
59-376	K2231044	61-126	003100021	62-1022	2QK3443	62-1321	4QK3374
59-382	K2231084	62-001	4QK3226C	62-1024	5010165553	62-1323	4QK588M
59-384	K2231085	62-003	4QK3234A	62-1026	50000541907	62-1323	5010064764
59-386	K2231093	62-003	4QK129AP7	62-1028	2QK3234P7	62-1325	4QK19368
59-388	K2231102	62-005	4QK3187C	62-103	4QK3275	62-1325	1261001
59-390	35149203	62-007	4QK3192	62-1030	50000541906	62-1327	4QK19369
59-392	35162315	62-009	4QK2589	62-1032	2QK3431M	62-1327	1261101
59-396	35165016	62-015	4QK2566	62-1034	2QK460	62-1329	4QK19371
59-398	35149005	62-017	4QK3194C	62-1036	2QK2254BP2	62-1329	1261301
59-400	K2231073	62-019	4QK3229	62-1038	2QK3339	62-133	4QK3280
59-402	35149217	62-019	4QK129AP6	62-1042	2QK3458	62-1331	4QK3394M
59-404	K2231124	62-021	4QK2569	62-1044	2QK4100	62-1331	1622701
59-406	K2231114	62-023	4QK3212	62-1046	2QK3316	62-1333	4QK4146M
59-408	K2231125A	62-027	5QK246	62-1048	2QK3288	62-1335	4QK4139M
59-410	K2231134	62-029	4QK2585A	62-105	4QK3264	62-1337	4QK4141M
59-412	K2231155	62-031	4QK3219A	62-1050	2QK3257	62-1337	48645001
59-414	K223892	62-031	4QK129AP3	62-1052	2QK2400	62-1339	4QK4151M
59-416	K223933	62-033	4QK3208A	62-1054	2QK466	62-1339	58865000
59-418	K223957	62-035	4QK3205A	62-1056	2QK452	62-1341	4QK4152M
59-420	K2231171	62-037	4QK3220A	62-1058	2QK4977	62-1341	58863000
59-422	35162036	62-037	4QK129AP4	62-1060	2QK499	62-1343	4QK3372

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
62-1343	BA45027	62-217	4QK129AP10	62-618	2QK3135	62-760	2QK3234P4
62-1345	4QK4018	62-219	4QK3328	62-622	2QK3138A	62-762	2QK3234P5
62-1347	4QK4150M	62-221	5000541098	62-624	2QK3138B	62-764	2QK3234P6
62-1349	4QK4156M	62-223	50001000361	62-626	2QK3139	62-766	2QK3175A
62-135	4QK3294	62-225	50001000362	62-628	2QK3143	62-770	2QK3299A
62-1351	4QK4148M	62-227	5000540104	62-630	2QK3144	62-770	2QK3275A
62-1353	4QK4149M	62-229	50001000360	62-632	2QK3145	62-772	2QK3303A
62-1355	4QK4138	62-231	4QK472	62-634	2QK3146	62-776	2QK3310A
62-1355	1883401	62-233	5QK247	62-636	2QK3129B	62-778	2QK3300A
62-1357	4QK3296	62-235	4QK3344	62-638	2QK3170	62-780	2QK446
62-1359	4QK3397	62-237	4QK3240	62-640	2QK3171	62-782	2QK3304
62-1361	4QK4160M	62-239	4QK3305	62-642	2QK3172	62-784	2QK3280A
62-137	4QK497A	62-241	4QK3338	62-642	2QK3321	62-786	2QK3267A
62-137	4QK497	62-241	1021201	62-644	2QK3180	62-788	2QK3298A
62-139	4QK499	62-241	4QK19350	62-646	2QK3181	62-790	2QK3210
62-141	4QK4002	62-243	4QK3330	62-648	2QK3201	62-792	2QK3281A
62-143	4QK4004	62-243	0842601	62-652	2QK3173A	62-794	2QK3249B
62-145	4QK3285	62-243	4QK19351	62-654	2QK3203	62-794	2QK3249A
62-147	4QK4005	62-245	4QK19302A	62-656	2QK3179	62-796	2QK3278
62-149	4QK498	62-245	0969601	62-658	2QK3191	62-798	2QK3254B
62-151	4QK4000	62-247	4QK19303	62-660	2QK3192	62-800	2QK3264A
62-153	4QK4001	62-247	0847001	62-662	2QK3214	62-802	2QK3309A
62-155	4QK4003	62-249	4QK19306	62-664	2QK3195	62-804	2QK3329
62-157	4QK4006	62-249	0847701	62-666	2QK3193	62-806	2QK3330
62-159	4QK4007	62-251	4QK19307	62-670	2QK3188B	62-808	2QK3331
62-161	4QK4008	62-251	0815701	62-672	2QK3211	62-810	2QK3332
62-163	4QK3283	62-253	4QK19352	62-674	2QK3221	62-812	2QK3333
62-165	4QK2620	62-253	0947501	62-678	2QK3174	62-814	2QK3334
62-165	39100003	62-253	4QK3354	62-680	2QK3190A	62-816	2QK3335
62-167	4QK3289A	62-255	4QK19353	62-682	2QK3197	62-818	2QK3337
62-169	4QK3183	62-255	0988401	62-684	2QK3189A	62-820	2QK3338A
62-171	4QK3295A	62-257	4QK19370	62-686	2QK3237	62-822	2QK3340
62-173	4QK4013	62-257	1261201	62-688	2QK3238	62-824	2QK3341
62-175	4QK3212B	62-259	4QK29303	62-690	2QK3232	62-826	2QK3378P5
62-175	4QK3212A	62-259	39100091	62-692	2QK3239	62-826	2QK3342
62-177	4QK2621	62-261	4QK3361	62-694	2QK3222	62-826	2QK3398
62-177	39100091	62-263	4QK3368M	62-696	2QK3242	62-828	2QK3378P1
62-179	4QK3325	62-265	4QK3369M	62-698	2QK3239B	62-828	2QK3364
62-179	4QK3345	62-265	4QK3369AM	62-700	2QK3240	62-828	2QK3343
62-181	4QK3321	62-267	4QK3385M	62-702	2QK3234P2	62-830	2QK3378P2
62-181	4QK4126M3	62-267	4QK4125M	62-704	2QK3236	62-830	2QK3351
62-185	4QK3324A	62-269	4QK4124M	62-706	2QK3240A	62-830	2QK3365
62-187	4QK3346	62-269	4QK3384M	62-708	2QK3242A	62-832	2QK3378P3
62-187	4QK3326	62-275	4QK4104	62-710	2QK3195A	62-832	2QK3403
62-189	4QK3347	62-275	4QK3353M	62-712	2QK3202	62-832	2QK39307
62-189	4QK3327	62-275	4QK4124M4	62-714	2QK3209	62-834	2QK3348A
62-191	4QK4014	62-285	4QK3342	62-716	2QK3246	62-836	2QK3349
62-193	4QK3361	62-287	4QK4108	62-720	2QK3233	62-838	2QK3378P6
62-193	4QK4126M	62-289	- - - - -	62-732	2QK3234AP1	62-838	2QK3345
62-195	4QK3318	62-550	2QK3129A	62-734	2QK3234AP3	62-838	2QK3399
62-197	4QK3319	62-592	2QK3115A	62-736	2QK3234AP4	62-840	2QK3378P7
62-199	4QK3343	62-594	2QK3116	62-738	2QK3234AP5	62-840	2QK3347
62-201	4QK3355	62-596	2QK3119	62-740	2QK3234AP6	62-840	2QK3404
62-203	4QK4020	62-598	2QK3120	62-742	2QK3238B	62-842	2QK3256B
62-205	4QK3246	62-600	2QK3121	62-744	2QK3241	62-844	2QK3328
62-207	4QK3268	62-602	2QK3122	62-744	2QK3268	62-846	2QK3250
62-209	4QK2629	62-604	2QK3124	62-746	2QK3255A	62-848	2QK3301A
62-211	4QK4124M2	62-606	2QK3125	62-748	2QK3243B	62-850	2QK3305A
62-211	4QK3368M	62-608	2QK3126	62-750	2QK3252A	62-852	2QK3336
62-213	4QK4125M2	62-610	2QK3127	62-752	2QK3190B	62-854	2QK3307A
62-213	4QK3369AM	62-612	2QK3130	62-754	2QK3234AP2	62-854	2QK3407A
62-213	4QK3369M	62-614	2QK3131	62-756	2QK3234P1	62-854	2QK3413AP1
62-215	5QK31M	62-616	2QK3134	62-758	2QK3234P3	62-856	2QK3308A

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
62-856	2QK3413AP2	62-950	2QK3368	64-113	MC626464B	69-106	54010Z0103
62-856	2QK3408A	62-951	4QK2555A	64-114	MB294780	69-106	54010Z0104
62-858	2QK3378P4	62-952	2QK453M	64-115	MC626465	69-107	5502001W00
62-858	2QK3363	62-953	4QK3142	64-116	MB294781B	69-108	54010Z5265
62-858	2QK3405	62-954	2QK39303AP1	64-117	MC626466	69-109	5502034W00
62-860	2QK3286A	62-955	4QK3143	64-118	MB294812G	69-110	54040Z5262
62-860	2QK3306A	62-956	2QK39303AP2	64-119	MC450269	69-111	55020B8000
62-862	2QK455	62-957	4QK2468	64-120	MB294818	69-112	54040Z5219
62-864	2QK3273	62-958	2QK39303AP3	64-121	MC452388A	69-113	55020B9800
62-866	2QK3322	62-959	4QK2563A	64-122	MC626899	69-114	5401001D00
62-868	2QK3323	62-960	2QK39303AP4	64-123	MB339458	69-115	5502048W00
62-870	2QK3326	62-961	4QK2473A	64-124	MC626890	69-116	5401001D01
62-872	2QK3327	62-962	2QK39303AP5	64-125	MC626464B	69-117	55020Z5105
62-874	2QK3380	62-963	4QK2557A	64-126	MC612688	69-117	50020Z5162
62-876	2QK3381A	62-964	2QK39303AP6	64-127	- - - - -	69-118	540100T900
62-878	2QK3382	62-965	4QK3156A	64-128	MC612689	69-119	55020Z5105
62-880	2QK3383A	62-966	2QK39303AP7	64-129	MC626465B	69-120	540100T910
62-882	2QK3388	62-967	4QK3153	64-130	MC612690	69-121	55020Z5105
62-884	2QK3237B	62-968	2QK3435M	64-131	- - - - -	69-122	54010Z5261
62-886	2QK3234AP7	62-970	5000541859	64-132	MC612691	69-123	55020Z5162
62-888	2QK456M	62-972	2QK477	64-133	MB391206B	69-124	54010Z5260
62-890	2QK3377	62-973	4QK2521A	64-134	MC626460	69-125	55020Z5162
62-892	2QK3352	62-973	4QK2521B	64-135	MB391106B	69-126	54010Z5308
62-894	2QK3395M	62-974	2QK476	64-136	MC626461	69-127	55020Z0115
62-894	2QK3373M	62-975	4QK2540A	64-137	- - - - -	69-128	5401030Z62
62-894	2QK3919M	62-976	2QK3444M	64-138	MC450264B	69-129	55020Z0115
62-896	2QK3371M	62-977	4QK3115	64-139	- - - - -	69-130	54010Z5274
62-898	2QK3425M	62-978	5000448214	64-140	MC450263B	69-131	55020Z0115
62-900	2QK3372M	62-979	4QK3116	64-141	MB391105A	69-132	54010Z5276
62-900	2QK3426M	62-980	5000448217	64-143	MB391105A	69-133	55010Z0116
62-902	2QK3358M	62-981	4QK3131A	64-145	MB391106A	69-134	5401030Z69
62-904	2QK3359M	62-982	2QK468M	64-147	MB391106A	69-135	55020Z0116
62-906	2QK3360M	62-983	4QK3155	64-149	MB391107A	69-136	54010Z5271
62-908	2QK457M	62-984	2QK3430M	64-151	MB391107A	69-137	55020Z0116
62-910	2QK458M	62-985	4QK2553A	64-153	NC626466B	69-138	5401030Z65
62-912	2QK459M	62-986	2QK3442M	64-155	- - - - -	69-139	5502030W00
62-914	2QK3429	62-987	4QK3141	64-157	MC450269	69-140	5401030Z14
62-916	2QK3245	62-988	2QK3457	64-159	MC450269	69-141	5502013600
62-918	2QK3287	62-990	2QK450	64-161	MC452388A	69-142	5401030Z64
62-920	5000540858	62-991	4QK2528	64-163	MC452388A	69-143	55020Z5201
62-922	5000540796	62-992	2QK451A	64-165	MC093507	69-144	54010Z5208
62-922	5000541166	62-993	4QK3159	64-167	MC093507	69-145	55020Z5175
62-924	5000448212	62-994	2QK3441P	64-169	MC093507	69-146	54010Z5202
62-926	5000448215	62-995	4QK3161	64-171	MC626909	69-147	5502031G00
62-928	5000448209	62-996	2QK3441P2	64-173	MC626909	69-148	54010Z5209
62-930	5000546211	62-997	4QK3211	64-175	- - - - -	69-149	5502015G00
62-932	5000448218	62-998	2QK3441P3	65-131	3763201108	69-150	54010Z5213
62-934	5000449633	62-999	4QK3227	66-329	F3XY5560A	69-151	5502001G01
62-936	5000447749	62-999	4QK129AP5	66-329	F3XA5560FF	69-152	54010Z5207
62-937	4QK2473	63-201	UC8628010A	66-331	F3XY5560B	69-153	5502001D00
62-937	4QK2473A	63-203	UB3928010B	66-331	F3XA5560GF	69-154	54010Z5214
62-938	2QK447	64-101	MB391206B	66-333	F4XY5560A	69-155	5502001D00
62-939	4QK2480A	64-102	MC626461	66-333	F4XA5560AB	69-156	5401030Z15
62-940	2QK3269	64-103	MB391326	66-335	F4XY5560B	69-157	5502001D00
62-942	2QK3324	64-104	MC626460	66-335	F4XA5560BA	69-158	5401030Z67
62-944	2QK3236B	64-105	MC626466	66-335	F4XA5560BB	69-159	5502001D01
62-945	4QK2347A	64-106	MB294980A	68-101	55020H5200	69-160	5401030Z66
62-945	24QK2347	64-107	MB391105A	68-103	55020W6802	69-161	5502001D01
62-946	2QK3325	64-108	MB294981	69-101	5502044W01	69-162	54010Z5263
62-947	4QK2467	64-109	MB391106	69-102	54010Z5112	69-163	5502001D01
62-948	2QK441	64-110	MB294994	69-103	5502004W00	69-164	54010Z5211
62-950	2QK3413P3	64-111	MB391107A	69-104	54010Z5073	69-165	5502009D00
62-950	2QK3409	64-112	MB294995	69-105	5502020500	69-166	54010Z5210

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
69-167	5502009D00	71-143	RE36294	71-244	U117477	75-138	0201160
69-168	54010Z5212	71-144	1588220	71-246	U117067	75-139	0303858
69-169	5502009D00	71-145	RW24342	71-248	U111722	75-140	0201113
69-170	54010Z5216	71-145	1JD419	71-250	U111612	75-141	0304334
69-171	5502030Z19	71-146	1588220	71-252	U116170	75-142	0200291
69-172	54010Z5215	71-147	RW24343	71-254	RE36293A	75-143	0304584
69-173	5502030Z19	71-147	1JD420	71-256	3254455	75-144	0201056
69-174	54010Z5217	71-148	1588220	71-258	3254455	75-145	0304193
69-175	5502030Z19	71-149	49374C	71-260	3254455	75-146	0201111
69-176	54010Z0109	71-150	58340C	75-101	0300333	75-147	0305121
69-177	55020Z5106	71-151	115726	75-101	A03333	75-148	0201333
69-179	55020Z5106	71-152	1518880	75-105	0301663	75-149	0302913
69-181	55020Z5106	71-153	U106029	75-105	A031663	75-150	0201420
69-183	5502030Z62	71-154	5492G	75-107	0301992	75-151	0305850
69-185	5502030Z62	71-155	U111464	75-107	A031292	75-152	0201472
69-187	5502030Z62	71-156	5493G	75-107	1AAB23	75-153	0306552
69-189	55020Z5202	71-157	RE36293A	75-108	0200490	75-154	0201849
69-191	55020Z5202	71-158	5494G	75-108	A02490	75-155	0302912
69-193	55020Z5172	71-160	19310C4	75-108	25920351S	75-156	0201788
69-195	55020Z5170	71-162	9318G	75-109	0302158	75-157	0305845
69-197	55020Z5170	71-164	9319G	75-109	A032158	75-158	0201790
69-199	55020Z5170	71-166	12454F3	75-110	0200171	75-159	0304809
69-201	55020Z5171	71-168	12454F3	75-110	A02171	75-160	0201799
69-203	55020Z5171	71-170	12454F3	75-111	0302160	75-161	0306996
69-205	55020Z5171	71-172	1666GX	75-111	A032160	75-162	0201207
69-207	55020Z5172	71-174	1667G	75-113	0300445	75-163	0307640
69-209	55020Z5172	71-176	1668G	75-113	A0300445	75-164	0201441
69-211	55020Z5172	71-178	1543330	75-114	0200277	75-166	0201708
69-213	55020Z5176	71-180	125171C	75-114	A02277	75-168	0201726
69-215	55020Z5176	71-182	RW23988	75-115	0300526	75-170	0201728
69-217	55020Z5176	71-184	RW23809	75-115	A0300526	75-172	0201789
69-219	55020Z0064	71-186	U104962	75-117	0302729	75-174	0201791
69-221	55020Z0064	71-188	4513F	75-117	A0302729	75-176	0201792
69-223	55020Z0064	71-190	010193	75-119	0300751	75-178	0201817
69-225	55020Z5179	71-192	57094C	75-119	A03751	75-180	0201818
69-227	55020Z5179	71-194	4545F	75-119	A03646	75-182	0201850
69-229	55020Z5179	71-196	- - - - -	75-120	0200664	75-184	0202595
69-231	55020Z5200	71-198	- - - - -	75-120	A02664	75-186	0202149
69-233	55020Z5200	71-200	4546F	75-121	0300726	75-188	0202064
69-235	55020Z5200	71-202	- - - - -	75-121	0300385	75-190	0201922
69-237	55020Z5175	71-204	1586320	75-121	03726	75-192	0201923
69-239	55020Z5175	71-206	1662490	75-122	0200519	75-194	0202032
69-241	55020Z5201	71-208	1662490	75-122	A02520	75-196	0201806
69-243	55020Z5201	71-210	1662490	75-122	A02519	75-198	0202070
69-245	550300B002	71-212	U105991	75-123	0300725	75-200	35153205
69-245	F3XA5560FF	71-212	0105991	75-124	0200339	75-202	0202074
69-247	550200B012	71-214	RE37064	75-124	A02340	75-204	0202336
69-247	F3XA5560GF	71-216	RE36573	75-124	A02339	75-206	35153201
69-249	550203S504	71-218	2060840	75-125	0302432	75-208	0202148
69-251	550203S505	71-220	2060840	75-126	0200355	75-210	0205845
69-253	550203S563	71-222	2060840	75-127	0304333	75-212	0202177
69-255	550204S100	71-224	1782600	75-128	0200774	75-214	0202577
69-257	550207Z101	71-226	1782600	75-129	0303953	75-216	0202375
69-259	550207Z300	71-228	1782600	75-130	0200960	75-218	0202906
71-130	27224X	71-230	U102350	75-130	A0200960	75-220	0202099
71-130	19310C4	71-230	5JD726	75-131	0300450	75-222	0202600
71-132	12403F1	71-230	U702350	75-132	0200927	75-224	0202889B
71-133	1663GX	71-232	P106708	75-132	A0200927	75-226	0202937
71-135	1664GX	71-234	RE36574	75-133	0300950	78-218	0202906
71-137	1665GX	71-236	12454F4	75-134	0200935	78-755	4026817
71-139	U102128	71-238	12454F4	75-135	0303269	78-775	4131332
71-141	U101801	71-240	U104914	75-136	0201147	78-775	3845954
71-142	67872C	71-242	U116169	75-137	0303350	82-510	535SS217

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
82-512	535S218	83-239	1904501	88-123	62310347	90-217	482100C030
82-514	535S219	83-241	2016202	88-124	62300210	90-219	482200C040
82-516	535S221	83-241	2016201	88-125	62310309	90-221	482100C040
82-518	535S222	83-243	1622702	88-126	62300212	90-223	482200C010
82-520	535S223	83-245	162203	90-115	4821035460	90-225	482200C030
82-522	575SS2	83-247	1622704	90-117	4821035770	90-227	482106A040
83-107	0847701	83-249	1622705	90-118	4811060250	90-229	4822060100
83-111	0969601	83-251	2016301	90-119	4821035490	90-233	4821060742
83-113	0815701	83-253	1904801	90-120	4811060391	92-101	257252
83-115	0947501	83-255	1567603	90-121	4821035341	92-102	257229
83-117	1021201	83-257	1996701	90-122	4821035700	92-103	257259
83-121	0842601	83-259	1893201	90-123	4821060430	92-104	257230
83-123	1274101	83-261	1628601	90-124	4812035051	92-105	257534
83-123	1258901	83-261	1702601	90-125	4821060740	92-106	257526
83-127	0988401	83-263	1884501	90-126	4811035111	92-107	257558
83-129	1395001	83-265	1884502	90-127	4821035311	92-108	257546
83-129	1285001	83-267	1893101	90-128	4811060411	92-109	257577
83-133	1285801	83-269	2146701	90-129	4821035271	92-110	257547
83-141	1309801	83-271	2128601	90-130	4811060560	92-111	257578
83-143	1261001	83-273	HP482101500A	90-131	4821035810	92-112	257548
83-147	1261301	83-275	1622706	90-133	4821035610	92-113	257579
83-149	1272001	83-277	2114701	90-135	4821035700	92-114	257555
83-151	1281201	83-279	1987601	90-135	4821035701	92-115	257580
83-153	1281301	83-281	1987701	90-137	4821035420	92-116	257560
83-159	1432201	83-283	1883401	90-139	4821035261	92-117	257584
83-161	1448201	83-285	1673202	90-141	4821035401	92-118	257563
83-163	1020801	83-287	1673301	90-143	4821034070	92-119	- - - - -
83-167	1567601	85-105	151799	90-145	4821034060	92-120	257566
83-169	1233001	85-107	151812	90-147	4821034050	92-121	6877435
83-171	1465301	85-109	152056	90-149	4821004031	92-122	257572
83-181	1702601	85-111	152243	90-151	4821004041	92-123	- - - - -
83-183	1702601	85-112	152059	90-153	5821004051	92-124	257573
83-185	1702601	85-114	152133	90-155	4822004020	92-125	- - - - -
83-185	1778701	85-117	152255	90-157	4821034110	92-126	257581
83-187	1778701	85-201	- - - - -	90-159	4821034090	92-127	6776744
83-189	1778701	85-202	- - - - -	90-161	4821004032	92-128	257585
83-191	0864701	85-203	- - - - -	90-163	4822004011	92-129	6794632
83-193	1660701	85-204	- - - - -	90-165	4821004042	92-130	257590
83-195	1823001	85-205	3172576343	90-167	4821004053	92-131	6794632
83-197	1823001	86-202	0177SS21	90-169	4822004022	92-132	257594
83-199	1823001	88-101	61310200	90-171	4821004080	92-133	6794632
83-201	1388101	88-101	62031099	90-173	4822004030	92-134	6872264
83-203	1465401	88-102	61300499	90-175	4821035640	92-135	6771287
83-205	1471201	88-103	61310208	90-177	4821034080	92-136	6875444
83-207	1472001	88-104	61300501	90-179	4821004100	92-137	6771287
83-209	1492101	88-105	61310211	90-181	4821004090A	92-138	257606
83-211	1492201	88-106	61300509	90-183	4822004040A	92-139	6771287
83-213	1511401	88-107	61310215	90-185	4821004240	92-140	257433
83-215	1520401	88-108	62030065	90-187	4822004090	92-141	6795411
83-217	1530301	88-109	62310221	90-189	4821004230	92-142	257434
83-219	1626401	88-110	62300098	90-191	4822004080	92-143	V6877432
83-221	1632501	88-111	62310222	90-193	4821004130	92-144	6771299
83-223	1628701	88-112	62300161	90-195	4822004060A	92-145	V6877432
83-225	1622701	88-113	62310270	90-197	4821004110A	92-146	6792235
83-227	1660201	88-114	62300169	90-199	4822004050A	92-147	V6877432
83-229	1565601	88-115	62310228	90-201	4821004180A	92-148	6793921
83-231	1868601	88-116	62300165	90-203	4822004070	94-1217	350033416
83-233	1740101	88-117	61310216	90-205	4821035660	94-1248	371013431
83-233	1701801	88-118	62300121	90-207	482100C010	94-1250	371013460
83-235	1740201	88-119	62310310	90-209	4821060651	94-1252	371013461
83-235	1701901	88-120	62310268	90-211	4821060201	94-1254	371013462
83-237	1904401	88-121	62310311	90-213	4821060250	94-1256	371013463
83-239	1904601	88-122	62300178	90-215	4821060661	94-1258	371013464

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
94-1260	371013465	94-218	371013450	96-1241	1017498	96-133	027134253
94-1262	371013466	94-220	371013451	96-1241	BA21791	96-133	BA44072
94-1264	371013467	94-222	371013454	96-1242	371013438	96-134	049040263
94-1266	371013468	94-224	371013456	96-1243	1017497	96-135	350033206
94-1268	371013469	94-226	371013457	96-1243	BA24929	96-136	049040615
94-1270	371013470	94-228	371013458	96-1244	371013453	96-137	350090028
94-1272	371013471	94-230	371013459	96-1245	310591	96-138	371013404
94-1274	371013472	94-232	371014004	96-1245	BA27168	96-139	350090029
94-1276	371013473	94-234	371014005	96-1246	371013214	96-140	371013405
94-1278	371013474	94-236	371014006	96-1247	350035019	96-141	350090030
94-1280	371013475	94-238	371013455	96-1247	BA45027	96-142	371013407
94-1282	371013476	94-242	371013438	96-1248	371013431	96-143	350093205
94-1284	371013485	94-244	371013453	96-1249	350035009	96-144	371013421
94-1286	371013494	96-101	8027417	96-1249	BA45071	96-145	350093206
94-1288	371013491	96-102	371010073	96-125	027140698	96-146	371013425
94-1290	371013486	96-103	350013201	96-1250	371013460	96-147	350030036
94-1292	371013492	96-103	350033202	96-1251	027140464	96-148	371013426
94-1298	371013501	96-104	371010076	96-1251	BA44064	96-149	350030037
94-1300	371013502	96-105	350270005	96-1253	350035021	96-150	371013201
94-1302	371013503	96-106	371010012	96-1253	BA45032	96-151	350090038
94-1304	371013505	96-107	027012440	96-1255	350030008	96-152	371010077
94-1306	371013508	96-108	371010066	96-1255	0988401	96-153	350030039
94-1308	371013509	96-109	027012441	96-1257	350030022	96-154	371010078
94-1310	371013510	96-110	371010072	96-1257	1261201	96-155	350090031
94-1312	371013511	96-111	350270001	96-1259	8075378	96-156	371010079
94-1314	371013513	96-112	371010074	96-126	V8057996	96-157	350090032
94-1316	371013514	96-113	350270002	96-1261	8180246	96-158	371010082
94-1318	371013518	96-114	371010075	96-1262	371013466	96-159	027101500
94-1320	371013520	96-115	8057302	96-1263	8180247	96-159	0847001
94-1322	371013521	96-116	371013202	96-1265	3973352	96-160	371010084
94-1324	371013522	96-117	8057303	96-1267	350033210	96-161	027109188
94-1326	371013523	96-118	371013203	96-1268	371013469	96-161	0842601
94-1328	371013524	96-119	350090020	96-1269	8086648	96-162	371010085
94-1330	371013525	96-120	371013204	96-127	350090022	96-163	350030014
94-1332	371013526	96-1203	350038006	96-1271	8086653	96-163	0947501
94-1334	371013527	96-1205	350038007	96-1273	8086647	96-164	371010086
94-1336	371013528	96-1207	350038013	96-1274	371013472	96-165	350035020
94-1338	371013529	96-1209	8069347	96-1275	8085457	96-165	BA47057
94-1340	371013530	96-121	350090021	96-128	V8057997	96-166	371013206
94-1342	371013531	96-1211	8069348	96-1282	371013476	96-167	350090033
94-1344	371013532	96-1213	8065215	96-1284	8162437	96-168	371013207
94-1346	371013533	96-1215	8065216	96-1286	8161949	96-169	350090034
94-1348	371013480	96-1215	350013202	96-1288	350273203	96-170	371013208
94-185	350033403	96-1219	8060822	96-129	350090023	96-171	350030045
94-187	350033402	96-122	371013205	96-1290	8028398	96-172	371013209
94-188	371013413	96-1221	V8057232	96-1292	371013215	96-173	350033211
94-189	350033405	96-1223	8060980	96-1294	3082253	96-174	371013813
94-190	371013429	96-1225	8178082	96-1296	8062823	96-175	371010057
94-191	350033406	96-1227	8178083	96-1298	8021566	96-176	371013817
94-192	371013434	96-1229	3934167	96-130	V8057998	96-177	350013202
94-194	371013437	96-123	027088690	96-1300	371013213	96-178	371018001
94-196	371013437A	96-123	BA30813	96-1302	3933461	96-179	V8060664
94-198	371013437B	96-1231	350033806	96-1304	3082254	96-180	371013211
94-200	371013439	96-1231	48874000	96-1306	8024559	96-181	V8060665
94-201	350493401	96-1233	350033809	96-1308	257810	96-182	371013212
94-202	371013440	96-1233	48645000	96-131	350033205	96-183	350273202
94-204	371013441	96-1235	350030033	96-1310	3938112	96-184	371010089
94-206	371013442	96-1235	BA47474	96-1312	8161966	96-185	350033403
94-208	37101443	96-1237	350030035	96-1314	257811	96-186	371010032
94-210	371013444	96-1237	BA47475	96-1316	8181099	96-187	350033402
94-212	371013445	96-1239	02710328	96-1318	8083845/60094	96-188	371013413
94-214	371013446	96-1239	DE7977	96-132	V8059619	96-189	350033405
94-216	371013449	96-124	V8057994	96-1320	8027786	96-190	371013429

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
96-191	350033406	96-884	371010015	96-963	350090014	97-531	8952000050
96-192	371013434	96-886	371010018	96-963	350090018	97-533	52000051
96-194	371013437	96-889	027018431	96-964	371010054	97-533	8952000051
96-196	371013437A	96-890	371013402	96-965	350090015	97-535	52000706
96-198	371013437B	96-894	371010010	96-965	350090019	97-535	8952000706
96-200	371013439	96-896	371010006	96-966	371010055	97-537	52000544
96-201	350493401	96-896	371010049	96-967	350090016	97-537	8952000544
96-202	371013440	96-898	371010008	96-968	371010056	97-539	52000545
96-204	371013441	96-902	V8001036	96-969	350030010	97-539	8952000545
96-206	371013442	96-902	8001036	96-969	350030031	97-541	52000707
96-208	371013443	96-904	V8001037	96-970	371013607	97-541	8952000707
96-210	371013444	96-904	8001037	96-972	371010057	97-545	52002390
96-212	371013445	96-906	V8001071	96-973	350035014	97-545	8952002390
96-214	371013446	96-906	8001071	96-973	BA45025	97-547	52002392
96-216	371013449	96-907	350030001	96-974	371010029	97-547	8952002392
96-218	371013450	96-908	V8001080	96-975	350035005	97-549	52001240
96-220	371013451	96-908	8001080	96-975	BA45121	97-549	8952001240
96-222	371013454	96-910	V8001082	96-976	371010059	97-551	52002351
96-224	371013456	96-910	8001082	96-977	350035013	97-551	8952002351
96-226	371013457	96-912	027024542	96-977	BA45322	97-553	52001824
96-228	371013458	96-913	350030002	96-978	371013601	97-553	8952001824
96-230	371013459	96-914	027024544	96-980	371013602	97-555	52002350
96-232	371014004	96-915	350090003	96-981	027102459	97-555	8952002350
96-234	371014005	96-916	371010044	96-982	371010058	97-559	52002312
96-236	371014006	96-917	350090007	96-983	350030030	97-559	8952002312
96-238	371013455	96-918	371010048	96-983	350030027	97-561	5984517
96-240	371013815	96-919	027136992	96-984	371010060	97-563	52003208
96-242	371013438	96-920	371010050	96-985	350093201	97-563	8952003208
96-244	371013453	96-922	371010051	96-986	371010061	97-565	52003209
96-638	550819	96-923	350090002	96-988	371010062	97-565	8952003209
96-662	550828	96-924	371010052	96-990	371010063	97-567	52003449
96-670	544942	96-924	371010045	96-992	371010065	97-567	8952003449
96-674	544943	96-925	538821	96-993	350035016	97-569	5995976
96-676	569238	96-926	371013604	96-993	BA45026	97-571	52003676
96-692	550816	96-927	350090001	96-994	371010067	97-571	8952003676
96-694	550817	96-928	371013605	96-995	027101303	97-573	52006448
96-696	550820	96-930	371013606	96-996	371010068	97-575	52006444
96-698	550821	96-931	350090008	96-997	350090004	97-577	52006446
96-712	554584	96-935	350040001	96-998	371010071	97-579	52006445
96-714	550818	96-937	350030007	96-999	350093204	97-581	52006447
96-714	049045647	96-937	350030021	96-999	8027418	97-583	52001825
96-728	027100561	96-938	027000872	97-396	5362950	97-585	52000543
96-734	573569	96-939	350090009	97-398	5362949	97-585	8952000543
96-810	027068875	96-940	027011559	97-400	5362951	99-101	- - - - -
96-811	518963	96-941	350030003	97-402	5362952	99-102	7060000
96-811	BA24313	96-942	371010030	97-404	5362954	99-103	- - - - -
96-830	371010003	96-943	350030008	97-406	5362953	99-104	2551150
96-832	371010004	96-943	350030029	97-436	5984516	99-105	- - - - -
96-838	371010001	96-944	371010031	97-438	52003207	99-106	2551173
96-838	371010046	96-945	350035008	97-438	8952003207	99-107	9166810
96-840	371010007	96-945	BA45028	97-440	52003206	99-107	1181
96-842	371010047	96-946	371010032	97-440	8952003206	99-108	9961346
96-842	371010002	96-948	371010033	97-442	52003448	99-109	2566225
96-844	371010009	96-950	371010034	97-442	8952003448	99-110	2551155
96-846	371010013	96-952	371010035	97-444	5995653	99-111	2566279
96-848	371010016	96-954	371010036	97-446	52003448	99-112	2551171
96-848	371010005	96-955	350030016	97-446	8952003448	99-113	2566307
96-850	371010019	96-956	371010037	97-448	4636975	99-114	2551156
96-854	027104738	96-958	371010038	97-459	5355576	99-115	2566242
96-858	371010011	96-959	350030004	97-493	5362956	99-116	2551172
96-871	027006837	96-960	371010039	97-517	5364156	99-117	2566254
96-873	027006838	96-961	350090012	97-519	5364155	99-118	524281
96-882	371010017	96-962	371010053	97-531	52000050	99-119	2566309

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.	SRI No.	OEM No.
99-120	598241	99-138	242863	99-157	- - - - -	99-173	53198
99-121	2566243	99-139	514342	99-158	2551153	99-174	S179
99-122	41040009	99-140	241283	99-159	9620442	99-175	53178
99-123	2566308	99-141	512938	99-160	53196	99-176	1400087
99-124	4104000A	99-142	MC2892000	99-161	A2566224	99-177	80383233
99-125	518853	99-143	RW24010	99-162	53406	99-178	90022880
99-125	524273	99-144	- - - - -	99-163	A2566233	99-180	9963086
99-126	MC28920001	99-145	RW24011	99-164	90009756	99-182	90007196
99-126	5738895	99-146	- - - - -	99-164	S410	99-184	90009756
99-127	518404	99-147	- - - - -	99-165	A2566241	99-186	520056
99-128	53405	99-148	- - - - -	99-166	90007196	99-188	520053
99-129	511320	99-149	53199	99-167	2566244	99-190	520068
99-130	5317619	99-150	1042	99-168	53540076	99-192	520052
99-131	510407	99-151	517588	99-168N	53540076	99-194	D7834000151
99-132	56197	99-152	2551149	99-169	2566245	99-196	7834000197
99-134	537842	99-153	517589	99-170	53540075	99-198	- - - - -
99-135	516696	99-154	2551151	99-170N	53540075	99-200	- - - - -
99-136	537595	99-155	483683002	99-171	A2566253	99-202	980065
99-137	512479	99-156	2551152	99-172	62039	99-204	90022881

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

BUSHINGS
SHOWN IN ‘‘BUSHING’’ COLUMNS IN THIS CATALOG

BRONZE BUSHINGS

Part No.	O.D.		I.D.		Length
FCB	3/4	X	9/16	X	1-3/4
HDC	7/8	x	5/8	x	2
JFC	1	X	3/4	X	2
JFD	1	X	3/4	X	2-1/4
JFE	1	X	3/4	X	2-1/2
JFG	1	X	3/4	X	3
LHE	1-1/8	x	7/8	x	2-1/2
LHG	1-1/8	x	7/8	x	3
NHE	1-1/4	x	7/8	x	2-1/2
NHG	1-1/4	X	7/8	X	3
NJC	1-1/4	x	1	x	2
NJD	1-1/4	x	1	x	2-1/4
NJE	1-1/4	x	1	x	2-1/2
NJG	1-1/4	x	1	x	3
NJI	1-1/4	x	1	x	3-1/2
NJK	1-1/4	x	1	x	4
OJG	1-5/16	x	1	x	3
OLG	1-5/16	x	1-1/8	x	3
PJG	1-3/8	x	1	x	3
PJI	1-3/8	x	1	x	3-1/2
PLE	1-3/8	x	1-1/8	x	2-1/2
PLG	1-3/8	x	1-1/8	x	3
PLI	1-3/8	X	1-1/8	X	3-1/2
PLK	1-3/8	x	1-1/8	x	4
QLG	1-7/16	x	1-1/8	x	3
QLI	1-7/16	x	1-1/8	x	3-1/2
RFC	1-1/2	x	3/4	x	2
RLC	1-1/2	x	1-1/8	x	2
RNE	1-1/2	x	1-1/4	x	2-1/2
RNG	1-1/2	x	1-1/4	x	3
RNI	1-1/2	x	1-1/4	x	3-1/2
RNK	1-1/2	x	1-1/4	x	4
SMK	1-9/16	x	1-3/16	x	4
SNG	1-9/16	x	1-1/4	x	3
SNK	1-9/16	x	1-1/4	x	4
TNG	1-5/8	x	1-1/4	x	3
TNI	1-5/8	x	1-1/4	x	3-1/2
TNK	1-5/8	x	1-1/4	x	4
TOO	1-5/8	x	1-5/16	x	5
TPG	1-5/8	x	1-3/8	x	3
TPI	1-5/8	x	1-3/8	x	3-1/2
TPK	1-5/8	x	1-3/8	x	4
UOK	1-11/16	X	1-5/16	X	4
UQG	1-11/16	x	1-7/16	x	3
UQK	1-11/16	x	1-7/16	x	4
VNO	1-3/4	x	1-1/4	x	5
VPE	1-3/4	x	1-3/8	x	2-1/2
VPK	1-3/4	x	1-3/8	x	4
VPO	1-3/4	x	1-3/8	x	5
VRG	1-3/4	x	1-1/2	x	3
VRK	1-3/4	x	1-1/2	x	4
WSI	1-13/16	x	1-9/16	x	3-1/2
XRE	1-7/8	x	1-1/2	x	2-1/2
XRG	1-7/8	x	1-1/2	x	3
XRI	1-7/8	x	1-1/2	x	3-1/2
XRK	1-7/8	x	1-1/2	x	4
XSI	1-7/8	x	1-9/16	x	3-1/2
XTG	1-7/8	x	1-5/8	x	3
ZVG	2	x	1-3/4	x	3
ZVI	2	x	1-3/4	x	3-1/2
BBVK	2-1/8	x	1-3/4	x	4

BRONZE METRIC BUSHINGS (MM)

Part No.	O.D.		I.D.		Length
M7-3024	30	x	24	x	70
M7-3025	30	x	25	x	70
M7-3428	34	x	28	x	70
M7-3630	36	x	30	x	70
M8-3024	30	x	24	x	80
M8-3225	32	x	25	x	80
M8-3428	34	x	28	x	80
M8-3530	35	x	30	x	80
M8-3625	36	x	25	x	80
M8-3630	36	x	30	x	80
M8-3830	38	x	30	x	80
M8-3832	38	x	32	x	80
M8-4030	40	x	30	x	80
M9-3630	36	x	30	x	90
M9-4235	42	x	35	x	90
M10-3832	38	x	32	x	100
M10-4030	40	x	30	x	100
M10-4032	40	x	32	x	100

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

INCASED RUBBER BUSHINGS
RUBBER BUSHINGS per NUMBER

No. SRI	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB1	1-9/32	2	2-5/16	5/8	
RB2	1-11/32	2			
RB3	1-1/2	2-1/4	2-3/4	3/4	
RB4	1-13/32	2-1/4			
RB5	1-13/32	2-1/2			
RB6	1-9/16	2-3/4	3	3/4	
RB7	1-5/32	2	2-3/8	1/2	
RB8	1-5/32	2-1/2	3	3/4	
RB9	1-1/2	2-1/2	3	1/2	
RB11	1-7/32	1-3/4	2-1/8	9/16	
RB12	7/8	1-3/4	3-1/2	3/8	
RB13	7/8	2-1/4	4	3/8	
RB14	1-1/2	2			
RB15	1-1/2	2-1/4			
RB18	3/4	2	3-3/4	3/8	
RB19	3/4	2-1/4	4	3/8	
RB20	1-1/8	2-1/4	4-1/2	9/16	
RB21	1-5/16	2-1/4	2-3/4	9/16	
RB22	1	1-3/4			
RB23	1-5/8	2-1/2	3	3/4	
RB24	1-1/8	2	4	9/16	
RB25	1-1/8	2-1/4	4-1/4	9/16	
RB26	1-7/16	2-1/4	2-5/8	5/8	
RB27	1	1-3/4	4	7/16	
RB28	1-5/8	3	6	3/4	
RB29	1-1/8	3			
RB30	7/8	1-3/4	2	7/16	
RB31	7/8	2	3-1/4		
RB32	7/8	2	2-1/4	7/16	
RB33	7/8	2-1/2	2-7/8	7/16	
RB34	1-1/4	2-1/2	2-7/8	5/8	
RB35	1	2	2-5/16	1/2	
RB36	1-1/8	2-1/2	2-7/8	5/8	
RB37	7/8	1-3/4	1-13/16	7/16	
RB38	7/8	1-3/4	2	7/16	
RB39	1-3/8	2	2-5/16	1/2	
RB40	1-1/2	2-1/2	2-7/8	5/8	
RB41	1-1/8	2	2-9/16	1/2	
RB42	1-3/8	2-1/2	2-7/8	7/16	
RB43	1-3/8	2-1/2	3	1/2	
RB44	7/8	2	2-1/4	7/16	
RB45	7/8	2	2-1/2	7/16	
RB46	1-1/2	2-1/2	3	7/16	
RB47	1-3/8	2	2-1/2	7/16	
RB48	1	2-1/2	3	1/2	
RB49	1-1/8	2	3-1/4		
RB50	1	2	2-1/2	7/16	
RB51	1-1/4	2	2-5/8	5/8	
RB52	1-1/8	2-1/4	2-3/4	9/16	
RB53	1	2	2-1/8	7/16	
RB54	1-1/8	2	2-5/16	5/8	
RB55	7/8	2-1/2	3-1/8	7/16	
RB56	1	2	2-5/16	1/2	
RB57	1	2-1/2	2-7/8	1/2	
RB58	1-1/2	2-1/2	2-7/8	3/4	
RB59	1-1/2	2-1/2	3	7/16	
RB60	2	2-1/2	3-1/8	5/8	
RB61	1-1/8	2	2-1/2	9/16	

No. SRI	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB62	1-3/8	3	3-3/8	11/16	
RB63	2-1/8	4	4-3/8	1	
RB64	1-3/8	2-1/2	3	7/16	
RB65	2	2-1/4	2-3/4	9/16	
RB66	1-1/8	2-3/16	2-1/2	9/16	
RB67	2	2-1/4	2-1/2	9/16	
RB68	7/8	1-3/4	1-7/8	7/16	
RB69	2	2	2-1/2	1/2	
RB70	1-1/4	2-1/4	2-3/4	5/8	
RB71	1-1/2	2-1/2	2-3/4	9/16	
RB72	1-1/2	2-1/2	2-3/4	3/4	
RB73	1-11/16	3	3-1/4	15/16	
RB74	1-3/8	2-1/2	2-3/4	5/8	
RB75	1-13/16	3	3-1/4	1	
RB76	1-1/4	2-1/2	2-9/16	9/16	
RB77	1-3/4	2-1/2	2-3/4	9/16	
RB78	1-1/2	1-15/16	2-1/16	7/8	
RB79	1-3/4	1-15/16	2-3/16	9/16	
RB80	1-1/2	2-1/2	2-5/8	7/8	
RB81	1-1/4	2-1/2	2-7/8	5/8	
RB82	2-1/16	2-1/2	3	1/2	
RB83	2	2-1/2	3-1/4	5/8	
RB84	2-1/2	4	4-1/4	1-1/4	
RB85	1-1/4	2-1/2	2-11/16	9/16	
RB86	1-1/2	1-15/16	2-3/16	7/8	
RB87	1-1/2	2-1/2	2-3/4	7/8	
RB88	1-1/2	2	2-5/8	9/16	
RB89	1-3/8	2	2-1/2	9/16	
RB90	2	2-1/2	2-3/4	3/4	
RB91	1-1/2	2-1/2	3-1/8	5/8	
RB92	1-1/8	2	2-5/8	9/16	
RB93	1-5/8	2	2-5/8	9/16	
RB94	1-7/8x2-1/4	3	3-1/4	15/16	Oval
RB95	2	3	3-3/4	1/2	
RB96	2	3	3-3/4	1/2	
RB97	1-1/2	3	3-1/2	1/2	
RB98	1-1/2	3	3-1/2	9/16	
RB99	1-1/8	3	3-1/2	1/2	
RB100	1-11/16	2-1/2	2-3/4	3/4	
RB101	1-1/4	2-1/2	2-3/4	5/8	
RB102	1-1/4	3	3-3/8	9/16	
RB103	2-1/2	2-1/2	3-3/8	5/8	
RB104	1-5/8	2-1/2	2-3/4	7/8	
RB105	1-3/4	3	3-5/16	15/16	
RB106	2-1/16	1-3/4	2-3/8	1/2	
RB107	1-1/2	1-3/4	2-3/8	1/2	
RB108	2-1/16	2-1/2	3-1/16	1/2	
RB109	1-1/2	2-1/2	3-1/8	1/2	
RB110	1-3/8	2-1/2	2-3/4	9/16	
RB111	1-1/2	2-1/2	2-7/8	5/8	
RB112	1-1/8	2-1/2	2-7/8	1/2	
RB113	1-3/8	2-1/2	3	9/16	
RB114	1-1/2	2-1/2	3-1/8	9/16	
RB115	1-3/16	1-3/4	2	7/16	
RB116	1-13/16	3	3-1/4	7/8	
RB117	1-1/2	2-1/2	3	9/16	1 flange
RB118	1-1/4	2	2-3/4	9/16	
RB119	1-1/2	1-15/16	2-3/8	1/2	

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

INCASED RUBBER BUSHINGS
RUBBER BUSHINGS per NUMBER

SRI No.	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB120	1-1/4	2-1/2	2-3/4	9/16	
RB121	2	2-1/2	3-1/8	9/16	
RB122	2-3/8	5	5-5/16	1	
RB123	1-3/4	2-1/2	2-3/4	1	
RB124	1-9/32	2-1/2	2-7/8	5/8	
RB125	1-7/8	2	2-5/8	7/16	
RB126	1-7/8	2	2-9/16	3/8	
RB127	1-3/16	2	2-1/4	7/16	
RB128	1-1/2	2-1/2	2-3/4	9/16	
RB129	1-3/4	2-1/2	3	5/8	1 flange
RB130	2	2-1/2	2-3/4	9/16	
RB131	1-1/4	2-9/16	3	9/16	
RB132	1-3/8	3-1/16	3-1/2	5/8	
RB133	1-1/4	3-1/16	3-1/2	9/16	
RB134	1-1/2	3	3-1/4	5/8	
RB135	1-3/4	3	3-1/2	3/4	
RB136	1-3/4	2-1/2	3	9/16	
RB137	1-1/2	3	3-3/8	9/16	
RB138	1-3/4	2-1/2	2-3/4	9/16	
RB139	2X3	2-1/2	3-1/4	9/16	Oval
RB140	1-1/4	2-1/2	2-7/8	9/16	
RB141	1-3/4	2-1/2	2-7/8	1	
RB142	7/8	1-3/4	2-1/16	7/16	
RB143	2X3	2-1/2	3-1/8	5/8	Oval
RB144	1-1/2	2	2-7/8	9/16	
RB145	1-1/2	2-1/2	2-7/8	9/16	
RB146	1-3/4	3	3-5/16	7/8	
RB147	2X3	2-1/2	3-1/16	1/2	Oval
RB148	1-5/8	3	3-3/8	5/8	
RB149	1-3/8	3	3-3/8	9/16	
RB150	2X3	2-1/2	3-1/8	9/16	Oval
RB151	1-1/2	3-1/16	3-1/2	5/8	
RB152	1-3/8	3-1/16	3-1/2	9/16	
RB153	2	2-1/2	2-15/16	9/16	
RB154	2-1/4	*	3-1/8	3/4	
RB155	2	3	3-1/2	9/16	
RB156	1-9/32	2-1/2	2-3/4	5/8	
RB157	1-3/8	3-1/16	3-1/2	9/16	
RB158	1-5/8	3-1/16	3-1/2	5/8	
RB159	1-5/8	2-1/2	3	9/16	
RB160	1-1/4	2-1/2	3	9/16	
RB161	1-3/4	4	7	1	With round pin
RB162	2-1/2	4	4-1/4	7/8	
RB163	2-1/2	2-1/2	3-1/8	9/16	
RB164	2-9/16	2-3/16	5-3/4	1-1/8x1-1/2	With oblong pin
RB165	48mm	99mm	100mm	24mm	
RB166	48mm	99mm	183mm	27mm	With round pin
RB167	2-3/8	3	3-1/8	7/8	
RB168	3	3	3-1/4	1-3/4	
RB169	2-1/2	2-5/8	3-3/16	9/16	
RB170	1-1/2	2-1/2	2-7/8	9/16	
RB171	2X3	2-1/2	3-1/4	9/16	Oval
RB172	1-11/16	2-5/8	3	9/16	1 flange
RB173	42mm	70mm	80mm	16mm	
RB174	2-1/2	4	3-3/4	1	
RB175	1-3/4	4	6-3/4	3/4x1-3/16	With oblong pin
RB176	2	3	3-1/2	5/8	
RB177	1-13/16	3	3-1/2	3/4	

SRI No.	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB178	1-5/8	3	3-1/2	5/8	
RB179	2	4	4-1/2	9/16	
RB180	2	4	4-1/2	5/8	
RB181	1-13/16	4	4-1/2	13/16	
RB182	1-5/8	4	4-1/2	5/8	
RB183	40mm	34mm	40mm	16mm	
RB184	51mm	100mm	179mm	32mm	With round pin
RB185	2-5/8	5	8	1x1-7/16	With oblong pin
RB186	40mm	34mm	41mm	16mm	
RB187	2-1/2	4	4-1/4	1	
RB188	48mm	87mm	89mm	24mm	
RB189	48mm	87mm	171mm	27mm	With round pin
RB190	46mm	89mm	92mm	20mm	
RB191	52mm	74mm	77mm	22mm	
RB192	40mm	60mm	70mm	14mm	
RB193	45mm	80mm	140mm	25mm	With offset pin
RB194	50mm/55mm	*	95mm	16mm	Variable O.D.
RB195	55mm/62mm	*	120mm	20mm	Variable O.D.
RB196	46mm	100mm	161mm	25mm	With offset pin
RB197	36mm	70mm	80mm	14mm	
RB198	37mm	77mm	90mm	18mm	
RB199	2-1/2	4	6-3/4	7/8x1-1/2	With oblong pin
RB200	1-3/4	3-1/2			
RB201	33mm	60mm	70mm	12mm	
RB202	40mm	60mm	70mm	18mm	
RB203	1-3/4	3	3-9/16	3/4	
RB204	1-3/4	3	3-9/16	5/8	
RB205	2-1/2	3	7-1/2	7/8x1-13/16	With oblong pin
RB206	1-11/16	2-3/8	3	9/16	1 flange
RB207	1-5/8	2-1/2	3	5/8	
RB208	46mm	80mm	150mm	25mm	With offset pin
RB209	40mm	60mm	70mm	14mm	
RB210	55mmx73mm	70mm	80mm	14mm	Oval
RB211	57mm	100mm	108mm	21mm	
RB212	57mm	75mm	108mm	21mm	
RB213	1-5/8	*	3-1/2	5/8	
RB214	1-5/8	*	3-1/2	9/16	
RB215	2-1/2	*	3	9/16	
RB216	1-11/16	*	3	9/16	
RB217	1-7/16	2-1/2	2-3/4	5/8	
RB218	1-13/16	3	3-1/2	3/4	
RB219	1-13/16	3	3-1/2	5/8	
RB220	2	3	3-3/8	7/8	
RB221	2-1/2	3-1/4	3-1/2	1	
RB222	56mm/60mm	*	105mm	19mm	Variable O.D.
RB223	48mm/53mm	*	91mm	16mm	Variable O.D.
RB224	1-11/16	*	3	9/16	
RB225	2-1/4	*	4-1/2	9/16	
RB226	2-1/4	*	4-1/2	5/8	
RB227	2	3-1/8	3-1/2	.709	1 flange
RB228	42mm	72mm	81mm	16mm	
RB229	1-3/4	3-1/16	3-1/2	5/8	
RB230	1-23/32	2-1/2	3-1/16	9/16	
RB231	2	2-5/8	3	9/16	1 flange
RB232	2-5/8	5	5-5/16	1-1/4	
RB233	2-1/4	4	4-1/4	3/4	
RB234	2-1/2	3-3/16	7-1/2	7/8x1-13/16	With oblong pin
RB235	1-3/4	*	3	.709	

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

INCASED RUBBER BUSHINGS
RUBBER BUSHINGS per NUMBER

SRI No.	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB236	1-3/8	*	3	.551	
RB237	1-7/8	2-1/2	3	9/16	
RB238	52mm	74mm	77mm	16mm	1 flange
RB239	46mm	*	77mm	14mm	
RB240	1-1/2	2-1/2	3	9/16	1 flange
RB241	1-1/2	2-1/2	3	9/16	1 flange
RB243	1-3/4	*	3-1/2	.787	
RB244	1-3/4	*	3-1/2	.630	
RB245	2-3/16	*	3-1/2	.709	
RB246	42mm	70mm	80mm	18mm	
RB247	2-3/16	*	3-1/2	.709	
RB248	1-3/4	*	3-1/2	.630	
RB249	1-3/4	4-1/16	7-1/8	1-1/16	With round pin
RB250	50mm/55mm	63mm	76mm	16mm	1 flange
RB251	1-1/2	2-1/2	3	9/16	
RB252	40mm	60mm	70mm	14mm	
RB253	1-13/16	4-1/16	4-1/4	3/4	

SRI No.	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB254	2-1/4	2-1/2	3	9/16	
RB255	1-1/2	2-5/8	3	9/16	1 flange
RB256	2-1/4	3	3-1/4	3/4	
RB257	1-1/2	2-1/2	3	9/16	1 flange
RB258	1-13/16	3-1/16	3-1/4	3/4	
RB259	2-9/16	2-5/8	5-3/4	1-1/8x1-1/2	With oblong pin
RB260	40mm	30mm	37mm	15mm	1 flange
RB261	1-7/8	2-1/2	3	9/16	
RB262	2-3/32	3-1/2	4-3/16	15/32	
RB263	2-1/4	4	6-7/8	1-1/4	With round pin
RB264	1-13/16	*	4-1/2	5/8	
RB265	2-1/2	3	3-3/8	1-1/4	
RB266	2	2-5/8	3	9/16	1 flange
RB267	45mm	78mm	91mm	19mm	

NOTE: Bushings with * do not have an outer sleeve.

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

INCASED RUBBER BUSHINGS
RUBBER BUSHINGS per DIMENSIONS

SRI No.	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB18	3/4	2	3-3/4	3/8	
RB19	3/4	2-1/4	4	3/8	
RB37	7/8	1-3/4	1-13/16	7/16	
RB68	7/8	1-3/4	1-7/8	7/16	
RB38	7/8	1-3/4	2	7/16	
RB30	7/8	1-3/4	2	7/16	
RB142	7/8	1-3/4	2-1/16	7/16	
RB12	7/8	1-3/4	3-1/2	3/8	
RB32	7/8	2	2-1/4	7/16	
RB44	7/8	2	2-1/4	7/16	
RB45	7/8	2	2-1/2	7/16	
RB31	7/8	2	3-1/4		
RB13	7/8	2-1/4	4	3/8	
RB33	7/8	2-1/2	2-7/8	7/16	
RB55	7/8	2-1/2	3-1/8	7/16	
RB22	1	1-3/4			
RB27	1	1-3/4	4	7/16	
RB53	1	2	2-1/8	7/16	
RB56	1	2	2-5/16	1/2	
RB35	1	2	2-5/16	1/2	
RB50	1	2	2-1/2	7/16	
RB57	1	2-1/2	2-7/8	1/2	
RB48	1	2-1/2	3	1/2	
RB54	1-1/8	2	2-5/16	5/8	
RB61	1-1/8	2	2-1/2	9/16	
RB41	1-1/8	2	2-9/16	1/2	
RB92	1-1/8	2	2-5/8	9/16	
RB49	1-1/8	2	3-1/4		
RB24	1-1/8	2	4	9/16	
RB66	1-1/8	2-3/16	2-1/2	9/16	
RB52	1-1/8	2-1/4	2-3/4	9/16	
RB25	1-1/8	2-1/4	4-1/4	9/16	
RB20	1-1/8	2-1/4	4-1/2	9/16	
RB112	1-1/8	2-1/2	2-7/8	1/2	
RB36	1-1/8	2-1/2	2-7/8	5/8	
RB29	1-1/8	3			
RB99	1-1/8	3	3-1/2	1/2	
RB7	1-5/32	2	2-3/8	1/2	
RB8	1-5/32	2-1/2	3	3/4	
RB115	1-3/16	1-3/4	2	7/16	
RB127	1-3/16	2	2-1/4	7/16	
RB11	1-7/32	1-3/4	2-1/8	9/16	
RB51	1-1/4	2	2-5/8	5/8	
RB118	1-1/4	2	2-3/4	9/16	
RB70	1-1/4	2-1/4	2-3/4	5/8	
RB76	1-1/4	2-1/2	2-9/16	9/16	
RB85	1-1/4	2-1/2	2-11/16	9/16	
RB120	1-1/4	2-1/2	2-3/4	9/16	
RB101	1-1/4	2-1/2	2-3/4	5/8	
RB140	1-1/4	2-1/2	2-7/8	9/16	
RB34	1-1/4	2-1/2	2-7/8	5/8	
RB81	1-1/4	2-1/2	2-7/8	5/8	
RB160	1-1/4	2-1/2	3	9/16	
RB131	1-1/4	2-9/16	3	9/16	
RB102	1-1/4	3	3-3/8	9/16	
RB133	1-1/4	3-1/16	3-1/2	9/16	
RB1	1-9/32	2	2-5/16	5/8	
RB156	1-9/32	2-1/2	2-3/4	5/8	

SRI No.	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB124	1-9/32	2-1/2	2-7/8	5/8	
RB21	1-5/16	2-1/4	2-3/4	9/16	
RB2	1-11/32	2			
RB236	1-3/8	*	3	.551	
RB39	1-3/8	2	2-5/16	1/2	
RB47	1-3/8	2	2-1/2	7/16	
RB89	1-3/8	2	2-1/2	9/16	
RB110	1-3/8	2-1/2	2-3/4	9/16	
RB74	1-3/8	2-1/2	2-3/4	5/8	
RB42	1-3/8	2-1/2	2-7/8	7/16	
RB64	1-3/8	2-1/2	3	7/16	
RB43	1-3/8	2-1/2	3	1/2	
RB113	1-3/8	2-1/2	3	9/16	
RB149	1-3/8	3	3-3/8	9/16	
RB62	1-3/8	3	3-3/8	11/16	
RB152	1-3/8	3-1/16	3-1/2	9/16	
RB157	1-3/8	3-1/16	3-1/2	9/16	
RB132	1-3/8	3-1/16	3-1/2	5/8	
RB26	1-7/16	2-1/4	2-5/8	5/8	
RB217	1-7/16	2-1/2	2-3/4	5/8	
RB107	1-1/2	1-3/4	2-3/8	1/2	
RB78	1-1/2	1-15/16	2-1/16	7/8	
RB86	1-1/2	1-15/16	2-3/16	7/8	
RB119	1-1/2	1-15/16	2-3/8	1/2	
RB14	1-1/2	2			
RB88	1-1/2	2	2-5/8	9/16	
RB144	1-1/2	2	2-7/8	9/16	
RB15	1-1/2	2-1/4			
RB3	1-1/2	2-1/4	2-3/4	3/4	
RB80	1-1/2	2-1/2	2-5/8	7/8	
RB128	1-1/2	2-1/2	2-3/4	9/16	
RB71	1-1/2	2-1/2	2-3/4	9/16	
RB72	1-1/2	2-1/2	2-3/4	3/4	
RB87	1-1/2	2-1/2	2-3/4	7/8	
RB145	1-1/2	2-1/2	2-7/8	9/16	
RB170	1-1/2	2-1/2	2-7/8	9/16	
RB40	1-1/2	2-1/2	2-7/8	5/8	
RB111	1-1/2	2-1/2	2-7/8	5/8	
RB58	1-1/2	2-1/2	2-7/8	3/4	
RB59	1-1/2	2-1/2	3	7/16	
RB46	1-1/2	2-1/2	3	7/16	
RB9	1-1/2	2-1/2	3	1/2	
RB251	1-1/2	2-1/2	3	9/16	
RB240	1-1/2	2-1/2	3	9/16	1 flange
RB241	1-1/2	2-1/2	3	9/16	1 flange
RB257	1-1/2	2-1/2	3	9/16	1 flange
RB117	1-1/2	2-1/2	3	9/16	1 flange
RB109	1-1/2	2-1/2	3-1/8	1/2	
RB114	1-1/2	2-1/2	3-1/8	9/16	
RB91	1-1/2	2-1/2	3-1/8	5/8	
RB255	1-1/2	2-5/8	3	9/16	1 flange
RB134	1-1/2	3	3-1/4	5/8	
RB137	1-1/2	3	3-3/8	9/16	
RB97	1-1/2	3	3-1/2	1/2	
RB98	1-1/2	3	3-1/2	9/16	
RB151	1-1/2	3-1/16	3-1/2	5/8	
RB6	1-9/16	2-3/4	3	3/4	
RB214	1-5/8	*	3-1/2	9/16	

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

INCASED RUBBER BUSHINGS
RUBBER BUSHINGS per DIMENSIONS

SRI No.	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB213	1-5/8	*	3-1/2	5/8	
RB93	1-5/8	2	2-5/8	9/16	
RB104	1-5/8	2-1/2	2-3/4	7/8	
RB159	1-5/8	2-1/2	3	9/16	
RB207	1-5/8	2-1/2	3	5/8	
RB23	1-5/8	2-1/2	3	3/4	
RB148	1-5/8	3	3-3/8	5/8	
RB178	1-5/8	3	3-1/2	5/8	
RB28	1-5/8	3	6	3/4	
RB158	1-5/8	3-1/16	3-1/2	5/8	
RB182	1-5/8	4	4-1/2	5/8	
RB224	1-11/16	*	3	9/16	
RB216	1-11/16	*	3	9/16	
RB206	1-11/16	2-3/8	3	9/16	1 flange
RB100	1-11/16	2-1/2	2-3/4	3/4	
RB172	1-11/16	2-5/8	3	9/16	1 flange
RB73	1-11/16	3	3-1/4	15/16	
RB230	1-23/32	2-1/2	3-1/16	9/16	
RB235	1-3/4	*	3	.709	
RB248	1-3/4	*	3-1/2	.630	
RB244	1-3/4	*	3-1/2	.630	
RB243	1-3/4	*	3-1/2	.787	
RB79	1-3/4	1-15/16	2-3/16	9/16	
RB138	1-3/4	2-1/2	2-3/4	9/16	
RB77	1-3/4	2-1/2	2-3/4	9/16	
RB123	1-3/4	2-1/2	2-3/4	1	
RB141	1-3/4	2-1/2	2-7/8	1	
RB129	1-3/4	2-1/2	3	5/8	1 flange
RB136	1-3/4	2-1/2	3	9/16	
RB146	1-3/4	3	3-5/16	7/8	
RB105	1-3/4	3	3-5/16	15/16	
RB135	1-3/4	3	3-1/2	3/4	
RB204	1-3/4	3	3-9/16	5/8	
RB203	1-3/4	3	3-9/16	3/4	
RB229	1-3/4	3-1/16	3-1/2	5/8	
RB200	1-3/4	3-1/2			
RB175	1-3/4	4	6-3/4	3/4x1-3/16	With oblong pin
RB161	1-3/4	4	7	1	With round pin
RB249	1-3/4	4-1/16	7-1/8	1-1/16	With round pin
RB264	1-13/16	*	4-1/2	5/8	
RB4	1-13/32	2-1/4			
RB5	1-13/32	2-1/2			
RB116	1-13/16	3	3-1/4	7/8	
RB75	1-13/16	3	3-1/4	1	
RB219	1-13/16	3	3-1/2	5/8	
RB218	1-13/16	3	3-1/2	3/4	
RB177	1-13/16	3	3-1/2	3/4	
RB258	1-13/16	3-1/16	3-1/4	3/4	
RB181	1-13/16	4	4-1/2	13/16	
RB253	1-13/16	4-1/16	4-1/4	3/4	
RB126	1-7/8	2	2-9/16	3/8	
RB125	1-7/8	2	2-5/8	7/16	
RB261	1-7/8	2-1/2	3	9/16	
RB237	1-7/8	2-1/2	3	9/16	
RB94	1-7/8x2-1/4	3	3-1/4	15/16	Oval
RB69	2	2	2-1/2	1/2	
RB67	2	2-1/4	2-1/2	9/16	
RB65	2	2-1/4	2-3/4	9/16	

SRI No.	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB130	2	2-1/2	2-3/4	9/16	
RB90	2	2-1/2	2-3/4	3/4	
RB153	2	2-1/2	2-15/16	9/16	
RB147	2X3	2-1/2	3-1/16	1/2	Oval
RB121	2	2-1/2	3-1/8	9/16	
RB150	2X3	2-1/2	3-1/8	9/16	Oval
RB60	2	2-1/2	3-1/8	5/8	
RB143	2X3	2-1/2	3-1/8	5/8	Oval
RB171	2X3	2-1/2	3-1/4	9/16	Oval
RB139	2X3	2-1/2	3-1/4	9/16	Oval
RB83	2	2-1/2	3-1/4	5/8	
RB266	2	2-5/8	3	9/16	1 flange
RB231	2	2-5/8	3	9/16	1 flange
RB220	2	3	3-3/8	7/8	
RB155	2	3	3-1/2	9/16	
RB176	2	3	3-1/2	5/8	
RB95	2	3	3-3/4	1/2	
RB96	2	3	3-3/4	1/2	
RB227	2	3-1/8	3-1/2	.709	1 flange
RB179	2	4	4-1/2	9/16	
RB180	2	4	4-1/2	5/8	
RB106	2-1/16	1-3/4	2-3/8	1/2	
RB82	2-1/16	2-1/2	3	1/2	
RB108	2-1/16	2-1/2	3-1/16	1/2	
RB262	2-3/32	3-1/2	4-3/16	15/32	
RB63	2-1/8	4	4-3/8	1	
RB247	2-3/16	*	3-1/2	.709	
RB245	2-3/16	*	3-1/2	.709	
RB154	2-1/4	*	3-1/8	3/4	
RB225	2-1/4	*	4-1/2	9/16	
RB226	2-1/4	*	4-1/2	5/8	
RB254	2-1/4	2-1/2	3	9/16	
RB256	2-1/4	3	3-1/4	3/4	
RB233	2-1/4	4	4-1/4	3/4	
RB263	2-1/4	4	6-7/8	1-1/4	With round pin
RB167	2-3/8	3	3-1/8	7/8	
RB122	2-3/8	5	5-5/16	1	
RB215	2-1/2	*	3	9/16	
RB163	2-1/2	2-1/2	3-1/8	9/16	
RB103	2-1/2	2-1/2	3-3/8	5/8	
RB169	2-1/2	2-5/8	3-3/16	9/16	
RB265	2-1/2	3	3-3/8	1-1/4	
RB205	2-1/2	3	7-1/2	7/8x1-13/16	With oblong pin
RB234	2-1/2	3-3/16	7-1/2	7/8x1-13/16	With oblong pin
RB221	2-1/2	3-1/4	3-1/2	1	
RB174	2-1/2	4	3-3/4	1	
RB162	2-1/2	4	4-1/4	7/8	
RB187	2-1/2	4	4-1/4	1	
RB84	2-1/2	4	4-1/4	1-1/4	
RB199	2-1/2	4	6-3/4	7/8x1-1/2	With oblong pin
RB164	2-9/16	2-3/16	5-3/4	1-1/8x1-1/2	With oblong pin
RB259	2-9/16	2-5/8	5-3/4	1-1/8x1-1/2	With oblong pin
RB232	2-5/8	5	5-5/16	1-1/4	
RB185	2-5/8	5	8	1x1-7/16	With oblong pin
RB168	3	3	3-1/4	1-3/4	
RB201	33mm	60mm	70mm	12mm	
RB197	36mm	70mm	80mm	14mm	
RB198	37mm	77mm	90mm	18mm	

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

INCASED RUBBER BUSHINGS
RUBBER BUSHINGS per DIMENSIONS

SRI No.	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB260	40mm	30mm	37mm	15mm	1 flange
RB183	40mm	34mm	40mm	16mm	
RB186	40mm	34mm	41mm	16mm	
RB252	40mm	60mm	70mm	14mm	
RB192	40mm	60mm	70mm	14mm	
RB209	40mm	60mm	70mm	14mm	
RB202	40mm	60mm	70mm	18mm	
RB173	42mm	70mm	80mm	16mm	
RB246	42mm	70mm	80mm	18mm	
RB228	42mm	72mm	81mm	16mm	
RB267	45mm	78mm	91mm	19mm	
RB193	45mm	80mm	140mm	25mm	With offset pin
RB239	46mm	*	77mm	14mm	
RB208	46mm	80mm	150mm	25mm	With offset pin
RB190	46mm	89mm	92mm	20mm	
RB196	46mm	100mm	161mm	25mm	With offset pin
RB223	48mm/53mm	*	91mm	16mm	Variable O.D.

SRI No.	OD	Out Sleeve Len.	In Sleeve Len.	ID	Note
RB188	48mm	87mm	89mm	24mm	
RB189	48mm	87mm	171mm	27mm	With round pin
RB165	48mm	99mm	100mm	24mm	
RB166	48mm	99mm	183mm	27mm	With round pin
RB194	50mm/55mm	*	95mm	16mm	Variable O.D.
RB250	50mm/55mm	63mm	76mm	16mm	1 flange
RB184	51mm	100mm	179mm	32mm	With round pin
RB238	52mm	74mm	77mm	16mm	1 flange
RB191	52mm	74mm	77mm	22mm	
RB195	55mm/62mm	*	120mm	20mm	Variable O.D.
RB210	55mmx73mm	70mm	80mm	14mm	Oval
RB222	56mm/60mm	*	105mm	19mm	Variable O.D.
RB212	57mm	75mm	108mm	21mm	
RB211	57mm	100mm	108mm	21mm	

NOTE: Bushings with * do not have an outer sleeve.

MACK BRONZE BUSHINGS

Part No.	O.D.		I.D.		Length
MB1	1-1/2	x	1-1/4	x	3-1/8
MB2	1-1/2	x	1-1/4	x	2-5/8

SPECIAL BUSHINGS

Part No.	O.D.		I.D.		Length
PB17	**1-1/2**	**x**	**1-1/4**	**x**	**3-1/2**
PB18	**1-1/2**	**x**	**1-1/4**	**x**	**4**

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

RADIUS ROD EYE LEAVES

SRI No.	Material		Hole	Cup	Length S.E.	Length S.E.	Bush	Arch
12-101	3	.447	7/16	C14 Down	4-3/4	25-1/2	RNG	Flat
12-103	3	.447	7/16	C14 Down	4-3/4	25-1/2	RNG	Flat
12-105	3	.447	7/16	C14 Down	4-3/4	25-1/2	RNG	Flat
13-283	3	.447	7/16	C15 Down	4-3/4	25-1/2	RNG	Flat
14-115	3	.447	1/2	None	3-3/4	26-1/2	RNG	2
14-123	3	.447	1/2	None	3-3/4	26-1/2	RNG	2
14-125	3	.447	1/2	None	3-3/4	26-1/2	RNG	2
14-127	3	.447	1/2	None	4	28-7/8	RB164	3/4 Reverse
22-305	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
22-307	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
22-309	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
22-311	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
22-313	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
22-321	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
22-323	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
22-325	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
22-335	2-1/2	.401	1/2	None	3-1/2	24	RB74	1-1/2
22-337	2-1/2	.401	1/2	None	3-1/2	24	RB74	1-1/2
22-339	2-1/2	.401	1/2	None	3-1/2	24	RB74	1-1/2
22-343	3	.447	1/2	None	3-1/2	25-1/2	RB75	2
22-345	3	.447	1/2	None	3-1/2	25-1/2	RB75	2
22-347	3	.447	1/2	None	3-1/2	25-1/2	RB75	2
22-677	3	.447	1/2	None	3-1/2	25-1/2	RB75	Flat
22-679	3	.447	1/2	None	3-1/2	25-1/2	RB75	Flat
22-681	3	.447	1/2	None	3-1/2	25-1/2	RB75	Flat
22-683	3	.447	1/2	None	3-1/2	25-1/2	RB75	Flat
22-685	3	.447	1/2	None	3-1/2	25-1/2	RB75	Flat
22-713	3	.447	1/2	None	3-1/2	25-1/2	RB75	6
22-715	3	.447	1/2	None	3-1/2	25-1/2	RB75	4-5/8
22-727	3	.447	1/2	None	3-1/2	25-1/2	RB75	Flat
22-729	3	.447	1/2	None	3-1/2	25-1/2	RB75	Flat
22-731	3	.447	1/2	None	3-1/2	25-1/2	RB75	6
22-749	3	.447	1/2	None	3-1/2	25-1/2	RB75	Flat
34-001	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
34-037	3	.447	1/2	None	3-1/2	25-1/2	RB116	2-1/4
34-039	3	.447	1/2	None	3-1/2	25-1/2	RB116	2-1/4
34-041	3	.447	1/2	None	3-1/2	25-1/2	RB116	2-1/4
34-043	3	.447	1/2	None	3-1/2	25-1/2	RB116	2-1/4
34-045	3	.447	1/2	None	3-1/2	25-1/2	RB116	2-1/4
34-067	3	.447	1/2	None	3-1/2	25-1/2	RNG	1
34-069	3	.447	1/2	None	3-1/2	25-1/2	RNG	1
34-989	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
34-991	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
34-997	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
34-999	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
43-307	3-1/2	.401	1/2	None	4-1/2	28-5/16	PLI	Flat
43-309	3-1/2	.401	1/2	None	4-1/2	28-5/16	PLI	Flat
43-317	3-1/2	.401	1/2	None	4-1/2	28-5/16	PLI	Flat
43-319	3-1/2	.401	1/2	None	4-1/2	28-5/16	PLI	Flat
43-321	3-1/2	.401	1/2	None	4-1/2	28-5/16	PLI	Flat
43-345	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
43-349	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
43-351	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
43-353	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4

SRI No.	Material		Hole	Cup	Length S.E.	Length S.E.	Bush	Arch
43-355	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
43-377	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
43-379	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
43-411	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/2
43-413	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/2
43-415	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/2
43-541	3	.447	1/2	None	3-1/2	26-1/2	RNG	2-1/4
43-579	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
43-583	3	.447	1/2	None	3-1/2	25-1/2	RNG	Flat
43-737	3	.447	1/2	None	3-1/2	25-1/2	RB75	2-1/4
43-739	3	.447	1/2	None	3-1/2	25-1/2	RB75	1-1/2
43-741	3	.447	1/2	None	3-1/2	25-1/2	RB75	1-1/2
43-743	3	.447	1/2	None	3-1/2	25-1/2	RB75	1-1/2
43-843	3	.511	1/2	None	8-7/8	33-3/8	RNG	3-13/16
43-847	3	.511	1/2	None	8-1/4	33-3/8	RNG	3-13/16
43-871	3	.511	1/2	None	7-1/8	33-3/8	RNG	3-13/16
43-893	3	.563	1/2	None	8-5/8	33-3/8	RNG	3-13/16
43-915	3	.558	1/2	None	10-3/4	33-3/8	RNG	3-13/16
43-927	3	.563	1/2	None	10-5/8	33-3/8	RNG	3-13/16
43-931	3	.563	1/2	None	10-5/8	33-3/8	RNG	3-13/16
43-947	3	.447	1/2	None	3-3/4	25-3/4	RB75	3-1/8 Reverse
43-951	3	.447	1/2	None	3-3/4	25-3/4	RB75	3-1/8 Reverse
43-953	3	.447	1/2	None	3-3/4	25-3/4	RNG	3-1/8 Reverse
43-955	3	.447	1/2	None	3-3/4	25-3/4	RNG	3-1/8 Reverse
43-973	3	.558	1/2	None	10-3/4	33-3/8	RNG	3-13/16
43-975	3	.558	1/2	None	8-5/8	33-3/8	RNG	3-13/16
43-977	3	.558	1/2	None	10-5/8	33-3/8	RNG	3-13/16
43-979	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/2
43-981	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/2
43-993	3	.447	1/2	None	3-3/4	25-3/4	RNG	1-1/2 Reverse
43-995	3	.447	1/2	None	3-3/4	25-3/4	RB75	1-1/2 Reverse
43-1003	3	.447	1/2	None	4-1/2	25-1/2	RNG	1-1/2
43-1013	3	.447	1/2	None	4-1/2	25-1/2	RB75	1-1/2
43-1015	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
43-1113	3	.499	1/2	None	9	33-3/8	RNG	3-13/16
43-1125	3	.499	1/2	None	11	33-3/8	RNG	3-3/4
43-1165	3	.447	1/2	None	5	25-1/2	RNG	2-1/4
43-1171	3	.499	1/2	None	3-1/2	28-1/2	RNG	3/4
43-1179	3	.499	1/2	None	8-3/4	28-5/8	RNG	1-1/4
43-1181	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/2
43-1235	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/2
43-1237	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/2
43-1239	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/2
43-1241	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/2
43-1243	3	.447	1/2	None	3-1/2	25-1/2	RB75	1-1/2
43-1245	3	.447	1/2	None	3-1/2	25-1/2	RB75	1-1/2
43-1247	3	.447	1/2	None	3-1/2	25-1/2	RB75	1-1/2
44-101	3	.447	7/16	C15 Down	3-1/4	25-1/2	RNG	Flat
46-119	4	.499	1/2	C16 Down	4	17-7/8	1-3/4	1-13/16 Reverse
46-121	4	.499	1/2	C16 Down	4	19-3/4	1-3/4	1-13/16 Reverse
446-151	4	.499	1/2	C16 Down	4	18-5/8	RB175	1-13/16 Reverse
46-153	4	.499	1/2	C16 Down	4	18-5/8	RB175	1-13/16 Reverse
46-1187	3	.447	1/2	None	3-1/4	25-19/32	TPG	Flat
46-1189	3	.447	1/2	None	3-1/4	25-19/32	TPG	Flat

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

RADIUS ROD EYE LEAVES

SRI No.	Material		Hole	Cup	Length S.E.	Length S.E.	Bush	Arch
46-1193	3	.447	1/2	None	3-1/4	25-19/32	TPG	Flat
46-1203	3	.447	1/2	None	3	25-19/32	TPG	1-7/8 Reverse
46-1205	3	.447	1/2	None	3	25-19/32	TPG	Flat
46-1207	3	.447	1/2	None	3	25-19/32	TPG	Flat
46-1215	3	.447	1/2	None	3-1/4	25-19/32	TPG	1-3/4 Reverse
46-1219	3	.447	1/2	None	3-1/2	25-19/32	TPG	1-1/2 Reverse
48-855	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
48-859	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-1/4
48-861	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/4
48-863	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/4
48-865	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-1/4
48-885	3	.447	1/2	None	3-1/2	25-1/2	RB75	2
48-887	3	.447	1/2	None	3-1/2	25-1/2	RB75	2
48-895	3	.447	1/2	None	3-1/2	25-1/2	RB75	2
48-927	3	.447	1/2	None	3-1/2	25-1/2	RNG	1-3/8
48-937	3	.447	7/16	None	3-1/2	25-1/2	RNG	2-1/4
48-943	3	.499	1/2	None	4-5/8	19-9/16	RB168	2-7/16
48-947	3	.447	1/2	None	4	25-1/2	RB75	1-3/8
55-029	3	.447	1/2	None	3-3/4	26-1/2	RNG	2
55-031	3	.447	1/2	None	3-3/4	26-1/2	RNG	2
55-033	3	.447	1/2	None	3-3/4	26-1/2	RNG	2
55-035	3	.447	1/2	None	4-1/2	26-1/2	RNG	2
55-041	3	.447	1/2	None	3-3/4	26-1/2	RNG	2
55-043	3	.401	1/2	None	3-3/4	26-5/16	RNG	2
55-053	3	.447	1/2	None	3-3/4	26-1/2	RNG	3/8
55-115	3	.401	1/2	None	3-3/4	26-5/16	RNG	2
55-117	3	.401	1/2	None	3-3/4	26-5/16	RNG	2
55-729	3	.447	7/16	C16 Down	4-5/8	25-1/2	RNG	Flat
55-759	3	.447	7/16	C16 Down	4-1/2	25-1/2	RNG	Flat
55-769	3	.625	7/16	C14 Down	4-1/2	25-1/2	RNG	Flat
55-789	3	.447	7/16	C14 Down	4	24-1/2	RNG	Flat
55-793	3	.447	7/16	C14 Down	4	24-1/2	RNG	Flat
55-877	3	.447	1/2	None	3-3/4	25-1/2	RNG	2-1/4
55-879	3	.447	1/2	None	3-3/4	25-1/2	RNG	2-1/4
55-931	3	.447	1/2	None	3-3/4	25-1/2	RNG	2-1/4
55-933	3	.447	1/2	None	3-3/4	25-1/2	RNG	2-1/4
55-935	3	.447	1/2	None	3-3/4	25-1/2	RNG	2-1/4
55-937	3	.447	1/2	None	3-3/4	25-1/2	RNG	2-1/4
55-939	3	.447	1/2	None	3-3/4	25-1/2	RNG	2-1/4
55-979	3	.447	1/2	C16 Down	4-1/2	25-1/2	RNG	7/8
55-1153	3	.447	1/2	None	3-3/4	26-1/2	RNG	2
55-1155	3	.401	1/2	None	3-3/4	26-5/16	RNG	3/4
55-1197	3	.447	1/2	None	3-3/4	26-1/2	RNG	2
59-125	3	.447	1/2	None	9	25-1/2	RNG	Flat
59-127	3	.447	1/2	None	7-3/8	25-1/2	VRG	Flat
61-101	3-1/2	.401	1/2	None	4-1/2	28-5/16	PLI	Flat
61-103	3-1/2	.401	1/2	None	4-1/2	28-5/16	PLI	Flat
62-009	3	.447	7/16	C14 Down	4-3/4	25-1/2	RNG	Flat
62-015	3	.447	7/16	C14 Down	4-3/4	25-1/2	RNG	Flat
62-029	3	.447	7/16	C14 Down	4-3/4	25-1/2	RNG	Flat
62-041	3	.625	7/16	C14 Down	4-3/4	25-1/2	RNG	2-1/4
62-053	5	.499	1/2	C14 Down	6-3/4	25	TOO	Flat
62-111	3	.447	7/16	C14 Up	4-13/16	25-1/2	RNG	1-1/2
62-219	3	.447	7/16	C14 Up	4-13/16	25-1/2	MB2	1-1/2

SRI No.	Material		Hole	Cup	Length S.E.	Length S.E.	Bush	Arch
62-670	4	.499	1/2	C14 Down	5-1/4	25	RNK	Flat
62-680	4	.447	1/2	C14 Down	3-1/4	25-1/4	RNK	Flat
62-684	4	.447	1/2	C14 Down	3-3/4	25	RNK	Flat
62-752	4	.447	1/2	C14 Down	3-3/4	25	RNK	Flat
62-951	3	.447	7/16	C14 Down	4-3/4	25-1/2	RNG	Flat
62-959	3	.401	7/16	C14 Down	4-1/2	25-1/2	RNG	Flat
62-963	3	.447	7/16	C14 Down	4-3/4	25-1/2	RNG	Flat
62-985	3	.447	7/16	C14 Down	4-3/4	25-1/2	RNG	Flat
62-1050	4	.499	1/2	C14 Down	5-5/16	25-1/16	RNK	Flat
71-139	3	.447	1/2	None	3-3/4	27	RB75	2-3/4
71-153	3	.447	1/2	None	3-3/4	27	RB75	2-3/4
74-121	3	.447	7/16	C16 Down	6-5/8	22-3/16	2-1/16	1-5/8 Reverse
74-123	3	.447	7/16	C16 Down	6-5/8	22-3/16	2-1/16	1-5/8 Reverse
74-129	3	.447	7/16	C16 Down	6-5/8	22-3/16	2-1/16	1-5/8 Reverse
82-619	3	.447	7/16	C15 Down	4-3/4	25-1/2	RNG	Flat
82-695	3	.447	1/2	None	3-1/2	25-1/2	RNG	2-5/8
83-101	3	.499	1/2	C16 Down	4-1/2	25	1-7/8	1-3/8 Reverse
83-103	3	.401	1/2	C14 Down	5	25-1/8	2-1/16	Flat
83-105	3	.499	1/2	C14 Down	5	25-1/8	2-1/16	1-5/8 Reverse
83-107	3	.499	1/2	C16 Down	4-1/2	26	1-7/8	1-3/8 Reverse
83-109	3	.499	1/2	C16 Down	4-1/2	25	1-7/8	1-3/8 Reverse
83-111	3	.499	1/2	C16 Down	4-1/2	25	1-7/8	1-1/2 Reverse
83-113	3	.499	1/2	C16 Down	4-1/2	26	1-7/8	1-3/8 Reverse
83-125	3	.499	1/2	C16 Down	4-1/2	25	1-7/8	3 Reverse
83-149	3	.499	1/2	C16 Down	4-1/2	25	1-7/8	1-3/8 Reverse
83-163	3	.499	1/2	C16 Down	4-1/2	25	1-7/8	1-3/8 Reverse
83-165	3	.499	1/2	C16 Down	4-1/2	26	1-7/8	1-3/8 Reverse
88-113	4	.447	1/2	None	3-1/2	31-5/8	RB199	Flat
88-115	4	.447	1/2	None	3-1/2	31-5/8	RB199	Flat
88-119	3	.447	1/2	None	3-1/2	29-5/8	RB164	Flat
88-121	3	.447	1/2	None	3-1/2	29-5/8	RB164	Flat
88-123	3	.447	1/2	None	3-1/2	29-5/8	RB164	Flat
88-125	3	.447	1/2	None	3-1/2	29-5/8	RB164	Flat
92-119	100mm	14mm	20mm	None	4-3/4	27-15/16	RB184	Flat
94-201	3	.447	7/16	C15 Down	4	25-1/2	RNG	Flat
96-101	3	.447	7/16	C15 Down	4	23-1/8	RB164	7/8
96-105	3	.447	7/16	C15 Down	4	23	RB164	Flat
96-105	3	.447	7/16	C15 Down	4	23	RB164	Flat
96-107	3	.447	7/16	C15 Down	4-5/8	21-15/16	RB146	Flat
96-109	3	.447	7/16	C15 Down	4-5/8	26	RB146	Flat
96-111	3	.447	7/16	C15 Down	4-5/8	20-1/2	RB146	Flat
96-113	3	.447	7/16	C15 Down	4-5/8	26	RB146	1-1/4
96-115	3	.447	7/16	C15 Down	4	23-1/16	RB164	1/4
96-117	3	.447	7/16	C15 Down	4	23-1/16	RB164	1-11/16
96-119	3	.447	7/16	C15 Down	4	23-1/8	RB164	7/8
96-121	3	.447	7/16	C15 Down	4	23-1/8	RB164	2-1/4
96-125	3	.447	7/16	C15 Down	4-5/8	26	RB146	2-1/8
96-127	3	.447	7/16	C15 Down	4	23-1/8	RB164	7/8
96-129	3	.447	7/16	C15 Down	4	23-1/8	RB164	2-1/4
96-131	3	.447	7/16	C15 Down	4	25-1/2	RB146	Flat
96-135	3	.447	7/16	C15 Down	4	28	RB164	Flat
96-137	3	.447	7/16	C15 Down	4-5/8	26	RB146	1-1/4
96-139	3	.447	7/16	C15 Down	4	23-1/8	RB164	7/8
96-141	3	.447	7/16	C15 Down	4	23-1/8	RB164	2-1/4

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

RADIUS ROD EYE LEAVES

SRI No.	Material		Hole	Cup	Length S.E.	Length S.E.	Bush	Arch
96-143	3	.447	7/16	C15 Down	4-5/8	26	RB146	2-1/8
96-145	3	.447	7/16	C15 Down	4-5/8	20-1/2	RB146	Flat
96-147	3	.447	7/16	C15 Down	4	28	RB164	Flat
96-149	3	.447	7/16	C15 Down	4	23-1/8	RB164	7/8
96-151	3	.447	7/16	C15 Down	4	23-1/8	RB164	2-1/4
96-155	3	.447	7/16	C15 Down	4	23-1/8	RB164	7/8
96-157	3	.447	7/16	C15 Down	4	23-1/8	RB164	2-1/4
96-167	3	.447	7/16	C15 Down	4	23-1/8	RB164	5/16
96-169	3	.447	7/16	C15 Down	4	23-1/8	RB164	1-3/4
96-173	3	Full taper 1/2		None	4	28-1/4	RB164	Flat
96-179	3	Full taper 7/16		C15 Down	4	23	RB164	Flat
96-181	3	Full taper 7/16		C15 Down	4	23	RB164	1-5/16
96-183	3	Full taper 7/16		C15 Down	4	22-29/32	RB164	1-7/16 Reverse
96-591	3	.447	7/16	C15 Down	4	25-1/2	RNG	Flat
96-621	3	.447	7/16	C15 Down	4-3/4	25-1/2	RNG	Flat
96-741	3	.447	7/16	C15 Down	4-3/8	25-1/2	RNG	Flat
96-753	3	.447	7/16	C15 Down	4-3/8	25-1/2	RNG	Flat
96-761	3	.401	7/16	C15 Down	3-1/4	25-1/2	RNG	Flat
96-783	3	.447	7/16	C15 Down	4-3/4	25-1/2	RNG	Flat
96-787	3	.447	7/16	C15 Down	4-3/4	25-1/2	RNG	Flat
96-803	3	.447	7/16	C15 Down	4-3/4	25-1/2	RNG	Flat
96-813	3	.447	7/16	C15 Down	6-7/8	25-1/2	RNG	Flat
96-827	3	.447	7/16	C15 Down	4	25-1/2	RNG	Flat
96-837	3	.447	7/16	C15 Down	4-5/8	22-7/8	1-3/4	Flat
96-839	3	.447	7/16	C15 Down	4-5/8	26	1-3/4	Flat
96-845	3	.447	7/16	C15 Down	4	25-1/2	RNG	Flat
96-847	3	.447	7/16	C15 Down	4	25-1/2	RNG	Flat
96-855	3	.447	7/16	C15 Down	4-3/8	25-1/2	RNG	Flat
96-859	3	.447	7/16	C15 Down	6-7/8	25-1/2	RNG	Flat
96-871	3	.447	7/16	C15 Down	4	25-1/2	RNG	Flat
96-873	3	.447	7/16	C15 Down	4	25-1/2	RNG	Flat
96-875	3	.447	7/16	C15 Down	4	25-1/2	RNG	Flat
96-885	3	.447	7/16	C15 Down	4	25-1/2	RNG	Flat
96-887	3	.447	7/16	C15 Down	5	25-1/2	RNG	Flat
96-891	3	.447	7/16	C15 Down	4-3/8	25-1/2	RNG	Flat
96-899	3	.447	7/16	C15 Down	4-3/4	25-1/2	RNG	2-1/2
96-907	3	.447	7/16	C15 Down	4	25-1/2	RB146	Flat

SRI No.	Material		Hole	Cup	Length S.E.	Length S.E.	Bush	Arch
96-911	3	.447	7/16	C15 Down	4	25-1/2	RNG	Flat
96-913	3	.447	7/16	C15 Down	4	25-1/2	RB146	Flat
96-915	3	.447	7/16	C15 Down	4-5/8	20-1/2	RB146	Flat
96-917	3	.447	7/16	C15 Down	4-5/8	20-1/2	RB146	Flat
96-919	3	.447	7/16	C15 Down	4-5/8	21-15/16	RB146	Flat
96-921	3	.447	7/16	C15 Down	4-5/8	26	RB146	Flat
96-923	3	.447	7/16	C15 Down	4-5/8	26	RB146	1-1/4
96-927	3	.447	7/16	C15 Down	4-5/8	20-1/2	RB146	Flat
96-931	3	.447	7/16	C15 Down	4-5/8	26	RB146	2-1/4
96-939	3	.447	7/16	C15 Down	4-5/8	20-1/2	RB146	1-1/4
96-941	3	.447	7/16	C15 Down	4	25-1/2	RB146	Flat
96-943	3	.447	7/16	C15 Down	4	25-1/2	RB146	Flat
96-959	3	.447	7/16	C15 Down	4	25-1/2	RB146	Flat
96-961	3	.447	7/16	C15 Down	4-5/8	26	RB146	1-1/4
96-963	3	.447	7/16	C15 Down	4-5/8	20-1/2	RB146	Flat
96-965	3	.447	7/16	C15 Down	4-5/8	20-1/2	RB146	Flat
96-967	3	.447	7/16	C15 Down	4-5/8	26	RB146	1-1/4
96-969	3	.447	7/16	C15 Down	4	25-1/2	RB146	Flat
96-981	3	.447	7/16	C15 Down	6-7/8	25-1/2	RNG	1
96-983	3	.447	7/16	C15 Down	4	25-1/2	RB146	Flat
96-985	3	.447	7/16	C15 Down	4	23	RB164	1/4
96-995	3	.447	7/16	C15 Down	5	25-1/2	RNG	Flat
96-997	3	.447	7/16	C15 Down	4-5/8	26	RB146	2-1/8
96-999	3	.447	7/16	C15 Down	4	23-1/8	RB164	1-3/8
96-1203	3	Full taper 1/2		None	4	28-1/4	RB164	1-3/4 Reverse
96-1205	3	Full taper 1/2		None	4	28-1/4	RB164	1-1/2 Reverse
96-1207	3	.447	7/16	C15 Down	4	28	RB164	Flat
96-1209	3	Full taper 7/16		C15 Down	4	23	RB164	7/8 Reverse
96-1211	3	Full taper 7/16		C15 Down	4	23	RB164	1-1/8
96-1213	3	Full taper 7/16		C15 Down	4	22-7/8	RB164	1-7/16 Reverse
96-1223	3	Full taper 7/16		None	4	28-1/4	RB164	1-1/8 Reverse
96-1225	3	.447	7/16	C15 Down	4	23	RB164	Flat
96-1227	3	.447	7/16	C15 Down	4	23	RB164	Flat
96-1259	3	.447	7/16	C15 Down	4	28-1/4	RB164	Flat
96-1263	3	Full taper 1/2		Dowel	4-1/4	23	RB164	1-7/16 Reverse
96-1267	3	.447	7/16	None	4	28-3/16	RB164	Flat

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

FORD CODES

SRI No.	OEM No.	OEM 2 No.	OEM 3 No.	CODE	Yr 1	Yr 2
43-474	E0TZ5310N	E0TA5310AA	E0TA5310AAB	5	87	
43-476	E0TZ5310R	E0TA5310ABA	E0TA5310ABB	6	87	
43-478	E0TZ5310S	E0TA5310ACA	E0TA5310ACB	7	87	
43-492	E1TZ5310A	E2TA5310YA		Y	87	
43-498	E3TZ5310R	E3TA5310ABA		9	87	
43-516	E5TZ5310K	E5TA5310NA		8	87	
43-526	E8TZ5310A	E8TA5310AA		I	88	91
43-536	E5TZ5310M	E5TA5310TA		T	85	
43-593	D5UZ5560H	D5UA5560ABB	D5UA5560ABA	C	87	90
43-599	D5UZ5560S	D5UA5560ASB		M	87	90
43-609	D5UZ5560T	D5UA5560ATB	D5UA5560ATA	N	87	91
43-611	D5UZ5560B	D5UA5560HB		K	87	91
43-613	D5UZ5560C	D5UA5560JB		Z	87	91
43-615	D5UZ5560D	D5UA5560KB		T	87	91
43-621	D5UZ5660E	D5UA5560LB		J	87	91
43-623	D5UZ5560F	D8TA5560ZA		A	87	91
43-627	D6UZ5560E	D9TA5560AVA		Y	87	90
43-628	E5TZ5310J	F1TZ5310ANA		R	91	98
43-630	F4TZ5310F	F4TA5310HA		F	94	98
43-659	D8UZ5560A	D7UA5560TA		L	87	90
43-672	E5TZ5310L			S	95	
43-674	F4TZ5310A	F4TA5310HA		H	96	
43-678	F5TZ5310B	F5TA5310ACA		Q	96	
43-689	E0TZ5560B	E2TA5560UA		6	87	91
43-723	E0TZ5560Y	E1TA5560TA	E0TA5560BLB	L	87	91
43-766	F81Z5310AC	F81A5310ADD		T	99	
43-768	F81Z5310AG	F81A5310AHD		X	99	
43-770	F81Z5310AB	F81A5310ACD		S	99	
43-772	F81Z5310AA	F81A5310ABD		R	99	
43-774	F81Z5310AF	F81A5310AGD		W	99	
43-776	F81Z5310AE	F81A5310AFD		V	99	
43-778	F81Z5310AD	F81A5310AED		U	99	
43-779	E2TZ5560H	E1TA5560ALA		F	87	91
43-791	E0TZ5560AE	E0TA5560BVA		Q	87	91
43-800	YC3Z5310AC	YC355310ABE		R		
43-802	YC3Z5310AD	YC355310ACE		C		
43-803	E3TZ5560M			A	87	95
43-804	YC3Z5310AE	YC355310ADC		D		
43-808	YC3Z5310AH	YC355310JC		S		
43-810	YC3Z5310AJ	YC355310AKC		T		
43-812	YC3Z5310AK			U		
43-813	E4HZ5560A	BA47474	E4HT5560AA	Z	80	91
43-814	YC3Z5310AL	YC355310AMC		V		
43-815	E3TZ5560T	E3TA5560AJA		B		
43-816	YC3Z5310AM	YC355310ANC		W		
43-818	YC3Z5310AN	YC355310APC		X		
43-879	E7TZ5560A	E7TA5560FA		F	87	94
43-881	E7TZ5560B	E7TA5560KA		7	87	90
43-883	E7TZ5560C	E7TA5560NA		D	87	93
43-885	D6UZ5560F	D9TA5560AYA		P	84	91
43-889	E7TZ5560F	E7TA5560YA		Y	87	93
43-891	E7TZ5560D	E7TA5560RA		V	87	92
43-899	E8TZ5560A			8	88	93
43-901	E8TZ5560A			8	88	93

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

FORD CODES

SRI No.	OEM No.	OEM 2 No.	OEM 3 No.	CODE	Yr 1	Yr 2
43-903	E8TZ5560A			8	88	93
43-923	E9TZ5560D	E9TA5560EB		F	89	90
43-941	E8UZ5560A	E7UA5560AJA		E	90	91
43-943	E9TZ5560G	E97A5560HA		H	90	
43-945	E9TZ5560H	E97A5560JA		J	90	91
43-957	F0TZ5560A	F07A5560EA		5	90	91
43-959	F0TZ5560B	F07A5560FA		6	90	91
43-961	F0TZ5560C	F07A5560GA		7	90	91
43-963	F0TZ5560D	F07A5560HA		8	90	91
43-965	E9TZ5560J	E9TA5560KA		7	90	91
43-967	F1TZ5560A	F17A5560DC		U	94	97
43-969	F1TZ5560B	F17A5560ED		V	94	97
43-971	F1TZ5560C	F17A5560FD		W	91	97
43-1031	F2UZ5560H			A		
43-1033	F2UZ5560A	F2UA5560CA		C	92	97
43-1035	F2UZ5560B	F2UA5560DE		D	92	97
43-1037	F2UZ5560C	F2UA5560FE		F	92	97
43-1039	F2UZ5560D	F2UA5560GB		G	92	97
43-1041	F2UZ5560E	F2UA5560HE		H	92	97
43-1043	F2UZ5560F	F2UA5560JE		J	92	93
43-1045	F2UZ5560G			K	92	93
43-1047	F1TZ5560F	F1TA5560R		L	92	93
43-1049	F2TZ5560F	F2TS5560AA		S	92	93
43-1051	F1TZ5560E	F1TA5560MA		6	91	93
43-1053	F1TZ5560D	F0TA5560LA		7	92	93
43-1055	F2TZ5560G	F2TA5560VB		9	91	97
43-1057	F2TZ5560B	F2TA5560PA		P	92	93
43-1059	F2TZ5560C	F2TA5560RA		R	92	93
43-1061	F2TZ5560A			S	92	96
43-1063	F2TZ5560D	F2TA5560TA		T	92	93
43-1065	F2TZ5560E	F2TA5560UB		U	92	93
43-1067	F2TZ5560J	F27A5560XB		X	93	97
43-1069	F37Z5560A	F37A5560BB		B	93	99
43-1071	F3TZ5560B	F37A5560CC		C	93	97
43-1073	F37Z5560C	F37A5560DB		D	93	97
43-1075	F37Z5560D	F37A5560EC		E	93	97
43-1077	F37Z5560E	F37A5560KA		K	93	97
43-1079	F3TZ5560A	F3TA5560JA		J	93	94
43-1085	F3UZ5560A	F3UA5560NA		K	94	97
43-1087	F4TZ5560D	F4TA5560FB		6	94	94
43-1089	F4TZ5560A	F4TA5A975AA		8	94	
43-1091	F4TZ5560B	F4TA5560DA		D	95	97
43-1093	F4TZ5560E	F4TA5560GA		G	94	94
43-1095	F4TZ5560F	F4TA5560HA		H	94	
43-1097	F4TZ5560G	F4TA5560JA		I	94	97
43-1099	F4TZ5560H			K	94	97
43-1101	F4TZ5560J	F4TA5560LA		L	94	97
43-1105	F4TZ5560Z	F4TA5560NB		N	94	97
43-1107	F4TZ5560M	F4TA5560PB		P	94	97
43-1109	F4UZ5560A	F4UA5560CB		A	94	97
43-1115	F3TZ5560B	F3TA5560RA		J	94	97
43-1117	F5TZ5560A	F5TA5560MA		H	95	97
43-1119	F5TZ5560C	F5TA5560UA		G	95	97
43-1121	F5TZ5560D	F4TA5560TA		F	95	96

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.

FORD CODES

SRI No.	OEM No.	OEM 2 No.	OEM 3 No.	CODE	Yr 1	Yr 2
43-1151	F5UZ5560A	F5UA5560NA		A	95	99
43-1153	F5UZ5560B	F5UA5560PA		P	95	99
43-1155	F5UZ5560C	F5UA560RA		R	95	99
43-1157	F5UZ5560D	F5UA5560SA		S	95	99
43-1159	F57Z5560A	F57A5560FD		F	95	99
43-1161	F57Z5560B	F57A5560HC		H	95	99
43-1167	F6UZ5560AA	F6US5560AB		7	97	98
43-1183	F57Z5560LC	F57A5560LC		L	97	99
43-1185	F65Z5560AC	F65A5560AD		A	97	99
43-1187	F65Z5560BC	F65A5560BC		B	97	99
43-1189	F65Z5560CC	F65A5560CC		C	97	98
43-1191	F65Z5560DC	F65A5560DD		D	97	97
43-1193	F65Z5560FC	F65A5560FC		F	97	99
43-1195	F65Z5560GD	F65A5560GD		G	97	98
43-1197	F65Z5560MA	F65A5560MA		H	97	99
43-1199	F65Z5560NA	F65A5560NA		N	97	99
43-1201	F65Z5560PB	F65A5560PB		P	97	98
43-1203	F75Z5560AB	F75A5560AJB		J	97	99
43-1205	F75Z5560AC	F75A5560AKB		K	97	99
43-1207	F75Z5560AD	F75A5560ALA		L	97	99
43-1209	F2TZ5560H			V	93	97
43-1223	F6TZ5560UA	F6TA5560UA		A	97	98
43-1225	F6TZ5560XA	F6TA5560XA		F	97	98
43-1227	F75Z5560AA	F75A5560AG		1	97	99
43-1229	F75Z5560BA	F75A5560BG		2	97	99
43-1231	F75Z5560CB	F75A5560CG		3	97	99
43-1233	F75Z5560DB	F75A5560DG		4	97	99
43-1249	F5UZ5560V	F5UA5560V		6	98	99
43-1251	F5UZ5560XA	F5UA5560XA		C	98	99
43-1253	F7UZ5560AA	FZUA5560AGA		G	97	99
43-1255	A1613999003			C	98	99
43-1257	F87Z5560EA	F87A5560EA		E	98	99
43-1259	F87Z5560KA	F87A5560KA		K	98	99
43-1261	F81Z5560BA	F81A5560BE		B	99	
43-1263	F81Z5560CD	F81A5560CA		C	99	
43-1265	F81Z5560DA	F81A5560DB		D	99	
43-1267	F81Z5560EA	F81A5560EB		E	99	
43-1269	F81Z5560AA	F81A5560AC		M	99	
43-1271	F81Z5560AB			SRW	99	
43-1273	F81Z5560BC			SRW	99	
43-1275	F81Z5560BB	F81A5560BD		N	99	
43-1285	F81Z5560AA			M	99	
43-1287	F81Z5560AA			M	99	
43-1293	XL3Z5560CA	XL345560CA		G	98	99
43-1297	F85Z5560BA	F85A5560BA		D	98	99

REPRODUCTION WITHOUT EXPRESS PERMISSION OF SPRING RESEARCH INSTITUTE IS FORBIDDEN.