

# Noble



PANELS & GATES



*The Ultimate  
in Livestock Fencing*

Serving the Livestock Industry since 1980

541-558-3966  
541-558-1405 (FAX)  
800-437-3966

[www.noblepanels.com](http://www.noblepanels.com)

51756 Fruitvale Rd  
Milton-Freewater  
Oregon 97862

# Noble Contour Fence



**Noble** CONTOUR FENCING is the **ideal pasture or perimeter fence**. It is **HORSE SAFE**, **extremely durable** and **requires zero maintenance**. Contour Fencing is as **attractive** as it is **strong**, offering lasting beauty through decades of use.

**Noble** Contour Fencing is a **permanent fence** that is designed to flow up and down with the contour of the ground and maintain a smooth top line. It is a post and rail fence constructed of American-made 1-5/8" 15 gauge round galvanized steel tube.

**Noble** Contour Fencing is **easy to install**. Posts are set in concrete on either 8' or 10' centers (dictated by the strength of fence desired). The 21' long fence rails are made to slide through the posts and join together with a 3" long reduction swage. This joint does not need to reside at a post. After the rails are in position, self-tapping screws (supplied) are used to lock each rail to each post.

**Noble** Gates are hinged and latched on specially fabricated posts. These large diameter round posts use rail sleeves that accept the contour fence rails. 4', 6' and 8' Gates use a 2-7/8" post and hinge with 12" threaded hanger bolts. 10', 12', 14' and 16' gates use a 4" post and they hinge with weld-on hinges. All gates latch to a 2-7/8" post. Double-drive gates are available for openings larger than 16'.

Corners are easy to make with **Noble** Contour Fencing. There is no need for a special corner post. We fabricate "L" type and "T" type corner fittings that slide over each rail. The "L" type fittings are for turning corners and the "T" type fittings are for cross fences. These fittings are made at ninety degree angles or can be custom ordered at any degree angle to fit specialized corners and cross fences.

**Noble** Contour Fencing **can be expanded any time**. . . . . using either **Noble** Panels or more **Noble** Contour Fencing.



**CONTOUR FENCE INSTALLATION**



# Noble Trainer Series Barn

**UNIQUE MODULAR DESIGN**  
allows you to build a  
**BREEZEWAY BARN** to fit your needs!



**10 STALL TRAINER SERIES BARN with PADDOCK DOORS and BREEZEWAY DOOR**

The "Trainer Series" barn is built 36' wide and may be ordered in any length in 12' increments. Stalls are 12' x 12' with a 12' wide covered center aisle. This affordable barn can be expanded at any time. Perfect for your ever-changing equine program.

**PRICED AS A FRAMED STRUCTURE KIT . . . . .**

DOES NOT INCLUDE WOOD PRODUCTS for WALLS or STEEL PANELS for ROOF.

- Stalls are priced with Event Stall Front . Stalls may be ordered with Solid Front for tack room or Open Front for hay storage.
- Drive-in locking ground anchors included with each barn.
- Fully engineered structure will withstand a 55# snow load.
- Sliding breezeway doors for each end of the barn are optional.
- Outside Paddock Doors are options.



**TRAINER BARN AISLEWAY with EVENT FRONTS**

800-437-3966



# Noble Shelters

51756 Fruitvale Rd  
Milton-Freewater, OR 97862  
541-558-3966  
800-437-3966

**Noble SHELTERS** are designed and built to **protect your animals during all four seasons of the year**. They provide a warm dry shelter through the fall and winter and a cool shaded retreat during the spring and summer months.



SOLID SIDE/BACK with OPEN FRONT



SOLID SIDE/BACK with EVENT FRONT



SOLID SIDE/BACK with 6 RAIL FRONT



SOLID DOUBLE DOOR FRONT

We use a **heavy 15 Gauge Round Galvanized Steel Tube** to manufacture our shelters. Both the 1-7/8" diameter and the 1-5/8" diameter material we fabricate with is milled for us to our specifications, and is made right here in the USA. We chose this material for its finish, superior strength and longevity. Like all **Noble** products, our shelters have a galvanized finish for **unequaled rust protection**.

**Noble SHELTERS** with solid walls are fabricated to accept 3/4" plywood of any grade (which is not included). A unique plywood **mounting tab** is used to secure each piece of wood in place. The plywood is cut to size (as per cut diagram) and is mounted against these mounting tabs with a T-Nut and Machine Screw supplied in each installation kit. This design allows each sheet of wood to be recessed inside the wall panel. There are no exposed edges or corners of wood for livestock to chew or crib on. When installed, each piece of wood will have a small air gap around its perimeter (approximately 1/8" to 1/4"). These perimeter openings offer solutions to commonly asked questions regarding **lighting** and **ventilation**. First, animals are more likely to enter a shelter when there is some visible lighting, ie. not a dark hole or box. Second, health issues arise when livestock are contained in poorly ventilated areas. Body heat and moisture can create health problems for different animals where there is little ventilation.



12 X 12 SHELTER with 2 SIDES

**Noble** Shelters or Loafing Sheds can have one, two or three solid walls.

Feed rooms or additional shelters may be added at any time.



12 X 24 LOAFING SHED



12 X 36 LOAFING SHED

**Noble SHELTERS** are **quick and easy to erect**. They come with a set of easy to read instructions and all hardware needed to assemble (wood and roof material supplied by customer). For our solid wall shelters we even include a set of plywood cut diagrams and our recommendations for roof material. Shelter walls are assembled with our proven clamp system, only requiring a 9/16" wrench. Our shelters may be anchored with either a drive-in wedge anchor or anchor post. We offer both systems to anchor your shelter.

**Noble SHELTERS** are **expandable**. With our modular design, you may attach an additional shelter to existing ones or you can change the design or layout of a previously erected shelter. ANY wall can be made to be solid (wood ready), railed (5 or 6 rail panel/gate), or full open for walk-through.



6 RAIL SHELTER



SOLID SIDE/BACK with OPEN FRONT and BACK FEED ROOM

Back feed room has entrance door in back wall. A feed door is set in the grilled section between horse and feed area.

Panels may be added to the front of any **Noble** SHELTER for a paddock run.



BACK VIEW

**Noble** feed rooms give you a lockable area for hay, grain, tack or grooming supplies!



SOLID SIDE/BACK with OPEN FRONT and SIDE FEED ROOM

Side feed room has a door in the back and front. An optional feed door may be added allowing you to feed through the divide wall (as shown).

**Noble SHELTERS** are **fully engineered**.

When properly erected and anchored, our shelters are engineered to withstand a 30# per square foot snow load and a 90 mph wind.

# Noble Stall Fronts & Dividers

*Noble* Stalls are designed and built with the safety and comfort of your horse in mind. They are as attractive as they are functional--and they are easy to install. Whether you choose the affordable *Noble* EVENT STALL system or the classic *Noble* SQUARE TUBE STALL system, you will find that our attention to detail is second to none.



*Noble* SQUARE TUBE STALL FRONT with 2 X 6 TONGUE & GROOVE INSERTS



*Noble* SQUARE TUBE STALL FRONT with 2 X 6 TONGUE & GROOVE INSERTS and YOKE STYLE DOOR



*Noble* SQUARE TUBE STALL FRONT with PLYWOOD INSERTS

The *Noble* SQUARE TUBE STALL FRONTS/DIVIDERS are custom built to your specifications using only the finest material available. They are exceptionally strong and virtually rust-free. The framework is built with 2" X 2" square Galvanized Steel Tube and is fully welded at each joint. The grills are constructed of 1-3/8" round Galvanized Steel Tube and are spaced on 4" centers (leaves 2-5/8" between bars). The wood insert mounts are formed with a heavy 12 Gauge Galvanized Flat Steel. These inserts are available one of two ways: a single flange for flat plywood inserts, or a double flange (channel) that accepts the timeless beauty of 2 x 6 Tongue and Groove lumber (wood not included). Both leave no exposed wood edges for a horse to chew on. Customer supplies all wood products.



DROP DOWN GRILL OPTION

Square Tube Stall Fronts are available with either a Swing Door or a Sliding Door. Each offers a full 52" wide door opening. The sliding door can be ordered with permanent grills or with a Drop Down Grill that will allow a horse to have its head out into the alley. A Yoke Style door can also be ordered. We even offer a Swing-Out Feed Door that allows you to feed from the aisleway.



FEED DOOR OPTION



SLIDING DOOR LATCH

All Fronts and Dividers are offered in any length up to 16'.

*Noble* SQUARE TUBE STALL DIVIDERS are custom built to your specifications. Dividers are available for either Plywood inserts or 2 x 6 Tongue & Groove inserts (wood not included).



SOLID DIVIDER with PLYWOOD



SOLID DIVIDER with TONGUE & GROOVE



2/3 GRILLED, 1/3 SOLID DIVIDER



FULL WIDTH GRILLED DIVIDER

## *Noble* Event Stall Fronts & Dividers

The *Noble* EVENT STALL FRONTS and DIVIDERS are a high quality stall system at a very affordable price. EVENT STALLS are made with a heavy 1 7/8" OD round 15 gauge galvanized steel tubing. They have horizontal bars set 7" apart. EVENT STALLS are designed to have Plywood inserts recessed into the stall wall, leaving no exposed wood edges for a horse to chew on. The wood (not supplied) is mounted into the wall against a flat flange with a T-nut and Screw (which is supplied). Fronts are built with a swing door that can be set on the right or left. You may also choose which side of the door you want the *Noble* Horseshoe Latch placed. Dividers are built in either solid or 1/2 solid variations. Both are available in any length up to 14'.



# WHY

# Noble



*Noble* Panels & Gates are built to be the safest and longest lasting fence panel on the market. Period.

Our superior design and unmatched craftsmanship, using the finest American-made materials, prove that our Products are *"The Ultimate in Livestock Fencing."*

*Noble* Panels can be used as portable or permanent fencing. Using our safe and strong clamp system for panel attachment, you can erect a Round Pen, Arena, or Paddock quickly. Our Panels can also be erected with our unique steel post support system for a more permanent fence.

*Noble* Panels and Gates are offered in a variety of heights, lengths and number of rails. They are available in any length up to 20' in two foot increments and in heights ranging from 4' to 6'. Rail spacing is offered one of two ways:  
8 1/2" spacing between rails--available in the 5 and 6 rail panels.  
12 1/2" spacing between rails--available in the 3 and 4 rail panels.

*Noble* products are appealing, safe, easy to install and extremely long lasting.  
All of this at an affordable price equals a great value for your dollar!

**We invite you to compare the following features with any panel or gate on the market.**

**CAPS:** All panels are capped along the top rail. All gates are capped on top and bottom rail. Our weld-on caps prevent injury and enhance appearance.




**JOINTS:** Joints are notched and welded all the way around for maximum strength and a smooth finish. This process eliminates moisture from penetrating rails and causing damage.

**CORNERS:** Top corners are squared, not rounded or curved. This eliminates the chance that livestock may hang a leg in between panels where they are joined.



**MATERIAL:** Constructed of 15 gauge American-Made 1-5/8" OD round galvanized steel tubing. Tubing has a .072 wall thickness and a 65,000 lb yield strength. The rust-resistant finish will provide decades of use and retain its decorative silver appearance.

1 - 7/8" OD 15 gauge material available on special request.



**UPRIGHTS:** Vertical uprights are built out of the same material as the rails - each upright goes clear to the ground for SUPERIOR SUPPORT. Uprights are spaced evenly throughout the panel, never going over 6' without a vertical upright.



**CLAMPS:** Panels are attached together with a galvanized panel clamp assembly that is included in the price of each panel. This system leaves only a 3/8" gap between panels. The rigidity of this clamp system also will not allow panels to move and rattle or clang when in use like a pin attachment or chain attachment system.

**STEEL SELLS BY WEIGHT. WE INVITE YOU TO COMPARE THE WEIGHT OF OUR PRODUCTS TO OTHERS ON THE MARKET. WE BELIEVE YOU WILL FIND THAT POUND FOR POUND WE ARE A BETTER VALUE!**

# Noble Panels



**6' HIGH 6 RAIL**

Excellent Round Pen panel.  
Perfect for stallion paddocks.

PANEL LENGTH	PART#	WEIGHT
6'	WPA6-6	56#
8'	WPA8-6	76#
10'	WPA10-6	91#
12'	WPA12-6	106#
14'	WPA14-6	127#
16'	WPA16-6	142#
20'	WPA20-6	177#
MATCHING BOWGATE:		
6' BOWGATE	WBG6-6	80#



**5 1/2' HIGH 6 RAIL**

Excellent cattle-working panel.  
Ideal for Mare/Foal enclosures.

PANEL LENGTH	PART#	WEIGHT
6'	WPA6	56#
8'	WPA8	76#
10'	WPA10	91#
12'	WPA12	106#
14'	WPA14	127#
16'	WPA16	142#
20'	WPA20	177#
MATCHING BOWGATE:		
6' BOWGATE	WBG6-6	80#



**5' HIGH 5 RAIL**

Used in Roping Arenas,  
Round Pens and Paddock/Runs.

PANEL LENGTH	PART#	WEIGHT
6'	WPB6	48#
8'	WPB8	66#
10'	WPB10	78#
12'	WPB12	90#
14'	WPB14	108#
16'	WPB16	120#
20'	WPB20	150#
MATCHING BOWGATE:		
6' BOWGATE	WBG6-6	76#



**5' HIGH 4 RAIL**

For Pleasure Arenas or  
large fenced pastures.

PANEL LENGTH	PART#	WEIGHT
6'	WPC6	41#
8'	WPC8	56#
10'	WPC10	66#
12'	WPC12	76#
14'	WPC14	91#
16'	WPC16	101#
20'	WPC20	126#
MATCHING BOWGATE:		
6' BOWGATE	WBG6-6	67#



**4 1/2' HIGH 3 RAIL**

Great take-a-long Panel.  
Economical.

PANEL LENGTH	PART#	WEIGHT
6'	WPD6	32#
8'	WPD8	45#
10'	WPD10	52#
12'	WPD12	59#
14'	WPD14	72#
16'	WPD16	79#
20'	WPD20	99#
MATCHING BOWGATE:		
6' BOWGATE	WBG6-6	56#



**COW CUTTER**

Designed for those wanting solid walls in  
Round Pens, Arenas, and Paddocks

PANEL SIZE	PART#	WEIGHT
8'-4" LONG X 6' HIGH	WCCP	48#
MATCHING GATES:		
6' COWCUTTER BOWGATE	WCC6BG	76#
8' COWCUTTER BOWGATE	WCC8BG	140#

6', 8', 10', 12' COW CUTTER SWING GATE AVAILABLE  
(Customer supplies wood products)

Panels and Gates are listed in 1-5/8" OD 15 gauge Galvanized Steel Tubing.  
All Panels and Gates may be special ordered in 1-7/8" OD 15 gauge tubing.

Let us help you design a custom **ARENA** with our **Noble** products. We have years of experience designing and building a large variety of ARENAS: complete Roping Arenas, Pleasure Arenas, Cow Cutting Arenas, Team Penning Arenas, Cattle Sorting Arenas and Barrel Racing Arenas. We can build your PERFECT ARENA!

## Noble Feeders

ALLOWS HORSE TO FEED IN  
NATURAL GRAZING POSITION

OPTIONAL CORNER INSERT




CLEANER STALLS  
LESS FOOD IS WASTED  
MOLDED POLYURETHANE  
SIDE PANS FOR SALT, GRAIN, SUPPLEMENTS



The Ultimate HORSE FEEDER

NEW "YOKE" DESIGN and  
"EARTH TONE" COLOR  
BACK HEIGHT 37"



FRONT HEIGHT 31 1/4"

# Noble Gates



**6 RAIL Noble GATE**

PANEL LENGTH	PART#	WEIGHT
4'	WGA4	42#
6'	WGA6	56#
8'	WGA8	76#
10'	WGA10	91#
12'	WGA12	106#
14'	WGA14	127#
16'	WGA16	142#
18'	WGA18	156#
20'	WGA20	177#



**5 RAIL Noble GATE**

PANEL LENGTH	PART#	WEIGHT
4'	WGB4	36#
6'	WGB6	48#
8'	WGB8	66#
10'	WGB10	78#
12'	WGB12	90#
14'	WGB14	108#
16'	WGB16	120#
18'	WGB18	132#
20'	WGB20	150#



**4 RAIL Noble GATE**

PANEL LENGTH	PART#	WEIGHT
4'	WGC4	31#
6'	WGC6	41#
8'	WGC8	56#
10'	WGC10	66#
12'	WGC12	76#
14'	WGC14	91#
16'	WGC16	101#
18'	WGC18	110#
20'	WGC20	126#

Double-Drive Gates may be ordered for larger openings.

## HINGE OPTIONS

Gates include standard hinge with 6" Lag Screw Hanger Bolt.

A 12" Threaded Hanger Bolt may be exchanged for 6" Lag Screw at time of ordering.



STANDARD HINGE with 6" SCREW-IN LAG HANGER



STANDARD HINGE with 12" THREADED HANGER BOLT



OPTIONAL HEAVY-DUTY WELD-ON HINGE

## LATCH OPTIONS



*Noble* Horseshoe Latch



Chain Latch



Lever Latch

Gate prices include the Horseshoe Latch, placed on the right side of gate (also available on the left side). Chain Latch or Lever Latch may be exchanged for Horseshoe Latch.

## Noble Bowgate

Bowgates are offered in 4', 6', 8', 10' and 12' widths.



Bowgate Hinge

8', 10' and 12' Bowgates have heavy double bow frame.



6' WIDE 5 RAIL BOWGATE

*Noble* BOWGATES are made to match the height and rail spacing of adjoining panels. They come with the standard *Noble* Horseshoe Latch. Lever Latch is available as an option.

# Noble Round Pens



50' 6 RAIL ROUND PEN (5 1/2' HIGH)



50' 5 RAIL ROUND PEN (5' HIGH)



COW CUTTER ROUND PEN

*Noble* Round Pens are assembled using 12' long Panels and a 6' wide Bowgate.

*Noble* Round Pens are offered in **any** diameter.

**Horse Safe!**  
**Extremely Durable!**  
**Exceptional Strength!**

*Noble* Cowcutter Round Pens are made with 8' 4" panels that accept 3/4" plywood. (customer supplies wood)



51756 Fruitvale Rd  
Milton-Freewater, OR 97862



800-437-3966

541-558-3966

FAX: 541-558-1405



[www.noblepanels.com](http://www.noblepanels.com)



BBB MEMBER  
Better Business Bureau®  
serving Oregon & Western Washington