

CHASSIS CABS | PICKUPS | PROMASTER | PROMASTER CITY



RAM. THE BENCHMARK FOR

COMMERCIAL-GRADE. With Ram, you're looking at capability at the top of its game. This is an industrial-level family that gives you stellar attributes where they really count the most. Torque is indispensable-and Ram Heavy Duty pickups and Chassis Cabs equipped with the Cummins® Turbo Diesel put impressive available torque at your service. Comfort? Ram light- and heavy-duty pickups feature groundbreaking available suspensions for outstanding ride and handling. If your business needs efficiency and strength, Ram leads: Ram 1500 pickup with the available 3.0L EcoDiesel V6 delivers best-in-class² 29 mpg hwy[†] and 420 lb-ft of torque. Few pickups match the refinement of a Ram Laramie Longhorn® or Limited model with their premium leather interiors. And for sheer practicality, the Ram ProMaster® and Ram ProMaster City® models feature a wealth of best-in-class features, with Cargo Van interiors ready-made for your upfit of choice. Ram delivers it all: PTO versatility. Superb towing. Exceptional hauling. Get the big picture, at RAMTRUCKS.COM/COMMERCIAL



*A note about this brochure: all disclaimers and disclosures can be found on the back cover. *2016 EPA estimated 21 mpg city/29 mpg hwy based on Ram 1500 EcoDiesel V6 HFE 4x2. Actual results may vary.



2017 RAM 3500/4500/5500 CHASSIS CAB

0 = Optional
P = Available within Package noted
- = Not available

S = Standard

CPOS PACKAGE		2TA	2TG	2TH
ENGINES	TRANSMISSIONS			
6.4L HEMI® V8	6-speed automatic (3500 only)	S	S	S
6.4L HEMI V8	AISIN® 6-speed automatic AS66RC (available on 3500; standard on 4500/5500)	0/S	0/S	0/8
6.7L Cummins® Turbo Diesel; 320 hp, 650 lb-ft of torque	6-speed manual	0	0	0
6.7L Cummins High Output Turbo Diesel; 325 hp, 750 lb-ft of torque	AISIN 6-speed Heavy-Duty automatic AS69RC	0	0	0
MECHANICAL FEATURES				
ALTERNATOR – 380-amp (dual 220-amp and 160-amp; requires 6.4L HEI	MI V8)	0	0	0
- 440-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)		0	0	0
FUEL TANK – 52-gallon, rear-mounted		S	S	S
- 22-gallon, mid-ship (standard on 3500 DF 10K GVWR models)		\$/0	\$/0	S/
- 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60	1-inch CA with 6.4L HEMI V8)	0	0	0
PTO CAPABILITY - Available with AISIN automatic or manual transmission	n (includes split-shaft PTO capability with diesel engine)	0	0	0
- Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN tran	nsmission only (4x2 only)	0	0	C
TOW HOOKS – Available with gas engine on 3500 models; included wit	h diesel engine on 3500 models; standard on 4500/5500 models	0/P/S	0/P/S	0/F
UPFITTER INTERFACE MODULE – Over 50 inputs and outputs (package	d with Ambulance Prep Group)	0/P	0/P	0,
SAFETY & SECURITY				
AIR BAGS ³ – Multistage front		S	S	S
- Driver only		0	0	-
BRAKES – Power-assisted four-wheel antilock disc		S	S	S
DOT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguishe	r, three reflective triangles, two Red vinyl flags and spare fuses	0	0	C
ELECTRONIC STABILITY CONTROL (ESC) ⁴ – Four-channel ABS, Electror Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway (iic Brake-Force Distribution, All-Speed Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost Control! Electronic Roll Mitigation and Hill Start Assist	S	S	S
PARKSENSE® FRONT AND REAR PARK ASSIST ⁵ – Requires Chrome App	pearance Package and fog lamps on Tradesman, and fog lamps on SLT	0	0	(
PARKSENSE REAR PARK ASSIST ⁵		0	0	(
PARKVIEW® REAR BACK-UP CAMERA ⁵ – Shipped loose in cab, installet radios will include the camera display on-screen)	l by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other	0	0	(
RED SEAT BELTS – Regular Cab only (not available on 10K GVWR 3500) SRW models)	0	0	-
REMOTE KEYLESS ENTRY – Controls for power door locks, illuminated optional on Crew Cab Tradesman)	entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group;	0/P	S	5
REMOTE START SYSTEM – Requires automatic transmission; packaged	with available automatic transmission on Laramie	-	0	F
SECURITY ALARM		-	0	5
SENTRY KEY® THEFT DETERRENT SYSTEM – Engine immobilizer		S	S	5
TRAILER BRAKE CONTROL – Fully integrated electronic		0	0	(
NOTE: some features and/or applications may be late availability.				

NOTE: some features and/or applications may be late availability.

2017 RAM 2500/3500	S = Standard 0 = Optional P = Available within Package noted - = Not available	TRADESMAN** REG/CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR* Crew/Mega	POWER WAGON® CREW	LARAMIE** CREW/MEGA	LARAMIE LONGHORN* CREW/MEGA	LIMITED CREW/MEGA
CPOS PACKAGE		2TA	2TG	2TZ/ 2TY	2TP		2TK	2TM
ENGINES	TRANSMISSIONS							
5.7L HEMI® V8; 383 hp, 400 lb-ft of torque	6-speed automatic (SRW only)	S	S	S	-	S	0	0
5.7L HEMI V8 dual-fuel CNG/gasoline; 383 hp, 400 lb-ft of torque	6-speed automatic (2500 Regular Cab and Crew Cab 8' box only)	0	0	_	-	_	-	_
6.4L HEMI V8 with MDS; 410 hp, 429 lb-ft of torque (370 hp on 3500 Mega Cab®)	6-speed automatic	0	0	0	S	0	S	S
6.7L Cummins® Turbo Diesel; 350 hp, 660 lb-ft of torque	6-speed manual	0	0	0	-	0	-	-
6.7L Cummins Turbo Diesel; 370 hp, 800 lb-ft of torque	6-speed automatic	0	0	0	-	0	0	0
6.7L Cummins High Output Turbo Diesel; 385 hp, 900 lb-ft of torque	6-speed AISIN® Heavy-Duty automatic (3500 only)	0	0	0	-	0	0	0
MECHANICAL FEATURES								
ALTERNATORS – Dual-rated at 380 amps (gas 6.4L V8 only; includes 160-amp and 2	220-amp)	0	0	0	0	0	0	0
- Dual-rated at 440 amps (6.7L diesel only; includes two 220-amp)		0	0	0	-	0	0	0
FIFTH-WHEEL/GOOSENECK PREP PACKAGE - Includes in-box 7-pin harness connect	tor (not available with RamBox® System)	0	0	0	-	0	0	0
TRAILER TOW – 4-pin/7-pin trailer harness plug (combination receptacle) and Class	V hitch receiver	S	S	S	S	S	S	S
SUSPENSION – Three-link front with coil springs			S	S	S	S	S	S
- Rear, five-link multirate coil springs (2500 only)			S	S	S	S	S	S
Rear leaf springs (3500 only)			S	S	-	S	S	S
- Auto-Level Rear Air Suspension System			0	0	-	0	0	0
TRANSFER CASES (4x4 models only) – Manual shift-on-the-fly		S	-	-	S	-	-	-
- Electronic shift-on-the-fly			S	S	-	S	S	S
SAFETY & SECURITY								
AIR BAGS ³ – Multistage front and knee bolsters		S	S	S	S	S	S	S
- Supplemental side-curtain		S	S	S	S	S	S	S
- Supplemental front-seat side-mounted			S	S	S	S	S	S
CARGO-VIEW CAMERA ⁵ – Requires Uconnect® 8.4 or 8.4 NAV system		-	0	0	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) ⁴ – Includes Brake Assist, Electronic Roll Mil All-Speed Traction Control and Trailer Sway Control ⁴	tigation, Hill Start Assist, Rain Brake Support, Ready Alert Braking,	S	S	S	S	S	S	S
ELECTRONIC TRAILER BRAKE CONTROLLER		0	S	S	S	S	S	S
PARKSENSE® REAR PARK ASSIST ⁵		0	0	0	0	-	-	-
PARKSENSE FRONT AND REAR PARK ASSIST ⁵ – Included with Leather and Luxury Group			0	0	0/P	S	S	S
PARKVIEW® REAR BACK-UP CAMERA ⁵ – Video displayed in rearview mirror with 3.0 radio, or on-screen with Cargo-View Camera ⁵ with other radios (included with Black Appearance Group or Leather and Luxury Group)		0	0	0/P	0/P	S	S	S
REMOTE KEYLESS ENTRY — Controls for power door locks, tailgate, RamBox System (included in Tradesman Popular Equipment Group or Power and Remote Entry Group		Р	S	S	S	S	S	S
REMOTE START SYSTEM – Requires automatic transmission		-	0	S	0	0	S	S
SECURITY ALARM – Detects break-in (included with Leather and Luxury Group)		-	0	0	0/P	S	S	S
SENTRY KEY® THEFT DETERRENT SYSTEM – Engine immobilizer		S	S	S	S	S	S	S
TIRE PRESSURE INFORMATION SYSTEM (3500 only)		S	S	S	-	S	S	S
TIRE PRESSURE MONITORING (TPM) – Within Driver Information Display and alert (2500 only)	S	S	S	S	S	S	S

TIRE PRESSURE MONITORING (TPM) – Within Driver Information Display and alert (2500 only) NOTE: some features and/or applications may be late availability. *Lone Star model available only in Texas.






2017 RAM 1500	S = Standard 0 = Optional P = Available within Package noted - = Not available	TRADESMAN® REG/QUAD/CREW	ECODIESEL HFE QUAD	RAM 1500 EXPRESS* REG/QUAD/CREW	BIG HORN*/LONE STA REG/QUAD/CREW	SPORT REG/QUAD/CREW	NIGHT EDITION REG/QUAD/CREW	REBEL TM CREW	LARAMIE® QUAD/CREW	LARAMIE LONGHORN CREW	LIMITED
CPOS PACKAGE		В	Ε	J	S/R	L	Q	W	Н	K	٧
ENGINES	TRANSMISSIONS										
3.6L Pentastar® V6 Flex Fuel 24V with VVT; 305 hp, 269 lb-ft of torque	8-speed automatic	S	-	S	S	S	S	S (4x4)	S	-	-
3.0L EcoDiesel V6; 240 hp, 420 lb-ft of torque	8-speed automatic	0	S	-	0	-	_	-	0	0	0
5.7L HEMI® V8; 395 hp, 410 lb-ft of torque	8-speed automatic	0	-	0	0	0	0	S (4x2) O (4x4)	0	S	S
MECHANICAL FEATURES								(,			
ACTIVE GRILLE SHUTTERS – Included with 8-speed automatic transmission		S	S	S	S	S	S	-	S	S	S
STEERING – Electronic rack and pinion		S	S	S	S	S	S	S	S	S	S
SUSPENSION – Front, upper and lower A-arms, coil springs		S	S	S	S	S	S	-	S	S	0
– Rear, five-link, coil springs, twin-tube shocks		S	S	S	S	S	S	-	S	S	0
 Active-LevelTM Four-Corner Air Suspension System; front upper and lower A-arms compressor, dual closed-loop system storage tanks (Quad Cab[®] and Crew Cab n 6'4" box) 		0	-	0	0	0	0	S	0	0	S
TRAILER HITCH – Class IV hitch receiver (included with Trailer Tow Mirror and Brake	Group)	S	-	0	S	0/P	0/P	S	S	S	S
TRANSFER CASES (4x4 models only) – Electronic part-time		S	-	S	-	-	-	S	-	-	_
- Electronic on-demand		-	-	-	S	S	S	-	S	S	S
SAFETY & SECURITY											
AIR BAGS ³ – Advanced multistage front		S	S	S	S	S	S	S	S	S	S
– Supplemental side-curtain		S	S	S	S	S	S	S	S	S	S
- Supplemental front-seat side-mounted		S	S	S	S	S	S	S	S	S	S
BRAKES – Power-assisted four-wheel antilock disc		S	S	S	S	S	S	S	S	S	S
ELECTRONIC STABILITY CONTROL (ESC) ⁴ – Includes four-wheel ABS, Brake Assist, A Ready Alert Braking, Electronic Roll Mitigation, Hill Start Assist and Trailer Sway Con		S	S	S	S	S	S	S	S	S	S
PARKSENSE® REAR PARK ASSIST⁵		-	-	-	-	-	-	S	_	-	
PARKSENSE FRONT AND REAR PARK ASSIST ⁵ – Not available on Regular Cab		-	-	-	S	0	0	-	0	S	S
PARKVIEW® REAR BACK-UP CAMERA ⁵ – With dynamic grid lines (grid lines not avai Park Assist Group)		0	-	0	S	S	S	S	S	S	S
REMOTE KEYLESS ENTRY WITH ALLSECURE® – Controls for power door locks, tailggentry system, panic alarm; includes two transmitters (included with Popular Equipment)		Р	-	Р	S	S	S	S	S	S	S
REMOTE START SYSTEM		-	-	-	S	S	S	S	0	S	S
SECURITY ALARM		-	-	-	S	S	S	S	S	S	S
TRAILER BRAKE CONTROL – Fully integrated electronic (included with Trailer Tow M		0/P		0/P	0/P	0/P	0/P	0/P	0/P	0/P	0/P

NOTE: some features and/or applications may be late availability. *Lone Star model available only in Texas.

2017 RAM PROMASTER®	S = Standard O = Optional - = Not available	VAN	WINDOWED	CHASSIS CAB	CUTAWAY
ENGINES	RANSMISSIONS				
3.6L Pentastar® V6; 280 hp, 260 lb-ft of torque 6-s	speed automatic	S	S	S	S
3.0L EcoDiesel I-4; 174 hp, 295 lb-ft of torque 6-s	speed Dual Active Drive (not available on 118-inch-wheelbase Cargo Van)	0	0	-	-
Front-Wheel Drive		S	S	S	S
FEATURES					
12-VOLT POWER OUTLET		S	S	S	S
AIR CONDITIONING/HEAT - Manual		S	S	S	S
CARGO PARTITION – Without window		0	-	-	_
- With sliding window		0	-	-	_
- Delete		S	-	-	_
CLOTH SEATS		S	S	S	S
– Swivel seat – Driver		0	0	0	0
- Swivel seat - Passenger (requires driver swivel seat)					0
CRUISE CONTROL					0
HALOGEN HEADLAMPS	S	S	S	S	
HEATED SEATS	0 S	0	0 S	0	
POWER DOOR LOCKS – Speed-sensitive					S
POWER WINDOWS - Front					S
PREMIUM APPEARANCE GROUP – Includes chrome grille and front fog lamps				0	0
REAR BACK-UP CAMERA ⁵ KIT				0	0
REAR SPEAKER WIRING PREP – Includes Upfit Interface Connector			S	S	S
REMOTE KEYLESS ENTRY		S	S	S	S
TELESCOPING STEERING COLUMN		S	S	S	S
VINYL SEATS		0	0	0	0
SAFETY & SECURITY					
AIR BAGS ³ – For driver and front passenger		S	S	S	S
- Supplemental front-seat side-mounted			S	S	S
- Supplemental side-curtain				S	S
ELECTRONIC STABILITY CONTROL (ESC) ⁴				S	S
FOUR-WHEEL DISC ANTILOCK BRAKE SYSTEM					S
HEAD RESTRAINTS®				S	S
SECURITY ALARM			0	0	0
THREE-POINT SEAT BELTS		S	S	S	S
TIRE PRESSURE MONITORING (TPM) DISPLAY				S	S

NOTE: some features and/or applications may be late availability.





2017 RAM PROMASTER CITY®

S = Standard
0 = Optional
P = Available within Package noted
- = Not available
WWGOW AV
WGOW AV
WWGOW AV
WGOW AV
WWGOW A

CPOS PACKAGE		2TC	2TD	2TA	2TB
ENGINE	TRANSMISSION				
2.4L MultiAir®2 I-4; 178 hp, 174 lb-ft of torque	9-speed automatic	S	S	S	S
MECHANICAL FEATURES					
ALTERNATOR - 160-amp		S	S	S	S
BATTERY – 700-amp maintenance-free		S	S	S	S
BRAKES – Four-wheel antilock		S	S	S	S
CARGO PARTITION PACKAGE – Solid		0	0	-	_
- With window		0	0	-	-
ELECTRONIC VEHICLE TRACKING SYSTEM (EVTS)		0	0	0	0
FLOOR MATS – Front and rear carpet		-	-	0	0
– Front and rear slush		-	-	0	0
- Front carpet		0	0	-	-
– Front slush		0	0	-	-
FRONT AND REAR STABILIZER BARS		S	S	S	S
FUEL TANK - 16-gallon		S	S	S	S
HEAVY-DUTY SUSPENSION		S	S	S	S
PUNCTURE SEALANT AND PORTABLE AIR COMPRESSOR		S	S	S	S
SAFETY & SECURITY					
AIR BAGS ³ – For driver and front passenger		S	S	S	S
- Driver inflatable knee bolster		S	S	S	S
- Supplemental front-seat side-mounted		S	S	S	S
 Supplemental side-curtain for 1st and 2nd row 		_	-	S	S
- Supplemental side-curtain for 1st row		S	S	-	-
DOT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire ext	tinguisher, three reflective triangles, two Red vinyl flags and spare fuses	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) ⁴ – Includes Brake-Lou Brake Assist and All-Speed Traction Control	ck Differential, Electronic Roll Mitigation, Hill Start Assist, Trailer Sway Control,4	S	S	S	S
PARKSENSE® REAR PARK ASSIST ⁵ – Included with Rear Back-	-Up Camera Group	Р	Р	Р	Р
PARKVIEW® REAR BACK-UP CAMERA5 – Included with Rear Back-	ack-Up Camera Group	Р	Р	Р	Р
REMOTE KEYLESS ENTRY		S	S	S	S
TIRE PRESSURE MONITORING (TPM) SYSTEM - Warning lamp		S	S	S	S
NOTE: some features and/or applications may be late availability.					



THIS IS HOW YOU BUILD A BUSINESS.



JOIN IN







Join fellow Ram enthusiasts and tell your story by posting comments, participating in discussions, and sharing your photos and videos. Join our community on Facebook, Twitter, YouTube, Google+, Pinterest and Instagram.






















1 Based on IHS Automotive VIO registration data for all brands of GWW 1 - 3 pickup trucks continuously sold in the U.S. since 1988, Dodge and Ram have the highest overall percentage still on the road. 2 Based on Standard Pickup class. EPA estimated 29 mpg highway based on EcoDiesel V6 4x2. Actual results may vary. 3 The Advanced Front Air Bags in this vehicle are certified to the new U.S. Federal regulations for advanced air bags. Children 12 years old and younger should always ride buckled up in a rear seat. Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a passenger front air bag. All occupants should always wear their lap and shoulder belts properly. 4 No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt. 5 Always look before proceeding, electronic drive aid is not a substitute for conscientious driving; always be aware of your surroundings. 6 Always sit properly with the head restraint properly adjusted.

Never place anything in front of the head restraint. 7 Transferable. See dealer for complete details and a copy of the 5-Year/100,000-Mile Diesel Powertrain Limited Warranty.

© 2016 FCA US LLC. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Mopar, AllSecure, Automobility Program, Big Horn, Business Link and design, the CNG design, HEMI, Laramie, Laramie Longhorn, Mega Cab, On The Job and design, ParkSense, ParkView, Pentastar, Power Wagon, Quad Cab, Ram 1500 Express, RamBox, the Ram's Head logo, Ram ProMaster, Ram ProMaster City, Sentry Key, Tradesman and Uconnect are registered trademarks, and Active-Level, HFE High Fuel Efficiency & Design and Rebel are trademarks of FCA US LLC.

MultiAir is a registered trademark of C.R.F. Società Consortile per Azioni, used under license by FCA US LLC. Bosch is a registered trademark of Robert Bosch GmbH. Cummins is a registered trademark of Cummins, Inc. AISIN is a registered trademark of Aisin Seiki Co., Ltd.
CNH, Case IH and New Holland are registered trademarks of CNH America LLC. Facebook and logo are registered trademarks of Facebook, Inc. The Twitter logo is a service mark of Twitter, Inc. YouTube and logo and Google+ and logo are registered trademarks of Foreign Control of Instagram, Inc. Sirius, XM and all related marks and logo are trademarks of Sirius XM Radio Inc. Grizzly is a trademark of Grizzly Coolers LLC.

About this brochure: since the time of printing, some of the information you'll find in this brochure may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this brochure may be available at extra cost. Specifications, descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. FCA US LLC reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Options may be required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Ram dealer.



