



Trijicon
ACOG®

THE SCOPE THAT CHANGED EVERYTHING

There's a reason the Trijicon ACOG® (Advanced Combat Optical Gunsight) is the official medium-distance engagement optic of the U.S. Special Operations Forces and Marine Corps. And there's a reason over one million ACOGs have been produced. They offer an illuminated reticle pattern for use in bright to low/no light, along with legendary durability and reliability. In fact, every feature of its design was chosen for a single purpose: to provide increased hit potential in all lighting conditions.

MODELS



1.5x16S



1.5x24



2x20



3x24



3x30



3.5x35



3.5x35 LED



4x32



4x32 BAC



4x32 LED



5.5x50



6x48

FEATURES

BATTERY-FREE ILLUMINATION

Most ACOG® models feature a tritium/fiber optic illuminated reticle that automatically adjusts the brightness based on available light.

RUGGED ALUMINUM-ALLOY HOUSING

Forged 7075-T6 aircraft-aluminum-alloy housing provides for a nearly indestructible sighting system.

“BOTH EYES OPEN” DESIGN

The ACOG® can be used as a CQB sight when shooting “both eyes open,” utilizing the Bindon Aiming Concept (see pg. 7).

SUPERIOR QUALITY GLASS LENSES

Multi-coated lenses provide superior clarity and light-gathering capabilities with zero distortion.

FIXED MAGNIFICATION

Fewer moving parts than a variable optic equals more durability. Seven magnifications available: 1.5x, 2x, 3x, 3.5x, 4x, 5.5x, and 6x.

BULLET DROP COMPENSATING & RANGING RETICLES

Available in most models.

COMBAT PROVEN

No other magnified optic has been used more in combat than the ACOG®.

SHOCK-RESISTANT

Proven to withstand recoil from a .22LR to a .50BMG and everything in between. Easily passes U.S. Military drop test requirements.

WATERPROOF

Exceptional waterproof performance. Dry nitrogen-filled to eliminate fogging. Exceeds military standards.

LIMITED LIFETIME WARRANTY

Tritium lamp is warranted to illuminate for 15 years on fiber optic scopes and 10 years on non-fiber optic scopes.



“I can't speak highly enough of this scope. It has been strapped to my leg through 37 airborne operations, 7 fast ropes in the mountains of the Korengal Valley and hundreds of combat patrols with zero failure. Thank you for such a great product.”

*— Staff Sergeant
Donovan Burson
Pathfinder Company*



SPECIFICATIONS

	1.5x16S	1.5x24	2x20	3x24	3x30	3.5x35
MAGNIFICATION	1.5x	1.5x	2x	3x	3x	3.5x
OBJECTIVE LENS	16mm	24mm	20mm	24mm	30mm	35mm
EYE RELIEF	2.4 in. 61.0mm	3.6 in. 91.4mm	2.1 in. 53.3mm	1.4 in. 35.6mm	1.9 in. 48.3mm	2.4 in. 61.0mm
EXIT PUPIL	0.42 in. 10.7mm	0.63 in. 16.0mm	0.39 in. 10.0mm	0.31 in. 8.0mm	0.33 in. 8.4mm	0.39 in. 10.0mm
FIELD OF VIEW (DEGREES)	7.4°	4.9°	5.6°	4.9°	3.7°	5.5°
FIELD OF VIEW	39.0 ft. @ 100 yds. 12.9m @ 100m	25.6 ft. @ 100 yds. 8.6m @ 100m	29.3 ft. @ 100 yds. 9.8m @ 100m	25.6 ft. @ 100 yds. 8.6m @ 100m	19.3 ft. @ 100 yds. 6.5m @ 100m	28.9 ft. @ 100 yds. 9.6m @ 100m
ADJUSTMENTS (PER IN. @ 100 YDS.)	2 Clicks	2 Clicks	2 Clicks	2 Clicks	4 Clicks	3 Clicks
DIMENSIONS (L X W X H) WITHOUT MOUNT	4.0 x 1.6 x 2.1 in. 102 x 42 x 53mm	5.8 x 1.6 x 2.1 in. 147 x 42 x 53mm	5.3 x 1.6 x 2.1 in. 135 x 42 x 53mm	5.0 x 1.8 x 2.1 in. 127 x 46 x 53mm	6.1 x 1.6 x 2.1 in. 155 x 42 x 53mm	8.0 x 2.1 x 2.9 in. 203 x 53 x 73mm
WEIGHT WITHOUT MOUNT	5.1 oz. 144.5g	6.3 oz. 179.1g	6.4 oz. 180.6g	6.1 oz. 173g	7.8 oz. 221.1g	14 oz. 397g
ILLUMINATION SOURCE	Fiber Optics & Tritium	Fiber Optics & Tritium	Fiber Optics & Tritium	Fiber Optics & Tritium	Fiber Optics & Tritium	Fiber Optics & Tritium
BATTERY LIFE	N/A	N/A	N/A	N/A	N/A	N/A
RETICLE CALIBRATION	N/A	N/A	N/A	.223 / 7.62x39	.223 / .308 / 7.62x39 / 300 BLK	.223 / .308 / M193 / 300 BLK

3.5x35 LED	4x32	4x32 BAC	4x32 LED	5.5x50	6x48
3.5x	4x	4x	4x	5.5x	6x
35mm	32mm	32mm	32mm	50mm	48mm
2.4 in. 61.0mm	1.5 in. 38.1mm	1.5 in. 38.1mm	1.5 in. 38.1mm	2.2 in. 55.9mm	2.7 in. 68.6mm
0.39 in. 10.0mm	0.32 in. 8.1mm	0.32 in. 8.1mm	0.32 in. 8.1mm	0.36 in. 9.1mm	0.32 in. 8.1mm
5.5°	7.0°	7.0°	7.0°	3.5°	3.3°
28.9 ft. @ 100 yds. 9.6m @ 100m	36.6 ft. @ 100 yds. 12.2 @ 100m	36.6 ft. @ 100 yds. 12.2 @ 100m	36.6 ft. @ 100 yds. 12.2 @ 100m	18.3 ft. @ 100 yds. 6.1m @ 100m	17.3 ft. @ 100 yds. 5.8m @ 100m
2 Clicks per in. @ 100m	2 Clicks	2 Clicks	2 Clicks per in. @ 100m	5 Clicks	4 Clicks
8.0 x 3.0 x 2.6 in. 203 x 76 x 66mm	5.8 x 2.0 x 2.3 in. 147 x 51 x 58mm	5.9 x 2.0 x 2.5 in. 150 x 51 x 64mm	6.0 x 2.9 x 2.5 in. 153 x 74 x 64mm	12.0 x 2.5 x 2.7 in. 305 x 64 x 69mm	9.0 x 2.9 x 3.4 in. 229 x 74 x 86mm
16.8 oz. 476.3g	10.9 oz. 309g	10.5 oz. 297.5g	14.3 oz. 406g	25.6 oz. 725.8g	36.9 oz. 1046.1g
LED Powered by a AA Battery	Tritium Only	Fiber Optics & Tritium	LED Powered by a AA Battery	Fiber Optics & Tritium	Fiber Optics & Tritium
12,000 hours* +	N/A	N/A	12,000 hours* +	N/A	N/A
.223 / .308	.223 / .308	.223 / .308 / M193 / 300 BLK / 6.8 SPC	.223 / 300 BLK	.223 / .308	.223 / .308 / .50 BMG

*When used at 70°F (21°C) on setting 4 of 6 with supplied alkaline battery. Extreme temperatures (high or low) will affect battery performance.

1.5x16S



Dual-Illuminated Circle Dot Reticle (Black Finish)

Standard Height: ■ TA44-C-400141 ■ TA44-C-400138 ■ TA44-C-400140
Low Height: ■ TA44-C-400241 ■ TA44-C-400242 ■ TA44-C-400243



Circle Dot

3x24



Dual-Illuminated Crosshair .223/55gr. Ballistic Reticle (Black Finish)

Standard Height: ■ TA50-C-400223 ■ TA50-C-400225 ■ TA50-C-400224
Low Height: ■ TA50-C-400229 ■ TA50-C-400231 ■ TA50-C-400230



Crosshair (.223)



Horseshoe/Dot (.223)

Dual-Illuminated Horseshoe/Dot .223/55gr. Ballistic Reticle (Black Finish)

Standard Height: ■ TA50-C-400226 ■ TA50-C-400228 ■ TA50-C-400227
Low Height: ■ TA50-C-400232 ■ TA50-C-400234 ■ TA50-C-400233

Dual-Illuminated Crosshair 7.62x39/123gr. Ballistic Reticle (Black Finish)

Low Height: ■ TA50-C-400235 ■ TA50-C-400237 ■ TA50-C-400236



Crosshair (7.62x39)



Horseshoe/Dot (7.62x39)

Dual-Illuminated Horseshoe/Dot 7.62x39 Ballistic Reticle (Black Finish)

Low Height: ■ TA50-C-400238 ■ TA50-C-400240 ■ TA50-C-400239

1.5x24




Dual-Illuminated Triangle Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA45-C-400156 ■ TA45-C-400153

Dual-Illuminated Crosshair Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA45-C-400157 ■ TA45-C-400154



Triangle



Crosshair

3x30



Dual-Illuminated Chevron .223 Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400135 ■ TA33-C-400127 ■ TA33-C-400118

Dual-Illuminated Chevron .308 Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400136 ■ TA33-C-400128 ■ TA33-C-400120

Dual-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400137 ■ TA33-C-400129 ■ TA33-C-400130

Dual-Illuminated Crosshair .223 Remington Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400132 ■ TA33-C-400124 ■ TA33-C-400121

Dual-Illuminated Crosshair .308 Winchester Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400133 ■ TA33-C-400125 ■ TA33-C-400122

Dual-Illuminated Horseshoe/Dot 7.62x39 Ballistic Reticle with TA51 Mount (Black Finish)

Standard Height: ■ TA33-C-400134 ■ TA33-C-400126 ■ TA33-C-400123

Dual-Illuminated Crosshair 300BLK Ballistic Reticle with TA60 Mount (Black Finish)

Standard Height: ■ TA33-C-400164 ■ TA33-C-400163 ■ TA33-C-400162



Chevron



Horseshoe/Dot (.223)

2x20



Dual-Illuminated Triangle Reticle (Black Finish)

Standard Height: ■ TA47-C-400150 ■ TA47-C-400146

Dual-Illuminated Crosshair Reticle (Black Finish)

Standard Height: ■ TA47-C-400151 ■ TA47-C-400147 ■ TA47-C-400149

Dual-Illuminated Dot Reticle (Black Finish)

Standard Height: ■ TA47-C-400152 ■ TA47-C-400148



Dot



Triangle



Crosshair



Crosshair



Horseshoe/Dot (7.62x39)



Crosshair (300BLK)

3.5x35



Dual-Illuminated Donut .223 Ballistic Reticle
Black: ■ TA11 ■ TA11-G

Dual-Illuminated Circle/Chevron Reticle
Black: ■ TA11B

Dual-Illuminated Donut .308 Ballistic Reticle
Black: ■ TA11C

Dual-Illuminated Triangle .223 Ballistic Reticle **ITAR**
Black: ■ TA11D

Dual-Illuminated Chevron .308 Ballistic Reticle with TA51 Mount
Black: ■ TA11E ■ TA11E-G ■ TA11E-A

Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount
Black: ■ TA11F ■ TA11F-G ■ TA11F-A

Dual-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA51 Mount **ITAR**
Black: ■ TA11H ■ TA11H-G

Dual-Illuminated Horseshoe/Dot .308 M240 BDC Reticle with TA51 Mount **ITAR**
Black: ■ TA11H-308 ■ TA11H-308G

Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount **ITAR**
Black: ■ TA11J ■ TA11J-G ■ TA11J-A

Dual-Illuminated Crosshair .308 Ballistic Reticle with TA51 Mount **ITAR**
Black: ■ TA11J-308 ■ TA11J-308G ■ TA11J308-A


Dual-Illuminated Horseshoe/Dot .223 M249 Ballistic Reticle with GDI Mount and ARD **ITAR**
Black: ■ TA11MGO-M249

Dual-Illuminated Crosshair 300 BLK Ballistic Reticle with TA51 Mount
Black: ■ TA11-C-100414 ■ TA11-C-100416 ■ TA11-C-100415

Dual-Illuminated Chevron M193 Reticle with TA51 Mount **ITAR**
Black: ■ TA11-D-100291 ■ TA11-D-100293 ■ TA11-D-100292



Donut




Triangle




Chevron



Circle Chevron



Horseshoe/Dot



Crosshair



Crosshair (300BLK)



Horseshoe/Dot (M249)

3.5x35 LED



LED-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount
Black: ■ TA110-C-100491 ■ TA110-C-100492


LED-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA51 Mount **ITAR**
Black: ■ TA110-D-100493 ■ TA110-D-100494

LED-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount **ITAR**
Black: ■ TA110-D-100495 ■ TA110-D-100496


LED-Illuminated Chevron .308 Ballistic Reticle with TA51 Mount
Black: ■ TA110-C-100497 ■ TA110-C-100498

LED-Illuminated Horseshoe/Dot .308 Ballistic Reticle with TA51 Mount **ITAR**
Black: ■ TA110-D-100499 ■ TA110-D-100500

LED-Illuminated Crosshair .308 Ballistic Reticle with TA51 Mount **ITAR**
Black: ■ TA110-D-100501 ■ TA110-D-100502



Chevron



Crosshair



Horseshoe/Dot

4x32



Full-Illumination Crosshair .223 Ballistic Reticle

Black: ■ TA01

Full-Illumination Crosshair .308 Ballistic Reticle

Black: ■ TA01B

Illuminated LAPD Crosshair Reticle

Black: ■ TA01LAW

Center-Illuminated Crosshair .223 Ballistic Reticle, TA51 Mount, Backup Iron Sights and Dust Cover **ITAR**

Black: ■ TA01NSN


Sniper Gray: ■ TA01-D-100317

OD Green: ■ TA01-D-100318

FDE: ■ TA01-D-100319

Center-Illuminated Crosshair .308 Ballistic Reticle, TA51 Mount, Backup Iron Sights and Dust Cover **ITAR**

Black: ■ TA01NSN-308



Full-Illumination Crosshair



LAPD Crosshair



Center-Illuminated Crosshair

4x32 LED



LED-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount

Black: ■ TA02 ■ TA02-C-100390

LED-Illuminated Crosshair 300 BLK Ballistic Reticle with TA51 Mount


Black: ■ TA02-C-100431 ■ TA02-C-100432

LED-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount **ITAR**

Black: ■ TA02-D-100393 ■ TA02-D-100391

LED-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA51 Mount **ITAR**


Black: ■ TA02-D-100394 ■ TA02-D-100392



Crosshair



Crosshair (300BLK)



Chevron



Horseshoe/Dot

4x32 BAC



Dual-Illuminated Donut .223 Ballistic Reticle

Black: ■ TA31 ■ TA31-G

Dual-Illuminated Triangle .223 Ballistic Reticle

Black: ■ TA31A

Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount

Black: ■ TA31-CH ■ TA31-CH-G

Sniper Gray: ■ TA31-C-100370 ■ TA31-C-100378

OD Green: ■ TA31-C-100371 ■ TA31-C-100379

FDE: ■ TA31-C-100372 ■ TA31-C-100380

Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount **ITAR**

Black: ■ TA31F ■ TA31F-G ■ TA31F-A

Sniper Gray: ■ TA31-D-100308 ■ TA31-D-100311

OD Green: ■ TA31-D-100309 ■ TA31-D-100312

FDE: ■ TA31-D-100310 ■ TA31-D-100313

Dual-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA51 Mount **ITAR**

Black: ■ TA31H ■ TA31H-G ■ TA31H-A

Sniper Gray: ■ TA31-D-100365

OD Green: ■ TA31-D-100366

FDE: ■ TA31-D-100367

Dual-Illuminated Horseshoe/Dot 6.8 Ballistic Reticle with TA51 Mount **ITAR**

Black: ■ TA31H-68 ■ TA31H-68-G ■ TA31H-68-A

Dual-Illuminated ARMY Rifle Combat Optic for the M150 with Chevron Reticle and TA51 Mount **ITAR**

Black: ■ TA31RCO-M150CP ■ TA31RCO-M150CP-G

Dual-Illuminated USMC Rifle Combat Optic for the M4 with Chevron Reticle and TA51 Mount **ITAR**

Black: ■ TA31RCO-M4CP

Dual-Illuminated USMC Rifle Combat Optic for the A4 with Chevron Reticle and TA51 Mount **ITAR**

Black: ■ TA31RCO-A4CP

Dual-Illuminated Crosshair 300 BLK Ballistic Reticle with TA51 Mount

Black: ■ TA31-C-100411 ■ TA31-C-100413 ■ TA31-C-100412

Dual-Illuminated M193 Reticle with TA51 Mount **ITAR**


Black: ■ TA31-D-100288 ■ TA31-D-100290 ■ TA31-D-100289



Donut



Triangle




Crosshair



Chevron



Horseshoe Dot



Chevron (RCO)



Crosshair (300BLK)

5.5x50




Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount

Black: ■ TA55

Dual-Illuminated Chevron .308 Ballistic Reticle with TA51 Mount

Black: ■ TA55A



Chevron

6x48



Dual-Illuminated Chevron .223 Ballistic Reticle with TA75 Mount & M1913 Rail **ITAR**

Black: ■ TA648 ■ TA648-G ■ TA648-A

Dual-Illuminated Chevron .308 Ballistic Reticle with TA75 Mount & M1913 Rail **ITAR**

Black: ■ TA648-308 ■ TA648-308G ■ TA648-308A

Dual-Illuminated Horseshoe/Dot .308 Ballistic Reticle with TA75 Mount & M1913 Rail **ITAR**

Black: ■ TA648-308H

Dual-Illuminated Chevron .50 BMG Ballistic Reticle with TA75 Mount & M1913 Rail **ITAR**

Black: ■ TA648-50 ■ TA648-50G ■ TA648-50A

Dual-Illuminated Horseshoe/Dot .50 M2 Ballistic Reticle, GDI Mount, ARD & M1913 Rail **ITAR**

Black: ■ TA648MGO-M2

Dual-Illuminated Horseshoe/Dot .308 M240 Ballistic Reticle, GDI Mount, ARD & M1913 Rail **ITAR**

Black: ■ TA648MGO-M240



Chevron (.223)




Chevron (.308)



Chevron (.50)



Horseshoe/Dot (.308)



Horseshoe/Dot (.50)



Horseshoe/Dot (.308)



Trijicon

ACOG®/RMR® Combo

THE ULTIMATE SIGHT FOR CQB AND LONG DISTANCE

This dual-sighting system gives the shooter a distinct tactical advantage with the option of either the Trijicon ACOG® or the RMR®. For quick target acquisition, choose the RMR® Type 2 LED, Type 2 Adjustable LED or RMR® Dual-Illuminated sight. For accuracy and pinpoint bullet placement at a distance, choose the magnified ACOG. You have the best of both worlds. No tools are needed for windage and elevation adjustments because the ACOG also features external windage and elevation adjusters.

MODELS



4x32



3x30



6x48



3.5x35

ACOG®/RMR® Combo

ACOG®/RMR® Combo



3x30 ACOG® Dual-Illuminated Horseshoe/Dot .223 Ballistic Reticle with TA60 Mount RMR® Type 2 LED 3.25 MOA Red Dot Sight
 Black: TA33-C-400312 TA33-C-400311

3x30 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA60 Mount Dual-Illuminated RMR 9.0 MOA Dot Sight
 Black: TA33-C-400119 TA33-C-400160

3.5x35 ACOG Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount RMR Type 2 LED 3.25 MOA Red Dot Sight **ITAR**
 Black: TA11-D-100557


3.5x35 ACOG Dual-Illuminated Crosshair M249 Ballistic Reticle with LaRue Tactical Mount Dual-Illuminated RMR 9.0 MOA Amber Dot Sight **ITAR**
 Black: TA11-D-100566

3.5x35 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount RMR Type 2 Adjustable LED 3.25 MOA Red Dot Sight
 Black: TA11-C-100565

4x32 ACOG Center-Illuminated Crosshair .223 Ballistic Reticle with BUIS, Quick-Release Mount RMR Type 2 LED 3.25 MOA Red Dot Sight **ITAR**
 FDE: TA01-D-100555

4x32 ACOG Center-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount RMR Type 2 LED 3.25 MOA Red Dot Sight **ITAR**
 Black: TA01-D-100556

4x32 ACOG Dual-Illuminated Crosshair .223 Ballistic Reticle with BUIS, Quick-Release Mount RMR Type 2 LED 3.25 MOA Red Dot Sight **ITAR**
 FDE: TA31-D-100553 TA31-D-100554



ACOG®/RMR® Combo



4x32 ACOG® Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount RMR® Type 2 LED 3.25 MOA Red Dot Sight
 Black: TA31-C-100550 TA31-C-100551 TA31-C-100552

4x32 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA51 Mount RMR Type 2 LED 3.25 MOA Red Dot Sight **ITAR**
 Black: TA31-D-100549 TA31-D-100548
 Sniper Gray: TA31-D-100568
 OD Green: TA31-D-100569
 FDE: TA31-D-100570

4x32 ACOG Dual-Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount Dual-Illuminated RMR 7.0 MOA Amber Dot Sight
 Black: TA31RM04


4x32 LED ACOG Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount RMR Type 2 LED 3.25 MOA Red Dot Sight
 Black: TA02-C-100558

4x32 LED ACOG Illuminated Crosshair .223 Ballistic Reticle with TA51 Mount RMR Type 2 Adjustable LED 3.25 MOA Red Dot Sight
 Black: TA02-C-100564

6x48 ACOG Dual-Illuminated Chevron .223 Ballistic Reticle with TA75 Mount RMR Type 2 LED 6.5 MOA Red Dot Sight **ITAR**
 Black: TA648-D-100559 TA648-D-100563

6x48 ACOG Dual-Illuminated Chevron .308 Ballistic Reticle with TA75 Mount RMR Type 2 LED 6.5 MOA Red Dot Sight **ITAR**
 Black: TA648-D-100560 TA648-D-100561

6x48 ACOG Dual-Illuminated Chevron .500 Ballistic Reticle with TA75 Mount RMR Type 2 LED 6.5 MOA Red Dot Sight **ITAR**
 Black: TA648-D-100562




ACOG®/RMR® Combo

ACOG®/RMR® Combo



6x48 ACOG® Dual-Illuminated Horseshoe/Dot M240 BDC Reticle with LT644MDO-A Mount
Dual-Illuminated RMR® 9.0 MOA Amber Dot Sight **ITAR**
Black: ■ TA648MDO



ITAR ITAR controlled item. For export restrictions on all products, see page 153.
Reticles not shown to scale. For a full view of reticles, please visit our website at trijicon.com.