


Automotive

E Q U I P M E N T P L U S

SERVICE



EQUIPMENT



PARTS

1721 Dartmouth Drive
Middleburg, Florida 32068
904-476-7814 Office - 866-680-2379 Fax
email: fpitkat@comcast.net * www.autoequipmentplus.com

Tire Changer

Mount / Demount Heads

TC0343-6 Nylon Mount And Demount Head (6 Pack)
O.E.M. Part Number Tire Changer
 Accuturn SM10529 220A, All Other Models Require 102765 Adapter
 Hunter RP6 0343B TC 250 • TC 300 • TC325



TCR343 RED Nylon Mount And Demount Head
O.E.M. Part Number Tire Changer
 Hunter RP6 0343B TC 250 • TC 300 • TC325



TC182788 Stainless Steel Mount / Demount Head With Tapered Hole For Coats
O.E.M. Part Number Tire Changer
 Coats 8182788 5030 • 5040 • 5050 • 5060 • 5065 • 5070
 6050 • 6060 • 6065 • 7050 • 7055
 7060 • 7065 • 7655 • 7660 • 7665



TC183429 Stainless Steel Mount / Demount Head With Round Hole
O.E.M. Part Number Tire Changer
 Coats 8183429 RC 1 • 5 • 10 • 15 • 20, Early 5060
 Corghi 258458 All Models



TC183061 Nylon Mount / Demount Head Kit With Tapered Hole
 Use With Tapered Shaft 182767 Or 182812.
O.E.M. Part Number Tire Changer
 Coats 8183061 5030 • 5040 • 5050 • 5060 • 5065
 6050 • 6060 • 6065 • 7050 • 7055
 7060 • 7065 • 7655 • 7660 • 7665



TC250309 Nylon Mount / Demount Head Kit With Round Hole
 Not For Use On Hofmann 1550, 1620 And 1625.
O.E.M. Part Number Tire Changer
 All Tool G2008401 All Models
 Coats 82008402 RC 1 • 5 • 10 • 15 • 20 • Early 5060
 9010 • 9024 • APX90
 Corghi 250309 All Rim Clamp (Optional Accessory)
 Hofmann 2200981 All Earlier Models Except 1550 • 1620 • 1625
 Sice 2200981 M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436, S436TOP



TC450310 Nylon Mount / Demount Head With Round Hole *Head Only*
 For TC 250309 Mount / Demount Head Kit.
O.E.M. Part Number Tire Changer
 All Tool G3008403 All Models
 Coats 83008403 RC 1 • 5 • 10 • 15 • 20 • Early 5060
 9010 • 9024 • APX90
 Corghi 450310 All Rim Clamp (Optional Accessory)
 Hofmann 8314813 All Earlier Models Except 1550 • 1620 • 1625
 Hunter RP11-8314813 TCX Series
 Sice 8314813 M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436, S436TOP



TC14024784 Nylon Mount/Demount Head Kit
O.E.M. Part Number Tire Changer
 Accuturn 14024784 3602 • 3602HP • 4260 • 4560MR • 4602 • 5602 • 5602 HP
 Hofmann 4024784 1520 • 1565 • 1620 • 1625 • 1625EM • 3300 • 3300EM
 Monty 1270, 2300, 3000, 3000GP
 John Bean EAA 0247G20A EHP System IVE • IV • III • IIE
 Snap On EAA 0247G20A All Models



TC20024335 Nylon Mount/Demount Head For TC 14024784 Mount / Demount Head Kit. *Head Only*
O.E.M. Part Number Tire Changer
 Accuturn 20024335 3602 • 3602HP • 4260 • 4560MR • 4602 • 5602 • 5602 HP
 Hofmann 24335 1520 • 1565 • 1620 • 1625 • 1625EM • 3300 • 3300EM
 Monty 1270, 2300, 3000, 3000GP
 John Bean 24335 EHP System IVE • IV • III • IIE
 Snap On 24335 All Models



Tire Changer

Stainless Steel Mount/Demount Head Inserts

TI182961 (2pk) Plastic Insert For TC 182788 And TC 183429 Stainless Steel Mount/Demount Heads

O.E.M.	Part Number	Tire Changer
Coats	8182961 (2Pk)	RC 1 • 5 • 10 • 15 • 20 • Early 5060
	8182963 (12Pk)	5030 • 5040 • 5050 • 5060 • 5065 • 5070
		6050 • 6060 • 6065 • 7050 • 7055
		7060 • 7065 • 7655 • 7660 • 7665



TI254341A Plastic Inserts For Mount And Demount Head (10 Pk) Includes Allen Wrench

O.E.M.	Part Number	Tire Changer
Coats	89209611	RC 1 • 5 • 10 • 20 • 9010 • 9024
Corghi	254341A	2024 • 9220 • 9824



TI24016079 Plastic Inserts For Mount And Demount Head (4 Pk)

O.E.M.	Part Number	Tire Changer
Accuturn	24016079	3402 • 3450 • 3602 • 4602
		5802HP • 5850HP • 5602



TI20011064 Plastic Inserts For Mount And Demount Head (Bulk)

O.E.M.	Part Number	Tire Changer
Accuturn	20011064	3402 • 3450 • 3602 • 4602
		5802HP • 5850HP • 5602



TI20011064-10 Plastic Inserts For Mount And Demount Head (10 Pk)

O.E.M.	Part Number	Tire Changer
Hofmann	ST4024181	All Models
Snap-On	EAA0247G15A	All Models



Jaws • Clamping Kits

TC184958-4 28" Extension Jaw. Externally Clamp Wheels Up To And Including 28" Wheels Without Damaging The Wheels. 16"-28" Wheels

O.E.M.	Part Number	Tire Changer
Coats	8184958	50X • 60X • 70X



TC113125C 3 Position Extended X-Clamp Kit For Coats X-Models With Adjustable Carriers. External (Outside / In) Wheel Clamping 6" - 22" Wheels

Kit Includes: TC 182250 Position Push Buttons (4 Pcs)
TC 184126 3 Position X-Clamp (4 Pcs)

O.E.M.	Part Number	Tire Changer
Coats	8113125C	50X • 60X • 70X



TC184126-4 3 Position Extended X-Clamp For Coats X-Models With Adjustable Carriers. External (Outside / In) Wheel Clamping 6" - 22" Wheels

O.E.M.	Part Number	Tire Changer
Coats	8184126	50X • 60X • 70X



TC184327 24" X-Out Clamp Kit For Clamping 23" And 24" Alloy Wheels. 13" - 24" Range. 2 Position Clamps. Outside Clamping Only.

Kit Includes: TC 184268 24" X-Out Clamps (4 Pcs)
TC 182250 Position Push Buttons (4 Pcs)
TC 183604 Quilted Clamp Socks (10 Pcs)

O.E.M.	Part Number	Tire Changer
Coats	8184327	50X • 60X • 70X



TC183604 Quilted Clamp Sock For Jaws And Coats Rim Clamp Tire Changers (10 Pack)

O.E.M.	Part Number	Tire Changer
Coats	8183604	All Tire Changers Except 9010 And 9024E



Hold Down Cone

TC108276 Hold Down Cone

O.E.M.	Part Number	Tire Changer
Coats	8108276	4040 • 4040SA • 4050
	8000433	4040 • 4040SA • 4050



Tire Changer

Bead Lift And Combo Tools

CT768 **Combo Tool** Specifically Designed To Mount And Demount Tires

Use With TI 30 Demount And TI 55 Mount Booties

O.E.M.	Part Number
Coats	8000768
Hunter	RP6-1828
Snap-On	EAA0247C78A



TI30 **Large White Demount Bootie** Protector For Demount End Of CT768 Combo Tool

O.E.M.	Part Number
Coats	8108397 (500 pcs)
FMC/John Bean	66181
Hofmann	66181
Snap-On	66181



TI55 **Small White Mount Bootie** Protector For Mount End Of CT768 Combo Tool

O.E.M.	Part Number
Coats	8108398 (500 pcs)
FMC/John Bean	66182
Hofmann	66182
Snap-On	66182



TI107790 **Mount And Demount Bootie Kit.** Includes TI 30 - 10 Pcs And TI 55 - 10 Pcs

O.E.M.	Part Number
Coats	8107790
Snap-On	EAA0247C79A



TC181354 **Bead Lifting Tool**

O.E.M.	Part Number
Accuturn	0001418
Coats	8181354
Corgi	444238
FMC/John Bean	87111
Hunter	RP6-0322
Kwikway	580-2991-11
Sice	3009516
Snap-On	EAA0247G02A




TC183605 **Bead Lift Tool Sock For TC181354 Bead Lift Tool (10 Pack)**

O.E.M.	Part Number
Coats	8183605
Hunter	RP6-0326



TC11400098-4 **Long Sock For TC181354 Bead Lifting Tool (4 Pack)**

O.E.M.	Part Number
Corgi	246241
Hunter	RP11-8-11400098
Sice	2201655



TC435685 **Bead Depressor Drop Center Tool**

O.E.M.	Part Number
Accuturn	SM103261
Coats	8435685
Corgi	435685A
Hofmann	6410190
Hunter	RP6-70210E
Kwikway	5800084-13
Sice	2018505
Snap-On	EAA0247G70A



Tire Changer

Beadkeepers

The Beadkeeper Simply Locks Onto The Flange Of The Wheel And Holds The Tire Bead In Place To Eliminate Standing On The Tire And/OR Chasing The Bead Around The Wheel.

TC640
Beadkeeper
Made Of Drop-Forged Steel



TC641C
Rubber Head Beadkeeper
Is Coated To Protect Aluminum Wheels



TC642P
Beadkeepers Sold As A Pair Connected By A Nylon Rope. Made Of Drop-Forged Steel



Tubeless Tire Demount Tool

TC600 2 piece system that mounts and demounts all standard 19.5" • 22.5" • 24.5" Tubeless Tires up to 315/80R22.5, including those mounted on aluminum wheels. It is no longer necessary to stand the tire up in order to dismount the second bead, the process can be mount and demount on the ground.



One Tool To Do All Jobs!

Tire Spreaders

TS989 Manual Tire Spreader Spread Action 1/2" To 9"
O.E.M. Part Number Tire Changer
Coats 8000347 310 • 510 • 1010 • 2020



TS108028 Adjustable Tire Spreader Adjustable Spread Action From 0-10"
O.E.M. Part Number Tire Changer
Coats 8108028 4040 • 4050 Rim Clamp



TC630 Tire Spreader Designed To Spread Tire Beads Quickly
To Make Tire Repairs Easier Than Ever. Ideal For Mobile Service.



Use 1/2" Impact Gun with 1 1/4" Socket to Open The Tire Spreader Fingers

Work Lamp

WL98063 Work Lamp For Tire Spreaders



Tire Changer

Air Gauges And Lens Cover

LC107517

Lens Cover With Gasket For Air Gauges

O.E.M.	Part Number
Coats	8107517



AG66170

Air Gauge For FMC/John Bean Tire Changers

O.E.M.	Part Number	Tire Changer
FMC/John Bean	66170	7600 • 8800
Hofmann	66170	All Models



AG107518

Air Gauge For Coats Old Style Tire Changers Bolts On Back With Clips

O.E.M.	Part Number	Tire Changer
Coats	8107518	1010 • 2020 • 2020A



AG107985

Air Gauge For Coats Tire Changers Flange Mount

O.E.M.	Part Number	Tire Changer
Coats	8107985	4040 • 4040A • 4040SA • 4050A



Digital Tire Gauge

TC660

Digital Tire Gauge Inflates, Deflates And Checks Air Pressure

- Precise Digital Readout To The 1/10th of a PSI
- Self Recalibration Every 30 Days
- 6' Hose For Safety While Inflating Tires
- Uses AAA Batteries Instead Of Hard To Find Specialty Batteries



Inflator Hose Assembly & Euro Chuck

EC2000

Heavy Duty Open End Female Style Standard Chuck

With 1/4" Steel Female Fitting

O.E.M.	Part Number
Hunter	145-341-2



EC6000C

Heavy Duty Closed Female Style Standard Chuck

With 1/4" Steel Female Fitting



EC410419

Open End Barbed Style European Air Chuck

Serrated Shank For 1/4" I.D. Hose

O.E.M.	Part Number
Coats	841419
Hunter	145-341-2
Sice	4205451



HA67715

Inflator Hose Assembly With Open End Barbed Style Euro Chuck - 52" Long

All Brass Connectors (1/4" I.D. - 19 BSP) Hose Includes Euro Chuck

O.E.M.	Part Number
FMC/John Bean	67715



HA106871

Inflator Hose Assembly With Open End Barbed Style Euro Chuck - 60" Lc

All Brass Connectors (1/4" I.D. - 19 BSP) Hose Includes Euro Chuck

O.E.M.	Part Number
Coats	106871



Tire Changer

Inflator Hose Assembly & Euro Chuck cont.

HA137-86-2 Inflator Hose Assembly With Open End Female Style Euro Chuck- 60" Long
Male Brass Connectors (1/4" I.D. - 19 BSP) Hose Includes Euro Chuck

O.E.M.	Part Number
Hunter	137-86-2



HA714100 Inflator Hose Assembly With Open End Barbed Style Euro Chuck - 60" Long

O.E.M.	Part Number
Corgi	714100
Hofmann	2407055



HA2408318 Inflator Hose Assembly With Open End Barbed Style Euro Chuck - 60" Long

O.E.M.	Part Number
Hofmann	2408318



Cylinder Seal Kits

TI115 Bead Breaker Cylinder Seal Kit For Earlier And Late Model Tire Changers

O.E.M.	Part Number	Tire Changer
Coats	8181163 • 8181642	Not 5030 • 9010E
Corgi	223810 • 238212	



TI181162 Table Top Cylinder Seal Kit

O.E.M.	Part Number	Tire Changer
Coats	8181162	RC5 • RC10 • RC15 • RC20



TI182079 Bead Breaker Cylinder Seal Kit

O.E.M.	Part Number	Tire Changer
Coats	8182079	RC200EX • 5040 • 5050 • 5060 • 5065
		6050 • 6060 • 6065 • 7050 • 7055
		7060 • 7065 • 7655 • 7660 • 7665



Rubber And Nylon Pads

TC0066 Rubber Pad For Hunter Tire Changers

O.E.M.	Part Number
Hunter	RP6-0066



TI181065 Center Rubber Pad For Coats Tire Changers

O.E.M.	Part Number
Coats	181065



TI181173 Small Bead Loosener Nylon Front Pad For Coats Tire Changers

O.E.M.	Part Number
Coats	181173



TI181851 Large Bead Loosener Nylon Front Pad For Coats Tire Changer

O.E.M.	Part Number
Coats	181851



Tire Changer

Tire Lube Supplies

TI35 **Long Tire Swab (14 1/2")** Used To Lubricate Tire Beads When Removing Or Mounting Tires On Rims. Extra Long For Truck Tires
O.E.M. **Part Number**
 Coats 8120366



TI50 **Standard Short Tire Swab (11 1/2")** Used To Lubricate Tire Beads When Removing Or Mounting Tires On Rims.
O.E.M. **Part Number**
 Coats 8000491
 Hunter 221-570-2
 Snap-On EAA0247C74A



TI1506 **Angled Applicator Brush**
 Handle Length 7 3/4", Brush Length 1 3/4"
O.E.M. **Part Number**
 Hunter RP6-1506



LB106259 **Lube Bucket For Tire Changers (Straight)**
O.E.M. **Part Number** **Tire Changer**
 Coats 8106259 RC 15 • 20 • 5060 • 5070



LB106572 **Lube Bucket For Tire Changers (Angled)**
O.E.M. **Part Number** **Tire Changer**
 Coats 8106572 4040 • 4040SA • 4050



LB66006 **Lube Bucket For Tire Changers (Straight)**
O.E.M. **Part Number** **Tire Changer**
 Accuturn 0014466
 FMC / John Bean 66006
 Hunter 116-35-2



Wheel Balancer

Wheel Balancer Tools

TI33 **Premium Wheel Weight Hammer With Replaceable Nylon Cap**
O.E.M. **Part Number**
 Coats 8113175



TI31 **Cap For TI 33 (4 Pack)**
O.E.M. **Part Number**
 Coats 8113176
 Hunter 221-658-2



TI34 **Heavy Duty Truck Wheel Weight Hammer**
O.E.M. **Part Number**
 Coats 8144064



TI36 **Premium Wheel Weight Hammer**
O.E.M. **Part Number**
 Accuturn 525011
 FMC/John Bean 26
 Hofmann 58839
 Hunter 221-589-2
 Snap-On 58839, EAA0247G22A



TI74 **Wheel Weight Remover for Adhesive Weights**
O.E.M. **Part Number**
 Coats 8113390
 Hofmann EEHT300A
 Hunter 221-659-2
 Snap-On EEHT300A
 Sice 3319928



Wheel Balancer

Wheel Balancer Cones And Spacer

28mm

WB700-28	1.70 - 2.25 Range: 28 mm
WB705-28	1.75 - 2.58 Range: 28 mm
WB710-28	2.25 - 2.62 Range: 28 mm
WB715-28	2.44 - 3.06 Range: 28 mm
WB717-28	2.62 - 3.00 Range: 28 mm
WB718-28	3.00 - 3.25 Range: 28 mm
WB720-28	2.95 - 3.63 Range: 28 mm
WB725-28	3.375 - 5.25 Range: 28 mm
WB730-28	3.375 - 5.88 Range: 28 mm
WB735-28	5.03 - 6.88 Range: 28 mm
WB740-28	5.875 - 7.315 Range: 28 mm
WB750-28	28mm WB Spacer / Backing Plate

36mm

WB705-36	1.75 - 2.58 Range: 36 mm
WB715-36	2.44 - 3.06 Range: 36 mm
WB720-36	2.95 - 3.63 Range: 36 mm
WB725-36	3.375 - 5.25 Range: 36 mm
WB730-36	3.375 - 5.88 Range: 36 mm
WB735-36	5.03 - 6.88 Range: 36 mm
WB740-36	5.875 - 7.315 Range: 36 mm
WB750-36	36mm WB Spacer / Backing Plate

38mm

WB705-38	1.75 - 2.58 Range: 38 mm
WB715-38	2.44 - 3.06 Range: 38 mm
WB720-38	2.95 - 3.63 Range: 38 mm
WB725-38	3.375 - 5.25 Range: 38 mm
WB730-38	3.375 - 5.88 Range: 38 mm
WB735-38	5.03 - 6.88 Range: 38 mm
WB740-38	5.875 - 7.315 Range: 38 mm
WB750-38	38 mm WB Spacer/Backing Plate

40mm

WB705-40	1.75 - 2.58 Range: 40 mm
WB715-40	2.44 - 3.06 Range: 40 mm
WB720-40	2.95 - 3.63 Range: 40 mm
WB725-40	3.375 - 5.25 Range: 40 mm
WB730-40	3.375 - 5.88 Range: 40 mm
WB735-40	5.03 - 6.88 Range: 40 mm
WB740-40	5.875 - 7.315 Range: 40 mm
WB750-40	40 mm WB Spacer/Backing Plate



28mm Fits

Accuturn 5223, 5500, 5100 & 5600 (serial # 51-0001 to 51-0622)
Coats All Models (Excluding 6401)
Mondolfo Ferro All Models (Excluding Truck Balancers)
Norton All Models
Snap-On All Models
Sun 1742, 1762

36mm Fits

Accuturn 1060, 6100, 6600, 6700, 6800
Ammco 1030
CEMB All Models (Excluding Truck Balancers)
Focus All Models (Excluding Truck Balancers)
Phoenix CB-114
RAV All Models
Werther All Models (Excluding Truck Balancers)

38mm Fits

Corghi All Models (Excluding Truck Balancers)
Faip All Models (Excluding Truck Balancers)

40mm Fits

Accuturn 1200, 1250, 1400, 1500, 1550, 1650, 1850, 5100 & 5600
(serial # 51-0623 to 51-1457)
Bear 80-100, 80-303
Beissbarth All Models
CEMB Truck Balancers Since June 2000
Coats With Optional 40mm Shaft
ALL Models On:
FMC, Hofmann, Hunter, John Bean, Kwik-Way,
Performance , Phoenix CB-113

Hub Centric Wheel Balancing Cones

These Cones Allow You To Balance Wheels Very Accurately.
Reverse Side Has A Standard Balancer Style Cone With A Range Of 6" - 7"

Cones For Ford F450 and F550

WB450550-28	Large Truck Double Sided Hub Centric Cone For Ford F450 And F550 28mm <i>Optional:</i> Use With WB525017 Aluminum Offset Spacer / Backing Plate
WB450550-36	Large Truck Double Sided Hub Centric Cone For Ford F450 And F550 36mm <i>Optional:</i> Use With WB510690 Aluminum Offset Spacer / Backing Plate
WB450550-40	Large Truck Double Sided Hub Centric Cone For Ford F450 And F550 40mm <i>Optional:</i> Use With WB510640 Aluminum Offset Spacer / Backing Plate



Wheel Balancer

Wheel Balancer Accessories

HN61072 **40mm Manual Hub Nut For FMC/John Bean Wheel Balancers**
O.E.M. **Part Number**
 FMC/John Bean 61072



HN110543 **28.5mm Manual Hub Nut For Coats Wheel Balancers For Coarse Thread Shaft**
O.E.M. **Part Number**
 Coats 110543



WB112103 **40mm Manual Hub Nut For Coats Wheel Balancers**
O.E.M. **Part Number**
 Coats 112103



HN245053 **38mm Manual Hub Nut For Corghi Wheel Balancers**
O.E.M. **Part Number**
 Corghi 245053



WB110542 **Small Pressure Cup For HN 110543 Hub Nut 28.5mm**
O.E.M. **Part Number**
 Coats 110542



WB144026 **28.5mm Hub Nut Kit HN 110543 And WB 110542**
O.E.M. **Part Number**
 Coats 144026



WB112373 **40mm Extended Threaded Shaft For FMC/John Bean**
O.E.M. **Part Number**
 FMC/John Bean 112373



WB113082 **40mm Conversion Shaft & Coupler**
O.E.M. **Part Number**
 Coats 113082



WB308171 **Coarse Thread Shaft For Coats Balancers 28.5mm**
O.E.M. **Part Number**
 Coats 308171



WB440 **Haweka 40mm Quick Release Wing Nut Kit**
Includes 4.5 Pressure Cup, Pressure Ring & Spacer



HN201382 **40mm Quick Release Wing Nut Kit.**
HN280428 **28mm Quick Release Wing Nut Kit.**



**Includes 4.5 Pressure Cup,
 Pressure Ring & Spacer**

WB309011 **Rim Width Calpiper**
O.E.M. **Part Number**
 Accuturn 525010
 Coats 8309011
 John Bean 061123
 Hunter 221-563-1
 Snap-On EAA0247G21A



WB 777
 Wheel Balancer Shaft Gauge
 Shaft & Thread Pitch



TPMS

TR20005	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.	TR20006	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.
TR20007	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.	TR20008	Rubber Snap In Style TPMS Replacement Stem
TR20028	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.	TR20035	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut. Same As TR 20006, but includes a LONG Valve
TR20036	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut. Same As TR 20006, but includes a SHORT Valve	TR20096	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.
TR20107	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.	TR20201	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.
TR20202	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.	TR20203	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.
TR20206	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.	TR20211	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.
TR20216	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.	TR20217	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.
TR 20221	TPMS Kit. Kit Includes Valve Core, Valve Cap, Grommet And Grommet Nut.	TR25985	Heavy Duty Torque Tool For TR20008 Replacement Rubber Stems, With 2 Additional Replacement Tips

Tools for TPMS

TR 2960 1/4" Drive Torque Wrench, 30-150 Inch Pounds;
Torque Wrench Is Packaged In Plastic Blow Molded Case



TR 2911 11mm Deep Socket, 1/4" Drive



TR 2912 12mm Deep Socket, 1/4" Drive

TR 21103 TPMS Ford Universal Band



TR 25005 TPMS Valve Core Torque Tool



TR 25040 TPMS Nickel Plated Cores (100 Per Box)



TR 25306 TPMS Gray Plastic Valve Caps With Seal (100 Per Box)



Technicians Choice

Tire Repair

- TI701 Small Round All Purpose Repair, 1 5/8", 43mm
- TI702 Medium Round All Purpose Repair, 2 1/4", 57mm
- TI703 Large Round All Purpose Repair, 3 1/8", 79mm
- TI710 Medium Oval All Purpose Repair, 1 7/8 x 3 3/4



- TI720B Square Universal Blue Poly, 1 3/4"
- TI722R Square Universal Red Poly, 2 1/8"



- TI731 Small Round Universal Repair, 1 3/4"
- TI732 Medium Round Universal Repair, 2"
- TI733 Large Round Universal Repair, 3 1/8"



- TI740 Dual Cure Radial Repair, 1 3/4 x 3
- TI741 Dual Cure Radial Repair, 2 1/4 x 3
- TI742 Dual Cure Radial Repair, 2 1/4 x 4
- TI743 Dual Cure Radial Repair, 3 3/4 x 4
- TI744 Dual Cure Radial Repair, 3 x 5




- TI810 Bowtie Style Inserts, 5-Ply Orange Bowtie



- TI766 Fiber-Seal Inserts. Gray Vulcanizing Gum Coated.
Wrapped In Blue Protective Poly And Have A Reinforcing Core Of Fiber



- TI601 Quill Seal Patch Plug, 1 3/4" Round, 3/16" Stem
- TI602 Quill Seal Patch Plug, 1 7/8" Round, 1/4" Stem
- TI603 Quill Seal Patch Plug, 2 1/4" Round, 5/16" Stem



- TI651 1/4" Lead Wire Inserts
- TI652 3/8" Lead Wire Inserts
- TI653 7/16" Lead Wire Inserts



- TI660 Lead Wire Combination 1" Round, 1/8" Stem
- TI661 Lead Wire Combination 1 3/4" Round, 1/4" Stem
- TI662 Lead Wire Combination 2" Round, 5/16" Stem
- TI663 Lead Wire Combination 2" Round, 3/8" Stem



Tire String Repair

- ST9US 7" Thin Tire String Repair U.S. Made
Traditional Black / Non Vulcanizing
- ST1933US 4" Thick Radial Tire String Repair U.S. Made
Red/Brown / Self Vulcanizing
- ST1937US 7 1/4" Thick Radial Truck Tire String Repair U.S. Made
Red/Brown / Self Vulcanizing
- ST4204US 4" Thick Radial Tire String Repair U.S. Made
Black / Self Vulcanizing



Technicians Choice

Chemicals

- TI210-6 Chemical Vulcanizing Cement, Flammable 8oz
- TI232-6 Chemical Vulcanizing Cement, Flammable 32oz
- TI240-6 Buffing Solution (Rubber Prep), Flammable 32oz
- TI250-6 Bead Sealer, Flammable 32oz
- TI241-6 Aerosol Buffing Solution (Rubber Prep), Non Flammable 16oz
- TI245-6 Inner Liner Sealer, Non Flammable 16oz
- TI235 Heavy Duty Vulcanizing Cement, Flammable 8oz
(Blue) Use With Hard Gum.
- TI260 Aluminum Cement Can And Brush
- TI265 Replacement Brush/Lid for Aluminum Cement Can



Tire Repair

Tire Repair Tools

- TI45 **Chrome Valve Puller** Screws Over Valve, Threads And Quickly Installs Valve Into Valve Hole By Applying A Pulling Pressure. (Screw On Type) Accommodates All Size Valves For Any Size Wheel
- TI48 **Metal T-Handle Tool With Spiral Probe And Open Eye Needle** (Socket Key And Screw Included) **Sold Pack Of 2 Only**
- TI63 **Combination Valve Core Screw Driver.**
Two Sided Free Rotating Screw Driver
For Small And Large Bore Valve Cores. Pocket Clip Style Handle
- TI65 **U.S. Made TV-2 Screwdriver Valve Core Tool**
For Inserting And Removing Valve Cores.
Safety Grip Black And Red Screwdriver Handle.
Stamped Made In U.S.A.
- TI69 **Ball Bearing Stitcher With Wooden Handle,**
1 1/2" Wheel Diameter, 3mm Thickness
- TI73 **Heavy Duty Poly Valve Stem Inserting Lever / Valve Installation Tool**
Installs Tire Valves Without Scratching The Rim.
(Screw On Type) Red
- TI76 **Poly Valve Stem Inserting Lever / Valve Installation Tool**
Installs Tire Valves Without Scratching The Rim.
(Screw On Type) Green
- TI77 **Carbon Steel Valve Stem Puller Tool**
Nickel Chrome Plated To Resist Erosion (Screw On Type)



Chrome Lug Nuts, Wheel Studs and Assortments

OPK67 Chrome Lug Nut Assortment (52 Pcs)



	Thread Size	Hex	Height	
TI181	12mm - 1.25	13/16	.63"	4 Pcs
TI182	1/2" - 20	13/16	.63"	4 Pcs
TI183	7/16" - 20	3/4	.55"	4 Pcs
TI184	1/2" - 20	3/4	.55"	4 Pcs
TI185	12mm - 1.50	3/4	.55"	4 Pcs
TI186	12mm - 1.50	13/16	.63"	4 Pcs
TI187	12mm - 1.25	3/4	.55"	4 Pcs
TI141	1/2	13/16	1.38"	4 Pcs
TI143	12mm - 1.50	13/16	1.38"	4 Pcs
TI146	1/2	3/4	1.38"	4 Pcs
TI147	12mm - 1.25	3/4	1.38"	4 Pcs
TI148	12mm - 1.50	3/4	1.38"	4 Pcs

OPK68 Lug Nut Assortment (14 Pcs)



	Thread Size	Hex	Height	
TI181	12mm - 1.25	13/16	.63"	4 Pcs
TI182	1/2" - 20	13/16	.63"	2 Pcs
TI183	7/16" - 20	3/4	.55"	2 Pcs
TI184	1/2" - 20	3/4	.55"	2 Pcs
TI185	12mm - 1.50	3/4	.55"	2 Pcs
TI186	12mm - 1.50	13/16	.63"	2 Pcs
TI187	12mm - 1.25	3/4	.55"	2 Pcs

OPK82 12mm And 1/2 Chrome Lug Nut Assortment (34 Pcs)



	Thread Size	Hex	Height	
TI141	1/2	13/16	1.38"	2 Pcs
TI143	12mm - 1.50	13/16	1.38"	2 Pcs
TI146	1/2	3/4	1.38"	4 Pcs
TI148	12mm - 1.50	3/4	1.38"	4 Pcs
TI151	1/2	13/16	1.75"	2 Pcs
TI152	12mm - 1.50	13/16	1.75"	2 Pcs
TI160	12mm - 1.50	13/16	1.45"	2 Pcs
TI161	1/2	3/4	1.75"	2 Pcs
TI162	12mm - 1.50	3/4	1.75"	2 Pcs
TI181	12mm - 1.25	13/16	.63"	4 Pcs
TI185	12mm - 1.50	3/4	.55"	4 Pcs
TI186	12mm - 1.50	13/16	.63"	4 Pcs

OPK85 Bulge And 2-Piece Acorn Lug Nut Assortment (34 Pcs)



	Thread Size	Hex	Height	
TI140	7/16	13/16	1.38"	2 Pcs
TI141	1/2	13/16	1.38"	2 Pcs
TI142	12mm - 1.25	13/16	1.38"	2 Pcs
TI143	12mm - 1.50	13/16	1.38"	4 Pcs
TI144	14mm - 1.50	13/16	1.38"	2 Pcs
TI145	7/16	3/4	1.38"	2 Pcs
TI146	1/2	3/4	1.38"	6 Pcs
TI147	12mm - 1.25	3/4	1.38"	4 Pcs
TI148	12mm - 1.50	3/4	1.38"	6 Pcs
TI149	14mm - 1.50	3/4	1.38"	2 Pcs
TI150	12mm - 1.75	3/4	1.38"	2 Pcs

OPK86 Wheel Stud Assortment (24 Pcs)



	Thread Size	Hex	Height	
TI190	12mm - 1.50	-	1.50"	4 Pcs
TI191	12mm - 1.50	-	1.75"	4 Pcs
TI192	12mm - 1.50	-	2.25"	4 Pcs
TI193	1/2 / 14 - 1.50	-	1.50"	4 Pcs
TI194	1/2 / 14 - 1.50	-	1.75"	4 Pcs
TI195	12 - 1.50 / 14 - 1.50	-	1.75"	4 Pcs

Chrome Lug Nuts, Wheel Studs and Assortments

Part #	Description	Thread Size	Hex	Height
TI 81	Open-End Acorn Metric Chrome Lug Nut	12mm - 1.25	13/16	.63"
TI 82	Open-End Acorn Chrome Lug Nut	1/2" - 20	13/16	.63"
TI 83	Open-End Acorn Chrome Lug Nut	7/16" - 20	3/4	.55"
TI 84	Open-End Acorn Chrome Lug Nut	1/2" - 20	3/4	.55"
TI 85	Open-End Acorn Metric Chrome Lug Nut	12mm - 1.50	3/4	.55"
TI 86	Open-End Acorn Metric Chrome Lug Nut	12mm - 1.50	13/16	.63"
TI 87	Open-End Acorn Metric Chrome Lug Nut	12mm - 1.25	3/4	.55"
TI 140	2-Piece Acorn Chrome Lug Nut	7/16	13/16	1.38"
TI 141	2-Piece Acorn Chrome Lug Nut	1/2	13/16	1.38"
TI 142	2-Piece Acorn Chrome Lug Nut	12mm - 1.25	13/16	1.38"
TI 143	2-Piece Acorn Chrome Lug Nut	12mm - 1.50	13/16	1.38"
TI 144	2-Piece Acorn Chrome Lug Nut	14mm - 1.50	13/16	1.38"
TI 157	2-Piece Short Shank Mag Chrome Lug Nut	7/16	13/16	1.45"
TI 158	2-Piece Short Shank Mag Chrome Lug Nut	1/2	13/16	1.45"
TI 159	2-Piece Short Shank Mag Chrome Lug Nut	12mm - 1.25	13/16	1.45"
TI 160	2-Piece Short Shank Mag Chrome Lug Nut	12mm - 1.50	13/16	1.45"
TI 145	Bulge Style Acorn Chrome Lug Nut	7/16	3/4	1.38"
TI 146	Bulge Style Acorn Chrome Lug Nut	1/2	3/4	1.38"
TI 147	Bulge Style Acorn Chrome Lug Nut	12mm - 1.25	3/4	1.38"
TI 148	Bulge Style Acorn Chrome Lug Nut	12mm - 1.50	3/4	1.38"
TI 149	Bulge Style Acorn Chrome Lug Nut	14mm - 1.50	3/4	1.38"
TI 150	Bulge Style Acorn Chrome Lug Nut	12mm - 1.75	3/4	1.38"
TI 151	Long Bulge Style Acorn Chrome Lug Nut	1/2	13/16	1.75"
TI 152	Long Bulge Style Acorn Chrome Lug Nut	12mm - 1.50	13/16	1.75"
TI 153	Long Bulge Style Acorn Chrome Lug Nut	12mm - 1.75	13/16	1.75"
TI 154	Long Bulge Style Acorn Chrome Lug Nut	14mm - 1.50	13/16	1.75"
TI 155	Long Bulge Style Acorn Chrome Lug Nut	14mm - 2.00	13/16	1.75"
TI 156	Long Bulge Style Acorn Chrome Lug Nut	9/16	13/16	1.75"
TI 161	Long Bulge Style Acorn Chrome Lug Nut	1/2	3/4	1.75"
TI 162	Long Bulge Style Acorn Chrome Lug Nut	12mm - 1.50	3/4	1.75"
TI 163	Long Bulge Style Acorn Chrome Lug Nut	14mm - 1.50	3/4	1.75"
TI 164	Long Bulge Style Acorn Chrome Lug Nut	9/16" - 18	3/4	1.75"
TI 165	Long Bulge Style Acorn Chrome Lug Nut	12mm - 1.75	3/4	1.75"
TI 166	Long Bulge Style Acorn Chrome Lug Nut	14mm - 2.00	3/4	1.75"
TI171	XL Long Bulge Style Acorn Chrome Lug Nut	14mm - 1.50	3/4	1.90"
TI172	XL Long Bulge Style Acorn Chrome Lug Nut	9/16	3/4	1.90"
TI173	XL Long Bulge Style Acorn Chrome Lug Nut	14mm - 2.00	3/4	1.90"
TI168	XX Long Bulge Style Acorn Chrome Lug Nut	14mm - 1.50	3/4	2.32"
TI169	XX Long Bulge Style Acorn Chrome Lug Nut	14mm - 2.00	3/4	2.32"
TI170	XX Long Bulge Style Acorn Chrome Lug Nut	9/16		2.32"
TI174	Acorn Style Chrome Wheel Lock Pack	1/2	-	1.26"
TI175	Acorn Style Chrome Wheel Lock Pack	12mm - 1.25	-	1.26"
TI176	Acorn Style Chrome Wheel Lock Pack	12mm - 1.50	-	1.26"
TI177	Acorn Style Chrome Wheel Lock Pack	14mm - 1.50	-	1.26"
TI178	Acorn Long Style Chrome Wheel Lock Pack	12mm - 1.50	-	1.75"
TI179	Acorn Long Style Chrome Wheel Lock Pack	14mm - 1.50	-	1.75"
TI180	Acorn Long Style Chrome Wheel Lock Pack	9/16	-	1.75"
TI181	Acorn Long Style Chrome Wheel Lock Pack	14mm - 2.00	-	1.75"
TI182	Acorn X Long Style Chrome Wheel Lock Pack	14mm - 1.50	-	1.90"
TI183	Acorn X Long Style Chrome Wheel Lock Pack	9/16	-	1.90"
TI186	Acorn X Long Style Chrome Wheel Lock Pack	14mm - 2.00	-	1.90"
TI187	Acorn XX Long Style Chrome Wheel Lock Pack	14mm - 1.50	-	2.32"
TI188	Acorn XX Long Style Chrome Wheel Lock Pack	9/16	-	2.32"
TI189	Acorn XX Long Style Chrome Wheel Lock Pack	14mm - 2.00	-	2.32"
TI190	Wheel Stud	12mm - 1.50	-	1.50"
TI191	Wheel Stud	12mm - 1.50	-	1.75"
TI192	Wheel Stud	12mm - 1.50	-	2.25"
TI193	Wheel Stud	1/2 / 14 - 1.50	-	1.50"
TI194	Wheel Stud	1/2 / 14 - 1.50	-	1.75"
TI195	Wheel Stud	12 - 1.50 / 14 - 1.50	-	1.75"



Brake Lathe

Carbide Bits

CB69	Round Positive Rake Carbide Bit				
	O.E.M.	Part Number	Brake Lathes		
	Ammco	40610	Application Based On Preference Of Insert		
	Kwikway	109-6900-20	Application Based On Preference Of Insert		
CB6914-10	Negative Rake Carbide Bit .030 Radius (10 Pack)				
	O.E.M.	Part Number	Brake Lathes		
	All Tool	4310 (10 Pk) 4330 (4 Pk) 4331 (24 Pk)	777 Micro Finisher		
	Ammco	691410 40420, 40430	1000•2002•3000•4000•4100•7000•7700		
	FMC / John Bean	90817 (10 Pk)	505 On The Car		
	Hunter	221-580-2 (6 Pk) 221-617-2 (24 Pk)	BL300• BL500•BL505•OCL360•OCL400•OCL430MD		
	Kwikway	109-6900-00	Not For Use On A Kwikway Lathe • Kwikway Part Number For Other Brands Reference		
	Performance	3340 (10 Pk) 3354 (24 Pk)	All Performance Brake Lathes		
	Rels	45001	2000 Disc Drum Lathe		
CB7681-10	Positive Rake Carbide Bit .030 Radius (10 Pack)				
	O.E.M.	Part Number	Brake Lathes		
	All Tool	5711 (3 Pk)	777 Micro Finisher		
	Ammco	7681-2, 7681-6	4000•7000•800 OTV		
	Hunter	212-583-3	BL300• BL500•BL505•OCL360•OCL400•OCL430MD		
	Performance	8711 (3 Pk)	All Performance Brake Lathes		
CB50742	Positive Rake Carbide Bit				
	O.E.M.	Part Number	Brake Lathes		
	Procut	50-742	For All Procut Lathes		
CB29687	Positive Rake Carbide Bit				
	O.E.M.	Part Number	Brake Lathes		
	Rels	29687	204C•204D•204S•205DS•415		
	Van Norman	866564	204C•204D•204S•205DS•243XV•415		
CB90488	Positive Rake Carbide Bit .20 Radius 15° Angle (10 Pack)				
	O.E.M.	Part Number	Brake Lathes		
	Ammco	40410	Not For Use On A Ammco Lathe • Ammco Part Number For Other Brands Reference		
	FMC/John Bean	90488	600•700		
	Hofmann	W139 (5 Pk)	Trucut 400•401 On The Car•201 Standard•1115 HD Brake Lathes		
	Performance	8712	All Performance Brake Lathes		
CB433796	Positive Rake Carbide Bit 11° Angle • 1/64" Radius (10 Pack)				
	O.E.M.	Part Number	Brake Lathes		
	Accuturn	433796	7700•8910•8911•8922•8944•8989		
	Ammco	40435	Not For Use On A Ammco Lathe • Ammco Part Number For Other Brands Reference		
CB109-1092-23	Positive Rake Carbide Bit (10 Pack)				
	O.E.M.	Part Number	Brake Lathes		
	Ammco	40415	Not For Use On A Ammco Lathe • Ammco Part Number For Other Brands Reference		
	Hunter	221-639-3	BL300• BL500•BL505•OCL360•OCL400•OCL430MD		
	Kwikway	109-1092-23	BDL•CBL•NDL•OCL		
CB221-626-3	Micro Mini Round Hunter Bit (10 Pack)				
	O.E.M.	Part Number	Brake Lathes		
	Hunter	221-626-3	BL300• BL500•BL505•OCL360•OCL400•OCL430MD		

Brake Lathe

Tool Holders

BH69L&R	Positive Rake Left And Right Hand Toolholder Set For Round Bits		
O.E.M.	Part Number		
Ammco	40630		
BH10650	Left Hand Tool Bit Holder. Tool Holder For BH10702		
O.E.M.	Part Number	Brake Lathe	
Ammco	10650	6950 Twin Cutter	
BH10651	Right Hand Tool Bit Holder. Tool Holder For BH10701		
O.E.M.	Part Number	Brake Lathe	
Ammco	10651	6950 Twin Cutter	
BH10701	Negative Rake Right Hand Toolholder		
O.E.M.	Part Number		
All Tool	5588		
Ammco	10701		
Hunter	221-582-2		
Performance	8588		
Van Norman	45005		
BH10702	Negative Rake Left Hand Toolholder		
O.E.M.	Part Number		
All Tool	5586		
Ammco	10702		
Hunter	221-581-2		
Performance	5856		
Van Norman	45006		



Brake Lathe Accessories

AN200	Standard 1" Arbor Nut		
O.E.M.	Part Number		
Accuturn	433713		
All Tool	5543		
FMC / John Bean	90905		
Hunter	76-338-2		
Performance	8543		
Rels	24074		
Van Norman	204074		
SB3085	Spindle Protective Boot		
O.E.M.	Part Number	Brake Lathe	
Ammco	3085	3000 • 4000 4100 • 7700	
SB3085Rub	Spindle Protective Boot		
O.E.M.	Part Number	Brake Lathe	
Ammco	3085	3000 • 4000 4100 • 7700	
SB3086	Small Cloth Protective Feed Screw Boot - Length 10"		
O.E.M.	Part Number	Brake Lathe	
Ammco	3086	3000 • 4000	
SB3087	Large Cloth Protective Cross Feed Boot - Length 8.5"		
O.E.M.	Part Number	Brake Lathe	
Ammco	3087	3000 • 4000 • 4100 7000 • 7700	



Brake Lathe

Brake Lathe Accessories

AR3101	Standard 1" Arbor				
	O.E.M.	Part Number	Brake Lathe		
	Ammco	3101	2002 • 3000 • 4000 4100 • 7000 • 7700		
AN3102	Standard 1" Arbor Nut				
	O.E.M.	Part Number	Brake Lathe		
	Ammco	3102	2002 • 3000 • 4000 4100 • 7000 • 7700		
KB6854	Red 3 Arm Knob				
	O.E.M.	Part Number	Brake Lathe		
	Ammco	6854	3000 • 3850 • 4000 • 4100 7000 • 7500 • 7700		
SG7996	Shear Gear And C Clip For Ammco Brake Lathes				
	O.E.M.	Part Number	Brake Lathe		
	Ammco	7996	3000 • 4000 • 4100 7500 • 7700		
AR8542	Standard 1" Arbor				
	O.E.M.	Part Number	Brake Lathe		
	Hunter	RP-9019	BL501		
GP8756-12	Grinder Pads (120 Grit) Use With ST8740 Swirl Finisher (4" Diameter-Adhesive Back)				
					
AR9708	11/16" Arbor Set				
	O.E.M.	Part Number	Brake Lathe		
	Ammco	9708	2002 • 3000 • 4000 • 4100 7000 • 7700		
SP9492	Self Aligning Spacer				
	O.E.M.	Part Number	Brake Lathe		
	Ammco	9492	1000 • 2002 • 3000 • 3850 • 4000 • 4100 4000 • 4100 • 6000 • 6002 • 7000 • 7700		
BR23682	Bronze Boot Ring				
	O.E.M.	Part Number	Brake Lathe		
	Ammco	23682	3000 • 4000 4100 • 7700		
PU40175	2 Step 2 Speed Serpentine Pulley Set And Belt				
	O.E.M.	Part Number	Brake Lathe		
	Ammco	41075	3000 • 4000 • 4100 • 7500 • 7700		

Brake Lathe

Brake Lathe Accessories cont.

AS40450	Brake Lathe Repair Kit			
Kit Includes:	BP9836	Brass Plug (3 Ea)	CB6914-10	Carbide Insert (1 Bx)
	BR23682	Bronze Ring (1 Ea)	KB6854	Red Knob (3 Ea)
	BS10	Silencer Band (1 Ea)	SB3085	Spindle Boot (1 Ea)
	BS80A	Silencer Band (1 Ea)	SG7996	Shear Gear (1 Ea)



AS41210	Brake Lathe Repair Kit			
Kit Includes:	BS10	Silencer Band (4 Ea)	CB6918-6	Carbide Insert (5 Bxs)
	BS17-2	Silencer Band (2 Pks)	CB7681-6	Carbide Insert (5 Bxs)
	BS22-2	Silencer Band (2 Pks)	SB9800	Spring Silencer (2 Ea)
	BS80A	Silencer Band (2 Ea)	SP9182-2	Silencer Pads (2 Pks)
	CB6914-10	Carbide Insert (10 Bxs)		



AR97-422-2	Standard 1" Arbor		
O.E.M.	Part Number	Brake Lathe	
Hunter	97-422-2	BL505	



Adapter Kits

AS900001A	Hub And Hubless Adapters For Most Cars Including Composites (18 Pcs)		
O.E.M.	Part Number		
Kit Includes:	Ammco	900001A	
	SP3125	Ammco	3125
	AS9232	Ammco	9232
	AS9311	Ammco	9311
	SP9492	Ammco	9492
			Spacer 1/2" (1 Pc)
			Double Taper Pass Car Adapter Set (5 Pcs)
			Auto Adapter Set (11 Pcs)
			Self Aligning Spacer (1 Pc)



AS900002B	Same As AS900001A Plus Light Trucks Through 1/2 Ton (21 Pcs)		
O.E.M.	Part Number		
Kit Includes:	Ammco	900002B	
	SP3125	Ammco	3125
	AS9232	Ammco	9232
	AS9310	Ammco	9310
	SP9492	Ammco	9492
			Spacer 1/2" (1 Pc)
			Double Taper Pass Car Adapter Set (5 Pcs)
			Auto And Light Truck Adapter Set (14 Pcs)
			Self Aligning Spacer (1 Pc)



AS900003C	Same As AS900002B Plus Light Trucks Through 1 Ton (32 Pcs)		
O.E.M.	Part Number		
Kit Includes:	Ammco	900003C	
	SP3125	Ammco	3125
	AS9232	Ammco	9232
	AS9233	Ammco	9233
	AS9310	Ammco	9310
	AS9313	Ammco	9313
	SP9492	Ammco	9492
			Spacer 1/2" (1 Pc)
			Double Taper Pass Car Adapter Set (5 Pcs)
			Double Taper Truck Adapter Set (2 Pcs)
			Auto And Light Truck Adapter Set (11 Pcs)
			Truck Adapter Set (9 Pcs)
			Self Aligning Spacer (1 Pc)



Brake Lathe

Adapter Kits cont.

AS5532 Rotor Adapter Kit. Machining Late Model F-150
2 Wheel Drives With Out Removing The Bearings.



AS9232 Double Taper Adapter Set. For Passenger Cars And
Some Light Trucks



AS9233 Double Taper 2 Pc Adapter Set For Trucks.



AS9394 Economy Light Truck 5 Pc Adapter Set

AS9310 Auto And Light Truck Adapter Set
AS9311 Auto Adapter Set
AS9312 Light Truck Adapter Set
AS9313 Truck Adapter Set

Adapters Shown On Pg 18
Adapters Shown On Pg 18
Adapters Shown On Pg 18
Adapters Shown On Pg 18



Silencers

BS5 Heavy Duty 2 3/4" Truck Drum Silencer Band - Length 6'

O.E.M.	Part Number
Accuturn	434650
All Tool	005575
Ammco	5290
FMC / John Bean	090983
Hofmann	BDL 140-1
Hunter	175-187-2
Kwikway	804-8665-42
Performance	008575
Rels	011487
Van Norman	866542



BS10 Adjustable Ventilated Rotor Silencer Band

O.E.M.	Part Number
All Tool	5576
Ammco	6920
FMC / John Bean	90984, 92022
Hunter	175-188-2
Kwikway	108-1062-00
Performance	8576
Rels	11488
Van Norman	111485



BS17-2 Small Black Solid Rotor Silencer Band - 6-9" Diameter (2 Pack)

O.E.M.	Part Number
Accuturn	433789
Ammco	6921
FMC / John Bean	90196
Hofmann	W131
Hunter	175-189-2
Performance	6921
Rels	11482



Brake Lathe

Silencers cont.

BS22-2 Large Black Solid Rotor Silencer Band - 10-12" Diameter (2 Pack)

O.E.M.	Part Number
Accuturn	434061
All Tool	5578
Ammco	6922
FMC / John Bean	90194
Hofmann	W 116
Hunter	175-190-2
Performance	8578
Rels	11485



BS80A Premium 1 3/4 Drum Silencer Band- Length 6'

O.E.M.	Part Number
Ammco	5280



CS1 Clip On Silencer

O.E.M.	Part Number
Accuturn	434296
All Tool	5572
Ammco	1175, 1180
FMC / John Bean	90198
Hunter	175-185-2
Kwikway	102-1075-00
Performance	8572
Rels	11491



CS5 Silencer For Procut Lathes

O.E.M.	Part Number
Pro Cut	50-703



CS10 Clip On Silencer With Velcro Strap



SB7075 Friction Rotor Silencer Assembly

O.E.M.	Part Number
Ammco	7075

Brake Lathe
4000 • 4100 • 7000 • 7500

Components Available Individually



SP9183-2 Replacement Silencer Pads For SB7075 Silencer Assembly

O.E.M.	Part Number
Ammco	9183
Performance	6783

Brake Lathe
4000 • 4100 • 7000 • 7500



SB9800 Ventilated Rotor Spring Silencer Assembly (Length 25")

O.E.M.	Part Number
Accuturn	438190
Ammco	9800
Hunter	175-276-1



Garage Service Equipment

Bead Booster

TC628 **Bead Booster to assist in the inflation of tubeless tire.**
It carries an 8 gallon (32 liter) tank which allows for use on a greater range of tire sizes. Two unique features: an automatic valve with a one touch foot pedal release and a built in tire stand that automatically sets the bottom bead allowing for use of lower air pressures. It also features a safety pop-off valve to prevent overfilling, a safety arm to guard against high pressure release, an air whip hose, goggles and earplugs.
Tanks are ASME and CE approved and certified.



Booster Upgrade

TC620 **Booster Upgrade Kit for Manual Bead Seater.**
Upgrade an awkward manual bead seater into an efficient, easy to handle automatic booster.
Advantages of upgrading:
•Faster air release
•Quicker air release means less air pressure needed
•Push button trigger makes it easy to operate
•Double barrel disperses air evenly around wheel



**Even Old Tanks
That Are Working
Can Be Upgraded**

Jack Stands

Jack Stands with heavy duty welded frame and multi-position ductile ratchet bar.

The quick adjustment mechanism securely locks onto the right location. Includes counter-weighted pawl for safe securing.

TC603 **3 Ton Capacity**
Min Height: 10.55" • Max Height: 16.75"
Length: 7.50" • Width: 6.70"
Gross Weight 15 • Net Weight 14

TC606 **6 Ton Capacity**
Min Height: 15.50" • Max Height: 23.50"
Length: 10.65" • Width: 9.45"
Gross Weight 30 • Net Weight 28

TC612 **12 Ton Capacity**
Min Height: 17.30" • Max Height: 28.00"
Length: 12.20" • Width: 10.28"
Gross Weight 60 • Net Weight 58



Wheel Dolly

TC650 **Wheel Dolly for all wheels from 6.5" - 22.5"**
Lift capability of 6 inches.
Including super singles and off-the-road tires. Wheel dolly has heavy-duty industrial bearings, 3 position for rollers depending on size of wheel. Easy one man control.
Avoid damage to wheel bolts and expensive modern rims.
Easy installation and removal of truck wheel assemblies.
Maximum capacity 500 lbs., gross weight 28 lbs.



Great For All Type Of Tires: Light Truck, Truck, Skid Steer, Forklifts, etc.
Steel Construction, Not Aluminum Will Not Bend or Break Under Pressure

Garage Service Equipment

Garage Jacks

The professional universal joint release valve makes it possible to lower the jack with load very precisely and free on any risk. The pump pistons are protected with jacket to prevent from the intrusion of dirt are placed at a 45° angle so a complete pumping stroke is utilized. The jack has a chrome main ram.

TC675 2.5 Ton Standard Garage Jack
 Min Height: 3.35" • Max Height: 18.30"
 Length: 30.70" • Width: 15.35"
 Gross Weight 104 • Net Weight 101

TC672 3 Ton Standard Garage Jack
 Min Height: 10" • Max Height: 19.30"
 Length: 28.35" • Width: 14.15"
 Gross Weight 102 • Net Weight 99

TC670 3 Ton Garage Jack
 Jack is equipped with a rubber saddle and handle bumper. The professional universal joint release valve makes it possible to lower the jack with load very precisely and free on any risk. The pump pistons are protected with jacket to prevent from the intrusion of dirt are placed at a 45° angle so a complete pumping stroke is utilized. The jack has a chrome main ram. CE Approved.
 Min Height: 4.15" • Max Height: 19.30"
 Length: 31.30" • Width: 15.15"
 Gross Weight 110 • Net Weight 107

TC673 20 Ton Air Service Jack heavy duty design for servicing jobs in the truck industry. Jack has an extension screw in addition to 3 saddles that can be placed on top of each other for added height. Chrome main ram and aluminum air motor guarantee optimum lifetime. Air filter, connected to hose, included.
 Min Height: 7.30" • Max Height: 14.70"
 Hydr. Stroke: 4.25" • Ext. Screw 3.15"
 Length: 22.85" • Width: 12.60"
 Gross Weight 96 lbs. • Net Weight 92 lbs.



TC8000
 Handle Grip

- * Fits Multiple Jack Manufacturers' Handles
- * Protects Vehicles From Scratches Or Dents Caused By Falling Jack Handles
- * Made Of Durable Synthetic Rubber

Bottle Jacks

20 Ton Air / Manual Bottle Jack
 Chrome main ram and aluminum air motor guarantee optimum lifetime. Air filter, connected to hose, included.
 Min Height: 9.65" • Max Height: 18.50"
 Length: 5.12" • Width: 8.66"
 Gross Weight 38 • Net Weight 36

TC681



20 Ton Bottle Jack has a chrome main ram and a chrome pump piston. The extension screws have a pressed thread. Can be used horizontally or vertically.
 Min Height: 9.50" • Max Height: 18.60"
 Hydr. Stroke: 5.90" • Ext. Screw 3.15"
 Length: 5.90" • Width: 6.25"
 Gross Weight 25 lbs. • Net Weight 23 lbs.

TC682



20 Ton Bottle Jack has a chrome main ram and a chrome pump piston. The extension screws have a pressed thread. Can be used horizontally or vertically.
 Min Height: 6.60" • Max Height: 11.25"
 Hydr. Stroke: 3.05" • Ext. Screw 1.60"
 Length: 5.90" • Width: 6.25"
 Gross Weight 21 lbs. • Net Weight 20 lbs.

TC683



Axle Stand Set

20 Ton Axle Stand Set with spring suspension swivel wheels and handle. Using high performance jack stands there's no need to crawl under the heavy vehicle to position the jack stand.
 Min Height: 250 mm • Max Height: 400 mm
 Gross Weight 38 lbs. • Net Weight 37 lbs.



Abrasives

Surface Conditioning Discs

MI17 3" Coarse Grit (Brown) 100 Per Box
 MI27 3" Medium Grit (Maroon) 100 Per Box
 MI37 3" Fine Grit (Blue) 100 Per Box



MI197 2" Coarse Grit (Brown) 100 Per Box
 MI297 2" Medium Grit (Maroon) 100 Per Box
 MI397 2" Fine Grit (Blue) 100 Per Box



Aluminum Oxide Discs - Sandpaper

MI215 2" Aluminum Oxide Disc - 36 Grit 100 Per Box
 MI225 2" Aluminum Oxide Disc - 50 Grit 100 Per Box
 MI335 2" Aluminum Oxide Disc - 80 Grit 100 Per Box
 MI245 2" Aluminum Oxide Disc - 120 Grit 100 Per Box



MI315 3" Aluminum Oxide Disc - 36 Grit 100 Per Box
 MI325 3" Aluminum Oxide Disc - 50 Grit 100 Per Box
 MI335 3" Aluminum Oxide Disc - 80 Grit 100 Per Box
 MI345 3" Aluminum Oxide Disc - 120 Grit 100 Per Box



Blue Zirconia Discs

MI202 2" Blue Zirconia Disc - 24 Grit 50 Per Box
 MI203 2" Blue Zirconia Disc - 36 Grit 50 Per Box
 MI204 2" Blue Zirconia Disc - 50 Grit 50 Per Box




MI302 3" Blue Zirconia Disc - 24 Grit 25 Per Box
 MI303 3" Blue Zirconia Disc - 36 Grit 25 Per Box
 MI304 3" Blue Zirconia Disc - 50 Grit 25 Per Box




Green Zirconia Discs

MI305 2" Green Zirconia Disc - 24 Grit 50 Per Box
 MI306 2" Green Zirconia Disc - 36 Grit 50 Per Box
 MI307 2" Green Zirconia Disc - 50 Grit 50 Per Box



MI308 3" Green Zirconia Disc - 24 Grit 25 Per Box
 MI309 3" Green Zirconia Disc - 36 Grit 25 Per Box
 MI310 3" Green Zirconia Disc - 50 Grit 25 Per Box



Hand Pads - Scuff Pads

MI8040-20 Ultra Fine White Hand Pad 6" x 9" 20 Per Box
 MI8047-10 Medium Maroon Hand Pad 6" x 9" 10 Per Box
 MI8040-20 Ultra Fine White Hand Pad 6" x 9" 20 Per Box
 MI8047-10 Medium Maroon Hand Pad 6" x 9" 10 Per Box



Shop Rolls

MI5002 320 Grit Aluminum Oxide 1" x 50 Yards
 MI5004 240 Grit Aluminum Oxide 1" x 50 Yards
 MI5006 180 Grit Aluminum Oxide 1" x 50 Yards
 MI5026 180 Grit Aluminum Oxide 1 1/2" x 50 Yards
 MI5028 120 Grit Aluminum Oxide 1 1/2" x 50 Yards
 MI5102 400 Grit Aluminum Oxide 1" x 50 Yards
 MI5109 120 Grit Aluminum Oxide 1" x 50 Yards



MI5111 80 Grit Aluminum Oxide 1" x 50 Yards
 MI5112 60 Grit Aluminum Oxide 1" x 50 Yards
 MI5116 400 Grit Aluminum Oxide 1 1/2" x 50 Yards
 MI5117 320 Grit Aluminum Oxide 1 1/2" x 50 Yards
 MI5119 240 Grit Aluminum Oxide 1 1/2" x 50 Yards
 MI5125 80 Grit Aluminum Oxide 1 1/2" x 50 Yards

