# TIRE SERVICE



# **Complete Tire and Wheel Service**

geodyna® 7100 Balancer and monty® 1270 Tire Service Combo

SKU **339014** HOFCOMBOITS

• Save with This Great General Service

Tire Service Combo • Includes monty 1270 Tire Changer with Outer Clamping Up To 20" and the geodyna 7100 Wheel Balancer with Belt-Driven One-Spin Balance, VPM Measuring System, User-Friendly 2D SAPE Data Entry

and Intuitive Control Panel

HOFCOMB01TS \$3,999.99 HOFEEWH764AU1 monty 1270 Tire Changer \$2,224,99 HOFEEWB761AE1 geodyna 7100 Wheel Balancer \$2,164.99 Total

HOFEEWH764AU1 HOFEEWB761AE1

RANR980XR

Lift Gate Service SKU 290017 HOFLIFTGATE 9500

Ranger.

## Dannmar® T-100 Tire Changer and **B-100** Wheel Balancer Combo

SKU **818788** DAN1381801

- Includes: DAN1381201 Dannmar T-100 Tire Changer and DAN1381202 Dannmar B-100 Wheel Balancer
- This Dannmar Combo is Best Suited for Gas Stations, Small Garages and Auto Salvage Yards. With the T-100 B-100 Combo, You Get Great Value and More Bang for Your Buck.
- T-100 Outside Clamp: 12" 22"
- B-100 Rim Diameter: 1" 28"
- B-100 Includes Data Acquisition Wand and Quick Nut
- 1 Year Parts Only Warranty



\$2,799,99

1,599.99

\$1,449.99

\$3,049.98



1 YEAR Parts

# Ranger® Tire Service Package

SKU **851131** 


RANCOMB01

Savings

- Includes: R980XR NEXTGEN™ Swing-Arm 25" Tire Changer and the DST-2420 Dynamic Wheel Balancer
- R980XR External Rim Clamping Capacity: 9" 28" • DST-2420 Dynamic Wheel Balancer Dependably Ensures



RANDST2420 Includes: 100 piece silver roll and 100 piece black roll Wheel Weight Starter Kit #5150235



**Dual Position RimGuard**™ Wheel Clamps

**SAVE <sup>\$</sup>79<sup>99</sup>** 

**Lift Gate Service** SKU 262533 RANLIFTGATE 13500

BASELINE

# Coats® RC-55E and 1300 Series **Tire Service Combo**

DAN1381801

Dannmar T-100 Tire Changer

Dannmar B-100 Balancer

Total


Savings

SKU **597289** AMMCOMB02

DAN1381202

DAN1381201

- RC-55E Features an External Clamping Range from 6" to 24" (Max Tire Diameter 50"; Max Rim Width 10-1/2")
- RC-55E Drive System: 1 HP Electric Motor
- Tire Changer Allows Inflation from 0 to 60 PSI with a Built-in Pressure Limiter
- 1300 Series Wheel Balancer is Powered by Direct Drive Static-On-Screen® Display Identifies Any Excess Residual
- Static Imbalance





	AMMCOMB02	\$9,649.99
AMM8560995001	RC-55E Tire Changer	\$5,199.99
AMM80013002D	1300 2D Wheel Balancer	\$4,669.99
	Total	\$9,869.98
	Savings	\$219.99




**Lift Gate Service** 

BaseLine™ BL300 **350 Balancer Combo** 

SKU **435488** AMM8500300350 • Includes: BL300 Tire Changer and

- 350 Balancer • 10 - 24" External Clamping Capacity
- Bead Sealing Jets to Aid Inflation
- 350 Balancer Features Self Diagnosis and Calibration
- One Button Split and Hidden Weight Program

**Lift Gate Service** 



AMM85002300

**Comes with 1 Year Parts Warranty** 

AMM85002350

# BaseLine™ BL500 Tire Changer


SKU **435489** 

AMM8500500550

- Includes: BL500 Tire Changer and 550 Balancer
- 10 24" External Clamping Capacity
- Bead Sealing Jets to Aid Inflation
- 550 Balancer Features Automatic Distance and Diameter Entry
- Direct Weight Location



Lift Gate Service SKU 262529 AMMLIFTGATE 5500





**Comes with 1 Year Parts Warranty** 

# Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

# Tool & Equipment QUARTERLY

# **Tire Changers**

# Tilt Back Tire Changer / 30" Capacity NextGen™ Series

SKU **544546** RANR76LT

- Drive System Type: Electric/Air
- Motor: 2 HP (110 220VAC, 50 60 Hz) • Air Requirement: 110 - 175 PSI (8 - 12 Bar)
- External Rim Clamping Capacity: 9" 28"
- Internal Rim Clamping Capacity: 10" 30"
- Table Clamping System: Dual
- Pneumatic Cylinders • Bead Breaking System:
- Pneumatic Blade • Tower Design Tilt-Back

Lift Gate Service SKU 262533 RANLIFTGATE 13500





# TOP SELLER

## Swing Arm Tire Changer / 30" Capacity NextGen™ Series

SKU **312817** RANR980XR

- Drive System Type: Electric/Air
- Motor: 2 HP (110/208 240VAC, 50 60 Hz)
- Air Requirement: 140 165 PSI (10 11 Bar)
- Bead Breaker Tire Width Capacity Demount: 1.5" - 16" (38 mm - 406 mm)
- Internal Rim Clamping Capacity: 10" 30" (254 mm 762 mm)
- External Rim Clamping Capacity: 9" 28" (229 mm 711 mm)
- Bead Seating System: Turbo Blast/Bead Seating

Lift Gate Service SKU **262533** RANLIFTGATE **135**00



**// Ranger** 

## **Swing Arm Tire Changer** 30" Capacity NextGen™ **Series**

SKU **544590** RANR980XRF

• 2 HP, (208 - 240V, 50 - 60 Hz,

- 1 Phase Only)
- Internal Rim Clamping Capacity: 10" - 30'
- Maximum Tire Diameter: 50"

**Features True Variable Speed** Control

Lift Gate Service SKU **262533** RANLIFTGATE **135**00



**Swing Arm Tire Changer / Single Tower** Assist / 30" Capacity NextGen™ Series

SKU **544537** 

RANR980AT

- Motor: 2 HP (110/208 240V, 50 60 Hz) • External Rim Clamping Capacity: 9" - 28"
- Internal Rim Clamping Capacity: 10" 30"
- Maximum Tire Diameter: 50"

RimGuard™ 28" Swing-Arm and Single Power Assist Tire Changer

SKU **544542** 

RANR980ATF • 2 HP (208 - 240V, 50 - 60 Hz, 1 Phase Only)

- External Rim Clamping Capacity: 9" 28"
- Internal Rim Clamping Capacity: 10" 30"
- Maximum Tire Diameter: 50"



**Features True Variable Speed** Control

Ranger.

Lift Gate Service



SKU **544547** 

RANR980NXTF

- 2 HP (208 240V, 50 60 Hz 1 Phase Only)
- External Clamping (Outer): 9" 28'
- Maximum Tire Diameter: 50"

**Features True Variable Speed** Control

Lift Gate Service SKU 262533 RANLIFTGATE 13500





# Tilt Back Tire Changer / Right Tower Single Assist / 30" Capacity NextGen™ Series

SKU **544543** RANR76ATR

- External Rim Clamping Capacity: 9" 28" • Internal Rim Clamping Capacity: 10" - 30"
- Maximum Tire Diameter: 43"
- Alloy Steel Mount and Demount Head, Nylon Tool Head Also Comes Standard

## Tilt-Back 28" with Assist **Tower Tire Changer**

SKU **544550** 

RANR76ATRF

- 2 HP (208 240V, 50 60 Hz, 1 Phase Only)
- External Rim Clamping Capacity: 9" 28" • Internal Rim Clamping Capacity: 10" - 30"
- Maximum Tire Diameter: 43"

**Features True Variable Speed** Control

Lift Gate Service

HOFMANN



# Swing Arm Tire Changer / Single Tower Assist / 32" Capacity NextGen™ Series

SKU **312819** RANR30XLT

- Internal Rim Clamping Capacity: 13" 33"
- External Rim Clamping Capacity: 10" 28"
- Turntable Tire Width Capacity Mount: 5" 22" • Bead Breaker Tire Width Capacity Demount:
- 3" 15" • Maximum Tire Diameter: 50'

Lift Gate Service

HOFMANN !





HOFMANN

# **Tire Changers**

#### monty® 1270 Tire Changer SKU **339003** HOFEEWH764AU1

• Outside Clamping Capacity: 20"

- Mounting Arm Swings to the Side So the Machine Can Be Installed Near the Wall to Save Space
- Includes: Oiler, Water Separator, Manual Tire Inflator



90 days parts/labo

**Lift Gate Service** SKU **290017** HOFLIFTGATE **95**00

SKU **849300** 



- HOFMONTY1625B • Designed for High-Volume Tire Shops, Multi-Bay Repair Shops and Car Dealerships
- Outer-Wheel Diameter of 24" • Inner-Wheel Diameter of 26"
- Accommodates Tire Diameter of 50"
- Powerful Inflation

System

Lift Gate Service SKU 290017 HOFLIFTGATE 9500



## monty® 1520 20" **Capacity Tire Changer** SKU **290001**

H0FM1520110

• Overall Wheel Clamping Diameter 10" - 20"

• Two Stage Bead Breaker Range 2" - 13" • Dual Pneumatic Clamping Cylinders Control All Four Clamping Jaws, Eliminating Damage to Wheels Due to Slippage

• Powerful Tire Inflation System - Each Moveable Jaw is Precisely Set to the Exact Position Under the Wheel to Seal the Tire Bead

**Lift Gate Service** SKU **290017** HOFLIFTGATE **95**00



- 14 RPM 2 Speed Motor Allows for Quicker Turnaround Times
- Designed for High-Volume Tire Shops, Multi-Bay Repair Shops and Car Dealerships • Outer Wheel Clamping
- Diameter: 10" 24 • Inner Wheel Clamping Diameter: 12" - 26' • Maximum Tire Diameter: 50"

Lift Gate Service SKU **290017** HOFLIFTGATE **95**00



## monty® 1575 Tire Changer SKU **849298** HOFMONTY1575B

- Ideal for Shops Looking for Great Value without Sacrificing Productivity • Outer-Wheel Diameter of 24"
- Accommodates Tire Diameter of 39"
- Powerful Inflation System

**Lift Gate Service** SKU **290017** HOFLIFTGATE **95**00





HOFEEWH768C • monty 8100S Center Post Tire Changer Designed for Easy Use with Minimal Training of Technicians Reducing Shop Overhead and Adding to Your Bottom Line



Lift Gate Service SKU **290017** HOFLIFTGATE **95** 



HOFMANN 🧖



# TIRE SERVICE

# Leasing Terms Available!

Ask Your AutoZone® Commercial Sales Manager

COALS

COALS

# Tire Changers

RC-45E Rim Clamp® Tire Changer SKU 688225 (Electric)

- AMM8560994901
- External Rim Clamping Range: 6" 24"
- Maximum Rim Width: 10.5" Maximum Tire Diameter: 50<sup>th</sup>
- Includes Bead Sealing Jet to Aid Inflation

SKU 262529 AMMLIFTGATE 5500



AMM80060XEH1

**60X Rim Clamp®** 

**Tire Changer** 

SKU **298103** 

- · Rim Diameter: 6 - 24" External Patented Robo-Arm®
- Helper Device
- Hand Activated Bead Loosener
- Single Point Sealer

**Lift Gate Service** 



**GTS-70 Tilt-Back Tire Changer** 

COALS

- SKU **019305** AMM85610076
- Rim Width 15"
- Powered Roller Disk Multiple Uses Include: Bead Loosening, TPMS Access, Bottom Bead Removal and Top Bead Mounting
- Electric Drive System 1HP Electric Motor, 110VAC

Lift Gate Service

SKU **262529** AMMLIFTGATE **5500** 



SKU **262529** AMMLIFTGATE **5500** 

AMM8560995001

Run-Flat Tires

• Maximum Rim Width 10.5" • Maximum Tire Diameter 50' • Electric Turntable

SKU **979908** AMM80070XEH3 **7,89** 

RC-55E Rim Clamp® Tire Changer

Robo-Arm® Power Assist for Low-Profile and

• External Rim Clamping Range from 6" - 24"

- Rim Diameter: 6 24" External
- Patented Robo-Arm® Helper Device
- Hand Activated Bead Loosener

70X, Electric, Hand, Premium

• Single Point Sealer

**Accessory Kit** 



AMM85607986

- 16" 28" External Clamping • Updated Jaw Profile Accommodates
- Newer Rim Flange Profiles • Wider Grip Contact Area and
- New Material Further Reduce Slip on Polished Surfaces



**Lift Gate Service** 



User Setup Required. Factory Authorized Service Network Available.



• Drive System: Electric

- Rim Width: 10" Maximum
- Includes Bead Sealing Jets to Aid in Inflation
- Wheel Clamping Capacity: 10" 24" External, 12" 26" Internal

**Comes with 1 Year Parts Warranty** 



Lift Gate Service

BASELINE

# **BL500 Tire Changer with** 24" External Clamping and Robo-Arm®

SKU **509828** AMM85002500

- Drive System: Electric
- Rim Width: 10" Maximum
- Includes Bead Sealing Jets to Aid in Inflation
- Wheel Clamping Capacity: 10" 24" External,
- Fully Articulating Robo-Arm Helper to Aid in Mounting Stiffer Sidewall Tires

**Comes with 1 Year Parts Warranty** 

**Coats Nylon Mount/Demount** 

**Coats Nylon Mount/Demount** 

**Head - Tapered Hole** 

**Head - Tapered Hole** 

TMRTC20024335

SKU **459189** 

SKU **459174** 

TMRTC450310



Lift Gate Service

# **Mount/Demount**

Heads

**Demount Head** SKU **459185** TMRTCR343

**Coats Nylon Mount/** 

**Mount/Demount Head** 

**Tool Head for Hunter** 

SKII 459183

TMRTC183061

**Low Profile** 

SKU **557259** 

SKU **557241** 

TMRTC14120

TMRTC184432

Red Nvion Mount



**Demount Head - Tapered Hole** 





TC3000 and TC3100 Series Accuturn

Fits On Models

Coats

Baseline

(Require Adapter) 220A, All Other Models Require 102765 Adapter R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models,R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter

5030, 5035, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 7050, 7055, 7060, 7065, 7655, 7660 and 7665 BI 200 BI 300 BI 400 and BI 500

5030, 5040, 5050, 5060, 5065, 6050, 6060, Coats 6065, 7050, 7055, 7060, 7065, 7655, 7660 and 7665, BL200, BL300, BL400 and BL500

TCA34 with Serial Numbers 664 and Above

Nylon Mount/Demount Head Kit with Round Hole SKU **459195** TMRTC14024784



Accuturn Hofmann John Bean

Hofmann

John Bean

Snap On

Fits On Models

All Tool

Coats

Giuliano

Hofmann

Hunter

Sice

3602, 3602HP. 4260. 4560MR 4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GF Snap On

All Models

All Rim Clamp

Head to Work

and S436TOP

EHP System IVE, IV, III, IIE Accuturn

3602, 3602HP, 4260, 4560MR, 4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM, 1270, 2300, 3000 and 3000GP EHP System IVE, IV, III, IIE

RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90

Shaft Needs to Be Turned 180 Degrees for This

Fits All TCX Series (Earlier TCX500 Requires Upgrade

M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436

Earlier Models Except 1550, 1620 and 1625

Shaft and Kit RP11-8-114-00091)

**Mounting Flange for Demount** Head (Flange Only)\*

SKU **899502** RAN5150524



**Ranger** 

**Nylon Mount/Demount Head Kit with Round Hole** 



All Tool Coats Corghi Hofmann Sice

All Models All Models

SKU **459187** 

RC1. 5. 10. 15. 20. Early 5060. 9010. 9024 and APX90 Earlier Models Except 1550, 1620 and 1625 M39, S40, S42, S43, S45, S408MAXI, S435, S436

Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival.

Leasing Terms Available.

TMRTC250309

# Delivery Included on Tire Changers and Wheel Balancers



# Tool & Equipment QUARTERLY

# Wheel Balancers

# **BaseLine 350 Wheel Balancer**

SKU **818787 2,09999** AMM85002350

- Manual Data Entry
- Foot Pedal Brake for Easy Weight Placement
- Self-Diagnosis and Self-Calibration
- One Button Split and Hidden Weight Program

**Comes with 1 Year Parts Warranty** 



# **BaseLine 550 Wheel Balancer**

SKU **818786** AMM85002550 **2,7** 

- Automatic Distance and Diameter Entry (2D)
- Direct Weight Location
- Direct Selection Ounce/Grams

**Comes with 1 Year Parts Warranty** 



BASELINE ENTRY LEVEL WHEEL BALANCER User Setup Required. Factory Authorized Service Network Available.

# geodyna® 7100 Wheel Balancer with LED Display

SKU **339018** 

HOFEEWB761AE1 **2,164**99

- Combines High Accuracy with Small Footprint • Semi-Automatic Input of Rim Diameter and Offset with Gauge Arm
- Short Balancing Cycle: 4.5 Seconds
- Rim Diameter: 8" 32"

Price Does Not Include Tires or Rims as Shown

Lift Gate Service SKU 290017 HOFLIFTGATE 9500



# Hofmann geodyna® 7400L **Wheel Balancing System**

SKU **850652** HOFEEWB764AL

- Video Display
- Balance Time: 6.5 Seconds
- Automatic Data Entry
- Includes: Ziplock Ring Nut, Spacer Ring, Drum, Drum Cushion and 4 Cone Set





Hofmann geodyna® 7600L

SKU **298104** HOFEEWB765AL Touchscreen and Video Display with

- 2D SAPE Data Entry • Smart Sonar for Non-Contact Rim
- Width Acquisition • EasyWeight Pinpoint Laser and Rim Lighting for Speed, Accuracy and Efficiency on Every Balancing Job

**Lift Gate Service** SKU **290017** HOFLIFTGATE **95**00



HOFMANN -



### Hofmann geodyna® 7600P with Laser and **Power Clamp**

SKU **327605** HOFEEWB765AP

**6,499**99 Wheel Balancer Features the Power Clamp Electromechanical Clamping System

• Smart Sonar for Non-Contact Rim Width Acquisition

**Lift Gate Service** SKU **290017** HOFLIFTGATE **95**00



HOFMANN 5



# **Digital Wheel Balancer**

SKU **977528** RANDST2420

- Motor: 3/4 HP, 110V/220V, 50/60 Hz, 1 Phase • Balancing Modes: Dynamic/Static/ 3 Alloy
- Cycle Time: 6 to 9 Seconds
- Self-Calibrating
- Max. Tire Diameter: 47" (1,194 mm) • Max. Tire Weight: 145 Lbs.
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz.
- Accuracy: +/- 1 Gram/.035 Oz.





# **Digital Wheel Balancer**

SKU **343398** RANDST-64T

Ergonomic Control Board with Soft Touch

- Keys and Easy-to-Read LED Motor: 1.5 HP, 208 - 230V, 50/60 Hz, 1 Phase
- Maximum Tire Diameter: 50"
- Maximum Tire Weight: 150 Lbs.
- Cycle Time: 6 12 Seconds (Avg.) Depending on Wheel
- Precision-Machined, Hardened-Steel 36 mm Shaft



24999

**Ranger** 

Lift Gate Service SKU **262533**RANLIFTGATE **13500** 

# DON'T FORCET THIS ACCESSORY

• Works with Ranger Wheel Balancers Listed on This Page

1300 2D Wheel Balancer

- AMM80013002D Auto Distance and Diameter Data Entry
- Behind the Spoke Mode

SKU **592250** 

- 40 mm Shaft Diameter
- Maximum Tire Diameter: 44" • 220V, 1 Phase



Lift Gate Service SKU 262529 AMMLIFTGATE 5500



1500A 3D Wheel Balancer

SKU **339012** AMM80015003D Powered by Direct Drive

- Includes Premium Quick Nut
- Automatic 3-D Data Entry
- Basic Adapter Kit Included • NEW Collet Adapters





# 1600A 3D Wheel Balancer SKU OUTSIDE BUY/EPO

AMM80016003D • Powered by Direct Drive

**Truck Cone Kit** 

- ProBalance Technology™ Premium Quicknut
- Stop, Lock and Index • 8 Balancing Modes
- Automatic 3-D Data Entry Basic Adapter Kit Included







DON'T FORGET THESE AGGESSORMES • Works with Coats Wheel Balancers Listed on This Page



Adjustable Pin Plate Set SKU 818762 AMM85610104



SKU 262529 AMMLIFTGATE 5500

40 mm Light Truck Cone 28999 SKU 212844 AMM8113277C

Free Delivery!

Specifications Subject to Change without Notice or Liability. Customers Responsible for Off-Loading Equipment Upon Arrival.

Leasing Terms Available.†

# TIRE SERVICE

**ATEQ** 

# ATEQ TPMS Tools and Readers

# **VT36 TPMS PROGRAMMING TOOL**

SKU **596887** ATEVT36-0000 **28999** 

- Programs All Leading Aftermarket Programmable Sensors
- Reads and Activates TPMS Sensors



- 3 Year Free Software Updates Included
- 98% Coverage on Vehicles Equipped
- Re-Learn Procedures

SKU **095059** 

ATEVT550BDII

- Programs and Decodes Programmable and Universal TPMS Sensors
- OBDII Programming on Applicable Asian European

Offer Good Through June 30, 2017 **While Supplies Last** 

ATEVT56



## **Diagnostic TPMS Tool** SKU **544586**

- 98% Coverage on Vehicles Equipped with TPMS
- Selects MMY via VIN Scan
- Comprehensive MMY Specific Re-Learn Procedures
- Programs and Decodes Programmable and Universal TPMS Sensors
- Built-In Training Procedures

Offer Good Through June 30, 2017 **While Supplies Last** 



# Tire Taxi



- Designed to Transport Car, Light Truck and SUV Tires and Wheels
- Efficiently Transport Tires from Storage Areas to Service Bays • May be Used for Display Purposes
- (4) Heavy-Duty 3" Casters (One Locking Caster Included) Allow Effortless Movement and 360 Degree Rotation
- Capacity: (5) Tire and Wheel Assemblies or (8) Tires (265 Lbs.)

#### **Tire Taxi** SKU **597221** DOWJDITT1

SKU **597206** DOWJDITT1EX





**OEM** TOOLS

# Tire Inflator

# **Digital Tire Inflator** SKU **802198** 4999 REG. \$59.99

• Easy-to-Read Backlit LCD Display

- Four Units of Measure (PSI, Bar, KPa, kgf)
- Measuring Range: 0 175 PSI (0 12 Bar) Accuracy: +/-1.2 PSI Up to 58 PSI, +/-2.3 Between 58 PSI and 145 PSI Inclusive, +/-3.6 PSI Greater Than 145 PSI

Offer Good Through June 30, 2017 - While Supplies Last

# Autel TPMS Tools

**READS / WRITES SENSOR IDS** 

MaxiTPMS® TS501K Diagnostic and Service Tool with 8 TPMS Sensors (Sensors \$319.00 Value)

SKU **850650** AULTS501K

- Activates Sensors Using 125KHz Continuous or Modulated Wave Signals
- Programs Vehicle ECU to Learn Sensor IDs and Positions
- Capable of Programming Single Tires
- Reads/Clears Codes of TPM System • Reset TPMS Malfunction Light
- Display Replacement Part Number
- Includes 2 Rubber Stem Sensors and 6 Metal Stem Sensors
- Replaces 98% of OE Sensors on the Market

## SHOWS TPMS LIVE DATA

# MaxiTPMS® TS601 All-In-One . **TPMS Tool with OBDII**

SKU **376934** AULTS601P

- OBDII Reads, Records, and Plays Back Complete OBDII Vehicle Stream
- TPMS Live Data Including Tire Pressure, Signal Status, Temperature, and Battery Status
- Programs Vehicle ECU to Learn Sensor IDs and Positions

# 315MHz / 433MHz Universal Programmable MX-Sensors

- Built to Perform Like OE Sensors in Terms of Signal, Durability and Functionality
- Robust Clamp-In Pivoting Stem Design Allows for 0-35 Degree Angle Adjustment to Fit All Wheel Types
  • 2 SKU Sensor Solution Covers 98% of All OE Sensors

# **Metal Tip Sensors**

SKU **080038** AULMXSENS315M

AULMXSENS433M

SKU **080039** 

315MHz **2099** 

433MHz **2099** 

# **Rubber Sensors**

SKU **290274** AULMXSENS315R

SKU **290286** 433MHz AULMXSENS433R

315MHz



# **MaxiTPMS® Pads**

SKU **526852** AUL101000017

- Make MX-Sensor Programming Easy in 3 Simple Steps Direct Reading from Sensor for Quick Programming
- No Need for Vehicle Relearns
- Ideal for Mechanically Broken Sensors
- Automatically Creates ID Numbers Compatible with the Vehicle
- Runs from PC USB Power, No Batteries Required



AUTEL

	AULTS501K	AULTS601P
Activate Sensors and Retrieve Data	Yes	Yes
Display Relearn Procedures	Yes	Yes
Step-by-Step Graphic Direction for OE Relearn Procedures	Yes	Yes
Autel MX Sensor Programming Capabilities	Yes	Yes
OBDII Interface to Extract TPMS Codes	Yes	Yes
Detect and Display TPMS System Faults	Yes	Yes
Read and Clear TPMS Information	Yes	Yes
Complete TPMS System Diagnostics	No	Yes
Live TPMS Data Stream	No	Yes
Adjust Tire Size Placard Values	No	Yes
Receives Both 315Mhz and 433Mhz Sensors	Yes	Yes
Includes 6 Metal Stem and 2 Rubber Stem Sensors	Yes	No
TS401 TS501 / TS601 Tool Resistant 1.5.Dolum	ar Auto Power Off INCLUDED Receive	e Roth Sansons



















AutoZone® can get Stoptech brand high performance brake systems.

Contact Your AutoZone Commercial Sales Manager for Details

# **Solutions for better vehicle servicel**



TECH 400 PRO **TPMS Scan Tool** SKU760944

WRT4009RO

☑ Easy to Operate

More OBD Relearns More Fault Code Detection

☑ Wireless Updating


**TPMS Placard Adjusting** ☑ Wireless Inductive Charging

Passive Key System testing

TIA Inside Technology

Made in the U.K.!





TUREETIMEW PEOPLE'S CHOICE







TPG 100 **Bluetooth Tread** and Pressure Gauge 5(U 536280

\$59<sup>99</sup>

VRTTPG100

- Measures Pressure and Tread Depth
- Sends data via Bluetooth
- ☑ Works on passenger car and light truck applications
- ☑ C.A.R.B. compliant accuracy of ±2 PSI Measures tread depth within ±2mm [.078"]
- Easy to read, in daylight and low light conditions
- Has an LED flashlight
- ☑ Down load free smart phone application



# Tool & Equipment Quarterly

• Designed to Work on Truck Wheel

Studs Up to 22 mm (7/8") in Diameter

• Use with an Impact Wrench or Ratchet

SAVE \$9.99 When You Buy the Set

**Wheel Stud Installer Set** 

for Cars and Trucks

**Truck Wheel** 

SKU **339117** 

SKU **339125** 

24236

24235

**Stud Installer** 

# Wheel Weights



## **Complete Wheel Weight Program Available!**

Call 1-877-AZTool1 or go to AZTool1.com for More Styles and Information.

# **Steel Wheel Weights**

AZ SKU Number	PART NUMBER	STYLE	QUANTITY	PRICE
382853	AMM025PFEPK4	PFE, 0.25 Oz.	4 Boxes of 25	23.99
382919	AMM050PFEPK4	PFE, 0.50 Oz.	4 Boxes of 25	24.99
382920	AMM075PFEPK4	PFE, 0.75 Oz.	4 Boxes of 25	28.99
382921	AMM100PFEPK3	PFE, 1.00 Oz.	3 Boxes of 25	27.99
382922	AMM125PFEPK3	PFE, 1.25 Oz.	3 Boxes of 25	31.99
382923	AMM150PFEPK3	PFE, 1.50 Oz.	3 Boxes of 25	34.99
382924	AMM175PFEPK3	PFE, 1.75 Oz.	3 Boxes of 25	37.99
382925	AMM200PFEPK3	PFE, 2.00 Oz.	3 Boxes of 25	39.99
382926	AMM225PFEPK2	PFE, 2.25 Oz.	2 Boxes of 25	29.99
382927	AMM250PFEPK2	PFE, 2.50 Oz	2 Boxes of 25	31.99
382928	AMM275PFEPK2	PFE, 2.75 Oz.	2 Boxes of 25	32.99
382841	AMM025MCFEPK4	MCFE, 0.25 Oz.	4 Boxes of 25	30.99
382842	AMM050MCFEPK4	MCFE, 0.50 Oz.	4 Boxes of 25	34.99
382843	AMM075MCFEPK4	MCFE, 0.75 Oz.	4 Boxes of 25	38.99
382844	AMM100MCFEPK3	MCFE, 1.00 Oz.	3 Boxes of 25	33.99
382845	AMM125MCFEPK3	MCFE, 1.25 Oz.	3 Boxes of 25	38.99
382846	AMM150MCFEPK2	MCFE, 1.50 Oz.	2 Boxes of 25	30.99
383004	AMM025TFEPK4	TFE, 0.25 Oz.	4 Boxes of 25	30.99
383005	AMM050TFEPK3	TFE, 0.50 Oz.	3 Boxes of 25	27.99
383021	AMM025ALFEPK4	ALFE, 0.25 Oz.	4 Boxes of 25	30.99
383022	AMM050ALFEPK4	ALFE, 0.50 Oz.	4 Boxes of 25	34.99
383129	AMM25LHFEPK3	LHFE, 0.25 Oz.	3 Boxes of 25	25.99
383130	AMM50LHFEPK3	LHFE, 0.50 Oz.	3 Boxes of 25	27.99
383038	AMM10GFNFEPK3	FNFE, 10g	3 Boxes of 25	28.99
383039	AMM15GFNFEPK3	FNFE, 15g	3 Boxes of 25	30.99
383107	AMM10GENFEPK4	ENFE, 10g	4 Boxes of 25	34.99
383108	AMM15GENFEPK4	ENFE, 15g	4 Boxes of 25	37.99
383118	AMM10GIWFEPK4	IWFE, 10g	4 Boxes of 25	34.99
383119	AMM15GIWFEPK3	IWFE, 15g	3 Boxes of 25	30.99















# **Introducing Lead Wheel Weights\***

BADA's Thinline Style Un-Coated Wheel Weights are Designed for Steel Wheels on All Import and Domestic Passenger Cars, 1/2 Ton Trucks and All Mini Pickups and Vans with Standard .125" Flange

AZ SKU NUMBER	PART Number	SIZE (OUNCES)	QUANTITY	PRICE
752047	AMM5522025PK4	0.25	4 Boxes of 50	26.99
752041	AMM5522050PK4	0.50	4 Boxes of 50	33.99
752042	AMM5522075PK4	0.75	4 Boxes of 50	45.99
752043	AMM5522100PK3	1.00	3 Boxes of 50	40.99
752044	AMM5522125PK3	1.25	3 Boxes of 50	50.99
752045	AMM5522150PK2	1.50	2 Boxes of 50	39.99
752046	AMM5522175PK2	1.75	2 Boxes of 50	49.99
752048	AMM5522100200	2.00	1 Box of 50	29.99
752051	AMM5522100225	2.25	1 Box of 50	34.99
752053	AMM5522100250	2.50	1 Box of 50	36.99
752065	AMM5522100275	2.75	1 Box of 50	36.99
752066	AMM5522100300	3.00	1 Box of 50	41.99



• Applications: Import and Domestic Cars and Light-Trucks with Steel Wheels

\*Due to environmental laws we are prohibited from supplying lead wheel weights to certain states. If you are ordering lead wheel weights from one of the following states your order will not be processed: California, Maine, Vermont, New York, Virginia, Washington, Minnesota, Illinois, lowa, Maryland, Rhode Island, Kentucky, Wisconsin and West Virginia. We do offer steel wheel weights as a suitable alternative to lead wheel weights. \*Due to environmenta weights.

# Tape-A-Weight® Steel Wheel Weight

NUMBER	NUMBER	(OUNCES)	QUANTITY	PRICE
019312	AMM5533601025	0.25	10 Lbs. Roll	54.99
019310	AMM5533701050	0.50	10 Lbs. Roll	54.99
019304	AMM5533600300	0.25	25 Strips - 40 Segments Each	44.99
019294	AMM5533700500	0.50	24 Strips - 10 Segments Each	54.99
019301	AMM5533800700	1.00	16 Strips - 7 Segments Each	54.99



ADA

# Tape-A-Weight® Roll Dispenser

SKU **019292** AMM5310025

Stand only, Weights Not Included

# Steel Weight Starter Kits

# Metal Floor Rack with 1,700 Steel Weight Assortment

SKU 383179 AMM5202075

• Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-A-Weight Scraper, 8 Styles of Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE and INFE

# Weight Replenishment Kit For 5202075 Steel

SKU **383180** AMM5202080

Bench Top Rack with 1,000 Coated Steel Weight Assortment SKU **383181** 

AMM5202125 • Louvered Rack Can Be Placed on Top of Any Work Bench

• Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, (5) Style Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, (40) Plastic Bins: (8) of Each: Yellow, Gray, Black, Red and Orange



SKU **382825** AMM5202130





Air Pressure: 90 PSI

• Air Consumption: 3.5 CFM

• Free Speed: 2,600 RPM Air Inlet Thread Size: 1/4" NPT

• Minimum Hose Size: 3/8"

Offer Good Through June 30, 2017 - While Supplies Last

#### **OEM** TOOLS 2 Piece **Valve Core Tool Set**

SKU **255622** VCTSET

• For Inserting or Removing Valve Cores

• Ergonomic Shaped Handles That Provide Firm Grip

• Includes 2" and 4" Tools

# 25690

Types of Clip-On Wheel Weights

Material on Hammer Head for Safe Mar-Free Installation of Specially Coated Wheel

#### OEM TOOLS Wheel **Weight Hammer Tool** SKU **217378**

• Tool Installs, Removes, Trims and Tightens All

• Features a Special Plastic Weights Used on Alloy Wheels

**OEM** TOOLS 3 Piece, Extra Thin Wall, Wheel/ **Nut Protector Impact Socket Set** 

Wheel Stud

· Works with Hubs, Rotors and

Wheel Drive Vehicles

Designed to Fit Studs Up

to 14 mm or 9/16"

Axles on Both Front and Rear

• Prevents Damage to Lug Nut or

**Installer** 

SKU **339123** 

New Stud

24234

SKU **094646** 25583

• 17 mm / 11/16" - Blue

• 19 mm /

3/4" - Yellow • 21 mm / 13/16" - Red



OEM TOOLS

#### OEM TOOLS 4 Piece, Deep Thin Wall, SAE and **Metric Impact Flip**

SKU **965857** 24223

9 Piece

SKU **965865** 

24225

**Socket Set** 

• Includes 3/4" - 13/16", 19 mm - 21 mm and 7/8" - 15/16" Sockets and



• Includes: GM Hubcap Lock Remover,

Large Universal Locking

Lug Nut Remover

Large Wheel

Cover Lock Remover.

Remover for

Stripped 18 mm Lug Nuts, GM "M" and "F" Body

GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover,

#### 8 Piece Wheel OEM TOOLS Stud Alignment Guide Kit SKU **818715 2999** REG. \$34.99 24233

• Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing the Wheel Bolts

Application: Mercedes, BMW, Audi, VW, Porsche, Fiat and Dodge

• Sizes Included: 12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25 and 14 mm x 1.75

Offer Good Through June 30, 2017 **While Supplies Last** 



# 3 Piece **Super Strength Wheel** Nut Impact Socket Set SKU **347212**

24227

· Color Coded for Easy Size Identification Blue - 17 mm, Gold - 19 mm and



Red - 21 mm



**OEM** TOOLS

**Than Standard** Sockets

16 Piece

#### OEM TOOLS 9 Piece, Thin Wall, Wheel Protector **Wheel Lock Removal Impact Socket Set Impact Socket Set**

SKU **965856** 24224

• Hard Plastic Sleeve and Insert Protects Expensive Wheels and Lug Nuts from Damage

 Sizes: 3/4", 7/8", 13/16", 15/16", 1", 1-1/16", 17 mm, 19 mm and 21 mm



# **Locking Lug Master Key Set** SKU **626107**

24447

• Easily Removes Locking Lug Nuts on Most Aftermarket Wheels

• Thin Wall Sockets Prevent Damaging Wheels and Lugs • Double Hex-Head Design Fits

Most Lug Wrenches as Well as 7/8" Sockets

• Chart Included • Comes in a

Blow Mold Case

#### **OEM** TOOLS 5 Piece Torque Limiting **Extension Set**

SKU **965858** 24220

**5** Gallon

SKU **526505** 

• Operates on

Lip on Barrel

Max. 120 PSI

Standard Shop Air;

Allows for Proper

24449

**Bead Seater** 

Quick, Simple and Accurate • Helps Prevent Lug Stud/Nut Damage and Warped Rotors

• Includes 1/2" Drive Extensions: 65 Ft./Lbs., 80 Ft./Lbs., 100 Ft./Lbs., 120 Ft./Lbs. and 140 Ft./Lbs.



• Seats Beads on All Tires, from Small

4" Tires to 24-1/2" Truck Tires

**OEM** TOOLS

#### 8 Piece OEM TOOLS Torque Limiting Extension and Thin Wall Socket Set

**999** REG. \$99.99 SKU **347217** 24228

(4) Extension 90 Ft./Lbs. (120 Nm), 100 Ft./Lbs (135 Nm) and 110 Ft./Lb (150 Nm)

• (4) Deep Sockets: 17, 19, 21 and 22 mm



**Removal Tool Kit** SKU 479984

**Spare Tire** 

THX497X

• Kit Includes a Hand Crank and (6) Different Zinc Plated Steel Tools to Fit Most Pick-Ups, Vans and SUV-Type Vehicles

#### 10 Piece OEM TOOLS **Torque Limiting Socket** Set [1/2" Drive]

SKU **965855** 24221

19999

Prevents Under and Over Torquing • Includes: 17 mm x 55 Ft./Lbs. 17 mm x 80 Ft./Lbs. 21 mm x 80 Ft./Lbs. 19 mm - 3/4" x 100 Ft./Lbs.

19 mm - 3/4" x 65 Ft./Lbs. 19 mm - 3/4" x 80 Ft./Lbs. 22 mm - 7/8" x 120 Ft./Lbs. 22 mm - 7/8" x 140 Ft./Lbs.







**Test Tank** SKU **291382** 

LIS19822 • Tank Features Reinforcement Ribs for

Extra Support • Will Handle Passenger Tire Sizes to Wide Oval and Light Duty

Truck Tires Dimensions 31" (L) 12" (W)



