## TIRE SERVICE



## COMBO OFFERS!

## **Complete Tire and Wheel Service**

Dannmar® T-100 Tire Changer and **B-100** Wheel Balancer Combo

SKU **818788 2,79999** DAN1381801

• Includes: DAN1381201 Dannmar T-100 Tire Changer and DAN1381202 Dannmar B-100 Wheel Balancer

• This Dannmar Combo is Best Suited for Gas Stations, Small Garages and Auto Salvage Yards. With the T-100 B-100 Combo, You Get Great Value and More Bang for Your Buck.

• T-100 - Outside Clamp: 12" - 22"

• B-100 - Max. Rim Diameter: 28' B-100 Includes Data Acquisition

Wand and Quick Nut • 1 Year Parts

Only Warranty

**Lift Gate Service** 

SKU 262534 10000 DANLIFTGATE



DAN1381202	Dannmar T-100 Tire Changer	\$1,599.99
DAN1381201	Dannmar B-100 Balancer	\$1,449.99
	Regular Price	\$3,049.98
DAN1381801	COMBO PRICE	\$2,799.99
	SAVINGS	\$249.99

Warranty: 1 Year Parts Only

User Set-Up Required

Price Does Not Include Tires or Rims as Shown

### Ranger® Tire **Service Package**

SKU **851131** RANCOMB01

 Includes: R980XR NEXTGEN™ Swing-Arm 25" Tire Changer and the DST-2420 Dynamic Wheel Balancer

• R980XR External Rim Clamping Capacity: 9" – 28"

• DST-2420 Dynamic Wheel Balancer Dependably Ensures an Accurate Result within Hundredths of an Ounce

Dual Position RimGuard™ Wheel Clamps

**Lift Gate Service** 

SKU 262533 13500

Includes: Wheel Weight Starter Kit #5150235, 100 Piece Silver Roll and 100 Piece Black Roll **74<sup>38</sup> Value** 



User Set-Up Required

Price Does Not Include Tires or Rims as Shown



### Baseline™ BL300 **Tire Changer and** 350 Balancer Combo

SKU **435488** 

AMM8500300350 • • Includes: BL300 Tire Changer and

350 Balancer • 10 - 24" External Clamping Capacity

• Bead Sealing Jets to Aid Inflation • 350 Balancer Features Self Diagnosis

and Calibration One Button Split and Hidden

Weight Program **Lift Gate Service** 

SKU **262529** 

AMMLIFTGATE

Includes: Manufacturer's Set-Up

AMM85002300



AMM85002300	BL300 Tire Changer	\$2,099.99
AMM85002350	BL350 Wheel Balancer	\$2,099.99
	Regular Price	\$4,199.98
AMM8500300350	COMBO PRICE	\$3,999.99
	SAVINGS	\$199.99

Warranty: 1 Year Parts


### geodyna® 7100 Balancer and monty® 1270 Tire Service Combo

3,99999 A Source of Trans. • Save with This Great General Service Tire Service Combo

• Includes monty 1270 Tire Changer with Outer Clamping Up To 20" and the geodyna 7100 Wheel Balancer with Belt-Driven One-Spin Balance, VPM Measuring System User-Friendly 2D SAPE Data Entry and Intuitive Control Panel

**Lift Gate Service** 





HOFEEWH764AU1

Warranty: 90 Days Parts and Labor
User Set-Up Required
Price Does Not Include Tires or Rims as Shown

### Baseline™ BL500 Tire Changer and 550 Balancer Combo

SKU 435489 AMM8500500550

- Includes: BL500 Tire Changer and 550 Balancer
- 10 24" External Clamping Capacity • Bead Sealing Jets to
- Aid Inflation • 550 Balancer Features Automatic Distance
- and Diameter Entry Direct Weight Location

**Lift Gate Service** 

SKU 262529 5500 AMMLIFTGATE

Includes: Manufacturer's Set-Up



AMM85002500

BASELINE AMM85002550

Warranty: 1 Year Parts

## Coats® RC-55E and 1300 Series

SKU **597289** 

AMMCOMB02

• RC-55E Features an External Clamping Range from 6" to 24"

(Max Tire Diameter 50"; Max Rim Width 10-1/2") • RC-55E Drive System: 1 HP Electric Motor

• Tire Changer Allows Inflation from 0 to 60 PSI with a Built-in

• 1300 Series Wheel Balancer is Powered by Direct Drive

• Static-On-Screen® Display Identifies Any Excess Residual Static Imbalance

• Wheel Balancer Automatically Enters 2-D Data for Wheel Diameter and Offset Measurement

**Lift Gate Service** SKU **262529** AMMLIFTGATE **5500** 

Includes: Manufacturer's Set-Up and Training

AMM80013002D AMM8560995001 RC-55E Tire Changer \$5,359.99 AMM80013002D 1300 2D Wheel Balancer \$4,099.99 \$9,459.98 \$9,199.99



AMM8560995001

Price Does Not Include Tires or Rims as Shown

Regular Price

COMBO PRIC

## Leasing Terms Available!†

Ask Your AutoZone® Commercial Sales Manager

# Tool & Equipment Quarterly

### **Tire Changers**

**SM825 Semi Automatic Tire Changer with Swing Arm** 

SKU **757052 3,149**99 CMBSM825

- Clamping Range: 13" 26" • Air Tank in Tower
- Dual Clamping Cylinders
- Semi-Automatic Swing Arm
- Inflators on Each Clamp
- · Adjustable Bead Breaker

**Lift Gate Service** 

SKU **765535 60**00 CMBLIFTGATE

Warranty: 6 Month Parts/Labor User Set-Up Required

### SM915ATI **Swing Arm** Tire Changer

SKU **757093** 



- Clamping Range: 10" 28"
- Air Tank in Tower
- Dual Clamping Cylinders
- Semi-Automatic Swing Arm
- Inflators on Each Clamp Adjustable Bead Breaker

**Lift Gate Service** SKU **765535 60**00 CMBLIFTGATE

Includes:

Set-Up and Training

Warranty: 1 Year Parts/Labor

### **©CEMB SM1120 Center Post Leverless Tire Changer**

SKU OUTSIDE BUY/EPO

- Quick Locking Expanding Nut
- Fully Adjustable Bead Breaker with Smart Blade System
- Standard Equipment with Press Arm
- Wheel Lift Standard
- CEMBlast Bead Seating System Standard

**Lift Gate Service** 

SKU **765535** CMBLIFTGATE **60**00

Includes: Set-Up and Training

Warranty: 1 Year Parts/Labor

Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering

Price Does Not Include Tires or Rims as Shown



### **Tire Changers**

### RC-45E Rim Clamp® Tire Changer

SKU **688225 (Electric)** AMM8560994901

• External Rim Clamping Range: 6" - 24"

- Maximum Rim Width: 10.5" • Maximum Tire Diameter: 50"
- Includes Bead Sealing Jet to Aid Inflation

**Lift Gate Service** 

SKU **262529** AMMLIFTGATE **5500** 

Includes:

Manufacturer's Set-Up



### RC-55E Rim Clamp® **Tire Changer**

SKU **688223** 

AMM8560995001

- Robo-Arm® Power Assist for Low-Profile and Run-Flat Tires
- External Rim Clamping Range from 6" 24" Diameter
- Maximum Rim Width 10.5"
- Maximum Tire Diameter 50"
- Electric Turntable

**Lift Gate Service** 

SKU 262529 5500

Includes:

Manufacturer's Set-Up

Price Does Not Include Tires or Rims as Shown



### **60X Rim Clamp® Tire Changer**

SKU **298103** AMM80060XEH1

- Rim Diameter:
- 6 24" External Patented Robo-Arm® Helper Device
- Hand Activated Bead Loosener

• Single Point Sealer **Lift Gate Service** SKU 262529 5500

AMMLIFTGATE

Manufacturer's Set-Up



Price Does Not Include Tires or Rims as Shown

**COALS** 

SKU **019305** AMM85610076 **O** • External Rim Diameter: 6 - 24' • Rim Width 15" • Powered Roller Disk Multiple

**GTS-70 Tilt-Back Tire Changer** 

Uses Include: Bead Loosening, TPMS Access, Bottom Bead Removal and Top Bead Mounting • Electric Drive System

**Lift Gate Service** SKU **262529** AMMLIFTGATE **5500** 

Manufacturer's Set-Up

1HP Electric Motor, 110VAC

Includes:



Price Does Not Include Tires or Rims as Shown

### **70X, Electric, Hand, Premium Accessory Kit**

SKU **979908** AMM80070XEH3 **8,139**99

• Rim Diameter: 6 - 24" External

- Patented Robo-Arm® Helper Device
- Hand Activated Bead Loosener
- Single Point Sealer

**Lift Gate Service** SKU **262529** AMMLIFTGATE **5500** 

**Grip Max® Plus** Adjustable Clamps 🛲

SKU **012699** 

- AMM85607986 • 16" - 28" External Clamping • Updated Jaw Profile Accommodates
- Newer Rim Flange Profiles • Wider Grip Contact Area and New Material Further Reduce Slip on Polished Surfaces

Includes:

Manufacturer's Set-Up

Fits On Models

### **Mount/Demount** Heads

Red Nylon Mount **Demount Head** SKU **459185** 

Coats Nylon Mount/

**Mount/Demount Head** 

**Demount Head - Tapered Hole** 

TMRTCR343

SKII 459183

**Low Profile** 

SKU **557259** 

TMRTC184432

TMRTC183061



Accuturn

Coats

Coats

Fits On Models

TC3000 and TC3100 Series (Require Adapter) 220A, All Other Models Require 102765 Adapter

R980X Rev A Models, R980XR/NXT, R30XLT, RX-850/950-B Models,R23/23ST, R26ST/26EX, R745 and R710 Models ONLY. Require RAN5150524 Adapter

5030, 5035, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 7050, 7055, 7060, 7065, 7655, 7660 and 7665 BL200. BL300. BL400 and BL500

5030, 5040, 5050, 5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660 and 7665, BL200, BL300, BL400 and BL500

TCA34 with Serial Numbers 664 and Above

**Coats Nylon Mount/Demount** Head - Tapered Hole SKU **459174** TMRTC20024335

**Coats Nylon Mount/Demount** 

Head - Tapered Hole

SKU **459189** 

SKU **459195** 

TMRTC14024784

TMRTC250309

TMRTC450310



Accuturn Hofmann John Bean

All Tool

Coats

Giuliano

Hofmann

Hunter

Sice

4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM. 1270, 2300, 3000 and 3000GF EHP System IVE, IV, III, IIE All Models Snap On

All Models

All Rim Clamp

Head to Work

and \$436TOP

**Tool Head for Hunter** SKU **557241** 

Head (Flange Only)\*

SKU **899502** 

RAN5150524

TMRTC14120 **Mounting Flange for Demount** 



Ranger Ranger

**Nylon Mount/Demount Head Kit with Round Hole** SKU **459187** 

Nylon Mount/Demount Head Kit with Round Hole

All Tool Coats Corghi Hofmann

Sice

Hofmann

John Bean

Snap On

EHP System IVE, IV, III, IIE All Models All Models RC1. 5. 10. 15. 20. Early 5060. 9010. 9024 and APX90 Earlier Models Except 1550, 1620 and 1625 M39, S40, S42, S43, S45, S408MAXI, S435, S436

RC1, 5, 10, 15, 20, Early 5060, 9010, 9024 and APX90

Fits All TCX Series (Earlier TCX500 Requires Upgrade

M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436

Shaft Needs to Be Turned 180 Degrees for This

Earlier Models Except 1550, 1620 and 1625

Shaft and Kit RP11-8-114-00091)

3602, 3602HP, 4260, 4560MR,

3602, 3602HP, 4260, 4560MR,

1270, 2300, 3000 and 3000GP

4602, 5602 and 5602 HP 1520, 1565, 1620, 1625EM, 3300, 3300EM,

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown. • Customers Responsible for Off-Loading Equipment Upon Arrival. Ask Your Sales Rep for Details. • Leasing Terms Available. Ask Your AutoZone Commercial Sales Manager

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

## TRE SERVICE

**P** Ranger.



### Tire Changers

### **R76LT Tilt-Back Tire Changer**

SKU 544546
PANR76IT 2,2

- Drive System Type: Electric / Air • Motor: 2 HP (110/220VAC / 50 - 60 Hz)
- Air Requirement: 110 175 PSI / 8 12 Bar
- Wheel Clamping Method: 4 Internal / External
- Table Clamping System: Dual Pneumatic
- Bead Breaking System: Pneumatic Blade
- Tower Design Tilt Back

**Lift Gate Service** 

SKU 262533 13500 RANLIFTGATE

User Set-Up Required

### R980XR NextGen™ **Swing-Arm Tire Changer** SKU **312817**

SKU **312817** RANR980XR **2** 

- Drive System Type: Electric / Air
- Motor: 2 HP (110/208 240VAC 50-60 Hz)
- Adjustable RimGuard™ Wheel Clamps
- Internal Rim Clamping Capacity: 10" 30"
- External Rim Clamping Capacity: 9" 28" • Bead Seating System:
- Turbo Blast / Bead Seating Dual Position RimGuard™ Wheel Clamps

User Set-Up Required

### **R980XRF** NextGen<sup>™</sup> **Swing-Arm Tire Changer** SKU **544590**

SKU **544590** RANR980XRF **2** • 2 HP, (208 - 240V, 50 - 60 Hz,

- 1 Phase Only)
- Features True Variable Speed Control

### **Lift Gate Service**

SKU 262533 13500



## R980AT RimGuard™ Swing-Arm and Assist Tower Tire Changer

SKU **544537** RANR980AT **3,3** 

- Motor: 2 HP (110/208-240V, 50-60 HZ)
- External Rim Clamping Capacity: 9" 28" • Internal Rim Clamping Capacity: 10" - 30"
- Maximum Tire Diameter: 50"

### **R980ATF RimGuard™ Swing-Arm** and Assist Tower Tire Changer

SKU **544542** RANR980ATF

- Motor: 2 HP (208-240V, 50/60HZ, 1- Phase Power Supply)
- True Variable Speed Control



Ranger.

**Lift Gate Service** 

SKU **262533** RANLIFTGATE

**User Set-Up Required** Price Does Not Include Tires or Rims as Shown

### R980NXTF NextGen™ Swing-Arm Variable Speed Tire Changer

SKU **544547** 

RANR980NXTF

- Motor: 2 HP (208-240V, 50/60HZ, 1-Phase Power Supply)
- True Variable Speed Control
- Adjustable RimGuard™ Wheel Clamps
- External Clamping (Outer): 9" 28"

• Maximum Tire Diameter: 50"

**Lift Gate Service** SKU 262533 RANLIFTGATE 13500



### **R76ATR Tilt-Back Tire Changer** with Assist Tower

SKU **544543 3,59999** • Motor: 2 HP (110/220VAC 50-60 Hz)

- Alloy and Nylon Mount and Demount Heads
- External Rim Clamping Capacity: 9" 28"
- Internal Rim Clamping Capacity: 10" 30" • Maximum Tire Diameter 43"

### **R76ATRF Variable Speed Tilt-Back** Tire Changer w/ Assist Tower

SKU **544550** 

RANR76ATRF

- Motor: 2 HP (208-240V,50-60 HZ, 1-Phase Only)
- True Variable Speed Control



HOFMANN 3

Ranger.

Lift Gate Service SKU 262533 13500

 Adjustable RimGuard™ Wheel Clamps • Internal Rim Clamping Capacity: 13" – 33" • External Rim Clamping Capacity:

10'' - 28

SKU **312819** 

RANR30XLT

• Motor: 2 HP

Maximum Tire Diameter: 50'

HOFMANN 3

• Drive System Type: Electric / Air

(110 - 220 VAC / 50 - 60 Hz)



monty® 1575 Tire Changer

• Ideal for Shops Looking for Great Value without

• Outer Wheel Clamping Diameter: 10" - 24"

• Inner Wheel Clamping Diameter: 12" - 26"

Ranger.

**Lift Gate Service** SKU 262533 13500

User Set-Up Required

Price Does Not Include Tires

HOFMANN

### Tire Changers

### monty® 1270 Tire Changer

SKU **339003** HOFEEWH764AU1

- Designed to Handle Large Tires up to 20"
- Mounting Arm Swings to the Side so the Machine Can Be Installed Near the Wall to Save Space
- Includes: Oiler, Water Separator, Manual Tire Inflator

Warranty: 90 Days Parts and Labor

monty® 1625 Tire Changer

Repair Shops and Car Dealerships

• Designed for High-Volume Tire Shops, Multi-Bay

• Outer Wheel Clamping Diameter: 10" - 24"

• Inner Wheel Clamping Diameter: 12" - 26"

**Lift Gate Service** 

SKU 290017 9500 HOFLIFTGATE

User Set-Up Required

HOFMONTY1625B

Maximum Tire Diameter: 50"

SKU **849300** 

**Lift Gate Service** 

SKU 290017 9500



HOFMANN 3

monty®

## 1520 20" Capacity Tire Changer

SKU **290001** HOFM1520110 **3** 

User Set-Up Required

- Dual Pneumatic Clamping Cylinders
- Powerful Tire Inflation System
- Overall Wheel Clamping Diameter 10" 20" • Two Stage Bead Breaker Range 2" - 13"
- Maximum Outer Tire Diameter 40"

**Lift Gate Service** 

SKU 290017 9500

On-Site Factory Authorized Training

Warranty: 5 Year Transmission, 3 Year Motor, 1 Year Standard Parts, 6 Months Labor

Price Does Not Include Tires or



## HOFMANN

monty® 1625 2 Speed Changer SKU **312540** HOFEEWH748A

- 14 RPM 2 Speed Motor Allows for Quicker Turnaround Times
- Designed for High-Volume Tire Shops, Multi-Bay Repair Shops and Car Dealerships
- Outer Wheel Clamping Diameter: 10" 24"
- Inner Wheel Clamping Diameter: 12" 26" • Maximum Tire Diameter: 50"

**Lift Gate Service** SKU 290017 9500

Includes: On-Site Factory Authorized Training

Warranty: 5 Year Transmission,

Rims as Shown



monty® 8100s Center

6 Months Labor

**Post Tire Changer** 

SKU **849298** 

HOFMONTY1575B

**Lift Gate Service** SKU **290017** HOFLIFTGATE **9500** 

Includes:

Sacrificing Productivity

• Maximum Tire Diameter: 39"

On-Site Factory Authorized Training

Warranty: 5 Year Transmission,

Price Does Not Include Tires or

3 Year Motor, 1 Year Standard Parts,

SKU **298106** HOFEEWH768C

• monty 8100S Center Post Tire Changer Designed for Easy Use with Minimal Training of Technicians, Reducing Shop Overhead and Adding to Your Bottom Line

SKU 290017 9500 HOFLIFTGATE

**Lift Gate Service** 

Rims as Shown

Includes: On-Site Factory Authorized Training

Warranty: 5 Year Transmission, 3 Year Motor, 1 Year Standard Parts, 6 Months Labor Price Does Not Include Tires or



HOFMANN 3

Includes: On-Site Factory Authorized Training

**Warranty**: 5 Year Transmission, 3 Year Motor, 1 Year Standard Parts, 6 Months Labor

Price Does Not Include Tires or Rims as Shown



3 Year Motor, 1 Year Standard Parts, 6 Months Labor Price Does Not Include Tires or

## **Leasing Terms** Available!†

Ask Your AutoZone® Commercial Sales Manager

# Tool & Equipment Quarterly

### **Wheel Balancers**

### **EZ29 Portable Hand Spin Wheel Balancer**

SKU **757095** CMBEZ29

- Space Saving Wheel Balancer with Excellent Technical Specifications
- Automatic Distance and Diameter Entry 2D
- Dual Voltage Power Supply 12VDC 110VAC
- Lightweight Battery Pack for Use when Power not Available
- Direct Weight Selection: Ounce or Grams
- Direct Weight Location Program
- Foot Pedal Brake for Easy Weight Placement
- Wheels for Easy Portability

### **Lift Gate Service**

SKU **765535** CMBLIFTGATE **60**00

Warranty: 1 Year Parts/Labor

No Set-Up Required Price Does Not Include Tires or

## **ER72 Professional Wheel Balancer**

SKU **762510 5,899 99** CMBER72

- Touch Screen Professional Wheel Balancer Designed for Tire Dealers
- Standard Locking with Quick-Nut
- Automatic Distance and Diameter Entry
- Fully Automatic Spotter Laser System
- Electromagnetic Brake Holds the Wheel
- Automatic Arm to Measure Diameters up to 30"
- LED to Illuminate the Workspace Inside the Rim

### **Lift Gate Service**

SKU **765535 60**00 CMBLIFTGATE





Warranty: 1 Year Parts/Labor Set-Up Included

Price Does Not Include Tires or

### **ER73 Video Diagnostic** Wheel Balancer

SKU **765527** CMBER73

- Touch Screen Professional Wheel Balancer Designed for Tire Dealers
- Standard Locking with Quick-Nut
- Automatic Distance and Diameter Entry • Fully Automatic Spotter Laser System
- Electromagnetic Brake Holds the Wheel in Position
- New Automatic Arm to Measure Diameters up to 30
- LED to Illuminate the Workspace Inside the Rim

**Lift Gate Service** SKU 765535 6000

CMBLIFTGATE



Warranty: 1 Year Parts/Labor Set-Up Included

Price Does Not Include Tires or Rims as Shown

### **Digital Wheel Balancer**

SKU **977528** RANDST2420

- Motor: 3/4 HP, 110V/220V, 50/60 Hz, 1 Phase
- Balancing Modes: Dynamic/Static/ 3 Allov
- Cycle Time: 6 to 9 Seconds
- Self-Calibrating
- Max. Tire Diameter: 47" (1,194 mm)
- Max. Tire Weight: 145 Lbs.
- Balancing Speed: 180 RPM
- Balance Increments: 0.25 or 0.01 Oz.
- Accuracy: +/- 1 Gram/.035 Oz.

### **Lift Gate Service**

SKU **262533** 

• Works with Ranger Wheel Balancers Listed on This Page

Includes: Wheel Weight Starter Kit #5150235, 100 Piece Silver Roll and 100 Piece Black Roll **74<sup>38</sup> Value** 

Ranger.

Price Does Not Include Tires or Rims as Shown

## **Digital Wheel Balancer**

SKU **343398** 🦪 RANDST-64T

- Ergonomic Control Board with Soft Touch
- Keys and Easy-to-Read LED • Motor: 1.5 HP, 208 - 230V, 50/60 Hz, 1 Phase
- Maximum Tire Diameter: 50"
- Maximum Tire Weight: 150 Lbs.
- Cycle Time: 6 12 Seconds (Avg.)
- Depending on Wheel • Precision-Machined, Hardened-Steel

36 mm Shaft

### **Lift Gate Service**

SKU 262533 13500



**P Ranger** 

Includes: Wheel Weight Starter Kit #5150235, 100 Piece Silver Roll and 100 Piece Black Roll **74<sup>38</sup> Value** 

Price Does Not Include Tires or Rims as Shown

## DON'T FORGET THIS ACCESSORY

1300 2D Wheel Balancer

SKU **592250** 

AMM80013002D **4,09999** 

- Auto Distance and Diameter Data Entry
- Behind the Spoke Mode • 40 mm Shaft Diameter • Maximum Tire Diameter: 44"
- 220V, 1 Phase **Lift Gate Service**

SKU 262529 AMMI IFTGATE 5500 AMMLIFTGATE

Includes: Manufacturer's Set-Up



Price Does Not Include Tires or Rims as Shown

1500A 3D Wheel Balancer

AMM80015003D 6,99999

- Powered by Direct Drive • Includes Premium Quick Nut
- Automatic 3-D Data Entry • Basic Adapter Kit Included
- NEW Collet Adapters **Lift Gate Service**

SKU 262529 5500 AMMLIFTGATE

Includes: Manufacturer's Set-Up



Price Does Not Include Tires or Rims as Shown



**Truck Cone Kit** 

SKU 902536 RANRWS-1TC-1

ProBalance Technology™

- Premium Quicknut
- · Stop, Lock and Index • 8 Balancing Modes
- Automatic 3-D Data Entry
- · Basic Adapter Kit Included **Lift Gate Service**

SKU **262529** AMMLIFTGATE

Includes: Manufacturer's Set-Up



Available via Outside Buy/EPO, Call 1-877-298-6651 for Ordering Instructions Price Does Not Include Tires or Rims as Shown

40 mm Light Truck Cone 🦱

SKU 212844 AMM8113277C

## 

• Works with Coats Wheel Balancers Listed on This Page

geodyna® 7100 Wheel Balancer

with LED Display SKU **339018** SKU **339018** HOFEEWB761AE1 **2,16499** 

- Combines High Accuracy with Small Footprint
- Semi-Automatic Input of Rim Diameter and Offset with Gauge Arm
- Short Balancing Cycle: 4.5 Seconds • Rim Diameter: 8" - 32"

**Lift Gate Service** 

SKU **290017** HOFLIFTGATE **9500** 



HOFMANN 3

SKU 818762 AMM85610104

Adjustable Pin Plate Set

Includes: 4 Piece Cone Kit #HOFEAK0309J28A

134<sup>38</sup> Value

Warranty: 90 Days Parts/Labor User Set-Up Required Price Does Not Include Tires or

Rims as Shown

Hofmann geodyna® 7400L Wheel Balancing System

SKU **850652** SKU **850652** HOFEEWB764AL **4,64** • User Friendly Interface with Icons

- easyWeight™ Pinpoint Laser and Rim Lighting • Balance Time: 6.5 Seconds • Includes: Ziplock Ring Nut, Spacer Ring,
- Drum, Drum Cushion and 4 Cone Set **Lift Gate Service**

SKU **290017** HOFLIFTGATE **9500** 



HOFMANN Includes: On-Site Factory Authorized Training

Includes: 4 Piece Cone Kit #HOFEAK0309J28A 1 **2.4**38 \/alua

Warranty: 5 Year Motor, 3 Year Electronic Circuit Board, 1 Year Standard Parts, 6 Months Labor Price Does Not Include Tires or

### Hofmann geodyna® 7600L SKU **298104**

HOFEEWB765AL • Touchscreen and Video Display with

2D SAPE Data Entry Smart Sonar - Automatically Detects Rim Width and Measuring Run • easyWeight™ Pinpoint Laser

and Rim Lighting for Speed,

Accuracy and Efficiency on Every Balancing Job **Lift Gate Service** SKU **290017** HOFLIFTGATE **9500** 



### HOFMANN 3

Includes: On-Site Factory **AuthorizedTraining** 

Includes: 4 Piece Cone Kit #HOFFAK0309J28A **134**<sup>38</sup> Value

Warranty: 5 Year Motor, 3 Year Electronic Circuit Board, 1 Year Standard Parts, 6 Months Labor Price Does Not Include Tires or

### Hofmann geodyna® 7600P with Laser and **Power Clamp** SKU **327605**

HOFEEWB765AP • Electromechanical Power Clamp Clamps Wheel Accurately with

Smart Sonar - Automatically Detects

Rim Width and Measuring Run **Lift Gate Service** SKU 290017 9500

Constant Force

HOFLIFTGATE



### HOFMANN **2**

Includes: On-Site Factory AuthorizedTraining

Includes: 4 Piece Cone Kit #HOFEAK0309J28A 134<sup>38</sup> Value

Warranty: 5 Year Motor, 3 Year Electronic Circuit Board, 1 Year Standard Parts, 6 Months Labor Price Does Not Include Tires or Rims as Shown

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability. Prices Do Not Include Vehicles, Installation or Optional Equipment as Shown. • Customers Responsible for Off-Loading Equipment Upon Arrival. Ask Your Sales Rep for Details. • Leasing Terms Available.† Ask Your AutoZone® Commercial Sales Manager.

Prices subject to change without notice. Please do not return purchases to the store. For information regarding warranty or repair and/or any questions or concerns, please call 1-877-AZTOOL1.

## TIRE SERVICE

### **Autel MaxiTPMS®**

**PROGRAMMING ACCESSORY DEVICE** 



**MaxiTPMS® Pad** 

**AULTPMSPA** 

**TPMS SERVICE TOOL** 



MaxiTPMS® TS408

**COMPLETE TPMS SERVICE TOOL / INCLUDES 8 PROGRAMMABLE** 



MaxiTPMS® TS508K

SKU 769090 **CO** 099

**ALL SERVICE AND COMPLETE TPMS** 



**MaxiTPMS® TS608** 

SKU 769120 70099

AUTEL

**ALL DIAGNOSTICS AND COMPLETE TPMS** 



MaxiSYS® Diagnostic Tablet with TPMS

SKU **288495** 

D <b>77</b>	AULTS408	AULTS50	08K <b>377</b>	AULTS608	AULMS906TS
	AULTPMSPAD	AULTS408	AULTS508K	AULTS608	AULMS906TS
Sensor Programming	Autel MX-Sensors	Autel MX-Sensors	Autel MX-Sensors	Autel MX-Sensors	Autel MX-Sensors
Read / Activate / Relearn	Read	Read / Activate	Read / Activate / Relearn	Read / Activate / Relearn with OBDII Relearn Assist	Read / Activate / Relearn with OBDII Relearn Assist
OBDII Connection	NA	NA	OBDII Cable Connection	Wireless OBDII VCI	Wireless OBDII VCI
Operating System	NA	NA	NA	4.4.2 Android OS	4.4.2 Android OS
Processor	NA	NA	NA	1.5 GHz Quad-Core	1.3 GHz Quad-Core
Digital Camera	NA	NA	NA	NA	8MP Camera
Key Programming	NA	NA	NA	NA	Yes
Advanced Diagnostics	NA	NA	NA	Yes	Yes, Coding and Adaptations
Screen	NA	320 x 240 DPI, TFT Color LED Display	320 x 240 DPI, TFT Color LED Display	1024 x 600 DPI, 7" Color Touch Screen	1024 x 768 DPI, 8" Color Touch Screen
Battery	USB Cord Power	3200mAh Battery	3200mAh Battery	5000mAh Battery	10,000mAh Battery
Free Updates	Free Updates via USB	Free Updates via USB	Free Updates via USB	1 Yr Free Updates via WIFI	1 Yr Free Updates via WIFI

### 315MHz / 433MHz Universal Programmable MX-Sensors

- Built to Perform Like OE Sensors in Terms of Signal, Durability and Functionality
- Robust Clamp-In Pivoting Stem Design Allows for 0-35 Degree Angle Adjustment to Fit All Wheel Types
- 2 SKU Sensor Solution Covers 98% of All OE Sensors

### **MX-Sensor Rubber Valve Press on Senors**

SKU **757121 315MHz** AULMXSNS315RP

**199** SKU **757079 433MHz** AULMXSNS433RP



JohnDow Industries

### **ATEQ TPMS Tools and Readers**

### VT36 TPMS Programming Tool SKU **596887**

ATEVT36-0000 **28999** • Programs All Leading Aftermarket Programmable Sensors

- Reads and Activates TPMS Sensors
- Displays TPMS Sensor Data (ID, Tire Pressure, Tire Temperature, Battery Status, Frequency)
- Make, Model and Year Specific Relearn Procedures



### **Diagnostic TPMS Tool with Tread Depth Gauge** SKU **544586**

1,3999 REG. \$1,699.99 ATEVT56

- 98% Coverage on Vehicles Equipped with TPMS
  Selects MMY via VIN Scan
- Comprehensive MMY Specific Re-Learn Procedures Programs and Decodes Programmable and Universal TPMS Sensors
- Built-In Training Procedures

• Includes 3 Year Free Updates



Offer Good Through December 31, 2017 - While Supplies Last

### Tire Taxi

• Efficiently Transport Tires from Storage Areas to Service Bays

• Heavy-Duty 3" Casters Allow Effortless Movement and 360 Degree Rotation

Capacity

**Tire Taxi** SKU **597221** DOWJDITT1

**Tire Taxi Extended** SKU **597206** DOWJDITT1EX 71099



### **Tire Inflator**

Ш

< 5

### **Digital Tire Inflator 4999** REG. \$59.99 SKU **802198**

• Easy-to-Read Backlit LCD Display

- Four Units of Measure (PSI, Bar, KPa, kgf)
- Measuring Range: 0 175 PSI (0 12 Bar)
- Accuracy: +/-1.2 PSI Up to 58 PSI, +/-2.3 Between 58 PSI and 145 PSI Inclusive, +/-3.6 PSI Greater Than 145 PSI
- High Air Flow Saves the Technician Time

Offer Good Through December 31, 2017 - While Supplies Last



### Tire Spreader

**Tilting Swivel Top** Manual Tire Spreader SKU **804480** 26679

- 360 Degree Swivel Top
- Foot Operated Tilting Mechanism • Adjustable Tire Spreaders
- Works with Most Passenger Car and Light Truck Tires



## **5025 Tire Spreader**

SKU **757051** BRA00-0161

• Self-Locking Spread Arms

- 4 Horizontal and 2 Verticle Adjustments
- Handles any Passenger Tire, Including Low Profiles
- Quick Pin Adjustment with Lanyard

## TECH 400 PRO



- Easy to Operate More OBD Relearns
- More Fault Code Detection
- Wireless Updating TPMS Placard Adjusting
- Wireless Inductive Charging
- Passive Key System testing
  TIA Inside Technology

SKU 760944 WRT400PRO





## TPG **200**

### Tread and Pressure Tool

- ☑ Stand Alone Functionality
- Measures Tread in THREE p
- Send data to TPMS Desktop
- ☑ Works with Point of Sale
- Rechargeable battery Charging cradle included

SKU **605374** BSTTPG200



**Remaining Tread Tread Color Warning Pressure** 

**Wear Pattern** 

Single Application Kit

### For engine displacements less than 5.0L



## A Revolutionary Way to Clean **GDI Intake Valves and Variable Geometry Turbo Chargers!**

### **Knock Out Carbon & Soot**

Today's Gas Direct Injection and Turbo Diesels are prone to carbon and soot build up. This defect has a direct effect on your engine's performance. The answer to this problem is now here!



SKU **591989** 1449-9000



### Big T Kit For engine displacements greater than 5.0L SKU **591979**

1449-9300



# Tool & Equipment Quarterly

• Designed to Work on Truck Wheel

Studs Up to 22 mm (7/8") in Diameter

• Use with an Impact Wrench or Ratchet

SAVE \$9.99 When You Buy the Set

**Wheel Stud Installer Set** 

**OEM** TOOLS

for Cars and Trucks

SKU **339125 99** 

**Truck Wheel** 

SKU **339117** 

24235

**Stud Installer** 

### **Wheel Weights**



### **Complete Wheel Weight Program Available!**

Call 1-877-AZTool1 or go to AZTool1.com for More Styles and Information.

### **Steel Wheel Weights**

AZ SKU Number	PARIT NUMBER	STYLE	QUANTITY	PRICE	
382853	AMM025PFEPK4	PFE, 0.25 Oz.	4 Boxes of 25	23.99	
382919	AMM050PFEPK4	PFE, 0.50 Oz.	4 Boxes of 25	24.99	
382920	AMM075PFEPK4	PFE, 0.75 Oz.	4 Boxes of 25	28.99	
382921	AMM100PFEPK3	PFE, 1.00 Oz.	3 Boxes of 25	27.99	
382922	AMM125PFEPK3	PFE, 1.25 Oz.	3 Boxes of 25	31.99	
382923	AMM150PFEPK3	PFE, 1.50 Oz.	3 Boxes of 25	34.99	
382924	AMM175PFEPK3	PFE, 1.75 Oz.	3 Boxes of 25	37.99	
382925	AMM200PFEPK3	PFE, 2.00 Oz.	3 Boxes of 25	39.99	
382926	AMM225PFEPK2	PFE, 2.25 Oz.	2 Boxes of 25	29.99	
382927	AMM250PFEPK2	PFE, 2.50 Oz.	2 Boxes of 25	31.99	
382928	AMM275PFEPK2	PFE, 2.75 Oz.	2 Boxes of 25	32.99	
382841	AMM025MCFEPK4	MCFE, 0.25 Oz.	4 Boxes of 25	30.99	
382842	AMM050MCFEPK4	MCFE, 0.50 Oz.	4 Boxes of 25	34.99	
382843	AMM075MCFEPK4	MCFE, 0.75 Oz.	4 Boxes of 25	38.99	
382844	AMM100MCFEPK3	MCFE, 1.00 Oz.	3 Boxes of 25	33.99	
382845	AMM125MCFEPK3	MCFE, 1.25 Oz.	3 Boxes of 25	38.99	
382846	AMM150MCFEPK2	MCFE, 1.50 Oz.	2 Boxes of 25	30.99	
383004	AMM025TFEPK4	TFE, 0.25 Oz.	4 Boxes of 25	30.99	
383005	AMM050TFEPK3	TFE, 0.50 Oz.	3 Boxes of 25	27.99	
383021	AMM025ALFEPK4	ALFE, 0.25 Oz.	4 Boxes of 25	30.99	
383022	AMM050ALFEPK4	ALFE, 0.50 Oz.	4 Boxes of 25	34.99	
383129	AMM25LHFEPK3	LHFE, 0.25 Oz.	3 Boxes of 25	25.99	
383130	AMM50LHFEPK3	LHFE, 0.50 Oz.	3 Boxes of 25	27.99	
383038	AMM10GFNFEPK3	FNFE, 10g	3 Boxes of 25	28.99	
383039	AMM15GFNFEPK3	FNFE, 15g	3 Boxes of 25	30.99	
383107	AMM10GENFEPK4	ENFE, 10g	4 Boxes of 25	34.99	
383108	AMM15GENFEPK4	ENFE, 15g	4 Boxes of 25	37.99	
383118	AMM10GIWFEPK4	IWFE, 10g	4 Boxes of 25	34.99	
383119	AMM15GIWFEPK3	IWFE, 15g	3 Boxes of 25	30.99	
Introd	Introducing Load Whool Woights*				















### Introducing Lead Wheel Weights\*

BADA's Thinline Style Un-Coated Wheel Weights are Designed for Steel Wheels on All Import and Domestic Passenger Cars, 1/2 Ton Trucks and All Mini Pickups and Vans with Standard .125" Flange

mini i locaps and vans vian otaliaara 1125 Trango					
AZ SKU Number	PART Number	SIZE (OUNCES)	QUANTITY	PRICE	
752047	AMM5522025PK4	0.25	4 Boxes of 50	26.99	
752041	AMM5522050PK4	0.50	4 Boxes of 50	33.99	
752042	AMM5522075PK4	0.75	4 Boxes of 50	45.99	
752043	AMM5522100PK3	1.00	3 Boxes of 50	40.99	
752044	AMM5522125PK3	1.25	3 Boxes of 50	50.99	
752045	AMM5522150PK2	1.50	2 Boxes of 50	39.99	
752046	AMM5522175PK2	1.75	2 Boxes of 50	49.99	
752048	AMM5522100200	2.00	1 Box of 50	39.99	
752051	AMM5522100225	2.25	1 Box of 50	44.99	
752053	AMM5522100250	2.50	1 Box of 50	44.99	
752065	AMM5522100275	2.75	1 Box of 50	44.99	
752066	AMM5522100300	3.00	1 Box of 50	54.99	



• Applications: Import and Domestic Cars and Light-Trucks with Steel Wheels

\*Due to environmental laws we are prohibited from supplying lead wheel weights to certain states. If you are ordering lead wheel weights from one of the following states your order will not be processed: California, Maine, Vermont, New York, Virginia, Washington, Minnesota, Illinois, Iowa, Maryland, Rhode Island, Kentucky, Wisconsin and West Virginia, We do offer steel wheel weights as a suitable alternative to lead wheel weights. \*Due to environmenta weights.

### Tape-A-Weight® Steel Wheel Weight

AZ SKU NUMBER	PART NUMBER	SIZE (OUNCES)	QUANTITY	PRICE
019312	AMM5533601025	0.25	10 Lbs. Roll	54.99
019310	AMM5533701050	0.50	10 Lbs. Roll	54.99
019304	AMM5533600300	0.25	25 Strips - 40 Segments Each	44.99
019294	AMM5533700500	0.50	24 Strips - 10 Segments Each	54.99
019301	AMM5533800700	1.00	16 Strips - 7 Segments Each	54.99



### Tape-A-Weight® Roll Dispenser

AMM5310025 **14999** 

Stand Only, Weights Not Included

### Steel Weight Starter Kits

### Metal Floor Rack with 1,700 Steel Weight Assortment

AMM5202075 **7999**9

• Steel Rack, Application Chart, Header Card, Channel Cards, Rim Gauge, Premium Wheel Weight Hammer, Tape-A-Weight Scraper, 8 Styles of Wheel Weights: MCFE, ALFE, PFE, TFE, IWFE, FNFE, LHFE and INFE

### Weight Replenishment Kit For 5202075 Steel

SKU **383180** AMM5202080

## Bench Top Rack with 1,000 Coated Steel Weight Assortment AMM5202125 **59999**

• Louvered Rack Can Be Placed on Top of Any Work Bench

• Includes: Steel Rack, Application Guide, Header Card, Bin Labels, Rim Gauge, Wheel Weight Hammer, (5) Style Wheel Weights: PFE, ALFE, MCFE, TFE, FNFE, (40) Plastic Bins: (8) of Each: Yellow, Gray, Black, Red and Orange



SKU **382825** AMM5202130





• Recommended Air Pressure: 90 PSI

- Air Consumption: 3.5 CFM
- Free Speed: 2,600 RPM • Air Inlet Thread Size: 1/4" NP
- Minimum Hose Size: 3/8"
- Offer Good Through December 31, 2017

While Supplies Last

### 2 Piece **Valve Core Tool Set**

SKU **255622** VCTSET

- For Inserting or Removing Valve Cores
- Ergonomic Shaped Handles That Provide Firm Grip
- Includes 2" and 4" Tools

4 Piece,

24223

**Socket Set** 

3" Extension

9 Piece

24225

### OFM TOOLS Wheel **Weight Hammer Tool** SKU 217378 2299

**OEM** TOOLS

**OEM** TOOLS

**OEM** TOOLS

Deep Thin Wall, SAE and

• Includes 3/4" - 13/16", 19 mm - 21 mm

**Metric Impact Flip** 

SKU **965857 2499** 

and 7/8" - 15/16" Sockets and

**Wheel Lock Removal** 

• Includes: GM Hubcap Lock Remover,

GM Sprocket Hubcap Remover, Ford

and Chrysler Hubcap Lock Remover,

**Impact Socket Set** 

SKU 965865 4099

Large Universal Locking

Lug Nut Remover,

Large Wheel

Cover Lock

Remover for

Stripped 18 mm Lug Nuts, GM "M" and

Remover,

"F" Body

5 Piece

SKU **965858** 24220

**5** Gallon

SKU **526505** 

**Bead Seater** 

• Seats Beads on All Tires, from Small 4" Tires to

24-1/2" Truck Tires

Standard Shop Air

Allows for Proper

Angle for Correct **Bead Seating** 

Max. 120 PSI

Lip on Barrel

**Torque Limiting** 

• Quick, Simple and Accurate

Includes 1/2" Drive Extensions:

• Helps Prevent Lug Stud/Nut Damage

65 Ft/Lbs., 80 Ft/Lbs., 100 Ft/Lbs., 120 Ft/Lbs. and 140 Ft/Lbs.

**Extension Set** 

and Warped Rotors

25690

• Tool Installs, Removes, Trims and Tightens All Types of Clip-On Wheel Weights

24236

Features a Special Plastic Material on Hammer Head for Safe Mar-Free Installation of Specially Coated Wheel

# Weights Used on Alloy Wheels

### 8 Piece Wheel **Stud Alignment Guide Kit** SKU 818715 3499 24233

· Makes the Job Faster and Easier Allowing the Tech to Safely Position the Wheel Prior to Installing the Wheel Bolts

Application: Mercedes-Benz, BMW, Audi, VW, Porsche, Fiat and Dodge

 Sizes Included: 12 mm x 1.5, 12 mm x 1.25, 14 mm x 1.25 and 14 mm x 1.75

**OEM** TOOLS

## **Super Strength Wheel Nut Impact Socket Set**

SKU **347212** Color Coded for Easy

16 Piece

**Key Set** 

24447

Size Identification Blue - 17 mm Gold - 19 mm Red - 21 mm



**OEM** TOOLS

OEM TOOLS

**OEM** TOOLS

OFM TOOLS

Wheel Stud

• Works with Hubs, Rotors and

Axles on Both Front and Rear Wheel Drive Vehicles

• Prevents Damage to Lug Nut or

Designed to Fit Studs Up

Extra Thin Wall, Wheel/

**Nut Protector Impact** 

SKU 094646 **9499** 

• 17 mm / 11/16" - Blue

to 14 mm or 9/16"

Installer

SKU **339123** 

New Stud

24234

3 Piece,

25583

• 19 mm /

• 21 mm /

3/4" - Yellow

13/16" - Red

**Socket Set** 



**While Supplies Last** 

**Locking Lug Master** 

• Easily Removes Locking Lug Nuts

• Thin Wall Sockets Prevent Damaging

on Most Aftermarket Wheels

• Double Hex-Head Design Fits

Most Lug Wrenches as Well as

SKU **626107 1 1 1 1 99** 

Wheels and Lugs

13/16" and

7/8" Sockets

Chart Included

Blow Mold Case

• Comes in a

### 9 Piece, Thin Wall, Wheel Protector **Impact Socket Set**

24224 • Hard Plastic Sleeve and Insert Protects

Damage Sizes: 3/4", 7/8", 13/16", 15/16", 1",



## SKU **965856 7999** 24224

Expensive Wheels and Lug Nuts from

1-1/16", 17 mm, 19 mm and 21 mm



### **OEM** TOOLS 8 Piece **Torque Limiting Extension**

SKU **347217 QQ99** 24228

• (4) Extension Bars: 65 Ft/Lbs. (90 Nm), 90 Ft/Lbs. (120 Nm), 100 Ft/Lbs. (135 Nm) and 110 Ft/Lbs. (150 Nm)

and Thin Wall Socket Set

• (4) Deep Sockets: 17, 19, 21 and 22 mm



### **OEM** TOOLS **Spare Tire Removal Set** SKU **749919**

24219

• 32" Reach Allows Access to Spare Tires Stored on the Undercarriage of Pickups, Vans and SUVs

• Includes: (6) Zinc-Plated Steel Tools that Fit a Range of Vehicle Types, Hand Crank, and Heavy-Duty Nylon Pouch

No Additional Tools Needed



### OEM TOOLS 10 Piece **Torque Limiting Socket** Set (1/2" Drive)

SKU **965855 15999** Reg. \$199.99

• Prevents Under and Over Torquing

• Includes: 17 mm x 55 Ft/Lbs. 17 mm x 80 Ft/Lbs. 21 mm x 80 Ft/Lbs 19 mm - 3/4" x 100 Ft/Lb 19 mm - 3/4" x 65 Ft/Lbs 19 mm - 3/4" x 80





December 31, 2017 **Supplies** 

### Tire Tube **Test Tank**

SKU **291382** LIS19822

• Tank Features Reinforcement Ribs for Extra Support

• Will Handle Passenger Tire Sizes to Wide Oval and Light Duty

Truck Tires Dimensions:

31" (L) x 12" (W) x 12" (H)

