# BIDITUP LIVE ON-SITE & WEBCAST AUCTIONS & APPRAISALS WORLDWIDE TO STATE OF STATE OF

Tuesday, October 16, 2007
Beginning at 10:00 A.M. EDT
61 Burford Road
Hamilton, Ontario, Canada L8E 3C6
(APPROXIMATELY 50 MILES FROM BUFFALO, NEW YORK)



Assets No Longer Required in the Continuing Operations of

# — Robertson Building Systems Limited —

STATE-OF-THE-ART METAL BUILDING MANUFACTURER

Complete 36" Dura-Rib Panel Line, Complete Z Purlin Line (12-Gauge Capacity), Late-Model Demag Cranes, 30' Hydraulic Brake, 5-Axis Plasma Cutting System, CNC Welder & All Support Equipment



400 Ton Cincinnati Hydraulic Press Brake



36" Dura-Rib Panel Line



36" Dura-Rib Panel Line

- Rollforming
  Lines-Complete
  With Tooling
- 5-Axis Plasma
  Cutting System
- Press Brakes
- Ironworkers/
  Punches
- Bridge Cranes All Late-Model
- **▼Tool Room**
- **▼Shop Equipment**




5-Axis Hypertherm Plasma Cutter





### **ROLLFORMING LINES - COMPLETE WITH TOOLING**



DURA-RIB ROOF & WALL PANEL					
Notes: Material Stretchout = 41-9/16"					
SDR	SDW				
26 Ga. (.019) Grade E	26 Ga. (.019) Grade D				
24 Ga. (.024) Grade D	24 Ga. (.024) Grade D				

# ROLLFORMING LINES - COMPLETE WITH TOOLING

36" Dura-Rib Roof and Wall Panel Line – Complete with Tooling

Complete Line Consisting of: 15,000 Lb. Rowe uncoiler, Mandrel width 44", hydraulic expansion, motorized; 14-Stand Lockformer Rollformer, spindle diameter 3" complete with infeed, pinch rolls, vertical adjustment 4", horizontal centers 20", chain driven, 30 HP variable speed drive, analog linker 100 digital control and console, Zebra 105SE calibration system

**100 Ton Richards 4-Post Flying Cutoff Press,** with die, air clutch, 50" x 30" bed

**50' of Dropout Conveyor,** 100' exit conveyor, complete with banding line















Tuesday
October 16, 2007
Beginning at
10:00 A.M. EDT

### **ROLLFORMING LINES - COMPLETE WITH TOOLING**





**Purlin & Girt Line,** complete side by side Z line – Complete with tooling – Makes 8 ½" and 10" Z-Purlins

**Complete Line Consisting of: 10,**000 Lb. Proma motorized uncoiler, Mandrel width 24", hydraulic overarm holddown

**5-Roll Straightener,** 24" width, rolls diameter 5", 20 HP variable speed drive

Hydraulic Side Conveyor, 10' long

24" Proma Variable Speed Set of Entry Rolls, roll diameter 6"
Proma Pre Punch and Shear




**14-Stand Bigwood Rollformer,** spindle diameter 4", S/N RF313407, 14 ga. capacity, geared head, 125 HP variable speed drive, air clutch, rollspace 46", vertical adjustment 5", horizontal centers 24"

**4-Post Mechanical Press,** with 44" x 32" between posts, tooled to do punching and free cutoffs, 15 HP drive

**Indramat Servo Drive,** Siemens DC variable speed drive, updated late model drive control system

20' Conveyor; 45' Hydraulic Stacker; Approx. 60' Exit Conveyor and Stacker



"A"	DESIGN THICKNESS	"B"	" <b>(</b> "*	"D"	STRETCH- OUT	WEIGHT/ FEET
8-1/2"	.057	2-1/2"	25/32"	2-1/2"	14-5/8"	2.83 LB.
8-1/2"	.064	2-1/2"	25/32"	2-1/2"	14-5/8"	3.18 LB.
8-1/2"	.072	2-1/2"	15/16"	2-1/2"	14-15/16"	3.66 LB.
8-1/2"	.080	2-1/2"	31/32"	2-1/2"	14-15/16"	4.06 LB.
8-1/2"	.088	2-1/2"	31/32"	2-1/2"	14-15/16"	4.47 LB.
10"	.075	2-3/4"	1"	2-3/4"	17-1/16"	4.35 LB.
10"	.084	2-3/4"	1"	2-3/4"	17-1/16"	4.87 LB.
10"	.100	2-3/4"	1-1/16"	2-3/4"	17-1/16"	5.80 LB.

<sup>\*</sup>Up dimension (C) is given to closest 1/32"

### LEASE/FINANCING AVAILABLE DIRECT FROM BIDITUP Capital Corporation





# 5-AXIS PLASMA CUTTING SYSTEM

1999 New Automation Corp / Burlington Automation Corp. Hypertherm 2000 Cutting Unit, water cooled plasma torch, cuts 1.25" thick mild steel, travels: X: 86.5", Y: 49.5", Z: 24", A: -285 deg to 104 deg, B: -95 deg to 95 deg.; rotates torch in X and Y plane; B rotates torch in Y and Z plane; Ingersoll-Rand compressor, Burlington NAC dust collector, operator's control

### WEBCAST

Can't make it to the auction in person?

Bid live online at www.BIDITUP.com

### 5-Axis Hypertherm Plasma Cutter

# 5-AXIS PLASMA CUTTING SYSTEM, PRESS BRAKES, IRONWORKERS/PUNCHES, BRIDGE CRANES - ALL LATE-MODEL

### PRESS BRAKES

400 Ton Cincinnati **Hydraulic Press** Brake, MDL. 400H, 12" stroke, 20" daylight opening, 24' between centers, bed and ram 30' overall, CNC backgauge, MDL. Hurco autobend 6 control, equipped with safety quards, safety lights, 4-way die (full length), Hem die (full length), palm button and foot pedal controls, S/N 39809

SturdyBenderMechanical Press Brake, MDL. B-10, Bed and Ram 12' Overall, Capacity 12' x 12 ga. / 6' x 3/16", 4-way die and Hemming die, front arm support, push button controls, safety system, air actuated clutch, floor standing, twin end drive, Allen-Bradley Panel View 550 control, S/N 4330



**80 Ton W.A. Whitney 4-Post Hydraulic Punch Press,** hydraulic unit, 12" x 12" between posts, die set used for eave struts, 20' entry conveyor table, 10 HP hydraulic unit

**75 Ton Peddinghaus Iron Worker,** MDL. 210A-16, angles 5' x 5' x ½", coper accessory, S/N FH1329

**100 Ton Whitney Single End Punch,** MDL. 790-084, complete with hydraulic unit and miscellaneous tooling, S/N 790-084-49114



400 Ton Cincinnati Hydraulic Press Brake



80 Ton Whitney Hydraulic Punch With Eave Struts Die Set

### **BRIDGE CRANES - ALL LATE MODEL**

**10 Ton Demag Crane**, 62' span, double girder, top riding, radio control

**5 Ton Demag Crane,** 62' span, single girder, top riding, underhung, pendant control, S/N 99562

**(6) 5 Ton Demag Cranes,** 45' span, motorized in all directions, single girder, Top riding, underhung, pendant control, S/N's 33469, 33470, 33471, 33472, 33473, 33474

**5 Ton Demag Crane,** 45' span, top riding, underhung, pendant control, S/N 98025

**5 Ton Demag Crane,** 45' span, top riding, underhung, pendant control, S/N 95233



**Sturdy Bender Press Brake** 



75 Ton Peddinghaus Ironworker

**5 Ton Demag Crane,** top riding, underhung, radio control, S/N 98334

**5 Ton Demag,** 72' span, top riding, underhung, radio control, S/N 3347

**1990s** – **(13) O'Brien Free-Standing Jib Cranes,** 2 ton, 16' arm length, with Demag 2 ton hoists, pendant control

**2 Ton O'Brien Crane,** overhead, top riding, underhung

**(2) 5 Ton O'Brien Cranes,** 45' span, underhung, with Demag hoists, S/N 54714



**Overhead Cranes** 

### DIRECTIONS

From Toronto Pearson International Airport: Take Provincial Route 427 South for 6.4 miles to QEW. Merge onto QEW toward Hamilton and travel 31.4 miles to Highway 20 North/ Centennial Parkway North (Exit 88). Continue straight at end of exit ramp to South Service Road. Travel .2 mile and turn right onto Burford Road. Travel .5 mile to plant entrance.



**Overhead Cranes** 

### LODGING

Comfort Inn Hamilton 183 Centennial Parkway North, Hamilton, ON L8E 1H8, Canada Sheraton Hamilton Hotel 116 King Street West Hamilton, ON L8P 4V3, Canada (905) 529-5515 Ramada Plaza Hotel 150 King Street East Hamilton, ON L8N 1B2, Canada (905) 528-2789

### **Upcoming Future Sale**

Unique opportunity due to consolidation in the metal building industry. Prime machinery will be offered at auction.

Assets No Longer Required in the Continuing Operations of NCI LP Group

(7) Complete Rollform Lines, With Tooling - C, Z & Girt Purlin Lines by Bradbury, ASC, Pearson & Metform-late as 1999.

(3) Standing Seam Rollform Lines by Bradbury, ASC & Hilston

Whitney 3 Head Beam Punch Line

Uncoilers to 30,000# Capacity

**Cutoff Presses, Punch Presses, Shears & Straighteners** 

Watch for auction details

### FORKLIFTS, WELDERS, TOOL ROOM, SHOP EQUIPMENT



10,000 Lb. Toyota Forklift



**Trencin Engine Lathe** 

**Ex-Cell-O Vertical Milling Machine** 



**Surface Grinder & Drills** 



View of Welders



6' x 30' Portable Dolly Trucks

### **FORKLIFTS**

**Toyota 10,000 Lb. High Lift Mast Truck,** with enclosed cab, lift 197" max., MDL. 02-5F-G45, mast V, LPG, S/N 30436, dual front hard tires and 60" forks

Yale 8,000 Lb. Forklift, LPG, MDL. GLP080L, dual tire, triple mast, propane, lift 185" max., S/N B813D03440V

Yale 8,000 Lb. Forklift, LPG, MDL. GLP080LFN, 48" forks, dual tire, triple mast, S/N N545888

### **WELDERS**

- (5) Thermal Arc Welders, Occel-ARC MDL. 6045CC/CV welder, with Thermo Arc 2410 wire feeders, 500 amps, S/N 974-1
- (2) PCM 1000I Esab Welders, S/N's 742134, PB1631112
- (7) 1990s Hobart Excel Arc Welders, MDL. 8065 CC-CV, with Hobart 2410 and wire feed, S/N 197PS11210, 500 amps

Hobart Mega Mig Welder, MDL. 650-RBS, 650 amps

Lincoln Idealarc DC1000 Welder

**Linde Arc Welder** 

### **TOOL ROOM**

**Trencin Engine Lathe,** MDL. SN 400-N, swing diameter 18", distance between centers 60", 3-jaw chuck, tailstock, steadyrest, 4-way toolpost, 4" spindle hole, geared head, S/N 400-500-630-710

**Ex-Cell-O Vertical Milling Machine,** variable speed head, 1 1/2 HP, powerfeed table, powerfeed crosstravel, vise, 3800 RPM

**Brown & Sharpe Surface Grinder, 6" x 18"** 

 $\textbf{International Horizontal Band Saw,} \ 10 \text{"} \ capacity, with vise, coolant pump, approx.} \ 5 \ \text{HP motor}$ 

**1996 – King Floor Type Drill Press,** MDL. KC-30FC, 3/4" chuck

General Floor Drill Press, 1/2" chuck, 3/4 HP, MDL. 340

### SHOP EQUIPMENT

Nederman Portable Smog Hog; Torches; Hammers; Vises; C-Clamps; Racking; Tractor, MF; Zebra 105 Printer Labeler; Little Ridgid MDL. 535 Pipe Threader; Support Equipment; (7) Portable Dolly Trucks, with rubber tires, 6' x 30'; Miscellaneous Tooling; Drills; Mills; Toolposts

### **ROLLFORMERS WITH TOOLING**

**8" & 9 1/2" Z-Purlin Rollformer: 14 Stand ASC Gifford & Hill Universal Joint Rollformer,** Mdl 5U-34-14, Spindle Diameter 3", Rollspace 36", Rafted Base, Vertical Adjustment 6" – 12", Horizontal Centers 23", Lower Spindle to Base 8 1/2", U Joint Drive, 60 HP Drive, Job #2413M0140.10, Tooled for 8" & 9 1/2" Z Purlin (Sold via photo - Toledo, OH location)

**Modified R Panel Line - Common to Butler Shape,** Complete Line consisting of: 20,000# ASC Uncoiler, Coil width 48", Coil ID 20", Hydraulic Drive & Expansion, Coil Car; 18 Stand ASC Rollformer, Spindle Diameter 3", Rollspace 50", 60 HP Drive; ASC 50 Ton Cutoff Press, Air Clutch, Less Cutoff Die, Serial #907; ASC Drop Leaf Stacker; Runout & Conveyor (Sold via photo - Texas location)

**32 Stand (Dual 16 Stand & 16 Stand) Pro Eco Duplex Head Rollformer,** Used to make 8" to 13" Webb x 3" to 5" Leg, Mounted on traversing base to change from 3" to 5" Leg, Capacity 25" wide x .210" thickness, Spindle Diameter 2 1/4", Rollspace 20" Min to 32" Max, Vertical Adjustment 8" – 15", Horizontal Centers 24", Center drive to each Inboard, Two speed drive 75 HP & 150 HP, Serial #3904-26-82 (Sold via photo - Toledo, OH location)



14 Stand ASC Gifford & Hill Rollformer



**Modified R Panel Line** 



14 Stand ASC Gifford & Hill Rollformer

# LIVE ON-SITE & WEBCAST



**Modified R Panel Line** 



32 Stand (Dual 16 Stand & 16 Stand) Pro Eco Duplex Rollformer



**Modified R Panel Line** 







# **MACHINERY AUCTION**

October 16, 2007

Assets No Longer Required in the Continuing Operations of

# — ROBERTSON BUILDING SYSTEMS LIMITED —

### STATE-OF-THE-ART METAL BUILDING MANUFACTURER

Complete 36" Dura-Rib Panel Line, Complete Z Purlin Line (12-Gauge Capacity), Late-Model Demag Cranes, 30' Hydraulic Brake, 5-Axis Plasma Cutting System, CNC Welder & All Support Equipment

### **AUCTION**

Tuesday, October 16, 2007 Beginning at 10:00 A.M. EDT

### **PREVIEW**

Monday, October 15, 2007 9:00 A.M. to 4:00 P.M. EDT

### LOCATION

61 Burford Road, Hamilton, Ontario, Canada L8E 3C6 See inside for directions & lodging

### FOR THE COMPLETE TERMS & CONDITIONS OF THIS AUCTION

Please visit our website — <u>www.BIDITUP.com</u> and click on Robertson

NOW OFFERING IN-HOUSE FINANCING & LEASING. Call 818.508.7034

### **▼ FEATURED AUCTION**

Tuesday, October 16, 2007 Ontario, Canada

Assets No Longer Required in the Continuing
Operations of

## — Roberson Building Systems Limited —

State-of-the-Art Metal Building Manufacturer

Complete 6" Dura-Rib Panel Line, Complete Combination C & Z Purlin Line (12-Gauge Capacity), Late Model Demag Cranes, 30' Hydraulic Brake, 5-Axis CNC Welder & All Support Equipment

For a Complete Listing of Upcoming Auctions
Visit www.BIDITUP.com. Register Online and Receive
Auction Updates & Information via E-mail.



### WEBCAST

Can't attend the auction in person? You can participate and bid in real time via the Internet. Preview assets with detailed digital photos, lot catalogs, and in-depth descriptions.

For more information, visit www.BIDITUP.com

Please note, all webcast participants must submit a 25% deposit and signed registration forms no later than 24 hours before a sale.



400 Ton Cincinnati Hydraulic Press Brake



36" Dura-Rib Panel Line



36" Dura-Rib



5-Axis Hypertherm Plasma Cutter

# **BIDIT**UP

11426 Ventura Boulevard Studio City, California 91604 Phone: 818.508.7034 Fax: 818.508.3025

Fax: 818.508.3025 info@biditup.com **MACHINERY AUCTION. LOOK INSIDE!** 

ATTENTION: PLANT MANAGER OR EQUIPMENT BUYER

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 305