## **LIVE ON-SITE**

Tuesday, August 14, 2007 Beginning at 10:30 A.M. PDT 2200 Haffley Avenue National City, CA 91950 USA

## — WESTERN HOIST, INC. —

**Owner Retiring** 

Late Model CNC Turning Centers, CNC Robotic Welding System, Machining & Fabrication Equipment & Approximately 35 Welders



CINCINNATI Cincinnati 1/4" x 12' Mechanical Press Brake

**Mazak Quick Turn Turning Center** 



**CNC TURNING CENTERS** 

- PRESS BRAKES
- **CNC ROBOTIC WELDER**
- LATHES
- MILLING MACHINES
- PRESSES
- NANGLE BENDING ROLL
- SHEARS
- SCREW MACHINES
- DRILLS
- GRINDERS
- PIPE, TUBE & BAR BENDER
- **BAND SAW**

- SANDERS
- ELECTRICAL DISCHARGE **MACHINE**
- POWER CRIMPER
- **TAPPING MACHINE**
- TELAME CUTTING SYSTEMS
- PAINT LINE SPRAYING SYSTEM
- TIBERGLASS COATING SYSTEM
- PIPE THREADER
- WELDING EQUIPMENT
- AIR COMPRESSORS/ **RECEIVER TANKS**
- MATERIAL HANDLING
- MISCELLANEOUS

BIDITUP AUCTIONS & APPRAISALS WORLDWIDE

## CNC TURNING CENTERS, PRESS BRAKE, CNC ROBOTIC WELDER, ENGINE LATHES, MILLING MACHINES, HYDRAULIC PRESSES







**Axelson Lathe** 



**Custom 5-Station Punch and Lift** 



Western 650 Ton Down Acting Hydraulic Press



60 Ton Constellation Steelmaster Press

#### **CNC TURNING CENTERS**

MORI SEIKI MDL. SL-4A TURNING CENTER, Swing 14", 3" Diameter Spindle Thru Hole, Fanuc 6T CNC Control, 10 Position ATC, 10" 3-Jaw Chuck, Turbo Chip Conveyor, Miscellaneous Turret Tooling, S/N 995

MAZAK QUICK TURN MDL. 155P TURNING CENTER, Mazatrol Cam CNC Control, Distance Between Main Spindle End Face & Turret 11-1/2", End Face Max, 3.15"–14.37", Bar Feed Spindle With 8" 3-Jaw Chuck B208A6, Sub Spindle Maximum Machining Diameter 1.57", Maximum Bar Material Diameter 1.57", Spindle Speeds 45–4500 RPM, Secondary Spindle: Speeds 135–5600 RPM, Tool Outside Diameter 2-7/16", 4-1/4" 3-Jaw Chuck, B-04", Maximum Distance Between Opposed Chucks 25", ATC, Bar Feed, Jorgensen Chip Conveyor, Auto Lube, S/N 82302, New 1989



ESAB ASEA CNC Robotic Welding System With Dual Station Positioner



**Mazak Quick Turn Turning Center** 

#### **PRESS BRAKE**

CINCINNATI 12' x 1/4" MECHANICAL PRESS BRAKE, MDL. 10, 126" Between Uprights, Throat Depth 8", With Autobend 5C CNC Back Gauge, Power Ram Adjustment, S/N 13074

#### **CNC ROBOTIC WELDER**

**ESAB ASEA ROBOTIC CNC WELDING SYSTEM WITH DUAL STATION POSITIONER,** INDUSTRIAL ROBOT IRB L6E-AW, S/N 7664608, Rotary Arm Motion 340°, 114°, Bending Wrist Motion ± 90°, 138°, Turning Wrist Motion ±180°, 234°, Working Range: Forward Arc 21.38" Min, 58.8" Max. Arm Height 18.82" Min. 68.80 Max., With Wire Feed Welding, Mounted on Track 10' Servo Track, DUAL STATIONS WELDING MANIPULATOR 180° Rotating Axis Positioner, 1000 Lbs. Capacity, Both Station Total, Operator Push Button Controls, WELDING POWER SOURCE: Miller Deltaweld 451 Arc With ASEA Interface AW/Z, SRG Spatter Cleaning Device

#### **ENGINE LATHES**

**AXELSON 20" x 96" ENGINE LATHE,** 20" Swing x 96" Centers, Actual Swing 22-1/2", Spindle Thru Hole 2-1/4", Spindle Speeds 9.5 Thru 961 RPM, 15" 4-Jaw Chuck, 10 Hp. Drive, S/N 3878

**AXELSON 18" x 117" ENGINE LATHE,** 18" Swing x 117" Centers, Actual Swing 21-5/8", Spindle Thru Hole 2-1/4", Spindle Speeds 9.5 Thru 961 RPM, 15" 4-Jaw Chuck, 10 Hp. Drive, S/N 2978

**LEBLOND REGAL 14" x 43" ENGINE LATHE,** 14" Swing x 43" Centers, Swing Over Cross Slide 8", Spindle Bore Diameter 3/4", 8 Spindle Speeds: 37 Thru 750 R.P.M., Motor Drive 2 Hp. 208 Volts, Single Phase, 3-Jaw Chuck, 7" Diameter, (1) Chase Dial (1) Center, S/N R11435

#### **MILLING MACHINES**

CINCINNATI HORIZONTAL & VERTICAL MILLING MACHINE, MDL. 4, Type Plain HORIZONTAL SPINDLE: Taper 50 MT, 23 Speeds: 18 Thru 1300 RPM, POWER OVERARM With All Angle Milling Head: Taper 50 MT, 9 Speeds: 100 Thru 1030 RPM, Table Size 16-5/16" x 78-1/2" With 3-Axis Power Feed and Rapid Feed, Table Travel 42" Horizontal Spindle 15 Hp., Power Overarm 5 Hp., Table and Knee 3 Hp., With Coolant Pump, (1) Arbor Support, (1) Arbor, Pendant Control for Power Overarm, S/N 4A4P507

**ENCO VERTICAL MILLING/DRILLING MACHINE,** MDL. 91000, Table Size 7-1/2" x 22", Spindle Speeds 145–1500 RPM, S/N B9-06007

INDEX VERTICAL MILLING MACHINE, MDL. 45, Table 9" x 46-1/2", Spindle Speeds 80 Thru 2700 RPM, Motor Drive 1 Hp., S/N 45-8283

#### **HYDRAULIC PRESSES**

**WESTERN 650 TON 4-POST DOWN ACTING HYDRAULIC PRESS,** Stroke 22" Bed Size 46" x 46", Distance Between (4) Posts 37-1/2" F-B x 31-1/2" L-R, Open Height 22-1/2", S/N NA

CONSTELLATION STEELMASTER HYDRAULIC PUNCHING AND FORMING PRESS, MDL. 3U , 60 Ton Cap., Open Height 10", Dimensions Ram Plate 18" x 24" Adjustable Bed With Pre Drilled and Tapped 18" x 24" x 2-7/8" Thick Bolster Plate 6" Thick, S/N 6401

**CUSTOM MADE 5-STATION PUNCH,** 36" Wide x 135" Long Cap., Punch Configuration, (1) Punch Located at End and (4) Uni Punches Located on Opposite Ends ((2) on Each Side), Punch and Feed Powered by Air/Hydraulic Pump



Cincinnati 1/4" x 12' Mechanical Press Brake

## PUNCH PRESSES, ANGLE BENDING ROLL, SHEARS, METAL SHAPER, SCREW MACHINE, RADIAL DRILL, DRILLS, ROTARY SURFACE GRINDER, SURFACE GRINDERS



Niagara A6-1/2 OBI Press



**Buffalo Angle Bending Roll** 



Savage Circle Shear



**Carlton Radial Drill** 



Solverga 30" Drill



**Kearney & Trecker Layout Drill** 



Stamco 10 Gauge x 6' Power Shear



Smith & Mill Shaper



LEASE/
FINANCING
AVAILABLE
DIRECT FROM
BIDITUP
Capital Corporation

Slipmaterial Naxos 16" Rotary Surface Grinder



Dayton 20" Drill



Covel Surface Grinder



Acme Gridley 6 Spindle Screw Machine

#### **PUNCH PRESSES**

NIAGARA 150 TON OBI PUNCH PRESS, MDL. A6-1/2, Safe Capacity at or Near Bottom of Stroke 190 Tons, Stroke 6", Slide Adjustment 4-7/8", Bolster 32-1/2" x 51" x 3" Thick, With Air Cushion, Air Counter Balance, 5/N 24770

**DIAMOND 9 TON OBI PUNCH PRESS,** MDL. 9, 2-3/8" Stroke, Shut Height 5-1/2", Slide Adjustment 1-1/2", Bed Area, 6-1/2" F-B x 12" R-L, With (2) Non Repeat Electric Trip Buttons, Emergency Stop Button, S/N 9149

#### **ANGLE BENDING ROLL**

BUFFALO 2" x 2" x 1/4" ANGLE BENDING ROLL, Size 1/2, Capacity Leg In 1-1/2" x 1-1/2" x 1/4", Variable Roll Speed, S/N 7118527

#### **SHEARS**

STAMCO 10 GAUGE x 6' POWER SHEAR, Flush Floor Design, Rear Operated Manual Back Gauging, (2) Front Sheet Supports Each 24", 5 Hp. Motor Drive, S/N 1578

**WJ SAVAGE 1/4" CAPACITY POWER CIRCLE SHEAR,** Size 1, Capacity 1/4" Mild Steel, Depth of Throat 34-1/4", 2 Hp. Drive, S/N 44-979

#### **METAL SHAPER**

**SMITH AND MILL 25" UNIVERSAL HORIZONTAL SHAPER,** MDL. 25BG, 103, 71, 51, 35 SPM, 13" Wide Swivel Vise, S/N NA

#### **SCREW MACHINE**

**2" ACME GRIDLEY 6-SPINDLE AUTOMATIC SCREW MACHINE,** Size RB6, (6) Spindles, Cross Slide With (1) Slide/Auxiliary, 3rd Position, (1) Recess Tool, (3) End Slide Tool Holders, Various Collet Pads, Coolant, (24) Pairs Change Gears, (37) Collet Holders, S/N 84913, New 1961

#### **RADIAL DRILL**

(2) CARLTON 4' x 11" RADIAL ARM DRILL, MDL. 1A, Spindle Taper 4 MT, (2) Spindle Speed Range 53 Thru 2000 RPM, Tap Leads 6 to 25 TPI, Motor Drive 5 Hp., Power Feed, Power Elevation and Clamping, (1) Box Table 24" x 30, S/N 1A-2861

#### **DRILLS**

**SOLVERGA 30" SINGLE SPINDLE DRILL PRESS,** MDL. SENR3, Motor Drive 1-1/2 Hp., Power Feed, (1) Drill Vise, S/N Unknown

KEARNEY & TRECKER 27" 2-Axis LAYOUT DRILL PRESS, MDL. C-3, AUTOMETRIC, Spindle Taper 40 MT, Variable Spindle Speeds 50 Thru 2500 RPM, Power Quill Travel 11" w/4-Position Turret Stops, Feeds 0.0005 to .0148 IPM Table 14" F-B x 22-1/2" L-R, 2-Axis Travel, (1) Drill Chuck, Motor Drive 1 Hp., S/N 3-5590

#### **DELTA 15" PEDESTAL DRILL PRESS**

**DAYTON 20" VARIABLE SPEED SINGLE SPINDLE DRILL PRESS,** MDL. 32713, Spindle Speeds 80 Thru 1200 RPM, Motor Drive 1-1/2 Hp., S/N 127366

HARTFORD 18" PEDESTAL DRILL PRESS, Spindle Travel 6", Table 16" F-B x 18" L-R Adjustment Up/Down, 1/2" Drill Chuck, Drive 3/4 Hp. 115 Volts, 1 Phase, S/N 103690

**MW THREE BANK PRODUCTION AUTOMATIC DRILL PRESS,** Throat Depth 16", Spindles Power Feed Down, S/N NA

MASTER HYDRAULIC AUTOMATIC PRODUCTION DRILL PRESS, MDL. DU900-9, Automatic Down Feed, Spindle Taper 2MT, Spindle Drive 5 Hp., Table Size 24" x 40", Coolant Pump, S/N 552

#### **ROTARY SURFACE GRINDER**

SLIPMATERIAL-NAXOS 15-7/8" ROTARY SURFACE GRINDER, MDL. PMS-400, Type Horizontal Spindle, Electro-Magnetic Chuck 15-7/8", Swing Inside Pan 24" Chuck Tilts, Up/Down, Chuck Speeds: 41, 50, 74, 78, 97, 144 RPM, Grinding Wheel 12" x 1", Stone Drive 7.5 Hp., With Magnetic Chuck Neutrofier II Wheel Dresser Attachment, Coolant Pump, S/N 2463

#### SURFACE GRINDERS

COVEL 6" x 18" SURFACE GRINDER, MDL. 15, Manual Table Feed, With Brown & Sharpe Permanent Magnetic Chuck and Coolant. S/N 15-1702

**COVEL 10" x 16" 2-Axis SURFACE GRINDER,** MDL. 17H, Table Manually and Automatic Feed, Table Working Surface 10" x 16", Grinding Wheel 10" x 1", Spindle 2 Hp., Table, Hydraulic Pump 1 Hp., With Electro-Magnetic Fine Line Chuck 10" x 16" Stone Dresser, Coolant Pump, CFC Coolant Separator, Bijur Oiling System Motorized, S/N 17H-5520



Airco Bridge Type Flame Cutter



**Heath 3 Head Flame Cutter** 

**Elox EDM** 





Ming Jen Hydraulic Tube, Pipe, & Bar Bender



**Collins Thread-O-Matic** 



G.S. Mfg. Coating System

Please Visit www.BIDITUP.com

For a List of Our Upcoming Auctions

# (2) AVAILABLE

Double End Polisher

#### **CARBIDE GRINDERS**

BALDOR DOUBLE END PEDESTAL GRINDER. Catalog 1022W, Capacity 10" Diameter, 1 Hp., 230 Volts Direct Drive Motor, S/N S11649

ROCKWELL CARBIDE GRINDER, MDL. 23-501, Motor Drive 1/2 Hp. 115 Volts, Single Phase, Pedestal Mounted, S/N 1370158

**DELTA CARBIDE GRINDER,** Motor Drive 1/2 Hp. 110 Volts, Single Phase, Pedestal Mounted, S/N NA

DELTA CARBIDE GRINDER, Motor Drive 1/2 Hp. 110 Volts, Single Phase, Pedestal Mounted, S/N M-H23-505M

#### **GRINDERS**

SELLER OLIVER DRILL POINTER AND GRINDER,

#### PIPE, TUBE & BAR BENDER

MING JEN 2" x .125" HYDRAULIC TUBE, PIPE & BAR BENDER, MDL. MJ-NC-50, Bend Radius 12", Hydraulic Clamp & Pressure Die With Hydraulic Mandrel Extractor, (1) 2" x 7-1/2" Radius Die, (1) Pressure Die, (1) Clamp Die, (1) Mandrel Draw Rod 3/4" Diameter, Operator Control Station, Pump Drive 5 Hp., S/N 3224, New 1987

#### **BAND SAW**

**ROLL-IN TRAVELING FRAME 12" VERTICAL** BAND SAW, Height Under Guide 12"

#### SANDERS

**DAYTON BELT AND DISC SANDER, MDL. 3Z293,** 6" Wide x 48" Long Belt, 9" Diameter Disc. Mounted

DURO BELT AND DISC SANDER, MDL. D3-066, 8" Wide x 48" Long Belt, 8" Diameter Disc, Mounted on Stand, S/N 508661

PORTER CABLE WET TYPE BELT SANDER, 4" Wide x 48" Long Belt, Motor Drive 3 Hp., Mounted on Stand

#### **POLISHING LATHES**

(2) DOUBLE END POLISHING & SANDING LATHES, (2) 4" Wide x 230" Long Sanding Belts, 7-1/2 Hp. Direct Drive Motor, With Back Tensioning Stands

#### **ELECTRICAL DISCHARGE MACHINE**

ELOX RAM TYPE 100 AMPERES EDM, MDL. 18-3816-DR, 18" Ram Stroke, Work Table: 16" F-B x 38" L-R, Tank Dimensions: 49-1/2"LR x 28-1/2" F-B x 16-1/2" Ht., Ram Discharge Head: Size 10" F-B x 14" L-R, Vertical Travel 18, Digital Readout, DIGIST Program Monitor, ASTRA Mark II 100S Power Supply, Riser Stage 14" x 10", S/N 003956, New 1983

#### **POWER CRIMPER**

GATES POWER CRIMPER SERIES 1500, MDL. 0500-2632, 2.2 KW 208/230 Volts Drive

#### **TAPPING MACHINE**

**AUTOMATIC TAPPING MACHINE, 1-1/2" Capacity** 



Covel 10" x16" Surface Grinder



Roll-In Bandsaw

#### **FLAME CUTTING SYSTEMS**

AIRCO BRIDGE TYPE GANTRY FLAME CUTTING SYSTEM, Cut Area 5' x 12', With (4) Cutting Torches, Linatrol Tracer

HEATH ENGINEERING FLAME CUTTING SYSTEM, Cut Area 30" x 36", (3) Cutting Torches, With Material Power Infeed Conveyor 30" Wide x 18' Long

#### **PAINT LINE SPRAYING SYSTEM**

(2) PAINT SPRAY BOOTHS, 36" F-B x 188" L-R x 9' High, With Exhaust Blowers, including (1) WET CLEANING TABLE 79" F-B x 147" L-R, (1) PART ELECTRIC DRYING TUNNEL Dimensions 48" Wide x 195" Long x 9' High, (2) PAINT SPRAY POTS, ASSORTED SPRAY GUNS and AIR HOSES, (1) MONO RAIL SYSTEM, 50' Wide x 130' Long Travel in Front of Both Spray Booths and Thru **Drying Tunnel** 

#### FIBERGLASS COATING SYSTEM

GS MFG. FIBERGLASS COATING SYSTEM, With Fiberglass Chopper Gun, Boom Arm, Ingersoll Rand Pump, Booth 12' Wide x 48" Deep x 8' Height

#### **PIPE THREADER**

THREAD-O-MATIC PIPE AND BOLT THREADER, 2" Capacity, (5) Adjustable Die Heads, S/N 21142, New 1988

## WELDING POSITIONER, WELDERS, PORTABLE WELDER, AIR COMPRESSORS & AIR RECEIVER TANKS, MATERIAL HANDLING EQUIPMENT, MISCELLANEOUS



Delta Weld Model 450



Miller Trailblazer Portable Welder



**Fabspec Welding Positioner** 

ACO Vacu Lift

#### **WELDING POSITIONER**

**FABSPEC 2500 LBS. WELDING POSITIONER,** 36-5/8" Diameter T-Slotted Table, Power Tilt Down Thru 90°, Power Variable Rotation 360°, Table Horizontal Position, Adjustable Height Above Floor, Min. 39-1/2" Max 55", S/N 1839

#### **WELDERS**

AIRCO 600 AMPS ARC WELDERS, MDL. DC600, S/N 71-581840, With Wire Feeder S/N 600DBR24RSA, Welding Lines & Stingers, Mounted on Cart

(12) HOBART 450 AMPS MEGA MIG WELDERS, MDL. 450 RVS With Hobart 2400 Wire Feeder, Welding Lines & Stingers, Mounted on Cart, S/N 89WSO1899, S/N 89WSO1098, S/N 89WSO1397, S/N 89WSO1096, S/N 89WSO1894, S/N 89WSO1091, S/N 89WSO1053, S/N 89WSO1025, S/N 7WS06240, S/N 83WSO5717, S/N NA

(4) MILLER 450 AMPS DC ARC WELDERS, MDL. CS450, Miller Matic J1151 Wire Feeder, Welding Lines & Stingers, Mounted on Cart, S/N GE755911, S/N GE 749617, S/N KA905724, S/N NA

(3) MILLER DELTA 450 AMPS ARC WELDERS, With Wire Feeder, MDL. 450, Miller JJ48 and All Mounted on Cart, S/N GE755911 (Note this unit has Welding Lines & Stingers, Wire Feeder), S/N JJ447069 (Note this unit has Welding Lines & Stingers, Wire Feeder), S/N JD89823, (Note this unit does not have Welding Lines & Stingers)

MILLER DELTAWELD 450 AMPS WELDERS, MDL. R3M300, Mounted on Cart, S/N NA

(2) AIRCO 400 AMPS ARC WELDERS, MDL. 4DDR-24B, DC Bumblebee, Air Reduction, With Wire Feeder, Welding Lines & Stingers, Mounted on Cart, S/N 14130610, S/N NA

**ERCO MATIC 300 AMPSAC WELDER,** MDL. CV300 II, Aircomatic Universal II Wire Feeder, Welding Lines & Stingers, Mounted on Cart, S/N RG0410

ERCO 300 AMPS DC WELDER, MDL. 3VCV-6A, Bumblebee Welding Lines & Stingers, Mounted on Cart, S/N 9740

MILLER 300 AMPS AC/DC ARC WELDER, MDL. MP300, Miller S54A Wire Feeder, Welding Lines & Stingers, Mounted on Cart, S/N JA 439847

MILLER 300 AMPS AC/DC ARC WELDER, MDL. MP300, Miller S54A Wire Feeder, Welding Lines & Stingers, Mounted on Cart, S/N JA 439847

MILLER 300 AMPS CONSTANT CURRENT DC ARC WELDER, MDL. SRH-333, Welding Lines & Stingers, Mounted on Cart, S/N JC597518

LINCOLN 300 AMPS IDEALARC WELDERS, MDL. R3M300, Cables and Stingers, Mounted on Cart, S/N NA

#### **PORTABLE WELDER**

MILLER TRAILBLAZER GAS DRIVEN 400AC/300DC WELDING GENERATOR, INERT GAS – METALLIC, 300 DC AMPS, 400 AC AMPS, AC & DC Meter, (1) Weld Amp, Meter, Gas In/Out Connection, 115 Volts AC Auxiliary Power Plug While Welding, 115 Volts DC Plug Throttle in Weld, S/N 71-601508

#### **DIRECTIONS:**

From Los Angeles to National City (Approximately 125 miles): Take 5 South to Miles of Cars (24th Street) Exit in National City. Turn right on Bay Marina Drive. Go on for 0.2 mile to Haffley Avenue. Make a right on Haffley.

#### **LODGING:**

**Holiday Inn San Diego/National City** 700 National City Boulevard 1-800-238-5544 **Highway Inn Chula Vista** 70 Broadway 1-800-434-7894

### AIR COMPRESSORS & AIR RECEIVER TANKS

**DeVILBISS 10 HP. AIR COMPRESSOR,** MDL. 445, Equip 120 Gallons Air Receiver, S/N 326580, New 1980

DeVILBISS 5 HP. TANK MOUNTED AIR COMPRESSOR, Air Receiver 80 Gallons, MDL. Compressor Pump 432, S/N 192666, Unit MDL. VAG-5206,S/N 229868

**GAST 1/3 HP. TANK MOUNTED AIR COMPRESSOR,** Pump MDL. 3HBB-69T-M300X, 5Z673, 2-Gallon Air Receiver, S/N 5K37NN265JX

(8) MANCHESTER AIR STORAGE TANKS, 75.6 Gallons, 200 psi

(6) MANCHESTER AIR STORAGE TANKS, 54.1 Gallons, 200 psi

(12) MANCHESTER AIR STORAGE TANKS, 44.8 Gallons, 200 psi

#### **MATERIAL HANDLING EQUIPMENT**

**POWER CONVEYOR,** 20" Wide Belt x 6" Long, Motor Drive 1 Hp.

(2) ACCO VAC-U-LIFT VACUUM SHEET LIFT, MDL. 3200-10-3-3-6-65P, 810 Lbs. Lift Capacity, Overall Length 120" x 36" Wide, (3) Adjustable Sets of Vacuum Pads Equipped With Power Unit, S/N 90-10-57-30. S/N NA

#### WESTERN HOIST FINISHED PRODUCTS

Lifts From 6,000 Lb., MDLS. Y2K, XLA, WP-2, CXLH, CWP-2, WLO-15, WFP-12, WFP-25, WFTA-12, AC Series.

#### **MISCELLANEOUS**

WESTERN 1000 LBS. PORTABLE PLATFORM BEAM SCALE, MDL. NP1000, 20" x 27" Platform, Ohaus Under & Over Indicator, 1-Part Bucket, 4-Beam Weights, S/N 127178-5

**LARGE QUANTITY OF PISTON PIPE,** A53 Grade B, 8", 10", 12" Diameters, 40', 35', 10' Lengths, .250"–.330" Wall Thickness

Ladders; Gas Station Pump; Stencil; Mikida Electric Hand Grinders; Pneumatic Hand Tools; Assorted Dies; Nibs; Grinding Heads; End Mills; Drill Taps; Reamers; Chucks; Vises; Gages; Hand Lifts; Die Carts; Bins; Benches; Tables; Shop Fans; Metal Storage Racks; Large Quantity Steel Tubing; Sheet Stock; Etc.; Welding Fixtures; Setup Stands; Tables; Office Equipment; Furniture; Plus Much, Much, More



ON-SITE

## MACHINERY AUCTION 1

AUGUST 14, 2007

## — WESTERN HOIST, INC.— Owner Retiring

Late Model CNC Turning Centers, CNC Robotic Welding System, Machining & Fabrication Equipment & Approximately 35 Welders

#### **AUCTION**

Tuesday, August 14, 2007 Beginning at 10:30 A.M. PDT

#### **PREVIEW**

Monday, August 13, 2007 9:00 A.M. to 4:00 P.M. PDT

#### LOCATION

2200 Haffley Avenue National City, CA 91950

For directions & lodging - See inside

FOR THE COMPLETE TERMS & CONDITIONS OF THIS AUCTION

Please visit our website — www.BIDITUP.com and click on Western Hoist, Inc.

NOW OFFERING IN-HOUSE FINANCING & LEASING, Call 818,508,7034

#### **▼ FEATURED AUCTION**

Tuesday, August 14, 2007 National City, California

## WESTERN HOIST, INC. Owner Retiring

Late Model CNC Turning Centers, CNC Robotic
Welding System, Machining & Fabrication
Equipment & Approximately 35 Welders

For a Complete Listing of Upcoming Auctions
Visit www.BIDITUP.com. Register Online and Receive
Auction Updates & Information via E-mail.

- **▼** Thinking of Having an Auction?
- Need an Appraisal or Free Consultation?
- ▼ Know of Any Facilities Closing, Moving or Downsizing?
- Selling or Moving Your Plant?

Call BIDITUP! 818.508.7034

IP-7210706



Mazak Quick Turn Turning Center



Cincinnati 1/4" x 12' Mechanical Press Brake



ESAB ASEA CNC Robotic Welding System With Dual Station Positioner

## **BIDIT**UP\*

AUCTIONS & APPRAISALS WORLDV

11426 Ventura Boulevard Studio City, California 91604 Phone: 818.508.7034 Fax: 818.508.3025 info@biditup.com Steven R. Mattes, Auctioneer CA Bond #CSC 3062775 **MACHINERY AUCTION. LOOK INSIDE!** 

ATTENTION: PLANT MANAGER OR EQUIPMENT BUYER

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 305