


# Cooling Systems

**A-8N8005** Radiator 22 Lbs.




**Dim/Info:**  
Core Size: 15.062" Wide  
17.062" High  
3 Rows of Tubes  
8 Fins per Inch

**For Models:** 2N, 8N, 9N

**A-C5NN8005AB** Radiator 21 Lbs.


**Replaces:** NCA8005C



**Dim/Info:**  
Core Size: 16.000" Wide  
17.437" High  
3 Rows of Tubes  
7 Fins per Inch

**For Models:** NAA(JUBILEE), 600, 700, 800, 900, (2000, 4000 ALL w/ 4 cyl Engine), 601, 841


**A-E1ADKN8005E** Radiator 23 Lbs.



**Dim/Info:**  
Core Size: 18.50" Wide  
18.750" High  
3 Rows of Tubes  
8 Fins per Inch

**For Models:** MAJOR, POWER MAJOR


**A-E1ADDN8005C** Radiator 17.6 Lbs.



**Dim/Info:**  
Core Size: 18.500" Wide  
18.750" High  
3 Rows of Tubes  
8 Fins per Inch

**For Models:** SUPER MAJOR

**A-957E8005** Radiator 16 Lbs.




**Dim/Info:**  
Core Size: 13.500" Wide  
14.8125" High  
3 Rows of Tubs  
8 Fins per Inch

**For Models:** DEXTA

**A-959E8005\*** Radiator 17 Lbs.

**Replaces:** 81805483




**Dim/Info:**  
Core Size: 13.50" Wide  
13.8125" High

**For Models:** SUPER DEXTA 4/1962 Thru 12/1964

**A-C7NN8005H** Radiator 20.5 Lbs.


**Replaces:** EONN8005MA15M, EONN8005KA15M, EONN8005LA15M, EONN8005MB15M,



**Dim/Info:**  
Core Size: 18.00" Wide  
16.00" High  
3 Rows of Tubes  
7 Fins per Inch

**For Models:** 2100, 2300, 2600, 2610, 3000, 3100, 3400, 3550, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4140, 4400, 4410, 4600


**A-D8NN8005PA** Radiator w/ Oil Cooler 23.4 Lbs.  
(Cooler fitting is on front side) (Oil cooler can be plugged and used without)



**Dim/Info:**  
Core Size: 18.00" Wide  
16.00" High  
3 Rows of Tubes  
7 Fins per Inch

**For Models:** (2100, 2300, 2310 ALL 1965>), 250C, 260C, (3000, 3055, 3100, 3110, 3120, 3150, 3190, 3300, 3310, 3330, 3400 ALL 1965>), (340A, 340B ALL 8/1981>), (3500, 3550, 4100 ALL 1965>), 420 W/ Torque Conv. 1975-7/1981, 4400 1965>, 445 <9/1978, 532 W/ Torque Conv. 1975-7/1981, 540 <7/1981, (540A, 540B ALL 8/1981>)


**A-86561696\*** Radiator 12 Lbs.



**Dim/Info:**  
core size: 12.25" wide  
10.625" high  
2 rows of tubes  
10 fins per inch

**For Models:** 1100


**A-SBA310020020** Radiator 12.02 Lbs.



**Dim/Info:**  
Core Size: 11.875" Wide  
10.250" High  
2 Rows of Tubes  
Serpentine Fin Const.

**For Models:** 1110 W/ MANUAL TRANSMISSION


**A-86561701\*** Radiator 14 Lbs.



**Dim/Info:**  
core size: 12.00" wide  
12.625" high  
2 rows of tubes d. stag  
10 fins per inch

**For Models:** 1200


**A-SBA310100431** Radiator 13.5 Lbs.



**Dim/Info:**  
Core Size: 14.250" Wide  
13.250" High  
2 Rows of Tubes  
Serpentine Fin Const.

**For Models:** 1210, 1310, 1110 W/ HYDROSTATIC TRANSMISSION


**A-SBA310100031** Radiator 16.48 Lbs.



**Dim/Info:**  
Core Size: 16.375" Wide  
12.875" High  
2 Rows of Tubes  
Serpentine Fin Const.

**For Models:** 1500, 1600, 1700

**A-SBA310100291** Radiator 16.7 Lbs.




**Dim/Info:**  
Core Size: 16.812" Wide  
14.812" High  
2 Rows of Tubes  
Serpentine Fin Const.

**For Models:** 1510

**A-86402723\*** Radiator 22 Lbs.


**Replaces:** 86519895



**Dim/Info:**  
core size: 15.50" wide  
15.75" high  
3 rows of tubes  
standard serpentine fins

**For Models:** 1530, 1630, 1725, 1925, TC25, TC25D, TC29, TC29D, TC29DA, TC33, TC33D, TC33DA

**A-SBA310100440** Radiator 16.4 Lbs.



**Dim/Info:**  
Core Size: 16.812" Wide  
14.812" High  
2 Rows of Tubes  
Serpentine Fin Const.

**For Models:** 1710

AGCO  
ALLIS  
CHALMERS  
DEUTZ  
MASSEY  
FERGUSON  
WHITE/  
OLIVER

CNH

CASE-IH

FORD / NEW  
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE









YANMAR









ZETOR

SCHWARTZ  
SPEECO

\*\*\* Truck icon indicates the item is shipped via truck freight.\*\*\*

# Cooling Systems


AGCO ALLIS CHALMERS	<b>A-SBA310100630</b> Radiator	16.32 Lbs.
		<b>Dim/Info:</b> Core Size: 16.812" Wide 15.812" High 2 Rows of Tubes Serpentine Fin Const.
	<b>For Models:</b> 1715	
DEUTZ MASSEY FERGUSON	<b>A-SBA310100600</b> Radiator	19.05 Lbs.
		<b>Dim/Info:</b> Core Size: 16.625" Wide 15.750" High 3 Rows of Tubes Serpentine Fin Const.
	<b>For Models:</b> 1720, 1920	
WHITE/ OLIVER	<b>A-SBA310100280</b> Radiator	13.22 Lbs.
		<b>Dim/Info:</b> Core Size: 16.375" Wide 14.875" High 2 Rows of Tubes Serpentine Fin Const.
	<b>For Models:</b> 1900	
CNH	<b>A-SBA310100620</b> Radiator	19.27 Lbs.
		<b>Dim/Info:</b> Core Size: 16.625" Wide 15.750" High 3 Rows of Tubes Serpentine Fin Const.
	<b>For Models:</b> TC30, 1320, 1520, 1620	
FORD / NEW HOLLAND	<b>A-86402724</b> Radiator	22 Lbs.
		<b>Dim/Info:</b> Core Size: 14.750" Wide 17.375" High 3 Rows of Tubes Serpentine Fin Const.
	<b>For Models:</b> TC35, TC35D, TC40, TC40D	
FIAT	<b>A-87352191*</b> Radiator	61 Lbs.
		<b>Dim/Info:</b> core size: 20.50" wide 23.50" high 6 rows of tubes 7 fins per inch
	<b>For Models:</b> TM140, TM155	
BELARUS	<b>A-87352193*</b> Radiator	59 Lbs.
		<b>Dim/Info:</b> core size: 20.50" wide 27.75" high 6 rows of tubes 7 fins per inch
	<b>For Models:</b> TM175, TM190	
BOBCAT	<b>A-86563887</b> Radiator	26.59 Lbs.
		<b>Dim/Info:</b> Core Size: 18.000" Wide 18.375" High 4 Rows of Tubes 7 Fins per Inch
	<b>For Models:</b> (L465, LS140, LS150, LX465, LX485 ALL W/ DIESEL ENGINE), (L565, LX565, LX665 ALL W/ DIESEL ENGINE <12/31/1997)	

A-9828737	Radiator	27.76 Lbs.
		<b>Dim/Info:</b> Core Size: 18.000" Wide 17.750" High 4 Rows of Tubes 8 Fins per Inch
	<b>For Models:</b> L553 W/ DIESEL ENGINE, L555 W/ DIESEL ENGINE SN 712165>	
A-771716	Radiator	22.44 Lbs.
		<b>Dim/Info:</b> Core Size: 18.000" Wide 17.812" High 3 Rows of Tubes 8 Fins per Inch
	<b>For Models:</b> L554 W/ GAS ENGINE, L555 W/ DIESEL ENGINE SN <712164	
A-FONN8005EA15M	Radiator	24 Lbs.
		<b>Dim/Info:</b> Core Size: 18.00" Wide 16.00" High 3 Rows of Tubes 8 Fins per Inch
	<b>For Models:</b> (250C, 260C ALL 9-89/12-94)	
A-E1NN8005AB15M	Radiator w/ Oil Cooler	22.36 Lbs.
		<b>Dim/Info:</b> Core Size: 18.00" Wide 16.00" High 3 Rows of Tubes 8 Fins per Inch
	<b>For Models:</b> (340A, 340B, 540A, 540B ALL W/4X4 TRANS 8-81\11-88)	
A-E4NN8005BC15M	Radiator	28.2 Lbs.
		<b>Dim/Info:</b> Core Size: 18.00" Wide 17.250" High 4 Rows of Tubes 8 Fins per Inch
	<b>For Models:</b> 345C, 545A, 545C, (445, 545 ALL W/O TORQUE CONVERTER 10/85-11/88), 445C 12/88>, 445A 6/85-11/88, 545D 9/92>	
A-F2NN8005EA15L	Radiator	31 Lbs.
		<b>Dim/Info:</b> Core Size: 19.500" Wide 17.250" High 4 Rows of Tubes 5 Fins per Inch
	<b>For Models:</b> (445D, 555D ALL W/O NOISE CONTROL)	
A-E0NN8005FA15L	Radiator w/ Oil Cooler	30 Lbs.
		<b>Dim/Info:</b> Core Size: 18.000" Wide 17.750" High 4 Rows of Tubes 8 Fins per Inch
	<b>For Models:</b> 455 7/87-11/88, (550, 555, 555A, 555B, 655, 655A ALL 8/81->)	
A-D8NN8005SB	Radiator w/ Oil Cooler	23.68 Lbs.
		<b>Dim/Info:</b> Core Size: 18.00" Wide 17.50" High 3 Rows of Tubes 8 Fins per Inch
	<b>For Models:</b> (345C, 445C ALL 12-88\12-9), (4500, 5100, 5200 ALL 65->), 535 W/TORQUE CONV, 545 W/TORQUE CONV. 7/11-88, (5600, 6600, 6600C ALL 75->), (445, 445A ALL W/TORQUE CONV)	

\*\*\* Truck icon indicates the item is shipped via truck freight. \*\*\*

# Cooling Systems


**A-86531508** Radiator w/o Oil Cooler 23 Lbs.  
**Replaces:** D6NN8005B, C5NN8005N, 83918041, 83916894, 83916415



**Dim/Info:**  
 Core Size: 17.500" Wide  
 17.750" High  
 3 Rows of Tubes  
 8 Fins per Inch

**For Models:** 340 <9/1985, 4100 Diesel W/Cab & A/C 1977>, 445 W/O TORQUE CONV 10/78 - 9/85, 4500 65->, 4600 Diesel W/Cab & A/C 1977>, 5000 1965->, 535 75-9/78, 545 W/O TORQUE CONV 10/78 - 9/85, (5600, 6600 ALL 75->)


**A-D8NN8005BB** Radiator w/ Oil Cooler (Rear Fittings) 23.32 Lbs.  
**Replaces:** D8NN8005BA, D4NN8005G, 83918860, 87767038, 87765504



**Dim/Info:**  
 Core Size: 17.50" Wide  
 17.75" High  
 3 Rows of Tubes  
 5 Fins per Inch

**For Models:** (550, 555, 555A, 555B ALL <7/81)


**A-E0NN8005EA15L** Radiator 28 Lbs.



**Dim/Info:**  
 Core Size: 18.00" Wide  
 17.75" High  
 4 Rows of Tubes  
 5 Fins per Inch

**For Models:** (550, 555A ALL 8/81-83)


**A-D8NN8005BB** Radiator w/o Oil Cooler 23.32 Lbs.  
**Replaces:** D8NN8005BA, D4NN8005G, 83918860, 87767038, 87765504



**Dim/Info:**  
 Core Size: 17.50" Wide  
 17.75" High  
 3 Rows of Tubes  
 5 Fins per Inch

**For Models:** (550, 555A, 555B ALL <7/81 W/O Oil Cooler)


**A-F2NN8005FA15L** Radiator 34 Lbs.



**Dim/Info:**  
 Core Size: 19.500" Wide  
 17.250" High  
 4 Rows of Tubes  
 8 Fins per Inch

**For Models:** 555D W/NOISE CONTROL


**A-E7NN8005CA** Radiator 35 Lbs.



**Dim/Info:**  
 Core Size: 19.500" Wide  
 17.250" High  
 4 Rows of Tubes  
 10 Fins per Inch

**For Models:** (555C, 555D, 575D, 655C, 655D ALL 11/88->)


**A-E7NN8005DA** Radiator 33.1 Lbs.



**Dim/Info:**  
 Core Size: 19.500" Wide  
 17.250" High  
 4 Rows of Tubes  
 8 Fins per Inch

**For Models:** (555C, 555D, 655C ALL W/O NOISE CONTROL 11/88-8/93)


**A-E7NN8005EA** Radiator 33.22 Lbs.



**Dim/Info:**  
 Core Size: 19.500" Wide  
 17.250" High  
 4 Rows of Tubes  
 10 Fins per Inch

**For Models:** (555C, 555D ALL W/NOISE CONTROL 11/88-8/93)


**A-F2NN8005DA15L** Radiator w/ Oil Cooler 33.44 Lbs.



**Dim/Info:**  
 Core Size: 19.500" Wide  
 17.250" High  
 4 Rows of Tubes  
 10 Fins per Inch

**For Models:** (575D, 655D, 675D ALL W/O NOISE CONTROL)


**A-E9NN8005BA** Radiator w/ Oil Cooler 38 Lbs.



**Dim/Info:**  
 Core Size: 18.000" Wide  
 20.750" High  
 5 Rows of Tubes  
 7 Fins per Inch

**For Models:** 750, 7500, 755, 755A, 755B


**A-E9NN8005AB15M** Radiator 22.6 Lbs.



**Dim/Info:**  
 Core Size: 18.000" Wide  
 16.000" High  
 3 Rows of Tubes  
 8 Fins per Inch

**For Models:** (3230, 3430, 3930, 3930H, 3930N, 4130, 4130N, 4130NO, 4630, 4630N, 4630NO, 4630O ALL ALL 3,90)


**A-E4NN8005AA** Radiator 20.7 Lbs.



**Dim/Info:**  
 Core Size: 18.000" Wide  
 16.000" High  
 3 Rows of Tubes  
 7 Fins per Inch

**For Models:** 4610


**A-C7NN8005E** Radiator 21 Lbs.



**Dim/Info:**  
 Core Size: 18.000" Wide  
 17.750" High  
 3 Rows of Tubes  
 7 Fins per Inch

**For Models:** 5100, 5600, 6600, 5000 6/68->

**A-D8NN8005KB** Radiator w/ Oil Cooler 33.06 Lbs.




**Dim/Info:**  
 Core Size: 18.000" Wide  
 17.750" High  
 4 Rows of Tubes  
 8 Fins per Inch

**Replaces:** D8NN8005KA, D5NN8005A

**For Models:** (5600, 6600, 7600 ALL W/ Diesel Engine)

**A-D6NN8005D** Radiator 27.17 Lbs.



**Dim/Info:**  
 Core Size: 20.000" Wide  
 19.875" High  
 3 Rows of Tubes  
 7 Fins per Inch

**For Models:** (5700, 6700 ALL W/ AC 8/1976->)

AGCO  
 ALLIS  
 CHALMERS  
 DEUTZ  
 MASSEY  
 FERGUSON  
 WHITE/  
 OLIVER

CNH

CASE-IH

FORD / NEW  
 HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
 DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ  
 SPEECO

\*\*\* Truck icon indicates the item is shipped via truck freight.\*\*\*

# Cooling Systems


AGCO ALLIS CHALMERS	<b>A-D2NN8005D</b> Radiator	39 Lbs.	<b>Dim/Info:</b> Core Size: 18.500" Wide 17.875" High 5 Rows of Tubes 7 Fins per Inch
DEUTZ MASSEY FERGUSON	<b>A-EONN8005GC15M</b> Radiator w/ Oil Cooler	33 Lbs.	<b>Dim/Info:</b> Core Size: 18.000" Wide 17.750" High 5 Rows of Tubes 7 Fins per Inch
WHITE/ OLIVER	<b>A-E1NN8005EB15M</b> Radiator w/ Oil Cooler	32.6 Lbs.	<b>Dim/Info:</b> Core Size: 20.000" Wide 19.937" High 3 Rows of Tubes 10 Fins per Inch
CNH	<b>A-D3NN8005B</b> Radiator w/ Oil Cooler (Rear Fittings)	33 Lbs.	<b>Dim/Info:</b> Core Size: 18.000" Wide 17.750" High 5 Rows of Tubes 7 Fins per Inch
CASE-IH	<b>A-E7NN8005BA</b> Radiator w/ or w/o Cooler (Rear Fittings)	33 Lbs.	<b>Dim/Info:</b> Core Size: 18.000" Wide 17.750" High 5 Rows of Tubes 7 Fins per Inch
FORD / NEW HOLLAND	<b>A-82980245</b> Radiator	37 Lbs.	<b>Dim/Info:</b> Core Size: 20.000" Wide 23.500" High 5 Rows of Tubes 8 Fins per Inch
FIAT	<b>A-86013264</b> Radiator	61 Lbs.	<b>Dim/Info:</b> Core Size: 27.50" Wide 26.875" High
BELARUS	<b>A-E1NN8005BD15M</b> Radiator	40.25 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 5 Rows of Tubes 8 Fins per Inch
BOBCAT	<b>A-86013263</b> Radiator	65 Lbs.	<b>Dim/Info:</b> Core Size: 27.50" Wide 26.875" High 4 Rows of Tubes 8 Fins per Inch
JCB	<b>A-82980245</b> Radiator	37 Lbs.	<b>Dim/Info:</b> Core Size: 20.000" Wide 23.500" High 5 Rows of Tubes 8 Fins per Inch
JOHN DEERE	<b>A-E1NN8005BD15M</b> Radiator	40.25 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 5 Rows of Tubes 8 Fins per Inch
KUBOTA	<b>A-82980245</b> Radiator	37 Lbs.	<b>Dim/Info:</b> Core Size: 20.000" Wide 23.500" High 5 Rows of Tubes 8 Fins per Inch
LANDINI	<b>A-E1NN8005BD15M</b> Radiator	40.25 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 5 Rows of Tubes 8 Fins per Inch
LEYLAND	<b>A-82980245</b> Radiator	37 Lbs.	<b>Dim/Info:</b> Core Size: 20.000" Wide 23.500" High 5 Rows of Tubes 8 Fins per Inch
LONG	<b>A-E1NN8005BD15M</b> Radiator	40.25 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 5 Rows of Tubes 8 Fins per Inch
McCORMICK	<b>A-82980245</b> Radiator	37 Lbs.	<b>Dim/Info:</b> Core Size: 20.000" Wide 23.500" High 5 Rows of Tubes 8 Fins per Inch
OTHER	<b>A-E1NN8005BD15M</b> Radiator	40.25 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 5 Rows of Tubes 8 Fins per Inch
RENAULT	<b>A-82980245</b> Radiator	37 Lbs.	<b>Dim/Info:</b> Core Size: 20.000" Wide 23.500" High 5 Rows of Tubes 8 Fins per Inch
SAME	<b>A-E1NN8005BD15M</b> Radiator	40.25 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 5 Rows of Tubes 8 Fins per Inch
VALTRA	<b>A-82980245</b> Radiator	37 Lbs.	<b>Dim/Info:</b> Core Size: 20.000" Wide 23.500" High 5 Rows of Tubes 8 Fins per Inch
VERSATILE	<b>A-E1NN8005BD15M</b> Radiator	40.25 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 5 Rows of Tubes 8 Fins per Inch
YANMAR	<b>A-82980245</b> Radiator	37 Lbs.	<b>Dim/Info:</b> Core Size: 20.000" Wide 23.500" High 5 Rows of Tubes 8 Fins per Inch
ZETOR	<b>A-E1NN8005BD15M</b> Radiator	40.25 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 5 Rows of Tubes 8 Fins per Inch
SCHWARTZ SPEECO	<b>A-82980245</b> Radiator	37 Lbs.	<b>Dim/Info:</b> Core Size: 20.000" Wide 23.500" High 5 Rows of Tubes 8 Fins per Inch

<b>A-86013263</b> Radiator	65 Lbs.	<b>Dim/Info:</b> Core Size: 27.50" Wide 26.875" High 4 Rows of Tubes 8 Fins per Inch
<b>A-D5NN8005P</b> Radiator w/ Oil Cooler	42.5 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 4 Rows of Tubes 5 Fins per Inch
<b>A-86013980</b> Radiator	69 Lbs.	<b>Dim/Info:</b> Core Size: 27.50" Wide 26.875" High 5 Rows of Tubes 8 Fins per Inch
<b>A-82015103</b> Radiator	50 Lbs.	<b>Dim/Info:</b> Core Size: 20.3125" Wide 20.3125" High 5 Rows of Tubes 8 Fins per Inch
<b>A-E3NN8005AD15M</b> Radiator w/ Oil Cooler	51.94 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 5 Rows of Tubes 7 Fins per Inch
<b>A-E3NN8005BD15M</b> Radiator w/ Oil Cooler	54.94 Lbs.	<b>Dim/Info:</b> Core Size: 21.875" Wide 24.875" High 5 Rows of Tubes 8 Fins per Inch

\*\*\* Truck icon indicates the item is shipped via truck freight . \*\*\*

# Cooling Systems

**A-E3NN8005DE15M** Radiator w/ Oil Cooler 54.72 Lbs.




**Dim/Info:**  
Core Size: 21.875" Wide  
24.875" High  
5 Rows of Tubes  
10 Fins per Inch

**For Models:** (TW25, 8730 ALL 83-)

**A-E3NN8005CE15M** Radiator 54 Lbs.




**Replaces:** 82847503



**Dim/Info:**  
Core Size: 21.875" Wide  
24.875" High  
5 Rows of Tubes  
10 Fins per Inch

**For Models:** TW30, (TW35, 8830 ALL 83-)


**A-847465** Radiator 18.5 Lbs.



**Dim/Info:**  
Core Size: 11.750" Wide  
16.750" High  
4 Rows of Tubes  
Serpentine Fin Const.

**For Models:** (SKID STEER LOADER: (L255, LS125 ALL W/ Diesel Engine))


**A-9828621\*** Radiator 17 Lbs.



**Dim/Info:**  
Core Size: 15.00" Wide  
17.375" High

**For Models:** L455 W/ DIESEL ENGINE, L454 W/ GAS ENGINE


**A-86534243** Radiator 32.5 Lbs.



**Dim/Info:**  
Core Size: 19.500" Wide  
19.687" High  
5 Rows of Tubes  
8 Fins per Inch

**For Models:** (SKID STEER LOADER: (L865, L885, LS180, LX865, LX885 ALL W/ Diesel Engine))


**A-9828738** Radiator 31 Lbs.



**Dim/Info:**  
Core Size: 18.125" Wide  
20.687" High  
4 Rows of Tubes  
7 Fins per Inch

**For Models:** (SKID STEER LOADER: (L783, L785 ALL W/ Ford Diesel Engine))


**A-9619995** Radiator 31.32 Lbs.



**Dim/Info:**  
Core Size: 18.500" Wide  
20.812" High  
4 Rows of Tubes  
8 Fins per Inch

**For Models:** (SKID STEER LOADER: L779 W/ Gas Or Diesel Engine, L783 W/ Perkins Diesel Engine, L784 W/ Gas Engine, L785 W/ Perkins Diesel Engine)


**A-86534248** Radiator 29.29 Lbs.



**Dim/Info:**  
Core Size: 18.000" Wide  
18.375" High  
5 Rows of Tubes  
7 Fins per Inch

**For Models:** LX665 W/ DIESEL ENGINE


**A-86546700** Radiator 36.27 Lbs.



**Dim/Info:**  
Core Size: 19.500" Wide  
22.500" High  
5 Rows of Tubes  
8 Fins per Inch

**For Models:** (SKID STEER LOADER: (LS190, LX985 ALL W/ Diesel Engine))

**A-86534249** Radiator 29.29 Lbs.




**Dim/Info:**  
Core Size: 18.000" Wide  
18.375" High  
5 Rows of Tubes  
7 Fins per Inch

**For Models:** (LX565, LX665, L565 ALL W/ DIESEL ENGINE 1/1/1998>)


**A-C5NN8115B** Drain Faucet 0.07 Lbs.  
Fits all models w/ 1/4" NPT threads.

**Replaces:** C9NN8115A



**For Models:** TW10, TW15, TW20, TW25, TW30, TW35, TW5, 2000, 2600, 2610, 3000, 3230, 3430, 3600, 3610, 3930, 4000, 4100, 4110, 4600, 4610, 4630, 5000, 5110, 5600, 5610, 5640, 5900, 6000, 6410, 6600, 6610, 6640, 6710, 6810, 7000, 7410, 7610, 7700, 7710, 7740, 7840, 8000, 8210, 8240, 8340, 8670, 8700, 8770, 8870, 8970, 9700


**A-957E8333B** Hose, Filler 0.43 Lbs.



**Dim/Info:**  
A - 1.625"

**For Models:** (DEXTA, SUPER DEXTA ALL Date <-9/30/89)

**A-E1ADKN8333** Hose, Filler 0.34 Lbs.



**Dim/Info:**  
A - 1.750"

**For Models:** MAJOR, POWER MAJOR, SUPER MAJOR

**A-2N8100A** Cap, Radiator (4 Lb.) 0.25 Lbs.



**For Models:** (2N, 8N, 9N ALL 1943-1952)

**A-1T8100A2** Cap, Radiator (4 Lb.) 0.3 Lbs.



**For Models:** NAA(JUBILEE), 600, 700, 800, 900, (2000, 4000 ALL <1964)

**A-E62A8100A** Cap, Radiator (7 Lb.) 0.25 Lbs.



**For Models:** DEXTA, SUPER DEXTA A

AGCO  
ALLIS  
CHALMERS  
DEUTZ  
MASSEY  
FERGUSON  
WHITE/  
OLIVER

CNH

CASE-IH

FORD / NEW  
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR


ZETOR

SCHWARTZ  
SPEECO

\*\*\* Truck icon indicates the item is shipped via truck freight.\*\*\*

# Cooling Systems

**A-SFD10021** Cap, Radiator 0.24 Lbs.



**For Models:** (FW20, FW30, FW40, FW60 ALL Steiger)

**A-E2NN8100BA** Cap, Radiator (13 Lb.) 0.2 Lbs.  
**Replaces:** E5NN8100AA




**For Models:** TW10, TW15, TW20, TW25, TW30, TW35, TW5, 2000, 2600, 2610, 3000, 3600, 3610, 4000, 4110, 4600, 4610, 4630, 5000, 5110, 5200, 5600, 5610, 5700, 5900, 6410, 6600, 6610, 6700, 6710, 6810, 7200, 7410, 7600, 7610, 7700, 7710, 7910, 8000, 8210, 8700, 9700, 2310, 2810, 2910, 3230, 3430, 3900, 3910, 3910H, 3930, 3930H, 4100, 4130, 4130H, 4610H, 550, 555, 655A, 655C, 7000, 8200, 8530, 8600, 8630, 8730, 8830, 9000, 9200, 9600

**A-2400E8100A** Cap, Radiator (7 Lb.) 0.14 Lbs.  
**Replaces:** E2NN8100AA, 80076896, 81645535, 81747955, 81855444, 83935904




**For Models:** TW10, TW20, TW30, 2000, 2600, 2610, 3000, 3600, 3610, 4000, 4100, 4110, 4600, 4610, 5000, 5600, 5610, 6600, 6610, 6700, 6710, 7000, 7600, 7610, 7700, 7710, (SKID STEER LOADER: L255, L454, L455, L553, L554, L555, L779, L783, L784, L785, LS125)

**A-4999682** Cap, Radiator 0.14 Lbs.



**For Models:** 3435, 3935, 4135, 4635, 4835, 5635, 6635, 7635

**A-C7NN8594B** Thermostat Housing 0.56 Lbs.



**For Models:** 2600, 2610, 3600, 3610, 3930, 4100, 4110, 4600, 4610, 4630, 5110, 5200, 535, 545, 550, 555, 5600, 5610, 6410, 6500, 6600, 6610, 6700, 6810, 7410, 7600, 7610, 7700, 7710


**A-B2NN8575A** Thermostat, 180° 0.16 Lbs.



**Dim/Info:**  
180° Fahrenheit  
82° Celcius

**For Models:** 2N, 8N, 9N


**A-D3JL8575A** Thermostat, 180° 0.15 Lbs.  
**Replaces:** EAF8575B



**Dim/Info:**  
180° Fahrenheit  
82° Celcius

**For Models:** NAA(JUBILEE), 600, 700, 800, 900, (2000, 4000 ALL <1964)

**A-4823211** Thermostat 0.17 Lbs.  
**Replaces:** 4823210



**For Models:** 3435 W/ 8035.06 ENGINE


**A-D8NN8575AA** Thermostat, 168° 0.15 Lbs.



**Dim/Info:**  
168° Fahrenheit  
74° Celcius

**For Models:** 2000, 2310, 2610, 3000, 3310, 3400, 3550, 3600, 3610, 4000, 4100, 4110, 4140, 420, 4200, 4400, 4410, 445, 4600, 4610, 5000, 5110, 515, 5200, 532, 535, 540, 545, 550, 555, 5600, 5610, 5700, 6410, 6600, 6610, 6700, 6710, 6810, 700, 7000, 7200, 7410, 7500, 7610, 7700, 7710, 800, 8000, 8700, 900, 9000, 9700

**A-D8NN8575CA** Thermostat, 180° 0.15 Lbs.



**Dim/Info:**  
180° Fahrenheit  
82° Celcius

**For Models:** MAJOR, SUPER MAJOR R, 2000, 2600, 2610, 3000, 3600, 3610, 4000, 4100, 4110, 4600, 4610, 5000, 5600, 5610, 5700, 6600, 6610, 6700, 6710, 7000, 7600, 7610, 7700, 7710

**A-D8NN8575BA** Thermostat, 192° 0.15 Lbs.




**Dim/Info:**  
192° Fahrenheit  
88° Celcius

**For Models:** 2000, 2310, 2610, 3000, 3310, 3400, 3550, 3600, 3610, 4000, 4100, 4110, 4140, 420, 4200, 4400, 4410, 445, 4600, 4610, 5000, 5110, 515, 5200, 532, 535, 540, 545, 550, 555, 5600, 5610, 5700, 6410, 6600, 6610, 6700, 6710, 6810, 700, 7000, 7200, 7410, 7500, 7610, 7700, 7710, 800, 8000, 8700, 900, 9000, 9700


**A-8180562A** Thermostat Gasket 0.01 Lbs.  
Sold in Qty of 10

**Replaces:** C2DE8255A



**For Models:** 2000, 2310, 2600, 2810, 2610, 2910, 3000, 3600, 3900, 3230, 3430, 3610, 3910, 3910H, 3930H, 3930, 4000, 4100, 4110, 4130, 4130H, 4600, 4610, 4610H, 4630, 550, 555, 555A, 555B, 5600, 5700, 4830, 5000, 5030, 5110, 5610, 5900, 6600, 6700, 7000, 7600, 7700, 6410, 655, 655A, 6610, 6710, 6810, 7410, 7610, 7710, 8000, 8200, 8600, 8700, 9000, 9200, 9600, 9700, 555C, 655C

**A-D8NN8575FB** Thermostat, 218° 0.16 Lbs.  
**Replaces:** 83916340, 89500001, 87800842




**Dim/Info:**  
218° Fahrenheit  
93° Celcius

**For Models:** 4830, 5030, 5110, 5610, 5640, 5900, 6410, 6610, 6640, 6710, 6810, 7410, 7610, 7710, 7740, 7810, 7840, 7910, 8000, 8160, 8200, 8210, 8240, 8260, 8340, 8360, 8401, 8530, 8560, 8600, 8630, 8700, 8730, 8830, 9000, 9200, 9600, 9700, TS100, TS110, TS90, TW10, TW15, TW20, TW25, TW30, TW35, TW5

\*\*\* Truck icon indicates the item is shipped via truck freight. \*\*\*


# Cooling Systems

**A-CDPN8501A** Pump, Water w/ Pulley 8.46 Lbs.  
*Replaces:* 8501A




*For Models:* (2N, 8N, 9N ALL THUR 1952)

**A-CDPN8501B** Pump, Water w/ Pulley 8.88 Lbs.  
*Replaces:* 8501B




*For Models:* MAJOR

**A-E1ADKN8501B** Pump, Water 6.3 Lbs.  
*Replaces:* E1ADKN8501A, 8501AA, 8501AAN




*For Models:* (MAJOR, SUPER MAJOR ALL W/O P.STRG)

**A-957E8501B** Pump, Water w/ Pulley 6.8 Lbs.  
*Replaces:* 0080268




*For Models:* DEXTA w/ Perkins Eng.

**A-503180\*** Water Pump 4 Lbs.  
*Replaces:* 80503180



*For Models:* (L454, L455 ALL W/ Kubota D1402B Engine), (L553, L555 ALL W/ Kubota V1902B Engine)


**A-DCPN8501A** Pump, Water w/o Pulley 6.56 Lbs.  
 mounting gasket not included  
*Replaces:* 3971351, 8501D



**A-EAF8513A** Water Pump Mounting Gasket 0.01 Lbs.

*For Models:* (1801, 1811, 1821, 1841, 1871, 1881, 2000, 2030, 2031, 2111, 2130, 2131, 4000, 4030, 4031, 4040, 4110, 4120, 4121, 4130, 4131, 4140, 501, 541, 600, 601, 611, 620, 621, 630, 631, 640, 641, 650, 651, 660, 661, 671, 681, 700, 701, 740, 741, 771, 800, 801, 811, 820, 821, 840, 841, 850, 851, 860, 861, 871, 881, 900, 901, 941, 950, 951, 960, 961, 971, 981 ALL 4 CYL. 1955-1964), NAA(JUBILEE)


**A-CDPN8501C** Pump, Water w/ Pulley 10.1 Lbs.  
*Replaces:* EGNP8501A, 8501C



*For Models:* (2000, 4000, 600, 700, 800, 900 ALL GAS / DSL 1955-64)


**A-FAPN8A513GG** Pump, Water w/ Single Pulley & Gasket w/o Back Housing 11.72 Lbs.

*Replaces:* EGNP8A513DA, EAPN8A513F, 3956730, 82845215, IHPN8A513GA, 8508C, 8508A,




*For Models:* (2000, 3000, 4000, 5000, 7000 ALL 1965-1975), (2600, 3600, 4600, 5600, 6600, 6700, 7700 ALL 1975-1981), (2310, 2610, 2810, 2910, 3610, 3910 ALL 1981-11\86), 4100 1975-1981, (4110, 4610, 5110, 5610, 6610, 6710, 7610, 7710 ALL 1981-11\86)

**A-SBA145016061** Pump, Water w/ Pulley 12 Lbs.  
*Replaces:* SBA145016022




*For Models:* 1000 11/1974>, 1600

**A-87351943** Gasket, Water Pump to Engine 0.02 Lbs.



*For Models:* 1000, 1500, 1600, 1700, 1900

**A-SBA145017300** Pump, Water 5 Lbs.




*For Models:* (1210, 1310 ALL 1983>), (1120, 1215, 1220 ALL 1987>)

**A-SBA145016071** Pump, Water w/ Pulley 10.84 Lbs.




*For Models:* 1500 10/1979>, (1700, 1900 ALL 1979>)

**A-SBA145016500** Pump, Water 9 Lbs.  
*Replaces:* SBA145016440




*For Models:* 1510

**A-SBA145016510** Pump, Water 8.1 Lbs.



*For Models:* 1710 1983>

**A-SBA145016540** Pump, Water 11.3 Lbs.



*For Models:* 1910 1983>

AGCO  
 ALLIS  
 CHALMERS  
 DEUTZ  
 MASSEY  
 FERGUSON  
 WHITE/  
 OLIVER

CNH

CASE-IH

FORD / NEW  
 HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
 DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR


ZETOR

SCHWARTZ  
 SPEECO

\*\*\* Truck icon indicates the item is shipped via truck freight.\*\*\*


# Cooling Systems

**A-SBA145017780** Pump, Water 6.17 Lbs.




**For Models:** (1720, 1920, 3415 ALL 1987>)

**A-FAPN8A513DD** Pump, Water w/ Double Pulley 15.14 Lbs.  
Pump has 5/16" & 7/16" dia. mtg holes and replaces earlier style pump w/ 5/16" & 3/8" dia. mtg. holes.  
**Replaces:** EAPN8A513A, EGNP8A513CA




**For Models:** 230A, 231, 2310, 233, 2600, 2610, 2810, 2910, 333, 334, 335, 340, 340A, 340B, 3600, 3610, 3910, 420, 445, 445A, 450, 4600, 4610, 5110, 515, 530A, 531, 532, 535, 540, 540A, 540B, 545, 545A, 5600, 5700, 650, 6500, 6600, 6700, 750, 755, 755A, 755B, 5900 MEXICO 1/81-10/88, 6410 UK 1/81-10/88, 2000.3 CYL., (7500, 7600, 7610, 7700, 7710 ALL 65-11/86)

**A-FAPN8A513DD** Pump, Water w/ Double Pulley 15.14 Lbs.  
Pump has 5/16" & 7/16" dia. mtg holes and replaces earlier style pump w/ 5/16" & 3/8" dia. mtg. holes.  
**Replaces:** EAPN8A513A, EGNP8A513CA




**For Models:** (5110, 7610, 7710 ALL 10/88), (2000, 3000, 4000, 5000, 7000 ALL 1965-75), (2600, 3600, 4100, 4600, 5600, 5700, 6600, 6700, 7600, 7700 ALL 1975-81), (2310, 2610, 2810, 2910, 3610, 3910, 4110, 4610 ALL 2/90)

**A-FAPN8A513HH** Pump, Water w/ Single Pulley 15.04 Lbs.  
**Replaces:** 87800122-R




**For Models:** 5110, 5610, 6410, 6610, 6710, 6810, 7010, 7410, 7610, 7710

**A-FAPN8A513AA** Pump, Water w/ Double Pulley 12.7 Lbs.  
Fan threads onto hub.  
**Replaces:** E7NN8A513CE



**For Models:** (5110, 5610, 6610, 6710, 6810, 7410, 7610, 7710 ALL 11/88>), 7010 4/96>


**A-87800115** Pump, Water w/ Single Pulley & Backplate 16.69 Lbs.  
**Replaces:** C5NE8501A, C5NN8501A, D3NN8501A, D5NN8501E, D8NN8501CA, D8NN8501UA & UB & UC



**A-C5NE8513A** Gasket 0.03 Lbs.


**For Models:** (5110, 5610 ALL <7/1987 W/ BSD442 ENGINE), (6410, 6610, 6710 ALL <7/1987 W/ BSD444 ENGINE), (6810, 7410, 7610, 7710 ALL <7/1987 W/ BSD444T ENGINE), (2000, 2600 ALL W/ BSD326 ENGINE), (3000, 3600, 3900 ALL W/ BSD329 ENGINE), 4100 W/ BSD330 ENGINE, (3230, 3430, 3910H ALL W/ BSD332 ENGINE), (3930, 4000, 4130, 4600, 4610H, 4630, 550, 555, 555A, 555B ALL W/ BSD333 ENGINE), (5600, 5700 ALL W/ BSD438 ENGINE), (5000, 6600, 6700 ALL W/ BSD442 ENGINE), (7000, 7600, 7700 ALL W/ BSD442T ENGINE), 345C, 4500

**A-FAPN8A513CC** Pump, Water w/o Backplate 12.23 Lbs.  
**Replaces:** EJPN8A513BA




**For Models:** 7810 2-1-88 >, 7810S 1-1-94 >, 8010 ASN: 800001M, TB120

**A-99454833** Pump, Water 10.58 Lbs.




**For Models:** 3010S ASN 702576M, 3830 D3540 >, 4230 C3540 >, (4330V, 4430 ALL D3540 >), 4835, 5530 D3540, 3-1-92 - 12-1-97, 5635, 6530 D3540, 3-1-92 - 12-1-97, 6635, 7635, LB75, LB75 W/ UPGRADE 2000, LB75CP, LM430, LM640, TK76, TK85, TK85M, TL100, TL70, TL80, TL90, TN55, TN55D, TN55S, TN65, TN65D, TN65F, TN65S, TN65V, TN70, TN70D, TN70F, TN70S, TN75, TN75D, TN75F, TN75S, TN75V, TN80F, TN90F, TN95F, TT55, TT75, TN60VA

**A-E6NN8501AC** Pump, Water w/ Backplate 18.11 Lbs.




**For Models:** (7810, 78100, 7910, 8210, 8530, 8630, 8730, 8830, TW15, TW25, TW35, TW5 ALL 1-1-82 >)

**A-87800119** Pump, Water w/ Single Pulley & Backplate 18.76 Lbs.




**For Models:** (4830, 4830N, 48300, 5030, 50300 ALL 7-1-90 >), (5110, 5610, 6410, 6610, 66100, 6710, 6810, 7410, 7610, 76100, 7710 ALL 8-1-87 - 10-31-88), (BSD442, BSD444 ALL 8-1-87 >), BSD444H 1-1-87 >

**A-87800122** Pump, Water w/ Single Pulley 15.04 Lbs.  
**Replaces:** 87800122-R



**For Models:** (5610S, 6610S, 7610S ALL 1994>), (TB80, TB85 ALL 2003>)


**A-87800123** Pump, Water w/ Double Pulley 20.25 Lbs.  
**Replaces:** BMD# 8513FB



**For Models:** 5610, 6610, 6710, 7010, 7410, 7610, 7710

**A-DHPN8A513B** Re-Mfg. Pump, Water 9.96 Lbs.  
**Replaces:** 83912464

**A-DHPN8A513B** Water Pump 9.96 Lbs.  
**Replaces:** 83912464




**For Models:** (8000, 8200, 8400 ALL 1968 - 7/1976), (9000, 9200 ALL 1974 - 7/1976)

\*\*\* Truck icon indicates the item is shipped via truck freight. \*\*\*




# Cooling Systems

**A-DHPN8A513A** Pump, Water w/ Pulley 11.65 Lbs.  
*Replaces:* 83912463




*For Models:* (9000, 9600 ALL 1968 - 7/1976), A66 <8/31/1976

**A-15521-73033** Pump, Water 4 Lbs.  
*Replaces:* 80503180




*For Models:* (L454, L455 ALL W/ Kubota D1402B Engine), (L553, L555 ALL W/ Kubota V1902B Engine)

**A-FAPN8A513LL** Pump, Water w/ Pulley 12.5 Lbs.  
*Replaces:* EGPN8A513BA, 8508, EAPN8A513G




*For Models:* TW10, TW15, TW20, TW25, TW30, TW35, TW5, 7910, 8210, 8530, 8630, 8700, 8730, 8830, 9700

**A-87800712** Pump, Water 23.9 Lbs.  
*Replaces:* FONN8501CC, FONN8501CB, FONN8501CA, 87801112



*For Models:* 6640 Switzerland Only, 77400, 7840, 78400, 8240, 8340, TS100, TS110, TS115, TS90 Switzerland Only

**A-87800714** Pump, Water 24 Lbs.  
*Replaces:* FONN8501DC




*For Models:* TS90, (5640, 6640 ALL 11/91>)

**A-87800490** Pump, Water 29.1 Lbs.  
*Replaces:* 87801873



*For Models:* 8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A

**A-C5NE8509A** Pulley, Water Pump (Single Groove) 4.2 Lbs.




*For Models:* 2000, 2310, 2600, 2610, 2810, 2910, 3000, 3230, 3430, 3600, 3610, 3900, 3910, 3910H, 3930, 4000, 4100, 4110, 4130, 4600, 4610, 4630, 5000, 5110, 550, 555, 555A, 555B, 5600, 5610, 5700, 6410, 6600, 6610, 6700, 6710, 6810, 7000, 7410, 7600, 7700, 7710

**A-9N8606** Pulley, Water Pump 2.4 Lbs.




*For Models:* 2N, 9N

**A-EAF8509A** Pulley, Water Pump (Single Groove) 7 Lbs.




*For Models:* NAA(JUBILEE)

**A-SBA145336071** Pulley, Water Pump (Single Groove) 3 Lbs.




*For Models:* 1500 10/1979>, 1700, 1900

**A-SBA145336540** Pulley, Water Pump (Single Groove) 2.84 Lbs.




*For Models:* 1710

**A-SBA145336570** Pulley, Water Pump (Single Groove) 3.6 Lbs.




*For Models:* 1910

**A-E7NN8A528BA** Pulley, Water Pump (Double Groove) 5.35 Lbs.




*For Models:* (5110, 5610, 6610, 6710, 6810, 7410, 7710 ALL 11/1988>)

**A-FONN8A528AA** Pulley, Water Pump 2.55 Lbs.



*For Models:* 5640, 6640, 7740, TS90

**A-FONN8A528BA** Pulley, Water Pump 3.4 Lbs.



*For Models:* 5640, 6640, 66400, 7740, 77400, 7840, 78400, 8240, 8340, TS100, TS110, TS115

AGCO  
 ALLIS  
 CHALMERS  
 DEUTZ  
 MASSEY  
 FERGUSON  
 WHITE/  
 OLIVER

CNH

CASE-IH

FORD / NEW  
 HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
 DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

















YANMAR

ZETOR

SCHWARTZ  
 SPEECO


\*\*\* Truck icon indicates the item is shipped via truck freight.\*\*\*

# Cooling Systems

AGCO ALLIS CHALMERS	<b>A-C7NN8A528A*</b>	Pulley, Water Pump	3.85 Lbs.		<b>A-EAF8513A</b>	Water Pump Mounting Gasket	0.01 Lbs.		
	<i>For Models:</i> (8000, 8600 ALL 1968 Thru 7/31/1976), A64 <8/31/1976					<i>Dim/Info:</i> sold in multiples of 5			
	<i>For Models:</i> NAA(JUBILEE), 600, 700, 800, 900								
DEUTZ MASSEY FERGUSON	<b>A-D2NN8610B</b>	Pulley, Water Pump (Single Groove)	6.6 Lbs.		<b>A-EAF8255A</b>	Water Pump Connection Gasket	0.01 Lbs.		
	<i>For Models:</i> 8000, 8200, 8400, 8700, 9000, 9600, 9700, TW10, TW20, TW30					<i>For Models:</i> NAA(JUBILEE), 600, 700, 800, 900, 1801, 1811, 1821, 1841, 1871, 1881			
	<i>For Models:</i> 8530, 8630, 8730, 8830, TW15, TW25, TW35, TW5								
CNH	<b>A-E2NN8610AB</b>	Pulley, Water Pump (Single Groove)	6.5 Lbs.		<b>A-9N8600D</b>	Fan, 6 Blade	3.68 Lbs.		
	<i>For Models:</i> 8530, 8630, 8730, 8830, TW15, TW25, TW35, TW5					<i>Dim/Info:</i> 15.750" O.D. 2.750" Spacer 3.125" Ctr On Mounting Holes 2.125" Pilot Hole			
	<i>For Models:</i> 8530, 8630, 8730, 8830, TW15, TW25, TW35, TW5					<i>For Models:</i> NAA(JUBILEE), 8N, 9N			
CASE-IH	<b>A-C9NN8509A</b>	Pulley, Water Pump (Single Groove) Used on A-DHPN8A513A Water Pump	3.6 Lbs.		<b>A-8N8600A</b>	Fan w/ Spacer, 4 Blade	2.7 Lbs.		
	<i>For Models:</i> 9000, 9600, A66					<i>Dim/Info:</i> 15.750" O.D. 2.750" Spacer 3.125" Ctr On Mounting Holes			
	<i>For Models:</i> 2N, 8N, 9N					<i>For Models:</i> 2N, 8N, 9N			
FORD / NEW HOLLAND	<b>A-9N8507</b>	Gasket, Water Pump Cover	0.01 Lbs.		<b>A-83986039</b>	Fan, 7 Blade	5.75 Lbs.		
	<i>Dim/Info:</i> sold in multiples of 5					<i>For Emissionized Engines Only</i> <i>Replaces:</i> E8NN8600DB, E8NN8600DA, E6NN8600BA, E2NN8600GA13L, D8NN8600BB, 83932298			
	<i>For Models:</i> 2N, 8N, 9N					<i>Dim/Info:</i> 17.5" Diameter 5/8" Center Hole			
FIAT	<b>A-9N8513</b>	Gasket, Water Pump Mounting	0.01 Lbs.		<b>A-SBA14530632O</b>	Fan, 6 Blade	0.9 Lbs.		
	<i>Dim/Info:</i> sold in multiples of 10					<i>Dim/Info:</i> 13.250" Diameter 1.1250" Pilot Hole 2.000" Bolt Hole Centers			
	<i>For Models:</i> 2N, 8N, 9N					<i>For Models:</i> 1210, 1310			
BELARUS	<b>A-EAF8507B</b>	Gasket, Water Pump	0.02 Lbs.		<b>A-SBA145306491</b>	Fan, 5 Blade	1.1 Lbs.		
	<i>Dim/Info:</i> sold in multiples of 5					<i>Dim/Info:</i> 13" Diameter 15/16" Pilot Hole 1 1/8" Ctr on Mounting Holes			
	<i>For Models:</i> NAA(JUBILEE), 600, 700, 800, 900					<i>For Models:</i> 1120, 1215, 1220, 1320, 1520, 1720, 1920 1987-1998			
BOBCAT	<b>A-C5NE8507A</b>	Gasket, Water Pump to Block <i>Replaces:</i> D6NN8507A, E5NN8507AA, E5NN8507AB	0.04 Lbs.		<b>A-SBA14530607O</b>	Fan, 6 Blade	0.37 Lbs.		
	<i>Dim/Info:</i> sold in multiples of 10					<i>Dim/Info:</i> 12" Diameter 1 1/8" Pilot Hole 1 1/2" Ctr on Mounting Holes			
	<i>For Models:</i> 335, 340, 3400, 3500, 3550, 420, 4400, 4410, 445, 4500, 515, 532, 535, 540, 545, 550, 5500, 555, 650, 6500, 655, 6600, 7200, 750, 7500, 755, 7600, 800, 8600, 9000, 9600					<i>For Models:</i> 1500 1/1979- 9/1979			
JCB	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
JOHN DEERE	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
KUBOTA	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
LANDINI	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
LEYLAND	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
LONG	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
McCORMICK	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
OTHER	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
RENAULT	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
SAME	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
VALTRA	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
VERSATILE	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
YANMAR	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
ZETOR	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
SCHWARTZ SPEECO	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								
	<i>*** Truck icon indicates the item is shipped via truck freight. ***</i>								

# Cooling Systems


**A-SBA145306130** Fan, 6 Blade 0.8 Lbs.



**Dim/Info:**  
12" Diameter  
1 1/8" Pilot Hole  
1 1/2" Ctr on Mounting Holes

**For Models:** 1500 10/1979>, 1700 1/1979>


**A-SBA145306520** Fan, 7 Blade 1.45 Lbs.



**Dim/Info:**  
13 1/2" Diameter  
15/16" Pilot Hole  
1 1/8" Ctr on Mounting Holes

**For Models:** 1620, 1720 W/Tropical Cooling


**A-SBA145306110** Fan, 6 Blade 0.95 Lbs.



**Dim/Info:**  
14 1/4" Diameter  
1 1/8" Pilot Hole  
1 1/2" Ctr on Mounting Holes

**For Models:** 1710


**A-SBA145306250** Fan, 6 Blade 1.45 Lbs.



**Dim/Info:**  
16" Diameter  
1 1/8" Pilot Hole  
1 1/2" Ctr on Mounting Holes

**For Models:** 1715, 1910, 3415

**A-JE8600A** Fan, 6 Blade (Pusher) 2.22 Lbs.



**Dim/Info:**  
15.500" Diameter  
.500" Pilot Hole  
2.187" Ctr on Mounting Holes

**For Models:** 1801, 1811, 1821, 1841, 1871, 1881, 2000 <1964, 2030, 2031, 2111, 2130, 2131, 4000 <1964, 4030, 4031, 4040, 4120, 4121, 4130, 4131, 4140, 501, 541, 600, 601, 611, 620, 621, 630, 631, 640, 641, 650, 651, 660, 661, 671, 681, 700, 701, 740, 741, 771, 800, 801, 811, 820, 821, 840, 841, 850, 851, 860, 861, 871, 881, 900, 901, 941, 950, 951, 960, 961, 971, 981


**A-D1JJ8600F** Fan, 2 Blade 1.5 Lbs.



**Dim/Info:**  
15.750" Diameter  
0.625" Pilot Hole  
1 1/4" Ctr on Mounting Holes

**For Models:** 1801, 1811, 1821, 1841, 1871, 1881, 2000 <1964, 2030, 2031, 2111, 2130, 2131, 4000 <1964, 4030, 4031, 4040, 4120, 4121, 4130, 4131, 4140, 501, 541, 600, 601, 611, 620, 621, 630, 631, 640, 641, 650, 651, 660, 661, 671, 681, 700, 701, 740, 741, 771, 800, 801, 811, 820, 821, 840, 841, 850, 851, 860, 861, 871, 881, 900, 901, 941, 950, 951, 960, 961, 971, 981


**A-SBA145306270** Fan, 6 Blade 0.9 Lbs.



**Dim/Info:**  
12.875" Diameter  
1.125" Pilot Hole  
2.000" Bolt Hole Centers

**For Models:** 1900


**A-SBA145306800** Fan, 7 Blade 1.85 Lbs.



**Dim/Info:**  
15" Diameter  
15/16" Pilot Hole  
1 1/8" Ctr on Mounting Holes

**For Models:** 1920 SN UP43784> / 1999>


**A-NCA8600S** Fan, 3 Blade 1.4 Lbs.



**Dim/Info:**  
16" Dia.  
0.625" Pilot Hole  
3.120" Bolt Circle

**For Models:** (2000, 4000, 501, 600, 800, 900 ALL W/GAS ENGINES)


**A-D1JJ8600E** Fan Assembly, 4 Blade 2.78 Lbs.



**Dim/Info:**  
15.875" Diameter  
0.630" Pilot Hole  
1.750" Bolt Circle  
0.625" Center Hole

**For Models:** 2000, 4000, 501, 600, 800, 900


**A-C9NN8600E** Fan, 6 Blade (Pusher) 3.65 Lbs.



**Dim/Info:**  
16" Diameter  
0.625" Pilot Hole  
1.750" Ctr on Mounting Holes

**For Models:** 2600, 3600, 4600, 5600, 6600

**A-F8JL8600CA** Fan, 5 Blade 5 Lbs.



**Dim/Info:**  
16" Diameter  
0.625" Pilot Hole  
1.250" Ctr on Mounting Holes

**For Models:** 1801, 1811, 1821, 1841, 1871, 1881, 2000 <1964, 2030, 2031, 2111, 2130, 2131, 4000 <1964, 4030, 4031, 4040, 4120, 4121, 4130, 4131, 4140, 501, 541, 600, 601, 611, 620, 621, 630, 631, 640, 641, 650, 651, 660, 661, 671, 681, 700, 701, 740, 741, 771, 800, 801, 811, 820, 821, 840, 841, 850, 851, 860, 861, 871, 881, 900, 901, 941, 950, 951, 960, 961, 971, 981

**A-DONN8600AA** Fan, 6 Blade 3.56 Lbs.



**Dim/Info:**  
16" Diameter  
0.625" Pilot Hole  
2.500" Ctr on Mounting Holes

**For Models:** 2000, 2100, 2600, 3000, 3600, 4100, 4110, 420, 445, 4500, 4600, 4610, 5000, 5100, 515, 5200, 531, 532, 535, 540, 545, 550, 555, 6500, 6600

**A-NCA8600B** Fan, 6 Blade 3.5 Lbs.



**Dim/Info:**  
15.500" Diameter  
.500" Pilot Hole  
3.150" Ctr on Mounting Holes

**For Models:** 2000, 4000, 600, 800, 900

**A-C5NN8600A** Fan, 4 Blade 3 Lbs.




**Dim/Info:**  
16" Diameter  
0.625" Pilot Hole  
2.500" Ctr on Mounting Holes

**For Models:** 2000, 231, 2310, 233, 234, 2600, 2610, 2810, 2910, 3000, 333, 334, 335, 3600, 3900, 3910, 4000, 4100, 4110, 420, 4400, 4500, 4600, 4610, 5100, 515, 531, 535, 5600, 6600

**A-D9NN8600AA** Fan, 6 Blade 3.48 Lbs.

**Replaces:** C5NN8600B



**Dim/Info:**  
16" Diameter  
0.625" Pilot Hole  
2.500" Ctr on Mounting Holes

**For Models:** 2100, 4100, 4110, 420, 4410, 445, 4500, 4600, 4610, 5100, 515, 5200, 531, 532, 535, 540, 545, 550, 555, 600, 6500, 6600

AGCO  
ALLIS  
CHALMERS  
DEUTZ  
MASSEY  
FERGUSON  
WHITE/  
OLIVER

CNH

CASE-IH

FORD / NEW  
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR


ZETOR

SCHWARTZ  
SPEECO

\*\*\* Truck icon indicates the item is shipped via truck freight. \*\*\*

# Cooling Systems


**A-87010708** Fan, 7 Blade 7 Lbs.



**Dim/Info:**  
17" Diameter  
0.625" Pilot Hole  
1.750" Ctr on Mounting Holes

**For Models:** 5200 6/1973>, 5600 L/ AC 8/1976>, 5610 W/ Or L/ AC W/ Tropical Cooling 1/1981 -10/1988, (5700, 6600, 6700 ALL L/ AC 8/1976>), 7000 6/1973>, (7600, 7700 ALL L/ AC 8/1976>), 7710 L/ AC & Tropical Cooling 1/1981 -10/1988


**A-83964032** Fan, 7 Blade 5.3 Lbs.  
For Non-Emissionized Engines Only  
**Replaces:** E7NN8600DA



**Dim/Info:**  
17.4" Diameter  
3 3/8" Center Hole

**For Models:** 5610S SN <308716M, 6610S SN <359818M, 6810S 1/1994 Thru 7/1998, 7010 SN 850001M>, 7610S SN <255857M


**A-D5NN8600C** Fan, 4 Blade 3 Lbs.



**Dim/Info:**  
17" Diameter  
0.625" Pilot Hole  
1.750" Ctr on Mounting Holes

**For Models:** 5700 8/1976>, 6410 1/1981>, 6700 8/1976>


**A-E2NN8600AB13L** Fan, 8 Blade 7.88 Lbs.



**Dim/Info:**  
23" Diameter  
5" Pilot Hole  
3" Ctr on Mounting Holes

**For Models:** 8830, TW35


**A-D5NN8600G** Fan, 6 Blade 8.54 Lbs.



**Dim/Info:**  
22" Diameter  
0.625" Pilot Hole  
2.500" Ctr on Mounting Holes


**For Models:** 9700 8/1976-1978, (TW10, TW20, TW30 ALL W/ AC)

**A-2N8146** Fan Shroud 3 Lbs.




**For Models:** 2N, 8N, 9N

**A-86551381** Fan Shroud 1.45 Lbs.  
**Replaces:** NCB8146A



**For Models:** 2000 <1964, 2111, (4000, 4110 ALL <1964), 4120, 4121, 501, 541, 600, 601, 611, 620, 621, 630, 631, 640, 641, 650, 651, 660, 661, 671, 681, 700, 701, 740, 741, 771, 800, 801, 811, 820, 821, 840, 841, 850, 851, 860, 861, 871, 881, 900, 901, 941, 950, 951, 960, 961, 971, 981, NAA(JUBILEE)




**Dim/Info:**  
Worm Drive  
Stainless Steel Clamp  
Cadmium Plated Screw

- A-C4P** Hose Clamp (Qty of 10) 0.2 Lbs.  
Fits 1/4" to 5/8" Hose
- A-C6P** Hose Clamp (Qty of 10) 0.2 Lbs.  
Fits 5/16" to 29/32" Hose
- A-C10P** Hose Clamp (Qty of 10) 0.05 Lbs.  
Fits 9/16" to 1 1/16" Hose
- A-C12P** Hose Clamp (Qty of 10) 0.5 Lbs.  
Fits 1 1/16" to 1 1/4" Hose
- A-C16P** Hose Clamp (Qty of 10) 0.05 Lbs.  
Fits 3/4" to 1 1/2" Hose
- A-C20P** Hose Clamp (Qty of 10) 0.05 Lbs.  
Fits 13/16" to 1 3/4" Hose
- A-C24P** Hose Clamp (Qty of 10) 0.6 Lbs.  
Fits 1 1/16" to 2" Hose
- A-C28P** Hose Clamp (Qty of 10) 0.65 Lbs.  
Fits 1 5/16" to 2 1/4" Hose
- A-C32P** Hose Clamp (Qty of 10) 0.06 Lbs.  
Fits 1 9/16" to 2 1/2" Hose
- A-C36P** Hose Clamp (Qty of 10) 0.07 Lbs.  
Fits 1 13/16" to 2 3/4" Hose
- A-C40P** Hose Clamp (Qty of 10) 0.07 Lbs.  
Fits 2 1/16" to 3" Hose
- A-C44P** Hose Clamp (Qty of 10) 0.08 Lbs.  
Fits 2 5/16" to 3 1/4" Hose
- A-C48P** Hose Clamp (Qty of 10) 0.08 Lbs.  
Fits 2 9/16" to 3 1/2" Hose
- A-C56P** Hose Clamp (Qty of 10) 0.09 Lbs.  
Fits 3 1/16" to 4" Hose

**For Models:** FITS SEVERAL MODELS

\*\*\* Truck icon indicates the item is shipped via truck freight. \*\*\*

# Cooling Systems



<b>A-HS03753</b>	Bulk Hose	1.42 Lbs.
3/8" x 11/16" x 10'		
<b>A-HS05003</b>	Bulk Hose	1.82 Lbs.
1/2" X 27/32" X 10'		
<b>A-HS06253</b>	Bulk Hose	2.4 Lbs.
5/8" X 1" X 10'		
<b>A-HS07503</b>	Bulk Hose	2.43 Lbs.
3/4" X 1-1/8" X 10'		
<b>A-HS10003</b>	Bulk Hose	3.26 Lbs.
1" X 1-3/8" X 10'		
<b>A-HS12503</b>	Bulk Hose	1.1 Lbs.
1-1/4" X 1-5/8" X 3'		
<b>A-HS12504</b>	Bulk Hose	1.7 Lbs.
1-1/4" X 1-3/4" X 3'		
<b>A-HS13753</b>	Bulk Hose	1.38 Lbs.
1-3/8" x 1-3/4" x 3'		
<b>A-HS15003</b>	Bulk Hose	1.72 Lbs.
1-1/2" X 1-7/8" X 3'		
<b>A-HS15623</b>	Bulk Hose	1.64 Lbs.
1-9/16"X1-15/16"X 3'		
<b>A-HS16253</b>	Bulk Hose	1.64 Lbs.
1-5/8" X 2" X 3'		
<b>A-HS17503</b>	Bulk Hose	2.32 Lbs.
1-3/4" X 2-1/8" X 3'		
<b>A-HS18753</b>	Bulk Hose	2.32 Lbs.
1-7/8" X 2-1/4" X 3'		
<b>A-HS20003</b>	Bulk Hose	2.08 Lbs.
2" x 2-3/8" x 3'		
<b>A-HS21253</b>	Bulk Hose	2.6 Lbs.
2-1/8" x 2-1/2" x 3'		
<b>A-HS22503</b>	Bulk Hose	2.48 Lbs.
2-1/4" X 2-5/8" X 3'		
<b>A-HS23753</b>	Bulk Hose	2.68 Lbs.
2-3/8" x 2-3/4" x 3'		
<b>A-HS25003</b>	Bulk Hose	3.16 Lbs.
2-1/2" X 2-7/8" X 3'		
<b>A-HS26253</b>	Bulk Hose	2.96 Lbs.
2-5/8" X 3" X 3'		
<b>A-HS27503</b>	Bulk Hose	3.58 Lbs.
2-3/4" X 3-1/8" X 3'		
<b>A-HS28753</b>	Bulk Hose	4.2 Lbs.
2-7/8" X 3-1/4" X 3'		
<b>A-HS30003</b>	Bulk Hose	4.56 Lbs.
3" X 3-3/8" X 3'		
<b>A-HS31253</b>	Bulk Hose	4.92 Lbs.
3-1/8" X 3-1/2" X 3'		
<b>A-HS32503</b>	Bulk Hose	4.72 Lbs.
3-1/4" X 3-5/8" X 3'		
<b>A-HS35003</b>	Bulk Hose	3.9 Lbs.
3-1/2" X 3-7/8" X 3'		
<b>A-HS40003</b>	Bulk Hose	5.42 Lbs.
4" X 4-3/8" X 3'		

**For Models:**

AGCO  
ALLIS  
CHALMERS  
DEUTZ  
MASSEY  
FERGUSON  
WHITE/  
OLIVER

CNH

CASE-IH

FORD / NEW  
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ  
SPEECO


\*\*\* Truck icon indicates the item is shipped via truck freight.\*\*\*

# Cooling Systems

## Radiator Hoses

AGCO  
ALLIS  
CHALMERS

**A-81716946**  
A - 1.375" ID



DEUTZ  
MASSEY  
FERGUSON

**Ref. 1**  
**A-D4NN8260C**  
A - 1.500" ID



WHITE/  
OLIVER

**Ref. 2**  
**A-D3NN8286G**  
A - 1.750" ID



**Ref. 3**  
**A-312588**  
A - 1.500" ID



CNH

**Ref. 4**  
**A-F0NN8260AA**  
A - 1.500" ID



CASE-IH

**Ref. 5**  
**A-E9NN8260AA**  
A - 1.500" ID



FORD / NEW  
HOLLAND

**Ref. 6**  
**A-2N8260**  
A - 1.500" ID



FIAT

**Ref. 7**  
**A-D1NN8286B**  
A - 1.750" ID




BELARUS

**Ref. 8**  
**A-C5NN8286D**  
A - 1.750" ID




BOBCAT

**Ref. 9**  
**A-C7NN8286A**  
A - 2.000" ID  
B - 2.375" ID



JCB

**Ref. 10**  
**A-D6NN8286C**  
A - 1.750" ID  
B - 2.000" ID



LANDINI

**Ref. 11**  
**A-9821599**  
A - 2.000" ID  
B - 2.060" ID



LEYLAND

LONG

McCORMICK

**Ref. 12**  
**A-9821598**  
A - 2.000" ID



OTHER

**Ref. 13**  
**A-D8NN8260CA**  
A - 1.750" ID



RENAULT

SAME

**Ref. 14**  
**A-D2NN8260C**  
A - 1.750" ID



VALTRA

**Ref. 15**  
**A-D6NN8286B**  
A - 1.750" ID



VERSATILE

YANMAR

**Ref. 16**  
**A-F0NN8286AB**  
A - 1.750" ID



ZETOR

SCHWARTZ  
SPEECO

**Ref. 17**  
**A-E8NN8286BA**  
A - 1.750" ID




**Ref. 18**  
**A-C9NN8260A**  
A - 1.750" ID




**Ref. 19**  
**A-D5NN8286F**  
A - 1.812" ID



**Ref. 20**  
**A-F0NN8260BB**  
A - 1.500" ID



**Ref. 21**  
**A-C0NN8286A**  
A - 1.875" ID



**Ref. 22**  
**A-D3NN8286E**  
A - 2.000" ID




**Ref. 23**  
**A-8N8286**  
A - 1.562" ID



**Ref. 24**  
**A-C5NN8260D**  
A - 1.500" ID



**Ref. 25**  
**A-F0NN8260CA**  
A - 1.500" ID



**Ref. 26**  
**A-D4NN8260A**  
A - 1.500" ID



**Ref. 27**  
**A-E6NN8260AA**  
A - 1.500" ID



**Ref. 28**  
**A-NAA8260B**  
A - 1.250" ID




**Ref. 29**  
**A-E6NN8260CA**  
A - 1.625" ID



**Ref. 30**  
**A-C9NN8286A**  
A - 2.000" ID



**Ref. 31**  
**A-E3NN8333AA**  
A - 1.750" ID



**Ref. 32**  
**A-D5NN8260D**  
A - 1.500" ID




**Ref. 33**  
**A-C5NN8260M**  
A - 1.500" ID




**Ref. 34**  
**A-C5NN8286B**  
A - 1.725" ID




**Ref. 35**  
**A-C5NN8286C**  
A - 1.645" ID  
B - 1.757" ID



**Ref. 36**  
**A-D8NN8B274AB**  
A - 1.750" ID



**Ref. 37**  
**A-D2NN8260B**  
A - 1.500" ID



**Ref. 38**  
**A-D8NN8286AA**  
A - 1.750" ID



**Ref. 39**  
**A-C5NN8260E**  
A - 1.500" ID



**Ref. 40**  
**A-D0NN8286A**  
A - 1.750" ID



**Ref. 41**  
**A-D5NN8260C**  
A - 1.500" ID




**Ref. 42**  
**A-D1NN8260B**  
A - 1.500" ID



**Ref. 43**  
**A-D8NN8260BB**  
A - 1.750" ID




**Ref. 44**  
**A-F0NN8260DA**  
A - 1.500" ID




**Ref. 45**  
**A-D6NN8260A**  
A - 1.500" ID



**Ref. 46**  
**A-E6NN8260BA**  
A - 1.500" ID




**Ref. 47**  
**A-E1ADKN8260**  
A - 1.750" ID



**Ref. 48**  
**A-E7NN8260AA**  
A - 1.750" ID




**Ref. 49**  
**A-E0NN8260AA**  
A - 1.750" ID




# Cooling Systems

## Radiator Hoses

**Ref. 50**  
**A-E7NN8286AA**  
 A - 1.970" ID




**Ref. 51**  
**A-E1ADDN8286**  
 A - 1.750" ID



**Ref. 52**  
**A-957E8286**  
 A - 1.280" ID  
 B - 1.40" ID




**Ref. 53**  
**A-957E8260B**



**Ref. 54**  
**A-957E8260A**  
 A - 1.625" ID




**Ref. 55**  
**A-SBA310160320**  
 A - 1.250" ID




**Ref. 56**  
**A-SBA310160460**  
 A - 1.250" ID




**Ref. 57**  
**A-SBA310160290**  
 A - 1.250" ID  
 B - 1.000" ID




**Ref. 58**  
**A-SBA310160050**  
 A - 1.250" ID




**Ref. 59**  
**A-SBA310160780**  
 A - 1.312" ID




**Ref. 60**  
**A-SBA310160760**  
 A - 1.250" ID  
 B - 1.000" ID




**Ref. 61**  
**A-SBA310160380**  
 A - 1.250" ID




**Ref. 62**  
**A-SBA310160170**  
 A - 1.250" ID



**Ref. 63**  
**A-SBA310160430**  
 A - 1.250" ID




**Ref. 64**  
**A-SBA310160730**  
 A - 1.000" ID




**Ref. 65**  
**A-SBA310160932**  
 A - 1.312" ID




**Ref. 66**  
**A-SBA310160750**  
 A - 1.250" ID



**Ref. 67**  
**A-SBA310160450**  
 A - 1.312" ID




**Ref. 68**  
**A-SBA310160840**  
 A - 1.250" ID



**Ref. 69**  
**A-86519847**  
 A - 1.312" I.D.




**Ref. 70**  
**A-SBA310161420**  
 A - 1.062" ID




**Ref. 71**  
**A-86549673**  
 A - 1.312" ID




**Ref. 72**  
**A-SBA310160300**  
 A - 1.250" ID  
 B - 1.062" ID



**Ref. 73**  
**A-SBA310160060**  
 A - 1.250" ID




**Ref. 74**  
**A-SBA310160770**  
 A - 1.250" ID  
 B - 1.00" ID




**Ref. 75**  
**A-SBA310160310**  
 A - 1.250" ID



**Ref. 76**  
**A-SBA310160150**  
 A - 1.312" ID




**Ref. 77**  
**A-SBA310160350**  
 A - 1.250" ID




**Ref. 78**  
**A-86549674**  
 A - 1.312" ID




**Ref. 79**  
**A-SBA310161630**  
 A - 1.312" ID




**Ref. 80**  
**A-SBA310160740**  
 A - 1.00" ID




**Ref. 81**  
**A-SBA310161091**  
 A - 1.250" ID




**Ref. 82**  
**A-SBA310160441**  
 A - 1.312" ID




**Ref. 83**  
**A-SBA310160850**  
 A - 1.250" ID  
 B - 1.532" ID




**Ref. 84**  
**A-86519855**  
 A - 1.312" ID




**Ref. 85**  
**A-86526943**  
 A - 1.312" ID




**Ref. 86**  
**A-SBA310161430**  
 A - 1.250" ID



**Ref. 87**  
**A-SBA310161031**  
 A - 1.312" ID



**Ref. 88**  
**A-SBA310160790**  
 A - 1.312" ID



AGCO  
 ALLIS  
 CHALMERS  
 DEUTZ  
 MASSEY  
 FERGUSON  
 WHITE/  
 OLIVER

CNH

CASE-IH

FORD / NEW  
 HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
 DEERE

KUBOTA

LANDINI

LEYLAND

LONG

MCCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ  
 SPEECO

# Cooling Systems

## RADIATOR HOSES

See hose drawings and dimensions on pages directly before applications.

AGCO ALLIS CHALMERS	Model/ Special Applications	Upper Rad. Hose	Ref. #	Lower Rad. Hose	Ref. #
DEUTZ	DEXTA	A-957E8260A	54		
MASSEY FERGUSON	DEXTA			A-957E8286	52
	NAA(JUBILEE)	A-NAA8260B	28	A-312588	3
WHITE/ OLIVER	SUPER DEXTA	A-957E8260B	53	A-957E8286	52
	TC18, TC21, TC21D <NF33357	A-SBA310161420	70	A-SBA310161430	86
	TC25, TC29	A-86519847	69	A-86519855	84
	TC25D, TC29D	A-86519847	69	A-86519855	84
	TC30	A-SBA310160932	65	A-SBA310161630	79
CNH	TC33, TC33D	A-86519847	69	A-86526943	85
CASE-IH	TC35, TC35D	A-86549673	71	A-86549674	78
	TC35A <Z7DB42492, TC35DA <Z7DB03770	A-86549673	71	A-86549674	78
FORD / NEW HOLLAND	TW10	A-D8NN8260BB	43	A-D8NN8B274AB	36
FIAT	TW15	A-E3NN8333AA	31		
	TW20	A-D8NN8260BB	43	A-D8NN8B274AB	36
	TW25	A-E3NN8333AA	31		
	TW30	A-D8NN8260BB	43	A-D8NN8B274AB	36
BELARUS	TW35	A-E3NN8333AA	31		
	TW5	A-E3NN8333AA	31		
BOBCAT	1100	A-SBA310160320	55		
JCB	1110 W/ MANUAL TRANSMISSION	A-SBA310160780	59	A-SBA310160790	88
JOHN DEERE	1110 W/ HYDROSTATIC TRANSMISSION	A-SBA310160760	60	A-SBA310160770	74
	1120	A-SBA310160730	64	A-SBA310160740	80
KUBOTA	1200	A-SBA310160460	56	A-SBA310160300	72
LANDINI	1210, 1215, 1220	A-SBA310160730	64	A-SBA310160740	80
LEYLAND	1300	A-SBA310160290	57	A-SBA310160300	72
	1310	A-SBA310160730	64	A-SBA310160740	80
LONG	1320	A-SBA310160932	65	A-SBA310161091	81
McCORMICK	1500	A-SBA310160380	61	A-SBA310160310	75
	1510	A-SBA310160750	66	A-SBA310160441	82
OTHER	1520	A-SBA310160932	65	A-SBA310161091	81
RENAULT	1530	A-86519847	69	A-86519855	84
SAME	1600	A-SBA310160050	58	A-SBA310160060	73
	1620	A-SBA310160932	65	A-SBA310161091	81
VALTRA	1630	A-86519847	69	A-86519855	84
VERSATILE	1700	A-SBA310160170	62	A-SBA310160150	76
YANMAR	1700	A-SBA310160170	62	A-SBA310160350	77
ZETOR	1710	A-SBA310160450	67	A-SBA310160441	82
	1715	A-SBA310160932	65	A-SBA310161091	81
	1720	A-SBA310160932	65	A-SBA310161031	87
SCHWARTZ SPEECO	1725	A-86519847	69	A-86519855	84



# Cooling Systems

## RADIATOR HOSES

See hose drawings and dimensions on pages directly before applications.

Model/ Special Applications	Upper Rad. Hose	Ref. #	Lower Rad. Hose	Ref. #
1900 SN U902326> 10/1979>	A-SBA310160430	63	A-SBA310160350	77
1900 1/1979 - 9/1979	A-SBA310160170	62	A-SBA310160150	76
1910	A-SBA310160840	68	A-SBA310160850	83
1925	A-86519847	69	A-86526943	85
2N	A-2N8260	6	A-312588	3
2000 4 Cyl.	A-NAA8260B	28	A-312588	3
2000 3 CYL. GAS	A-C5NN8260D	24	A-C5NN8286B	34
2000 3 CYL. DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
2600	A-D5NN8260D	32	A-C5NN8286B	34
2600 3 CYL. GAS	A-C5NN8260D	24	A-C5NN8286B	34
2610			A-C5NN8286B	34
2610 3 CYL. GAS	A-C5NN8260D	24		
2610 DIESEL	A-D5NN8260D	32		
3000 GAS	A-C5NN8260D	24	A-C5NN8286B	34
3000 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
3055 GAS	A-C5NN8260D	24	A-C5NN8286B	34
3055 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
3100 GAS	A-C5NN8260D	24	A-C5NN8286B	34
3100 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
3230 ALL PURPOSE 3 CYL. W/O SPIGOT	A-F0NN8260AA	4	A-C5NN8286B	34
335 GAS	A-C5NN8260D	24	A-C5NN8286C	35
335 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
340 GAS 3/79 - 9/81	A-C5NN8260D	24	A-C5NN8286B	34
340 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
3400 GAS	A-C5NN8260D	24	A-C5NN8286B	34
3400 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
3430 ALL PURPOSE 3 CYL. W/ SPIGOT	A-E9NN8260AA	5	A-C5NN8286B	34
3430 ALL PURPOSE 3 CYL. W/O SPIGOT	A-F0NN8260AA	4	A-C5NN8286B	34
3500 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
3500 GAS	A-C5NN8260D	24	A-C5NN8286B	34
3550 GAS	A-C5NN8260D	24	A-C5NN8286B	34
3550 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
3600 GAS	A-C5NN8260D	24	A-C5NN8286B	34
3610 GAS	A-C5NN8260D	24	A-C5NN8286B	34
3610 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
3930 ALL PURPOSE 3 CYL.	A-F0NN8260AA	4	A-C5NN8286B	34
4000 4 Cyl.	A-NAA8260B	28	A-312588	3
4000 3 Cyl. Gas	A-C5NN8260D	24	A-C5NN8286B	34
4000 3 Cyl. Diesel	A-D5NN8260D	32	A-C5NN8286B	34
4100 GAS	A-C5NN8260D	24	A-C5NN8286B	34

AGCO

ALLIS  
CHALMERS

DEUTZ

MASSEY  
FERGUSON

WHITE/  
OLIVER

CNH

CASE-IH

FORD / NEW  
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ  
SPEECO

# Cooling Systems

## RADIATOR HOSES

See hose drawings and dimensions on pages directly before applications.

AGCO ALLIS CHALMERS	Model/ Special Applications	Upper Rad. Hose	Ref. #	Lower Rad. Hose	Ref. #
DEUTZ	4100 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
MASSEY FERGUSON	4110 GAS	A-C5NN8260D	24	A-C5NN8286B	34
	4110 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
WHITE/ OLIVER	4130 4 Cyl. IND. 63/64	A-NAA8260B	28	A-312588	3
	4130 IND. 63/64			A-C5NN8286B	34
	4140 GAS	A-C5NN8260D	24	A-C5NN8286B	34
	4140 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
	420 GAS	A-C5NN8260D	24	A-C5NN8286B	34
CNH	420 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
CASE-IH	4200 DSL.	A-C5NN8260E	39	A-C5NN8286D	8
	4200 GAS	A-C5NN8260E	39	A-C5NN8286D	8
FORD / NEW HOLLAND	445			A-C5NN8286B	34
FIAT	445 GAS	A-C5NN8260D	24	A-C5NN8286C	35
	445 DIESEL	A-D5NN8260D	32	A-C5NN8286C	35
	445A DIESEL	A-D5NN8260D	32		
	450 GAS	A-C5NN8260D	24	A-C5NN8286C	35
	450 DIESEL	A-D5NN8260D	32	A-C5NN8286C	35
BELARUS	4600 GAS	A-C5NN8260D	24	A-C5NN8286B	34
BOBCAT	4600 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
JCB	4600 W/ Cab & AC	A-D6NN8260A	45	A-C5NN8286B	34
JOHN DEERE	4610	A-D6NN8260A	45		
	4610 GAS	A-C5NN8260D	24	A-C5NN8286B	34
KUBOTA	4610 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
LANDINI	4630 ALL PURPOSE 3 CYL. W/ SPIGOT	A-E9NN8260AA	5	A-C5NN8286B	34
	4630 ALL PURPOSE 3 CYL. W/O SPIGOT	A-F0NN8260AA	4	A-C5NN8286B	34
LEYLAND	4830	A-F0NN8260BB	20	A-C5NN8286B	34
LONG	5000	A-D5NN8260D	32	A-C5NN8286C	35
McCORMICK	5030	A-F0NN8260BB	20	A-C5NN8286B	34
	5100	A-D5NN8260D	32	A-C5NN8286C	35
OTHER	515 GAS UTIL TRACTOR	A-C5NN8260D	24	A-C5NN8286B	34
RENAULT	515 DIESEL UTIL TRACTOR	A-D5NN8260D	32	A-C5NN8286B	34
SAME	5200	A-C5NN8260M	33	A-D0NN8286A	40
	535 GAS	A-C5NN8260D	24	A-C5NN8286C	35
VALTRA	535 DIESEL	A-D5NN8260D	32	A-C5NN8286C	35
VERSATILE	540 DIESEL	A-D5NN8260D	32	A-C5NN8286B	34
	(540A, 540B ALL DIESEL)	A-D5NN8260D	32		
YANMAR	545 GAS	A-C5NN8260D	24	A-C5NN8286C	35
ZETOR	(545, 545A ALL DIESEL)	A-D5NN8260D	32		
	(550, 555 ALL DIESEL)	A-D5NN8260D	32		
SCHWARTZ SPEECO	550 GAS	A-D4NN8260A	26	A-D3NN8286G	2

# Cooling Systems

## RADIATOR HOSES

See hose drawings and dimensions on pages directly before applications.

Model/ Special Applications	Upper Rad. Hose	Ref. #	Lower Rad. Hose	Ref. #
(555, 555B ALL GAS)	A-D4NN8260A	26	A-D3NN8286G	2
555A GAS	A-D4NN8260A	26		
5600 GAS	A-C5NN8260D	24	A-C5NN8286C	35
5600 DIESEL W/ Trans. Oil Cooler	A-D5NN8260D	32	A-D5NN8286F	19
5610 < 7/31/07	A-D5NN8260D	32	A-D5NN8286F	19
5610 8/1/87 >	A-E6NN8260CA	29	A-D5NN8286F	19
5640	A-F0NN8260CA	25	A-F0NN8286AB	16
5700	A-D5NN8260C	41	A-D6NN8286B	15
5900 8/1/87 >	A-E6NN8260CA	29	A-C5NN8286C	35
5900 < 7/31/07	A-D5NN8260D	32	A-C5NN8286C	35
600 AP 55/57 134"	A-NAA8260B	28	A-312588	3
6000			A-C0NN8286A	21
650 DIESEL	A-D5NN8260D	32	A-D3NN8286G	2
6500	A-D5NN8260D	32	A-C5NN8286C	35
6500			A-D3NN8286G	2
655 IND. TRACTOR TLB	A-E6NN8260CA	29	A-D3NN8286G	2
655A 8/1/87 >	A-E6NN8260CA	29	A-D3NN8286G	2
655A < 7/31/07	A-D5NN8260D	32	A-D3NN8286G	2
655C < 8/93	A-E6NN8260CA	29		
6600	A-D5NN8260D	32		
6600 W/O OIL COOLER			A-C5NN8286C	35
6600 W/ Trans. Oil Cooler			A-D5NN8286F	19
6600C	A-C5NN8260M	33	A-D0NN8286A	40
6610 8/1/87 >	A-E6NN8260CA	29	A-D5NN8286F	19
6610 < 7/31/07	A-D5NN8260D	32	A-D5NN8286F	19
6640	A-F0NN8260CA	25	A-F0NN8286AB	16
6700	A-D5NN8260C	41	A-D6NN8286B	15
6700	A-D5NN8260D	32		
6710 4 CYL. W/AC	A-D4NN8260C	1	A-E8NN8286BA	17
6710 4 CYL. W/O AC	A-D5NN8260C	41	A-D6NN8286B	15
700	A-NAA8260B	28	A-312588	3
7000	A-D5NN8260D	32	A-C5NN8286C	35
7100	A-D5NN8260D	32	A-C5NN8286C	35
7200	A-C5NN8260M	33	A-D0NN8286A	40
750	A-D1NN8260B	42	A-D8NN8286AA	38
7500	A-D1NN8260B	42	A-D1NN8286B	7
755	A-D1NN8260B	42	A-D8NN8286AA	38
755A	A-D1NN8260B	42	A-D8NN8286AA	38
755B			A-D8NN8286AA	38
7600	A-D5NN8260D	32	A-C5NN8286C	35

AGCO

ALLIS  
CHALMERS

DEUTZ

MASSEY  
FERGUSON

WHITE/  
OLIVER

CNH

CASE-IH

FORD / NEW  
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ  
SPEECO

# Cooling Systems

## RADIATOR HOSES

See hose drawings and dimensions on pages directly before applications.

	Model/ Special Applications	Upper Rad. Hose	Ref. #	Lower Rad. Hose	Ref. #
AGCO					
ALLIS CHALMERS					
DEUTZ	7600C	A-C5NN8260M	33	A-D0NN8286A	40
MASSEY FERGUSON	7610 < 7/31/07	A-D5NN8260D	32	A-D5NN8286F	19
	7610 8/1/87 >	A-E6NN8260CA	29	A-D5NN8286F	19
WHITE/ OLIVER	7700 4 CYL. W/AC	A-D4NN8260C	1	A-E8NN8286BA	17
	7700 4 CYL. W/O AC	A-D5NN8260C	41	A-E8NN8286BA	17
	7710 4 CYL. W/AC 8/1/87 >	A-E6NN8260AA	27	A-E8NN8286BA	17
	7710 4 CYL. W/AC < 7/31/87	A-D4NN8260C	1	A-E8NN8286BA	17
	7710 4 CYL. W/O AC 8/1/87 >	A-E6NN8260BA	46	A-D6NN8286B	15
CNH	7710 4 CYL. W/O AC < 7/31/87	A-D5NN8260C	41	A-D6NN8286B	15
CASE-IH	7740	A-F0NN8260CA	25	A-F0NN8286AB	16
	7840	A-F0NN8260DA	44	A-F0NN8286AB	16
FORD / NEW HOLLAND	800	A-NAA8260B	28	A-312588	3
FIAT	8000 < 7/31/76	A-D2NN8260B	37	A-C7NN8286A	9
	8000 8/1/76 >	A-D8NN8260CA	13	A-D6NN8286C	10
	8240	A-F0NN8260DA	44	A-F0NN8286AB	16
	8340	A-F0NN8260DA	44	A-F0NN8286AB	16
	(8670, 8670A ALL ALL PURPOSE)	A-9821598	12	A-9821599	11
BELARUS	8700	A-D8NN8260CA	13	A-D6NN8286C	10
BOBCAT	(8770, 8770A ALL ALL PURPOSE)	A-9821598	12	A-9821599	11
JCB	(8870, 8870A ALL ALL PURPOSE)	A-9821598	12	A-9821599	11
JOHN DEERE	(8970, 8970A ALL ALL PURPOSE)	A-9821598	12	A-9821599	11
	8N	A-2N8260	6	A-8N8286	23
KUBOTA	8N < 263843			A-312588	3
LANDINI	900	A-NAA8260B	28	A-312588	3
	9000 < 9/30/72	A-C9NN8260A	18		
LEYLAND	9000 < 7/31/76			A-C9NN8286A	30
LONG	9000 10/1/72 thru 7/31/76	A-D2NN8260C	14		
McCORMICK	9000 8/1/76 >	A-D8NN8260CA	13	A-D6NN8286C	10
	9700	A-D8NN8260CA	13	A-D6NN8286C	10
OTHER	9N	A-2N8260	6	A-312588	3
RENAULT	A64			A-D3NN8286E	22
SAME	A66			A-D3NN8286E	22
VALTRA					
VERSATILE					
YANMAR					
ZETOR					
SCHWARTZ SPEECO					

# Cooling Systems

## BELTS: ALT, FAN, STEERING, WATER PUMP

Model/ Special Applications	Fan	Alt/Fan	Water Pump	AC Comp	PS Pump
(2N, 8N, 9N ALL SN <263843 W/ FRONT MOUNT DISTRIBUTOR)	A-86520008				
(2N, 9N ALL 39\47 W/ FRONT MOUNT DISTRIBUTOR)	A-86520008	A-86520008			
8N 48\49 SN 263844 W/ FRONT MOUNT DISTRIBUTOR	A-86520008	A-86520008			
8N 50/52 SN263843	A-86520007	A-86520007			
NAA(JUBILEE) 53/54	A-86520007	A-86520007			
NAA(JUBILEE) 4 Cyl. Gas - P.S.	A-75629	A-75629			
FMD 52/9-54	A-DKN8620B	A-DKN8620B			
FMD 9-54/64	A-DKN8620C	A-DKN8620C			
DEXTA 57/64	A-DKN8620C	A-DKN8620C			
ALL MODELS 3 & 4 cyl except 7000	A-86514618	A-86514618			
256V Compressor	A-75629				
276V Compressor	A-75629				
276II, 276V 1/1/88- 12/31/89	A-86514642				
(650, 750, 755 ALL 73/)	A-9604339	A-9604339			
ALL MODELS 3 & 4 cyl, 75/, w/o AC	A-9604339	A-9604339			
550 75/, w/o AC, 75/5-77 w/ AC	A-9604339	A-9604339			
ALL MODELS 3 & 4 cyl, 75/	A-443634	A-443634			
TK76, TK85, TK85M	A-98473705				
TL100, TL70, TL80, TL90	A-98473705				
(TL100, TL70, TL80, TL90 ALL W/ ALTERNATOR)	A-500369112				
(TM115, TM125, TM135, TM150, TM165 ALL W/O AC)	A-87840341			A-87800858	
TN55, TN55D, TN55S, TN65, TN65D, TN65F, TN65S, TN70, TN75, TN75F, TN90F	A-98473705				
TS90	A-82850751				
TS100	A-82850751				
TS110 W/O AC	A-82850750				
(TW5, TW15, TW25, TW35 ALL 83/)	A-D6NN8620B	A-D8NN10C318AA			
(TW10, TW20, TW30 ALL 79/82)	A-D6NN8620B	A-D8NN10C318AA			
(TW15, TW25, TW35, TW5 ALL 1/1/90- 2/2/90)	A-9625879				
(2810, 2910, 3910, 4110, 4610 ALL 81/2-90)	A-9604339				
ALL MODELS 3 cyl - 30 series 3-90/	A-9604339				
(5600, 6600, 7600 ALL 6-76 W/AC)		A-9637348			
(6700, 7700 ALL 6-76 W/AC)		A-9637348			
501 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
541 4 Cyl. Gas - Fan	A-75629	A-75629			
(550, 555, 555A ALL 75 W/O AC)		A-9604339			
(550, 555, 555A ALL 75 W/AC 72 AMP)	A-443634	A-443634			
(555C, 655C ALL 89/)	A-443634	A-443634			
600 4 Cyl. Gas - Fan	A-75629	A-75629			
601 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		

\* Set of belts. # Not available.

AGCO  
ALLIS  
CHALMERS  
DEUTZ  
MASSEY  
FERGUSON  
WHITE/  
OLIVER

CNH

CASE-IH

FORD / NEW  
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ  
SPEECO

# Cooling Systems

## BELTS: ALT, FAN, STEERING, WATER PUMP

	Model/ Special Applications	Fan	Alt/Fan	Water Pump	AC Comp	PS Pump
AGCO	611 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
ALLIS CHALMERS	620 4 Cyl. Gas - Fan	A-75629	A-75629			
DEUTZ	621 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
MASSEY FERGUSON	630 4 Cyl. Gas - Fan	A-75629	A-75629			
WHITE/ OLIVER	631 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
	640 4 Cyl. Gas - Fan	A-75629	A-75629			
	641 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
	650 4 Cyl. Gas - Fan	A-75629	A-75629			
	651 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
CNH	660 4 Cyl. Gas - Fan	A-75629	A-75629			
	661 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
CASE-IH	671 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
FORD / NEW HOLLAND	681 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
	700 4 Cyl. Gas - Fan	A-75629	A-75629			
FIAT	701 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
	740 4 Cyl. Gas - Fan	A-75629	A-75629			
	741 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
	771 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
BELARUS	800 4 Cyl. Gas - Fan	A-75629	A-75629			
BOBCAT	801 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
JCB	811 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
	820 4 Cyl. Gas - Fan	A-75629	A-75629			
JOHN DEERE	821 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
KUBOTA	840 4 Cyl. Gas - Fan	A-75629	A-75629			
	841 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
LANDINI	850 4 Cyl. Gas - Fan	A-75629	A-75629			
LEYLAND	851 4 Cyl. Gas - Fan	A-75629	A-75629			
LONG	860 4 Cyl. Gas - Fan	A-75629	A-75629			
McCORMICK	861 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
	871 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
OTHER	881 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
RENAULT	900 4 Cyl. Gas - Fan	A-75629	A-75629			
	901 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
SAME	941 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
VALTRA	950 4 Cyl. Gas - Fan	A-75629	A-75629			
VERSATILE	951 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
	960 4 Cyl. Gas - Fan	A-75629	A-75629			
YANMAR	961 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
ZETOR	971 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
	981 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629		
SCHWARTZ SPEECO	(345C, 445C, 545C, 455C ALL 89/) * Set of belts. # Not available	A-9604339	A-9604339			

# Cooling Systems

## BELTS: ALT, FAN, STEERING, WATER PUMP

Model/ Special Applications	Fan	Alt/Fan	Water Pump	AC Comp	PS Pump	
ALL MODELS 3230 thru 4830 3-90/ (1000, 1600 ALL 73/10-74)	A-9604339	A-9604339				AGCO
(1000, 1600 ALL 11-74/79)	A-86514600 *	A-86514600 *				ALLIS CHALMERS
(1100, 1200, 1300 ALL 79/82)	A-86514598	A-86514598				DEUTZ
(1500, 1700, 1900 ALL 79/82)	A-SBA080109052	A-SBA080109052				MASSEY FERGUSON
1110 83/87	A-86514598	A-86514598				WHITE/ OLIVER
(1210, 1310 ALL 83/87)	A-SBA080109052	A-SBA080109052				
(1510, 1710 ALL 83/87)	A-SBA080109050	A-SBA080109050				
1801 4 Cyl. Gas - Fan	A-SBA080109055	A-SBA080109055				
1811 4 Cyl. Gas - Fan	A-75629					CNH
1821 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			CASE-IH
1841 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			FORD / NEW HOLLAND
1871 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			FIAT
1881 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			
2000 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			
2030 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			
2031 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			
	A-75629	A-75629	A-75629			
2111 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			BELARUS
1910 83/87	A-86514598	A-86514598				BOBCAT
(1120, 1215, 1220 ALL 87/)	A-SBA080109050	A-SBA080109050				JCB
(1320, 1520, 1715, 1720, 1920, 3415 ALL 87/)	A-86517954	A-86517954				JOHN DEERE
	A-75629	A-75629	A-75629			KUBOTA
2120 87/4-88	A-SBA080109063	A-SBA080109063				LANDINI
2120 5-88/	A-133929	A-133929				LEYLAND
2130 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			LONG
2131 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			McCORMICK
4000 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			OTHER
4030 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			RENAULT
4031 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			SAME
4040 4 Cyl. Gas - Fan	A-75629					VALTRA
4110 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			VERSATILE
4120 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			YANMAR
4121 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			ZETOR
4130 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			
4131 4 Cyl. Gas - Fan	A-75629	A-75629	A-75629			
4140 4 Cyl. Gas - Fan	A-75629					
(LGT14, 16D ALL 87/91)	A-SBA080109048	A-SBA080109048				
(GM222, 224 ALL 10-89/)	A-SBA080109049	A-SBA080109049				
4230	A-9966451					SCHWARTZ
4430	A-9966451					SPEECO

\*Set of belts. # Not available.

# Cooling Systems


## BELTS: ALT, FAN, STEERING, WATER PUMP

	Model/ Special Applications	Fan	Alt/Fan	Water Pump	AC Comp	PS Pump
AGCO	4835	A-98473705				
ALLIS CHALMERS	CM272 5-90/	A-86517953	A-86517953			
DEUTZ	5500 67/73	A-C9NN10C318B	A-C9NN10C318B			
MASSEY FERGUSON	(5610, 6610, 6710 ALL 1/1/81- 3/31/84), 7610 1/1/81- 3-31- 84, 7710 1/1/81- 3/31/84, (7910, 8210 ALL 1/1/82- 3/31/84), (9700, TW10 ALL 8/1/76>), TW15 1/1/82- 3/31/84, TW20 8/1/76>, TW25 1/1/82- 3/31/84, TW30 8/1/76>, (TW35, TW5 ALL 1/1/82- 3/31/84)		A-C9NN10C318B			
WHITE/ OLIVER	5550 67/73	A-C7NN8620A				
	(5610, 6610, 6710, 7610, 7710 ALL 4/1/84>), 7810 2/1/88>, (7910, 8210, TW15, TW25, TW35, TW5 ALL 4/1/84- 12/31/89)				A-9636395	
CNH	5635, 6635, 7635	A-98473705				
CASE-IH	5640 Less Air	A-86514606				
FORD / NEW HOLLAND	(5640, 6640, 66400, 7740, 77400, 7840, 78400, 8240, 8340, TS100, TS110, TS115, TS90 ALL W/ AC)	A-86518908				
FIAT	(6640, 66400 ALL Less Air)	A-86514606				
	7000 71/75	A-9604339	A-9604339			
	7740, 77400	A-86514606				
	8000 60/1-73 (alt belt = 68/7-76)	A-C7NN8620A	A-9604339			
	8000 2-73/7-76	A-D2NN8620A	A-D2NN8620A			
BELARUS	8000 1/68 - 1/73	A-86518907 *				
BOBCAT	8160	A-87840341				
JCB	8160, 8260, 8360, 8560, TV140, TV145				A-87800858	
JOHN DEERE	8200 1/68 - 9/72	A-86518907 *				
	8260	A-87840341				
KUBOTA	8360	A-87840341				
LANDINI	8400 1/71 - 9/72	A-86518907 *				
	8560	A-87840341				
LEYLAND	8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A				A-86013678	
LONG	8700 8/1/76- 12/31/78		A-9604339			
McCORMICK	(8700, 9700 ALL 8-76/78)	A-D6NN8620B	A-D6NN8620B			
	9000 60/1-73 (alt belt = 68/7-76)	A-C7NN8620A	A-9604339			
OTHER	9000 2-73/7-76	A-D2NN8620A	A-86514618			
RENAULT	9000 1/69 - 1/73, 9200 1/69 - 9/72	A-86518907 *				
SAME	9030E, 9030V	A-86514642				
	T9030, T9040, T9050, TJ380, TJ430	A-87282333				
VALTRA	9600 10/72 - 1/73	A-86518907 *				
VERSATILE						
YANMAR						
ZETOR						
SCHWARTZ SPEECO						


\* Set of belts. # Not available




# Cooling Systems



<b>A-ADR5008</b>	<b>Pulley, 1V-Groove</b>	A: .710" B: 2.600" C: .670" D: N/A E: For 10mm Belts
<b>A-AFD5020</b>	<b>Pulley, 1V-Groove</b>	A: .780" B: 2.485" C: .670" D: N/A E: For 7/16" Belts
<b>A-ADR5019</b>	<b>Pulley, 1V-Groove</b>	A: .875" B: 2.625" C: .670" D: N/A E: For 10mm Belts
<b>A-ADR5021</b>	<b>Pulley, 1V-Groove</b>	A: .920" B: 3.200" C: .670" D: N/A E: For 13mm Belts
<b>A-AFD5008</b>	<b>Pulley, 1V-Groove</b>	A: .930" B: 3.375" C: .670" D: N/A E: For 13mm Belts
<b>A-ADR5052</b>	<b>Pulley, 1V-Groove</b>	A: .940" B: 2.625" C: .670" D: .156" E: For 13mm Belts
<b>A-GFD5000</b>	<b>Pulley, 1V-Groove w/ Key Way</b>	A: .950" B: 3.735" C: .670" D: N/A E: For 16mm Belts
<b>A-APL5000</b>	<b>Pulley, 1V-Groove</b>	A: 1.000" B: 3.100" C: .670" D: N/A E: For 16mm Belts
<b>A-GDR5002</b>	<b>Pulley, 1V-Groove</b>	A: 1.040" B: 2.480" C: .670" D: N/A E: For 16-19mm Belts
<b>A-GFD5003</b>	<b>Pulley, 1V-Groove W/ Key Way</b>	A: 1.160" B: 3.680" C: .670" D: .156" E: For 16mm Belts
<b>A-GLU5000</b>	<b>Pulley, 1V-Groove w/ Key Way</b>	A: 1.180" B: 3.470" C: .592" D: .125" E: For 13mm Belts
<b>A-GDR5001</b>	<b>Pulley, 1V-Groove</b>	A: 1.250" B: 3.230" C: .670" D: .156" E: For 13mm Belts
<b>A-ADR5042</b>	<b>Pulley, 1V-Groove</b>	A: 1.320" B: 3.550" C: .875" D: N/A E: For 13mm Belts
<b>A-ADR5022</b>	<b>Pulley, 1V-Groove</b>	A: 1.480" B: 4.220" C: .670" D: N/A E: For 16mm Belts



<b>A-ADR5047</b>	<b>Pulley, 2V-Groove</b>	A: 1.500" B: 2.590" C: .670" D: N/A E: For 10mm Belts
<b>A-ADR5003</b>	<b>Pulley, 2V-Groove</b>	A: 1.500" B: 2.600" C: .670" D: N/A E: For 10mm Belts
<b>A-AFD5011</b>	<b>Pulley, 2V-Groove</b>	A: 1.500" B: 3.060" C: .875" D: N/A E: For 10mm Belts
<b>A-AFD5022</b>	<b>Pulley, 2V-Groove</b>	A: 1.530" B: 2.970" C: .670" D: N/A E: For 13mm Belts
<b>A-ADR5000</b>	<b>Pulley, 2V-Groove</b>	A: 1.570" B: 3.125" C: .875" D: .156" E: For 13mm Belts
<b>A-ADR5041</b>	<b>Pulley, 2V-Groove</b>	A: 1.570" B: 3.500" C: .875" D: N/A E: For 13mm Belts
<b>A-ALN5000</b>	<b>Pulley, 2V-Groove</b>	A: 1.600" B: 4.270" C: .875" D: .156" E: For 13mm Belts
<b>A-AFD5006</b>	<b>Pulley, 2V-Groove</b>	A: 1.625" B: 3.220" C: .670" D: N/A E: For 13mm Belts
<b>A-AFD5010</b>	<b>Pulley, 2V-Groove</b>	A: 1.625" B: 3.312" C: .875" D: N/A E: For 13mm Belts
<b>A-AFD5012</b>	<b>Pulley, 2V-Groove</b>	A: 1.625" B: 3.360" C: .670" D: N/A E: For 10/13mm Belts
<b>A-ADR5043</b>	<b>Pulley, 2V-Groove</b>	A: 1.730" B: 3.350" C: .875" D: N/A E: For 13mm Belts
<b>A-APL5003</b>	<b>Pulley, 2V-Groove</b>	A: 1.812" B: 3.625" C: .875" D: .156" E: For 16mm Belts
<b>A-ADR5054</b>	<b>Pulley, 2V-Groove</b>	A: 1.875" B: 3.125" C: .670" D: .156" E: For 16mm Belts
<b>A-ADR5016</b>	<b>Pulley, 2V-Groove</b>	A: 1.970" B: 3.00" C: .875" D: .156" E: For 13mm Belts
<b>A-ADR5020</b>	<b>Pulley, 2V-Groove</b>	A: 2.000" B: 2.820" C: .670" D: N/A E: For 13mm Belt
<b>A-ADR5023</b>	<b>Pulley, 2V-Groove</b>	A: 2.350" B: 4.400" C: .670" D: N/A E: For 16mm Belts



<b>A-APL5002</b>	<b>Pulley, 2V-Groove</b>	A: 3.280" B: 3.650" C: .875" D: .156" E: For 16mm Belts
<b>A-APL5001</b>	<b>Pulley, 2V-Groove</b>	A: 3.640" B: 3.470" C: .875" D: .156" E: For 22mm Belts

AGCO  
ALLIS  
CHALMERS  
DEUTZ  
MASSEY  
FERGUSON  
WHITE/  
OLIVER

CNH

CASE-IH

FORD / NEW  
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE


YANMAR

ZETOR


SCHWARTZ  
SPEECO

\*\*\* Truck icon indicates the item is shipped via truck freight.\*\*\*


# Cooling Systems



**A-ADR5006** Pulley, 2V-Groove  
 A: 2.330" B: 3.470" C: .875" D: .156" E: For 13mm Belts



**A-ADR5018** Pulley, 3V-Groove  
 A: 2.200" B: 3.470" C: .875" D: .156" E: For 13mm Belts



**A-AFD5004** Pulley, 6 Groove  
 A: 1.250" B: 2.100" C: .670" D: .900" E: For 21mm Belt

**A-ADR5011** Pulley, 6 Groove  
 A: 1.250" B: 2.340" C: .670" D: .900" E: For 21mm Belts

**A-AFD5015** Pulley, 6 Groove  
 A: 1.290" B: 2.312" C: .670" D: .900" E: For 21mm Belts

**A-ADR5007** Pulley, 6 Groove  
 A: 1.290" B: 2.562" C: .670" D: .875" E: For 21mm Belts

**A-AFD5032** Pulley, 6 Groove  
 A: 1.312" B: 2.090" C: .670" D: .900" E: For 21mm Belt

**A-AFD5016** Pulley, 6 Groove  
 A: 1.312" B: 2.625" C: .670" D: .875" E: For 21mm Belts

**A-ADR5036** Pulley, 7 Groove  
 A: 1.400" B: 2.350" C: .875" D: 1.040" E: For 25mm Belt

**A-AFD5029** Pulley, 8 Groove  
 A: 1.500" B: 2.650" C: .670" D: 1.140" E: For 28mm Belts

**A-ADR5055** Pulley, 8 Groove  
 A: 1.530" B: 2.580" C: .875" D: 1.140" E: For 28mm Belts

**A-AFD5025** Pulley, 8 Groove  
 A: 1.550" B: 2.470" C: .670" D: 1.140" E: For 28mm Belts

**A-AFD5030** Pulley, 8 Groove  
 A: 1.625" B: 2.900" C: .670" D: 1.140" E: For 28mm Belts

**A-ADR5039** Pulley, 8 Groove  
 A: 1.625" B: 2.960" C: .875" D: 1.200" E: For 28mm Belts

**A-AFD5019** Pulley, 8 Groove  
 A: 1.730" B: 2.860" C: .670" D: 1.140" E: For 28mm Belts

**A-ADR5050** Pulley, 8 Groove  
 A: 1.812" B: 2.500" C: .750" Tapered D: 1.140" E: For 28mm Belts

**A-ADR5038** Pulley, Dual 4 Groove  
 A: 1.250" B: 2.100" C: .670" D: .900" E: For 21mm Belts

\*\*\* Truck icon indicates the item is shipped via truck freight. \*\*\*