


Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-828597M2 D-Head Clutch Pin 0.07 Lbs.
10/Pack



Dim/Info:
sold in multiples of 3

AGCO


ALLIS
CHALMERS

DEUTZ

For Models: (35, 35X ALL FE)

MASSEY
FERGUSON

A-1754344M1 Transmission Clutch Plate 0.21 Lbs.



For Models: 303 INDUSTRIAL W/ SHUTTLE TRANSMISSION - 6 USED, (204, 205 ALL W/ HYDRAULIC SHUTTLE TRANSMISSION - 12 USED), (30, 40 ALL W/ INSTANT REVERSE TRANSMISSION - 12 USED), (200 SERIES, 302, 304, 50 ALL HYDRAULIC SHUTTLE), (2500, 30B, 30D, 30E, 40B, 4500, 50A, 50C, 50D, 50E, 60, 6500 ALL INSTANT REVERSE)

CNH

A-1754345M2* Plate, Clutch; Internal Spline 0.12 Lbs.
Replaces: 1754345M1



CASE-IH

FORD / NEW
HOLLAND

FIAT

For Models: (TRACTOR: 30 Instant Reverse Transmission, 303 Shuttle Transmission), (INDUSTRIAL/CONSTRUCTION: (50, 204, 205, 2200 ALL Hydraulic Shuttle Transmission), (30B, 40, 40B, 50A, 50D ALL Instant Reverse Transmission)), (FORKLIFT: 2500 Hydraulic Shuttle Transmission, (4500, 6500 ALL Instant Reverse Transmission))

BELARUS

A-2757328M1 Friction Disc, Internal Spline 0.12 Lbs.
Replaces: 1754345M2, 1804831M1



BOBCAT


JCB

JOHN
DEERE

For Models: 200 SERIES SERIES, 2200, 30, 302, 304, 30B, 30D, 30E, 40, 40B, 50, 50A, 50C, 50D, 50E, 50F, 303 WORK BULL, (2500, 4500, 6500 ALL FORKLIFT)

KUBOTA

A-886727M4 Clutch Bearing Carrier, Multipower 1.00 Lbs.
Replaces: 886727M2, 519232M1



LANDINI

LEYLAND

LONG

Dim/Info:
New Style - Use w/
1860889M1 Retainer, w/
Needle Bearing

McCORMICK

For Models: F40, FE135, FE135 COVENTRY, FE35, TO35, 35, 50, 65, 135, 150, 165, 175, 178, 180, 230, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 350, 355, 360, 362, 365, 375, 383, 390, 393, 398, 399, 565, 575, 590, 670, 675, 690, 698, 699, 765, 4243, 4245, 4253, 4255, 4260, 4265, 4270, 20, 202, 203, 204, 205, 20C, 20D, 20F, 2135, 2200, 30, 30B, 30D, 30E, 30H, 31, 3165, 40, 40B, 40E, 50E, 50F, 50H, 90T, 550

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

A-183129M2 Clutch Release Bearing Carrier 1.25 Lbs.




Dim/Info:
Old Style For Retainer w/
Bronze Bushing

For Models: FE135, FE35, TO35, 130, 135, 148, 150, 165, 168, 175, 178, 180, 185, 188, 20, 202, 203, 205, 2135, 2200, 240, 25, 2500, 30, 302, 304, 31, 3165, 35, 40, 50, 65, 765

SCHWARTZ
SPEECO

A-533601M94 Bracket, Clutch 2.18 Lbs.



For Models: 20C, 245, 255, 265, 275, 285, 30B, 30D, 40B, 50C, 50D, 40 SN
9A203042>

A-180444M2 Shaft, Clutch Release 1.18 Lbs.
Replaces: 1679460M1



Dim/Info:
1" Dia.
5.531" Long

For Models: FE35, TO35, 20, 35, 50, 65, 135, 150, 165, 175, 180, 205-4, 230, 231, 235, 240, 245, 250, 253, 255, 261, 263, 265, 270, 271, 275, 281, 282, 283, 285, 290, 298, 1080, 1085, 20C, 20D, 20E, 20F, 30B, 30D, 30E, 30H, 40B, 40E, 50, 50A, 50C, 50D, 50E, 50F, 50H, 50H SERIES S, 50H SERIES T, 50HX, 50HX SERIES S, 50HX SERIES T, 60H, 60H SERIES S, 60H SERIES T, 200 SERIES, 205, 302, 304, 2135, 2200, 2500, 4500, 6500

A-180449M1 Shaft, Clutch Release 0.80 Lbs.



For Models: FE35, TO35, 35, 50, 65, 135, 150, 165, 175, 180, 205-4, 230, 231, 235, 240, 245, 250, 253, 255, 261, 263, 265, 270, 271, 275, 281, 282, 283, 285, 290, 298, 20, 20C, 20D, 20E, 20F, 30, 30B, 30D, 30E, 30H, 31, 40, 40B, 40E, 50, 50A, 50C, 50D, 50E, 50F, 50H, 50HX, 60H, 200 SERIES, 205, 302, 304, 2135, 2200, 3165, 220, 320

A-184592M1 Clutch Pedal Bushing 0.03 Lbs.
2 required per pedal.



Dim/Info:
1" X 1 1/16" X 3/4"


For Models: 20, 35, 50, 65, TO20, TO30, TO35, TE20, TEA20, FE35, FE135, 135, 150, 165, 175, 180, 205-4, 230, 231, 235, 240, 245, 250, 253, 255, 261, 263, 265, 270, 271, 275, 281, 282, 283, 285, 290, 298, 360, 362, 375, 390, 20C, 20D, 20E, 20F, 30, 30B, 30D, 30E, 30H, 31, 40, 40B, 40E, 50, 50A, 50C, 50D, 50E, 50F, 50H, 50HX, 60H, 200 SERIES, 202, 205, 2135, 2200, 3165, 2200, 2500, 6500, 220, 320

A-186519M1 Spring, Clutch 0.02 Lbs.




For Models: (135, 148, 165, 168, 175, 178, 185, 188, 240, 250, 265, 275, 290, 35, 375, 390, 398, 550, 565, 575, 590, 595, 65, 675, 690, 698 ALL W/ MULTIP-OWER TRANSMISSION)

A-1867690M2* Spring, Clutch Bearing Release 10.00 Lbs.
Replaces: 180451M1



For Models:

A-3612413M1 Clutch Pedal Lever 1.06 Lbs.



For Models: 240, 253, 263

A-510557M92 Clutch Pedal 3.00 Lbs.



For Models: 150 SN 642001771-9A44505, 165 SN 643002327>, 175 SN 644000350-9A44505, 30, 31, 3165 SN 647000293>

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1632923M91 Clutch Pin 0.17 Lbs.
Replaces: 891826M1



For Models: 135, 135 S/N <439191>, 148, 148 S/N <605135>, 155, 158, 168, 178 S/N <729574, 178 S/N <729575>, 185, 188, 20, 20D, 20E, 20F, 230 S/N <B33999, 231, 240, 240P, 250, 251, 253, 261, 263, 265, 270, 271, 275, 281, 282, 283, 290, 298, 30E, 30H, 340, 35, 35 TURF, 35 UTILITY, 350, 355, 360, 365, 375, 390, 390T, 398, 399, 399 W/ A6-354.4 ENG, 40E, 50, 50E, 50F, 50H, 50HX, 550, 565, 575, 590, 595 S/N Z214005, 60H, 65, 670, 675, 690, 698, 698T, 699, 765, FE35 S/N 80004>

A-3813544M92 Cable, Clutch 0.00 Lbs.
Dim/Info: 28" Long



For Models: 4215, 4220, 4225, 4235, 4240, 4315, 4320, 4325, 4335

A-3813541M92 Cable, Clutch 0.00 Lbs.
Dim/Info: 35" Long



For Models: 4225, 4235, 4240, 4245, 4255, 4260, 4270, 4325, 4335, 4345, 4355, 4360, 4370

A-3813542M92 Cable, Clutch 0.00 Lbs.
Dim/Info: 32.125" Long



For Models: 4225, 4235, 4240, 4245, 4255, 4325, 4335, 4345, 4355

A-3813543M92 Cable, Clutch 0.00 Lbs.
Dim/Info: 27.50" Long



For Models: 4225, 4235, 4240, 4245, 4255, 4325, 4335, 4345, 4355

A-530718M92 Pump, Transmission Oil 8.45 Lbs.
 w/ instant reverse trans
Replaces: 1034964M91, 530718M91, 1034964M92, VPH1009




For Models: 204, 205, 30, 304, 30B, 30D, 30E, 40, 40B, 50, 50A, 50C, 50D, 50E, 50F, 60

A-906469M1 Gear, Transmission 6.44 Lbs.
Dim/Info: 45 Teeth
 20 Spline




For Models: 175, 270, 275, 240 CONSTANT MESH RATIO 1.88, 290 HI-CLEAR-ANCE, (165, 255, 265 ALL RC), 282 SN <3K-D25608H, 20C TURF

A-906468M1 Gear, Transmission 8.00 Lbs.
Dim/Info: 50 Teeth
 20 Spline



For Models: 231 SN <E12094 W/ 8 SP TRANS, 20 TURF W/ DUAL CLUTCH / 8 SP TRANS, (135, 150, 20C, 20D, 235, 240, 240P, 245, 250 ALL W/ 8 SP TRANS)

A-1686458M1 Transmission Gear, 1st (Splined) 1.28 Lbs.
Dim/Info: 38 O.D. Teeth
 44 I.D. Teeth




For Models: (670, 690 ALL SN L131041> W/ 12 SPEED SYNCROMESH TRANSMISSION), (290 UK, 375, 390, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 699 ALL W/ 12 SPEED SYNCROMESH TRANSMISSION)

A-1686467M91 Transmission Gear, 1st 10.60 Lbs.
Dim/Info: 42 Teeth




For Models: (670, 690 ALL SN L131041>), (290 UK, 360, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 699 ALL W/ 12 SPEED SYNCROMESH TRANSMISSION)

A-1686488M1 Gear, 1st (8 Speed Transmission) 9.56 Lbs.
Replaces: 520700M1, 183042M1
Dim/Info: 44 Teeth, 18 Spline



For Models: FE35, 1080, 1085, 135, 150, 165, 175, 180, 20, 20C, 20D, 203, 2135, 2200, 230, 235, 240, 245, 250, 253, 255, 265, 270, 275, 283, 285, 290, 298, 30, 30B, 30D, 31, 3165, 360, 362, 375, 383, 390, 390T, 40, 40B, 50, 50C, 50D, 50E, 65, (20F, 40E, 50H ALL ALL UK TRACTORS), 35 GAS / P, DSL, 282 MEX

A-1682692M1 Transmission Gear, 2nd 6.38 Lbs.
Dim/Info: 46 O.D. Teeth
 18 Spline




For Models: 65

A-1686028M91 Transmission Gear, 2nd 3.28 Lbs.
Dim/Info: 36 O.D. Teeth
 44 Small Teeth



For Models: (290 UK, 360, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 670, 690, 698, 699 ALL W/ 12 SPEED SYNCROMESH TRANSMISSION)

A-180419M1 Gear, 2nd (8 Speed Transmission) 1.79 Lbs.
Dim/Info: 23 Teeth




For Models: F40, FE135, FE35, T035, 1080, 1085, 11, 135, 148, 150, 155, 158, 165, 168, 175, 178, 185, 188, 20, 202, 204, 205, 20C, 20D, 20F, 2135, 2200, 230, 231, 235, 240, 240P, 245, 250, 253, 255, 262, 265, 270, 275, 282, 283, 285, 290, 298, 30, 304, 31, 3165, 35, 360, 375, 383, 390, 390T, 40, 40B, 40E, 50, 50C, 50D, 50E, 550, 565, 575, 590, 65, 765

- AGCO
- ALLIS CHALMERS
- DEUTZ
- MASSEY FERGUSON
- WHITE/ OLIVER
- CNH
- CASE-IH
- FORD / NEW HOLLAND
- FIAT
- BELARUS
- BOBCAT
- JCB
- JOHN DEERE
- KUBOTA
- LANDINI
- LEYLAND
- LONG
- MCCORMICK
- OTHER
- RENAULT
- SAME
- VALTRA
- VERSATILE
- YANMAR
- ZETOR
- SCHWARTZ
- SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

Transmission & Rear Axle

A-1682691M1 Gear, 2nd & 4th (8 Speed Transmission) 8.70 Lbs.
Replaces: 880957M1



Dim/Info:
36 & 46 Teeth
18 Spline

For Models: FE35, FE135 COVENTRY, 35, 50, 65 ALL W/MULTI POWER, 135, 148, 150, 155, 165, 168, 175, 178, 180, 185, 188, 230, 235, 240, 245, 250, 255, 265, 275, 283, 285, 290, 565, 575, 590, 765 ALL W/MULTI POWER, 1080, 1085, (INDUSTRIAL/CONSTRUCTION: 11, 20, 20C, 30, 31, 40, 40B, 50C, 50D, 158, 202, 203, 204, 205, 2135 TURF UTIL NARROW, 3165), (FORKLIFT: 2500), (COMBINE: 550)

A-1688127M1 Transmission Pinion Gear (Reverse) 1.98 Lbs.



Dim/Info:
21 & 14 TEETH

For Models: 290 UK, 360, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 699, SN L311009>, (670, 690 ALL SN L311051>)


A-1867254M1 Transmission Countershaft Gear, 2nd 1.66 Lbs.



Dim/Info:
23 Teeth
20 Spline

For Models: 50E POWER SHUTTLE W/ 8 SPEED SYNCROMESH TRANSMISSION, (20E, 20F, 240, 360, 362, 365, 375, 390, 40E ALL W/ 8 SPEED SYNCROMESH TRANSMISSION)


A-1687430M1 Transmission Countershaft Gear, 2nd 1.76 Lbs.



Dim/Info:
20 Teeth
17 Spline

For Models: (670, 690 ALL SN L311051> W/ 12 SPEED SYNCROMESH TRANSMISSION), (290 UK, 360, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 699 ALL W/ 12 SPEED SYNCROMESH TRANSMISSION)


A-1686030M91 Transmission Gear, 3rd 4.68 Lbs.



Dim/Info:
41 O.D. Teeth
44 Small Teeth

For Models: (20F, 240, 360, 362, 365, 375, 390, 40E, 50E ALL W/ 8 SPEED SYNCROMESH TRANSMISSIONS)


A-1687429M91 Transmission Gear, 3rd 5.77 Lbs.



Dim/Info:
40 O.D. Teeth
44 Small Teeth

For Models: (670, 690 ALL SN L131041> W/ 12 SPEED SYNCROMESH TRANSMISSION), (290 UK, 360, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 699 ALL W/ 12 SPEED SYNCROMESH TRANSMISSION)

A-1867252M2 Transmission Countershaft Gear, 3rd 3.07 Lbs.



Dim/Info:
28 O.D. Teeth
17 Spline

For Models: 50E POWER SHUTTLE, (20E, 20F, 240, 360, 362, 365, 375, 390, 40E ALL W/ 8 SPEED SYNCROMESH TRANSMISSION)

A-180415M1 Gear, 3rd Speed (8 Speed Transmission) 2.62 Lbs.



Dim/Info:
33 Teeth
17 Spline
5.075" Dia.

For Models: FE35, T035, 1080, 1085, 11, 135, 148, 150, 155, 158, 165, 168, 175, 178, 180, 185, 188, 20, 20C, 20D, 20E, 202, 203, 204, 205, 2200, 230, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 270, 275, 283, 285, 290, 298, 30, 304, 31, 3165, 35, 360, 362, 375, 383, 390, 390T, 40, 40B, 40E, 50, 50C, 50D, 50E, 50H, 550, 565, 575, 590, 65, 765, FE135 COVENTRY, 2135 TURF UTIL NARROW

A-1682690M1 Gear, 3rd Mainshaft (8 Speed Transmission) 5.26 Lbs.



Replaces: 1660094M1
Dim/Info:
41 Teeth
18 Spline

For Models: 135, 148, 150, 155, 158, 165, 168, 175, 180, 185, 188, 20, 240, 240P, 265, 275, 282, 30, 31, 375, 383, 390, 50H, 550, 565, 575

A-1683360M1 Transmission Gear, 4th 3.66 Lbs.



Replaces: 1660095M1
Dim/Info:
32 O.D. Teeth
18 Spline

For Models: 1085, 135, 150, 165, 235, 240, 245, 255, 265, 275, 285, 390T


A-1686027M91 Transmission Gear, 4th 2.50 Lbs.
Used on models w/ 8 speed syncromesh transmissions.



Dim/Info:
44 / 33 Teeth

For Models: 50E POWER SHUTTLE W/ 8 SPEED SYNCROMESH TRANSMISSION, (20F, 240, 360, 362, 365, 375, 390, 40E ALL W/ 8 SPEED SYNCROMESH TRANSMISSION)

A-1867253M2 Transmission Countershaft Gear, 4th 4.12 Lbs.



Dim/Info:
33 O.D. Teeth
17 Spline

For Models: 50E POWER SHUTTLE, (20E, 20F, 240, 360, 362, 365, 375, 390, 40E ALL W/ 8 SPEED SYNCROMESH TRANSMISSION)


A-1868010M1 Transmission Pinion Gear, 4th 3.62 Lbs.



Dim/Info:
32 Teeth
18 Spline

For Models: (1085, 165, 235, 240, 245, 250, 255, 265, 270, 275, 283, 285, 298, 390T ALL W/ 8 SP TRANS)

A-1686459M1 Reverse Transmission Gear (Splined) 1.23 Lbs.



Dim/Info:
38 / 38 Teeth

For Models: (670, 690 ALL SN L131041> W/ 12 SPEED SYNCROMESH TRANSMISSION), (290 UK, 375, 390, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 699 ALL W/ 12 SPEED SYNCROMESH TRANSMISSION)

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1686468M91 Reverse Transmission Gear 5.72 Lbs.



Dim/Info:
44 O.D. Teeth
38 Small Teeth

For Models: (670, 690 ALL SN L131041 > W/ 12 SPEED SYNCROMESH TRANSMISSION), (290 UK, 360, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 699 ALL W/ 12 SPEED SYNCROMESH TRANSMISSION)


A-1867274M1 Reverse Gear 1.70 Lbs.
Used on models w/ 8 speed syncromesh transmissions.



Dim/Info:
13 / 21 Teeth

For Models: 50E POWER SHUTTLE W/ 8 SPEED SYNCROMESH TRANSMISSION, (20E, 20F, 240, 360, 362, 365, 375, 390, 40E ALL W/ 8 SPEED SYNCROMESH TRANSMISSION)

A-183040M1 Gear, Reverse (8 Speed) 1.64 Lbs.



Dim/Info:
13 & 21 Teeth

For Models: FE35, 1080, 1085, 135, 148, 150, 155, 158, 165, 168, 175, 178, 180, 185, 188, 20, 20C, 20D, 20F, 202, 203, 204, 205, 2200, 230, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 304, 31, 3165, 35, 360, 362, 365, 375, 383, 390, 390T, 40, 40B, 40E, 50, 50C, 50D, 50E, 50H, 550, 565, 575, 65, 765, FE135 COVENTRY, TO35 SN 171549 >, 2135 TURF UTIL NARROW

A-891904M1 Transmission Mainshaft Gear (Intermediate & High) 8.70 Lbs.



Dim/Info:
36 & 46 Teeth
18 Spline

For Models: 35 GOV, UTIL, TURF, STD / MAN SHUTTLE / REG / MULTI-PWR, (50, 65 ALL REG / MULTI-PWR), FE35 REG SN 213314 > / MULTI-PWR, 150 6/8 SP TRANS SN >CB22864 / MULTI-PWR, 135 6/8 SP TRANS SN >CB22864 / MULTI-PWR SN <9A11664, 180 6SP, 165 8SP TRANS SN <CB22864 / 6SP MULTI-PWR


A-180416M1 Transmission Mainshaft Gear (Intermediate & High) 8.90 Lbs.



Dim/Info:
36 / 46 Teeth
18 Spline

For Models: TO35, 35 REG TRANS SN <CN13556, (50, 65 ALL REG TRANS SN <CN13566), FE35 REG TRANS SN <213313


A-964916M1 Pinion Gear, 8 Speed Transmission 2.52 Lbs.



Dim/Info:
28 Teeth
20 Splines
4.350" Dia.

For Models: 135, 148, 150, 155, 158, 168, 175, 185, 188, 20, 240, 240P, 265, 275, 282, 30, 31, 375, 383, 390, 50H, 550, 565, 575


A-1862422M1 Constant Mesh Transmission Gear 5.96 Lbs.



Dim/Info:
42 O.D. Teeth
20 Spline

For Models: 175, 250, 255, 270, 275, 282, 290 UK, 283 BRAZIL / UK MODELS, (135, 235, 245 ALL ORCHARD), 265 STANDARD / LO-PROFILE MODELS, 165 STD. / ORCHARD MODELS


A-181799M1 Countershaft Driven Gear, 6 Speed Transmission 8.15 Lbs.



Dim/Info:
50 Teeth
20 Spline

For Models: F40, FE135, TO35, 135, 150, 20, 202, 20C, 2135, 2200, 230, 235, 245, 35, 50

A-1617923M3 Trans Countershaft Pinion Gear 3.24 Lbs.
3rd gear in multipower trans. & 4th gear in 8 speed trans.



Dim/Info:
33 O.D. Teeth
17 Spline

For Models: 360, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4253, 4263, 4270, 670, 690, 698, 699

A-1693580M91 Transmission Countershaft Low Gear 5.56 Lbs.



Dim/Info:
38 O.D. Teeth
44 Small Teeth

For Models: 290 UK W/ 12 SPEED SYNCROMESH TRANSMISSION

A-1693582M91 Transmission Countershaft Hi Gear 4.60 Lbs.



Dim/Info:
36 O.D. Teeth
44 Small Teeth

For Models: 290 UK W/ 12 SPEED SYNCROMESH TRANSMISSION


A-1693578M1 Transmission Input Shaft Pinion Gear 2.41 Lbs.



Dim/Info:
24 O.D. Teeth
6 Spline

For Models: 290 UK W/ 12 SPEED SYNCROMESH TRANSMISSION, 670 W/ 12 SPEED SYNCROMESH TRANSMISSION

A-1693577M1 Transmission Input Shaft Pinion Gear 2.02 Lbs.



Dim/Info:
20 O.D. Teeth
6 Spline

For Models: 290 UK W/ 12 SPEED SYNCROMESH TRANSMISSION, 670 W/ 12 SPEED SYNCROMESH TRANSMISSION

A-1677725M2 Transmission Input Shaft 5.00 Lbs.



Dim/Info:
6 / 10 Spline
15.750" Long

For Models: 670, 690, 698


- AGCO
- ALLIS CHALMERS
- DEUTZ
- MASSEY FERGUSON
- WHITE/ OLIVER
- CNH
- CASE-IH
- FORD / NEW HOLLAND
- FIAT
- BELARUS
- BOBCAT
- JCB
- JOHN DEERE
- KUBOTA
- LANDINI
- LEYLAND
- LONG
- MCCORMICK
- OTHER
- RENAULT
- SAME
- VALTRA
- VERSATILE
- YANMAR
- ZETOR

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1868535M1 Transmission Countershaft 11.52 Lbs.



Dim/Info:
15 Teeth
17 / 20 / 21 Spline
12.750" Long

For Models: 135 SPECIAL GAS W/6 SP. TRANS / SINGLE CLUTCH - LATE PRODUCTION

AGCO

ALLIS CHALMERS

DEUTZ

MASSEY FERGUSON

WHITE/ OLIVER


A-1677827M3 Transmission Countershaft 6.96 Lbs.



Dim/Info:
17 / 33 Spline
14 Teeth
12.250" Long

For Models: (360, 375, 390, 390T, 398, 399 ALL W/12 SPEED SYNCROMESH TRANSMISSION)

A-906743M92 Transmission Countershaft 5.96 Lbs.



Dim/Info:
17 / 20 Spline
15 Teeth
12.250" Long

For Models: 35 GOV, UTIL, TURF, STD / MAN SHUTTLE, 150 6 / 8 SP TRANS SN <CB22864 / MULTI-PWR, 135 6 / 8 SP TRANS SN <CB22864 / MULTI-PWR SN <9A11664, 180 6 SP, 165 8 SP TRANS SN <CB22864 / 6 SP MULTI-PWR


CNH

CASE-IH

FORD / NEW HOLLAND

FIAT


A-183085M1 Countershaft, 6 Speed Transmission 11.40 Lbs.



Dim/Info:
20 / 17 / 10 Spline
15 Teeth
12.750" Long

For Models: FE35, TO35, 135, 202, 203, 204, 205, 2135, 2200, 3165, 35, 50, 65, FE135 COVENTRY

A-183054M92 Countershaft, 6 Speed & Manual Shuttle 5.42 Lbs.



Dim/Info:
17 / 20 Spline
15 Teeth

For Models: FE35, TO35, 1080, 135, 150, 165, 175, 178, 180, 20, 20C, 20D, 202, 203, 204, 205, 2135, 2200, 230, 235, 245, 30, 31, 3165, 35, 50, 65, 765, FE135 COVENTRY

BELARUS

BOBCAT

JCB

JOHN DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME


VALTRA

VERSATILE

YANMAR

ZETOR

A-1867223M1 Housing, Main Drive Shaft 8.34 Lbs.
Replaces: 180428M2




For Models: TO35, 20 SN 9A159958>, 30, 35, 50, 65, 135, 135 UK, 150, 165, 165 UK, 175, 175 UK, 178, 180, 230, 235, 240, 245, 202, 203, 20C, 50F, 2135, 2200, 3165

A-1675274M1 Bearing, Main Shaft Rear 1.04 Lbs.



For Models: 35, 50, 65, SUPER 90, 135, 150, 165, 175, 180, 231, 235, 240, 245, 250, 253, 255, 261, 263, 265, 270, 271, 275, 281, 282, 283, 285, 290, 298, 360, 365 SN <B18009, 375, 383, 390, 390T, 393, 396, 398, 399, 670, 690, 698, 699, 1080, 1085, 1100, 1130, 3165, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 20, 20C, 20D, 20E, 20F, 30, 30D, 30E, 30H, 40, 40E, 50A, 50C, 50D, 50E, 50F, 50H, 60H, 302, 304, 320, 2135, 2200, 2500, 4500, 6500

A-906472M2 Countershaft, 8 Speed Transmission 5.96 Lbs.




Dim/Info:
17 / 20 Spline
15 Teeth
12.250" Long

For Models: 1085, 135, 150, 1505, 165, 175, 20, 20C, 20D, 20F, 231, 235, 240, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 31, 360, 362, 375, 383, 390, 390T, 40, 40B, 40E, 50C, 50D, 50F

SCHWARTZ SPEECO

A-189391M92 Countershaft, Multipower Transmission 6.74 Lbs.



Dim/Info:
32 / 30 / 17 Splines
15 Teeth
12.250" Long

For Models: FE35, 1080, 1085, 135, 148, 150, 155, 158, 165, 168, 175, 178, 180, 185, 188, 235, 240, 245, 250, 255, 265, 270, 275, 285, 290, 298, 30, 35, 50, 550, 565, 575, 590, 65, 765, FE135 COVENTRY

A-195453M1 Needle Bearing, Transmission Countershaft 0.06 Lbs.



Dim/Info:
1.375 I.D. X 1.625 O.D. X .5

For Models: SUPER 90, TO35, 1085, 135, 150, 165, 176, 20, 235, 240, 245, 255, 265, 275, 285, 30, 35, 360, 362, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4263, 4270, 50, 65, 670, 690, 699, 85, 88

A-180441M1 Transmission Mainshaft 7.26 Lbs.



Dim/Info:
18 Spline
11.375" Long

For Models: (35, 50, 65 ALL SN <CN13566, W/ Regular Trans.), FE35 SN <213313, W/ Regular Trans., TO35

A-1682542M1 Mainshaft, Multi-Power & 6 Speed Transmission 7.36 Lbs.
Replaces: 520701M3



Dim/Info:
18 Spline
12.250" Long

For Models: 1080, 1085, 135, 148, 150, 155, 158, 165, 168, 175, 180, 185, 188, 235, 240, 245, 250, 255, 265, 275, 285, 290, 30, 550, 565, 575, 590, FE135 COVENTRY

A-1687643M1 Mainshaft, 8 Speed Transmission 8.54 Lbs.
Replaces: 1870149M1



Dim/Info:
18 Spline
13.500" Long

For Models: 1080, 1085, 1105, 1135, 1155, 135, 148, 150, 155, 158, 165, 168, 175, 180, 185, 188, 20, 20C, 20F, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 275, 285, 290, 30, 30B, 30D, 31, 360, 362, 40, 40B, 40E, 50C, 50D, 550, 565, 575, 590


A-1687642M1 Mainshaft, Heavy Duty 8 Speed Transmission 9.60 Lbs.
Replaces: 1870151M1, 1682448M1



Dim/Info:
22 Teeth
18 Spline
13.375" Long

For Models: 1080, 1085, 135, 148, 155, 158, 165, 168, 175, 180, 185, 188, 240, 250, 255, 265, 270, 275, 282, 283, 285, 290, 298, 360, 375, 383, 390, 390T, 50E, 50H, 550, 565, 575, 590

A-2700273M1 Bearing, Main Input Shaft Inner 0.10 Lbs.



For Models: 1085, 135, 150, 165, 175, 20, 20C, 20F, 235, 240, 245, 253, 255, 263, 265, 271, 275, 2775, 2805, 281, 285, 30, 30E, 30H, 31, 360, 362, 365 SN < B18009, 375, 383, 390, 390T, 393, 396, 398, 399, 40, 40E, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 50C, 50D, 50E, 670, 690, 698

A-1671459M2 Transmission Mainshaft 8.09 Lbs.



Dim/Info:
Length: 11.440"
Teeth/Splines: 18/31

For Models: 360, 362, 375

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1687641M1 Transmission Mainshaft 8.44 Lbs.



Dim/Info:
Length: 13.450"
Teeth: 18

For Models: 50E POWER SHUTTLE W/ 8 SPEED SYNCROMESH TRANSMISSION, (20E, 240, 360, 362, 365, 40E ALL W/ 8 SPEED SYNCROMESH TRANSMISSION)

A-880955M1 Transmission Mainshaft 7.54 Lbs.
Replaces: 894702M1



Dim/Info:
18 Teeth
11.843" Long

For Models: (135, 165, 175, 178 ALL UK W/ STD TRANS), (150, 180, 235, 3165 ALL 6SP), 230 6SP EARLY PROD., 2135 6SP LATE PROD.

A-1662224M2 Transmission Mainshaft 8.86 Lbs.



Dim/Info:
Length: 11.450"
Teeth/Splines: 22/31

For Models: 375, 390, 390T, 398, 399, 670, 690, 698, 699, 290 UK, 360 W/ TRANS. ID# 12201, (4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270 ALL W/ TRANSMISSION ASSY.# 34332-34347)

A-187168M1 Transmission Mainshaft 7.15 Lbs.



Dim/Info:
11.360" Long

For Models: (135, 150, 165, 202, 203, 2135, 3165 ALL W/ 6 Speed Trans. & Narrow (1.560") Planetary Gear), 202 Early Production, W/ Standard Trans., 203 SN <659001340, W/ Standard Trans., 35 SN CN13556>, W/ Regular Trans., (50, 65 ALL SN CN13566>, W/ Regular Trans.), FE35 SN 213314>, W/ Regular Trans.

A-189440M1 Transmission Mainshaft 2.30 Lbs.



Dim/Info:
12.00" Long

For Models: 150 EARLY MODELS W/ MULTIPOWER TRANSMISSION, 135 SN <9A11664 W/ MULTIPOWER TRANSMISSION, (FE35, 35, 50, 65 ALL W/ MULTIPOWER TRANSMISSION), 165 W/ MULTIPOWER TRANSMISSION W/ SN WITH PREFIX C

A-195507M1 Bearing, Transmission Countershaft 1.30 Lbs.



Dim/Info:
2.165" I.D. 3.937" O.D.

For Models: T035, 165, 180, 240, 362, 375, 390, 390T, 50, 65, 35 TURF, UTIL, GOV

A-832519M1 Bearing, Transmission Countershaft Rear 1.04 Lbs.
For Multipower Transmission



For Models: 175, 180, 285

A-831469M1 Bearing, Transmission Mainshaft Front 0.85 Lbs.
For Multipower Transmission



For Models: 285

A-834844M1 Bearing, Transmission Mairdrive Shaft 0.08 Lbs.



For Models: 165 SN 114352> W/ MULTIPOWER TRANS., 168 SN 215803> W/ MULTIPOWER TRANS., 185 SN 308909> W/ MULTIPOWER TRANS., 188 SN 352835> W/ MULTIPOWER TRANS., 135 SN 418436> W/ MULTIPOWER TRANS., (175, 178, 20B, 20D, 240, 250, 265, 275, 285, 290, 550, 565, 575, 590, 675 ALL W/ MULTIPOWER TRANS.)

A-338552X1 Bearing, Main Shaft 0.61 Lbs.



For Models: 1085, 135, 150, 165, 175, 20, 20C, 20D, 20E, 20F, 231, 235, 240, 240P, 245, 250, 253, 255, 261, 263, 265, 270, 271, 275, 281, 282, 283, 285, 290, 298, 30, 31, 360, 362, 365 SB <B18009, 375, 383, 390, 390T, 393, 396, 398, 399, 40, 40B, 40E, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 50C, 50D, 50E, 50F, 50H, 50HX, 60H, 670, 690, 698, 699

A-1440490X1 Bearing, Rear PTO Shaft 0.29 Lbs.



For Models: 1010, 1020, 1030L, 1035, 1125, 1140, 1145, 1160, 1180, 1190, 1205, 1210, 1220, 1230, 1235, 1240, 1250, 1260, 154-4, 154-4S, 174-4S, 184-4, 205, 205-4, 210, 210-4, 220, 220-4, 254-4, 274-4, 294-4

A-1867258M1 Transmission Mainshaft Sleeve 0.42 Lbs.



Dim/Info:
18 I.D. Teeth

For Models: 50E POWER SHUTTLE W/ 8 SPEED SYNCROMESH TRANSMISSION, (20E, 20F, 240, 360, 362, 365, 375, 390, 40E ALL W/ 8 SPEED SYNCROMESH TRANSMISSION)

A-1867324M1 Transmission Mainshaft Sleeve 0.54 Lbs.
Used on models w/ 8 speed syncromesh transmissions.



Dim/Info:
18 I.D. Teeth

For Models: 50E POWER SHUTTLE W/ 8 SPEED SYNCROMESH TRANSMISSION, (20E, 20F, 240, 360, 362, 365, 375, 390, 40E ALL W/ 8 SPEED SYNCROMESH TRANSMISSION)

A-1617892M1 Transmission Mainshaft Sleeve 0.75 Lbs.



Dim/Info:
31 I.D. Teeth
2.20" Long

For Models: 360, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 670, 690, 698, 699, 290 UK

A-1617893M1 Transmission Mainshaft Sleeve 0.59 Lbs.



Dim/Info:
31 I.D. Teeth

For Models: 360, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 670, 690, 698, 699, 290 UK

A-1617894M1 Transmission Mainshaft Sleeve 0.46 Lbs.



Dim/Info:
31 I.D. Teeth
1.20" Long

For Models: 360, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 670, 690, 698, 699, 290 UK

AGCO

ALLIS
CHALMERS

DEUTZ

MASSEY
FERGUSON

WHITE/
OLIVER

CNH

CASE-IH

FORD / NEW
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ
SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-195501M1 Seal, Main Drive Pinion Shaft 0.03 Lbs.
Dim/Info:
 1.125 X 1.562 X .375



AGCO

ALLIS

CHALMERS

DEUTZ

For Models: (T035, 135, 150, 165, 175, 20, 20C, 202, 203, 2135, 230, 235, 245, 30, 31, 3165, 35, 50, 65 ALL STD TRANS 1500-540, 1700-540 W/ DUAL CLUTCH / LIVE PTO)

MASSEY
FERGUSON

A-3813861M1 Seal, Transmission Input Housing 0.04 Lbs.



WHITE/
OLIVER

For Models: 4225, 4235, 4240, 4245, 4255, 4260, 4270, 4325, 4335, 4345, 4355, 4360, 4370

A-180445M1 Reverse Gear Drive Shaft 1.40 Lbs.



Dim/Info:
 1.000" Dia.
 6.580" Long

CNH

CASE-IH

For Models: F40, FE35, 50, T035, 1080, 1085, 135, 150, 165, 175, 180, 20, 202, 203, 204, 205, 20C, 20D, 20F, 2135, 2200, 230, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 31, 3165, 35, 360, 362, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 40E, 50, 50C, 50D, 50E, 65, 670, 690, 698, 699

FORD / NEW
HOLLAND

A-830735M91 Bearing Kit, Reverse Gear 0.17 Lbs.



FIAT

BELARUS

BOBCAT

JCB

JOHN
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

For Models: (135, 165, 175, 178, 240, 35, 65, 765, FE35 ALL 6 Speed), (135, 148, 155, 158, 165, 168, 185, 188, 240, 250, 265, 275 ALL 8 Speed), 285 8 Speed w/ A4.248 engine, (290, 340, 342, 350, 352, 355, 360, 362, 365, 375, 390, 390T, 565, 575, 590 ALL 8 Speed), (135, 148, 155, 158, 165, 168, 175, 178, 185, 188, 240, 250, 265, 275 ALL Multipower), 285 Multipower w/ A4.248 engine, (290, 35, 550, 565, 575, 590, 595, 65, 675, 690, 698, 765 ALL Multipower)

A-886719M1 Fork, Clutch Release 3.30 Lbs.



For Models: 135 UK, 230, 235, 240, 245, 250, 255, 265, 270, 275, 283 BRAZIL, 135 SN<9A105179, 290 UK MODEL

A-180006M91 Gear Shift Knob (Round Ball) 0.10 Lbs.



Dim/Info:
 3/8" NF Thd.

For Models: F40, FE135 COVENTRY, T035, 130, 135, 150, 165, 175, 20, 202, 203, 204, 205, 2135, 220, 2200, 2500, 30, 302, 303, 304, 30E, 3165, 320, 333, 35, 356, 40, 404, 406, 44 SPECIAL, 444, 50, 50A, 50E, 555, 65, 85, 88, 90, 90 SUPER_95_98

A-1862401M1 Shift Lever Knob- 3 Speed 0.10 Lbs.



For Models: 135, 135 UK, 150, 165, 165 UK, 175, 175 UK, 178, 20, 20C, 230, 235, 245, 255, 265, 270, 275, 285, 290, 298, 30, 670, 698, 699

A-1862399M1 Shift Lever Knob- HI/LO 0.10 Lbs.



For Models: 135, 135 UK, 150, 165, 175, 175 UK, 178, 20, 20C, 20D, 20E, 230, 235, 240 S/N <N01001, 245 S/N 9A349239>, 250, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 31, 40, 40B, 50C, 50D, 670, 690, 698, 699

SCHWARTZ
SPEECO

A-1682623M1 Lever Ball (Knob), 4 Speed 0.10 Lbs.
Replaces: 1862399M1, 1862401M1



For Models: 135, 150, 165, 175, 20, 20C, 20D, 20E, 20F, 230, 235, 240, 245, 250, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 30H, 31, 40, 40B, 40E, 50C, 50D, 50E, 670, 690, 698, 699

A-532959M1 Gear Shift Knob (4 Speed) 0.50 Lbs.



Dim/Info:
 3/8" NF Thrd.

For Models: 135, 150, 165, 175, 20C, 20E, 230, 235, 245, 265, 275, 285, 30B, 30D, 30E, 31, 40B, 50C, 50D, 40 INDUSTRIAL, (20, 30 ALL INDUSTRIAL MODEL)

A-1862400M1 Gear Shift Knob 0.09 Lbs.



For Models: 135, 135 UK, 150, 165, 175, 20, 20E, 282, 30

A-192007M1* Gear Shift Lever Spring 0.05 Lbs.




For Models: 35, 35 GOVT., TURF / UTILITY, 50, 65, 85, 88, 240, 283 BRAZIL, 290 UK, 362, 399, SUPER 90, T035

A-1681761M1 Lever, Gearshift 1.34 Lbs.




For Models: 240, 40E, 20F SN<5101A0192, 30E SN<5102Y0700

A-1873275M2 Lever, Gearshift 1.20 Lbs.
Replaces: 3762686M1




For Models: 20F, 270, 275 UK, 282, 283 UK, 285, 290, 290 UK, 298, 40E, 50E

A-1673814M2 Lever, Gearshift 1.30 Lbs.
Replaces: 891405M1, 194550M3




For Models: FE35, 135 UK, 150, 165, 175, 20D, 230, 235, 245, 255, 265, 275, 285, 30, 30E, 40, 40E, 20F SN50101A0192>

A-1873274M2 Lever, Gearshift 1.60 Lbs.



For Models: 270, 282, 290, 50E

A-894796M1 Planetary Shift Lever 0.88 Lbs.




For Models: 150, 165, 175, 230, 235, 245, 255, 265, 275, 285, 3165

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

A-185804M1 Planetary Gear Shift Lever (Dual Range) 0.68 Lbs.
Replaces: 180440M2



For Models: SUPER 90, 35, 50, 65, 85, 88

A-180579M3 Boot, Transmission Lever 0.04 Lbs.
Replaces: 1678565M1



Dim/Info:
sold in multiples of 2

For Models: FE35, T035, 11, 135, 148, 150, 155, 158, 165, 168, 175, 178, 185, 188, 20, 202, 203, 204, 205, 220, 2200, 230, 231, 235, 240, 245, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30E, 30H, 302, 304, 31, 3165, 320, 35, 350, 356, 360, 362, 365, 375, 383, 390, 390T, 393, 398, 399, 40, 4500, 4800, 4840, 50, 550, 565, 575, 590, 60, 65, 6500, 690, 698, 765, 85, 88, (300, 300 ALL RANGE), 90 SUPER, 2135 TURF UTIL NARROW

A-1694126M3 Boot, Gear Shift Lever 0.08 Lbs.
Replaces: 1676044M2



For Models: (360, 362, 375, 390, 390T, 398, 399 ALL W/12 SPEED SYNCROMESH TRANSMISSION)

A-1694127M3 Boot, Gear Shift Lever 0.08 Lbs.



For Models: (360, 362, 375, 390, 390T, 398, 399 ALL W/12 SPEED SYNCROMESH TRANSMISSION)

A-180418M2 Shifter Rail Plunger Pin 0.05 Lbs.




For Models: ALL MODELS, 1085, 11, 135, 150, 165, 175, 180, 20, 20C, 20D, 20F, 2200, 230, 231, 235, 24, 240, 240P, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 283, 285, 298, 30, 30B, 30E, 30H, 302, 3050, 3060, 3070, 3090, 31, 3120, 350, 356, 360, 362, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 40E, 4500, 50, 50A, 50C, 50E, 50H, 60, 6500, 670, 690, 698, 699

A-191221M1 Lock Plunger Tension Spring 0.02 Lbs.



For Models: FE35, T035, 1080, 1085, 1100, 1130, 135, 150, 165, 175, 180, 20D, 20F, 202, 203, 204, 205, 2135, 230, 231, 235, 24, 240, 240P, 245, 25, 250, 253, 255, 2640, 265, 2675, 270, 2705, 2745, 275, 2775, 2805, 282, 283, 285, 290, 298, 30E, 30H, 302, 304, 3050, 3060, 3070, 3090, 3120, 3125, 3140, 3165, 35, 350, 3505, 3545, 360, 362, 3630, 3650, 3655, 3660, 3680, 375, 383, 390, 390T, 398, 399, 40E, 50, 50E, 50H, 65, 670, 690, 698, 699, 85, 88

A-1860761M1 Retainer, Lock, Gear Shift 0.24 Lbs.




For Models: 1085, 135, 150, 165, 175, 20, 20C, 20D, 20E, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 31, 360, 362, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 40E, 50B, 50C, 50E, 50H, 670, 690, 698, 699

A-1860764M3 Stop Plate, Gear Shift 0.14 Lbs.




For Models: 1085, 135, 150, 165, 175, 20, 20C, 20D, 20F, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 31, 360, 362, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 40E, 50C, 50D, 50E, 50H, 670, 690, 698, 699

A-1678864M1 Shift Rail, 3rd 1.78 Lbs.
Replaces: 1678865M1




For Models: 1085, 135, 150, 165, 175, 180, 20, 20C, 20D, 20F, 230, 235, 240, 245, 250, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 31, 40, 40B, 50C, 50E, 50H

A-1678866M1 Shift Rail, 2nd & 4th 1.83 Lbs.
Replaces: 180438M2




For Models: F40, FE135, T035, 1080, 1085, 135, 150, 165, 175, 180, 20, 202, 203, 204, 205, 20C, 20D, 20F, 2135, 220, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 302, 304, 30B, 30D, 30E, 30H, 31, 3165, 35, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 6500

A-1678867M1 Shift Rail, 1st & Reverse 1.84 Lbs.
Replaces: 180442M2



For Models: FE135, T035, 1080, 1085, 135, 150, 165, 175, 180, 20, 20C, 20D, 20F, 202, 203, 204, 205, 2135, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30H, 302, 304, 31, 3165, 35, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 65, 6500

A-894703M2 Planetary Shifter Rail 2.42 Lbs.




For Models: FE135, 1080, 1085, 135, 150, 165, 175, 180, 20, 20C, 20D, 20F, 202, 203, 2135, 2200, 230, 231, 235, 240, 240P, 245, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 31, 3165, 40, 40B, 40E, 50C, 50D, 50E, 50H, 670, 690, 698, 699

A-1860773M1 Shift Fork, 8 Speed 1.36 Lbs.
Replaces: 1862139M1



For Models: 1085, 135, 150, 165, 175, 20, 20C, 20D, 20F, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 31, 40, 40B, 40E, 50C, 50D, 50E, 50H

A-897065M2 Shift Fork, 8 Speed 1.12 Lbs.



For Models: 1080, 1085, 11, 135, 150, 165, 175, 180, 20, 20C, 20D, 20F, 202, 203, 204, 205, 2135, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 356, 360, 362, 375, 383, 390T, 398, 399, 40, 40F, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 6500, 670, 690, 698, 699, FE135 COVENTRY

A-1873532M3 Shift Fork, 4 Speed 1.14 Lbs.



For Models: 1085, 135, 150, 165, 175, 20, 20C, 20D, 20E, 20F, 231, 235, 240, 240P, 245, 250, 255, 265, 270, 275, 283, 285, 290, 298, 30, 30B, 31, 40, 40B, 40E, 50C, 50D, 50E, 50H

A-180437M1 Shift Fork, 1st Speed 1.54 Lbs.



For Models: F40, FE35, T035, 1080, 1085, 135, 150, 165, 175, 180, 20, 202, 203, 204, 205, 20C, 20D, 2135, 2200, 230, 235, 245, 255, 265, 270, 275, 285, 290, 298, 30, 31, 3165, 35, 50, 65

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

AGCO

ALLIS
CHALMERS

DEUTZ

MASSEY
FERGUSON

WHITE/
OLIVER

CNH

CASE-IH

FORD / NEW
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ
SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-180446M1 Planetary Selector, Gearshift 0.60 Lbs.



AGCO

ALLIS
CHALMERS

DEUTZ

MASSEY
FERGUSON

WHITE/
OLIVER

For Models: F40, FE135 COVENTRY, FE35, T035, 1080, 1085, 11, 135, 150, 165, 175, 180, 20, 202, 203, 204, 205, 20C, 20D, 20F, 2135, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 302, 304, 30B, 30D, 30E, 31, 3165, 35, 356, 360, 362, 375, 383, 390, 390T, 393, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 6500

A-190968M1 Shifter Coupler Fork 2.57 Lbs.



For Models: FE35, 135, 150, 20, 20C, 20D, 202, 204, 2135, 2200, 230, 231, 235, 240, 240P, 245, 30, 3165, 35, 50, FE135 COVENTRY

A-1693830M1 Shift Selector 0.54 Lbs.



CNH

CASE-IH

FORD / NEW
HOLLAND

FIAT

For Models: 365 SN <B18009 W/ 8 & 12 SPEED SYNCROMESH TRANSMISSIONS, (393, 396, 398, 399 ALL W/ 12 SPEED SYNCROMESH TRANSMISSION), (4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370 ALL W/ 12 X 4 MANUAL GEARBOX), (253, 360, 362, 375, 390 ALL W/ 8 & 12 SPEED SYNCROMESH TRANSMISSIONS), 390T W/ 8 SP. SYNCRO. TRANS. SN <B18009 & ALL 12 SP. SYNCRO. TRANS.

A-1674536M1 Shift Selector 0.48 Lbs.



BELARUS

BOBCAT

JCB

JOHN
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

For Models: 670, 690, 698, 699, 365 SN <B18009 W/ 8 & 12 SPEED SYNCROMESH TRANSMISSIONS, (275, 290 ALL UK MODEL ONLY W/ 12 SPEED SYNCROMESH TRANSMISSION), (265S, 393, 396, 398, 399 ALL W/ 12 SPEED SYNCROMESH TRANSMISSION), (4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370 ALL W/ 12 X 4 MANUAL GEARBOX), (253, 360, 362, 375, 390 ALL W/ 8 & 12 SPEED SYNCROMESH TRANSMISSIONS), 390T W/ 8 SP. SYNCRO. TRANS. SN <B18009 & ALL 12 SP. SYNCRO. TRANS.

A-1674530M5 Shift Selector 0.26 Lbs.



For Models: 670, 690, 698, 699, (275, 290 ALL UK MODEL ONLY W/ 12 SPEED SYNCROMESH TRANSMISSION), (253, 265S ALL W/ 12 SPEED SYNCROMESH TRANSMISSION)

A-1862868M2 Selector, Gearshift 0.39 Lbs.



For Models: 1085, 135, 150, 165, 175, 20, 20C, 20D, 20F, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 31, 360, 362, 375, 383, 390, 390T, 40, 40B, 40E, 50C, 50D, 50E, 50H

A-1877607M1 Selector, Gearshift 0.32 Lbs.



For Models: 255, 265, 270, 275, 283, 285, 290, 298, 360, 362, 375, 383, 390, 390T, 50E, 50H

A-1860867M1 Seal, Retainer 0.03 Lbs.
Used w/ A-1860889M1 - Check O.D. of seal before ordering.



Dim/Info:
1 15/16" O.D.
1 5/8" I.D.
1/4" Wide

For Models: FE35, 135, 150, 165, 175, 180, 235, 245, 255, 265, 270, 275, 285, 290, 50, 65, 35 GAS OR DIESEL

A-167844M1 Shift Lever Pin 0.03 Lbs.
Replaces: 180581M1



Dim/Info:
1/4" X 1 3/4"

For Models: FE35, F40, T035, 11, 135, 150, 165, 175, 20, 20C, 20D, 20F, 202, 203, 204, 205, 2135, 220, 2200, 230, 235, 240, 245, 250, 2500, 255, 265, 275, 283, 285, 30, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 320, 35, 356, 40, 40B, 40E, 4500, 4800, 4840, 50, 50A, 50C, 50D, 60, 65, 6500, 85, 88, FE135 COVENTRY, 90 SUPER

A-195497M1 Gear Stop Snap Ring 0.05 Lbs.



For Models: F40, FE35, 50, T035, 202, 203, 204, 205, 35, 50, 65

A-195493M1 Bearing, Transmission Main Rear Countershaft 1.11 Lbs.



For Models: 275, 285

A-195505M1 Ball Bearing 0.90 Lbs.



For Models: T035, 1100, 1130, 165, 35, 50, 65

A-964929M1 Washer, Thrust 0.08 Lbs.




For Models: 10, 1085, 135, 150, 165, 175, 20, 20C, 20D, 20F, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 31, 360, 362, 375, 383, 390, 390T, 40B, 40E, 50, 50C, 50D

A-964944M1 Spacer 0.14 Lbs.



For Models: 1085, 135, 150, 165, 175, 20, 20C, 20D, 20F, 231, 235, 240, 240P, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 31, 360, 362, 375, 383, 390, 390T, 40, 40B, 40E, 50C, 50D, 50E

A-181514M1 Gasket, Transmission Cover Plate 0.02 Lbs.



Dim/Info:
sold in multiples of 5

For Models: T020, T030


A-181232M1 Gasket, Rear Axle Housing Outer 0.01 Lbs.



Dim/Info:
sold in multiples of 10

For Models: T020, T030, T035

A-181217M3 Gasket, Transmission Side 0.02 Lbs.



Dim/Info:
sold in multiples of 10

For Models: F40, FE135 COVENTRY, FE35, TE20, T020, T030, T035, 1080, 1085, 11, 135, 148, 150, 155, 158, 165, 168, 175, 178, 180, 185, 188, 20, 202, 203, 204, 205, 20C, 20D, 20F, 2135 TURF, UTILITY, NARROW, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 255, 270, 282, 283, 290, 298, 30, 302, 304, 30B, 30D, 30E, 30H, 31, 3165, 35, 356, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 575, 590, 60, 65, 6500, 6500H, 670, 675, 6800H, 690, 698, 699, 765

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

A-181476M1 Gasket, Transmission Main Drive Shaft Retainer 0.02 Lbs.



Dim/Info:
sold in multiples of 5


For Models: T020, T030

A-88668M1 Bearing, Outer Input Housing 0.12 Lbs.
Used on A-1860889M1 retainer.



For Models: FE35, 135, 150, 165, 175, 180, 235, 245, 255, 265, 270, 275, 285, 290, 50, 65, 35 GAS OR DIESEL

A-894302M3 Bearing, Differential Pinion (Ref 1) 3.16 Lbs.
Replaces: 2746135M1



A-2746322M1 Gear, Differential Pinion (Ref 2) 1.20 Lbs.
Replaces: 897725M1

Dim/Info:
10 Teeth
3.1095" Dia.

A-181275M1 Gear, Differential Pinion (Ref 2) 0.92 Lbs.

Dim/Info:
10 Teeth
3.0325" O.D.

A-897007M1 Gear, Differential (Ref 3) 4.26 Lbs.

Dim/Info:
39 Internal
16 Teeth

A-885518M1 Gear, Differential (Ref 3) 4.92 Lbs.
Replaces: 885517M1

Dim/Info:
39 Internal
14 Teeth

A-3387281M1 Washer, Pinion Gear (Ref 4) 0.03 Lbs.
Replaces: 181277M1, 514958M1, 885520M1

A-181247M1 Washer, Planetary (Ref 5) 0.16 Lbs.


Dim/Info:
4.48" O.D.
3.000" I.D.
.060" Thick

A-897726M1 Thrust Washer (Ref 5) 0.11 Lbs.

Dim/Info:
4.156" O.D.
3.000" I.D.
.060" Thick

For Models: 135, 150, 202, 204, 20E UK, 2135, 230, 240 UK, 240, 265, 275, 283 BRZ, 285, 290, 298, 3050, 3060, 3065, 3070, 3080, 3085, 3090, 3095, 3165, 340, 350, 355, 360, 362, 365, 375, 390, 390T, 398, 399, 675, 690, FE135, FE35


A-1683757M91 Ring & Pinion Set 35.04 Lbs.
Replaces: 1885317M92, 1889777M92



Dim/Info:
37 Teeth Ring Gear
6 Teeth, 10 Spline Pinion Shaft
9.875" Long

For Models: T035 SN 169467-> Short Pinion, (20, 30, 35, 35FE, 135, 2200 ALL Short Pinion), 20C, 20D, 35 TURF, 35 UTILITY, 40, 50, 130, 135 UK, 150, 230, 235, 240, 2135, 3165


A-1664255M92 Crown Wheel & Pinion Set 39.40 Lbs.



Dim/Info:
Ring has 38 Teeth
Shaft has 11 Teeth/ 10 Spline.
Approx 9 7/8"- 9 15/16" Total Length.

For Models: 135, 150, 165, 165 UK, 175, 175 UK, 178, 180, 20E, 20F, 2200, 235, 24, 240 S/N N01001-A20286, 245, 25, 250, 2500, 253, 255, 261, 263, 265, 265S, 270, 271, 275, 275 UK, 281, 282, 290 UK, 30, 302, 304, 30E, 30H, 31, 3165, 360, 362, 365 S/N <B18009, 375, 390, 399, 40, 40E, 4500, 50, 50E, 50H, 50HX, 60H, 65, 6500, 670, 6800H

A-1870869M1 Crown Wheel & Pinion Set 38.00 Lbs.




Dim/Info:
38 Teeth Ring Gear
11 Teeth, 10 Spline Pinion Shaft

For Models: 255, 50A, 50C

A-825776M1 Bolt, Ring Gear to Case 0.12 Lbs.

A-891947M1 Nut 0.04 Lbs.



Dim/Info:
1/2" X 1 45/64" NF
sold in multiples of 12

For Models: F40, FE135, T035, 1080, 1085, 1100, 1105, 1130, 1135, 1150, 1155, 135, 150, 1500, 1505, 165, 175, 1800, 1805, 20, 202, 203, 204, 205, 20C, 2135, 220, 2200, 230, 231, 235, 240P, 245, 2500, 255, 265, 275, 282, 283, 285, 30, 302, 304, 3050, 3060, 3070, 3080, 3090, 30B, 30D, 31, 3120, 3125, 3140, 3165, 320, 350, 3505, 3525, 3545, 356, 3630, 3650, 3655, 3660, 3680, 40, 40B, 4500, 50, 50C, 50D, 50H, 60, 65, 6500, 6500H, 690, 698, 699, 70, 80, 85, 88, 90 SUPER

A-1860838M1 O-Ring, Rear Axle Housing Carrier Plate 0.02 Lbs.



For Models: 1080, 1085, 135, 168, 175, 180, 185, 188, (235, 245 ALL Orchard), 250, 255, 265, 270, 275, 285, 290, 565, 575, 590, 595, 675, 690, 698

A-191250M1 Bearing, Rear Differential Pinion 0.60 Lbs.



For Models: 135, 148, 155, 158, 165, 168, 175, 178, 185, 188, 230, 240, 250, 265, 275, 285 W/ 11 X 38 DIFFERENTIAL, 290, 340, 35, 350, 355, 360, 362, 365, 375, 390, 390T, 398, 399, 550, 565, (575, 590 ALL W/ 11 X 38 DIFFERENTIAL), 65, 675, 690 W/ 11 X 38 DIFFERENTIAL, 765, FE35

A-1850909M91 Bearing, Differential 3.04 Lbs.



For Models: 135, 150, 165, 175, 180, 200 SERIES, 20F, 231, 235, 240 S/N A20286>, 253, 255, (265, 275 ALL S/N <9A349239), 3050, 3060, 3065, 3070, 3075, 3090, 3095, 30E, 360, 362, 3630, 3645, 3650, 3655, 3660, 3670, 3680, 3690, 375, 383, 390, 393, 396, 398, 399, 40E, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 50, 50E, 6140, 6150, 6170, 6180, 6190, 6235, 6245, 6255, 6265, 6270, 6280, 6290, 8120, 8140, 8150, 8160, 8210, 8220, 8240, 8245, 8250, 9240

A-3039248M1 Bearing, Differential 3.04 Lbs.
Replaces: 3039249M1



For Models: 2640, 3505, 3525, 3545

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

- AGCO
- ALLIS CHALMERS
- DEUTZ
- MASSEY FERGUSON
- WHITE/ OLIVER
- CNH
- CASE-IH
- FORD / NEW HOLLAND
- FIAT
- BELARUS
- BOBCAT
- JCB
- JOHN DEERE
- KUBOTA
- LANDINI
- LEYLAND
- LONG
- MCCORMICK
- OTHER
- RENAULT
- SAME
- VALTRA
- VERSATILE
- YANMAR
- ZETOR
- SCHWARTZ
- SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1860503M93 Bearing Kit, Outer Trumpet Housing, Halfshaft 1.97 Lbs.



AGCO

ALLIS
CHALMERS


DEUTZ

MASSEY
FERGUSON

WHITE/
OLIVER

For Models: 240, 275, 290, 3050, 3060, 3065, 3070, 3075, 3080, 3085, 3090, 3095, 350, 352, 362, 372, 375, 382N, 399, 590, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 690, 698


A-880069M2 Sleeve, Sheartube Coupling Reduction 1.69 Lbs.



Dim/Info:
5.000" Long
3 Groove
10 Spline

For Models: F40, FE135, T035, 135, 148, 150, 155, 158, 165, 168, 175, 178, 188, 202, 203, 204, 205, 2200, 35, 365, 50, 65, 765

A-1863384M1 Coupling, Wheel 1.68 Lbs.
Replaces: 880070M2




Dim/Info:
5.000" Long
3 Groove
10 Spline

CNH

CASE-IH

For Models: 135, 11 LOADER

A-1680189M1 Rear Drive Shaft Coupling 1.76 Lbs.



Dim/Info:
3.750" Long
10 Spline
1 Groove

FORD / NEW
HOLLAND

FIAT

For Models: 135, 150, 165, 175, 180, 20F, 203, 205, 2200, 235, 240, 245, 25, 250, 2500, 253, 255, 262, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 356, 360, 375, 383, 390, 390T, 392S, 398, 399, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 550, 565, 575, 590, 60, 60HT, 65, 6500, 6500H, 670, 675, 6800H, 690, 698, 699

BELARUS

A-1871924M1 Coupling, Drive Shaft 1.34 Lbs.
Used when 1683757M91 is used as a service replacement



Dim/Info:
10 Spline
3.81" Long
1 Groove

BOBCAT


JCB

JOHN
DEERE

For Models: 231, 240 ENG. SN<B32999, 35, 50, T035 SN169467>

KUBOTA

A-886305M1 Adaptor, Differential Case 6.00 Lbs.



LANDINI

LEYLAND

LONG

For Models: 135, 150, 20, 20C, 202, 204, 2135, 230, 235, 245, 3165

A-1810936M91 Master Cylinder Major Repair Kit 0.15 Lbs.
Repairs for master cylinder A-3596785M92



McCORMICK

OTHER

RENAULT

SAME

For Models: 340, 342, 350, 352, 355, 360, 362, 365, 375, 382, 382N, 390, 390T, 390T < S08141, 398, 399

A-1810596M91 Master Cylinder Kit 0.02 Lbs.



VALTRA

VERSATILE

YANMAR

ZETOR

For Models: 1114, 1134, 575 SN W184127>, 265 SN 193552>, 275 SN 221522>, 290 SN 387020>, 698 W/ LARGE DOUBLE RESERVOIR, 260 2/1980>

A-184182M3

Gasket, Trumpet Reduction Housing 0.05 Lbs.



Dim/Info:
sold in multiples of 10

For Models: 165, 168, 175, 178, 185, 188, 250, 265, 565, 575, 65, 765, (155, 158 ALL NARROW), (675, 690 ALL NORMAL DUTY), 290 NORMAL DUTY SN <P06156, 275 NORMAL DUTY SN <P12018

A-897021M1 Ring Gear, Planetary 11.62 Lbs.



Dim/Info:
54 Teeth
1.723" Thick

For Models: 2500, (202, 203, 2135, 2200, 3165 ALL 6 SP / MAN SHUTTLE), (135, 165 ALL 6/8 SP / MULTI-PWR), 150 6/8 SP TRANS SN CB22864>, MULTI-PWR, 30 6/8 SP TRANS SN<CA304, MAN SHUTTLE TRANS SN <CB22865


A-1671558M1 Ring Gear, Planetary 11.46 Lbs.



Dim/Info:
54 Teeth

For Models: 20C, 20F, 230, 245, 253, 30B, 30E, 30H, 360, 362, 375, 40B, 40E, 50C, 50E


A-1867424M2 Ring Gear, Planetary 8.61 Lbs.



Dim/Info:
68 Teeth

For Models: 1085, 2500, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 6500, 670, 690, 698, 699


A-894772M2 Ring Gear, Planetary 18.42 Lbs.



Dim/Info:
45 Teeth

For Models: 11, 135, 150, 165, 180, 20F, 2200, 235, 24, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 30, 30A, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 40, 40B, 40E, 4500, 50, 50C, 50D, 50E, 50H, 60, 60H, 6500, 670, 690, 175, 175 UK, 178 UK


A-1866545M2 Ring Gear Washer 0.28 Lbs.



Dim/Info:
4 1/4" I.D. X 1/16"

For Models: 1085, 175, 180, 2500, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 6500, 670, 690, 698, 699

A-3612128M1 Case Carrier 32.04 Lbs.




For Models: 253

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


A-897711M93 Carrier Assembly 7.85 Lbs.



Dim/Info:
(Epicyclic Pinion Gear)

For Models: 135, 150, 175, 20, 20C, 20D, 20F, 202, 203, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 253, 255, 30, 30B, 30D, 30E, 30H, 302, 31, 3165, 360, 362, 375, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 65, 6500, (155, 158, 165, 265, 275, 285, 290, 550, 565, 575, 590 ALL ALL W/STD / MULTI-POWER), FE135 COVENTRY, FE135 COVENTRY 35 SN 365360->, 765 SN 609714->, 2135 TURF UTIL NARROW

A-827719M93 Carrier Assembly, Epicyclic 6.94 Lbs.



For Models: FE35, 35X SN <383154

A-1864869M1 Shaft, Differential Carrier Pinion 0.76 Lbs.



For Models: 135, 150, 165, 175, 180, 20E, 20F, 2200, 24, 240 S/N N01001-A20286, 25, 250, 2500, 253, 261, 263, 270, 271, 281, 282, 283, 290, 302, 304, 30B, 30D, 30E, 30H, 3165, 360, 362, 365 S/N <B18009, 375, 383, 390, 390T, 393, 396, 399, 40E, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 4500, 50D, 50E, 50F, 50H, 60, 60H, 6500, 6500H, 670, 6800H, 690


A-1866544M2 Spacer, Epicyclic Carrier 0.74 Lbs.



Dim/Info:
28 I.D. Teeth

For Models: 30E, 375, 383, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 50E, 50F, 670, 290 UK


A-1866552M1 Planetary Pinion 1.09 Lbs.



Dim/Info:
23 Teeth

For Models: 1085, 2500, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 375, 383, 390T, 393, 398, 399, 40, 40B, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 6500, 670, 690, 698, 699


A-897005M1 Reduction Gear 5.16 Lbs.



Dim/Info:
21 Teeth
39 Spline

For Models: 11, 135, 150, 165, 175, 180, 20F, 2200, 235, 24, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 30, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 356, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 6500, 6500H, 670, 6800H, 690


A-894769M1 Planetary (Epicyclic) Pinion Gear 1.62 Lbs.



Dim/Info:
12 Teeth

For Models: 11, 135, 150, 165, 175, 178, 180, 20E, 203, 205, 2200, 235, 24, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 30, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 356, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 5650, 60, 60H, 65, 6500, 6500H, 670, 6800, 690, 85, 88


A-897018M1 Gear, Planetary Pinion 0.48 Lbs.



Dim/Info:
18 Teeth
Epicyclic Pinion Gear
Used in A-897711M93 carrier.

For Models: 135, 150, 175, 20, 20C, 20D, 20F, 202, 203, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 253, 255, 30, 30B, 30D, 30E, 30H, 302, 31, 3165, 360, 362, 375, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 65, 6500, (155, 158, 165, 265, 275, 285, 290, 550 ALL ALL W/STD / MULTI-POWER), FE135 COVENTRY, 35 SN 365360->, 765 SN 609714->, 2135 TURF UTIL NARROW

A-1868115M1 Pinion Shaft, Differential 0.78 Lbs.
Replaces: 184202M1




For Models: 150, 165, 203, 205, 2200, 65

A-518881M91 Pinion Bearing Sleeve 4.65 Lbs.
Used w/ 1862189M1 differential housing.



For Models: 135, 175, 180, 20, 235, 30, 40

A-3387281M1 Washer, Thrust (Pinion Gear) 0.03 Lbs.
Replaces: 181277M1, 514958M1, 885520M1



For Models: 165, 220

A-184196M1 Washer, Pinion, Rear Axle Housing 0.01 Lbs.



Dim/Info:
1 3/64" X 1 17/64" X 1/16

For Models: 135, 150, 165, 175, 180, 20F, 203, 2200, 235, 24, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 30, 30B, 30D, 30E, 30H, 304, 31, 3165, 356, 40, 40B, 40E, 4500, 50, 50B, 50C, 50D, 50E, 50H, 5650, 60, 60H, 65, 6500, 6500H, 670, 6800H, 690, 85, 88

A-184441M1 Washer, Thrust (Pinion) 0.06 Lbs.



For Models: 11, 135, 150, 165, 175, 180, 20F, 203, 205, 2200, 235, 24, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 30, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 360, 362, 375, 383, 390, 390T, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 65, 6500, 6500H, 670, 6800H, 690, 85, 88

A-1860306M3 Bushing, Epicyclic Carrier Splined 0.71 Lbs.



Dim/Info:
27 I.D. Teeth

For Models: 240, 3050, 3060, 3070, 3090, 3120, 3140, 360, 362, 365, 6150, 6170, 6180

AGCO

ALLIS
CHALMERS

DEUTZ

MASSEY
FERGUSON

WHITE/
OLIVER

CNH

CASE-IH

FORD / NEW
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ
SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1886634M91 Planetary Pinion Carrier Assembly 8.07 Lbs.
For use w/ 18 teeth shaft.
Replaces: 887128M91, 882503M91



Dim/Info:
32mm Gears

For Models: 304 EARLY PRODUCTION, (175, 178 ALL UK MODEL W/ MULTIPOWER TRANS. SN <728921), (204, 205, 2200, 50 ALL W/ HYDRAULIC SHUTTLE TRANS.), 30 W/ INSTANT REVERSE TRANS. - EARLY PRODUCTION, 40 W/ INSTANT REVERSE TRANS. - LATE PRODUCTION, 50A W/ INSTANT REVERSE TRANS. SN <DC1222, 2500 W/ INSTANT REVERSE TRANS. SN <9A70308, 180 W/ 6 SP. OR MULTIPOWER TRANS. SN <CW6805, (148, 168, 185, 188 ALL W/ 8 SPEED OR MULTIPOWER TRANS.)

A-897710M1 Planetary Repair Kit 2.61 Lbs.
Used when installing new pinion gears in A-897711M93 carrier assembly.



Dim/Info:
Shafts, Rollers and Washers.

For Models: SEVERAL

A-180596M1 Collar, Rear Axle 0.65 Lbs.



Dim/Info:
2.970" O.D.
2.247" I.D.
.713" Wide

For Models: 135, 148, 150, 20, 202, 204, 20C, 2135, 2200, 230, 231, 235, 240P, 240S, 245, 30, 3165, 340, 35, 50, 550, FE35, T020, T030, T035

A-181257M1 Collar, Rear Axle 0.60 Lbs.



Dim/Info:
2.754" O.D.
2.004 I.D.
.690" Wide

For Models: T020, T030

A-195555M1 Seal, Rear Axle Inner 0.12 Lbs.



Dim/Info:
2" X 7/8" X 1/2"

For Models: T030

A-195678M1 Seal, Inner Rear Axle, Half Shaft 0.09 Lbs.

Dim/Info:
2.879" X 2.125" X 0.437"

For Models: 135, 148, 230, 240, 340, 35, 550, FE35

A-195557M1 Seal, Rear Axle Outer 0.26 Lbs.
Replaces: 890640M1



Dim/Info:
2 3/8" X 3 1/2" X 5/8"

For Models: TEA20, TED20, TEF20, T020, T030

A-195677M1 Seal, Outer Axle Housing, Half Shaft 0.16 Lbs.



Dim/Info:
3.628" X 2.750" X 0.375"

For Models: T035, 135, 230, 235, 240, 35, 50

A-966238M1 Seal, Outer Axle Housing, Haft Shaft 0.14 Lbs.



Dim/Info:
3.755" x 2.628" x 0.586"

For Models: 150, 155, 158, 165, 165 UK, 200 SERIES, 2200, 302, 304, 65, 765

A-894763M1 Seal, Rear Wheel Axle Shaft Outer 0.30 Lbs.



Dim/Info:
4.00" x 2.875" x 0.375"

For Models: 165, 168, 175, 178, 185, 188, 250, 265, 275, 290, 565, 575, 590, 595, 675, 690, 698

A-1860954M1 Seal, Inner Axle Housing, Half Shaft 0.34 Lbs.



For Models: 1085, 165 UK, 245 S/N <9A349239, 255, 265, 275, 275 UK, 285, 290, 290 UK, 298, 30, 30B, 30D, 31, 375 S/N B18009>, 390, 398, 40, 40B, 4225, 4235, 4240, 4245, 4255, 4260, 4265, 4270, 4335, 4345, 4355, 4360, 4370, 4500, 50C, 50D, 6500, 690, 698, 699

A-831363M1 Bearing Cup, Rear Axle Outer 0.62 Lbs.



Dim/Info:
3.6718" O.D.
0.9375" Width
0.1250" Radius

For Models: T020, T030

A-195162M1 Bearing Cone, Rear Axle Outer 1.27 Lbs.



Dim/Info:
2.00" I.D.
1.1930" Width
0.140" Radius

For Models: T020, T030

A-300975M1 Bearing Cup, Axle Hub 0.82 Lbs.



Dim/Info:
4.1250" O.D.
0.9687" Width
0.1250" Radius

For Models: (135, 150 ALL EARLY MODELS REAR AXLE OUTER CUP), (165, 175, 180 ALL REAR AXLE INNER CUP), (T035, 35, 50 ALL REAR AXLE OUTER CUP)

A-195675M1 Bearing Cone, Rear Axle Outer 1.51 Lbs.



Dim/Info:
2.250" I.D.
1.1542" Width
0.0930" Radius

For Models: T035, 35, 50, (135, 150 ALL Early Models)

A-195160M1 Bearing Cup (LH), Rear Axle Inner 1.10 Lbs.



Dim/Info:
4.4375" O.D.
0.9375" Width
0.1250" Radius

For Models: TE20, T020, 135, 165, 175, 180, 235, 255, 265, 275, 65, 35 EARLY MODELS, T035 169467>

A-195159M1 Bearing Cone (LH), Rear Axle Inner 1.53 Lbs.



Dim/Info:
2.6250" I.D.
1.1830" Width
0.140" Radius

For Models: TE20, T020, 135, 165, 175, 180, 235, 255, 265, 275, 65, 35 EARLY MODELS, T035 169467>

A-185252M1 Bearing Cup (RH), Rear Axle Inner 1.08 Lbs.



Dim/Info:
6.250" O.D.
0.6250" Width
0.1250" Radius

For Models: 165, 175, 180, 255, 265, 275, 65, 135 LATE MODEL, 235 W/ DIFF. LOCK

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1850088M91 Bearing, Outer Axle Housing, Half Shaft 2.38 Lbs.



For Models: 135 UK, 231, 240, 240S Turkey

A-1881931M91 Bearing, Axle Housing, Half Shaft 2.39 Lbs.



For Models: 165 UK, 175 UK, 178, 20E, 20F, 24, 240 S/N N0100-A20286, 253, 263, 265S Turkey, 271, 275 UK, 281, 282, 283 Brazil, 283 UK, 290 UK, 30E, 360, 362, 365 S/N <B18009, 375, 383, 390, 390T, 396, 398, 399, 40E, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 50F, 50H, 50HX, 60H

A-3019967X1 Seal, MFWD Input Pinion 0.17 Lbs.




For Models: (3050, 3060, 3065, 3070, 3075, 3080, 3085, 3090, 3095 ALL Center 4WD), (340, 350, 355, 360, 362, 365, 375, 390, 390T, 398, 399 ALL Side 4WD)

A-180408M2 Planetary Cover Plate, Front 1.29 Lbs.




For Models: F40, FE135 COVENTRY, FE35, TO35, 1080, 1085, 11, 135, 150, 165, 175, 180, 20, 202, 203, 204, 205, 20C, 20D, 20F, 2135, 220, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 253, 255, 30, 302, 304, 30B, 30D, 30E, 30H, 31, 3165, 320, 35, 360, 362, 375, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 65, 6500

A-184012M4 Planetary Cover Plate, Rear 1.09 Lbs.




For Models: F40, FE135 COVENTRY, FE35, 50, TO35, 1080, 135, 150, 165, 175, 180, 35, 50, 65, 85, 88, 90 SUPER

A-1867423M1 Carrier Plate Cover 1.57 Lbs.




For Models: 1085, 11, 20, 20C, 202, 203, 204, 205, 2135, 2200, 230, 235, 245, 2500, 255, 256, 30, 30B, 302, 304, 31, 3165, 40, 40B, 4500, 50, 50A, 50C, 6500

A-1867425M1 Cover, Plate Carrier Front 1.29 Lbs.



For Models: 1080, 1085, 175, 180, 2500, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 6500, 670, 690, 698, 699

A-1867426M1 Carrier Shim 0.22 Lbs.



Dim/Info:
.0154"

For Models: 1080, 1085, 175, 180, 2500, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 6500, 670, 690, 698, 699

A-180414M1 Washer, Thrust (Planetary) 0.22 Lbs.



Dim/Info:
4 1/8" X 5 3/4" X 3/64"

For Models: F40, FE35, TO35, 135, 150, 165, 202, 203, 204, 205, 2135, 302, 304, 3165, 35, 356, 50, 65, 85, 88, 90 SUPER


A-897367M1 Washer, Carrier 0.30 Lbs.



Dim/Info:
4.125 X 5 X .055


For Models: 11, 135, 150, 165, 175, 180, 20, 20C, 20D, 20F, 202, 203, 204, 205, 2135, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 253, 255, 30, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 356, 360, 362, 375, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 6500, FE135 COVENTRY

A-184770M3 Planetary Shifter Coupler 1.39 Lbs.



For Models: 1080, 1085, 11, 135, 150, 165, 175, 180, 20, 20C, 20D, 20F, 202, 203, 204, 205, 2135, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 253, 255, 30, 30B, 30D, 30E, 30H, 302, 304, 3050, 3060, 3070, 3090, 31, 3120, 3125, 3165, 356, 360, 362, 375, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 6500, 85, 88, FE135 COVENTRY, 90 SUPER

A-1866557M2 Planetary Shift Coupler 0.96 Lbs.



For Models: 1085, 2500, 255, 265, 270, 275, 283, 285, 290, 30, 30B, 30D, 30E, 375, 383, 390, 390T, 393, 399, 40, 40B, 4500, 50A, 50C, 50D, 50E, 50H, 50HT, 60, 60H, 60HT, 6500, 670, 690, 698, 699


A-181247M1 Washer, Planetary 0.16 Lbs.



Dim/Info:
4.48" O.D.
3.000" I.D.
.060" Thick

For Models: F40, FE35, SUPER 90, TO35, 1100, 1105, 1130, 1150, 1155, 135, 150, 1500, 1505, 165, 175, 180, 1800, 1805, 202, 203, 204, 205, 2135, 2200, 2500, 302, 304, 3165, 35, 356, 50, 65, 70, 760, 80, 85, 88

A-1860882M1 Differential Carrier Plate (RH) 32.98 Lbs.



For Models: 1085, 24, 245, 25, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 30H, 31, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60HT, 6500, 6500H, 670, 6800H, 690, 698, 699

- AGCO
- ALLIS CHALMERS
- DEUTZ
- MASSEY FERGUSON
- WHITE/OLIVER
- CNH
- CASE-IH
- FORD / NEW HOLLAND
- FIAT
- BELARUS
- BOBCAT
- JCB
- JOHN DEERE
- KUBOTA
- LANDINI
- LEYLAND
- LONG
- MCCORMICK
- OTHER
- RENAULT
- SAME
- VALTRA
- VERSATILE
- YANMAR
- ZETOR
- SCHWARTZ
- SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


A-1687864M1 Differential Carrier Plate (LH) 30.96 Lbs.
Replaces: 1860885M1



AGCO
 ALLIS
 CHALMERS
 DEUTZ
 MASSEY
 FERGUSON

For Models: 1085, 245, 255, 265, 270, 275, 282, 283, 285, 298, 30, 30B, 30D, 30E, 30H, 31, 40, 40B, 50A, 50C, 50E, 50H, 670, 690, 698, 699, 60 BACKHOE, (4500, 6500 ALL FORKLIFT), 24 HANDLER

A-3759150M1 Differential Cover 17.22 Lbs.
Replaces: 894781M3, 894780M92



WHITE/
 OLIVER

A-516389M2 Gasket 0.03 Lbs.

For Models: 135, 150, 165, 175, 180, 20E, 20F, 2200, 235, 245, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 30, 30B, 30D, 30E, 302, 304, 31, 3165, 356, 360, 362, 375, 383, 390, 390T, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 6500, 670, 690

CNH
 CASE-IH


A-1871610M91 Hand Brake Assembly 6.60 Lbs.



FORD / NEW
 HOLLAND
 FIAT

For Models: 261, 265S, (275, 283, 290 ALL UK MODEL)

A-898639M96 Hand Brake Assembly 6.73 Lbs.



BELARUS

BOBCAT

JCB

For Models:

A-1665962M91 Dipstick, Differential Oil Level 0.06 Lbs.



JOHN
 DEERE

KUBOTA

For Models: 135, 20, 20C, 20D, 20F, 230, 231, 235, 24, 240, 240P, 245, 25, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 360, 362, 375, 383, 390, 390T, 393, 398, 40, 40B, 40E, 50C, 50D, 50E, FE135 COVENTRY

LANDINI

A-897036M1 Differential Lock Coupler 2.84 Lbs.



LEYLAND

LONG

Dim/Info:
 39 Teeth
 10 Lugs

McCORMICK

For Models: 135, 150, 20, 20C, 20D, 20F, 202, 204, 2135, 2200, 230, 231, 235, 240, 240P, 245, 30, 3165, FE135 COVENTRY

OTHER

A-191138M91 Oil Trough Assembly (RH) 0.65 Lbs.



RENAULT

SAME

Dim/Info:
 Used w/ Differential Lock

VALTRA

For Models: FE135, 135, 150, 20, 20C, 20D, 202, 204, 2135, 2200, 231, 235, 240, 240P, 245, 30, 3165, 35, 50

VERSATILE

YANMAR

ZETOR


SCHWARTZ
 SPEECO

A-825774M2 Oil Trough Assembly (LH) 2.48 Lbs.



For Models: F40, FE135 COVENTRY, FE35, T035, 150, 20, 202, 204, 20C, 20D, 2135, 2200, 230, 231, 235, 240, 240P, 245, 30, 3165, 35, 50


A-192779M2 Differential Lock Pedal Pad 0.66 Lbs.



For Models: 135, 150, 165, 175, 202, 204, 2135, 3165, 50, 65

A-578207M91 Differential Lock Arm 1.20 Lbs.

Replaces: 1872597M1




For Models: FE35, 135, 150, 165, 175, 180, 20, 20C, 2135, 230, 235, 240, 245, 30, 3165, 35, FE135 COVENTRY

A-190980M1 Differential Lock Fork Shoe Guide 0.08 Lbs.



For Models: FE35, 135, 135 UK, 150, 230, 231, 235, 240, 240P, 245, 35

A-190960M92 Differential Lock Cam & Shaft Assembly 1.58 Lbs.



For Models: FE35, 135, 150, 20, 20C, 20D, 202, 204, 2135, 2200, 230, 231, 235, 240, 240P, 245, 30, 3165, 35, 50, FE135 COVENTRY

A-1864763M1 Differential Lock Shaft 0.92 Lbs.



For Models: 1085, 245, 250, 255, 265, 270, 275, 282, 285, 298, 670, 690, 698, 283 BRAZIL

A-1860961M1 Differential Lock Shaft 0.42 Lbs.



For Models: 1085, 165, 165 UK, 175, 180, 235, 240, 245, 250, 255, 265, 275, 285, 290 UK, 283 BRAZIL, 135 SN9A130003>

A-1660835M1 Differential Lock Plate (RH) 37.72 Lbs.



For Models: 20F, 250, 360, 30E POWER SHUTTLE W/ 3 PLATE WET BRAKES, 240 SN<A20286, (362, 40E ALL W/ 3 PLATE WET BRAKES)

A-1687866M3 Differential Lock Plate (LH) 39.14 Lbs.



For Models: 20F, 250, 360, 30E POWER SHUTTLE W/ 3 PLATE WET BRAKES, 240 SN<A20286, (362, 40E ALL W/ 3 PLATE WET BRAKES)

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1687863M3 Plate, Differential Lock (LH) 32.65 Lbs.




For Models: 362 W/ 4 Plate Wet Brakes, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370

A-1860881M1 Plate, Differential Lock (RH) 32.65 Lbs.



For Models: 362 W/ 4 Plate Wet Brakes, 365, 375, 383, 390, 390T, 393, 396, 398, 399, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370


A-190963M1 Differential Lock Cap 3.70 Lbs.



Dim/Info:
10 Lug

For Models: FE35, 135, 150, 20, 20C, 20D, 202, 204, 2135, 2200, 230, 231, 235, 240, 240P, 245, 30, 3165, 35, 50, FE135 COVENTRY

A-897003M3 Differential Lock Fork Coupler 2.79 Lbs.



Dim/Info:
6 Lug


For Models: 1080, 1085, 11, 135, 150, 165, 175, 180, 20F, 203, 205, 220, 2200, 235, 24, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 320, 356, 360, 362, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 40E, 4500, 50, 50A, 50C, 50E, 50H, 60, 60H, 60HT, 6500, 6500H, 670, 6800H, 690, 698, 699

A-190981M1 Differential Lock Fork Pin 0.06 Lbs.



For Models: FE35, 135, 135 UK, 150, 230, 231, 235, 240, 240P, 245, 35

A-906807M1 Differential Lock Fork 1.68 Lbs.



For Models: 1080, 11, 135, 165, 175, 180, 20F, 220, 235, 24, 245, 25, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 30H, 31, 320, 360, 362, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 6500, 6500H, 670, 6800H, 690, 698, 699

A-906811M1 Differential Lock Clevis Boot 0.02 Lbs.



For Models: 1080, 1085, 165, 175, 180, 235, 240, 245, 250, 255, 265, 275, 285, 290 UK, 362, 375, 390, 390T, 398, 399, 283 BRAZIL, 365 SN<B18009, 165 UK SN141636>, 135 SN9A130003>

A-1694353M1 Differential Lock Shaft Spring 0.20 Lbs.


Replaces: 906808M1



For Models: 1080, 1085, 165, 175, 180, 235, 240, 245, 250, 255, 265, 275, 285, 290 UK, 362, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 365 SN<B18009, 165 UK SN141636>, 135 SN9A130003>

A-190974M91 Differential Shifter Fork Bracket 0.98 Lbs.


Replaces: 191056M1



For Models: 135, 150, 2135, 2200, 230, 231, 235, 240, 240P, 245, 30, 35

A-898712M2 Differential Coupling Cap 3.76 Lbs.

Dim/Info:
6 Lug



For Models: 1080, 1085, 11, 135, 150, 165, 175, 180, 20F, 203, 205, 220, 2200, 235, 24, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 320, 356, 360, 362, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 65, 6500, 6500H, 670, 6800H, 690, 698, 699, 90 SUPER

A-3387282M1 Washer, Thrust, Spider Gear, Differential Carrier 0.75 Lbs.

Replaces: 897726M1

Dim/Info:
3" X 4 5/32" X .060"




For Models: 1080, 1085, 1100, 1105, 1130, 1135, 1150, 1155, 135, 150, 1500, 165, 175, 180, 1800, 20, 20C, 20D, 20F, 203, 205, 2135, 230, 231, 235, 24, 240, 245, 25, 250, 2500, 253, 255, 2640, 265, 270, 275, 2805, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 30H, 302, 304, 3050, 3060, 3070, 3090, 31, 3120, 3125, 3165, 320, 3505, 3525, 3545, 356, 360, 362, 3630, 3650, 3655, 3660, 3680, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 6500, 670, 6800H, 690, 698, 699

A-1612123M3 Bull Pinion (RH) 16.08 Lbs.

Replaces: Sub to 1612123M4

Dim/Info:
10.84"
12 Teeth
39 Spline




For Models: 2745, 2775, 2805

A-1612124M3 Bull Pinion (LH) 17.76 Lbs.

Replaces: 1612124M4


Dim/Info:
12.84"
12 Teeth
39 Spline



For Models: 2745, 2775, 2805

A-898017M1 Washer, Axle Pivot Pin 0.08 Lbs.

Dim/Info:
1 29/32" X 2 5/8" X 7/64"



For Models: 11, 270, 282, 283, 290, 298, 375, 383, 390, 390T, 392S, 393, 398, 399, 40E, 50E, 50H, 60H, 6500H, 670, 6800H, 690, 698, 699

AGCO

ALLIS
CHALMERS

DEUTZ

MASSEY
FERGUSON

WHITE/
OLIVER

CNH

CASE-IH

FORD / NEW
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR


SCHWARTZ
SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


A-183259M1 Axle Shim, Axle Housing Outer 0.04 Lbs.



Dim/Info:
.004" Thick

For Models: F40, FE135 COVENTRY, FE35, T035, 135, 150, 20, 202, 204, 20C, 20D, 2135, 2200, 230, 231, 235, 240, 240P, 245, 30, 3165, 35, 50

A-183260M1 Axle Shim, Axle Housing Outer 0.08 Lbs.



Dim/Info:
.016" Thick


For Models: F40, FE135 COVENTRY, FE35, T035, 135, 150, 20, 202, 204, 20C, 20D, 2135, 2200, 230, 231, 235, 240, 240P, 245, 30, 3165, 35, 50

A-532956M1 Nut, Bearing Lock 0.05 Lbs.



For Models: F40, FE35, T035, 1080, 1085, 135, 150, 20, 202, 203, 204, 205, 20C, 20D, 20E, 20F, 2135, 2200, 230, 235, 24, 240, 245, 25, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 30H, 31, 3165, 35, 360, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 6500, 670, 690, 698, 699

A-2521194M1 Planetary Carrier Assembly, Multi Power 11.28 Lbs.
Consist of: (1) 1866558M92 carrier, (3) 1866552M1 pinion & (3) 1866538M2 shaft




For Models: 1085, 250, 2500, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 383, 390, 390T, 392S, 393, 398, 399, 40, 40B, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 6500, 670, 690, 698, 699

A-3772777M1 Transmission Housing 171.00 Lbs.




Replaces: 3599015M2, 3595243M2



For Models: 240, 360, 362, 375, 383, 390, 390T, 398, 399


A-183254M1 Gasket, Rear Axle Housing 0.09 Lbs.



Dim/Info:
sold in multiples of 5

For Models: T020, T030, T035, 1080, 135, 150, 165, 175, 178, 180, 20, 20C, 20D, 2135, 2200, 230, 231, 235, 240, 240P, 245, 2500, 30, 31, 3165, 35, 40, 50, 65


A-521181M1 Gasket, Transmission Case 0.02 Lbs.
Replaces: 181363M1, 1861986M1



Dim/Info:
10.750" X 16"
sold in multiples of 5

For Models: T035, 1080, 1085, 135, 150, 165, 175, 180, 20, 202, 203, 204, 2135, 2200, 230, 235, 245, 255, 265, 275, 285, 30, 302, 304, 3165, 35, 40, 50, 65, 283 BRAZIL

A-898643M1 Locating Pin, Axle Housing 0.21 Lbs.



For Models: 1080, 1085, 11, 135, 148, 150, 155, 158, 165, 168, 175, 178, 180, 185, 188, 20, 202, 203, 204, 205, 20C, 20D, 2135 TURF, UTIL, NARROW, 2200, 230, 231, 235, 24, 240, 240P, 245, 25, 2500, 255, 265, 275, 282, 283, 285, 290, 298, 30, 300 RANGE, 302, 304, 30E, 30H, 31, 3165, 35, 350, 355, 360, 362, 365, 375, 383, 390, 390T, 393, 398, 399, 40, 40E, 4500, 50, 50A, 50E, 50H, 60, 60H, 60HT, 6500, 6500H, 670, 690, 698, 699, 765, FE135 COVENTRY, FE35, T035

A-831531M1 Needle Roller, Pinion 0.01 Lbs.

Replaces: 184742M1




Dim/Info:
sold in multiples of 10

For Models: 135, 150, 165, 175, 180, 20F, 203, 205, 2200, 235, 24, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 30, 30B, 30D, 30E, 30H, 302, 304, 31, 3165, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 5650, 60, 60H, 65, 6500, 6500H, 670, 6800H, 690, 85, 88

A-185778M1 Differential Bearing Cup 4.66 Lbs.

Replaces: 1850090M91



Dim/Info:
(2 used)

For Models: FE35, TE20, T020, T030, 11, 135, 150, 165, 175, 180, 20, 20C, 20D, 20F, 202, 203, 204, 205, 2135, 2200, 230, 231, 235, 24, 240, 240P, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 282, 285, 30, 30B, 30D, 30E, 30H, 302, 31, 3165, 356, 360, 362, 3630, 3650, 375, 383, 390, 390T, 399, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 65, 6500, 670, T035 SN <-169467

A-1851017M1 Differential Bearing Cup 0.80 Lbs.


Used w/ A-518881M91 sleeve



Dim/Info:
3.750" O.D.
.812" Wide

For Models: 135, 150, 165, 175, 180, 203, 205, 2135, 2200, 2500, 30, 302, 304, 31, 3165, 40

A-882232M2 Differential Case Bolt 0.26 Lbs.



For Models: F40, FE135 COVENTRY, FE35, T035, 1080, 1085, 11, 1100, 1130, 135, 150, 165, 175, 180, 20, 202, 203, 204, 205, 20C, 20D, 20F, 2135, 220, 2200, 230, 231, 235, 24, 240, 240P, 245, 25, 250, 2500, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 302, 304, 30B, 30D, 30E, 30H, 31, 3165, 320, 35, 360, 362, 375, 383, 390, 390T, 393, 398, 399, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 50H, 60, 60H, 60HT, 65, 6500, 6500H, 670, 6800H, 690, 698, 699, 85, 88, 90 SUPER

A-3612415M91 Brake Lever 1.20 Lbs.



For Models: 240 W/ DRUM BRAKES, (253, 263 ALL 2WD)

A-1689024M93 Cable, Hand Brake 1.07 Lbs.



Dim/Info:
49 1/2" Total Length

For Models: (240, 241, 243, 253, 263 ALL 2WD TRACTOR)

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1689025M94 Cable, Hand Brake 1.35 Lbs.



Dim/Info:
64" Total Length

For Models: (240, 241, 243, 253, 263 ALL 2WD TRACTOR)

A-1696648M91 Cable, Hand Brake 1.00 Lbs.



Dim/Info:
44" Total Length

For Models: (375, 390, 398, 399 ALL ENG. S/N <-V39465)

A-1696649M91 Cable, Hand Brake 1.20 Lbs.
CONCENTRIC W/SPACER



Dim/Info:
55" TOTAL LENGTH

For Models:

A-3595762M91 Cable, Hand Brake 1.20 Lbs.
Concentric w/o Spacer



Dim/Info:
50" Total Length

For Models: (375, 383, 390, 398 ALL ENG. S/N <-V39465)

A-3595763M91 Cable, Hand Brake 1.11 Lbs.
Concentric w/o spacer



Dim/Info:
50" Total Length

For Models:

A-3596772M92 Cable, Hand Brake 1.00 Lbs.
Tangential w/ spacer



Dim/Info:
46 3/4" Total Length

For Models: 271, 281, 362, 365, 375, 383, 390, 390T, 393, 396, 398, 399

A-3596773M92 Cable, Hand Brake 1.22 Lbs.
Tangential w/ spacer



Dim/Info:
57 3/4" Total Length

For Models:

A-3596774M92 Cable, Hand Brake 1.20 Lbs.
Tangential w/o spacer



Dim/Info:
52 1/2" Total Length

For Models: 362, 365, 375, 383, 390, 390T, 393, 398

A-3596775M92 Cable, Hand Brake 1.33 Lbs.
Tangential w/o spacer



Dim/Info:
63 1/2" Total Length

For Models: 271, 281

A-3698735M91 Cable, Hand Brake 1.40 Lbs.



Dim/Info:
49 3/4" Total Length

For Models: 240 2WD W/ WET BRAKES S/N A20286->, (243, 253, 263 ALL 4WD)


A-3698736M91 Cable, Hand Brake 1.40 Lbs.



Dim/Info:
61" Total Length

For Models: 240 2WD S/N A20286->, (243, 253, 263 ALL 4WD)

A-3583620M2 Cable, Hand Brake 0.00 Lbs.



Dim/Info:
56" Long

For Models: 3635, 3645, 3655, 3670, 3690, 8110, 8120, 8130, 8140, 8150, 8160

A-3806187M91 Cable, Hand Brake 2.50 Lbs.



Dim/Info:
100" Total Length

For Models: 4215, 4220, 4225, 4235, 4240, 4245, 4255, 4260, 4270, 4315, 4320, 4325, 4335, 4345, 4355, 4360, 4370

A-3714536M1 Cable, Hand Brake 1.00 Lbs.



Dim/Info:
57" Total Length

For Models: 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190


A-3778581M2 Cable, Hand Brake 0.00 Lbs.



Dim/Info:
43" Total Length

For Models: 6235, 6245, 6255, 6260, 6265, 6270, 6280, 6290

A-3612406M1 Brake Lever 0.90 Lbs.



For Models: 240 W/ DRUM BRAKES, (253, 263 ALL 2WD)

- AGCO
- ALLIS CHALMERS
- DEUTZ
- MASSEY FERGUSON
- WHITE/ OLIVER
- CNH
- CASE-IH
- FORD / NEW HOLLAND
- FIAT
- BELARUS
- BOBCAT
- JCB
- JOHN DEERE
- KUBOTA
- LANDINI
- LEYLAND
- LONG
- MCCORMICK
- OTHER
- RENAULT
- SAME
- VALTRA
- VERSATILE
- YANMAR
- ZETOR
- SCHWARTZ
- SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1613986M4 Brake Master Cylinder 2.35 Lbs.



AGCO

ALLIS
CHALMERS


DEUTZ

MASSEY
FERGUSON

WHITE/
OLIVER

For Models: 2620, 2625, 2640, 2645, 2680, 2685, 2720, 2725, 3630, 3645, 3650, 3655, 3670, 3680, 3690, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 8110, 8120, 8130, 8140, 8150, 8160, (3050, 3075 ALL SN C340006> BENDIX), (3060, 3065, 3070 ALL SN C340006> BENDIX W/ DYNASHIFT), 3085 SN C280041> BENDIX W/ DYNASHIFT, 3095 SN C280041> BENDIX, (3115, 3120, 3120T, 3125, 3140, 3635 ALL BENDIX W/ DYNASHIFT), 3660 BENDIX

A-1810714M91 Master Cylinder Repair Kit 0.04 Lbs.



For Models: 675, 690, 698, 698T, 699

CNH

CASE-IH

FORD / NEW
HOLLAND


FIAT

A-1810917M94 Slave Cylinder Repair Kit 0.04 Lbs.



For Models: 340, 342, 350, 355, 360, 362, 365 SN <B18009, 372, 375 SN <B18008, 382, 383, 390, 390T, 393, 396, 398, 399, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370

A-1682767M1 Brake Cylinder Assembly 1.71 Lbs.



BELARUS

BOBCAT

JCB

JOHN
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA


VERSATILE

YANMAR

ZETOR

For Models: (675, 690, 698 ALL W/ SMALL DOUBLE RESERVOIR), 698T, 699


A-1676387M92 Brake Slave Cylinder 1.36 Lbs.
Replaces: 3186484M91



A-VPJ7223 Repair Kit 0.26 Lbs.


For Models: 30E, 30H, 40E, 50D, 50E, 50EX, 50HX, 60H, 675, 690, 698, 698T, 699, (24, 25 ALL TELESCOPIC HANDLER), 260 2/1980>, 265 SN 193552>, 275 SN 221522>, 290 SN 387020>, (298, 575 ALL SN J122>), (592, 595 ALL SN A277032>)

A-1698670M1 Brake Master Cylinder 1.65 Lbs.




For Models: 235 GERMAN ONLY SN Z173013>, 255 GERMAN ONLY, 260 2/1980>, 265 SN 193552>, 270, 275 SN 221522>, 290 SN 387020>, 298 GERMAN ONLY, 30E Power Shuttle, 40E, 50E

A-3477380M93 Brake Slave Cylinder 2.80 Lbs.




For Models: (360, 362, 375, 383, 390, 390T, 393, 396, 398, 399 ALL LEFT HAND)

A-3477381M93 Brake Slave Cylinder 2.71 Lbs.
Replaces: 3477381M91, 3477381M92




For Models: (340, 342, 352, 362, 372, 382, 382N, 390T ALL RIGHT HAND)

A-3596785M92 Brake Master Cylinder 1.76 Lbs.



For Models: 340 W/ Cab, 342 SN <-S08141, 350 SN V39467->, 352 SN <-S08141, 355 SN V39467->, 360 SN 39467->, 362 SN <-S08141, 365 SN V39467 - S08141, 372 SN <-S08141, 375 SN V39467 - S08141, (382, 382N ALL SN <-S08141), (383, 390, 390T, 398, 399 ALL SN V39467 - S08141)

A-3595504M2 Brake Master Cylinder 1.60 Lbs.



For Models: (350, 355, 360, 365, 375, 383, 390, 398, 399 ALL SN <-V39466)

A-1811086M91 Kit, Brake Master Cylinder Repair 0.06 Lbs.
Repairs 3614780M91 Master Cylinder




For Models: 342, 352, 362, 365 SN S08142>, 372, 375 SN S08142>, 382, 382N SN S08142>, 390, (390T, 398, 399 ALL SN S08142>)

A-835939M91 Kit, Slave Cylinder Repair 0.06 Lbs.
Repairs 3186482M91 Slave Cylinder




For Models: 255, 260, 560, 575, 592, 595

A-3388831M4 Brake Master Cylinder 1.49 Lbs.



For Models: 3080, 3090, (3085, 3095 ALL SN <C280041), (3050, 3060, 3065, 3070, 3075 ALL SN <C340005), (3115, 3120, 3120T, 3125, 3140 ALL SN <D006032)

A-3620602M91 Shoe Brake Lining Set 2.57 Lbs.
Replaces: 1810345M91, 1851062M91, 1851063M91, 202631



For Models: 35, 35X, 135 UK, 175 UK, 178, 231, 240 A20286 ->, 240 S/N N01001 - A20286

A-1850217M1 Spring, Brake Shoe 0.15 Lbs.
Replaces: 1851130M1



For Models: FE35, 178, 231, 240, 240P, 135 UK, 165 UK, 175 UK, 20D, 50F, 50H, 50HX, 60H

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle

A-830537M92 Brake Shoes (4) 2.02 Lbs.



Dim/Info:
sold in multiples of 4

For Models: T020, T030 w/ 11" Drum


A-830480M92 Brake Shoes (4) 3.72 Lbs.
Sold in lots of 4, priced per shoe.



Dim/Info:
sold in multiples of 4

For Models: 135, 150, 230, 235, 35, 40, 50, T035 Used for 13.5" drum

A-1810517M92 Brake Shoes (4) 3.40 Lbs.
Sold in lots of 4, priced per shoe.



Dim/Info:
sold in multiples of 4

For Models: 231, 240, 240P

A-1021314M1 Brake Disc (1) 2.06 Lbs.
Replaces: 1753117M91



Dim/Info:
7.125" O.D.
27 Spline

For Models: 135, 150, 165, 175, 180, 203, 205, 2500, 30, 302, 304, 31, 3165, 356, 40, 50, 65, 85, 88

A-1044526M1 Brake Disc (1) 3.04 Lbs.
Replaces: 1805980M1



Dim/Info:
8.875" X 6.000" Dia.
27 Spline


For Models: 1080, 135, 165, 175, 180, 235, 255, 265, 275, 285, 30, 31, 40

A-1810992M91 Seal, Actuator (LH) 0.16 Lbs.



For Models: 340, 342, 350, 352, 355, 360, 362, 365, 372, 375, 382N, 390, 390T, 396, 398, 399, 4215, 4220, 4225, 4235, 4240, 4245, 4255, 4260, 4265, 4270, 4315, 4320, 4325, 4335, 4345, 4355, 4360, 4365, 4370, 5335, 5340, 5355, 5360, 5365


A-1810993M91 Seal, Actuator (RH) 0.16 Lbs.



For Models: 340, 342, 350, 352, 355, 360, 362, 365, 375, 382N, 390, 390T, 396, 398, 399, 4215, 4220, 4225, 4235, 4240, 4245, 4255, 4260, 4265, 4270, 4315, 4320, 4325, 4335, 4345, 4355, 4360, 4365, 4370, 5335, 5340, 5355, 5360, 5365

A-3596778M91 Brake, Actuator (RH) 15.75 Lbs.

A-3596776M91 Brake, Actuator (LH) 16.00 Lbs.




For Models: 360 W/ Tangential Brakes SN V39466>, 362, 365 SN <B18009, (375, 383, 390 ALL W/ Tangential Brakes SN V39466>), 390T, 393, 396, 398 W/ Tangential Brakes SN V39466>, 399, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370

A-1860963M2 Brake Actuator Assembly 16.44 Lbs.
For models w/ wet brake system.



For Models: 1085, 20F, 245, 250, 255, 265, 270, 275, 283, 285, 290, 298, 30, 30B, 30D, 30E, 30H, 31, 360, 375, 383, 390, 393, 398, 40, 40B, 40E, 50A, 50C, 50D, 50E, 50H, 60, 670, 690, 698, 699


A-764805M91 Brake Actuator Assembly 11.58 Lbs.
Used w/ 4" brake disc



Dim/Info:
7" O.D.


For Models: 1080, 150, 165, 175, 178, 180, 203, 204, 205, 2200, 2500, 30, 302, 3050, 3060, 3070, 3090, 3165, 333, 65, 765, 85, 88, 90, 95

A-535873M91 Brake Actuating Assembly 17.80 Lbs.



For Models: 1080, 1085, 165, 175, 180, 255, 30, 40, (135, 235 ALL ORCHARD), (265, 275, 285 ALL SN <9A349239)

A-1669474M1 Brake Disc 2.16 Lbs.
Replaces: 1860964M2



Dim/Info:
2.165" I.D.
8.819" O.D.
27 Teeth

For Models: 245, 255, 265, 275, 285, 30E, 30H, 40E, 50E, 50H

A-520702M91 Brake Disc Assembly, 14" 7.09 Lbs.



Dim/Info:
2.81" I.D.
13.75" O.D.
12 Teeth

For Models: 1100, 1130, 1150, 70, 80

A-536922M91 Brake Disc, 14" 8.70 Lbs.
Replaces: 529645M2



Dim/Info:
2.844" I.D.
13.75" O.D.
12 Spline

For Models: (1105, 1135, 1155 ALL Rear Axle SN DD2250>)

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

AGCO

ALLIS
CHALMERS

DEUTZ

MASSEY
FERGUSON

WHITE/
OLIVER

CNH

CASE-IH

FORD / NEW

HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR


SCHWARTZ
SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-3386897M92 Disc, Brake 6.56 Lbs.
Replaces: 1626989M91



Dim/Info:
 3.43" I.D.
 14" O.D.
 14 Teeth

AGCO


ALLIS
 CHALMERS

DEUTZ

MASSEY
 FERGUSON

For Models: 2640, (3120T, 3125, 3140 ALL <B126020), 3505 <T128025, 3545, 3630, 3645 <B126025, 3650, (3655, 3660 ALL <B126025), 3670 <B112025, 3680

A-3617652M91 Disc, Brake 4.45 Lbs.




Dim/Info:
 3.075" I.D.
 13.50" O.D.
 13 Teeth

WHITE/
 OLIVER

For Models: 3050, 3070 B082009>, 3075, (3090, 3095 ALL B082009>), 3120 5/1993>, 6140, 6150, 6170, 6245, 6255, 6265, 6270

A-3617653M91 Disc, Brake 4.30 Lbs.




Dim/Info:
 3.436" I.D.
 13.50" O.D.
 14 Teeth

CNH

CASE-IH

For Models: 3050, 3065, 3075, (3120T, 3125, 3140 ALL B126021>), (3645, 3655, 3660 ALL B126026>), 3670 B112026>, 6180, 6190, (6280, 6290 ALL <14 Jan 2002), 8120, 8140, 8150

A-3386896M92 Disc, Brake 6.72 Lbs.



Dim/Info:
 3.105" I.D.
 14.00" O.D.
 13 Teeth

FORD / NEW
 HOLLAND

FIAT

BELARUS

For Models: (3070, 3090, 3095 ALL <B082008), 3120 <5/1993

BOBCAT


A-894997M91 Brake Lining Set 1.80 Lbs.
 For all models w/ dry brakes.

Replaces: 840916M92

Dim/Info:
 7.000" Dia.

JCB

JOHN
 DEERE



KUBOTA

LANDINI


For Models: 155, 158, 165 UK, 175 UK, 178, 65, 765

LEYLAND

A-1860965M2 Brake Plate 1.30 Lbs.

Dim/Info:
 8.976" O.D.
 4.960" I.D.

LONG



McCORMICK

For Models: 1085, 20F, 245, 250, 255, 265, 270, 275, 283, 285, 290, 298, 30B, 30D, 30E, 30H, 31, 360, 375, 383, 390, 393, 398, 40, 40B, 40E, 50A, 50C, 50D, 50E, 50H, 60, 670, 690, 698, 699

OTHER

RENAULT

A-827707M5 Brake Drum 26.50 Lbs.

SAME

VALTRA



VERSATILE

For Models: 135, 150, 20, 2135, 2200, 230, 235, 240, 245, 30, 3165, 35, 40, 50

YANMAR

A-827147M1 Brake Plate 24.70 Lbs.


ZETOR



SCHWARTZ
 SPEECO


For Models:

A-827143M95 Brake Plate 21.85 Lbs.




For Models: FE35, 135, 20D, 231, 240P, FE135 COVENTRY

A-182278M1 Brake Adjusting Screw 0.06 Lbs.



For Models: T035, 35, 50

A-1810029M91 Pin Kit 0.14 Lbs.



For Models: 135 UK, 165 UK, 175 UK, 178, 20D, 231, 240, 240P, 240S Turkey, 35, 35X, 50E, 50H, 60H

A-1662242M2 Brake Pad 5.14 Lbs.
Replaces: 888739M1



For Models: 135, 148, 155, 158, 165, 168, 185, 188, 240, 265, 275, 285, 290, 298, (340, 350, 355, 360, 365, 375, 390, 390T, 398, 399 ALL B32999), 550, 565, 575, 590, 595, 675, 690, 698, 699, 1080

A-1005510M1 Spring, Actuator 0.03 Lbs.

Dim/Info:
 sold in multiples of 3



For Models: 1080, 135, 150, 154, 165, 175, 178, 180, 203, 205, 2500, 254, 274, 294, 302, 304, 3050, 3165, 333, 40, 444, 5500, 5830, 5860, 5870, 6070, 65, 6500, 6530, 6830, 6860, 6870, 765, 7830, 7860, 7870, 85, 8500, 88, 8830, 8880, 95, 97, 44 SPL, 90 SUPER

A-1853148M1 Spring, Actuator 0.02 Lbs.
Replaces: 1886562M1

Dim/Info:
 sold in multiples of 3



For Models: 1085, 135, 135 UK, 154-4, 165, 165 UK, 175, 180, 184-4, 20E, 20F, 220, 235, 240 S/N N01001-A20286, 245, 250, 253, 255, 261, 263, 265, 270, 271, 275, 275 UK, 281, 282, 283, 283 BRAZIL, 283 UK, 285, 290, 290 UK, 298, 30, 30B, 30D, 30E, 30H, 31, 320, 360, 375 S/N <B18008, 383, (390, 398 ALL S/N <B18008), 399, 40, 40E, 50E, 50F, 60, 670, 690, 698, 699, (4500, 6500, 6500H, 6800H ALL FORKLIFT)

A-195910M1 Bushing, Brake Pedal Shaft 0.10 Lbs.




For Models: 135, 135 UK, 150, 165, 165 UK, 175, 175 UK, 178, 20, 202, 203, 20C, 20D, 20F, 2135, 230, 235, 240, 240S, 245 SN <-9A349239, 250, 253, 263, 265S, 271, 275 UK, 281, 282, 283, 290 UK, 30, 30E, 31, 3165, 35, 35FE, 35X, 40, 40E, 50, 65, T035

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1860969M1 Bracket, Brake Lever (LH) 4.30 Lbs.
Replaces: 1860970M1




For Models: 1085, 135, 165, 175, 180, 235, 245, 255, 265, 275, 283, 285, 30, 30B, 40, 40B, 4500, 50A, 50C, 6500

A-847705M2 Bracket, Brake Lever (RH) 7.75 Lbs.
Replaces: 1667224M1, 1860972M2




For Models: 1085, 135, 165, 165 UK, 175, 180, 20E, 20F, 235, 240, 245, 250, 253, 255, 261, 263, 265, 271, 275, 275 UK, 281, 282, 283, 283 UK, 285, 290 UK, 30, 30B, 30D, 30E, 31, 40, 40B, 40E, 50A, 50C, 50D

A-1860959M1 Boot, Brake Rod 0.10 Lbs.



For Models: 1080, 1085, 165, 168, 175, 178, 185, 188, 240, 255, 265, 275, 285, 290, 30, 30B, 30D, 31, 40, 40B, 4500, 50A, 50C, 50D, 50E, 565, 575, 590, 595, 60, 675, 690, 698, 698T, 699

A-183462M1 Boot, Brake Rod 0.06 Lbs.



For Models: 1080, 1085, 135, 150, 154, 154-4S, 165, 175, 180, 184, 203, 205, 2200, 254, 274, 285, 302, 304, 31, 3165, 50, 5500, 65, 6500, 7500, 85, 88, 90 SUPER

A-184334M1 Clevis, Brake Rod 0.60 Lbs.



Dim/Info:
 7/16-20 UNF RH Thrd.
 7.19" Long


For Models: 165, 175, 65

A-180801M1 Brake Shaft Bushing 0.10 Lbs.



For Models: TE20, T020, 1080, 135, 150, 165, 175, 180, 230, 235, 245, 255, 265, 275, 285, 30, 35, 40, 50, 65

A-898937M1 Park Brake Pivot Support 0.21 Lbs.




For Models: 20F, 250, 253, 265, 275, 283, 30B, 30D, 30E, 31, 392S, 40, 40B, 40E, 50C, 50D, 50E

A-1890319M1* Spring, Brake Shoe To Anchor Pin 0.10 Lbs.



For Models: TEA20 SN 200001>, 35FE, 35X, 178, 231, 240, 240P, 20D, 50F, 50H, 50HX, 60H, 135 UK, 165 UK, 175 UK

A-773222M1* Spring, Brake Lever Return 0.01 Lbs.



For Models: 135, 150, 150S, 165, 175, 178, 180, 1800, 1805, 203, 205, 20C, 20D, 20E, 20F, 2135, 2200, 230, 235, 240, 240S, 245, 250, 251, 253, 255, 261, 263, 265, 265S, 271, 275, 281, 282, 283, 285, 285S, 30, 30B, 30D, 30E, 31, 3165, 40, 40B, 40E, 50, 50A, 50C, 50D, 60, 65, 135 UK, 165 UK, 175 UK, 275 UK, 283 UK, 290 UK

A-180809M1* Spring, Brake Lock 0.01 Lbs.



For Models: 130, 135, 150, 165, 175, 178, 20, 20/20, 205, 230, 235, 25/30, 282, 30, 30B, 31, 35, 35 TURF, 35 UTILITY, 35FE, 35X, 40, 50, 50 MASSEY HARRIS, 50D, 65, T035, 1080, 1085, 1500, 1505, 1800, 1805, 3165, 135 UK, 175 UK, 165 UK

A-3700999M1* Spring, Brake Pedal 0.10 Lbs.



For Models: 240 W/ Wet Brakes, (253, 263 ALL 4WD)

A-1695472M1* Spring, Hand Throttle Return 0.01 Lbs.



For Models: 240, 253, 263, 283 Brazil, 360, 362, 365, 375, 383, 390, 390T, 393, 394S, 396, 398, 399

A-3700585M1* Spring, Clutch Fork 0.25 Lbs.




For Models: 281X, 281XE, 362, 365, 375, 383, 390, 390T, 393, 394S, 396, 398, 399, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370

A-3699309M1* Spring, Clutch Pedal 0.25 Lbs.



For Models: 362, 365, 375, 383, 390, 390T, 393, 394S, 396, 398, 399

A-828656M1* Spring, Foot Throttle Return 0.05 Lbs.




For Models: 178, 20/20, 240, 240S, 25/30, 250, 253, 263, 265S, 271, 281, 283, 285S, 20D, 20F, 30E, 40E, 135 UK, 165 UK, 175 UK, 275 UK, 283 UK, 290 UK

A-1660773M2* Spring, Throttle Control 0.05 Lbs.




For Models: 20E, 240, 250, 253, 263, 283 Brazil, 3050, 3060, 3070, 360, 362, 365, 375, 383, 390, 390T, 393, 394S, 398, 399, 4345, 4355, 670, 690, 698, 699

A-509988M91 Parking Brake Lever Assembly 0.63 Lbs.



For Models: 1100, 1105, 1130, 1135, 1150, 1155

A-517967M2 Pawl, Parking Brake 1.14 Lbs.












For Models: 1105, 1135, 1150, 1155









- AGCO
- ALLIS CHALMERS
- DEUTZ
- MASSEY FERGUSON
- WHITE/OLIVER
- CNH
- CASE-IH
- FORD / NEW HOLLAND
- FIAT
- BELARUS
- BOBCAT
- JCB
- JOHN DEERE
- KUBOTA
- LANDINI
- LEYLAND
- LONG
- MCCORMICK
- OTHER
- RENAULT
- SAME
- VALTRA
- VERSATILE
- YANMAR
- ZETOR
- SCHWARTZ
- SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

Transmission & Rear Axle

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


	A-181960M1	Lock, Brake Pedal	0.40 Lbs.
AGCO			
ALLIS CHALMERS	For Models: 135 UK, 202 Gas, 203 Diesel, 20D, 20F, 240, 240S, 250, 253, 30E, 35 TURF, 35 UTILITY, 40E, 50 SN <533414, 65 SN <692932, FE35, T035		
DEUTZ	A-884847M1	Shaft, Rear Wheel Axle	8.75 Lbs.
MASSEY FERGUSON			
WHITE/OLIVER	For Models: 165, 168, 175, 178, 185, 188, 250, 265, 575, (275, 675 ALL NORMAL DUTY)		
	A-831488M1	Bearing Cone, Rear Axle Outer	1.20 Lbs.
CNH		Dim/Info: 2.6250" I.D. 0.8660" Width 0.0310" Radius	
	For Models: 165, 175, 180		
CASE-IH	A-832954M3	Rear Axle Seal (Inner)	0.36 Lbs.
FORD / NEW HOLLAND		Dim/Info: 2.125" I.D. 3.198" O.D. .812" Wide	
FIAT	For Models: 150, 165, 175, 180, 275, 285		
	A-185332M1	Bearing Cup, Rear Axle Outer	0.57 Lbs.
		Dim/Info: 4.9375" OD 0.7813" Width 0.0620" Radius	
BELARUS	For Models: 165, 175, 180		
BOBCAT	A-894782M2	Rear Axle Inner Seal	0.30 Lbs.
JCB		Dim/Info: 3.375" O.D. 2.350" I.D. .890" Wide	
JOHN DEERE	For Models: 1080, 150, 165, 175, 178, 180, 30, 31, 40, (135, 235 ALL OR-CHARD), (1085, 255, 265, 275, 285 ALL W/ DRY BRAKES)		
KUBOTA	A-516389M2	Gasket, Rear Axle Housing	0.03 Lbs.
LANDINI		Dim/Info: sold in multiples of 5	
LEYLAND	For Models: 285, 290, 690		
LONG			
McCORMICK	A-847416M1	Stud, Wheel Axle	0.27 Lbs.
OTHER		Dim/Info: sold in multiples of 10	
RENAULT	For Models: 20E, 20F, 240 S/N N01001-A20286, 250, 253, 263, 265S Turkey, 270, 271, 275 UK, 281, 283, 283 UK, 290, 290 UK, 298, 360, 362, 365 S/N <B18009, 375, 383, 390, 390T, 393, 396, 398, 399, 40E, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 670, 690, 698, 699		
SAME			
VALTRA	A-828217M1	Bolt, Rear Rim Wheel to Disc	0.34 Lbs.
VERSATILE		Dim/Info: 5/8" X 2 7/8"	
YANMAR	For Models: FE35, 130, 135, 148, 165, 168, 175, 178, 185, 188, 20D, 20F, 230, 240, 25, 250, 2640, 30E, 35, 360, 3630, 3650, 40E, 50E, 550, 65, 765, FE135 COVENTRY		
ZETOR			

	A-185400M2	Bolt, Rear Wheel	0.16 Lbs.
		Dim/Info: 9/16" UNF sold in multiples of 10	
	For Models: F40, FE135 COVENTRY, FE35, T035, 130, 135, 148, 150, 20, 202, 204, 20C, 20D, 2135, 2200, 230, 231, 235, 240, 240P, 245, 30, 3165, 35, 50, 550		
	A-184272M2	Stud, Wheel	0.22 Lbs.
		Dim/Info: 5/8" X 1 7/8" Package of 10 sold in multiples of 10	
	For Models: 150, 165, 200 SERIES, 2200, 302, 304, 30B, 50, 65, 6500, 85, 88, SUPER 90		
	A-881162M2	Nut, Rear Wheel Used w/ A-893017M2 Bolt	0.15 Lbs.
		Dim/Info: 5/8" NF special sold in multiples of 10	
	For Models: 1085, 150, 165, 168, 175, 178, 180, 185, 188, 240, 250, 255, 265, 270, 275, 282, 285, 290, 30, 31, 3165, 50C, 50D, 565, 5650, 575, 65, 765		
	A-893017M2	Bolt, Rear Wheel	0.24 Lbs.
		Dim/Info: 5/8" NF special sold in multiples of 10	
	For Models: 135, 150, 165, 168, 175, 178, 180, 185, 188, 20F, 2200, 235, 245, 250, 2500, 255, 265, 270, 275, 282, 285, 290, 30, 30B, 30D, 31, 3165, 40, 40B, 50C, 50D, 565, 575, 60, 6500		
	A-180004M1	Nut, Disc to Axle Flange	0.10 Lbs.
		Dim/Info: 9/16" NF special sold in multiples of 10	
	For Models: F40, FE135 COVENTRY, FE35, 50, T035, 135, 148, 150, 20, 202, 204, 205, 20C, 20D, 2135, 2200, 230, 231, 235, 240, 240P, 245, 250, 253, 265, 285, 30, 30D, 3165, 35, 50, 65		
	A-1868531M1	Pinion Shaft, Transmission <i>Replaces:</i> 1868530M91	3.07 Lbs.
		Dim/Info: 17 Teeth 25 Splines	
	A-71117404	Bearing	1.00 Lbs.
	For Models: 135, 148, 150, 155, 158, 165, 168, 185, 188, 20, 20C, 235, 240, 245, 250, 255, 265, 270, 275, 282, 283, 285, 290, 30, 31, 40, 40B, 50C, 50D, 50E, 550, 565, 590		
	A-532061M1	Pinion Shaft, Transmission <i>Replaces:</i> 532060M91	4.15 Lbs.
		Dim/Info: 23 Teeth 25 Spline	
	For Models: 285 W/ 8 SP TRANS, 1085 W/ 8 SP TRANS SN CB22864>		
	A-1869712M91	Pinion Shaft, Transmission	4.35 Lbs.
		Dim/Info: 20 Teeth 25 Spline	
	For Models: 360 W/ 8 SP. SYNCROMESH TRANS. W/ ID#S 12016, 12022 OR 12034, 362 W/ 8 SP. SYNCROMESH TRANS. SN <B32999, 365 W/ 8 SP. NON-SYN-CRO. TRANS. SN <B32999, SYNCROMESH <B18009, (375, 390, 390T ALL W/ 8 SP. NON-SYN-CROMESH TRANS. SN <B32999 & ALL SYNCROMESH), 393 W/ 8 SP. NON-SYN-CROMESH TRANS. SN <B32999 W/ ID# 12031, 396 W/ 8 SP. NON-SYN-CROMESH TRANS. SN <B32999 W/ ID# 12031		

*** Truck icon indicates the item is shipped via truck freight. ***

Transmission & Rear Axle


A-516499M93 Pinion Shaft, Transmission 3.80 Lbs.



Dim/Info:
10 Teeth Spline

For Models: 1080 W/ 6 SPEED & MULTIPOWER TRANSMISSIONS, 1085 W/ EARLY MULTI-POWER TRANSMISSIONS <FD101

A-908490M91 Pinion Shaft, Transmission 4.00 Lbs.



Dim/Info:
10 Spline

For Models: 1085 W/ 8 SPEED TRANSMISSION SN <CB22864


A-1669325M1 Power Input Shaft w/ 6 Speed Transmission 5.54 Lbs.
Replaces: 180420M1



Dim/Info:
18 Teeth
10 Spline
14.000" Long

For Models: 135, 150, 20, 202, 204, 20C, 2135, 2200, 230, 235, 245, 285, 35, 50, F40, FF135, COVENTRY, FE35, T035


A-964926M3 Main Drive Pinion, 8 Speed Transmission 5.10 Lbs.



Dim/Info:
18 Teeth
10 Spline
13.750" Long

For Models: 150, 20, 20C, 20D, 231, 235, 240, 240P, 245, 135 STANDARD TRANS


A-964925M3 Main Drive Pinion, 8 Speed Transmission 6.14 Lbs.



Dim/Info:
24 Teeth
10 Spline
13.750" Long

For Models: 148, 168, 175, 185, 188, 20C, 20D, 240, 250, 255, 265, 270, 275, 282, 285, 290, 565, 575, 165 STANDARD TRANS

A-1862423M3 Input Shaft, Transmission 6.46 Lbs.
Used on models w/ 8 speed transmissions.



Dim/Info:
13.730" Length
26 Teeth
10 Spline


For Models: (250, 255, 270, 275, 282 ALL W/ 8 SPEED TRANSMISSION), 175 STANDARD W/ 8 SPEED TRANSMISSION, 265 STANDARD / LO-PROFILE W/ 8 SPEED TRANSMISSION, 283 BRAZIL W/ 8 SPEED TRANSMISSION, (135, 245, 235 ALL ORCHARD W/O AUXILIARY HYDRAULICS, W/ 8 SPEED TRANSMISSION), 165 STANDARD / ORCHARD W/ 8 SPEED TRANSMISSION

A-1693833M92 Retainer Assembly, Transmission Drive Shaft 5.64 Lbs.
Replaces: 1860890M91



For Models: (135, 150, 165, 175, 235, 240, 245, 250, 255, 265, 275 ALL W/ 8 SP TRANS), (360, 362, 375 ALL W/ 8 / 12 SP TRANS), 383 W/ 8 SP TRANS, (390, 390T ALL W/ 8 / 12 SP TRANS), (398, 399 ALL W/ 12 SP TRANS)

A-1866662M91 Drive Shaft, Rear 5.42 Lbs.



Dim/Info:
10/22 Splines/Teeth

For Models: 30 Instant Reverse SN DC1222>, 30B, 30D Instant Reverse, 40, 40B Instant Reverse Or Manual Shuttle W/O PTO, 50A, 50C, 50D Instant Reverse, 50H, 50H SERIES S, 50H SERIES T, 50HX, 60, 60H, 60H SERIES S, 60H SERIES T, 265, 270, 275, 282, 283, 283 BRAZIL, 283 UK, 285, 290, 362, 365, 375, 383, 390, 390T, 393, 398, 399, 699 4WD SN <T223003, 1085 Late Production, 2500 Forklift W/ Instant Reverse & Diff. Lock, 6500 Forklift, 4500 Forklift W/ Instant Revers

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

AGCO

ALLIS
CHALMERS

DEUTZ

MASSEY
FERGUSON

WHITE/
OLIVER

CNH

CASE-IH

FORD / NEW
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

MCCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ
SPEECO

*** Truck icon indicates the item is shipped via truck freight.***