

# TRAUMA SYSTEM ACCREDITATION GUIDELINES

Trauma Association of Canada Association Canadienne de Traumatologie

Third Edition
June 2007

# **TABLE OF CONTENTS**

Section I	Accreditation Program	3
Section II	Trauma Systems	7
Section III	Levels of Trauma Centres  • Level I  • Level II  • Level III  • Level IV  • Level V  • Pediatric Level I  • Pediatric Level II  • Adult Centres Treating Pediatric Trauma	17 19 21 23 25 27 29 32 35
Section IV	Criteria for Provincial & Regional Trauma Systems	36
Section V	Criteria for Provincial & Regional Emergency Medical Systems	38
Section VI	Criteria for Trauma Centres	40
Section VII	References	46
Section VIII	Appendices	48
	Appendix A	49
	Application for Accreditation  Appendix B	52
	Application for Pre-Accreditation Consultation  Appendix C  Criteria for Trauma Systems / Centres	55
	(Working Document) Appendix D	62
	Pre-Accreditation Questionnaire  Appendix E	77
	Schedule of Visit  Appendix F  Accreditation Evaluation	80

June2007 3rd Edition

# Section I TRAUMA ASSOCIATION OF CANADA ACCREDITATION PROGRAM

# **History**

The Trauma Association of Canada (TAC) is a multidisciplinary association of health care professionals committed to promoting injury control and excellence in trauma care. The Association functions under the umbrella of the Royal College of Physicians and Surgeons of Canada and has established several committees and programs to further its vision and goals (www.traumacanada.ca).

The Accreditation Committee of TAC has been charged with developing guidelines for systems of trauma care in Canada and developing a process for evaluating compliance with these guidelines. The initial TAC Guidelines for Trauma Centre Accreditation were approved in 1993 and subsequently updated in 2003 with a new emphasis on establishing guidelines defining trauma systems. This third edition of the guidelines further advances the concept of integrated trauma systems and the need to address system issues across the continuum of care. It has also expanded on the pediatric guidelines for optimal trauma care.

The TAC Accreditation site-review process was initiated in 1995 and since then many of Canada's major trauma centres have participated in the program, several having gone through the accreditation process twice. A list of accredited trauma systems and centres in Canada is provided on the TAC Website (<a href="https://www.traumacanada.ca">www.traumacanada.ca</a>).

# **Goals of Accreditation Program**

The primary goal of the TAC accreditation program is to ensure optimal care and best outcomes for the trauma patient throughout Canada. The secondary goals of the program are to define national guidelines for optimal trauma care and assist health ministries/authorities and their trauma programs develop and sustain trauma services consistent with these guidelines.

# **Development of Guidelines**

While this third edition of the TAC guidelines has been the sole effort of the Accreditation Committee, it has been based where possible on available published evidence and relevant international documents, many of which are cited in the reference section. The Trauma Association of Canada specifically recognizes the work of the American College of Surgeons Committee on Trauma and its document *Optimal Resources for the Care of the Injured Patient (2006)*, the US Department of Health and Human Services' document *Model Trauma System Planning and Evaluation (Feb, 2006)* and the work of the Royal Australasian College of Surgeons, Trauma Verification Sub-committee draft document *Model Resource Criteria for Level I, II, III, & IV Trauma Services in Australasia, Oct 2004.* The TAC Accreditation Committee also acknowledges the extensive input received from the TAC Executive, the membership at large and from previous participants in the accreditation process. TAC also thanks the

Canadian Association of Emergency Physicians for their input into this document and for the participation of their membership in the TAC Accreditation Committee.

This document has been disseminated widely to the trauma community in Canada as well as all Provincial Governments and Ministries of Health and the Federal Minister of Health. It is also available for review with periodic updates on the TAC Website (www.traumacanada.ca).

#### **Process of Accreditation**

Provincial and regional health authorities are encouraged to develop comprehensive trauma services consistent with the national guidelines developed by TAC to ensure the optimal care and outcomes for their patients. The Trauma Association of Canada and its membership are committed to assisting health authorities with this development process if requested. Compliance with guidelines for trauma systems and trauma centres is assessed through an accreditation process performed by TAC. The following are essential steps in this accreditation process:

- Health authority designates appropriate number and level of trauma centres for provision of trauma services within its region based on need.
- Health authority formalizes trauma system configuration and the component parts of the system within the region, consistent with the provincial trauma plan.
- Health authority develops a regional trauma program with regional leadership and integrated regional trauma services consistent with national guidelines for both adult and pediatric patients. A consultation site visit by TAC may assist in this process.
- Health authority in collaboration with the regional trauma program leadership, requests a formal accreditation of its trauma system by TAC including site visits of its adult and pediatric Level I – III Trauma Centres. A letter addressed to the TAC office requesting accreditation should be received with a minimum of six months notice.
- TAC Accreditation Committee will appoint an Accreditation Team comprising of trauma physicians and program manager(s) with the necessary depth and expertise to evaluate the system under review. The accreditation team leader will communicate directly with the regional trauma program leaders to arrange the specifics of the site visit.
- Regional Trauma Program and each designated Trauma Centre (Level I III)
  prepare and submit to the TAC office the completed pre-accreditation
  questionnaire and supporting documents a minimum of one month before
  scheduled site visit.
- Regional Trauma Program Leaders must ensure that other system components including Emergency Medical Systems, Emergency Preparedness, Rehabilitation Services, and Level IV and V facilities are in compliance with system guidelines and prepare to present appropriate documentation at the time of the Level I-III review.

- The Regional Trauma Program Leaders communicate with TAC Accreditation Team Leader and develop a site visit agenda based on a template provided by TAC.
- A TAC Accreditation Team will perform a site visit to evaluate the regional system and component parts including its major adult and pediatric trauma centres (Level I – III) and their compliance with national guidelines.
- A draft report will be submitted to the regional trauma leaders within 6 weeks to confirm accuracy of factual information contained in the report with a request for feedback within seven days.
- The final accreditation report with executive summary, a decision on accreditation status and recommendations will be forwarded to the TAC President's Office within 8 weeks of completion of the site visits and forwarded to the CEO of the Regional Health Authority shortly thereafter.
- TAC will invoice Health Authorities for the accreditation review along with expenses of the accreditation team members per fee schedule outlined below.
- Successful TAC Trauma System Accreditation is valid for a maximum of five years at which time a full accreditation review will be required to renew status.
- The TAC Accreditation Team has the discretion to deny full accreditation or recommend shorter periods or a provisional accreditation status should there be significant concerns around a lack of substantive compliance with guidelines.
- Health Authorities will be invited to provide formal feedback on the accreditation process. If the health authority has concerns about the review process, the findings of the accreditation review, or the final report, it may appeal in writing to the TAC Accreditation Committee. The Committee may require additional documentation, a follow up site visit by a new team of reviewers at the authority's expense, or the issue may be referred to the TAC Executive Committee and President.

#### **Accreditation Fees**

TAC Accreditation fees are currently \$1000.00 per day, paid to the Trauma Association of Canada along with Accreditation Team expenses and a \$1000.00 honorarium paid to each member of the Accreditation Team for each day of accreditation activities. TAC reserves the right to adjust fees in the future as needed. Please check the TAC web site for current fee schedules.

#### **Pre- Accreditation Consultation**

TAC also offers a consultation process to assist trauma programs in preparing for accreditation and identify gaps in compliance with national guidelines. It is anticipated that programs will be in a relatively advanced stage of preparation for accreditation at the time of a pre-accreditation consultation, as this process should be used as a guide for preparing for the final review. Documentation requirements, site visit schedules and fee schedules are identical to those of a full accreditation, although this process usually requires a smaller team of accreditors from TAC.

# **System Development Consultation**

In addition, a more extensive Trauma System/Service design and development consultation is also available on an adhoc request, but is not currently the mandate of the Trauma Association of Canada. As experts in trauma systems development, TAC is able to provide Health Authorities with the names of individuals who are considered qualified and willing to assist them with a more fundamental trauma system development and design process. Deliverables and fee schedules would be determined on an individual consultant fee basis.


# Section II TRAUMA SYSTEMS

# Rationale for Trauma Systems and Public Health Paradigm

The magnitude of trauma as a major public health concern in Canada and the burden it places on society in terms of death, disability and financial costs, is not widely appreciated by the general public or indeed by our health ministries and governments. Injury is the most common cause of death in the first four decades of life, responsible for more deaths in children than all other causes combined, an increasing burden in the elderly, and costs the Canadian economy an estimated \$4 billion per year;. Not withstanding, disproportionately modest resources have been brought to bear to curb this ongoing epidemic.

Injury is no accident; it is often predictable and predicated on defined risks. Demographic, societal, geographic, and other factors combine to define at-risk populations. In Canada, these include children, youth, specific occupations, Aboriginal Canadians and the elderly, each with their own specific risk factors, typical injury mechanism and injury profile. Targeted injury prevention has reduced some of these risks and impacted injury rates and injury death rates from a number of causes notably motor vehicle crashes (Figure 1.). In other areas such as injury within the Aboriginal popupulation, and suicide, little progress has been made. In yet other areas, notably recreation associated injury, there has been a disturbing trend towards higher injury rates.

Figure 1 – Injury Death Rates (per 100,000 population) – Health Canada 2000-03 data are age-standardized rates, 1998-99 are estimated values (http://www40.statcan.ca/101/cst01/health30a.htm)



June2007 3rd Edition Evidence from numerous national and international jurisdictions indicates that the implementation of comprehensive trauma systems along with a public health approach reduces both the human and societal costs of injury.

# **Public Health Paradigm**

The public health system provides a suitable conceptual framework for trauma system design and implementation. The three core functions of the public health system have been described as assessment, policy development and assurance with each broken down into a number of component parts. Each of these components and their trauma system equivalent taken from the US Department of Health and Social Services 1992 document: *Model Trauma Care System*, are illustrated in the table 1 adapted from the 2006 update of this document.

Table 1. Comparison of Public Health Core Functions with Trauma Systems Core Components. (Adapted and reproduced with permission, *Model Trauma System Planning and Evaluation*, US Department of Human and Social Services, 2006.)

Public Health Core Function	Essential Service	Trauma System Core Component	Subcomponents
Assessment	Monitor health Diagnose and investigate	Evaluation	Needs assessment Data collection Research
Policy Development	Inform, educate, and empower Mobilize community partnerships	and education Trauma advisory committee mmunity	
	Develop policies	Legislation and regulations	Trauma system planning and operations Regulations and rules
Assurance	Enforce laws		Lead agency at State level
	Ensure links to or provision of care	Prehospital care	Communications Triage and transport, medical direction, and treatment protocols
		Definitive care	Facilities (designation), interfacility transfer, and rehabilitation
	Ensure competent workforce	Human resources	Workforce resources and educational preparation
	Evaluation	Evaluation	Data collection and Research Interdisciplinary review committee

The cyclical nature of these public health core functions (PH), trauma system core components (TS) and the critical central core of system management, infrastructure and research are further illustrated in figure 2.

Figure 2. Core functions and essential services of the trauma system integrated with public health. (Reproduced with permission, *Model Trauma System Planning and Evaluation*, US Department of Human and social Services, 2006.)



The application of the public health paradigm to trauma system development is rooted in the belief that injury can be approached in a way similar to that for other diseases and controlled by appropriate prevention strategies. These strategies may be targeted towards preventing events likely to result in injury (primary prevention), towards minimizing the injurious effects of an event (secondary prevention), or towards reducing the morbidity and mortality associated with injury (tertiary prevention). These goals can only be achieved by developing an administrative and legislative framework that brings

together the various agencies engaged in these different activities in a coordinated approach to injury control.

# **Trauma System Concept**

A fully comprehensive and inclusive trauma system is a preplanned, organized, and coordinated injury control effort in a defined geographic area (province or region), which

- Is publicly administered, funded and accountable.
- Engages in comprehensive injury surveillance and prevention programs.
- Delivers the full spectrum of trauma care from the time of injury to recovery, including;
  - Immediate access to emergency medical services
  - Rapid transport to appropriate level of care
  - Acute services including resuscitation, surgery, critical care and specialty services
  - Rehabilitation and reintegration into the community and workforce.
- Engages in research, training and performance improvement.
- Establishes linkages with an all-hazards emergency preparedness program

Regional trauma systems are usually based on a population of 1 to 2 million people and consolidate the major trauma caseload into one or possibly two major trauma centres while distributing the larger volume of less severely injured across many acute care facilities. An inclusive system will address the needs of all injured patients irrespective of acuity. Indeed, the burden of moderate injury, particularly in the elderly, is a growing public health concern as the population ages and requires increasing attention as our trauma system mature.

Larger jurisdictions, such as the more populous provinces, will need several regional trauma systems working together and coordinated by a common provincial trauma plan. Regional systems will be largely independent of each other but provide mutual aid in the case of disaster or mass casualty situations and transferring quaternary cases to a single lead provincial centre (e.g. patients with burns and spinal cord injury).

# **Components of a Trauma System**

It is important to appreciate that a trauma centre does not constitute the trauma system, which is a coordinated, multi-agency collaboration. A comprehensive and fully inclusive system will have administrative, surveillance, prevention, clinical, training and research elements working in unison (Figure 3.). Each clinical component is a vital link in a chain ensuring patients move quickly and safely along the continuum of care. The non-clinical components are required to enable the system and provide a broad injury control perspective.

Each of these components are briefly reviewed below and discussed in greater detail elsewhere in this document. The specific criteria deemed essential to the optimal care of the trauma patient are listed in Sections IV, V, and VI.

#### Administration

A trauma system by definition is a multi-agency collaboration working in unison in a preplanned response to care for the injured. To achieve this goal, a lead governmental agency is required with the authority to develop policy to ensure appropriate system planning, resourcing, implementation, coordination and evaluation. At the regional level in Canada, this will most likely devolve to the regional health authority though not all involved trauma system agencies will be under its direct jurisdiction.

There is also a need for a lead agency at the provincial level charged with the development, implementation, resourcing, coordination and evaluation of trauma services province-wide. This will usually devolve to the provincial Ministry of Health or an agency within it, with the authority to enable system development. Ideally the provincial trauma plan encompasses and directs the region systems development ensuring common guidelines, funding, performance standards, and evaluative process as well as fostering coordination and mutual support agreements between regional systems.

Figure 3. Trauma System Components

## **Administrative Components**

Lead agency for trauma system

Facilitating legislation

Funding

Development

**Evaluation** 

# **Clinical Components**

Pre hospital services

Access

Communications

Triage

**Transport** 

Stabilization and intervention

Acute care facilities

Trauma centre

Other facilities

Rehabilitation and long term care

Injury Surveillance and Prevention

Research, Education and Training

**Emergency Preparedness** 

Lead agencies, whether provincial or regional, require a stakeholder advisory committee with public and expert medical input with participation of pre-hospital services, emergency preparedness program and supported with appropriate data and epidemiological expertise. Roles and responsibilities for these advisory committees are

listed in Figure 4. Provincial advisory committees will require representation from all regional systems within their jurisdiction.

# Figure 4. Advisory Committees On Trauma Services

- 1. Advisory to health authority on the governance, coordination, performance standards, and configuration of system.
- 2. Maintains a trauma registry based on ICD coding and ISS scoring.
- 3. Coordinates research (epidemiological, clinical and basic).
- 4. Supports development, promotion and maintenance of educational programs.
- 5. Develops a system wide evaluative performance improvement program.
- 6. Details the need for new resources in the system.
- 7. Identifies and recommends rehabilitation programs for disabled/injured patients.
- 8. Coordinates trauma system activity with the regional ambulance and pre-hospital services.
- 9. Promotes injury prevention measures.
- 10. Participation in the development of emergency preparedness planning.
- 11. Develops an annual report.

# **Emergency Medical Services (EMS)**

EMS, functioning within the overall trauma system, provides a vital component of system success and often predicates much of overall patient outcomes post injury event. The immediate goals of the pre-hospital system are to prevent further injury, initiate resuscitation and provide timely and appropriate transport of the injured patient to the most appropriate centre, that is, to match patient's needs to receiving facilities capabilities. This all must be performed in a regional systematic manner which integrates communication, system status management and the optimal utilization of ground and air transport with personnel skilled in the care of the major trauma patient. This pre-hospital care must be provided with appropriate medical oversight and based upon best evidence available in the form of protocols and/or on line medical direction. Triage mechanisms to avoid significant under and over triage rates must be integral to the provision of pre-hospital care and monitoring of such rates are inherent to system success. Overall, the demonstration of a highly functional and effective EMS system is a key to overall trauma systems accreditation. Finally, EMS personnel and resources can be used to deliver other aspects of trauma systems such as injury prevention or education programs, where they have been demonstrated to be very effective.

#### **Trauma Centres and Other Acute Care Facilities**

Trauma centres play an essential role in the trauma system providing acute care to the most seriously injured, system leadership, and education and research programs. The trauma centre is a medical centre where resources are dedicated and/or prioritized to

ensure the acutely injured patient can receive full and timely resuscitation, assessment and definitive care on a 24-hour basis.

The Trauma Association of Canada has defined various levels of the trauma centre and in this third edition of the TAC Accreditation guidelines there has been a major revision of these level designations. This has been necessitated by the recognition that virtually all our acute care facilities participate in providing trauma care whether that be the initial resuscitation of a major trauma patient in a small community hospital prior to transfer to the trauma centre, or the delivery of a high volume of secondary (non-major) trauma care in a large urban medical centre. These facilities and the work they do complement the major trauma centres and are critical to the successful functioning of the trauma system as a whole. These hospitals are now formally included in the descriptions of trauma facilities. It was also recognized that many lead trauma centres providing a full spectrum of tertiary trauma care to their communities are not major university centres and do not fulfill all requirements previously identified for Tertiary Trauma Centres in the 2003 version of the TAC Guidelines and needed a unique designation level of their own. It was also recognized that Pediatric Trauma Centres required clearer definition.

Adult Trauma centres are now classified numerically (Levels I-V) for simplicity and to bring the Canadian system in line with similar trauma centre designations in the US and Australasia. Two levels of pediatric trauma centre have also been defined. The next section of this document discusses in more detail the nature and role of these different trauma facilities and the resource requirements for each level designation are listed in Sections IV, V, and VI.

#### Rehabilitation


Patients surviving the acute phase of injury often have considerable residual physical and/or psychological disabilities. To a large extent this disability often goes unmeasured, unrecognized and poorly addressed. Appropriate screening for functional disabilities with access to physical rehabilitation programs and community psychological support remains a challenge nation-wide. What is increasingly clear is that this important facet of care along the continuum deserves more study and greater resource commitments to ensure patients achieve the best possible functional and psychological outcomes following injury. This will ultimately ensure a more timely and complete reintegration into society and return to the workforce.

# **Performance Improvement and Patient Safety (PIPS)**

Performance Improvement is a structured process of continuous monitoring, measuring, evaluating, and improving the performance of a trauma program, system, and its providers through organized reviews of process of care and patient outcomes. A trauma care system should be responsible for monitoring its own performance and the performance of the subcomponents within system. All processes should employ a multidisciplinary approach with the focus on opportunities for improvement rather than that of punitive nature.

Performance Improvement and Patient Safety cannot be separated within the process of any care. Linking the environment in which our processes take place and the care itself is a natural fit, as they both overlap and blend with each other. PIPS programs are an essential and mandated requirement for all Canadian Trauma Centres and Systems. The PIPS program should be lead by trauma program leaders; a trauma medical director and a trauma program manager/ trauma coordinator whose responsibility is the quality of trauma services provided by the Centre and or System.

Figure 5: Components of a Performance Improvement and Patient Safety (PIPS) program (Reproduced with permission: Resources for Optimal Care of the Injured Patient, Committee on Trauma, American College of Surgeons, Chicago, 2006)



# Injury Surveillance and Injury Reporting

A mature trauma system requires robust data support including access to hospital admissions data for injury (minimal data set or MDS), coroner's data on trauma deaths (death data set or DDS), trauma registry data from participating trauma centres (comprehensive data set or CDS) and, where available, data on ambulatory trauma (ambulatory data set or ADS). Additional data sources such as motor vehicle collision data from insurance agencies and occupational injury from workers compensation boards, etc may also be of value. Regular review of injury data from all sources is required to develop a comprehensive assessment of injury within the system's jurisdiction and to assess the impact of prevention initiatives. Annual and public reporting on injury, injury rates and injury death rates within health regions and provinces should be an expectation along with a report card on injury control initiatives and costs.

# **Injury Prevention**

Injury prevention in most Canadian jurisdictions is a multi-agency effort encompassing various branches of government (health, labor, solicitor general, motor vehicle, highways, education, etc.), non-governmental agencies, and the health care sector. It is important to develop a coordinated approach to injury prevention at the provincial level and integrate it fully into the trauma system as part of the public health approach to injury. Prevention programs based on emerging or persistent injury trends identified by the surveillance program can then be targeted, advocated for, and coordinated. Because of the dominant effect of alcohol use on injury risk, Level I and II Trauma Centres should at a minimum be screening for problem drinking and it is highly desirable that appropriate intervention is available to minimize recidivistic high-risk behavior.

# Research, Education and Training

Human resource requirements for the provision of trauma care are considerable and require constant renewal of well-trained committed health care providers. Critical to the system is the development of sustainable training programs for physicians, nurses, allied health and administration. This will include, but not be limited to, the provision of undergraduate and postgraduate medical and nursing programs as well as defined outreach courses such as ATLS® and DSTC® for doctors and TNCC™, ENPC™ or equivalent for nurses.

The generation of new knowledge through active trauma research programs is essential to gain a better understanding of the value of trauma systems, the key criteria needed to ensure optimal patient outcomes, and the epidemiology and pathophysiology of injury. The trauma system must be fully committed to this effort and appropriately resourced to do so. While the University affiliated programs will primarily lead this effort, it is essential the whole system be involved in this activity. Commitment to injury related research is a defining criterion for Level I adult and pediatric trauma centres and as such must be fully supported by the institution and health professionals.

#### **Emergency Preparedness**

The threat of natural or man-made disasters is an ever-present reality in many Canadian jurisdictions. Weather related events tend to dominate such as floods, windstorms, ice storms and forest fires with their attendant property damage, power and/or water outages. Injury has not been a major facet of these events but others such as the inevitable west coast earthquake or the sporadic episodes of gun violence, as witnessed recently in Montreal, do and will test our trauma systems. Although we have escaped a major terrorist incident so far, Canada is clearly not immune to such an event. An all hazards approach to emergency preparedness is now advocated and should be fully integrated with the trauma system with mutual aid agreements between neighboring systems and provinces. The trauma system's communications capability, existing coordination of multiple agencies and its ability to

respond rapidly to major medical events places it in a advantageous position to respond to major events. For the first time in several decades, Canadian Forces are involved in war and are experiencing the attendant casualties. Civilian trauma centres may be required to provide ongoing care to wounded soldiers and will be called on to provide training for CF personnel. Civilian trauma specialists are now assisting the CF Medical Services in Afghanistan.

# Summary

Trauma systems thus represent a comprehensive package of injury control programs including provision of a continuum of integrated care that is a coordinated effort between out-of-hospital and hospital providers with close cooperation of medical specialists and other health care providers in each phase of care. Linking these acute care services with comprehensive injury surveillance and injury prevention programs in a public health approach to injury control further reduces the risk and consequences of injury. The medical literature supports the paradigm that implementation of comprehensive trauma systems including all these elements ultimately decreases mortality in major injury and substantially lowers the burden of injury related disability and societal costs associated with injury.

# Section III LEVELS OF TRAUMA CENTRES

Trauma centres are a crucial component of the trauma system providing acute care services to the most seriously injured. In an inclusive vision of a trauma system, however, the care of all injured patients is important and essentially all acute care facilities have a role to play in the system. Indeed, the larger trauma centres could not function without the support of the many other institutions, which may be involved in the initial stabilization of major trauma and additionally care for a large volume of less severe injury. The role of these other institutions and their integration into the trauma system is critical to the success of the trauma system as a whole. Specialized pediatric trauma services are required in parallel with adult services to ensure the optimal care of pediatric trauma patients.

Geography has a significant bearing on trauma care in Canada and the resources available in rural and remote areas differ greatly from those available in more urban communities. The trauma system components and specifically the type of trauma services available will necessarily vary between communities. The goal of the system is to optimize trauma care given available resources and move patients expeditiously to the required level of care.

The Trauma Association of Canada (TAC) now recognizes five levels of trauma facility and an additional two levels of specialized pediatric trauma centre that acknowledge the differing roles acute care institutions will play within the trauma system while also addressing the geographical realities of providing trauma care in Canada. These trauma centre level designations are similar to those developed in other jurisdictions (Australia and the US) and, as in those countries, are now numerically identified for simplicity and consistency. While the lower number designations indicate those hospitals with greater resource capability in the care of major trauma, there is no intention to imply that the higher number (lower level) designations are any less important to the system and to trauma outcomes.

The following descriptions define the institutional roles, services and resources that the Trauma Association of Canada has identified as being required for optimal trauma care in different environments. It is the responsibility of Ministries of Health and Regional Health Authorities to define the configuration of trauma facilities that will be required within their own jurisdictions to provide optimal and sustainable care of the injured. This process of designation of trauma centres will be based for the most part on trauma caseload and geography. In general, only one Level I or Level II Trauma Centre and one Level I or Level II Pediatric Trauma Centre (free-standing or contained within the adult trauma centre) will be required in a trauma system serving a population of 1 to 2 million with an anticipated caseload in the order of 500 to 800 major trauma cases. TAC does not have a formal role in trauma centre designation, which is essentially a

June 2007 3rd Edition governmental process, but will provide feedback on the appropriateness of trauma system configuration and performance during the accreditation review.

#### LEVEL I TRAUMA CENTRE

#### Role

Level I Trauma Centres are distinguished by providing:

- A leadership role in the provincial trauma system,
- A central role in the regional trauma system,
- Majority of tertiary, major trauma care in the system,
- Complex and unique (quaternary) trauma services for the province,
- Academic leadership including trauma training and research programs.

#### Resources

The Level I Trauma Centre is usually a University-affiliated, large metropolitan medical centre with a full array of medical specialties and ready access to advanced medical technology. Both adult and pediatric Level I Trauma Centres are required in the system with slightly differing criteria. Medical staff and hospital resources are dedicated and/or prioritized to the care of the major trauma patient ensuring rapid access to required care in a preplanned intramural system of care. In regional systems lacking dedicated Pediatric Level I or II Trauma Centres, the adult Level I Trauma Centre will be required to provide pediatric trauma expertise. Resources and commitment should at a minimum fulfill the criteria for Level II Pediatric Centres.

# **Trauma System Involvement**

A Level I Trauma Centre must play a leadership role in the development and audit of the regional (+/- provincial) trauma system. It is critical in providing outreach educational and clinical support to the other trauma facilities in the system. It has a liaison role with other trauma system components (pre-hospital services and rehabilitation services) as well as emergency preparedness. Trauma Centre leaders should chair or have a primary role in a Regional Trauma System Advisory Committee and also have a primary role in the Provincial Trauma System Advisory Committee.

#### **Clinical Services**

Level I Trauma Centres provide the majority of major trauma care (tertiary trauma caseload) in the system and may also draw specialized trauma cases from other adjacent regions within the province (quaternary trauma caseload) in need of services uniquely provided by the Level I Centre. All major surgical subspecialties should be available onsite and ideally the low volume quaternary programs such as burn centre and spinal cord injury centre would also be collocated at this centre. The high volume of major trauma would generally support the development of a multidisciplinary clinical trauma service staffed by trauma surgeons and justify the development of dedicated trauma units for the care of the most seriously injured. It is an expectation that timely bedside consultation is required of all surgical subspecialties on an as needed basis (usually within 30 minutes) and even more rapidly for Trauma Team Leaders and General Surgeons (20 minutes). Pediatric trauma services may be provided at the Level I Trauma Centre or at a dedicated Pediatric Trauma Centre (Level I/II)

June2007 3rd Edition

#### Caseload

It is recommended that the number of major trauma centres (Level I and II) be limited in any jurisdiction consolidating major trauma to one or possibly two centres ensuring adequate case volumes. Consolidated caseload and associated volume-performance relationships, support improved patient outcomes, program sustainability, and minimize the duplication of expensive resources and services. Institutional caseload in adult centres of at least 400 and preferably 650 major trauma patients (ISS > 15) is associated with improved patient outcomes, system efficiency and sustainability. These numbers are not achievable in pediatric trauma centres where a threshold of 200 trauma cases is a reasonable target. Equally important is the individual physician major trauma caseload experience, which should be adequate to maintain competency and not diluted by inappropriately large call panels. In addition to tertiary and quaternary care, it is anticipated that the Level I Centre will also provide a moderately large volume of secondary trauma care. This additional caseload will usually bring the total trauma admissions to over 1000 cases in adult trauma centres and is essential to justify the dedicated trauma resources, ensure maintenance of competency for trauma specialists and ensure adequate clinical material for training and research programs.

# Performance Improvement and Patient Safety (PIPS)

A rigorous PIPS program is a requirement for Level I Centres and should encompass trauma care across the entire regional system. Demonstration of progress in PIPS is required as evidenced by improved process, associated improved patient outcomes and system efficiencies. The PIPS program should be lead by funded trauma program leaders, a trauma medical director and a trauma program manager whose responsibility is the quality of trauma services provided by the Centre and Region. Participation in the regional, provincial and national trauma registry and annual reporting of activity and performance are expectations.

#### **Injury Prevention**

It is expected that Level I Trauma Centres will be actively engaged in injury prevention programs of their own as well as developing liaison with regional and provincial injury prevention leaders and coalitions. Specifically, there should be an alcohol-screening program in place and access to appropriate intervention.

#### **Academic Programs**

A defining role for Level I Centres is the provision of trauma training programs. In University centres this will include the usual undergraduate (medical student) and postgraduate (resident) trauma training and may include fellowship programs in trauma, orthopedic trauma, burns/plastics, neurotrauma and spine surgery. In addition, these centres are required to provide multidisciplinary outreach training programs for physicians, nurses and allied health professionals. These programs should include but not be limited to Advanced Life Support Course® for physicians, Trauma Nurse Core Course® and either ATOM® or DSTC® for community surgeons. Intramural academic rounds are a requirement with the capability to disseminate these to other sites involved in trauma care in the region/province.

#### LEVEL II TRAUMA CENTRE

#### Role

A Level II Trauma Centre is required in jurisdictions without a Level I Centre or where the major trauma caseload is too large for a single Level I Centre to deal with and therefore justifies two major trauma centres. A Level II Trauma Centre may have a central role in the regional trauma system or be supportive to the Level I Centre. In jurisdictions lacking Level I facilities, the Level II Centre is responsible for the care of the most seriously injured in the system and is expected to provide trauma training and outreach programs. Level II centres may be the primary provider of regional pediatric trauma services supported by a Provincial Level I Pediatric Trauma Centre

#### Resources

Level II Centres are usually large, community based medical centres with a comprehensive array of medical specialties and services, and ready access to advanced medical technology. They may or may not be university affiliated. Medical staff and hospital resources are dedicated and/or prioritized to the care of the major trauma patient ensuring rapid access to required care in a preplanned intramural system of care. In regional systems lacking dedicated Pediatric Level I or II Trauma Centres, the adult Level II Trauma Centre will be required to provide pediatric trauma expertise. Resources and commitment should at a minimum fulfill the criteria for Level II Pediatric Centres.

# Trauma System Involvement

A Level II Trauma Centre may be required to play a leadership role in the development and audit of the regional trauma system especially in systems without a Level I Centre. It is important in providing outreach educational and clinical support to the other trauma facilities in the system. It has a liaison role with other trauma system components (prehospital services and rehabilitation services). Trauma Centre leaders should chair or have a primary role in a Regional Trauma System Advisory Committee and be represented on the Provincial Trauma Advisory Committee.

#### **Clinical Services**

Level II Centres may provide the majority of major trauma care (tertiary trauma caseload) in the system if a Level I Centre is not present. All major surgical subspecialties should be available onsite. The high volume of major trauma would generally support the development of a clinical trauma service staffed by trauma surgeons and justify the development of dedicated trauma units for the care of the most seriously injured. It is an expectation that timely bedside consultation is required of all surgical subspecialties on an as needed basis (usually within 30 minutes) and even more rapidly for Trauma Team Leaders and General Surgeons (20 minutes). Pediatric as well as adult trauma services may be provided at these centres in which case they must meet additional criteria to ensure optimal management of this patient population. Quaternary trauma cases (e.g. burns, spinal cord injury, cardiac, endovascular, complex

orthopedic/hepatobiliary trauma) will generally be transferred to the nearest Level 1 Centre.

#### Caseload

It is recommended that the number of major trauma centres (Level I and II) be limited in any jurisdiction to ensure that major trauma is consolidated at a few sites providing for adequate case volumes to support improved patient outcomes (volume-performance relationship), program sustainability, and to minimize the duplication of expensive resources and services. Institutional caseload of Level II Centres should strive to approximate those of Level I Centres, recognizing the challenges imposed by geography, population and limited resources. Equally important is the individual physician major trauma caseload experience, which should be adequate to maintain competency and not diluted by inappropriately large call panels. In addition to tertiary care it is anticipated that the Level II Centre will also provide a moderately large volume of secondary trauma care. This additional caseload will usually bring the total trauma admissions to well over 1000 cases and is essential to justify the dedicated trauma resources, ensure maintenance of competency for trauma specialists and ensure adequate clinical material for training and research programs.

# **Performance Improvement and Patient Safety (PIPS)**

A rigorous PIPS program is a requirement for Level II Centres and should encompass trauma care across the entire regional system consistent with Provincial and Level I Centre programs. Demonstration of progress in PIPS is required as evidenced by improved process, associated improved patient outcomes and system efficiencies. The PIPS program should be lead by funded trauma program leaders, a trauma medical director and a trauma program manager, whose responsibility is the quality of trauma services provided by the Centre and potentially the Region. Participation in the regional and provincial trauma registry and annual reporting of activity and performance are expectations.

#### **Injury Prevention**

It is expected that Level II Trauma Centres will be actively engaged in injury prevention programs of their own as well as developing liaison with regional and provincial injury prevention leaders and coalitions. Specifically, there should be an alcohol-screening program in place and access to appropriate intervention.

# **Academic Programs**

An optional supporting role for Level II Centres is the provision of trauma training programs. In University centres this will include the usual undergraduate (medical student) and postgraduate (resident) trauma training. In addition, these centres are required to provide multidisciplinary outreach training programs for physicians, nurses and allied health professionals. These programs should include but not be limited to Advanced Trauma Life Support® Course for physicians and Trauma Nurse Core Course®. Intramural academic rounds are a requirement with the capability to disseminate these to other sites involved in trauma care in the region.

#### LEVEL III TRAUMA CENTRE

#### Role

A Level III Trauma Centre is required in jurisdictions without immediate access to Level I or Level II Centres. A Level III Trauma Centre may have a central role in the local community and is a crucial component of regional trauma system for both adult and pediatric trauma. Level III Centres will often receive a moderate to large caseload of major and minor trauma but are expected to secondarily transfer major trauma patients in need of the more complex services provided by Level I and II Centres. Transfer agreements and policies should be in place to facilitate and expedite this process.

#### Resources

Level III Centres may be large or relatively smaller, community-based medical centres with a variable array of medical specialties and medical technology. They may or may not be university affiliated. Available medical and hospital resources should be prioritized to the care of the major trauma patient ensuring rapid access to required care in a preplanned intramural system of care.

# Trauma System Involvement

A Level III Trauma Centre plays an important supportive role in the regional trauma system. It has an important function in the early stabilization of major trauma and the provision of secondary level trauma services. Trauma Centre leaders should have a role in a Regional Trauma System Advisory Committee.

#### **Clinical Services**

Level III Centres may be required to provide initial care to major trauma patients in their jurisdiction and definitive care to all secondary level trauma cases. The ability to deal with specific injuries will depend on available surgical subspecialties and services. In general, more complex or multisystem trauma cases (ISS>15) or those requiring intense resource commitment, will be transferred to Level I or Level II Centres. Stabilization of major trauma patients prior to transfer, including if necessary operative stabilization, is an important function of Level III Centres. It is an expectation that timely bedside consultation is required of all available surgical subspecialties on an as needed basis (usually within 30 minutes) and even more rapidly for Trauma Team Leaders and General Surgeons (20 minutes)

#### Caseload

It is anticipated that Level III Centres will have a limited responsibility for the definitive care of major trauma (tertiary caseload) and this should be reflected in a very small caseload of ISS>15. These centres, depending on the size of the community they serve, may be responsible for the care of a large secondary trauma caseload.

#### Performance Improvement and Patient Safety (PIPS)

Level III Centres should participate fully in the system's PIPS program. Demonstration of progress in PIPS is required as evidenced by improved process, associated improved patient outcomes and system efficiencies The PIPS program should be lead by funded

trauma program leaders, a trauma medical director and a trauma program manager/Trauma Coordinator, whose responsibility is the quality of trauma services provided by the Centre and potentially the Region. Participation in the regional and provincial trauma registry is an expectation.

# **Injury Prevention**

It is expected that Level III Trauma Centres will be participate in injury prevention programs within the region and local community.

## **Academic Programs**

Level III Centres have a limited role in provision of trauma training programs but should ensure that its staff have access to ATLS® and TNCC® at a minimum and participate in the region's academic rounds.

# **LEVEL IV HOSPITAL**

#### Role

A Level IV Hospital exists in an urban setting with a nearby major trauma centre (Level I or II Centre <30 minutes away). Bypass protocols are in place diverting major trauma cases to the Trauma Centre and away from the Level IV Hospital. The Level IV Hospital receives and provides definitive care for a potentially high volume of secondary level trauma caseload from within the system. Major trauma cases presenting to their emergency room are rapidly transferred to the nearest appropriate Trauma Centre following stabilization and according to established transfer agreements and policies.

#### Resources

Level IV Hospitals may be large community based or university affiliated medical centres with a variable array of available medical specialties and medical technology. Available medical and hospital resources are not generally prioritized to the care of the major trauma patient although emergent resuscitative capability and stabilization are required.

# **Trauma System Involvement**

A Level IV Hospital plays a vital supportive role in the regional trauma system in the provision of large volume secondary level (non-major) trauma services and protecting the major trauma centres from inundation with this more minor trauma caseload.

#### Clinical Services

Level IV Hospitals are required to provide definitive care to all secondary level trauma cases presenting to their institution providing the necessary surgical specialties and clinical services are present. The vast majority of this caseload will be single system musculoskeletal injury requiring orthopedic support. A significant proportion of this caseload is expected to be elderly frail and will need support from internal medicine, family practice and/or geriatric medicine. Appropriate access to rehabilitation and community services is a major requirement. Single system abdominal trauma may be managed on site if appropriate monitoring capability is present for non-operative management of solid organ injury. It is an expectation that timely bedside consultation is required of all available surgical subspecialties on an as needed basis (usually within 1 hour) and that there will not be a requirement for a Trauma Team Leader program.

It is recognized that in the setting of a Level IV hospital, pediatric tertiary level care is likely available in the near vicinity of the regional Level I trauma center, and pre-hospital protocols should be established that permit bypass of the Level IV Hospital for pediatric patients in favor of Level I Care. Despite this, the ability to perform primary resuscitation of pediatric patients that may arrive with little or no pre-hospital triaging, must be integrated into the emergency department services.

#### Caseload

It is anticipated that Level IV Hospitals will have essentially no responsibility for the emergent and definitive care of major trauma, either adult or pediatric, and this should

be reflected in a virtually nonexistent caseload of ISS>15. These centres, depending on the size of the community they serve and their role in the system, may be responsible for the care of a large volume of secondary (non-major) trauma caseload.

**Performance Improvement and Patient Safety (PIPS):** Level IV Hospitals should participate fully in the hospital's PIPS programs and divisional M and M rounds. Demonstration of progress in PIPS is required as evidenced by improved process, associated improved patient outcomes and system efficiencies. Regional Trauma Leaders should ensure appropriate trauma case mix and outcomes at the Level IV Hospital through the regional PIPS program.

# **Injury Prevention**

It is expected that Level IV Hospital will be participate in injury prevention programs relevant to their trauma population and mandate within the system. As many communities face unique challenges and complex trauma injury prevention requires community development strategies to be successful. The lead trauma centres should recognize the unique needs and strategies, and should support the level IV centres to meet their IP needs within the system.

# **Academic Programs**

Level IV Hospitals have a limited role in provision of trauma training programs but should ensure that its staff have access to appropriate training and outreach programs such as ATLS® and TNCC™.

# **LEVEL V FACILITY**

#### Role

A Level V Facility exists in a rural setting with no immediate access to a major trauma centre (Level I – III Centre). The Level V Facility receives any adult or pediatric trauma patient within their catchment area. Most trauma cases will be rapidly transferred to the nearest appropriate Trauma Centre following stabilization.

#### Resources

Level V Facilities may be a small community hospital or a treatment centre. Available medical and facility resources are generally very limited but need to be prioritized to the care of the major trauma patient if required. Resuscitative emergency department capability, operative stabilization if capability exists, and access to air evacuation are essential.

# **Trauma System Involvement**

A Level V Facility plays a vital front line role in the regional trauma system in the provision emergency services for the stabilization of trauma cases prior to transfer to the nearest appropriate Trauma Centre.

#### Clinical Services

Level V Facilities may be required to provide some definitive care to secondary level trauma cases depending on available surgical specialties and clinical services. The vast majority of the trauma caseload, however, will be transferred to trauma centres following stabilization, which may include operative control of hemorrhage if that capability exists. It is an expectation that timely bedside consultation is required of any available surgical subspecialties on an as needed basis (usually within 30 minutes) and that there is a requirement for protocols to be in place for the management of major trauma and subsequent transfer.

#### Caseload

It is anticipated that Level V Facilities will have a very small admitted trauma caseload but may have to deal with the resuscitation, stabilization and transfer of a much higher case volume.

# Performance Improvement and Patient Safety (PIPS)

Level V Facilities should participate fully in their institutions PIPS programs and divisional M and M rounds. Regional Trauma Leaders should ensure appropriate trauma case mix and outcomes through the regional PIPS program.

#### Injury Prevention

It is recommended, but not an expectation of Level V Facilities to participate within injury prevention programs. Rural communities face unique challenges and complex trauma (e.g. farm injuries) and injury prevention requires community development strategies to be successful. The lead trauma centres should recognize the unique needs

and strategies, and should support the level V centres to meet their IP needs within the system.

# **Academic Programs**

Level V Facilities have a limited role in provision of trauma training but should ensure that their staff have access to appropriate training and outreach programs such as ATLS® and TNCC<sup>TM</sup>.

# **LEVEL I PEDIATRIC TRAUMA CENTRE**

#### Role

Like its adult counterpart, a level I Pediatric Trauma Center plays a central role in the regional and provincial trauma systems with respect to all aspects of pediatric trauma care, from injury prevention to acute care to rehabilitation. It takes into account the unique needs of the injured child and their families, including anatomic, physiologic and psychologic differences, maintaining a setting of family-centered care. It maintains academic leadership with respect to research and trauma training, both locally and outreach, and research.

#### Resources

The Level I Pediatric Trauma Centre is a University-affiliated pediatric tertiary care facility with a full array of medical specialties and ready access to advanced medical technology. Structurally, it may be recognized as a freestanding children's hospital or a separate administrative entity within a larger general hospital (usually also a Level I Trauma Centre), otherwise known as a "children's hospital within a hospital". Medical staff and hospital resources are dedicated and/or prioritized to the care of the major pediatric trauma patient ensuring rapid access to required care in a preplanned system of care. Medical directorship should be assumed by a certified and appropriately remunerated pediatric surgeon, pediatric emergentologist or pediatric intensivist with special interest in pediatric trauma Care. A co-leadership role will be shared with a designated Pediatric Trauma Coordinator/Manager

# **Trauma System Involvement**

A Level I Trauma Centre must play a leadership role in the development and audit of the regional (+/- provincial) pediatric trauma system. It is critical in providing outreach educational and clinical support to the other trauma facilities in the system. It has a liaison role with other trauma system components both upstream (pre-hospital services, Regional [Levels III, IV and V] Trauma Centers) and downstream (rehabilitation services) as well as emergency preparedness. This includes a close working relationship with the regional/provincial adult Level I Trauma Centre, especially in discussions of care of the youth major trauma patient who falls at the cusp of the age limits for the pediatric center. Pediatric Trauma Centre leaders should have a primary role in a Regional Trauma System Advisory Committee and also have a primary role in the Provincial Trauma System Advisory Committee.

## **Clinical Services**

Pediatric Level I Trauma Centres provide the majority of major pediatric trauma care (tertiary trauma caseload) in the system. Larger and /or provincial-level centers may also draw specialized trauma cases from other adjacent regions within the province (quaternary trauma caseload) in need of services uniquely provided by that Level I Centre. All major pediatric surgical subspecialties should be available onsite and ideally the low volume quaternary programs such as pediatric burn care and acute brain injury/spinal cord injury rehabilitation programs would also be collocated at this centre. The high volume of major trauma would generally support the development of a multidisciplinary clinical trauma team and clinical program staffed by pediatric surgical

June 2007 3rd Edition specialists with an interest in trauma. This would include a dedicated trauma unit or surgical ward where pediatric patients are geographically located together in order to maintain clinical and nursing expertise in pediatric trauma management. Policies must be in place to ensure consistent and optimal care of these patients, including appropriate designation of most responsible surgeon. It is an expectation that timely bedside consultation is required of all surgical subspecialties on an as needed basis (usually within 30 minutes) and even more rapidly for Trauma Team Leaders and Pediatric General Surgeons (20 minutes).

#### Caseload

It is recommended that the number of Pediatric Level I Trauma centres be limited in any jurisdiction consolidating major pediatric trauma to limited sites ensuring adequate case volumes. Consolidated caseload and associated volume-performance relationships support improved patient outcomes, program sustainability, and minimize the duplication of expensive resources and services. It is recognized that overall caseloads may very between centers due to differences in age definitions of "pediatric" and due to challenges imposed by geography, population and limited resources. Equally important is the individual physician major trauma caseload experience, which should be adequate to maintain competency and not diluted by inappropriately large call panels. In addition to tertiary and quaternary care, it is anticipated that the Pediatric Level I Centre will also provide a moderately large volume of non-major trauma care. As such, it is recommended that a Pediatric Level I Trauma Center should admit at least 200 injured children younger than 15 years on an annual basis in order to justify the dedicated trauma resources, ensure maintenance of competency for trauma specialists and ensure adequate clinical material for training and research programs.

#### **Performance Improvement and Patient Safety (PIPS)**

A rigorous performance improvement program is a requirement for Pediatric Level I Centres and should encompass pediatric trauma care across the entire regional system. Demonstration of progress in PIPS evidenced by improved process, associated outcomes and system efficiencies. The PIPS program should be led by funded pediatric trauma program leaders, a pediatric trauma medical director and a pediatric trauma program manager/coordinator whose responsibility is the quality of pediatric trauma services provided by the Centre and Region. This program is predicated on high quality data management. Participation in the regional, provincial and national trauma registry is an expectation and annual reporting of activity and performance is an expectation.

# **Injury Prevention**

It is expected that Pediatric Level I Trauma Centres will be actively engaged in childhood and youth injury prevention programs of their own as well as developing liaisons with regional and provincial injury prevention leaders and coalitions.

#### **Academic Programs**

A defining role for Pediatric Level I Centres is the provision of pediatric trauma care training. In University centres this will include the usual undergraduate and postgraduate (resident and fellow) trauma training and may include specific trauma

fellowship programs. In addition, these centres are required to provide multidisciplinary outreach training programs for physicians, nurses and allied health professionals. These programs should include but not be limited to Pediatric Advanced Life Support ® for physicians, Advanced Pediatric Life Support®, Trauma Nurse Core Course® and the pediatric components of the Advanced Trauma Life Support (ATLS) courses. Intramural academic rounds are a requirement with the capability to disseminate these to other sites involved in pediatric trauma care.

# LEVEL II PEDIATRIC TRAUMA CENTRE

#### Role

A Level II Pediatric Trauma Centre is required in jurisdictions lacking a Level I Pediatric Centre or where the major trauma caseload is too large for a single Level I Pediatric Centre to deal with and therefore justifies two centers capable of managing most major pediatric trauma. Like a Level I center, a Level II Pediatric Trauma Center respects all aspects of pediatric trauma care, from injury prevention to acute care to rehabilitation, It takes into account the unique needs of the injured child and their families, including anatomic, physiologic and psychologic differences, maintaining a setting of family-centered care. A Level II Pediatric Trauma Centre may have a central role in the regional or provincial trauma system or be supportive to the regional/provincial Level I facility. In jurisdictions lacking Level I Pediatric Trauma facilities, the Level II Centre is responsible for the care of the most seriously injured children in the system and is expected to provide trauma training and outreach programs for the region.

#### Resources

A Level II Pediatric Trauma Centre will typically exist as a separate administrative entity within a larger general hospital (usually also a Level I or level II Trauma Centre), otherwise known as a "children's hospital within a hospital", or as a comprehensive pediatric care unit within a general hospital organization. As such, it will typically have a comprehensive array of medical specialties and services dedicated to children, and ready access to advanced medical technology. It may or may not be university affiliated. Medical staff and hospital resources are dedicated and/or prioritized to the care of the major pediatric trauma patient ensuring rapid access to required care in a preplanned system of care. Medical directorship should be assumed by a certified and appropriately remunerated pediatric surgeon, pediatric emergentologist or pediatric intensivist with special interest in Pediatric trauma Care. A co-leadership role will be shared with a Trauma Coordinator/Manager whose responsibilities may also cover adult trauma care.

#### **Trauma System Involvement**

A Level II Pediatric Trauma Centre may be required to play a leadership role in the development and audit of the regional trauma system especially in systems lacking a Level I Pediatric Centre. It is important in providing outreach educational and clinical support to the other trauma facilities in the regional system. It has a liaison role with other trauma system components both upstream (pre-hospital services) and downstream (rehabilitation services). Pediatric Level II Trauma Centre leaders should have a primary role in a Regional Trauma System Advisory Committee and be represented on the Provincial Trauma Advisory Committee.

#### **Clinical Services**

A Level II Pediatric Trauma Center may provide the majority of major pediatric trauma care (tertiary trauma caseload) in the system if a Level I Centre is lacking. All major surgical subspecialties should be available onsite. At a minimum, there should be at least one certified pediatric general surgeon or a general surgeon with special interest

June 2007 3rd Edition and certified training in the surgical care of children, who participates in ongoing continuing medical education in pediatric trauma care. There must be at least one orthopedic surgeon and one neurosurgeon with demonstrated interests and competences in the management of pediatric orthopedic and neurosurgical trauma, respectively. The emergency department and critical care unit must have designated areas for pediatric patients and must be staffed by individuals trained in and capable of providing pediatric care. The significant volume of major pediatric trauma would generally support the development of a multidisciplinary clinical trauma team that may not necessarily be exclusive to, but would maintain some expertise in pediatric trauma care. This would include a dedicated trauma unit or surgical ward where pediatric patients are geographically located together in order to maintain clinical and nursing expertise in pediatric trauma management. Policies must be in place to ensure consistent and optimal care of these patients, including appropriate designation of most responsible surgeon. It is an expectation that timely bedside consultation is required of all surgical subspecialties on an as needed basis (usually within 30 minutes) and even more rapidly for Trauma Team Leaders and Pediatric General Surgeons (20 minutes).

#### Caseload

It is recommended that the number of major pediatric trauma centres (Level I and II) be limited in any region to ensure that major trauma is consolidated at a few sites providing for adequate case volumes to support improved patient outcomes (volume-performance relationship), program sustainability, and to minimize the duplication of expensive resources and services. It is recognized that overall caseloads may very between centers due to differences in age definitions of "pediatric" and due to challenges imposed by geography, population and limited resources. Equally important is the individual physician major trauma caseload experience, which should be adequate to maintain competency and not diluted by inappropriately large call panels. In addition to tertiary care, it is anticipated that the Pediatric Level I Centre will also provide a moderately large volume of non-major trauma care. As such, it is recommended that a Pediatric Level II Trauma Center should admit at least 100 injured children younger than 15 years on an annual basis in order to justify the dedicated trauma resources, ensure maintenance of competency for trauma specialists and ensure adequate clinical material for training and research programs.

## **Performance Improvement and Patient Safety (PIPS)**

A rigorous performance improvement program is a requirement for Pediatric Level II Trauma Centres and should encompass pediatric trauma care across the entire regional system consistent with Provincial and Level I Centre programs. Demonstration of progress in PIPS evidenced by improved process, associated outcomes and system efficiencies. The PIPS program should be led by funded pediatric trauma program leaders, a pediatric trauma medical director and a pediatric trauma program manager/coordinator (who may be cross-appointed as the adult trauma program manager/coordinator, but who has dedicated time and funding for care of pediatric trauma issues) whose responsibilities include the quality of pediatric trauma services provided by the Centre and Region. This program is predicated on high quality data

management. Participation in the regional, provincial and national trauma registry is an expectation and annual reporting of activity and performance is an expectation.

# **Injury Prevention**

It is expected that Level II Pediatric Trauma Centres will be actively engaged in childhood and youth injury prevention programs of their own as well as developing liaisons with regional and provincial injury prevention leaders and coalitions.

# **Academic Programs**

An optional supporting role for Level II Pediatric Centres is the provision of trauma training programs. In University centres this will include the usual undergraduate and postgraduate (resident) trauma training. In addition, these centres are required to provide multidisciplinary outreach training programs for physicians, nurses and allied health professionals. These programs should include but not be limited to Pediatric Advanced Life Support ® for physicians, Advanced Pediatric Life Support®, Trauma Nurse Core Course® and the pediatric components of the Advanced Trauma Life Support (ATLS) courses. Intramural academic rounds are a requirement with the capability to disseminate these to other sites involved in trauma care in the region.

# ADULT TRAUMA CENTERS TREATING INJURED CHILDREN (ATCTC)

#### Roles

It is recognized that due to resources, volume and geography, adult trauma facilities play a significant role in the management of all degrees of pediatric trauma, from initial resuscitation, stabilization and transfer of major trauma to Pediatric tertiary care, to management of more minor injuries, with referrals as needed. In general, this would apply to adult Level II, III and V Trauma Facilities as described above. Large variations in geography, trauma volume and resources do not permit distinct descriptions for varying levels of pediatric care at these centres. A strong working relationship must be established with the Regional /Provincial Level I Pediatric Trauma center to determine case definitions of what should be transferred to tertiary level care and what can remain at the district level.

#### Resources

All Adult centers receiving any trauma must be equipped with basic equipment required for the resuscitation of the injured child. This includes airway management and venous access, including intraosseous access capabilities. For facilities that annually admit 100 or more injured children under the age of 15 years, emergency medicine, general surgery, other surgical subspecialties and critical care must demonstrate specialized interest and care in the management of injured children. There must be a designated area in the emergency department for pediatric resuscitation and capability for pediatric critical care.

Transfer agreements, policies and transport protocols are required to expedite transfer to the Pediatric Trauma Centre (Level I/II)

June 2007 3rd Edition

# Section IV CRITERIA FOR PROVINCIAL AND REGIONAL TRAUMA SYSTEMS

A. Provincial Trauma System			
Lead Agency for Provincial Trauma Services	E		
Provincial Medical Director, Trauma Services	Е		
Provincial Executive Director, Trauma Services	Е		
Provincial Trauma Advisory Committee	Е		
Injury Surveillance (Registry)	E		
Injury Reporting	Е		
Injury Prevention Programs and Coordination	Е		
Demonstrated Public Accountability	Е		
Funding Model/Structure Trauma Services	Е		
Provincial Emergency Preparedness Office	E		
Province-wide Integrated Pre-Hospital Services	Е		
Province-wide Integrated Adult/Pediatric Trauma Services	E		
Defined funding for major trauma caseload (Levels I-III)	E		
Standardized Practice Guidelines for Trauma Care	E		
Provincial Plan for Specialized and Quaternary Trauma Care (i.e. Pediatric	Е		
Trauma, Burns, Spinal Cord Injury)			
Provincial Performance Assessment and Reporting of Trauma Services	Е		
Inter-provincial /Territory Agreements	Е		

E=Essential

B. Regional Trauma System	
Lead Agency for Regional Trauma Services	E
Regional Medical Director, Trauma Services	E
Regional Trauma Manager, Trauma Services	E
Regional Trauma Advisory Committee	Е
Injury Surveillance (Registry)	E
Injury Reporting	Е
Injury Prevention Programs and Coordination	Е
Demonstrated Public Accountability	Е
Funding Model/Structure Trauma Services	Е
Regional Emergency Preparedness Office	Е
Region-wide Integrated Pre-Hospital Services	Е
Region-wide Integrated Adult/Pediatric Trauma Services	E
Defined Funding for Major Trauma Caseload (Level I-III)	Е
Standardized Practice Guidelines for Trauma Care	Е
Regional Performance Improvement Program for Trauma Services	Е
Inter-regional Support Agreements	Е

E=Essential

# Section V CRITERIA FOR REGIONAL AND PROVINCIAL EMERGENCY MEDICAL SERVICES

E=Essential, D=Desirable, N=Not Essential

A. EMS Care, Communication and Transport	
<ul> <li>Service Coverage</li> <li>Province-wide or region-wide, integrated EMS/pre-hospital services (communications, land-ground and aero-medical)</li> </ul>	E
<ul> <li>Access</li> <li>Universal access to EMS through 911 or equivalent system</li> </ul>	Е
<ul> <li>Communications/Dispatch</li> <li>Centralized communication system enabling prompt dispatch of appropriate land and/or aero medical pre-hospital response</li> </ul>	Е
<ul> <li>Protocols to define appropriate pre-hospital response based on patient acuity, geography and available resources</li> </ul>	E
<ul> <li>Triage</li> <li>Authority/approval to bypass local hospitals for major trauma patient</li> </ul>	Е
<ul> <li>Criteria established for pre-hospital personnel to identify severely injured patients in the field</li> </ul>	E
Protocols established for the transport of severely injured patients directly to appropriate level of trauma centre	E
Effective real time communication system with receiving trauma centre	Е
Definition of geographic limits within which the protocols and criteria are to be applied for the trauma patient	Е
<ul> <li>Treatment Protocols</li> <li>Protocols for the treatment of trauma patients</li> </ul>	E
<ul> <li>Quality Assurance</li> <li>Trauma care training program with tertiary trauma centre participation</li> </ul>	Е
<ul> <li>Quality management program to evaluate efficacy of triage criteria and protocols, process of care outcomes for EMS</li> </ul>	E
<ul> <li>Formal Liaisons With</li> <li>Tertiary/Regional Trauma Program and pre-hospital care system (i.e. shared membership on advisory board, etc.)</li> </ul>	E
Emergency Preparedness Planning group(s) with linkages to trauma programs	Е
Regular quality review of pre-hospital records as they apply to interfacility transport	Е
System to ensure availability of pre-hospital care records to tertiary trauma centre staff and to trauma registry	E
<ul> <li>Record linkage identifier on pre-hospital care records to allow linkage to in- hospital records and other data sources in the trauma registry.</li> </ul>	E

#### E=Essential, D=Desirable, N=Not Essential

B. Inter-Hospital Communication and Transport	
<ul> <li>Formal liaison between tertiary trauma centre and regional/provir care transport program</li> </ul>	ncial critical E
<ul> <li>Guidelines for defining responsibilities and composition of transpaccompanying personnel</li> </ul>	ort teams of E
<ul> <li>Established Transfer Guidelines Protocol with guaranteed access trauma centre for the major trauma patient</li> </ul>	s to tertiary E
Quality Assurance Process linked with Trauma Program	
<ul> <li>Appropriate training for accompanying personnel specifically rela inter-hospital transport of trauma patients</li> </ul>	ting to the E
Regular quality review of pre-hospital care records	E
<ul> <li>System to ensure availability of pre-hospital care records to tertial centre staff and to trauma registry.</li> </ul>	ry trauma E
<ul> <li>Record linkage identifier on pre-hospital care records to allow link hospital records and other data sources in the trauma registry.</li> </ul>	kage to in- E

# Section VI CRITERIA FOR TRAUMA CENTRES

#### E=Essential, D=Desirable, N=Not Essential

A. Trauma System Integration			III	IV	V	P-I	P-II
Leadership role within the system (administrative,	Е	Е	D	N	N	Е	E
planning, clinical programs)							
<ul> <li>Defined roles within the system</li> </ul>	Е	E	Е	E	E	Е	E
<ul> <li>Participation within Trauma System Advisory Body</li> </ul>	Е	Е	Е	D	D	Е	Е
Participation in System PIPS	Ш	Е	Е	Е	Е	Е	Е
Participation in System Injury Surveillance	Ш	Е	Е	Е	Е	Е	Е
<ul> <li>Participation in National Trauma Registry (CDS)</li> </ul>	Е	Е	Е	N	N	E	Е
Trauma Outreach Education	Е	Е	D	N	N	E	E
Injury Prevention	Е	Е	D	D	D	Е	Е
Emergency Preparedness	Е	Е	Е	Е	Е	Е	Е
Academics and Scholarship	Е	D	D	N	N	Е	D
Financial commitment to system	Е	Е	Е	N	N	Е	Е

B. Hospital Commitment		Ш	III	IV	V	P-I	P-II
<ul> <li>Trauma as designated priority program/service</li> </ul>	Е	Е	D	Ν	N	Е	Е
<ul> <li>Demonstrated commitment to priority treatment of severely injured patients</li> </ul>	Е	E	E	Е	Е	E	Е
<ul> <li>Assure adequate resources and staff (as per level requirements)</li> </ul>	Е	Е	Е	Е	Е	Е	Е
Demonstrated financial support to trauma program	Е	Е	Е	N	N	Е	Е
No refusal policy for major trauma	Е	Е	D	N	N	Е	Е
Trauma Registry participation/funding	Е	E	Е	N	N	E	Е
Funding for trauma team leader program	Е	Е	D	N	N	Е	Е

C. Trauma Director			III	IV	V	P-I	P-II
<ul> <li>A physician responsible for Clinical Trauma Services</li> </ul>	Е	Е	D	N	N	Ε <b>Φ</b>	Ε <b>④</b>
<ul> <li>Co leadership of Trauma Program/Administration</li> </ul>	Е	Е	D	N	N	Е	Е
Financial support for Director Role	E	E	D	N	N	E	Е

D. Trauma Program Manager/Coordinator		_ II	III	IV	V	P-I	P-II
<ul> <li>An individual who has the responsibility and authority for coordination and management of trauma care in collaboration with the Trauma Director</li> </ul>	E	E	D	N	N	E	Е
<ul> <li>Co leadership of Trauma Program/Administration</li> </ul>	Е	Е	D	N	Ν	Е	Е
Financial support for the Role	Е	Е	D	N	N	Е	Е

• Pediatric Subspecialty Training Required

F	In-Patient Trauma Services	1	l II		IV	V	P-I	P-II
i.	24 hour trauma team response to include:	E	'' E	D <b>①</b>	N <b>①</b>	N <b>①</b>	E	E
١.	Trauma team leader (max 20 min response)	_	_	D <b>.</b>	INE	INE	_	_
	General Surgery emergency department bedside	Е	Е	Е	D <b>0</b>	D <b>0</b>	Е	Е
	consultation (per defined local protocol, max 20	_	_	_	D <b>u</b>	D <b>u</b>	_	_
	min response)							
	Other surgical consultation as required *(max 30)	Е	Е	D	D	D	Е	Е
	min response)	_	_				_	_
	In house advanced airway intervention capability	Е	Е	Е	Е	Е	Е	Е
	at all times	_	_	_	_	_	_	_
ii.	Protocols in place for recognition of major trauma							
'''	patient, communication and transport to appropriate	Е	E	Е	Е	Е	Е	Е
	level of care within the Trauma System							
iii.	A Surgeon-led multi-disciplinary inpatient trauma	Е	D	N	N	N	Е	D
	service within the hospital							
iv.	24-hour hospital coverage by the following surgical							
	services	E	E	E	D	D	E	E
	<ul> <li>Trauma Surgeon, General Surgeon (max 20 min )</li> </ul>							
	<ul> <li>Orthopaedic Surgery</li> </ul>	E	E	Ε	N	N	E	Е
	<ul> <li>Neurosurgery</li> </ul>	Е	Е	D	N	N	Е	Е
	Plastic Surgery	Е	Е	D	N	N	Е	D
	Spine Surgery	Е	D	N	N	N	Е	D
	Burn Surgery	Е	N	N	N	N	Е	D
	Vascular Surgery     ✓	Е	Е	N	N	N	Е	D
	Endovascular capabilities	Е	D	N	N	N	Е	D
	Cardiac Surgery	Е	D	N	N	N	Е	D
	Thoracic Surgery	Е	D	N	N	N	Е	D
	Urology	Е	Е	N	N	N	Е	D
	Gynecology & Obstetrics	E	E	D	N	N	E	D
	Pediatric Surgery       Pediatric Surgery	E <b>©</b>	E <b>©</b>	N	N	N	E	E
	Ophthalmology	E	E	D	N	N	E	D
	Otolaryngology	E	E	D	N	N	E	D
	Dental / OMFS	D	D	D	N	N	E	D
٧.	Non-Surgical Specialties for care of the trauma patient	E	E	E	E	N	E	D
٧.	Radiology	<u> </u>	_	_	-	IN	_	D
	Anesthesia	Е	Е	Е	Е	D	Е	D
	Pediatric Critical Care	ΕØ	EØ	D	N	N	E	E
	0.83. 1.0.	E	E	E	N	N	_	_
		E	E	D	N	N	E	D
	Cardiology     Respirelagy		D	N	N	N	E	D
	Respirology	D E	E	D	D	N	E	D
	Gastroenterology	E	E	D	N	N	E	
	Hematology							D
	Infectious Diseases	E	E	D	N	N	E	D
	Internal Medicine	E	E	E	E	N	E	D
	Nephrology	E	E	D	N	N	E	D
	Psychiatry	E	E	D	N	N	E	D
	Physiatry	Е	D	D	N	N	Е	D
	Emergency Medicine	Е	Е	Е	Е	Е	Е	Е
	Social Work	Е	Е	E	E	E	Е	Е
	Child Life & Family Support Programs	D <b>©</b>	D <b>©</b>	D	D	D	Е	Е
	Child Protection Services	D	D	D	D	D	Е	Е
	Crima i rotoction Convious							

- It is essential for level III-V to have the Emergency Physician or the General Surgeon act as trauma team leader.
- 2 Must be available on call with a 30 min maximum response time.
- 3 Not essential if provided at a dedicated alternate site
- \* CCFP (EM) or RCPS
  Pediatric Specific

Note: In level I, II, Centres it is expected that the O/C GS would have added competencies in Trauma Care

F. Emergency Department	1	l II	III	IV	V	P-I	P-II
i. Personnel and Practice							
<ul> <li>Designated chief, certified* Emergency physician</li> </ul>	E	Е	Е	D	D	Е	E
<ul> <li>24 hr coverage by a certified* Emergency</li> </ul>	E	Е	Е	D	D	E	E
physician							
24 hr in house coverage by above	Е	Е	Е	D	D	Е	Е
<ul> <li>Nursing personnel in hospital</li> </ul>	Е	Е	Е	Е	Е	Е	Е
Use of Trauma Practice Guidelines	Е	Е	Е	Е	Е	Е	Е
<ul> <li>Recognition of the major trauma patient criteria</li> </ul>	Е	Е	Е	E	Е	Е	Е
Major Trauma Activation Process	Е	Е	Е	N	N	Е	E
<ul> <li>ATLS/or Equivalent certification of Trauma Team Leaders or EP's</li> </ul>	E	Е	Е	Е	Е	E	Е
<ul> <li>TNCC/or equivalent Nursing certification</li> </ul>	E	Е	Е	Е	Е	Е	Е
Communication and Transfer guidelines	Е	Е	Е	Е	Е	Е	Е
ii. Trauma Specific Equipment required in the Emergency Department  • Advanced airway management equipment including surgical airway (adults & children)	Е	Е	Е	Е	Е	Е	E
<ul> <li>Transport monitor, ECG, BP, pulse O<sub>2</sub> sat, temp</li> </ul>	Е	Е	Е	D	D	Е	Е
Portable or overhead X-ray equipment	Е	Е	Е	D	N	Е	Е
Direct communication to pre-hospital services	Е	Е	Е	Е	Е	Е	Е
Central Venous Line, Chest tube & pericardiocentesis, equipment	Е	Е	Е	Е	Е	Е	Е
Fracture stabilization & traction equipment	Е	Е	Е	Е	Е	Е	Е
Trauma resuscitation room	Е	Е	Е	D	N	Е	Е
Rapid infuser warmer	Е	Е	Е	D	N	Е	Е
Vascular Doppler	Е	Е	Е	D	D	Е	Е
<ul> <li>Surgical equipment (i.e. DPL, thoracotomy tray)</li> </ul>	Е	Е	Е	D	N	Е	Е
• FAST	Е	Е	D	D	N	D	D
Universal Precautions equipment	Е	Е	Е	Е	Е	Е	Е
Broeslow tape	Е	Е	Е	Е	Е	Е	Е
Intraosseous capability	Е	Е	Е	Е	Е	Е	Е
iii. Helipad or landing site (rotary)	Е	Е	Е	N	Е	Е	Е

#### **Pediatric Specific**

G. Intensive Care Unit:		l II	III	IV	V	P-I	P-II
<ul> <li>Medical Director of Intensive Care</li> </ul>	Е	Е	Е	N	N	Е	Е
<ul> <li>24 hr in-hospital medical coverage</li> </ul>	Е	D	D	N	N	Е	Е
<ul> <li>Closed ICU with Certified or Qualified Intensivists</li> </ul>	Е	Е	D	N	N	Е	Е
<ul> <li>Co-management with surgical team</li> </ul>	Е	Е	Е	N	N	Е	Е
<ul> <li>Development and use of trauma practice guidelines</li> </ul>	Е	Е	Е	N	N	Е	Е
No refusal policy for major trauma patient	Е	Е	D	N	N	Е	Е
Transfer Protocols to/from higher level ICU	Е	Е	Е	Е	Е	Е	Е

H. Inpatient Trauma Units	_ I _	_ II _		lV _	_ V _	P-I	P-II
<ul> <li>Guaranteed Access to Trauma Beds</li> </ul>	Е	E	E	N	N	E	Е
<ul> <li>Dedicated Trauma Unit (cohorting trauma patients)</li> </ul>	Е	Е	D	N	Ν	Е	D
<ul> <li>Capacity for intermediate care with monitoring</li> </ul>	Е	Е	D	N	N	Е	Е
<ul> <li>Development and use of Trauma Practice Guidelines</li> </ul>	Е	E	D	N	N	Е	Е
Dedicated allied health resources	Е	E	D	N	N	Ē	E

I. Burn Care	I	II	III	IV	V	P-I	P-II
Access to burn centre if not on site	Е	Е	Е	Е	Е	Е	Е
<ul> <li>Protocols for immediate treatment and transfer of major burn patients</li> </ul>	E	Е	Е	Е	Е	Е	Е

J. Diagnostic and Interventional Radiology		l II		IV	V	P-I	P-II
<ul> <li>Immediate plain film radiography (in-house tech)</li> </ul>	Е	Е	Е	D	D	Е	Е
<ul> <li>Technologist on Call with 30 min response</li> </ul>	Е	Е	Е	Е	Е	Е	Е
Radiologist consultation (30 min)	Е	Е	D	D	D	Е	Е
<ul> <li>Angiography available 24/7 with 1 hour response</li> </ul>	Е	Е	D	N	N	Е	Е
Ultrasonography (excluding FAST)	Е	Е	Е	N	N	Е	Е
Immediate CT (in-house tech)	Е	Е	D	N	N	D	D
CT Technologist on Call with 30 min response	Е	Е	Е	D	N	Е	Е
Access to magnetic resonance imaging	Е	D	N	N	N	Е	Е
CT Adjacent to Emergency Department	Е	Е	D	N	N	Е	Е
<ul> <li>Radiology Protocols for care of Trauma patients</li> </ul>	Е	Е	D	N	N	Е	Е

K. Rehabilitation	- 1			IV	V	P-I	P-II
<ul> <li>Timely access to comprehensive and coordinated Rehab services in acute phase (Physiatrist on staff and allied health)</li> </ul>	Ш	E	E	D	N	ш	E
<ul> <li>Access to comprehensive long term rehab program</li> </ul>	Е	Е	Е	Е	Е	Е	Е
<ul> <li>Protocols for referral for rehabilitation (acute and long-term)</li> </ul>	E	E	Е	Е	Е	Е	Е
<ul> <li>Medical Leadership for Rehabilitation services</li> </ul>	Е	Е	D	N	N	Е	Е

#### **Pediatric Specific**

Operating Room	1		III	IV	V	P-I	P-II
<ul> <li>In-house 24 hour operating room staff available for immediate surgery with the necessary equipment</li> </ul>	E	Е	D	N	N	D	D
<ul> <li>30 minute call back for operating room staff for immediate surgery</li> </ul>	Е	Е	Е	D	N	Е	Е
<ul> <li>Demonstrated formalized prioritization system for trauma cases</li> </ul>	Е	Е	D	N	N	Е	Е
<ul> <li>Availability of protected OR time for urgent trauma cases (i.e.: ortho/plastics)</li> </ul>	Е	Е	D	N	N	D	D
		•	•	,	•	•	,
Blood Book and Laboratory Contain				11/			

M. Blood Bank and Laboratory System	l I	Ш	III	IV	V	P-I	P-II
<ul> <li>Available on site 24 hours per day</li> </ul>	Е	Е	Е	D	N	Е	E
<ul> <li>Blood bank system capable of providing unmatched blood within 10 minutes</li> </ul>	Е	Е	Е	D	N	Е	E
<ul> <li>Formalized Massive transfusion protocol</li> </ul>	Е	Е	D	D	N	Е	Е
<ul> <li>Accredited by Canadian Blood Services and labs</li> </ul>	E	E	Е	E	Е	Е	Е

N. Performance Improvement and Patient Safety (PIPS) Programs				IV	V	P-I	P-II
<ul> <li>Continuous multi-professional PIPS Program</li> </ul>		Е	Е	N	N	Е	Е
Trauma registry support of PIPS Program	Е	Е	Е	N	N	Е	Е
Trauma PIPS Committee		Е	Е	N	N	Ε	Е
Public Accountability		Е	Е	N	N	Е	Е
Process Improvement							
<ul> <li>Define process indicators</li> </ul>	Е	Е	Е	Ν	N	Е	E
<ul> <li>Defined clinical practice guidelines</li> </ul>	Е	Е	Е	Е	E	Е	Е
<ul> <li>Measure of compliance with guidelines/indicators</li> </ul>	Е	Е	Е	Е	Е	Е	Е
Outcome Measures     Review of all deaths with yearly report							
<ul> <li>Review of morbidity with yearly report</li> </ul>	Е	Е	Е	Е	Е	Е	Е

O. Trauma Registry	_	_ 11 _	_ III _	UV_	V	P-I	P-II
<ul> <li>Presence of Trauma Registry</li> </ul>	Е	Е	Е	Ν	Ν	E	Е
Contribution to NTR	Е	Е	Е	Ν	N	Е	Е
<ul> <li>Standardized regular reports to program leadership</li> </ul>	Е	Е	Е	N	N	Е	Е
Capacity for adhoc reporting	Е	Е	Е	Ν	N	Е	Е
<ul> <li>Formal integrated relationship with Trauma Program</li> </ul>	Е	E	Е	N	N	Е	Е
Meets privacy act regulations	E	E	E	N	N	Е	Е

P. Trauma Research Programs	I		III	IV	V	P-I	P-II
<ul> <li>Initiation, participation and dissemination of trauma research</li> </ul>	Е	D	D	D	D	Е	Е

Q. Injury Prevention	1	Ш	Ш	IV	V	P-I	P-II
<ul> <li>Injury prevention programs within and control programs that are integral with the system mandate of injury</li> </ul>	E	E	E	E	Е	Е	E
<ul> <li>Injury prevention educator (salary-supported</li> </ul>	D	D	D	D	D	D	D
Alcohol Screening Programs	Е	Е	D	D	D	D	D
Alcohol Intervention Programs	D	D	D	D	D	D	D

## Section VII REFERENCES

- Bulger EM, Maier RV. Prehospital care of the injured: what's new. Surg Clin North Am. 2007 Feb;87(1):37-53, vi. Review.
- Cooper G, Laskowski-Jones L. Development of trauma care systems. Prehosp Emerg Care. 2006 Jul-Sep;10(3):328-31.
- DeBritz JN, Pollak AN. The impact of trauma centre accreditation on patient outcome. Injury. 2006 Dec;37(12):1166-71.
- Demetriades D, Martin M, Salim A, et al: The effect of trauma center designation and trauma volume on outcome in specific severe injuries. Ann Surg 242: 512-519, 2005.
- Ehrlich, PF, McClellan WT, Wesson DE: Monitoring performance: long-term impact of trauma verification and review. J Am Coll Surg 200:166-172, 2005.
- Garrison HG, Foltin GL, Becker LR, Chew JL, Johnson M, Madsen GM, Miller DR, Ozmar BH. The role of emergency medical services in primary injury prevention. East Carolina Injury Prevention Program. Prehosp Emerg Care. 1997 Jul-Sep;1(3):156-62. Review.
- Holbrook TL, Hoyt DB, Anderson JP, et al: Functional limitation after major trauma: a more sensitive assessment using the quality of well-being scale: the Trauma Recovery Pilot Project. J Trauma 36:74-78, 1994.
- Holbrook TL, Anderson JP, Sieber WJ, et al: Outcome after major trauma: 12 month and 18 month follow-up results from the trauma recovery project. J Trauma 46:765-773, 1999.
- Krimston J, Griffiths K. EMS champions of injury prevention. Highlights from some of the best injury-prevention programs in the United States. JEMS. 2004 Nov;29(11):80-4.
- MacKenzie, EJ, Cushing BM, Jurkovich GJ, et al: Physical impairment and functional outcomes six months after severe lower extremity fractures. J Trauma 34:528-539, 1993.
- Mullins RJ, Veum-Stone J, Hedges JR, et al: Influence of statewide trauma system on location of hospitalization and outcome of injured patients. J Trauma 40:536-546, 1996.
- Nathens, AB, Brunet FP, Maier RV: Development of trauma systems and effect on outcomes after injury. Lancet 363:1794-1801, 2004.
- Nathens AB, Jurkovich GJ, Maier RV, et al: Relationship between trauma center volume and outcomes. JAMA 285:1164-1171, 2001.
- Pasquale MD, Peitzman AB, Bednarski J, et al: Outcomes analysis of Pennsylvania trauma centers: factors predictive of non-survival in seriously injured patients. J Trauma 50:465-474, 2001.

- Piontek FA, Coscia R, Marselle CS, et al. American College of Surgeons.
  Impact of American College of Surgeons verification on trauma outcomes. J Trauma. 2003 Jun;54(6):1041-6; discussion 1046-7.
- Resources for Optimal Care of the Injured Patient 2006, ACS 2006.
- Resources for Optimal Care of the Injured Patient 1999, ACS 1999.
- Segui-Gomez M, Chang DC, Paidas CN, et al: Pediatric trauma care: an overview of pediatric trauma systems and their practices in 18 US states. J Pediatric Surg 38:1162-1169, 2003.
- Sampalis JS, Lavoie A, Boukas S, et al: Trauma center designation: initial impact on traumarelated mortality. J Trauma 39:232-239, 1995.
- Simons R, Kirkpatrick A. Assuring optimal trauma care: the role of trauma centre accreditation. Can J Surg. 2002 Aug;45(4):288-95.
- Simons RK. Injury control and trauma care in Canada: how well are we doing?: Trauma Association of Canada Presidential Address. J Trauma. 2006 Nov;61(5):1027-35.
- Simons R, Kasic S, Kirkpatrick A, et al: Relative importance of designation and accreditation of trauma centers during evolution of a regional trauma system. J Trauma 52:827-834, 2002.
- Smith RF, Frateschi L, Sloan EP, et al: The impact of volume on outcome in seriously injured patients: two years' experience of the Chicago trauma system. J Trauma 30:1066-1076, 1990.
- Udekwu P. Trauma center designation and outcomes. J Am Coll Surg. 2006 Jun;202(6):1025.
- US Department of Transportation, National Highway Traffic Safety Administration: Rural Preventable Mortality Study. Publication DOT HS 807 973, 1992.
- US Department of Health and Human Services, Health Resources and Services Administration, Trauma-EMS Systems Program: Model Trauma Systems Planning and Evaluation, February 2006. Available at <a href="https://www.hrsa.gov/trauma/model.htm">www.hrsa.gov/trauma/model.htm</a>.
- West JG, Williams MJ, Trunkey DD, et al: Trauma Systems: current status: future challenges. JAMA 259:3597-3600, 1988.

# Section VIII APPENDICES

Appendix A Application for Accreditation

Appendix B Application for Pre-Accreditation Consultation

Appendix C Criteria for Trauma Systems/Centres
Appendix D Pre-Accreditation Questionnaire

Appendix E Schedule of Visit

Appendix F Accreditation Evaluation

# APPENDIX A Application for Trauma Accreditation Review

#### Please complete and return to:

Trauma Association of Canada Central Office c/o Regional Trauma Services Foothills Medical Centre Rm 780, 1403-29<sup>th</sup> Street N.W. Calgary, AB T2N 2T9

Date of Application:								
	П	Ш	IV	٧	PI	PII		
	<u> </u>	I II				I II III IV V PI		

June2007 3rd Edition

#### 1. Request for Trauma Accreditation:

Please proceed with arrangements for a Trauma Accreditation Review. We understand that:

- a. Trauma Accreditation is a formal review of compliance with national guidelines for the delivery of optimal care within an integrated trauma system
- b. A preliminary report sent to the Trauma Director at each site (est. 4-6 weeks) to review for factual data prior to final report going to TAC president and CEO.
- c. The Association will provide a written report with recommendations and accreditation status within 8 weeks to the CEO

#### 2. We agree to remunerate the following expenses:

- a. Travel for team, including taxis to and from airport, to and from site visits, car rental if needed, parking.
- b. All Accommodation and meal expenses for review team
- c. Fees per Team member per day of \$1000. 00 (this includes preparation of reports)
- d. Teams will be capped at 4, or for single hospital site reviews, 3 team members, this will be at the discretion of TAC accreditation executive.
- e. There may be an accreditation trainee on site visits; this will be at no additional cost to the site.
- f. A separate payment to the Trauma Association of Canada \$1000.00 fee per institution or day is also required

### 3. Please attach a letter of support or commitment for this process from CEO/President of applying site/region/authority.

#### 4. Contact Information:

#### **Medical Director/Manager of Trauma**

Name:		
Title:		
Address:		
Phone:		
Fax:		
E-mail:		
Signature:		

## **Trauma Program Manager /Coordinator** Name: Title: Address: Phone: Fax: E-mail: Signature: CEO or President of applying site/region/authority Name: Title: Address: Phone: Fax: E-mail: Signature:

\*\* Applications should be submitted a minimum 4-6 months before desired date for the review\*\*

# APPENDIX B Application for Trauma Consultation or Pre-Accreditation Review

#### Please complete and return to:

Trauma Association of Canada Central Office c/o Regional Trauma Services Foothills Medical Centre Rm 780, 1403-29<sup>th</sup> Street N.W. Calgary, AB T2N 2T9

From:									
Phone:									
Date of Application Requesting Health	: Authority / Region :								
Name/level of designation seeking:									
LIST SITES ( \ CHE	eck box corresponding with	i levelj				IV	V	PI	PII
Define the system: Preferred time fram Earliest dates: Latest dates:	Regional Provi	ncial	Ot	her					

#### 5. Request for Trauma Consultation

Please proceed with arrangements for a Trauma Consultation as a Pre-Accreditation Review. We understand that:

- a. Trauma Consultation is a review of compliance with national guidelines for the delivery of optimal care within an integrated trauma system
- b. A preliminary report sent to the Trauma Director at each site (est. 4-6 weeks) to review for factual data prior to final report going to TAC president and CEO.
- c. The Association will provide a written report with recommendations within 8 weeks to the CEO
- d. Extensive trauma system/service development and consultation is also available on ad hoc request.

#### 6. We agree to remunerate the following expenses:

- a. Travel for team, including taxis to and from airport, to and from site visits, car rental if needed, parking.
- b. All Accommodation and meal expenses for review team
- c. Fee's cost per Team member per day of \$1000.00
- d. A separate payment to the Trauma Association of Canada \$1000.00 fee per institution or day is also required
- 7. Please attach a letter of support or commitment for this process from CEO/President of applying site/region/authority.
- 8. Contact Information:

#### **Medical Director/Manager of Trauma:**

Name:	
Title:	
Address:	
Phone:	
Fax:	
E-mail:	
Signature:	

## **Trauma Program Manager /Coordinator:** Name: Title: Address: Phone: Fax: E-mail: Signature: CEO or President of applying site/region/authority: Name: Title: Address: Phone: Fax: E-mail: Signature:

\*\* Applications should be submitted a minimum 4-6 months before desired date for the review\*\*

The TAC Consultation Process or Pre-Accreditation Review is an overview of compliance with TAC Accreditation Guidelines for Trauma Systems and Centres. This consult visit is a guide for preparing for formal TAC accreditation site visit.

More extensive Trauma System/Service design and development consultation is also available on an adhoc request, but is not the mandate of the Trauma Association of Canada. As experts in Trauma System development, TAC can provide you with contacts who may choose to provide independent consultancy. The consultation cost for this type of request are subject to individual consultant fees.

# APPENDIX C Criteria for Trauma Systems / Centres Working Document

Please check box next to designation seeking if criteria met and submit with Appendix D – Pre-Accreditation Questionnaire prior to site visit

#### E=Essential, D=Desirable, N=Not Essential

A. Trauma System Integration	T	II	Ш		IV		V		P-	P- II	
<ul> <li>Leadership role within the system (administrative, planning, clinical programs)</li> </ul>	Е	Е	D	—	N	—	N		E	E	—
<ul> <li>Defined roles within the system</li> </ul>	Е	Е	Е		Е		Е		Е	Е	
<ul> <li>Participation within Trauma System Advisory Body</li> </ul>	Ε	 Ε	 Е		D		D	_	Е	Е	_
<ul> <li>Participation in System PIPS</li> </ul>	Е	Е	Е		Е		Е		Е	Е	
<ul> <li>Participation in System Injury Surveillance</li> </ul>	Ε	Е	Е		Ε		Е		E	E	
<ul> <li>Participation in National Trauma Registry (CDS)</li> </ul>	Ε	E	Ε		N		Ν		Е	Е	
Trauma Outreach/Education	Е	Е	D		Ν		Ν		Е	Е	
Injury Prevention	Е	Е	D		D		D		Е	Е	
Emergency Preparedness	Е	Е	Е		Е		Е		Е	Е	
Academics and Scholarship	Е	D	D		N		Ν		Е	D	
<ul> <li>Financial commitment to System</li> </ul>	Е	E	Е		N		N		E	E	

B. Hospital Commitment		II	III	IV	V	P-	P- II	
<ul> <li>Trauma as designated priority program/service</li> </ul>	Е	Е	D	N	N	E	E	
<ul> <li>Demonstrated commitment to priority treatment of severely injured patients</li> </ul>	E	E	E	E	Е	E	E	
<ul> <li>Assure adequate resources and staff (as per level requirements)</li> </ul>	Е	Е	Е	Е	Е	Е	Е	
<ul> <li>Demonstrated financial support to trauma program</li> </ul>	Е	Е	Е	N	N	Е	Е	
No refusal policy for major trauma	Е	Е	D	N	N	Е	Е	
<ul> <li>Trauma Registry participation/funding</li> </ul>	Е	Ε	Е	N	Ζ	Е	E	
<ul> <li>Funding for trauma team leader Program</li> </ul>	Е	 Е	D	 N	 N	 Е	 E	

C. Trauma Director	ı	III	Ш	IV	V	P-	P- II	
A physician responsible for Clinical Trauma Services	Е	Е	D	N	N	E <b>❹</b>	E <b>₫</b>	
<ul> <li>Co leadership of Trauma Program/Administration</li> </ul>	Е	Е	D	Ζ	N	E	Е	
<ul> <li>Financial support for Director Role</li> </ul>	Е	Е	D	Ν	Ν	Е	Е	

D. Trauma Program Manager/Coordinator	I	II	III	IV	V	P-	P- II	
<ul> <li>An individual who has the responsibility and authority for coordination and management of trauma care in collaboration with the Trauma Director</li> </ul>	Е	Ш	D	N	Ν	Ш	Е	
<ul> <li>Co leadership of Trauma Program/Administration</li> </ul>	Е	 Е	 D	 N	 Ζ	 Е	Е	
Financial support for the Role	Е	Е	D	N	Ν	Е	Е	

E. In-Patient Trauma Services	1	Ш	 III	I V	V	P-	P -II	
vi. 24 hour trauma team response to include:  • Trauma team leader (max 20 min response)	E	E	D •	<b>1</b>	N •	Е	E	
<ul> <li>General Surgery emergency department bedside consultation (per defined local protocol, max 20 min response)</li> </ul>	E	E	Е	<b>0</b>	D •	Е	E	
<ul> <li>Other surgical consultation as required *(max 30 min response)</li> </ul>	E	Е	D	D	D	Е	Е	
<ul> <li>In house advanced airway intervention capability at all times</li> </ul>	E	E	Ш	E	E	Ш	Е	
vii. Protocols in place for recognition of major trauma patient, communication and transport to appropriate level of care within the Trauma System	Е	E	Е	Е	Е	Е	Е	
viii. A Surgeon-led multi-disciplinary inpatient trauma service within the hospital	E	D	N	N	N	E	D	
<ul><li>ix. 24-hour hospital coverage by the following surgical services</li><li>Trauma Surgeon, General Surgeon</li></ul>	Е	Е	Е	D	D	ш	Е	
Orthopaedic Surgery 2	Е	Е	Е	N	N	Е	Ε	
<ul> <li>Neurosurgery</li> </ul>	Е	Е	D	N	N	Е	Е	
Plastic Surgery	E	E	D	N	N	E	D	
Spine Surgery	Е	D	Ν	Ν	N	Е	D	

Burn Surgery	Е	N	N	N	N	Е	D	
Vascular Surgery	Е	Е	N	N	N	Е	D	
Endovascular capabilities	Е	D	N	N	N	Е	D	
Cardiac Surgery	Е	D	N	N	N	Е	D	
Thoracic Surgery	Е	D	N	N	N	Е	D	
Urology	Е	Е	N	N	Ν	Е	D	
Gynecology & Obstetrics	Е	Е	D	N	N	Е	D	
Pediatric Surgery	E <b>⊚</b>	E <b>6</b>	N	N	N	E	Е	
<ul> <li>Ophthalmology</li> </ul>	Е	Е	D	N	N	Е	D	
<ul> <li>Otolaryngology</li> </ul>	Е	Ε	D	N	Ν	Е	D	
<ul> <li>Dental / OMFS</li> </ul>	D	D	D	N	N	Е	D	
<ul><li>x. Non-Surgical Specialties for care of the trauma patient</li><li>Radiology</li></ul>	Е	Е	E	Е	N	Е	D	
Pediatric Critical Care      Pediatric Critical Care	E	E	D	N	N	E	E	
• Fediatiic Chilcai Care	6	6	D	'	IN	-	-	
<ul> <li>Anesthesia❷</li> </ul>	Е	Е	Е	Е	D	Е	D	
<ul> <li>Critical Care</li> </ul>	Е	Е	Е	N	Ν	-	-	
<ul> <li>Cardiology</li> </ul>	Е	Е	D	N	N	Е	D	
<ul> <li>Respirology</li> </ul>	D	D	Ν	N	Ν	Е	D	
<ul> <li>Gastroenterology</li> </ul>	Е	Е	D	D	N	Е	D	
<ul> <li>Hematology</li> </ul>	Е	Е	D	N	N	Е	D	
<ul> <li>Infectious Diseases</li> </ul>	Е	Е	D	N	N	Е	D	
<ul> <li>Internal Medicine</li> </ul>	Е	Е	Е	Е	N	Е	D	
<ul> <li>Nephrology</li> </ul>	Е	Е	D	N	Ν	Е	D	
<ul> <li>Psychiatry</li> </ul>	Е	Е	D	N	N	Е	D	
<ul><li>Physiatry</li></ul>	Е	D	D	N	N	Е	D	
Emergency Medicine     ■	Е	Е	Е	Е	Е	Е	Е	
Social Work	Е	Е	Е	Е	Е	Е	Е	
<ul> <li>Child Life &amp; Family Support Programs</li> </ul>	D <b>6</b>	D <b>⊚</b>	D	D	D	E	Е	
<ul> <li>Child Protection Services</li> </ul>	D	D	D	D	D	Е	Е	

It is essential for level III-V to have the Emergency Physician or the General Surgeon act as trauma team leader.Must be available on call with a 30 min maximum response time

**Pediatric Specific** 

Note: in level I, II, Centres it is expected that the O/C GS would have added competencies in Trauma Care

**<sup>3</sup>**Not essential if provided at a dedicated alternate site

Pediatric Specialty training required

F. Emergency Department	1			Ш	IV	V	P-	P-	
							1	Ш	
<ul> <li>iv. Personnel and Practice</li> <li>Designated chief, certified*</li> <li>Emergency physician</li> </ul>	Е	E		Е	Е	D	Е	Е	
24 hr coverage by a certified*     Emergency physician	Е	E		Ε	E	D	D	Е	
24 hr in house coverage by above	Е	E		Е	E	D	N	Е	
Nursing personnel in hospital	Е	Е		Е	Е	Е	Е	Е	
Use of Trauma Practice     Guidelines	Е	E	_	Ε	E	E	 E	Е	
<ul> <li>Recognition of the major trauma patient criteria</li> </ul>	Е	E		E	Е	Е	Е	Е	
Major Trauma Activation     Process	Е	E		E	N	N	Е	Е	
<ul> <li>ATLS/or Equivalent certification of Trauma Team Leaders or EP's</li> </ul>	E	E		E	E	E	E	E	
<ul> <li>TNCC/or equivalent Nursing certification</li> </ul>	Е	E		Ε	E	E	E	E	
<ul> <li>Communication and Transfer guidelines</li> </ul>	Е	E		Ε	E	E	E	E	
v. Trauma Specific Equipment required in the Emergency Department  Advanced airway management equipment including surgical airway (adults & children)	E	E		E	E	E	E	Е	
<ul> <li>Transport monitor, ECG, BP, pulse O₂ sat, temp</li> </ul>	Е	E		E	D	D	E	Ε	
Portable or overhead X-ray equipment	Е	E		Ε	D	N	Е	Е	
Direct communication to pre- hospital services	Е	E		Ε	Е	Е	Е	Е	
Central Venous Line, Chest tube & pericardiocentesis, equipment	Е	E		Е	Е	Е	Е	Е	
<ul> <li>Fracture stabilization &amp; traction equipment</li> </ul>	Е	E		Е	Е	Е	Е	Е	
<ul> <li>Trauma resuscitation room</li> </ul>	Е	E		Е	D	Ν	Е	Е	
Rapid infuser warmer	Е	E		Е	D	N	Е	Е	
<ul> <li>Vascular Doppler</li> </ul>	Е	E		Е	D	D	Ε	Е	
<ul> <li>Surgical equipment (i.e. DPL, thoracotomy tray)</li> </ul>	Е	E		Ε	D	N	E	Е	
• FAST	Е	E		D	D	N	D	D	
<ul> <li>Universal Precautions equipment</li> </ul>	Е	E		Ε	Е	E	Е	Е	
Broeslow tape	Е	E		Е	Е	Е	Е	Е	
<ul> <li>Intraosseous capability</li> </ul>	Е	E		Е	Е	Е	Е	Е	
vi. Helipad or landing site (rotary)	Е	E		Ε	N	E	E	Е	

#### \*CCFP (EM) or RCPS Pediatric Specific

G. Intensive Care Unit:	1	Ш	Ш	IV	V	P-	P- II	
<ul> <li>Medical Director of Intensive Care</li> </ul>	Е	Е	Е	N	N	Е	Е	
<ul> <li>24 hr in-hospital medical coverage</li> </ul>	Е	D	D	N	N	Е	Ш	
<ul> <li>Closed ICU with Certified or Qualified Intensivists</li> </ul>	Е	Е	D	N	N	Е	 Е	
<ul> <li>Co-management with surgical team</li> </ul>	Е	Е	Е	N	N	Е	 Е	
<ul> <li>Development and use of trauma practice guidelines</li> </ul>	Е	Е	Е	N	N	Е	Е	
<ul> <li>No refusal policy for major trauma patient</li> </ul>	Е	Е	D	N	N	Е	Е	
<ul> <li>Transfer Protocols to/from higher level ICU</li> </ul>	E	Е	Е	E	E	E	E	

H. Inpatient Trauma Units	I	II	Ш	IV	V	P-	P- II	
<ul> <li>Guaranteed Access to Trauma Beds</li> </ul>	Е	Е	Е	N	N	Е	Е	
<ul> <li>Dedicated Trauma Unit (cohorting trauma patients)</li> </ul>	Е	Е	D	N	N	Е	D	
<ul> <li>Capacity for intermediate care with monitoring</li> </ul>	Е	Е	D	N	N	Е	Е	
Development and use of Trauma     Practice Guidelines	Е	Е	D	N	N	 Е	 Е	
<ul> <li>Dedicated allied health resources</li> </ul>	Е	Е	D	N	N	Е	Е	

I. Burn Care	ı	Ш	Ш	I V	V	P -l	P- II	
<ul> <li>Access to burn centre if not on site</li> </ul>	Ε	Ε	Е	Е	Ε	 Ш	Ш	
<ul> <li>Protocols for immediate treatment and transfer of major burn patients</li> </ul>	Е	E	E	E	Е	Е	Е	

J. Diagnostic and Interventional Radiology		 <u> </u>	 Ш	_	IV	_	V	P-	P- II	
<ul> <li>Immediate plain film radiography (in-house tech)</li> </ul>	Е	Е	Е		D		D	Е	Ε	
<ul> <li>Technologist on Call with 30 min response</li> </ul>	Е	Е	Е		Е		Е	Е	Е	
<ul> <li>Radiologist consultation (30 min)</li> </ul>	Е	Е	D		D		D	Е	Е	
<ul> <li>Angiography available 24/7 with 1 hour response</li> </ul>	Е	 Е	 D		N		N	Ε	Ε	

<ul> <li>Ultrasonography (excluding FAST)</li> </ul>	Е	Е	Е	N	Ζ	Е	Е	
<ul> <li>Immediate CT (in-house tech)</li> </ul>	Е	Е	D	Ν	Z	D	D	
<ul> <li>CT Technologist on Call with 30 min response</li> </ul>			Е	D	Z	Е	E	
<ul> <li>Access to magnetic resonance imaging</li> </ul>	Е	D	Ζ	N	Ν	Е	Е	
<ul> <li>CT Adjacent to Emergency Department</li> </ul>	E	Е	D	N	Ν	Е	E	
<ul> <li>Radiology Protocols for care of Trauma patients</li> </ul>	Е	Ε	D	N	N	Е	Е	

K. Rehabilitation	I	Ш	Ш	IV	V	P-	P- II	
<ul> <li>Timely access to comprehensive and coordinated Rehab services in acute phase (Physiatrist on staff and allied health)</li> </ul>	E	E	E	D	N	Е	Ш	
<ul> <li>Access to comprehensive long term rehab program</li> </ul>	Е	Ε	Ε	Ε	Ε	Ε	Е	
<ul> <li>Protocols for referral for rehabilitation (acute and long- term)</li> </ul>	Е	E	E	Е	E	Е	Е	
Medical Leadership for Rehabilitation services	Е	Е	D	N	N	Е	Ε	

L. Operating Room	1	<u>II</u>	Ш	IV	V	P-	P-	
<ul> <li>In-house 24 hour operating room staff available for immediate surgery with the necessary equipment</li> </ul>	E	E	D	N	N	D	D	
<ul> <li>30 minute call back for operating room staff for immediate surgery</li> </ul>	Е	Е	Е	D	N	Е	Е	
<ul> <li>Demonstrated formalized prioritization system for trauma cases</li> </ul>	Е	Е	D	N	N	Е	Е	
<ul> <li>Availability of protected OR time for urgent trauma cases (i.e.: ortho/plastics)</li> </ul>	E	E	D	N	N	D	D	

M. Blood Bank and Laboratory System	1	Ш	Ш	IV	V	P -I	P- II	
Available on site 24 hours per day	Е	E	E	D	Ν	Ε	Е	
<ul> <li>Blood bank system capable of providing unmatched blood within 10 minutes</li> </ul>	Е	E	Е	D	N	Е	E	
<ul> <li>Formalized Massive transfusion protocol</li> </ul>	Ε	E	D	D	N	Ε	Е	
<ul> <li>Accredited by Canadian Blood Services and labs</li> </ul>	Е	E	Ε	Е	Е	Е	E	

N. Performance Improvement and Patient Safety (PIPS) Programs	1	II	Ш	IV	V	P-	P- II	
<ul> <li>Continuous multi-professional PIPS Program</li> </ul>	Е	Е	Е	N	N	Е	Е	
<ul> <li>Trauma registry support of PIPS Program</li> </ul>	Е	Е	Е	N	Ζ	Е	Е	
<ul> <li>Trauma PIPS Committee</li> </ul>	Е	Е	Е	Ν	Ν	Е	Е	
Public Accountability	Е	Е	Е	N	N	Е	Е	
<ul> <li><u>Process Improvement</u></li> <li>Define process indicators</li> </ul>	Е	Е	Е	N	Ν	Е	Е	
<ul> <li>Defined clinical practice guidelines</li> </ul>	Е	Е	Е	Е	Е	Е	Е	
<ul> <li>Measure of compliance with guidelines/indicators</li> </ul>	Е	Ε	Ε	Ε	Ε	Ε	Ε	
<ul> <li>Outcome Measures         <ul> <li>Review of all deaths with yearly report</li> </ul> </li> </ul>								
<ul> <li>Review of morbidity with yearly report</li> </ul>	Е	Е	Е	E	Е	E	Е	

O. Trauma Registry	1	Ш	III	IV	V	P-	P-	
						1	Ш	
<ul> <li>Presence of Trauma Registry</li> </ul>	Е	Е	Е	Ν	Ν	Е	Е	
<ul> <li>Contribution to NTR</li> </ul>	E	Е	Е	Ν	Ν	Е	Ε	
<ul> <li>Standardized regular reports to program leadership</li> </ul>	Е	Е	Е	N	N	Е	Е	
<ul> <li>Capacity for adhoc reporting</li> </ul>	Е	Е	Е	Ν	Ν	Е	Е	
Formal integrated relationship with Trauma Program	Е	Е	Е	N	N	Е	E	
Meets privacy act regulations	Е	Е	Е	Ν	Ν	Е	Е	

P. Trauma Research Programs	I	Ш	Ш	IV	V	P-	P- II	
Initiation, participation and dissemination of trauma research	Е	D	D	D	D	Е	D	

Q. Injury Prevention	I	Ш	III	IV	V	P-	P- II	
<ul> <li>Injury prevention and control program that is integral with the system mandate of injury</li> </ul>	Е	Е	E	E	E	Е	Е	
<ul> <li>Injury prevention educator (salary-supported)</li> </ul>	D	D	D	D	D	D	D	
<ul> <li>Alcohol Screening Program</li> </ul>	Е	Е	D	D	D	D	D	
<ul> <li>Alcohol Intervention Program</li> </ul>	D	D	D	D	D	D	D	

#### **APPENDIX D**

#### **Pre-Accreditation Questionnaire**

To be completed and submitted 4 weeks prior to site visit (electronic submission preferred for questionnaire)

#### Section I TRAUMA SYSTEMS

(to be filled out once for the system review)

#### **Provincial**

- 1. Describe the provincial trauma leadership/lead agency, the provincial trauma structure/system and its advisory body, membership and reporting relationships, and funding structure.
- 2. Describe the various components of the provincial trauma program:

Pre-hospital EMS, (ground, air, communications, dispatch and interfacility transfer):

Provincial Emergency Preparedness

Injury prevention

Provincial Injury Surveillance (i.e. Trauma Registry and/or other)

Rehabilitation services

Public Accountability (demonstrated reporting)

Standardized Practice Guidelines

Inter-provincial/Territory Agreements

3. What are the injury rates, hospitalization rates for trauma and trauma death rates in your province. How have they changed over the last 5 – 10 years and what injury control measures have been introduced over that time period.

#### Regional

- Describe your regional trauma system including geographical boundaries, catchment areas, and population and hospitals served. Please include map of regional mandate.
- 2. Describe your regional trauma system's governance and mandate. Define its reporting structure, funding structure and organizational charts along with its advisory structure and membership, and its relationship to the provincial trauma structure.
- 3. Describe the various components of your regional trauma system and how they are linked to the program including (only if different from provincial)
  - i. Pre-hospital EMS, (ground, air, communications, dispatch and interfacility transfer):
  - ii. Provincial Emergency Preparedness
  - iii. Injury prevention

- iv. Provincial injury surveillance (i.e. Trauma Registry and/or other)
- v. Rehabilitation services
- vi. Public Accountability (demonstrated reporting)
- vii. Standardized Practice Guidelines
- viii. Inter-provincial/Territory Agreements
- 4. Describe your system's configuration in terms of designated trauma centres; level of designation, caseload, acuity and case mix by site and the role of each centre in the system.
- 5. Describe, if available, hospitalization rates and ED discharges for injury in your system along with 5 and 10-year trends by site and for the entire system. (Minimal Data Set, Comprehensive Data Set, NACRS etc.)
- 6. Describe your system wide performance improvement programs, process and outcome indicators. Please provide system-wide performance improvement and outcome data for review at time of site visit.
- 7. Attach the trauma system annual report (if available).

#### Emergency Medical Services System (EMS)

Briefly describe the pre-hospital system as outlined in the questions below. Trauma related protocols, policies or procedures from EMS providers should be available for accreditors to review during the site visit (Specific Protocols needed for accreditors: Trauma Destination Policy (see question 2 below), airway management protocol in the trauma patient/rapid sequence intubation protocol, surgical airway protocol, chest decompression protocol; others may be added at site discretion). Adult and Pediatric differences should be defined in the context of destination policies or as per above protocols.

- Describe your EMS communication systems i.e.; access lines, support lines and critical care line processes, geographic mandate, 911/911 e-capabilities and integration of 911 system with EMS communications and pre-arrival instructions personnel.
- 2. Do you have a field trauma triage protocol (ground and air) including:
  - i. Definition of major trauma
  - ii. Trauma destination protocols including hospital bypass.
  - iii. Transportation protocols (ground, fixed wing, rotary)

Please provide for review by accreditors.

- 3. Describe the pre-hospital care delivery model (public utility model, independent company, municipal contract model). How many EMS provider services exist within your system. What is the level of paramedic (primary care paramedic to critical care paramedic) providing ground services.
- 4. Describe your quality improvement process for pre-hospital trauma care. Please comment on average scene time, average time to initial hospital from first EMS

- contact and average time to final or tertiary hospital destination from first EMS contact.
- 5. Is the Trauma System (i.e. other components of the trauma system such as receiving hospitals) actively involved/partnered in EMS QA initiatives.
- 6. Identify the process for in inter-hospital/facility transport of the trauma patient. Who provides in-transit advanced life support for patients involved in interfacility transports. How is this determined. What is the role of sending physicians in these transports.
- 7. Do you have air medical transport as part of your EMS system. If so, please outline air transport availability (rotor and fixed wing), response times, helipad locations and medical oversight for air medical transport.
- 8. If rotor wing services are part of your EMS systems please describe the number of scene calls, percentage of air medical transport rotor wing missions that are trauma and the number of trauma air medical cases last year.
- 9. What is the number of air transports that are fixed wing for trauma transports annually.
- 10. Please describe the air medical transport team configuration (i.e. paramedic-paramedic or paramedic-critical care RN or other, etc).

### Section II SITE SPECIFIC INFORMATION

#### A. General

- 1. Who is the designating provincial and/or regional health authority that designated you as a Trauma Centre.
- 2. Is there a resolution supporting the trauma centre accreditation by the hospital's governing body (if yes, please attach a copy).
- 3. Is there a medical staff/medical advisory committee resolution supporting accreditation of the trauma centre (if yes, please attach a copy).
- 4. Describe your hospital, including governance, its role in the community and trauma system, with applicable organizational charts. Clearly describe and demonstrate (with organization charts) how the trauma program fits within your institutions structure.
- 5. What is population served and geographic mandate for trauma by this site.
- 6. Number of funded hospital beds. Describe if multi-site facility.

- 7. Provide Hospital Annual Report for last reporting year.
- 8. Are you responsible pediatric major trauma within your system.

#### B. <u>Trauma Data Management</u>

- 1. Do you have a trauma registry.
- 2. Define the criteria for entry into your registry.
- 3. Describe the personnel who maintain the trauma registry and who collect the data. (How many FTE's, training and qualifications of staff).
- 4. How does your registry link to a regional/provincial/national registry.
- 5. Describe the registry reporting structure within the trauma program.
- 6. How is the registry integrated within the quality improvement initiatives of the trauma program.
- 7. Describe your policies for data access.
- 8. How does your registry link with other injury data surveillance programs.
- 9. List other forms of trauma data sources and how they are utilized.
- 10. How does your trauma registry support and contribute to research, and resource utilization.

#### C. Statistical Information from last reporting year

1. Number of ED visits for last reporting year

	Totals
# ED Visits	
# ED Injury	
Visits	
admitted	
# ED injury	
visits	
discharged	

### 2. Complete table below with all information for last reporting year where available

	ISS <u>&lt;</u> 12	ISS > 12	ISS > 15	Totals
Admissions				
Deaths				
• DOA				
• DIE				
HOSP				
TTA's				
Referrals/Transfers				

- Discharge Abstract Data (Minimal Data Set) may be needed if not captured by the trauma registry
- DIE Died in Emergency
- TTA's Trauma Team Activation
- DOA Dead on arrival
- HOSP death after admission
- Referrals/Transfers to and from another facility during acute phase of care

#### 3. Major Trauma for last reporting year

(Major Trauma is defined as ISS >12)

Major Trauma	Totals
# Major Trauma ICU	
admissions (Total	
from ED direct to	
ICU)	
# Major Trauma	
admitted to Ward	
excluding ICU that	
bypass the ED	
# Major Trauma	
admissions directly	
from ED to OR	

#### 4. The primary admitting service for major trauma admissions

Admitting Service	# Major Trauma for last reporting year
Trauma Service	
ICU	
Orthopedics	
Neurosurgery	
General Surgery	
Urology	
Plastics/Burns	
Spine	
Vascular	

#### 5. Major Blunt Trauma for last reporting year defined as ISS > 12

Blunt	Totals
# Blunt Traumas	
# Blunt Trauma	
deaths in ED	

#### 6. Penetrating trauma for last reporting year

Penetrating	Any ISS	Deaths
# Admissions		
# Stab		
# GSW		
# Other		
Direct to OR		N/A
Direct to ICU		N/A

## Section III TRAUMA PROGRAM

## A. <u>Describe your Trauma program's administrative structure and funded support including</u>:

- Staff complement and office infrastructure provide an organizational chart for Trauma Services
- 2. Reporting relationships to the Department of Surgery and other major hospital departments and services
- 3. Trauma committee membership and terms of reference; sub-committees related to trauma including membership and terms of reference

#### B. Medical Director of Trauma Service

- 1. Describe the role and authority to direct trauma service:
  - i. Regional authority
  - ii. Provincial authority
  - iii. Institutional authority
- 2. Is this a funded position (if yes, what is the percentage of FTE)
- 3. Copy of job description
- 4. Copy of Curriculum Vitae

5. CME in trauma for 3 years, including ATLS status if it is not included in your CV

#### C. Trauma Coordinator and/or Manager

- 1. Narrative of the role and description of the position i.e. administration, clinical, educational, research, data. Description of reporting structure.
- 2. Is this a funded position (if yes, what is the percentage of FTE).
- 3. Copy of job description.
- 4. Copy of Curriculum Vitae.
- 5. Continuing trauma education for the last 3 years if it is not included in your CV.

#### D. <u>Trauma Team Leaders</u>

- Narrative description of the hospital's trauma team/call roster for TTL's. Also
  include the general call schedule (example thereof) for general surgeons,
  neurosurgeons and orthopedic surgeons; including first and second call. Include
  any policy and procedure for appointment to and removal from trauma team leader
  call roster.
- 2. List all Trauma Team Leaders taking trauma call and for each indicate:
  - i. CME in trauma for 3 years (submit in evidence binder only)
  - ii. ATLS status
  - iii. Frequency of trauma calls per month
  - iv. Specialty training
- 3. Is there funding for Trauma Team Leaders.
- 4. Describe your Performance Evaluation of TTL.
- 5. Describe the use and access of FAST by the TTL's.

#### E. <u>Trauma Team Activation Process</u>

- 1. Narrative description of trauma team configuration and process for activations.
- 2. Definition of major trauma patient (activation criteria).
- 3. What is your compliance rate with TTA criteria.

#### F. Quality Management

(Please have all minutes from the last year, forms and documents available at the time of review for accreditors)

- 1. Describe your programs quality assurance, improvement initiatives, process and accountability.
- 2. Describe any completed or ongoing projects.
- 3. Describe your process for reviewing Trauma deaths.
- 4. Provide a list of quality indicators (describe audit process loop closure) (Examples from audit filters).
  - i. Time to OR for refractory hypotension
  - ii. Time to laparotomy
  - iii. Time to OR for craniotomy
  - iv. Time to OR for Open fracture
  - v. Delayed ED disposition
  - vi. Airway management for decreased GCS
- 5. Provide annual trauma program report for last reporting year.
- 6. Describe your feedback processes to referring sites.

## Section IV HOSPITAL FACILITIES

#### A. Emergency Department

- 1. Define the role and relationship of emergency medicine to trauma service.
- 2. Describe the ED quality improvement/management processes for trauma.
- 3. Please define policies for direct admissions that bypass ED.
- 4. Do you have Trauma Clinical Practice Guideline's/Protocols/Policies, list (attach copies in evidence binder)
- 5. Do you have any specific trauma documentation (example: standardized trauma patient care record, pre-printed orders) and flow sheets in your department (have them ready at the time of site visits during the QA review time).

- 6. Do you have continuing trauma education, provide a brief description:
  - i. Medical
  - ii. Nursing
  - iii. Allied Health
- 7. Do you have a policy for mandatory alcohol / drug screening and intervention on trauma patients.
- 8. What is the standard lab panel for Trauma Team Activations.
- 9. Who accompanies the major trauma patient to the CT department.
- 10. Is there social work support/crisis support for trauma services in the ED. Describe your role in a major trauma. Is this 24/7.

#### B. <u>Diagnostic Imaging</u>

- 1. Is there an in hospital, 24-hour plain film x-ray technician available (if no, please describe the availability and call back time expectation).
- 2. Is there a 24-hour CT scan technician available (if no, please describe in house and/or on call rotation and call back time expectation).
- 3. Is there resuscitation and monitoring equipment available in the x-ray and CT scan department areas.
- 4. Do you have rapid access to plain films in your trauma bay. Please describe.
- 5. Describe your access to and utilization of interventional radiology.
- 6. Describe your local, regional, provincial radiology viewing system.
- 7. Describe the availability of staff Radiologist for timely interpretation of films.

#### C. Operating Room

- 1. Number of operating rooms.
- 2. Do you have an OR dedicated to trauma, for acute and for protected daytime use (example, plastics and orthopedics). (If yes, describe the policy for use. If no describe your policy for trauma case access)
- 3. Describe your trauma staffing and backup call for days, nights, weekend and holidays in hospital 24/7 for the following:
  - i. Anesthesiologist
  - ii. OR Nursing (or technicians)

- 4. Describe your continuing trauma education for OR nursing and allied staff.
- 5. Describe the policy for prioritization of Trauma/Emergency OR Cases and compliance with the policy.

#### D. Recovery Room/PACU

- 1. Please describe your hours of operation and your call back process if not open 24 hours a day, 7 days a week.
- 2. Describe your continuing trauma education for nursing.
- 3. Is the PACU used as ICU overflow for trauma patients and if so who is responsible for the management of the patient, and what is the rate of overflow.

#### E. Clinical Lab/Blood Bank

- 1. What is the turn around time for Uncrossed, Crossed and Type specific Matched Blood.
- 2. Provide your massive blood transfusion protocol.
- 3. Describe any satellite blood banks in hospital.
- 4. Describe your uncross matched blood protocol.
- 5. Describe your 24-hour staffing availability in the Lab.
- 6. Describe your satellite sites for blood gas determination.

#### F. Critical Care

- 1. Describe the number of critical care beds and their configurations.
- 2. Are any ICU beds dedicated solely to trauma patients.
- 3. Do you have a no refusal policy for trauma patients to ICU, please describe.
- 4. What percentage of ICU admissions are Trauma Patients.
- 5. Describe your policy for and frequency of diversion of trauma patients due to unavailability of ICU/surgery beds.
- 6. Describe the role of your ICU within the regional/provincial trauma system.
- 7. Describe your physician coverage, including training and specialty.

- 8. Describe your ICU leadership and its advisory structure, including surgical representation.
- 9. Describe your management model for the trauma patient in the ICU. (i.e. closed, open, collaborative)
- 10. Describe your quality improvement process and how you link to the trauma program.
- 11. Describe your organ and tissue donation policies, including statistics for last 4 years.
- 12. List ICU practice guidelines/protocols for trauma patients (provide copies in the evidence binder).
- 13. Describe your critical care specialty training programs, including the relationship with the trauma program.
- 14. Describe your continuing trauma education in nursing, medical and allied health.

#### G. High Acuity/Intermediate/Step Down/Specialty Units (if applicable)

- 1. Describe your high acuity/intermediate care area available for the trauma patients, including nurse to patient ratio.
- 2. Describe admission/discharge criteria or applicable policies (documents avail at time of site visit)
- 3. Describe the medical management model of this unit.
- 4. Describe quality assurance initiatives (i.e. ICU re-admissions)

#### H. Acute Care Wards

- 1. What is the process to determine the MRP for the trauma patient.
- 2. Is there a dedicated trauma ward. Describe the ward and medical management model. If there is no trauma ward, what is the default ward of admission for the trauma patient, are there dedicated trauma beds, and what is the medical management model for these trauma patients.
- 3. Describe your multidisciplinary team /allied services and team function for the trauma patient.
- 4. Describe your continuing trauma education for nursing and allied health.
- 5. Do you have any clinical practice guidelines/protocols/policies for trauma, please list them (provide copies at the time of visit).

## Section V SPECIALTY / REHABILITATION / SOCIAL SERVICES

#### A. Rehabilitation Services

- 1. Describe your leadership of Rehab Services.
- 2. Describe the role, relationship and access to both acute and long-term rehabilitation services for the trauma patient.
- 3. Describe your process for early/acute phase rehabilitation consultations for appropriate trauma patients.
- 4. Which of the following services are provided onsite for ICU, high acuity and trauma wards, and describe the working relationship with the trauma service. Physical therapy, Occupational Therapy, Speech Therapy
- 5. What are your average wait times for patients referred to rehab
- 6. Describe any quality rehab initiatives related to trauma patient.

#### B. Pediatric Trauma (for all sites to answer)

- 1. Describe your case definition for major pediatric trauma patient.
- 2. What is the age limit for pediatric trauma in your hospital.

#### C. For Trauma Centers treating a mixture of adult & pediatric populations

- 1. What is the number of pediatric trauma admission during the year.
- 2. Is there a separate pediatric ICU.
- 3. Describe the medical management model for pediatric trauma patients in ED, ICU and on the general wards.
- 4. If applicable, describe transfer agreements for pediatric trauma patients.
- 5. If applicable, describe the relationship with the Pediatric Level I Trauma Care.
- 6. List practice guidelines/protocols for pediatric trauma.
- 7. Describe your quality improvement process for pediatric trauma. Describe your continuing pediatric trauma education for medical, nursing and allied health.

#### D. Burn Patients

- 1. Are you a designated Burn Centre, if yes go to question 3.
- 2. If not what is your transfer criteria and relationship with a designated Burn Centre. Number of patients admitted to your institution or transferred to other facilities with the last reporting year (go to next section).
- 3. Define the role and mandate of the Burn unit, provincial, regional and local.
- 4. Define your criteria for major burn and burn unit admission and transfer criteria if applicable.
- 5. Number of burn patients admitted during reporting year.
- 6. How many of those are major burn patients.
- 7. Describe your burn unit occupancy and diversion rates and policies.
- 8. Describe the medical management model of the critically ill burn patient.
- 9. Describe your transfer/triage policy for burns patients (attach policy).
- 10. Describe the relationship with the trauma program.
- 11. Describe your quality improvement process for burn patients.

#### E. Spinal Cord Injury (SCI Program) Patients

- 1. Do you have a designated spinal cord injury program. If yes, go to question 3.
- 2. If not, what is your transfer criteria and relationship with a designated spinal cord injury centre. What is the number of SCI patients admitted to your institution and transferred to other facilities. (Once answered continue with section F)
- 3. Define your role and mandate of your spine unit, provincial, regional and local.
- 4. Number of spinal cord injury patients treated during reporting year.
- 5. Describe your occupancy rate.
- 6. Describe your transfer/triage policy for spinal cord injury patients.
- 7. Describe the relationship with trauma program.
- 8. Describe your quality improvement process for trauma/spine injuries.

#### F. Social Work/Chaplaincy/Child Life/Psychology/Staff Support Systems

- 1. Describe the above support systems in place for trauma patients both inpatient and outpatient.
- 2. Describe counseling services for the family.
- 3. Describe how you manage patients with Post Traumatic Stress Disorder.
- 4. Describe the drug and alcohol intervention process for trauma patients
- 5. Do you have a process for crisis intervention/debriefing for staff following major traumatic incidents.

### Section VI EDUCATIONAL ACTIVITIES / OUTREACH PROGRAMS

- 1. List the undergraduate and postgraduate training programs that interface with the trauma programs and describe their roles and interaction.
- 2. Do you have an ATLS program, and how many courses available per year.
- 3. List any other trauma educational programs or initiatives including:
  - i. Outreach programs for trauma care.
  - ii. Regional and provincial rounds
  - iii. Pre-hospital care providers
- 4. Describe your access and utilization of simulation in trauma training.
- 5. List your patient education initiatives.

# Section VII INJURY CONTROL & PREVENTION

- 1. Describe your injury prevention program and initiatives within your trauma system. Please describe:
  - i. Regional, Provincial, National relationships/partnerships
  - ii. How do you use data to drive your injury prevention initiative
  - iii. Describe the evaluation process of your injury prevention programs
  - iv. Describe your Alcohol Screening and Intervention Program

### Section VIII RESEARCH ACTIVITIES

- 1. Describe your trauma research activities.
- 2. List your research program funding and infrastructure.
- 3. Describe your participation in research from a regional, provincial, national and international level.
- 4. List the last 3 years of trauma related research activity and publications.
- 5. How is the registry integrated within the research initiatives of the trauma program.

### Section VIII EMERGENCY PREPAREDNESS

- 1. Describe your trauma programs involvement in the institutions emergency preparedness program.
- 2. How does your program link with emergency preparedness program locally, regionally, provincially and nationally.
- 3. Describe any mock emergency preparedness exercises that you have been involved in the last 3 years.

#### **APPENDIX E**

# Trauma System Accreditation Review RECOMMENDED AGENDA TEMPLATE FOR SITE VISIT

#### (Modify and re-order to meet site needs)

For planning purposes, the review will last a minimum of a full day per site, plus half day for System Overview.

- I. TRAUMA SYSTEM, OVERVIEW OF REGIONAL/PROVINCIAL SYSTEMS
  (all sites combined if applicable) 60-120 min
  - 1. Organizations: governance and mandate
  - 2. Provincial/regional overview of program and outcome data
    - Presented by TD, TPM or TC
  - 3. Pre-hospital: EMS, ground, Air, communications, dispatch, and interfacility transfer
    - Interview leadership of above mentioned all in one team
  - 4. Provincial/regional injury surveillance and performance improvement (Registry)
    - Registry Team
  - 5. Injury prevention
    - IP Team
  - 6. Rehabilitation
    - Interview Medical Director, Manager of Rehab

#### SITE SPECIFIC FOR ALL REVIEWS

### II. HOSPITAL TRAUMA SERVICE AND LEADERSHIP OVERVIEW (closed & separate meetings)

30-60 min

- 1. Hospital Trauma Service
  - Interview trauma director/medical manager, and trauma coordinator/manager
- 2. Hospital Leadership
  - Interview Hospital CEO / appropriate senior administrative leads.

#### III. EMERGENCY DEPARTMENT

45 min

- 1. Tour Emergency Department facility, resuscitation area, equipment, protocols
- 2. Interview Emergency Department Director and Emergency Department manager, and or allied health care professionals

#### IV. RADIOLOGY / DIAGNOSTIC AND INTERVENTIONAL SERVICES

20 min

- 1. Tour to show proximity to ED/CT scanner only
- 2. Interview director of medical imaging / interventional radiology and chief technologist

#### V. OPERATING ROOM / RECOVERY ROOM

20 min

- 1. Interview Manager, OR medical director and Chief Anesthesiologist Medical Director, and or allied health care professionals
- 2. Tour (Optional, if included only one team member will tour while others are interviewing)

VI. ICU 30-45 min

- 1. Tour unit
- 2. Interview Medical Director, and clinical manager, and or allied health care professionals

#### VII. INPATIENT UNITS (including Burns)

30 min

- 1. Tour units (optional)
- 2. Clinical managers and or allied health care professionals
- 3. If patients are on multiple units, all teams to be together in one meeting

\*the following interviews are closed and can be held in the same room\*

### VIII. INTERVIEW LEADERS SUBSPECIALTIES SERVICES (excluding trauma leadership if they are in these roles)

15 min each

- 1. Neurosurgery
- 2. Orthopaedics
- 3. Plastics
- 4. General Surgery
- 5. Vascular Surgery
- 6. Rehab
- 7. Blood bank
- 8. TTL's
- 9. Others as necessary per site (i.e. Spine)

#### IX. QUALITY PROCESS REVIEW

60 min

(closed review with accreditation team only – with lunch)

- 1. Review Quality Assurance Process/Documents. Quality Improvement/Assurance
  - Minutes of trauma committee meetings for one-year prior
  - Quality improvement initiatives or programs relating to trauma for one year
- 2. Patient chart review (as per institutional policy): Trauma patient's charts will be requested to be available at the time of the review from the Trauma Registry. In this

group of charts include all deaths to be determined preventable or potentially preventable, and deaths in patients TRISS score > .5 (excluding hip fractures) from previous 6 months. Supply other charts of your choice for review. (Maximum 10-12 charts in total)

#### X. REVIEW OF QA, PI PROCESS AND OUTCOMES

30 min

 Discuss / review processes of care and outcome indicators and audit filters/flags with TD/TPM or TC, and other quality leaders as needed (registry) including Z, W and M statistics for:

Blunt

ISS >12

ISS > 24

Penetrating

**Pediatrics** 

### XI. PRE-EXIT REVIEW

15 min

(end of day prior to exit summary)

1. Final review and questions with TD/TPM or TC

Team needs 10 min alone time to prepare for closing remarks

#### XII. CLOSING REMARKS AND THANK YOU

5-10 min

1. Program Leaders and all other verification/accreditation participants who would like to participate

Process will be reviewed, but no decision regarding accreditation will be presented. Accreditation written report will follow with recommendations within 8 weeks forwarded by the President of TAC. Review by the president will be completed and forwarded to the leaders who requested this process.

There will be Preliminary report send for review with TD/TPM or TC at 4-6 weeks for factual content only

#### \*PLEASE NOTE\*

Trauma Leadership (TD, TPM, TC) are only to be involved in the interviews where they are listed as attendee's above. All other interviews are closed. The only exception to this is if the TPM/TC has multiple roles within there job description, i.e. injury prevention, registry etc. If this is the case, please arrange to cover all areas within one interview time slot (please increase the time as needed)

The accreditation visit schedule must be approved with the TAC Accreditation Team Leader designated for your site visit prior to the visit. This leader will help and assist you in the process and the planning of the day or days.

At any time during the day the accreditors have the ability to call back interviewees for further clarification or questions.

# APPENDIX F Participant Feedback for the Accreditation

TAC Survey date:
Names of survey team member(s):
Your name/site:
We hope that the TAC accreditation survey was a valuable experience, and as we are always striving for quality improvement we are asking you for your comments and input into the accreditation process. We look forward to your comments and/or suggestions for future accreditations.
We would like to ask you to provide feedback on the survey process and the qualities of the accreditation surveyors.
Your feedback will be collated. However names and other identifying information will be removed. Comments will be forwarded to the Trauma Association of Canada central office and to the surveyors.
Your feedback will assist TAC to maintain its high standards with respect to the quality of accreditation surveys. It will also help individual surveyors to assess their own strengths and weaknesses and plan their further professional development.
1. Sound knowledge of the Trauma Systems. Ratings "Evidence of familiarity through:" Poor □Fair □ Good □ Excellent □ Not Applicable □
<ul> <li>discussion of current trends – both clinical And administrative;</li> <li>applying appropriate benchmarks to the organization and sharing knowledge of best practices.</li> </ul>
2. Teamwork skills:  "Valued and demonstrated through commitment to team processes by:"  Poor Fair Good Excellent Not Applicable
<ul> <li>participating as an equal member of the survey team;</li> <li>effectively facilitating team interviews, focus groups/debriefing and/or other activities.</li> </ul>

June2007 3rd Edition

3.	Knowledgeable about TAC and its work:  Ratings				
	"Demonstrated a commitment to and Poor Fair Good Excellent Not Applicable				
	understanding of work by:"				
	<ul> <li>advocating on behalf of TAC</li> <li>applying consistently and accurately</li> </ul>				
	<ul> <li>TAC standards and processes to our organization;</li> </ul>				
4.	Observation skills:  "Ability to obtain high quality Applicable ☐ information by:"  Ratings  Poor ☐Fair ☐ Good ☐ Excellent ☐ Not				
	<ul> <li>applying an effective range of data collection skills, including interviewing, probing, listening and paraphrasing;</li> <li>examining records, documentation etc.</li> <li>sensing/detecting underlying issues/problems.</li> </ul>				
5.	Effective Communication Skills:  "Demonstrated strong				
	<ul> <li>showing tact and sensitivity;</li> <li>clearly explaining findings (balancing positive and negative):</li> <li>providing constructive and responsible feedback</li> </ul>				
6. Did the accreditation process provide you with sufficient time/ information to meet the surveyors and speak for your area of clinical involvement in the Trauma Progra					

7.	What would you	say is this surveying teams' greatest strength.
8.	In what area doe	s this surveying team need to improve.
9.	Would you accep	t this team back to your organization to conduct another survey.
	☐ No	☐ Yes, with reservations ☐ Yes, without reservation
	Comments:	
10	. Were the recomr	nendations and final report helpful to further develop your program.

Name / Title:	
Date:	
Signature:	

Thank you for your time.

Trauma Association of Canada Accreditation Executive

### \*On receipt of Accreditation Report, please return to:

Trauma Association of Canada Central Office c/o Regional Trauma Services Foothills Medical Centre Rm 780, 1403-29<sup>th</sup> Street N.W. Calgary, AB T2N 2T9

#### **ACKNOWLEDGEMENTS**

The Trauma Association of Canada Trauma System Accreditation Revised Guidelines were updated and re-written by the Trauma Association of Canada Accreditation Committee and Ad Hoc Accreditation Working Group through 2006/2007.

The revised Guidelines were circulated in April 2007 to the TAC executive and formally presented and accepted by the TAC executive on May 9<sup>th</sup>, 2007.

#### **Accreditation Committee and Ad Hoc Accreditation Working Group Members**

Ms. Tracey Taulu - Western Canada Co-Chair TAC Accreditation Committee

Ms. Paula Poirier - Eastern Canada Co-Chair TAC Accreditation Committee

Dr. Richard Simons - Western Canada Co-Chair TAC Accreditation Committee

Dr. John Tallon - Past Chair TAC Accreditation Committee

Dr. Frank Baille - Eastern Canada Co-Chair TAC Accreditation Committee

Dr. Fred Brenneman - President TAC

Dr. Tarek Razek

Dr. Natalie Yanchar

Ms. Dianne Dyer

Dr. Sarvesh Logsetty

Thank you to TRSIC and their representative, Ms. Maureen Brennan-Barnes, for their contributions towards the Registry and data elements within the document.

Thank you to all other TAC participants who provided input into this process.