



# Stens Trimmer Head Application Chart

APPLICATION	Arbor Size	Mini Bump Feed	Bump Feed	Economy Bump Feed	Heavy-Duty Twist Feed	Ultra Auto 4	Bump 4
<b>ALPIN</b> 21, 25, 30, 34, 34D, 34F, 42, 42D, 42F, 52, 52D, 52F, 160, 180, 200	8mm x 1.25 LHM	*385-459	385-455	385-413	385-423	385-706	385-722
<b>ARIENS</b> BC350, BC400, TB220E, TB260 LT-210, LT210e	8mm x 1.25 LHM	*385-459	385-455	385-413	385-423	385-706 385-706	385-722 385-722
<b>BLACK &amp; DECKER</b> 82255, 82257, 82267, 8271-04, 8289-4	3/8-24 RHF	*385-625 385-166	385-435	385-439	385-405	385-702	385-726
<b>BRUSH KING</b> BK32, BK32LT, BK49, BK85, BK100	8mm x 1.25 LHM	*385-459	385-455	385-413	385-423	385-706	385-722
<b>ECHO</b> GT Series 100, 140, 140A, 140B, 160, 160AE, 200, 200A, 200B, 200BE, 200CE, 1000, 1100, 1100A, 2000, 2000SB, 2100, 2101, 2102, 2103, 2200, 2301, 2400, SRM2000 SRM Series 140, 140A, 140D, 140DA, 200, 200A, 200AE, 200BE, 200CE, 200D, 200DA, 200DB, 200DE, 202DA, 202FA, 210AE, 210E, 250, 250E, 300, 300AE, 300AE1, 300AE/1, 300E, 300E/1, 302, 302ADX, 303E, 400AE, 400B, 400BE, 400E, 1500, 1500A, 1501, 2100, 2100SB, 2101, 2110, 2200, 2201, 2300, 2301, 2400, 2400SB, 2410, 2500, 2501, 2501S, 2502, 2510, 2601, 3000, 3001, 3010, 3100, 3100S, 3110, 3400, 3410, 3800, 4600	3/8-24 RHF 10mm x 1.25 LHF	*385-625 385-166 *385-459	385-435 385-455	385-439 385-413	385-405 385-423	385-702 385-706	385-726 385-722
<b>GREEN MACHINE</b> 525H, 1200, 1500, 1600, 1700, 1900, 1930, 1940, 1950, 2000, 2100, 2130, 2200, 2230, 2300, 2331, 2340, 2345, 2500, 2500LP, 2510LP, 2540, 2540LP, 2600, 2800, 2810, 2840, 2841, 2850, 3000, 3000SS, 3000M, 3000LP, SRM3000, 3000B, 3000J, SRM3000LP, SRM3000M, SRM3000SS, SRM3040M, 3040M, 3050M, 3451, 3510, 3540, 3541, G2A, G2C, GT20, GT21, GT22, GT25, GT31, GT31B, GT35B, GT40B, GT41 SRM4000, 4000, 4000B, 4000J, 4000LP, SRM4000M, SRM4000LP, 4500, 4500LPX, 4600LPX, BC250, BC400, D17, D18, G4C, 4000M	8mm x 1.25 LHM 10mm x 1.25 LHM	*385-459	385-455	385-413	385-423	385-706 385-706	385-722 385-722
<b>HOFFCO</b> 1600, Critter, GT Series: 14A, 14B, 14H, 21, 22, 160B, 160T, 160TL, 210, 211, 211A, 215H, 215T, 225, 225SPL, 256SPL, 320B, 320HT, 380, 320T; GTX, GTSR, Hoffie22, GR320B, P22, Lil Wiz: 600, 1600; WC22, WC215, WT Series: 14, 160, 160H, 160HT, 215, 250C, 250HT, 250HTA, 250WT, 320, 320H, 320HT; PC Series: 22, 225, 380; WH Series JP Series: 215, 215GT, 220F, 225, 260, 260A, 260C, 270, 300, 300A, 300B, 300C, 300F, 320, 390, 390A, 390C, 390XL, 420, 420D, 660	3/8-24 RHF 10mm x 1.25 LHF	*385-625 385-166 *385-459	385-435 385-455	385-439 385-413	385-405 385-423	385-702 385-706	385-726 385-722
<b>HOMELITE</b> HK18 (after '86), HK24 (after 1/1/86), HK25, HK30 (up to '86), HK33 (after '86), HK38, PBC3600, PBC3800, PBC4000, ST285, ST385 HK24 (to 1/1/86), HK30 (after 1/1/86), HK33 (to 1/1/86) ST160, ST180, ST200, ST210	8mm x 1.25 LHF 8mm x 1.25 LHM 3/8-24 LHF	*385-459 *385-591	385-455 385-455	385-413 385-413	385-423 385-423	385-706 385-706	385-722 385-722

(\*SINGLE LINE HEADS) (ALL PART NUMBERS WITHOUT AN ASTERISK (\*) ARE DUAL LINE HEADS)  
(If your exact model is not listed, trimmer head may still be found by matching up the arbor size.)



# Stens Trimmer Head Application Chart

APPLICATION	Arbor Size	Mini Bump Feed	Bump Feed	Economy Bump Feed	Heavy-Duty Twist Feed	Ultra Auto 4	Bump 4
<b>HUSQVARNA</b> (Up to 1986) 16R, 22R, 24R (after serial #603702), 25R, 25RL (after '86) 24R (Up to Ser. #603702) 26LC, 26RLC, 32LC, 32RLC, Mondo	8mm x 1.25 LHM	*385-459	385-455	385-413	385-423	385-706	385-722
32L, 32LR, 32R, 32RL 23LC, 21LCN, 322C, 325C 122L, 225L, 225LD/R/RD/RJ, 232L/R, 227LD, 322L, 322R, 325LX, 325RX	7mm x 1.0 LHM 3/8-24 RHF	*385-459 *385-625 385-166	385-455 385-435	385-413 385-439	385-423 385-405	385-706 385-702	385-722 385-726
	3/8-24 LHF	*385-591					
	5/16-24 RHF	385-595					
	10mm x 1.25 LHF		385-455	385-413	385-423	385-706	385-722
<b>IDC</b> 364, 500, 520, 530, 540 540, 540-1, 540-2, 540 Supreme, 580, 580-1, 580-2, 580 Supreme	Universal 10mm x 1.25 LHF	385-607 *385-459	385-455	385-413	385-423	385-706	385-722
<b>JOHN DEERE</b> 21C, 21S, 80G, 82, 82G, 83G, 85, 100G, 110G, 120G, 200G, 210G, 220G, 250G 24S, 25S, 30S, 38B, 38R, 38S, 60G, 90G, 240G, 250G, 260G, 300G, 350G, 360G, 380G, 450G, 460G	3/8-24 RHF 10mm x 1.25 LHF	*385-625 385-166 *385-459	385-435 385-455	385-439 385-413	385-405 385-423	385-702 385-706	385-726 385-726
<b>JONSERED</b> GT26, GT26L, GT25L	3/8-24 RHF	*385-625 385-166	385-435	385-439	385-405	385-702	385-726
GT32 BP40, BP40 Combi, BR400, BR420, BR450, BR460, BR480, GT21L, GT24L, GR26D, GR26L, GR26 Combi, GR32L, GR32L Cat, LR200, LR220, LR220B, LR220L, LR260B, LR260, LR260L, LR300, LR320, LR400, LR420, LR450, LR460, Tiger 40, GR41, GR44, RS44, BP2040, GT22L, GR2026CL, GR2026D, GR2032, GR2032D, GR2032L, GR2036	3/8-24 LHF 8mm x 1.25 LHM	*385-591 *385-459	385-455	385-413	385-423	385-706	385-726
<b>LAWN-BOY</b> 1460, 1480, 1480CC, 61653, 61953	10mm x 1.25 LHF	*385-459	385-455	385-413	385-423	385-706	385-722
<b>MAKITA</b> RBC221, RBC230, RBC251, RBC252, RBC260, EM4251, RBC261, RBC310, RBC311, RST250, RB251, RBC255, RBC281, RBC321	8mm x 1.25 LHM	*385-499	385-455	385-413	385-423	385-706	385-726
<b>MARUYAMA</b> BC200C, BC260C, BT17, BT220 BC184, BC184/C, BC200, BC201, BC241, BC260CB, BC326, BC340DL, BC402, MC8, BC260, BC260H, BC320, BC320H, BC420H, BC500H, MC-S, BC500, BC2300, BC2600, BC3200, BC4200, BCGX22, BCGX31, BCL2250, BCL2250C BC220DL, BC221DL BC430DWM, 440DWM, BC500	8mm x 1.25 RHF 8mm x 1.25 LHM 7mm x 1.0 LHM 10mm x 1.25 LHM	*385-459	385-455	385-413	385-423	385-702 385-706	385-726 385-722
<b>McCULLOCH</b> Mac57, Mac90, Mac95, Mac100A EB Series: I, ISL, ISX, II, IISL, IISX, IIISL, IIISX, 285BC, 287BC; Mac Series: 60, 60A, 60S, 60SX, 65, 65SL, 70, 70A, 75, 80, 80A, 80S, 80SL, 80SX, 84SL, 85SL, 85A, 85S, 85SX, 85SL, 2816, 2825, 2827, ProMac Series: II, II-Sup, ISX, IVHD, 2320L, 2035, 2045, 2510, Roadrunner Series: I, II, III, SL SEBISX Special, SEBIS, SEBISL, Super EBIS, Proscaper Series: I, IS, ISX; Silver Eagle 28, 28C, 32BC, Titan 2100, 2200, 138SJ, 138SL ProMac Series: III, III Sup, IV Sup; Proscaper Series: 28S, 2335J, 2635B, 2635J, 3335L, 43335B, 32HD, 32HDS, III, IV, V, IS, II	10mm x 1.25 LHM 3/8-24 RHF 10mm x 1.25 LHF	*385-459 *385-625 385-166 *385-459	385-455 385-435	385-413 385-439	385-423 385-405	385-706 385-702	385-722 385-726

(\*SINGLE LINE HEADS) (ALL PART NUMBERS WITHOUT AN ASTERISK (\*) ARE DUAL LINE HEADS)  
(If your exact model is not listed, trimmer head may still be found by matching up the arbor size.)



# Stens Trimmer Head Application Chart

APPLICATION	Arbor Size	Mini Bump Feed	Bump Feed	Economy Bump Feed	Heavy-Duty Twist Feed	Ultra Auto 4	Bump 4
<b>McCULLOCH (Cont.)</b>							
IIHD, PS1, PS2, PS3, PS4, PS5, EB Series: III, IVSL, IIISX, IV, 32BC, 35L, 280, 282, 285BCS, 287BCS, 297BCS, 325BC, 327BC, 2815, 2817, 2818, 2845, 3225, 3225HD, 3227, 3227HD, Silver Eagle 32BCDL, Silver Eagle 32BCS, Titan Series; 2300, 2300AV, 2310, 2360, 2400, 2500, 2500AV, 2560AV, 2565AV, 3000, 3900; Mac Series: 90, 90A, 95, 95A, 99A, 99SL, 100A, 100AHD, 100HD	10mm x 1.25 LHF	*385-459	385-455	385-413	385-423	385-706	385-722
65, 60SX, 65SL, 80-SX/-SL, Eager Beaver Models Super, Super-SL, I-SX, II-SX, II-SL, 280, 285, Pro-Mac, Road Runner Models, Mac 2815, 2817, 2818	Universal	385-607					
Series 10 Brush Cutter	3/8 x 24 LHF	*385-591					
<b>OLYMPYK (OLEOMAC)</b>							
B200, B220, B220L, B220S, B260L, B260, B300, B320, B400, B420, B450, B460, 7275, 727T, 733S, 733T, 740S, 740T, 433BP, OL8260BAV, OL8260DAV, OL8260LAV, OL8260TA, OL8350LAV, OL8350BAV, OL8405BP, OL8725BAV, OL8725LAV, OL8726TA, OL8735BAV, OL8735LAV, OL8740BAV, OL8742BAV, OL8746BAV, OL8750PRO, OL8753BAV, OL8460BAV, OL88510BAV, Pro38	8mm x 1.25 LHM	*385-459		385-413	385-423	385-706	385-722
<b>PARAMOUNT</b>							
PLT2651, PLT2857, PT140, PT140-02, PT145, PT160, PT162, PT162-01, PT1400, PT1400-00, SK140-02, SK145, SK160-02, SK165	3/8-24 RHF	*385-625 385-166	385-435	385-439	385-405	385-702	385-726
PLT2145, PLT2248	5/16-24 RHF	385-595					
<b>PIONEER/PARTNER</b>							
B180, B25, B250, Spartan	8mm x 1.25 LHM	*385-459	385-455	385-413	385-423	385-706	385-722
F15, F16, SF24, S16, S24	8mm x 1.25 LHF		385-427	385-431		385-706	385-722
S33, S41, S51, SCC	10mm x 1.25 LHF	*385-459	385-455	385-413	385-423	385-706	385-722
<b>POULAN</b>							
770, PPC22, PPC25, PPC25E, PPC31, Pro Series: 111, 112, 113, 115, 559, Pro 114, Pro 117, 609, 1350, 1500, 2400, 2500, 2600, 2610, 2615, 2700; Yard Pro Series: 115, 120A, 130A, 145, 160, 200	3/8-24 RHF	*385-625 385-166	385-435		385-405	385-702	385-726
165, 175, 185, 195, 200, 800, 900, 2620, 2820	3/8-24 LHF	*385-591					
<b>POULAN PRO</b>							
Pro Models 111, 112, 114, 115, 117, 559, 609, 1350, 1500, 2400, 2500, 2600, 2610, 2615, 2700	3/8-24 RHF	*385-625 385-166	385-435	385-439	385-405	385-702	385-726
165, 175, 185, 195, 200, 800, 900, 2620, 2820	3/8-24 LHF	*385-591					
<b>RED MAX</b>							
BC220DL, BC221DL, BC240DL, BC300DL	7mm x 1.0 LHM	*385-459	385-455	385-413	385-423	385-706	385-722
BC260DL, BC261DL, BC262DL, BC340DL, BC341DL, BC342DL, BC2600DL, G2KC, BC2200E, BC2200LDC, BC2301S, BC2601S, BC3400DC, BC4400DL, BCX2600S, BCZ2500S, BT2200LDC, SGC2300DL, SGCX2600S	8mm x 1.25 LHM	*385-459	385-455	385-413	385-423	385-706	385-722
BT17, BT25, BT200, BT220, BT2000	8mm x 1.25 RHF					385-706	385-722
BC430DWM, BC440DWM, BC441DWM, BC442DWM	10mm x 1.25 LHM					385-706	385-722
BC200, BC2000DL, BT2000, BT2001DL, BC2300DL	10mm x 1.25 LHF	*385-459	385-455	385-413	385-423	385-706	385-722

(\*SINGLE LINE HEADS) (ALL PART NUMBERS WITHOUT AN ASTERISK (\*) ARE DUAL LINE HEADS)  
 (If your exact model is not listed, trimmer head may still be found by matching up the arbor size.)



# Stens Trimmer Head Application Chart

APPLICATION	Arbor Size	Mini Bump Feed	Bump Feed	Economy Bump Feed	Heavy-Duty Twist Feed	Ultra Auto 4	Bump 4
<b>RYAN</b> 260, 261, 263, 264, 265, 270, 274, 275, 280	Universal	<b>385-607</b>					
<b>RYOBI</b> 700R, 710R, 720R, 760R, 764R, 770R, 960R 740R, 740R-1, 750R, 775R, 780 series, 780R, 780R-1, 780RB, 780RE, 790R, 840R, 865R, 885R, 990R, 1079R, 2079R	Universal 10mm x 1.25 LHF	<b>385-607</b> <b>*385-459</b>	<b>385-455</b>	<b>385-413</b>	<b>385-423</b>	<b>385-706</b>	<b>385-722</b>
<b>SACHS DOLMAR</b> LT16, LT210	3/8-24 RHF	<b>*385-625</b> <b>385-166</b>	<b>385-435</b>	<b>385-439</b>	<b>385-405</b>	<b>385-702</b>	<b>385-726</b>
BC250, 330, 400	10mm x 1.25 LHM	<b>*385-459</b>	<b>385-455</b>		<b>385-423</b>	<b>385-706</b>	<b>385-722</b>
BC210, 212	10mm x 1.25 LHF			<b>385-413</b>		<b>385-706</b>	<b>385-722</b>
<b>SEARS</b> 28151, 79534, 79544, 79621, 79721, 79821, 79826, 79541, 79542, 79551, 79552, 79556, 79580, 79590, 79603, 79604, 79605, 79606, 79608, 79611, 79612, 79613, 79614, 79616, 79621, 79680, 79690, 79703, 79713, 79715, 79717, 79718, 79721, 79772, 79782, 79803, 79804, 79805, 79812, 79814, 79815, 79924, 79925, 79929, 99512, 99515, 99516, 79826, 79821 79543, 79622, 79623, 79624, 79714, 79725, 79727, 79753, 79754, 79755, 79762, 79821, 79822, 79827, 79828, 79844, 79845, 79846, 79847, 79849, 798471, 79854, 79856, 79857, 79926, 79973, 79975, 791760, 797161, Weedeater Series 636-79545, 636-79558 79801, 79809, 79852, 79853, 79855, 79908, 79909, 79911, 79912, 79922, 79933, 80956, 797101, 799211, HP22	3/8-24 RHF  3/8-24 LHF  10mm x 1.00 LHF 5/16-24 RHF	<b>*385-625</b> <b>385-166</b>  <b>*385-591</b>  <b>*385-583</b> <b>385-595</b>	<b>385-435</b>	<b>385-439</b>	<b>385-405</b>  <b>385-417</b>	<b>385-706</b>	<b>385-726</b>
<b>SHINDAIWA</b> C20, C230, LT20, T230, T230XR, LT18, T18, T20, T20A, T35 PB35, PB45, C25, C250, C27, F20, R20, R25, R35, T25, T250, T260, T27, T270, T350, VP35, Yardware 220 B40, B45, C35, RC45	7mm x 1.0 LHM 8mm x 1.25 LHM 10mm x 1.25 LHF	<b>*385-459</b> <b>*385-459</b> <b>385-459</b>	<b>385-455</b> <b>385-455</b> <b>385-455</b>	<b>385-413</b> <b>385-413</b>	<b>385-423</b> <b>385-423</b> <b>385-423</b>	<b>385-706</b> <b>385-706</b> <b>385-706</b>	<b>385-722</b> <b>385-722</b> <b>385-722</b>
<b>SINGER</b> GBC2818	8mm x 1.25 LHF		<b>385-427</b>	<b>385-431</b>		<b>385-706</b>	<b>385-722</b>
<b>SNAPPER</b> 212, 212CST, 213, 213CST, 214, 214DCST, P212CST 210SS, 211SS, 211SST, 215SST, 215ORI, 240SS, 240SST, 2450RT, 245SST, 310, 311, 311S, 410, 411SST, 4150RT, SSTBC, SST2401, SST4111, 410SST, P212LST, 2101SST, SST2111	3/8-24 RHF 10mm x 1.25 LHF	<b>*385-625</b> <b>385-166</b> <b>*385-459</b>	<b>385-435</b> <b>385-455</b>	<b>385-413</b>	<b>385-405</b> <b>385-423</b>	<b>385-702</b> <b>385-706</b>	<b>385-726</b> <b>385-722</b>
<b>SOLO</b> S100, S400, 14, 100, 130S, 400 120, 122, 124, 126, 135, 140, 200, 300, S200, S300	10mm x 1.25 LHF 8mm x 1.25 LHF	<b>*385-459</b>	<b>385-455</b> <b>385-427</b>	<b>385-413</b> <b>385-431</b>	<b>385-423</b>	<b>385-706</b> <b>385-706</b>	<b>385-722</b> <b>385-722</b>
<b>STIHL</b> FS80E, FS80RE, FS50, FS50E, FS50F, FS51, FS51AVE, FS60, FS61, FS61AE, FS61E, FS65, FS65AVE, FS65AVRE, FS86, FS90, FS90AVE, FS91, FS96, FS106, FS55, FS55R	8mm x 1.25 LHM	<b>*385-459</b>	<b>385-455</b>	<b>385-413</b>	<b>385-423</b>	<b>385-706</b>	<b>385-722</b>

(\*SINGLE LINE HEADS) (ALL PART NUMBERS WITHOUT AN ASTERISK (\*) ARE DUAL LINE HEADS)  
(If your exact model is not listed, trimmer head may still be found by matching up the arbor size.)



# Stens Trimmer Head Application Chart

APPLICATION	Arbor Size	Mini Bump Feed	Bump Feed	Economy Bump Feed	Heavy-Duty Twist Feed	Ultra Auto 4	Bump 4
<b>STIHL (Cont.)</b> FR106, FR108, FS44, FS44J, FS44R, FS48, FS52, FS52AVE, FS52AVRE, FS56, FS56AVRE, FS62, FS66, FS62AVE, FS62AVRE, FS66AVE, FS66AVRE, FS74, FS74AVE, FS74AVRE, FS76, FS76AVE, FS76AVRE, FS81, FS81AVE, FS81AVRE, FS83, FS83R, FS85RT, FS88, FS106AVE, FS86, FS86AVE, FS86AVRE, FS96, FS106, FS108, FS120, FS120R, FS350, FS450K, FS550, FS550K	10mm x 1.00 LHF	*385-583			385-417		
<b>TANAKA</b> AST210, AST7000, SUM301, SUM321, TBC Series: 162, 205, 215, 218, 220, 220E, 220SS, 232, 233, 240, 250, 262, 265, 270PF, 300, 301, 321, 322, 325, 355, 373, 400, 420PF, 422, 422C, 425, 500, 501, 2100, 2110, 2211, 2510, 2800, 3010, 4500, 4501, TST218, TST501 AST5000, AST7000S, TBC4000, TBC4110, TBC5000 TBC202, TBC210, TC1600 TBC200	8mm x 1.25 LHM 8mm x 1.25 RHF 8mm x 1.25 LHF 3/8-24 RHF	*385-459  *385-625 385-166	385-455  385-435	385-413  385-439	385-423  385-405	385-706  385-702	385-722  385-726
<b>TORO</b> CL2100, CL30900, CL30901, CL30920, CL700, 51628, 51641, 51645, 51650, 51660, TC300, TC400, TC3100, TC3500, TC5000, TC600, TC650, TC700, TC800, TC2100, TC3000, TC4000, 2000, 30900, 30901, CL700, CL2100, TC350, 1000, AL30920 TC1000, TC2000	10mm x 1.25 LHF 3/8-24 RHF	*385-459 *385-625 385-166	385-455 385-435	385-413 385-439	385-423 385-405	385-706 385-702	385-722 385-726
<b>TURF POWER</b> 740TP, 780TP	10mm x 1.25 LHF	*385-459	385-455	385-413	385-423	385-706	385-722
<b>WEEDEATER</b> Featherlite, GT117, GT117E, GT117LE, HP22, HP22T, LT7000, LT7500, XT20T, XT25, GT117, XT40, XT40T HP30SB, HP30SBP, TBC57, GT119, XR125, 165, 175, 185, 195 (straight shaft), XT90, XT20, XT50, XT85, XT100, XT125/B, Yard Pro 105, Yard Pro 140, XT125, XT125KT, XT125T, XT125TR 1400, 1400T, 1500, 1600, 1600T, 1700, 1700A, 1740, 3500, GT115, GT116, GT117T, GT117C, GT118 (curved shaft), GT118KT, GT118T, GT118B, GT119, GT152, 85, 100, 125, 125B, 500, 507, 559, 587, 599, 600, 607, 608, 609, 1400, 1400T, 1500, 1600, 1600T, 1700, 1700A, 3500, GT115/T, GT116 Super, GT1 Super 16, GT117/C, XR20, XR20T, XR30, XR50, XR50A, XR70, XR75, XR80/A, XR85, 165, 175, 185, 195, GT119, XR125, XT50T, Pro Series: 111, 112, 114, 115 (curved shaft), 117; Pro Trim, Weedy 2215, XR Series: 20, 20T, 30, 50, 50A, 50S, 70, 75, 80, 80A, 85, XR Series: 20, 35, 50T, 80, 85, 85T; Yard Pro Series: 110, 115, 116, 120, 120A, 130, 130A, 145; YP110, YP115, YP120, YP116, XT80, YP120A, YP130, YP130A, YP145	5/16-24 RHF 3/8-24 LHF 3/8-24 RHF	385-595 *385-591 *385-625 385-166	385-435	385-439	385-405	385-702	385-726
<b>YAZOO</b> TBC31, YBC16, YBC23, YBC31	8mm x 1.25 LHM	*385-459	385-455	385-413	385-423	385-706	385-722

(\*SINGLE LINE HEADS) (ALL PART NUMBERS WITHOUT AN ASTERISK (\*) ARE DUAL LINE HEADS)  
(If your exact model is not listed, trimmer head may still be found by matching up the arbor size.)