



K350-1-DSSP-SUP

December 2011

U-Joints for Passenger Cars & Trucks

2007-2011



Changes from original:

Page 58, Part# 5-2002X, S2 = 1.312

Page 52, K1 and K2 "Between Snap Ring" Dimensions for OE Mfg. Spicer, OE Series SPL30 changed from 2.288 to 2.409

Pages 59-60, Corrected bolt part numbers in multiple notes; corrected centerline to centerline dimension for 050A89000.

SPICER®


DRIVETRAIN COMPONENTS



Genuine Spicer Life Series® (SPL) Premium Performance U-Joint Packs

**Spicer Parts are there when you hit
the trail—and when the trail hits back.**

No matter what conditions you throw at your 4WD vehicle, trust non-greaseable Spicer SPL U-joints with the triple lip seal for premium performance. And when you need it, Spicer 4WD U-joint Performance Packs have everything for a complete U-joint change-out—with just one part number to order. See back for the Spicer 4WD U-joint Performance Pack that's right for you, and talk to your Spicer sales representative for more details. For a complete listing of applications, please visit www.spicerparts.com/literature and download the catalog "K350-1-DSSP" from the Driveshaft section.



Passenger Car

DODGE	1
VIPER	1
FORD	1
CROWN VICTORIA	1
MUSTANG	1
LINCOLN	1
TOWN CAR	1
MERCURY	1
GRAND MARQUIS	1

Two Wheel Drive (2WD)

BUICK.....	2
RAINIER	2
CADILLAC	2
ESCALADE	2
CHEVROLET	2
AVALANCHE	2
COLORADO	2
EXPRESS 1500	2
EXPRESS 2500	2
EXPRESS 3500	3
SILVERADO 1500	6
SILVERADO 1500 CLASSIC	6
SILVERADO 2500HD	6
SILVERADO 3500	7
SUBURBAN 1500	7
SUBURBAN 2500	7
TAHOE	7
TRAILBLAZER	7
CHRYSLER	7
ASPEN LIMITED	7
DODGE	7
1500	7
2500	7
3500	8
DAKOTA	8
DURANGO	8
RAM 1500	8
RAM 2500	9
RAM 3500	10
FORD	12
E150	12
E250	12
E350 SUPER DUTY	12
E450 SUPER DUTY	12
EXPEDITION	12
EXPLORER	12
F150	13
F250	13
F350	13
F450	13
F550	13
RANGER	13

GMC	13
CANYON	13
ENVOY	13
SAVANA 1500	13
GMC	14
SAVANA 2500	14
SAVANA 3500	14
SIERRA 1500	16
SIERRA 2500 HD	16
SIERRA 3500	17
SIERRA DENALI	17
YUKON	17
ISUZU	17
ASCENDER	17
I-290	17
JEEP	17
LIBERTY	17
LINCOLN	18
MARK LT	18
LINCOLN	18
NAVIGATOR	18
MAZDA	18
B2300	18
B3000	18
B4000	18
MERCURY	18
MARINER	18
MOUNTAINEER	18
MITSUBISHI	18
RAIDER	18
NISSAN	18
ARMADA	18
FRONTIER	18
PATHFINDER	18
TITAN	19
XTERRA	19
SUZUKI	19
EQUATOR	19
TOYOTA	19
4RUNNER	19
FJ CRUISER	19
SEQUOIA	19
TACOMA	19
TUNDRA	19

Four Wheel Drive (4WD)


AAM GENERAL/HUMMER	20
H2	20
H3	20
BUICK	20
RAINIER	20
CADILLAC	20
ESCALADE	20

Table of Contents

K350

CHEVROLET.....	20	NISSAN	36
AVALANCHE.....	20	ARMADA.....	36
COLORADO PICK-UP.....	20	FRONTIER PICK-UP	36
G-10 SERIES, G1500 SERIES AND EXPRESS	20	PATHFINDER	36
SILVERADO 2500HD	21	TITAN PICK-UP	36
SILVERADO 3500.....	22	Xterra.....	36
SUBURBAN 1500.....	23	SAAB	36
SUBURBAN 2500	23	9-7X	36
TAHOE	23	SUZUKI	37
TRAILBLAZER.....	23	EQUATOR	37
CHRYSLER.....	23	TOYOTA	37
ASPEN LIMITED.....	23	4-RUNNER	37
DODGE	23	LAND CRUISER	37
DAKOTA	23	SEQUOIA.....	37
DURANGO	24	TACOMA	37
RAM 1500	24	TUNDRA.....	37
RAM 2500	24		
RAM 3500 PICK-UP	26		
FORD	28	Spicer® Driveshaft Lubrication Specifications	39
ESCAPE	28	Common U-Joint Kits By Series	40
EXPEDITION	28	Driveline Conversion Kits	41
EXPLORER	28	Universal Joint Kit Attaching Hardware & Torque Specifications	42
F150.....	28	U-Joint Kit Method of Retention and Hardware Kit Part Numbers.....	44
F250.....	29		
F350 SUPER DUTY.....	29	Outside Snap Ring Style	45
F450 SUPER DUTY.....	31	Inside Snap Ring Style	51
F550 SUPER DUTY.....	31	Outside Snap Ring/Inside Snap Ring Style	54
RANGER.....	31	Outside Snap Ring/Wing Bearing Style.....	56
GMC	31	Inside Snap Ring/Wing Bearing Style.....	57
CANYON.....	31	Wing Bearing Style	58
ENVoy	31	Bearing Plate/Wing Bearing Style	62
SAVANA 1500	32	Spicer Life Series™ (Spring Tab Style)	63
SIERRA 1500.....	32	Bearing Plate Style	64
SIERRA 2500.....	32	Half Round Style.....	65
SIERRA 3500.....	33	Pot Style	66
SIERRA DENALI.....	34	Threaded Cap style	67
YUKON	34	Threaded Plate style	68
ISUZU.....	34	Cap & Bolt Style	69
ASCENDER.....	34	Outside Snap Ring style GWB	70
I-370.....	35	Supersession List	71
JEEP.....	35		
LIBERTY	35		
WRANGLER	35		
LEXUS.....	35		
LINCOLN	35		
MARK LT	35		
NAVIGATOR	35		
MAZDA	35		
B3000	35		
B4000	36		
MERCURY	36		
MOUNTAINEER	36		
MITSUBISHI	36		
RAIDER	36		

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
VIPER					
2008-2010		A	1,2	5-178X	5-1350X
FORD					
CROWN VICTORIA					
2007-2008		A	1,2	5-178X	5-1350X
2009-2011	LX, POLICE	A	1,2	5-178X	5-1350X
MUSTANG					
2011	Cobra	A	1,2	5-178X	5-1350X
LINCOLN					
TOWN CAR					
2007-2011		A	1,2	5-178X	5-1350X
MERCURY					
GRAND MARQUIS					
2007-2011		A	1,2	5-178X	5-1350X



Important: See Safety Information in General Information Section (J300P-GI)

PASS

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
BUICK					
RAINIER					
2007		A	1,2	5-3147X	5-795X
CADILLAC					
ESCALADE					
2007-2008	ESV Except ESV	A	1,2	5-178X	5-1350X
		A	1,2	5-3147X	5-795X
2009-2011		A	1,2	5-178X	5-1350X
CHEVROLET					
AVALANCHE					
2007-2008	w/5.3L Eng. w/6.0L Eng.	A	1,2	5-3147X	5-795X
		A	1,2	5-178X	5-1350X
2009-2011		A	1,2	5-178X	5-1350X
COLORADO					
2007-2011		A	1	5-213X	5-1330X
		A	2	5-212X	5-7436X
		S	1,2	5-213X	5-1330X
		S	3	5-212X	5-7436X
EXPRESS 1500					
2007-2008	alum. driveshaft	A	1,2		5-3615X
2009-2011		A	1,2	5-178X	5-1350X
EXPRESS 2500					
2007	135" WB 155" WB	A	1,2		5-3615X
		S	1,2,3	5-178X	5-1350X
2008-2010	135" WB 155" WB	A	1,2	5-178X	5-1350X
		S	1,2,3	5-178X	5-1350X
2011	w/Spicer driveshaft w/4.8L & 6.0L FF Eng. 135" WB 155" WB w/AAM driveshaft w/6.6L Diesel Eng.	A	1,2	5-160X	5-1410X
		S	1,2,3	5-160X	5-1410X
		A	1,2	5-3206X	
		S	1,2,3	5-3206X	





Fig. A

TRANS. REAR AXLE
Fig. S



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
EXPRESS 3500					
2007	w/4.8L Gas Eng. 135" WB w/alum. driveshaft 139" WB Dual rear wheels Single rear wheels, alum. driveshaft 155" WB 159" WB w/6.0L Gas Eng. 135" WB, LS & LT except LS & LT, w/alum. driveshaft 139" WB Dual rear wheels Single rear wheels LS & LT except LS & LT, w/alum. driveshaft 155" WB 159" WB w/6.6L Diesel Eng. 135" WB, alum. driveshaft 139" WB Dual rear wheels Single rear wheels, w/alum. driveshaft 155" WB 159" WB	A A A S S S	1,2 1,2 1,2 1,2,3 1 2,3		5-3615X 5-160X 5-3615X 5-178X 5-178X 5-160X
		A	1,2	5-178X	5-1350X
		A	1,2		5-3615X
		A	1,2	5-160X	5-1410X
		A	1,2	5-178X	5-1350X
		A	1,2		5-3615X
		S	1,2,3	5-178X	5-1350X
		S	1	5-178X	5-1350X
		S	2,3	5-160X	5-1410X
		A	1,2		5-3615X
		A	1,2	5-160X	5-1410X
		A	1,2		5-3615X
		S	1,2,3	5-178X	5-1350X
		S	1	5-178X	5-1350X
		S	2,3	5-160X	5-1410X
		A	1,2		5-3615X
		A	1,2	5-160X	5-1410X
		A	1,2		5-3615X
		S	1,2,3	5-178X	5-1350X
		S	1	5-178X	5-1350X
		S	2,3	5-160X	5-1410X

2WD



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.		
CHEVROLET EXPRESS 3500								
2WD								
2008	w/4.8L Gas Eng.	135" WB	A	1,2	5-178X	5-1350X		
		139" WB Dual rear wheels	A	1,2	5-160X	5-1410X		
		Single rear wheels	A	1,2	5-178X	5-1350X		
		155" WB	S	1,2,3	5-178X	5-1350X		
		159" WB	S	1	5-178X	5-1350X		
	w/6.0L Gas Eng.	135" WB	S	2,3	5-160X	5-1410X		
		139" WB Dual rear wheels	A	1,2	5-178X	5-1350X		
		Single rear wheels	A	1,2	5-160X	5-1410X		
		155" & 159" WB	A	1,2,3	5-178X	5-1350X		
	w/6.6L Diesel Eng.	135" WB	A	1,2	5-178X	5-1350X		
		139" WB Dual rear wheels	A	1,2	5-160X	5-1410X		
		Single rear wheels	A	1,2	5-178X	5-1350X		
		155" WB	S	1,2,3	5-178X	5-1350X		
		159" WB	S	1	5-178X	5-1350X		
			S	2,3	5-160X	5-1410X		
2009	w/4.8L Gas Eng.	135" WB	A	1,2	5-178X	5-1350X		
		139" WB Dual rear wheels	A	1,2	5-160X	5-1410X		
		Single rear wheels	A	1,2	5-178X	5-1350X		
		155" WB	S	1,2,3	5-178X	5-1350X		
		159" WB	S	1	5-178X	5-1350X		
	w/6.0L Gas Eng.	135" WB	S	2,3	5-160X	5-1410X		
		139" WB Dual rear wheels	A	1,2	5-178X	5-1350X		
		Single rear wheels	A	1,2	5-160X	5-1410X		
		155" WB	A	1,2,3	5-178X	5-1350X		
		159" WB	S	1	5-178X	5-1350X		
	w/6.6L Diesel Eng.	135" WB	S	2,3	5-160X	5-1410X		
		139" WB Dual rear wheels	A	1,2	5-178X	5-1350X		
		Single rear wheels	A	1,2	5-160X	5-1410X		
		155" WB	A	1,2,3	5-178X	5-1350X		
		159" WB	S	1	5-178X	5-1350X		
			S	2,3	5-160X	5-1410X		





Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
EXPRESS 3500					
2010	w/4.8L FF Eng.	A	1,2	5-178X	5-1350X
		A	1,2	5-160X	5-1410X
		A	1,2	5-178X	5-1350X
		S	1,2,3	5-178X	5-1350X
		S	1	5-178X	5-1350X
		S	2,3	5-160X	5-1410X
		A	1,2	5-160X	5-1410X
		A	1,2	5-3206X	
		A	1,2	5-160X	5-1410X
		S	1,2	5-160X	5-1410X
	w/6.0L FF Eng.	S	3	5-178X	5-1350X
		S	3	5-160X	5-1410X
		S	1,2,3	5-160X	5-1410X
		S	1,2,3	5-3206X	
		A	2	5-178X	5-1350X
		A	1,2	5-160X	5-1410X
		A	1,2	5-178X	5-1350X
		S	1,2,3	5-178X	5-1350X
		S	1	5-178X	5-1350X
		S	2,3	5-160X	5-1410X
2011	4.8L FF Eng.	A	1,2	5-3206X	
		A	1,2	5-160X	5-1410X
		A	1,2	5-3206X	
		S	1,2,3	5-3206X	
		S	1	5-3206X	
		S	2,3	5-160X	5-1410X
		A	1,2	5-160X	5-1410X
		A	1,2	5-3206X	
		A	1,2	5-160X	5-1410X
		S	1,2	5-160X	5-1410X
	6.0L FF Eng.	S	3	5-178X	5-1350X
		S	3	5-160X	5-1410X
		S	1,2,3	5-160X	5-1410X
		S	1,2,3	5-3206X	
		A	1,2	5-160X	5-1410X
		A	1,2	5-3206X	
		A	1,2	5-160X	5-1410X
		S	1,2	5-160X	5-1410X
		S	3	5-178X	5-1350X
		S	3	5-160X	5-1410X
	6.6L Diesel Eng.	S	1,2,3	5-160X	5-1410X
		S	1,2,3	5-3206X	
		A	1,2	5-3206X	
		S	1,2,3	5-3206X	
		A	1,2	5-3206X	



Important: See Safety Information in General Information Section (J300P-GI)

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 1500					
2007-2008	LS LT, LTZ & WT 157.5" WB Exc. 157.5" WB	A	1,2	5-178X	5-1350X
		S	1,2,3	5-178X	5-1350X
		A	1,2	5-178X	5-1350X
2009	HYBRID LS LT, LTZ & WT 157.5" WB	A	1,2	5-178X	5-1350X
		A	1,2	5-178X	5-1350X
		S	1,2,3	5-178X	5-1350X
2010	HYBRID, LS & XFE LS, LT, LTZ & WT 157.5" WB Exc. 157.5" WB	A	1,2	5-178X	5-1350X
		S	1,2,3	5-178X	5-1350X
		A	1,2	5-178X	5-1350X
2011	HYBRID LS, LT, LTZ & WT 157.5" WB Exc. 157.5" WB XFE	A	1,2	5-178X	5-1350X
		S	1,2,3	5-178X	5-1350X
		A	1,2	5-178X	5-1350X
		A	1,2	5-178X	5-1350X
SILVERADO 1500 CLASSIC					
2007	119" & 134" WB 133" WB HD LT, alum. driveshaft LS 143.5" WB w/AT LS & WT 143.5" WB w/MT LS, LT & WT 157.5" WB LT 143.5" WB SS WT 143.5" WB w/AT	A	1,2	5-3147X	5-795X
		A	1	5-213X	5-1330X
		A	2	5-212X	5-7436X
		S	1,2,3		5-3615X
		S	1,2,3	5-213X	5-1330X
		S	1,2	5-213X	5-1330X
		S	3	5-212X	5-7436X
		S	1,2,3	5-3147X	5-795X
		S	1,2,3	5-3147X	5-795X
		S	1,2,3	5-178X	5-1350X
		S	1,2,3	5-3147X	5-795X
SILVERADO 2500HD					
2007	CLASSIC LS, LT & WT LT, LTZ & WT w/Spicer driveshaft w/AAM driveshaft AAM 1485 Series	S	1,2,3	5-160X	5-1410X
		S	1,2,3	5-160X	5-1410X
		S	1,2,3	5-3206X	
2008-2010	LT, LTZ & WT w/Spicer driveshaft w/AAM driveshaft AAM 1485 Series	S	1,2,3	5-160X	5-1410X
		S	1,2,3	5-3206X	
2011	LT, LTZ & WT w/6.0L FF Eng. w/Spicer driveshaft Exc. 133" WB, w/AAM driveshaft AAM 1485 Series w/6.6L Diesel Eng. w/Spicer driveshaft w/AAM driveshaft AAM 1485 Series	S	1,2,3	5-160X	5-1410X
		S	1,2,3	5-3206X	
		S	1,2,3	5-160X	5-1410X
		S	1,2,3	5-3206X	


Fig. A

TRANS. REAR AXLE


Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 3500					
2007	CLASSIC LS, LT & WT w/Spicer driveshaft LT, LTZ & WT w/AAM driveshaft AAM 1485 Series	S	1,2,3	5-160X	5-1410X
		S	1,2,3	5-3206X	
2008-2011	w/Spicer driveshaft w/AAM driveshaft AAM 1485 Series	S	1,2,3	5-160X	5-1410X
		S	1,2,3	5-3206X	
SUBURBAN 1500					
2007-2008	LS, LT & LTZ w/5.3L Gas & FF Eng. LT & LTZ w/6.0L Gas Eng.	A	1,2	5-3147X	5-795X
		A	1,2	5-178X	5-1350X
2009	LS, LT & LTZ w/5.3L Gas & FF Eng. LT & LTZ w/6.0L Gas Eng.	A	1,2	5-178X	5-1350X
		A	1,2	5-178X	5-1350X
2010-2011	LS, LT & LTZ w/5.3L FF Eng.	A	1,2	5-178X	5-1350X
SUBURBAN 2500					
2007	LS, LT & LTZ w/6.0L Gas Eng.	A	1,2	5-178X	5-1350X
2008-2009	LS & LT w/6.0L Gas Eng.	A	1,2	5-160X	5-1410X
2010-2011	LS & LT w/6.0L FF Eng.	A	1,2	5-160X	5-1410X
TAHOE					
2007		A	1,2	5-3147X	5-795X
2008	HYBRID LS, LT & LTZ	A	1,2	5-178X	5-1350X
		A	1,2	5-3147X	5-795X
2009-2011		A	1,2	5-178X	5-1350X
TRAILBLAZER					
2007	LS & LT SS	A	1,2	5-3147X	5-795X
		A	1,2	5-178X	5-1350X
2008	Basic & LT SS	A	1,2	5-3147X	5-795X
		A	1,2	5-178X	5-1350X
2009	LT & SS	A	1,2	5-178X	5-1350X
CHRYSLER					
ASPEN LIMITED					
2007-2009		A	1,2	5-3147X	5-795X
DODGE					
1500					
2011		A	1,2	5-178X	5-1350X
		S	1,2,3	5-213X	5-1330X
2500					
2011	w/AT, AAM driveshaft AAM 1415 Series w/MT w/AT w/MT	A	1,2	5-3207X	
		A	1,2	5-188X	SPL55X
		S	1,2,3	5-160X	SPL36-1X
		S	1,2,3	5-188X	SPL55X

2WD



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
3500					
2011	LARAMIE, SLT & ST w/2-Joint shaft w/5.7L Gas Eng. w/AT, AAM 1415 Series w/MT w/6.7L Diesel Eng. 1.188" cap dia. 1.375" cap dia. LARAMIE, SLT & ST w/3-Joint shaft w/5.7L Gas Eng. w/AT w/MT w/6.7L Diesel Eng. Crew Cab, w/AAM driveshaft, AAM 1485 Series Std & Ext Cab w/Spicer driveshaft	A A A A S S S	1,2 1,2 1,2 1,2 1,2,3 1,2,3 1,2,3	5-3207X 5-188X 5-160X 5-188X 5-160X 5-188X 5-3206X 5-160X	
DAKOTA					
2007-2011		A S	1,2 1,2,3	5-213X 5-213X	5-1330X 5-1330X
DURANGO					
2007-2009	w/4.7L FF Eng.	A	1,2	5-3147X	5-795X
RAM 1500					
2007	LARAMIE & SLT w/5.7L Gas Eng., w/AAM driveshaft, AAM 1415 Series LARAMIE, SLT, SPORT & ST w/5.7L Gas Eng. w/Spicer driveshaft SLT & ST w/4.7L Eng. ST w/3.7L Gas Eng. w/5.7L Gas Eng.	S S S S A	1,2,3 1,2,3 1,2,3 1,2,3 1,2	5-3207X 5-213X 5-213X 5-213X 5-213X	
2008	2-Joint shaft LARAMIE, SLT & STX w/5.7L Gas Eng. w/AAM driveshaft, AAM 1415 Series LARAMIE, SLT, ST & STX w/5.7L Gas Eng. w/Spicer driveshaft SLT, ST & STX w/4.7L Eng. ST & STX w/3.7L Gas Eng.	A S S S S	1,2 1,2,3 1,2,3 1,2,3 1,2,3	5-213X 5-3207X 5-213X 5-213X 5-213X	5-1330X 5-1330X 5-1330X 5-1330X 5-1330X
2009-2010		A S	1,2 1,2,3	5-178X 5-213X	5-1350X 5-1330X





Fig. A



TRANS. REAR AXLE
Fig. S

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 2500					
2007	LARAMIE, SLT & ST w/2-Joint Shaft w/6.7L Diesel Eng. w/AT w/AAM driveshaft, AAM 1415 Series w/MT w/AAM driveshaft, AAM 1485 Series	A	1,2	5-3207X	
	LARAMIE, SLT & ST w/3-Joint Shaft w/5.7L Gas Eng. AAM 1415 Series w/6.7L Diesel Eng. w/AT w/Spicer driveshaft w/MT w/AAM driveshaft AAM 1485 Series	A	1,2	5-3206X	
		S	1,2,3	5-3207X	
		S	1,2,3	5-160X	SPL36-1X
		S	1,2,3	5-3206X	
	SPORT & TRX4 w/3-Joint Shaft w/5.7L V8 Gas Eng. w/AAM driveshaft, AAM 1415 Series	S	1,2,3	5-3207X	
2008	LARAMIE, SLT & ST w/2-Joint Shaft w/6.7L Diesel Eng. w/AT, w/AAM driveshaft, AAM 1415 Series w/MT, w/AAM driveshaft, AAM 1485 Series	A	1,2	5-3207X	
	LARAMIE, SLT & ST w/3-Joint Shaft w/5.7L Gas Eng., w/AAM driveshaft, AAM 1415 Series w/6.7L Diesel Eng. w/AT w/Spicer driveshaft w/MT w/AAM driveshaft AAM 1485 Series	A	1,2	5-3206X	
		S	1,2,3	5-3207X	
		S	1,2,3	5-160X	SPL36-1X
		S	1,2,3	5-3206X	
	STX w/2-Joint Shaft w/6.7L Diesel Eng. w/AT, w/Spicer driveshaft w/MT, w/AAM driveshaft AAM 1485 Series	A	1,2	5-188X	SPL55X
	STX w/3-Joint Shaft w/5.7L Gas Eng., w/AAM driveshaft, AAM 1415 Series w/6.7L Diesel Eng. w/AT w/Spicer driveshaft w/MT w/AAM driveshaft AAM 1485 Series	A	1,2	5-3206X	
		S	1,2,3	5-3207X	
		S	1,2,3	5-188X	SPL55X
		S	1,2,3	5-3206X	




Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 2500					
2009	LARAMIE & SLT w/2-Joint shaft w/5.7L Gas & 6.7L Diesel Eng. w/AT w/AAM driveshaft, AAM 1415 Series w/MT w/AAM driveshaft, AAM 1485 Series LARAMIE & SLT w/3-Joint shaft w/5.7L Gas & 6.7L Diesel Eng. w/AT w/Spicer driveshaft w/MT w/AAM driveshaft, AAM 1485 Series	A	1,2	5-3207X	
		A	1,2	5-3206X	
		S	1,2,3	5-160X	SPL36-1X
		S	1,2,3	5-3206X	
		A	1,2	5-3207X	
		A	1,2	5-3206X	
		S	1,2,3	5-160X	SPL36-1X
		S	1,2,3	5-3206X	
2010	STX w/2-Joint shaft w/5.7L Gas & 6.7L Diesel Eng. w/AT w/MT w/AAM driveshaft, AAM 1485 Series STX w/3-Joint shaft w/5.7L Gas, 6.7L & L6 Diesel Eng. w/AT w/Spicer driveshaft w/MT w/AAM driveshaft, AAM 1485 Series	A	1,2	5-188X	SPL55X
		A	1,2	5-3206X	
		S	1,2,3	5-188X	SPL55X
		S	1,2,3	5-3206X	
		A	1,2	5-3207X	
		A	1,2	5-188X	SPL55X
		S	1,2,3	5-160X	SPL36-1X
		S	1,2,3	5-188X	SPL55X
RAM 3500					
2007	LARAMIE, SLT, SPORT, ST w/2-Joint shaft w/5.7L Gas Eng. LARAMIE, SLT, SPORT & ST & TRX4 w/2-Joint shaft w/6.7L Diesel Eng. 1.375" cap dia. 1.188" cap dia. LARAMIE, SLT, SPORT, ST w/3-Joint shaft w/5.7L Gas Eng. Cab & Chassis, w/Spicer driveshaft Crew Cab w/AAM driveshaft, AAM 1485 Series Std & Ext Cab, w/Spicer driveshaft LARAMIE, SLT, SPORT, ST & TRX4 w/3-Joint shaft 6.7L Diesel Eng., Crew Cab, AAM driveshaft, AAM 1485 Series Std & Ext Cab w/Spicer driveshaft	A	1,2	5-160X	SPL36-1X
		A	1,2	5-188X	SPL55X
		A	1,2	5-160X	SPL36-1X
		S	1,2,3	5-188X	SPL55X
		S	1,2,3	5-3206X	
		S	1,2,3	5-160X	SPL36-1X
		S	1,2,3	5-3206X	
		S	1,2,3	5-160X	SPL36-1X
		A	1,2	5-188X	SPL55X
		A	1,2	5-188X	SPL55X






Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 3500					
2008	LARAMIE, SLT, ST & STX w/2-Joint shaft w/5.7L Gas Eng. w/6.7L Diesel Eng. 1.375" cap dia. 1.188" cap dia. LARAMIE, SLT, ST & STX w/3-Joint shaft w/5.7L Gas Eng. Cab & Chassis, w/Spicer driveshaft Crew Cab w/AAM driveshaft AAM 1485 Series Std & Ext Cab, w/Spicer driveshaft w/6.7L Diesel Eng. Crew Cab w/AAM driveshaft AAM 1485 Series Std & Ext Cab, w/Spicer driveshaft	A A A S S S S S S	1,2 1,2 1,2 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3	5-160X 5-188X 5-160X 5-188X 5-3206X 5-160X 5-3206X 5-160X	SPL36-1X SPL55X SPL36-1X SPL55X SPL36-1X SPL36-1X SPL36-1X SPL36-1X
2009	LARAMIE, SLT, ST & STX w/2-Joint shaft w/5.7L Gas Eng. w/6.7L Diesel Eng. 1.375" cap dia. 1.188" cap dia. LARAMIE w/3-Joint shaft w/5.7L Gas Eng. Cab & Chassis w/Spicer driveshaft Crew Cab w/AAM driveshaft AAM 1485 Series SLT, ST & STX w/3-Joint shaft w/5.7L Gas Eng. Cab & Chassis w/Spicer driveshaft Crew Cab w/AAM driveshaft AAM 1485 Series Std & Ext Cab w/Spicer driveshaft LARAMIE w/3-Joint shaft w/6.7L Diesel Eng. Crew Cab w/AAM driveshaft AAM 1485 Series SLT, ST & STX w/3-Joint shaft w/6.7L Diesel Eng. Crew Cab w/AAM driveshaft AAM 1485 Series Std & Ext Cab w/Spicer driveshaft	A A A S S S S S S S S S S S S S S S	1,2 1,2 1,2 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3	5-160X 5-188X 5-160X 5-188X 5-3206X 5-188X 5-3206X 5-160X 5-3206X 5-188X 5-3206X 5-160X 5-3206X 5-160X 5-3206X 5-160X	SPL36-1X SPL55X SPL36-1X SPL55X SPL36-1X SPL36-1X SPL36-1X SPL36-1X SPL36-1X SPL36-1X SPL36-1X SPL36-1X SPL36-1X SPL36-1X SPL36-1X SPL36-1X
2010	LARAMIE, SLT, ST & STX w/2-Joint shaft w/6.7L Diesel Eng. 1.375" cap dia. 1.188" cap dia. LARAMIE, SLT, ST & STX w/3-Joint shaft w/6.7L Diesel Eng. Crew Cab w/AAM driveshaft, AAM 1485 Series Std & Ext Crew Cab w/Spicer driveshaft	A A S S	1 1 1,2,3 1,2,3	5-188X 5-160X 5-3206X 5-160X	SPL55X SPL36-1X SPL36-1X SPL36-1X

2WD




Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.	
FORD						
E150						
2007-2011		A	1,2	5-178X	5-1350X	
E250						
2007-2011		A	1,2	5-178X	5-1350X	
E350 SUPER DUTY						
2007-2009	w/2-Joint shaft w/5.4L & 6.8L Eng. w/6.0L Diesel Eng. w/3-Joint shaft	A	1,2	5-178X	5-1350X	
		A	1,2	5-160X	5-1410X	
		S	1,2,3	5-160X	5-1410X	
FORD						
E350 SUPER DUTY						
2010	2-Joint shaft 5.4L & 6.0L CNG Eng. 5.4L FF & LPG Eng. 6.0L Diesel Eng. 6.8L gas & LPG engines except XL & XLT XL & XLT 3-Joint shaft	A	1,2	5-160X	5-1410X	
		A	1,2	5-178X	5-1350X	
		A	1,2	5-160X	5-1410X	
		A	1,2	5-178X	5-1350X	
		A	1,2	5-160X	5-1410X	
		S	1,2,3	5-160X	5-1410X	
2011	2-Joint shaft 5.4L (CNG, FF, LPG) Eng. (XL, XLT) (except XL,XLT) 5-Speed Trans 4-Spd Trans 3-Joint shaft 5.4L (CNG, FF, LPG) Eng. except XL & XLT 4-Spd Trans except 4-Spd Trans 5.4L (CNG, FF, LPG) Eng. XL & XLT 5.4L (CNG, FF, LPG) Eng. 6.8L (CNG, Gas, LPG) Eng.	A	1,2	5-178X	5-1350X	
		A	1,2	5-160X	5-1410X	
		A	1,2	5-178X	5-1350X	
		S	1,2,3	5-178X	5-1350X	
		S	1,2,3	5-160X	5-1410X	
		S	1,2,3	5-178X	5-1350X	
		S	1,2,3	5-160X	5-1410X	
		S	1,2,3	5-160X	5-1410X	
		S	1,2,3	5-160X	5-1410X	
		S	1,2,3	5-160X	5-1410X	
E450 SUPER DUTY						
2007-2011		S	1,2,3	5-160X	5-1410X	
EXPEDITION						
2007-2011		AB	1,2	5-178X	5-1350X	
EXPLORER						
2007-2010		A	1,2	5-213X	5-1330X	





Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F150					
2007	driveshaft w/staked in u-joints w/outside snap ring	A	1,2	5-3203X	
		S	1,2,3	5-178X	5-1350X
2008-2010		A	1,2	5-178X	5-1350X
		S	1,2,3	5-178X	5-1350X
2011		A	1,2	5-160X	5-1410X
F250					
2007-2011		A	1,2	5-160X	5-1410X
		S	1,2,3	5-160X	5-1410X
F350					
2007-2011		A	1,2	5-160X	5-1410X
		S	1,2,3	5-160X	5-1410X
F450					
2007-2009		S	1,2,3	5-188X	SPL55X
		AZ	1,2,3,4	5-188X	SPL55X
2010		S	1,2,3	5-188X	SPL55X
2011		S	1,2,3	5-188X	SPL55X
		AZ	1,2,3,4	5-188X	SPL55X
F550					
2007-2011		S	1,2,3	5-188X	SPL55X
		AZ	1,2,3,4	5-188X	SPL55X
RANGER					
2007-2011		A	1,2	5-213X	5-1330X
GMC					
CANYON					
2007-2011		A	1,2	5-213X	5-1330X
		S	1,2,3	5-213X	5-1330X
ENVOY					
2007		A	1,2	5-3147X	5-795X
2008	w/4.2L Gas Eng.	A	1,2	5-3147X	5-795X
	w/5.3L Gas Eng.	A	1,2	5-178X	5-1350X
2009		A	1,2	5-178X	5-1350X
SAVANA 1500					
2007-2008	alum. driveshaft	A	1,2		5-3615X
2009-2011		A	1,2	5-178X	5-1350X



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SAVANA 2500					
2007	alum. shaft	A	1,2		5-3615X
		S	1,2,3	5-178X	5-1350X
2008-2010		A	1,2	5-178X	5-1350X
		S	1,2,3	5-178X	5-1350X
2011	w/Spicer driveshaft w/FF Eng.	A	1,2	5-160X	5-1410X
	w/AAM driveshaft, AAM 1485 Series w/6.6L Diesel Eng.	S	1,2,3	5-3206X	
SAVANA 3500					
2007	2-Joint shaft 4.8L Gas Eng. 135" WB 139" WBDual Rear Wheels Single Rear Wheels 6.0L Gas Eng. 135" WB LS & LT except LS & LT 139" WB Single Rear Wheels LS & LT Dual Rear Wheels 6.6L Diesel Eng. 135" WB 139" WBDual Rear Wheels Single Rear Wheels 3-Joint shaft 4.8L & 6.0L Gas Eng. 155" & 157" WB 6.6L Diesel Eng. 155" & 157" WB	A	1,2		5-3615X
		A	1,2	5-160X	5-1410X
		A	1,2		5-3615X
		A	1,2	5-178X	5-1350X
		A	1,2		5-3615X
		A	1,2	5-178X	5-1350X
		A	1,2	5-160X	5-1410X
		A	1,2		5-3615X
		A	1,2	5-160X	5-1410X
		A	1,2		5-3615X
		S	1,2,3	5-178X	5-1350X
		S	1,2,3	5-178X	5-1350X
2008	2-Joint shaft 4.8L Gas Eng. 135" & 139" WB 6.0L Gas & 6.6L Diesel Eng. 135" WB 139" WB Single Rear Wheels Dual rear wheels 3-Joint shaft 155" WB 159" WB	A	1,2	5-178X	5-1350X
		A	1,2	5-178X	5-1350X
		A	1,2	5-178X	5-1350X
		A	1,2	5-160X	5-1410X
		S	1,2,3	5-178X	5-1350X
		S	1	5-178X	5-1350X
		S	2,3	5-160X	5-1410X


Fig. A

Fig. S


Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.		
GMC								
SAVANA 3500								
2009	2-Joint shaft 135" WB 139" WB 3-Joint shaft 155" WB 159" WB	Single Rear Wheels Dual rear wheels	A	1,2	5-178X	5-1350X		
			A	1,2	5-178X	5-1350X		
			A	1,2	5-160X	5-1410X		
			S	1,2,3	5-178X	5-1350X		
			S	1	5-178X	5-1350X		
			S	2,3	5-160X	5-1410X		
2010	2-Joint shaft 4.8L FF & 6.6L Diesel Eng. 135" WB 139" WB Dual Rear Wheels Single Rear Wheels 6.0L FF Eng. 135" WB 139" WB Dual Rear Wheels w/AAM driveshaft, AAM 1485 Series 139" WB Single Rear Wheels w/Spicer driveshaft 3-Joint shaft 4.8L FF & 6.6L Diesel Eng. 155" WB 159" WB 6.0L FF Eng. 155" WB 159" WB w/Spicer driveshaft w/AAM driveshaft, AAM 1485 Series		A	1,2	5-178X	5-1350X		
			A	1,2	5-160X	5-1410X		
			A	1,2	5-178X	5-1350X		
			A	1,2	5-160X	5-1410X		
			A	1,2	5-3206X			
			A	1,2	5-160X	5-1410X		
			S	1,2,3	5-178X	5-1350X		
			S	1,2,3	5-178X	5-1350X		
			S	1,2,3	5-160X	5-1410X		
			S	1,2,3	5-160X	5-1410X		
			S	1,2,3	5-160X	5-1410X		
			S	1,2,3	5-3206X			
2010	2-Joint shaft 4.8L FF & 6.6L Diesel Eng. 135" WB w/AAM driveshaft, AAM 1485 Series 139" WB w/Spicer driveshaft, Dual Rear Wheels w/AAM driveshaft, AAM 1485 Series Single Rear Wheels 6.0L FF Eng. 135" WB 139" WB w/AAM driveshaft, AAM 1485 Series Dual Rear Wheels w/Spicer driveshaft Single Rear Wheels 3-Joint shaft 4.8L FF & 6.6L Diesel Eng., 155" WB w/AAM driveshaft, AAM 1485 Series 4.8L FF Eng. 159" WB, w/AAM driveshaft, AAM 1485 Series 6.0L FF Eng. 155" WB 159" WB w/Spicer driveshaft w/AAM driveshaft, AAM 1485 Series		A	1,2	5-3206X			
			A	1,2	5-160X	5-1410X		
			A	1,2	5-3206X			
			A	1,2	5-160X	5-1410X		
			A	1,2	5-3206X			
			A	1,2	5-160X	5-1410X		
			S	1,2,3	5-3206X			
			S	1,2,3	5-3206X			
			S	1,2,3	5-160X	5-1410X		
			S	1,2,3	5-160X	5-1410X		
			S	1,2,3	5-160X	5-1410X		
			S	1,2,3	5-3206X			



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.	
GMC						
SIERRA 1500						
2007	2-Joint shaft CLASSIC SL, SLE, SLT & WT 119" & 134" WB 133" WB SLE, SLT & WT Exc. 157.5" WB 3-Joint shaft CLASSIC SL 143.5" WB w/AT w/MT 157.5" WB CLASSIC SLE 4.8L & 5.3L Gas & 6.3L FF Eng. 6.0L Gas Eng. 143.5" WB 157.5" WB CLASSIC SLT 5.3L Gas Eng. 143.5" & 157.5" WB 6.0L Gas Eng. 143.5" WB 157.5" WB CLASSIC WT 143.5" WB w/AT w/MT 157.5" WB HD CLASSIC SLE SLE & SLT & WT	A A A A S	1,2 1 2 1,2 1,2,3 1,2 3 1,2,3	5-3147X 5-213X 5-212X 5-178X 5-3147X 5-213X 5-212X 5-178X 5-178X 5-3147X	5-795X 5-1330X 5-7436X 5-1350X 5-795X 5-1330X 5-793X 5-795X 5-795X 5-1350X 5-795X 5-795X 5-795X 5-795X 5-1330X 5-1350X 5-793X 5-795X 5-3615X 5-1350X	5-795X 5-1330X 5-7436X 5-1350X 5-795X 5-1330X 5-793X 5-795X 5-795X 5-795X 5-1330X 5-1350X 5-793X 5-795X 5-3615X 5-1350X
2008-2011		A S	1,2 1,2,3	5-178X 5-178X	5-1350X 5-1350X	

SIERRA 2500 HD

2007	3-Joint shaft CLASSIC SL, SLE, SLT & WT SLE, SLT & WT w/Spicer driveshaft 6.0L Gas Eng. 133" WB Exc. 133" WB w/AAM driveshaft, AAM 1485 Series 6.0L Gas Eng. w/Spicer driveshaft 6.6L Diesel Eng. w/AAM driveshaft, AAM 1485 Series 6.6L Diesel Eng.	S	1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 1,2,3 2,3	5-160X 5-160X 5-160X 5-3206X 5-160X 5-3206X	5-1410X 5-1410X 5-1410X 5-1410X 5-1410X
------	---	---	---	--	---



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.	
GMC						
SIERRA 2500 HD						
2008-2011	3-Joint shaft SLE, SLT & WT w/AAM driveshaft, AAM 1485 Series 6.0L Gas Eng. Exc. 133" WB w/Spicer driveshaft 6.6L Diesel Eng. w/AAM driveshaft, AAM 1485 Series 6.6L Diesel Eng.	S	1,2,3	5-3206X		
		S	1,2,3	5-160X	5-1410X	
		S	1,2,3	5-3206X		
SIERRA 3500						
2007-2011	HD SLE, SLT & WT					
	w/Spicer driveshaft	S	1,2,3	5-160X	5-1410X	
	w/AAM driveshaft AAM 1485 Series	S	1,2,3	5-3206X		
SIERRA DENALI						
2007-2009		A	1,2	5-178X	5-1350X	
2010	Exc. 157.5" WB	A	1,2	5-178X	5-1350X	
	w/157.5" WB	S	1,2,3	5-178X	5-1350X	
YUKON						
2007	w/4.8L & 5.3L Gas & 5.3L FF Eng.	A	1,2	5-3147X	5-795X	
	w/6.0L Gas Eng.	A	1,2	5-178X	5-1350X	
2008	HYBRID	A	1,2	5-178X	5-1350X	
	w/4.8L & 5.3L Gas & 5.3L FF Eng.	A	1,2	5-3147X	5-795X	
	w/6.0L Gas Eng.	A	1,2	5-160X	5-1410X	
2009	DENALI, SLE, SLT & XL 1500 DENALI, SLE & SLT	A	1,2	5-178X	5-1350X	
	HYBRID	A	1,2	5-178X	5-1350X	
	XL 2500 SLE & SLT	A	1,2	5-160X	5-1410X	
2010-2011	DENALI, SLE, SLT & XL 1500 DENALI, SLE & SLT	A	1,2	5-178X	5-1350X	
	HYBRID & DENALI HYBRID	A	1,2	5-178X	5-1350X	
	XL 2500 SLE & SLT	A	1,2	5-160X	5-1410X	
ISUZU						
ASCENDER						
2007-2008		A	1,2	5-3147X	5-795X	
I-290						
2007-2008	2-Joint shaft	A	1	5-213X	5-1330X	
		A	2	5-212X	5-793X	
		S	1,2	5-213X	5-1330X	
		S	3	5-212X	5-793X	
JEEP						
LIBERTY						
2007		A	1,2	5-153X	5-1310X	

2WD



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.	
LINCOLN						
MARK LT						
2007	driveshaft w/staked in u-joints 3-Joint shaft	A	1,2	5-3203X		
		S	1,2,3	5-178X	5-1350X	
2008		A	1,2	5-178X	5-1350X	
		S	1,2,3	5-178X	5-1350X	
LINCOLN						
NAVIGATOR						
2007-2008	w/5.4L Gas Eng.	AB	1,2	5-178X	5-1350X	
2009-2011	w/5.4L FF Eng.	AB	1,2	5-178X	5-1350X	
MAZDA						
B2300						
2007-2009	Cab Plus	A	1,2	5-213X	5-1330X	
B3000						
2007	Cab Plus Std Cab	A	1,2	5-213X	5-1330X	
		A	1,2	5-1204X	5-7438X	
MAZDA						
B4000						
2008	Cab Plus Std Cab	A	1,2	5-213X	5-1330X	
		A	1,2	5-1204X	5-7438X	
MERCURY						
MARINER						
2010-2011		AT	1,2	5-153X	5-1310X	
MOUNTAINEER						
2007-2010		A	1,2	5-213X	5-1330X	
MITSUBISHI						
RAIDER						
2007-2009		A	1,2	5-213X	5-1330X	
		S	1,2,3	5-213X	5-1330X	
NISSAN						
ARMADA						
2007-2010		A	1,2	5-178X	5-1350X	
FRONTIER						
2007-2010	w/2.5L Gas Eng. w/4.0L Gas Eng.	S	1,2,3	5-153X	5-1310X	
		S	1,2,3	5-213X	5-1330X	
PATHFINDER						
2007-2008		A	1,2	5-213X	5-1330X	
2009-2010		A	1,2	5-178X	5-1350X	
2WD						




Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
NISSAN					
TITAN					
2007		S	1,2,3	5-160X	5-1410X
2008	To 04/08	S	1,2,3	5-160X	5-1410X
XTERRA					
2007-2010		A	1,2	5-213X	5-1330X
SUZUKI					
EQUATOR					
2009-2010		S	1,2,3	5-153X	5-1310X
TOYOTA					
4RUNNER					
2007-2011		A	1,2	5-1510X	
FJ CRUISER					
2009-2010		A	1,2	5-1510X	
SEQUOIA					
2008-2011		A	1,2		5009485
TACOMA					
2007-2011	Extra Cab	S	1,2,3	5-213X	5-1330X
	Std Cab	A	1,2	5-213X	5-1330X
TUNDRA					
2007-2011		A	1,2		5009485
		S	1,2,3		5009485



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.	
AM GENERAL/HUMMER						
H2						
2007-2009		L	2,3	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
H3						
2007-2010		L	2	5-350X		
		L	4,5	5-178X	5-1350X	
BUICK						
RAINIER						
2007		L	2	5-350X		
		L	4,5	5-178X	5-1350X	
CADILLAC						
ESCALADE						
2007-2008	w/5.3L FF Eng. w/6.0L Gas Eng.	L	2,3,4	5-3147X	5-795X	
		L	2,3	5-3147X	5-795X	
2009-2011	w/5.3L FF & 6.0L Eng.	L	4,5	5-178X	5-1350X	
		L	2,3	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
CHEVROLET						
AVALANCHE						
2007-2008	w/5.3L FF Eng. w/6.0L Gas Eng.	L	2,3,4	5-3147X	5-795X	
		L	2,3	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
2009-2011	w/5.3L FF & 6.0L Eng.	L	2,3	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
		L	2,3	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
COLORADO PICK-UP						
2007-2011	w/Spicer driveshaft w/outside snap rings w/inside & outside snap rings	L	2	5-153X	5-1310X	
		L	4	5-213X	5-1330X	
		L	5	5-212X	5-7436X	
G-10 SERIES, G1500 SERIES AND EXPRESS						
2007-2011	EXPRESS 1500	L	2,3,4	5-3147X	5-795X	




Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 1500					
2007	CLASSIC HYBRID 5.3L Gas & Elec. Eng. 119" & 133" WB	L	2,3	5-3147X	5-795X
	CLASSIC LS, LT & WT All 119" & 133" WB 134" WB	L	4,5	5-178X	5-1350X
	w/143.5" WB w/Drive Ratio 3.42 Exc. Drive Ratio 3.42	L	2,3	5-3147X	5-795X
	LS, LT, LTZ & WT	L	4,5	5-178X	5-1350X
	CLASSIC LS, LT & WT 4.3L Gas Eng.	N	2,3	5-3147X	5-795X
	157.5" WB	N	4,5,6		5-3615X
	HD CLASSIC LT 6.0L Gas Eng.	N	2,3	5-3147X	5-795X
		N	4,5,6		5-3615X
2008-2009		L	2,3,4	5-3147X	5-795X
		L	5,6	5-178X	5-1350X
2010-2011		L	3,4	5-3147X	5-795X
		L	5,6	5-178X	5-1350X

SILVERADO 2500HD


2007	HD CLASSIC LS, LT & WT w/6.0L Gas Eng. 133" & 143.5" WB 153" & 157.5" WB w/AT w/6.6L Diesel & 8.1L Gas Eng. 133" & 143.5" WB 153" & 157.5" WB	L	2,3	5-3147X	5-795X
	HD LT	L	4,5	5-160X	5-1410X
	HD CLASSIC LS, LT & WT w/6.0L Gas Eng. 153" & 157.5" WB w/MT 167" WB	L	4,5	5-160X	5-1410X
	w/6.6L Diesel & 8.1L Gas Eng. 167" WB	L	2,3	5-3147X	5-795X
	HD LT	L	4,5	5-160X	5-1410X
		N	2,3	5-3147X	5-795X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-160X	5-1410X
		N	2,3	5-3147X	5-795X
		N	4,5,6	5-160X	5-1410X
		N	2,3	5-3147X	5-795X
		N	4,5,6	5-160X	5-1410X

4WD




Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 2500HD					
2008-2010	LT, LTZ & WT w/6.0L Gas Eng. w/6.6L Diesel Eng. AAM 1485 Series	L	2,3	5-3147X	5-795X
		L	4,5	5-160X	5-1410X
		L	4,5	5-3206X	
2011	LT, LTZ & WT w/6.0L Gas Eng. w/6.6L Diesel Eng. AAM 1485 Series	N	2,3	5-3147X	5-795X
		N	5,6	5-160X	5-1410X
		N	5,6	5-3206X	
2011	LT, LTZ & WT w/6.0L FF Eng. w/6.6L Diesel Eng. 133.6" & 158.1" WB AAM 1485 Series	L	2	5-3147X	5-795X
		L	4,5	5-160X	5-1410X
		L	4,5	5-3206X	
	w/6.0L FF Eng. LT, LTZ & WT w/6.0L FF Eng. w/6.6L Diesel Eng. Exc. 133.6" & 158.1" WB AAM 1485 Series	N	2,3	5-3147X	5-795X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-3206X	
SILVERADO 3500					
2007	CLASSIC LS, LT & WT w/6.0L Gas Eng. 133" & 137" WB 157.5" WB, w/AT w/6.6L Diesel Eng. 157.5" WB 161.5" WB 133" WB w/8.1L Gas Eng. 157.5" WB 161.5" WB 133" WB LT, LTZ & WT 133" & 157.5" WB AAM 1485 Series	L	2,3	5-3147X	5-795X
		L	4,5	5-160X	5-1410X
		L	4	5-160X	5-1410X
		L	4,5	5-160X	5-1410X
		L	4,5	5-160X	5-1410X
		L	4,5	5-188X	SPL55-2X
		L	4,5	5-160X	5-1410X
		L	4,5	5-160X	5-1410X
		L	4,5	5-188X	SPL55-2X
		L	4,5	5-3206X	
	CLASSIC LS, LT & WT w/6.0L Gas Eng. 157.5" WB, w/MT 161.5" & 167" WB w/6.6L Diesel Eng. 161.5" WB 167" WB 185.5" WB w/8.1L Gas Eng. 161.5" WB 167" WB 185.5" WB	N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-188X	SPL55-2X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-188X	SPL55-2X
		N	4,5,6	5-188X	SPL55-2X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-188X	SPL55-2X
		N	4,5,6	5-3206X	
		N	5,6	5-3206X	
LTZ	w/6.0L Gas & 6.6L Diesel Eng. 133" & 157.5" & 167" WB AAM 1485 Series	N	5,6	5-3206X	
		N	5,6	5-3206X	



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.	
CHEVROLET						
SILVERADO 3500						
2008-2010	AAM 1485 Series	L	2,3	5-3147X	5-795X	
		L	4,5	5-3206X		
	AAM 1485 Series	N	2,3	5-3147X	5-795X	
		N	4,5,6	5-3206X		
SUBURBAN 1500						
2007	LS, LT, Z71 & LTZ	L	2,3,4,5	5-3147X	5-795X	
2008	LS, LT & LTZ	L	2,3,4,5	5-3147X	5-795X	
2009-2011	LS, LT & LTZ	L	2,3	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
SUBURBAN 2500						
2007	LS, LT & LTZ	L	2,3	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
2008-2011	LS & LT	L	2,3	5-3147X	5-795X	
		L	4,5	5-160X	5-1410X	
TAHOE						
2008-2011		L	2,3	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
TRAILBLAZER						
2007	w/4.2L & 5.3L Gas Eng. w/6.0L Gas Eng.	L	2	5-350X		
		L	4,5	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
2008	w/4.2L & 5.3L Gas Eng. w/6.0L Gas Eng.	L	2	5-350X		
		L	4,5	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
2009	w/4.2L Gas Eng. w/6.0L Gas Eng.	L	2	5-350X		
		L	4,5	5-3147X	5-795X	
		L	4,5	5-178X	5-1350X	
CHRYSLER						
ASPEN LIMITED						
2007-2009		L	4,5	5-3147X	5-795X	
DODGE						
DAKOTA						
2007-2009		L	2	5-153X	5-1310X	
		L	4,5	5-213X	5-1330X	
2010-2011	BIG HORN, LARAMIE, ST & TRX4	L	2	5-153X	5-1310X	
		L	4,5	5-213X	5-1330X	


4WD



Important: See Safety Information in General Information Section (J300P-GI)


Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
DURANGO					
2007-2009		L	5,6	5-3147X	5-795X
RAM 1500					
2011		AU	1	5-213X	5-1330X
		AU	2,3,4	5-213X	5-1330X
		L	2	5-213X	5-1330X
		L	4,5	5-178X	5-1350X
RAM 2500					
2007-2008	5.7L Gas Eng. AAM 1355 Series AAM 1415 Series 6.7L Diesel Eng. AAM 1355 Series w/AT w/MT AAM 1485 Series 6.7L Diesel Eng. AAM 1355 Series w/AT AAM 1415 Series w/MT AAM 1485 Series	AY	2	5-3147X	5-795X
		AY	3,4	5-3208X	
		AY	5,6,7	5-3207X	
		AY	1		5006813
		AY	2	5-3147X	5-795X
		AY	3,4	5-3208X	
		AY	5,6,7	5-160X	SPL36-1X
		AY	5,6,7	5-3206X	
		BA	1		5006813
		BA	2	5-3147X	5-795X
		BA	3,4	5-3208X	
		BA	5,6	5-3207X	
		BA	5,6	5-3206X	
2009	5.7L Gas Eng. AAM 1355 Series Except Power Wagon w/AT w/MT AAM 1485 Series Power Wagon 6.7L Diesel Eng. AAM 1355 Series w/AT w/MT AAM 1485 Series 5.7L Gas Eng. AAM 1355 Series Except Power Wagon w/AT AAM 1415 Series w/MT AAM 1485 Series Power Wagon AAM 1415 Series	AY	1		5006813
		AY	2	5-3147X	5-795X
		AY	3,4	5-3208X	
		AY	5,6,7	5-160X	SPL36-1X
		AY	5,6,7	5-3206X	
		AY	5,6,7	5-160X	SPL36-1X
		AY	1		5006813
		AY	2	5-3147X	5-795X
		AY	3,4	5-3208X	
		AY	5,6,7	5-160X	SPL36-1X
		AY	5,6,7	5-3206X	
		BA	1		5006813
		BA	2	5-3147X	5-795X
		BA	3,4	5-3208X	
		BA	5,6	5-3207X	
		BA	5,6	5-3206X	
		BA	5,6	5-3207X	

4WD





Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 2500					
2009	6.7L Diesel Eng. AAM 1355 Series w/AT AAM 1415 Series w/MT AAM 1485 Series	BA	1		5006813
		BA	2	5-3147X	5-795X
		BA	3,4	5-3208X	
		BA	5,6	5-3207X	
		BA	5,6	5-3206X	
2010	5.7L Gas Eng. AAM 1355 Series Except Power Wagon w/AT w/MT Power Wagon 6.7L Diesel Eng. AAM 1355 Series w/AT w/Spicer driveshaft w/MT w/AAM driveshaft, AAM 1485 Series 5.7L Gas Eng. AAM 1355 Series Except Power Wagon w/AT, w/AAM driveshaft, AAM 1415 Series w/MT, w/Spicer driveshaft Power Wagon w/AAM driveshaft, AAM 1415 Series 6.7L Diesel Eng. AAM 1355 Series w/AT w/AAM driveshaft, AAM 1415 Series w/MT w/Spicer driveshaft	AY	2	5-3147X	5-795X
		AY	3,4	5-3208X	
		AY	5,6,7	5-160X	SPL36-1X
		AY	5,6,7	5-188X	SPL55X
		AY	5,6,7	5-160X	SPL36-1X
		AY	2	5-3147X	5-795X
		AY	3,4	5-3208X	
		AY	5,6,7	5-160X	SPL36-1X
		AY	5,6,7	5-3206X	
		BA	2	5-3147X	5-795X
		BA	3,4	5-3208X	
		BA	5,6	5-3207X	
		BA	5,6	5-188X	SPL55X
		BA	5,6	5-3207X	
		BA	1		5006813
		BA	2	5-3147X	5-795X
		BA	3,4	5-3208X	
		BA	5,6	5-3207X	
		BA	5,6	5-188X	SPL55

4WD



Important: See Safety Information in General Information Section (J300P-GI)




Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 3500 PICK-UP					
2007	LARAMIE, SLT, SPORT & ST	AY	1		5006813
	Crew Cab w/AAM driveshaft AAM 1485 Series	AY	2,3,4	5-178X	5-1350X
	Extended Cab, Std Cab w/Spicer driveshaft	AY	5,6,7	5-3206X	
	5.7L Diesel Eng.	AY	5,6,7	5-160X	SPL36-1X
		BA	1		5006813
		BA	5,6	5-160X	SPL36-1X
		BA	2,3,4	5-178X	5-1350X
	Crew Cab w/AAM driveshaft AAM 1415 Series	BA	5,6	5-3207X	
	Exc.Crew Cab w/Spicer driveshaft	BA	5,6	5-160X	SPL36-1X
	6.7L Diesel Eng.	BA	1		5006813
		BA	5,6	5-160X	SPL36-1X
		BA	2,3,4	5-178X	5-1350X
	Crew Cab w/AAM driveshaft AAM 1415 Series	BA	5,6	5-3207X	
	Exc.Crew Cab w/Spicer driveshaft, w/AT	BA	5,6	5-188X	SPL55X
	w/AAM driveshaft, w/MT				
	AAM 1485 Series	BA	5,6	5-3206X	
TRX4		AY	1		5006813
	Crew Cab w/AAM driveshaft AAM 1485 Series	AY	2,3,4	5-178X	5-1350X
	Extended Cab, Std Cab w/Spicer driveshaft	AY	5,6,7	5-3206X	
	L6 Diesel Eng.	AY	5,6,7	5-160X	SPL36-1X
		BA	1		5006813
		BA	5,6	5-160X	SPL36-1X
		BA	2,3,4	5-178X	5-1350X
	Crew Cab w/AAM driveshaft AAM 1415 Series	BA	5,6	5-3207X	
	Exc.Crew Cab w/Spicer driveshaft, w/AT	BA	5,6	5-188X	SPL55X
	w/AAM driveshaft, w/MT				
	AAM 1485 Series	BA	5,6	5-3206X	



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 3500 PICK-UP					
2008	LARAMIE, SLT, SPORT & ST Crew Cab w/AAM driveshaft, AAM 1485 Series Extended Crew Cab, Std Cab w/Spicer driveshaft Cab & Chassis Exc. Cab & Chassis 5.7L Gas Eng. Crew Cab w/AAM driveshaft, AAM 1415 Series Exc.Crew Cab 6.7L Diesel Eng. Crew Cab w/AAM driveshaft, AAM 1415 Series Exc.Crew Cab w/AT w/MT w/AAM driveshaft AAM 1485 Series	AY AY AY AY BA BA BA BA BA BA BA BA BA BA BA BA BA BA BA	1 2,3,4 5,6,7 5,6 1 4 5,6 2,3,4 2,3 5 6 5 6 5 6 5 6 5 6		5006813 5-1350X 5-3206X 5-160X 5006813 5-1350X SPL36-1X 5006813 5-1350X SPL36-1X 5-1350X 5-1350X 5-178X 5-160X SPL36-1X 5-3207X 5-160X SPL55X 5-3206X
2009	LARAMIE, SLT, SPORT & ST Crew Cab w/AAM driveshaft, AAM 1485 Series Extended Crew Cab, Std Cab w/Spicer driveshaft 5.7L Gas Eng. Crew Cab w/AAM driveshaft, AAM 1415 Series Exc.Crew Cab 6.7L Diesel Eng. Crew Cab w/AAM driveshaft, AAM 1415 Series Exc.Crew Cab w/AT w/MT w/AAM driveshaft AAM 1485 Series	AY AY AY AY BA BA BA BA BA BA BA BA BA BA BA BA BA BA S	1 2,3,4 5,6,7 5,6,7 1 2,3,4 5,6 5 6 5 6 5 6 5 6 5 6 1,2,3		5006813 5-1350X 5-3206X 5-160X 5006813 5-1350X SPL36-1X 5006813 5-1350X SPL36-1X 5-3207X 5-160X SPL36-1X 5-3207X 5-160X SPL55X 5-3206X 5-160X SPL36-1X
	LARAMIE Extended Crew Cab				

4WD



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 3500 PICK-UP					
2010	LARAMIE, SLT, SPORT & ST Crew Cab w/AAM driveshaft, AAM 1485 Series Extended Crew Cab, Std Cab	AY	2,3,4	5-178X	5-1350X
		AY	5,6,7	5-3206X	
		AY	5,6,7	5-160X	SPL36-1X
		BA	2,3,4	5-178X	5-1350X
		BA	5,6	5-160X	SPL36-1X
		BA	5	5-3207X	
		BA	6	5-188X	SPL55X
		BA	6	5-3206X	
	LARAMIE Extended Crew Cab	S	1,2	5-160X	SPL36-1X

4WD

FORD**ESCAPE**

2010-2011	2-Joint shaft	AT	1,2	5-153X	5-1310X	
-----------	---------------	----	-----	--------	---------	--

EXPEDITION



2007-2011		L	2,3	5-178X	5-1350X	
-----------	--	---	-----	--------	---------	--

EXPLORER

2007-2008	SPORT TRAC LIMITED & SPORT TRAC XLT EDDIE BAUER, LIMITED, XLT	AU	1	5-153X	5-1310X	
		L	2	5-153X	5-1310X	
		L	4,5	5-178X	5-1350X	
2009-2010		L	2	5-153X	5-1310X	
		L	4,5	5-178X	5-1350X	

F150


2007	w/Staked U-Joints w/Outside snap rings w/Staked U-Joints w/Staked U-Joints	L	2,3	5-3203X		
		L	4,5	5-178X	5-1350X	
		L	4,5	5-3203X		
		N	2,3	5-3203X		
		N	4,5,6	5-178X	5-1350X	
2008		N	2,3,4,5,6	5-178X	5-1350X	
2009-2011		L	2,3,4,5	5-178X	5-1350X	
		N	2,3,4,5,6	5-178X	5-1350X	



Important: See Safety Information in General Information Section (J300P-GI)




Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250					
2007-2008		AE	1		SPL55-4X
		AE	2	5-178X	5-1350X
		AE	5,6,7	5-160X	5-1410X
		BA	1		SPL55-4X
		BA	2	5-178X	5-1350X
		BA	5,6	5-160X	5-1410X
2009-2011		AE	1		SPL55-4X
		AE	2,5,6,7	5-160X	5-1410X
		BA	1		SPL55-4X
		BA	2,5,6	5-160X	5-1410X
F350 SUPER DUTY					
2007-2008		AE	1		SPL55-4X
		AE	2	5-178X	5-1350X
		AE	5,6,7	5-160X	5-1410X
		AW	1		SPL55-4X
		AW	2	5-178X	5-1350X
		AW	5,6,7	5-160X	5-1410X
		BA	1		SPL55-4X
		BA	2	5-178X	5-1350X
		BA	5,6	5-160X	5-1410X
2009	Exc. XL XL FX4, HARLEY-DAVIDSON EDITION & KING RANCH LARIAT, XL & XLT Exc. Cab & Chassis Cab & Chassis	AE	1		SPL55-4X
		AE	2	5-160X	5-1410X
		AE	2	5-178X	5-1350X
		AE	5,6,7	5-160X	5-1410X
		AE	5,6,7	5-160X	5-1410X
		AE	5,6,7	5-188X	SPL55X
		AW	1		SPL55-4X
		AW	2,5,6,7	5-160X	5-1410X
	Exc. Cab & Chassis 137" WB, Dual Rear Wheels Cab & Chassis Dual Rear Wheels	BA	1		SPL55-4X
		BA	2	5-178X	5-1350X
		BA	5,6	5-160X	5-1410X
		BA	5,6	5-188X	SPL55X

4WD




Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350 SUPER DUTY					
2010	w/5.4L Gas Eng. CABELA'S, HARLEY-DAVIDSON EDITION, KING RANCH, LARIAT & XLT XL CABELA'S, HARLEY-DAVIDSON EDITION & KING RANCH LARIAT, XL & XLT Exc. Cab & Chassis Cab & Chassis	AE	1		SPL55-4X
		AE	2	5-160X	5-1410X
		AE	2	5-178X	5-1350X
		AE	5,6,7	5-160X	5-1410X
		AE	5,6,7	5-160X	5-1410X
		AE	5,6,7	5-188X	SPL55X
	XL & XLT Exc. Cab & Chassis 137" WB Single Rear Wheels XL & XLT Exc. Cab & Chassis 141.8" WB LARIAT Exc. Cab & Chassis	AW	1		SPL55-4X
		AW	2	5-160X	5-1410X
		AW	5,6,7	5-160X	5-1410X
		AW	5,6,7	5-160X	5-1410X
		AW	5,6,7	5-160X	5-1410X
	CABELA'S XL & XLT Cab & Chassis Dual Rear Wheels XL & XLT Exc. Cab & Chassis 137" WB Dual Rear Wheels	BA	1		SPL55-4X
		BA	2	5-160X	5-1410X
		BA	5,6	5-160X	5-1410X
		BA	5,6	5-188X	SPL55X
		BA	5,6	5-160X	5-1410X
F350 SUPER DUTY					
2011	XL KING RANCH, LARIAT & XLT KING RANCH LARIAT, XL & XLT Exc. Cab & Chassis Cab & Chassis	AE	1		SPL55-4X
		AE	2	5-178X	5-1350X
		AE	2,5	5-160X	5-1410X
		AE	5,6,7	5-160X	5-1410X
		AE	5,6,7	5-160X	5-1410X
		AE	5,6,7	5-188X	SPL55X
	XL & XLT Exc. Cab & Chassis 137" WB Single Rear Wheels XL & XLT Exc. Cab & Chassis 141.8" WB LARIAT Exc. Cab & Chassis	AW	1		SPL55-4X
		AW	2	5-160X	5-1410X
		AW	5,6,7	5-178X	5-1350X
		AW	5,6,7	5-178X	5-1350X
		AW	5,6,7	5-178X	5-1350X
	XL & XLT Exc. Cab & Chassis 137" WB Dual Rear Wheels XL & XLT Cab & Chassis Dual Rear Wheels	BA	1		SPL55-4X
		BA	2	5-160X	5-1410X
		BA	5,6	5-160X	5-1410X
		BA	5,6	5-188X	SPL55X





Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F450 SUPER DUTY					
2007-2011		AC	1		SPL70-4X
		AC	2	5-178X	5-1350X
		AC	5,6,7,8	5-188X	SPL55X
		AE	1		SPL70-4X
		AE	2	5-178X	5-1350X
		AE	5,6,7	5-188X	SPL55X
		BA	1		SPL70-4X
		BA	2	5-178X	5-1350X
		BA	5,6	5-188X	SPL55X
F550 SUPER DUTY					
2007-2011		AC	1		SPL70-4X
		AC	2	5-178X	5-1350X
		AC	5,6,7,8	5-188X	SPL55X
		AE	1		SPL70-4X
		AE	2	5-178X	5-1350X
		AE	5,6,7	5-188X	SPL55X
		BA	1		SPL70-4X
		BA	2	5-178X	5-1350X
		BA	5,6	5-188X	SPL55X
RANGER					
2007-2011		L	2	5-153X	5-1310X
		L	4,5	5-213X	5-1330X
GMC					
CANYON					
2007-2011		L	2	5-153X	5-1310X
		L	4	5-213X	5-1330X
		L	5	5-212X	5-7436X
ENVOY					
2007-2009		L	2	5-350X	
		L	4,5	5-3147X	5-795X




Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SAVANA 1500					
2007-2011		L	2,3,4,5	5-3147X	5-795X
SIERRA 1500					
2007	all CLASSIC w/119" & 133" WB w/134" & 143.5" WB CLASSIC HYBRID, SL, SLE, SLT & WT w/119" & 133" WB CLASSIC SL, SLE, SLT & WT w/134" WB w/143.5" WB Drive Ratio 3.42 w/143.5" WB Exc. Drive Ratio 3.42 SLE, SLT & WT	L	2,3	5-3147X	5-795X
		L	4	5-178X	5-1350X
		L	4		5-3615X
		L	5	5-178X	5-1350X
		L	5	5-178X	5-1350X
		L	5	5-178X	5-1350X
		L	5		5-3615X
		L	4	5-178X	5-1350X
		L	5	5-178X	5-1350X
	all CLASSIC CLASSIC SL, SLE, SLT & WT 157.5" WB HD CLASSIC SLE	N	2,3	5-3147X	5-795X
		N	4,5,6		5-3615X
		N	4,5,6		5-3615X
2008-2011		L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-1350X
SIERRA 2500					
2007	HD CLASSIC SL, SLE, SLT & WT w/6.0L Gas Eng. 133" & 143.5" WB 153" & 157.5" WB w/AT HD CLASSIC SL, SLE, SLT & WT w/6.6L Diesel Eng. 153" & 157.5" WB 133" & 143.5" WB HD CLASSIC SL, SLE, SLT & WT w/8.1L Gas Eng. 153" & 157.5" WB 133" & 143.5" WB HD SLE, SLT & WT w/6.0L Gas Eng. w/6.6L Diesel Eng. AAM 1485 Series	L	2,3	5-3147X	5-795X
		L	4,5	5-160X	5-1410X
		L	4,5	5-160X	5-1410X
		L	4,5	5-160X	5-1410X
		L	4,5	5-188X	SPL55-2X
		L	4,5	5-160X	5-1410X
		L	4,5	5-188X	SPL55-2X
		L	4,5	5-160X	5-1410X
		L	4,5	5-3206X	
		N	2,3	5-3147X	5-795X
		N	4	5-160X	5-1410X
		N	5,6	5-160X	5-1410X
		N	5,6	5-160X	5-1410X
		N	5,6	5-160X	5-1410X
		N	5,6	5-160X	5-1410X
		N	5,6	5-3206X	
	HD CLASSIC SL, SLE, SLT & WT w/6.0L Gas Eng. 153" & 157.5" WB w/MT 167" WB HD CLASSIC SL, SLE, SLT & WT w/6.6L Diesel Eng. 167" WB HD CLASSIC SL, SLE, SLT & WT w/8.1L Gas Eng. 167" WB HD SLE, SLT & WT w/6.0L Gas Eng. HD SLE, SLT & WT w/6.6L Diesel Eng. AAM 1485 Series	N	5,6	5-160X	5-1410X



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SIERRA 2500					
2008-2009	w/6.0L Gas Eng. w/6.6L Diesel Eng. AAM 1485 Series	L	2,3	5-3147X	5-795X
		L	4,5	5-160X	5-1410X
		L	4,5	5-3206X	
		N	2,3	5-3147X	5-795X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-3206X	
2010	w/6.0L Gas & FF Eng. w/6.6L Diesel Eng. AAM 1485 Series	L	2,3	5-3147X	5-795X
		L	4,5	5-160X	5-1410X
		L	4,5	5-3206X	
		N	2,3	5-3147X	5-795X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-3206X	
2011	w/6.0L FF Eng. w/6.6L Diesel Eng. 133.6" & 158.1" WB AAM 1485 Series	L	2,3	5-3147X	5-795X
		L	4,5	5-160X	5-1410X
		L	4,5	5-3206X	
		N	2,3	5-3147X	5-795X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-3206X	
	w/6.0L FF Eng. w/6.6L Diesel Eng. Exc. 133.6" & 158.1" WB AAM 1485 Series HD SLE, SLT & WT w/6.6L Diesel Eng. Exc. 133.6" & 158.1" WB AAM 1485 Series HD DENALI w/6.6L Diesel Eng. AAM 1485 Series	N	4,5,6	5-3206X	
		N	4,5,6	5-3206X	
		N	4,5,6	5-3206X	
		N	4,5,6	5-3206X	
		N	4,5,6	5-3206X	
		N	4,5,6	5-3206X	
SIERRA 3500					
2007	CLASSIC SL, SLE, SLT & WT w/6.0L Gas Eng. 133" & 137" WB 157.5" WB w/AT w/6.6L Diesel & 8.1L Gas Eng. 157.5" & 161.5" WB 133" WB HD SLE, SLT & WT w/6.0L Gas & 6.6L Diesel Eng. 133" & 157.5" WB AAM 1485 Series	L	2,3	5-3147X	5-795X
		L	4,5	5-160X	5-1410X
		L	4,5	5-160X	5-1410X
		L	4,5	5-160X	5-1410X
		L	4,5	5-188X	SPL55-2X
		L	4,5	5-3206X	
		N	2,3	5-3147X	5-795X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-160X	5-1410X
		N	4,5,6	5-188X	SPL55-2X
		N	4,5,6	5-3206X	

4WD




Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SIERRA 3500					
2008-2011	AAM 1485 Series	L	2,3	5-3147X	5-795X
		L	4,5	5-3206X	
	AAM 1485 Series	N	2,3	5-3147X	5-795X
		N	4,5,6	5-3206X	
SIERRA DENALI					
2007-2008	w/6.2L Gas Eng.	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-1350X
2009-2010	w/6.2L FF Eng.	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-1350X
YUKON					
2007	DENALI & 1500 DENALI w/6.2L Gas Eng. XL 1500 & XL 2500 w/6.0L Gas Eng.	L	2,3	5-3147X	5-795X
		L	4,5	5-3147X	5-795X
		L	4,5	5-178X	5-1350X
	XL 1500 w/5.3L FF Eng.	L	4,5	5-3147X	5-795X
2008	DENALI & 1500 DENALI w/6.2L Gas Eng. HYBRID w/6.0L Elec./Gas Eng. XL 1500 w/5.3L FF Eng. XL 1500 w/6.0L Gas Eng. XL 2500 w/6.0L Gas Eng.	L	2,3	5-3147X	5-795X
		L	4,5	5-3147X	5-795X
		L	4,5	5-178X	5-1350X
		L	4,5	5-3147X	5-795X
		L	4,5	5-178X	5-1350X
	XL 2500 w/6.0L Gas Eng.	L	4,5	5-160X	5-1410X
2009	DENALI & 1500 DENALI w/6.2L FF Eng. HYBRID w/6.0L Elec./Gas Eng. XL 1500 w/5.3L FF & 6.0L Gas Eng. XL 2500 w/6.0L Gas Eng.	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-1350X
		L	4,5	5-178X	5-1350X
		L	4,5	5-178X	5-1350X
	XL 2500 w/6.0L Gas Eng.	L	4,5	5-160X	5-1410X
2010-2011	DENALI & 1500 DENALI w/6.2L FF Eng. HYBRID w/6.0L Elec./FF Eng. SLE, SLT & XL 1500 w/5.3L FF Eng. XL 1500 w/6.2L FF Eng. XL 2500 w/6.0L FF Eng.	L	4,5	5-178X	5-1350X
		L	4,5	5-178X	5-1350X
		L	4,5	5-178X	5-1350X
		L	4	5-178X	5-1350X
		L	4,5	5-160X	5-1410X


ISUZU**ASCENDER**

2007-2008		L	2	5-350X	
		L	4,5	5-3147X	5-795X



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.	
ISUZU						
I-370						
2007-2008		L	2	5-153X	5-153X	
		L	4	5-213X	5-1330X	
		L	5	5-212X	5-793X	
JEEP						
LIBERTY						
2007	w/AT w/MT	L	2,3	5-153X	5-1310X	
		L	2	5-213X	5-1330X	
		L	3	5-153X	5-1310X	
WRANGLER						
2007-2009	RUBICON & UNLIMITED RUBICON SAHARA & UNLIMITED SAHARA X & UNLIMITED X	BC	1		5004891	
		BC	1	5-760X		
		BC	1	5-760X		
2010	ISLANDER RUBICON & UNLIMITED RUBICON	BC	1	5-760X		
		BC	1		5004891	
2011	RUBICON & UNLIMITED RUBICON SAHARA & UNLIMITED SAHARA SPORT & UNLIMITED SPORT	BC	1		5004891	
		BC	1	5-760X		
		BC	1	5-760X		
LEXUS						
2007-2011	GX470 & LX470	L	2,3,4,5	5-1510X		
LINCOLN						
MARK LT						
2007	w/Snap Ring Retainers w/Staked U-Joints	L	2,3	5-213X	5-1330X	
		L	4,5	5-178X	5-1350X	
		L	4,5	5-3203X		
		N	2,3	5-213X	5-1330X	
		N	4,5,6	5-178X	5-1350X	
2008		L	2,3,4,5	5-178X	5-1350X	
		N	2,3,4,5,6	5-178X	5-1350X	
NAVIGATOR						
2007-2011		L	2,3	5-178X	5-1350X	
MAZDA						
B3000						
2007		L	2	5-153X	5-1310X	
		L	4.5	5-213X	5-1330X	



4WD



Important: See Safety Information in General Information Section (J300P-GI)


4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MAZDA					
B4000					
2007-2009		L	2	5-153X	5-1310X
		L	4.5	5-213X	5-1330X
MERCURY					
MOUNTAINEER					
2007-2010		L	2	5-153X	5-1310X
		L	4.5	5-213X	5-1330X
MITSUBISHI					
RAIDER					
2004-2009		L	2	5-153X	5-1310X
		L	4.5	5-213X	5-1330X
NISSAN					
ARMADA					
2007-2010		P	2	5-153X	5-1310X
		P	5		5-3616X
FRONTIER PICK-UP					
2007-2010		P	2,3,4	5-153X	5-1310X
		P	5,6	5-213X	5-1330X
PATHFINDER					
2007-2010		P	2	5-153X	5-1310X
		P	5	5-213X	5-1330X
TITAN PICK-UP					
2007	w/5.6L FF Eng. w/5.6L Gas Eng.	P	2	5-153X	5-1310X
		P	5		5-3616X
2008	To 04/08	P	2	5-153X	5-1310X
		P	5		5-3616X
XTERRA					
2007-2010	w/4.0L Gas Eng.	P	2	5-153X	5-1310X
	w/4.0L Gas Eng.	P	5	5-213X	5-1330X
SAAB					
9-7X					
2007	4.2i, 5.3i	L	2,4,5	5-3147X	5-795X
2008-2009	AERO, 4.2i, 5.3i AERO, 4.2i, 5.3i	L	2,4	5-350X	
		L	5	5-178X	5-1350X



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.	
SUZUKI						
EQUATOR						
2009-2010	RMZ-4 & SPORT	P	2,5,6	5-153X	5-1310X	
		P	3,4	5-213X	5-1330X	
TOYOTA						
4-RUNNER						
2007-2011		L	2,3,4,5	5-1510X		
LAND CRUISER						
2007	w/4.7L Gas Eng.	L	2,3,4,5	5-1510X		
2008-2011	w/5.7L Gas Eng.	L	2,3,4,5	5-1510X		
SEQUOIA						
2007		L	4,5	5-1511X		
2008-2011		L	2,3	5-213X	5-1330X	
		L	4,5		5009484	
TACOMA						
2007-2010		AU	2,3,4		5-812X	
		L	2,3		5-812X	
2011		AU	3,4,5		5-812X	
		L	2,3		5-812X	
TUNDRA						
2007-2008		L	2,5		5009484	
		L	3,4	5-213X	5-1330X	
		N	2,5,6		5009484	
		N	3,4	5-213X	5-1330X	
2009	w/5.7L Gas & FF Eng. w/4.7L Gas Eng.	L	2,4		5009484	
		L	2,4	5-213X	5-1330X	
		L	3	5-213X	5-1330X	
		L	5		5009484	
	w/5.7L Gas & FF Eng. w/4.7L Gas Eng.	N	2,4		5009484	
		N	2,4	5-213X	5-1330X	
		N	3	5-213X	5-1330X	
	w/5.7L FF Eng.	N	5,6		5009484	


4WD



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
TOYOTA					
TUNDRA					
2010-2011	w/4.0L & 4.6L Gas Eng.	L	4		5009484
		L	2	5-213X	5-1330X
	w/5.7L Gas & FF Eng.	L	2,5		5009484
		L	3,4	5-213X	5-1330X
	w/4.0L & 4.6L Gas Eng.	N	2	5-213X	5-1330X
		N	4		5009484
		N	2,5,6		5009484
		N	3,4	5-213X	5-1330X

4WD



SPICER® DRIVESHAFT LUBRICATION INTERVALS*

SERIES	CITY	ON-HWY.	LINEHAUL	ON/OFF-HWY.
Spicer® 10-Series™ (1480 thru 1810 & SPL-90)	5,000/8,000 mi (8,000/12,800 km) Slip members also require lubrication.	10,000/15,000 mi (16,000/24,000 km) or 3 Months (whichever comes first)	10,000/15,000 mi (16,000/24,000 km) or 3 Months (whichever comes first)	5,000/8,000 mi (8,000/12,000 km) or 3 Months (whichever comes first)
Spicer Life Series® - Medium Duty (SPL-55, 70 & 100) Slip members are booted and permanently lubricated.	25,000 mi 40,000 km or 6 Months (whichever comes first)	25,000 mi 40,000 km or 6 Months (whichever comes first)	25,000 mi 40,000 km or 6 Months (whichever comes first)	25,000 mi 40,000 km or 6 Months (whichever comes first)
Spicer Life Series - Heavy Duty (SPL-140) Standard Spicer Life Series® u-joint. Slip members are booted and permanently lubricated.	25,000 mi 40,000 km or 6 Months (whichever comes first)	100,000 mi 160,000 km or 6 Months (whichever comes first)	100,000 mi 160,000 km or 6 Months (whichever comes first)	25,000 mi 40,000 km or 6 Months (whichever comes first)

SPICER LIFE XL® - FIRST LUBRICATION CYCLE*

Spicer Life XL® - Heavy Duty (SPL-170XL, & 250XL) Extended Lubrication u-joints. After initial miles (kilometers) or time is reached, the joints must be relubricated. Slip members are booted and permanently lubricated.	100,000 mi 160,000 km or 1 Year (whichever comes first)	350,000 mi 560,000 km or 3 Years (whichever comes first)	350,000 mi 560,000 km or 3 Years (whichever comes first)	100,000 mi 160,000 km or 1 Year (whichever comes first)
---	--	---	---	--

MSC

SPICER LIFE XL® - RELUBRICATION CYCLE*

Spicer Life XL - Heavy Duty (SPL-170XL & 250XL) Extended lubrication u-joints. Once greased, this relubrication interval must be followed. Slip members are booted and permanently lubricated.	25,000 mi 40,000 km or 6 months (whichever comes first)	100,000 mi 160,000 km or 6 months (whichever comes first)	100,000 mi 160,000 km or 6 months (whichever comes first)	25,000 mi 40,000 km or 6 months (whichever comes first)
---	--	--	--	--

*We require relubrication with Chevron Ultra-Duty EP-2 or a compatible lithium based grease meeting N.L.G.I. Grade 2 specifications as well as ASTM D4950 "LB" specifications.



NOTE: We recommend that all driveshafts be inspected for wear and damage every time the vehicle is serviced. This includes any scheduled and/or unscheduled maintenance that occurs within the driveshaft lube intervals.

City is defined as all applications that require a minimum of 90% of operation time within the city limits.

On-Highway is defined as all applications requiring less than 10% of operating time on gravel dirt or unpaved roads.

Linehaul is defined as 100% of operation time on smooth concrete or asphalt.

On/Off-Highway is defined as all applications operating primarily on paved roads, but requiring more than 10% of operating time on gravel, dirt or unpaved roads.

We recommend genuine Spicer®



Common U-Joint Kits By Series

K350

MSC

Driveline Series	Spicer® Service Kit (Greaseable unless noted)	Spicer Life™ OE Kit (Greaseable)	Spicer Life™ OE Kit (Greaseable) Replaced By #	Spicer Life™ OE Kit (Non-Greaseable)	Spicer Life™ OE Kit (Non-Greaseable) Replaced By #
1210	5-443X	—	—	—	—
1310/SPL22	5-153X	5-810X*/SPL22-7X	5-1310-1X*	5-785X / SPL22-1X	5-1310X
1310/SPL22 aluminum	—	—	—	5-786X / SPL22-2X	5-3613X
1310/SPL22 x 7260	—	—	—	5-788X / SPL22-4X	—
1310 (Wheel Joint)	5-297-1X*	—	—	5-760X	—
1330/SPL25	5-213X	5-812X*/SPL25-10X	5-1330-1X*	5-790X / SPL25-1X	5-1330X
1330/SPL25 aluminum	—	—	—	5-791X / SPL25-2X	5-3614X
1350/SPL30	5-178X	5-1350-1X	—	5-799X / SPL30-1X	5-1350X
1350/SPL30 aluminum	—	—	—	5-791X / SPL30-2X	5-3615X
1355 AAM	5-3208X◆	—	—	—	—
1410/SPL36	5-160X	—	5-1410-1X*	5-801X / SPL36-1X	5-1410X
1410/SPL36 aluminum	—	—	—	5-802X / SPL36-2X	5-3616X
1415 AAM	5-3207X◆	—	—	—	—
1480/SPL55	5-188X	SPL55-1X	—	5-803X / SPL55X	—
1480/SPL55 (Wheel Joint)	—	SPL55-4X	—	5-806X / SPL55-3X	—
1485 AAM	5-3206X◆	—	—	—	—
1485 AAM (Wheel Joint)	—	—	—	5006813	—
1550/SPL70	5-155X	SPL70-1X	—	5-808X / SPL70X	—
1550/SPL70 (Wheel Joint)	—	SPL70-4X	—	SPL70-3X	—
7260	5-1306X	—	—	5-789X / SPL22-8X	—
7290	5-1309X	—	—	5-811X / SPL25-9X	—
1310SPEC/SPL22 SPEC	5-1201X	—	—	5-787X / SPL22-3X	5-7439X
1330SPEC/SPL25 SPEC	5-1204X	—	—	5-792X / SPL25-3X	5-7438X
1330/SPL25 x S44	5-212X	—	—	5-793X / SPL25-4X	5-7436X
S44	5-3147X	—	—	5-795X / SPL25-6X	—
1350 x S44	5-3205X	—	—	—	—
1330/SPL25 x 7290	—	—	—	5-796X / SPL25-7X	5-7437X
SPL90	—	SPL90X	SPL100-1X	—	—
SPL100	—	SPL100-1X	—	—	—
1610 (Full Round)	5-279X■	—	—	—	—
1610 (Half Round)	5-674X■	—	—	—	—
1650 (Full Round)	5-165X■	—	—	—	—
1710 (Full Round)	5-280X■	—	—	—	—
1710 (Half Round)	5-675X■	—	—	—	—
SPL140	—	SPL140X	—	—	—
1760 (Full Round)	5-407X■	—	—	—	—
1760 (Half Round)	5-677X■	—	—	—	—
SPL170	—	SPL170X	SPL170-4X	—	—
SPL170	—	SPL170X	SPL170-3X	—	—
1800 (Full Round)	5-124X■	—	—	—	—
1810 (Full Round)	5-281X■	—	—	—	—
1810 (Half Round)	5-676X■	—	—	—	—
SPL250X	—	SPL250X	SPL250-3X	—	—
1880 (Full Round)	5-308X■	—	—	—	—

■ OE Kit


*Zerk in cap

◆ Non-Greasable

MSC


Conversion Kit Number	Series Joined	Converts Yokes Using Kit Number	Greasable (Y/N)	Page Number
5-134X	Spicer 1310 to Spicer 1330	5-153X & 5-213X	Y	277
5-186X	Spicer 1850 to Mechanics 9C/92N/88WB	5-185X & 5-9001X	Y	285
5-187X	Spicer 1850 to Mechanics 9C/92N/88WB	5-185X & 5-9000X	Y	285
5-212X	Spicer 1330 to Saginaw S44	5-1203X & 5-3147X	Y	283
5-220X	Spicer 1550 to Mechanics 6C/62N	5-155X & 5-6000X	Y	285
5-221X	Spicer 1550 to Mechanics 6C/62N	5-155X & 5-6006X	Y	285
5-248X	Spicer 1110 to Spicer 1210	5-111X & 5-443X	Y	283
5-291X	Spicer 1310 to Mechanics 2C	5-153X & 5-2002X	Y	285
5-324X	Spicer 1810 to Mechanics 9C/92N	5-281X & 5-9001X	Y	291
5-326X	Spicer 1880 to Mechanics 9C/92N	5-308X & 5-9001X	Y	291
5-327X	Spicer 1880 to Mechanics 9C/92N	5-308X & 5-9000X	Y	291
5-328X	Spicer 1550 to Rockwell 58WB	5-155X & 5800X	Y	285
5-329X	Spicer 1550 to Rockwell 58WB	5-155X & 58WB(HWT)	Y	285
5-330X	Spicer 1650 to Mechanics 7C/72N	5-165X & 5-7105X	Y	285
5-331X	Spicer 1650 to Mechanics 7C/72N	5-165X & 7C/72N(HWT)	Y	285
5-345X	Spicer 1410 to Mechanics 4C	5-160X & 5-4143X	Y	285
5-346X	Spicer 1410 to Mechanics 4C	5-160X & 5-4002X	Y	285
5-347X	Spicer 1480 to Mechanics 5C	5-188X & 5-5177X	Y	285
5-348X	Spicer 1480 to Mechanics 5C	5-188X & 5-5000X	Y	285
5-353X	Spicer 1310 to Detroit 7260	5-153X & 5-1306X	Y	283
5-354X	Spicer 1310 to Detroit 7290	5-153X & 5-1309X	Y	284
5-356X	Spicer 1310 to Mechanics 3C	5-153X & 5-3000X	Y	285
5-357X	Spicer 1410 to Chrysler 5380	5-160X & 5-1301X	Y	284
5-430X	Spicer 1000 to Rockwell L6N	5-170X & 5-92X	Y	281
5-460X	Spicer 1310 to Spicer 1350	5-153X & 5-178X	Y	277
5-527X	Detroit 7260 to Detroit 7290	5-1306X & 5-1309X	Y	281
5-541X	Spicer 1330 to Saginaw S44	5-1203X & 5-3147X	Y	283
5-599X	Spicer 1330 to Detroit 7260	5-213X & 5-1306X	Y	283
5-648X	Spicer 1330 to Spicer 1350	5-213X & 5-178X	Y	278
5-793X	Spicer 1330 to Saginaw S44	5-1203X & 5-3147X	Y	284
5-796X	Spicer 1330 to Detroit 7290	5-1203X & 5-1309X	N	284
5-1312X	Spicer 1330SPEC to Saginaw S44	5-1204X & 5-3147X	Y	284
5-1313X	Spicer 1350 to 1330SPEC	5-178X & 5-1204X	Y	284
5-3205X	Spicer 1350 to Saginaw S44	5-178X & 5-3147X	Y	284
5-3022X	Spicer 1310 to Saginaw S44	5-153X & 5-3147X	Y	283
5-3163X	Chrysler/Detroit 7290 to Saginaw S44	5-1309X & 5-3147X	N	282
5C-3X	Spicer 1480 to Mechanics 5C	5-188X & 5-5177X	Y	285
5C-5X	Spicer 1480 to Mechanics 5C	5-188X & 5-5000X	Y	285
6C-3X	Spicer 1550 to Mechanics 6C/62N	5-155X & 5-6006X	Y	285
6C-5X	Spicer 1550 to Mechanics 6C/62N	5-155X & 5-6000X	Y	285

U-Bolt



Series	Spicer® Kit Number	Spicer® U-Bolt Assy	Recommended Bolt Torque
1280	5-200X	2-94-28X	14-17 Lb. Ft.
1310/SPL22	5-153X	2-94-28X	14-17 Lb. Ft.
1330/SPL25	5-213X	2-94-28X	14-17 Lb. Ft.
1350/SPL30	5-178X	3-94-18X	20-24 Lb. Ft.
1410/SPL36	5-160X	3-94-18X	20-24 Lb. Ft.
1480/SPL55	5-188X	3-94-28X	32-37 Lb. Ft.
1550/SPL70	5-155X	3-94-28X	32-37 Lb. Ft.


Bearing Strap



Warning: Bearing strap retaining bolts should **NOT** be reused

Series	Spicer® Kit Number	Spicer® Strap Kit Assy	Recommended Bolt Torque
SPL90	SPL90X	90-70-28X	45-60 Lb. Ft.
1210	5-443X	2-70-18X	13-18 Lb. Ft.
1280	5-200X	2-70-18X	13-18 Lb. Ft.
1310/SPL22	5-153X	2-70-18X	13-18 Lb. Ft.
1330/SPL25	5-213X	2-70-18X	13-18 Lb. Ft.
3R/S44	5-3147X	2-70-48X	30-35 Lb. Ft.
1350/SPL30	5-178X	3-70-28X	30-35 Lb. Ft.
1350SPEC ♦		2-70-48X	25-30 Lb. Ft.
1410/SPL36	5-160X	3-70-28X	30-35 Lb. Ft.
1480/SPL55	5-188X	3-70-38X	55-60 Lb. Ft.
1550/SPL70	5-155X	3-70-38X	55-60 Lb. Ft.
1610	5-438X	5-70-28X	55-60 Lb. Ft.
1710	5-515X	6.5-70-18X	130-135 Lb. Ft.
1710	5-515X	212214X■	130-135 Lb. Ft.
1760	5-469X	6.5-70-18X	130-135 Lb. Ft.
1760	5-469X	212214X■	130-135 Lb. Ft.
1810	5-510X	6.5-70-18X	130-135 Lb. Ft.
1810	5-510X	212214X■	130-135 Lb. Ft.


Cap & Bolt



Series	Spicer® Kit Number	Spicer® Cap & Bolt Assy	Recommended Bolt Torque
1650	5-165X	5-70-18X	77-103 Lb. Ft.
1850	5-185X	8-70-18X	110-147 Lb. Ft.
1850	5-227X	8-70-18X	110-147 Lb. Ft.
1910◀	5-316X	N.S.S.	110-147 Lb. Ft.
1950◀	5-339X	9-70-18X	271-362 Lb. Ft.
2010◀	5-371X	N.S.S.	102-118 Lb. Ft.
2050◀	5-340X	9-70-28X	744-844 Lb. Ft.
2110◀	5-372X	N.S.S.	171-197 Lb. Ft.
2150◀	5-298X	9-70-38X	744-844 Lb. Ft.
2210◀	5-373X	N.S.S.	260-298 Lb. Ft.

- ♦ Strap kit 1350 Series "Special" for Corvette with metric bolts 3-70-48X (torque 25-30 Lb. Ft.) also fits some Dodge Viper.
- Kit has "cast" style strap
- ◀ For reference only; these driveline series are not serviced by Dana Spicer Service Parts

Bearing Plate



Warning: Self locking bolts should **NOT** be reused

Series	Spicer® Kit Number	Bolt Part Number	Lockstrap Part Number	Recommended Bolt Torque
1610	*5-279X	5-73-709	N.A.	26-35 Lb. Ft.
1710	*5-280X	6-73-209	N.A.	38-48 Lb. Ft.
1760	*5-407X	6-73-209	N.A.	38-48 Lb. Ft.
1810	*5-281X	6-73-209	N.A.	38-48 Lb. Ft.
1880	*5-308X	7-73-315	N.A.	60-70 Lb. Ft.
1610	5-654X	5-73-109	98-1741	17-24 Lb. Ft.
1710	5-656X	6-73-109	230323	32-42 Lb. Ft.
1760	5-658X	6-73-109	230323	32-42 Lb. Ft.
1810	5-660X	6-73-109	230323	32-42 Lb. Ft.
1880	5-668X	7-73-115	231009	50-66 Lb. Ft.

*these kits use self-locking bolts with lock patch.

Series	Spicer® Kit Number	Spicer® Strap Kit Assy	OLD "Yellow/Gold" Attaching Bolt Part Number	Recommended Bolt Torque	NEW "Green" Attaching Bolt Part Number	Recommended Bolt Torque
SPL140	SPL140X	140-70-18X	12-73-125M	115-135 Lb. Ft.	5007417	115-135 Lb. Ft.
SPL170	SPL170X	170-70-18X	12-73-125M	115-135 Lb. Ft.	5007417	115-135 Lb. Ft.
SPL250	SPL250X	250-70-18X	12-73-125M	115-135 Lb. Ft.	5007417	115-135 Lb. Ft.

Originally SPL140 and SPL250 Series bearing retainer and u-joint kits included bolt part number 12-73-125M, which is YELLOW/GOLD in color. The newer bolt part number, 5007417, is GREEN in color. This was a running change that began in the second quarter of 2006.


MSC

U-Joint Kit Method of Retention and Hardware Kit Part Number

K350

MSC

Spicer Part Number	Original Equipment		Bearing Diameter	Spicer Part Number			
	Mfg.	Series		U-Bolt	Strap Kit	Outside Snap Ring	Inside Snap Ring
5-101X	Spicer	1110	.938"	-	-	1-7-29	-
5-103X	Spicer	1000SG	.938"	-	-	-	10-7-29
5-105X	Spicer	1100/1110	1.000"	-	-	-	230093
5-111X	Spicer	1100	.938"	-	-	1-7-29	-
5-129X	Spicer	1240	1.126"	-	-	2-7-149	-
5-134X	Spicer	1310/1330	1.063"	2-94-28X	2-70-18X	2-7-29	-
5-153X	Spicer	1310	1.063"	2-94-28X	2-70-18X	2-7-29	-
5-155X	Spicer	1550	1.375"	3-94-28X	3-70-38X	3-7-109	-
5-160X	Spicer	1410	1.188"	3-94-18X	3-70-28X	3-7-38	-
5-170X	Spicer	1000	.938"	-	-	-	10-7-29
5-178X	Spicer	1350	1.188"	3-94-18X	3-70-28X	3-7-38	-
5-188X	Spicer	1480	1.375"	3-94-28X	3-70-38X	3-7-89	-
5-200X	Spicer	1280	1.063"	2-94-28X	2-70-18X	2-7-29	-
5-212X	Mechanics / Spicer	3RL/1330	1.063" x 1.125"	-	2-70-18X	2-7-29	2-7-299
5-213X	Spicer	1330	1.063"	2-94-28X	2-70-18X	2-7-29	-
5-260X	Spicer	1310WJ	1.063"	-	-	-	2-7-99
5-297X	Spicer	1310WJ	1.188"	-	-	-	3-7-99
5-332X	Spicer	1480WJ	1.375"	-	-	-	3-7-129
5-350X	Spicer	1310	1.063"	2-94-28X	-	-	2-7-99
5-353X	Spicer / Detroit	1310/7260	1.063" X 1.078"	-	-	2-7-29	2-7-99
5-433-1X	Spicer	1310	1.063"	2-94-28X	-	2-7-29	-
5-443X	Spicer	1210	1.063"	2-94-28X	2-70-18X	2-7-29	-
5-541X	Mechanics / Spicer	3RL/1330	1.063" X 1.125"	-	2-70-18X	2-7-29	2-7-299
5-1200X	Cleveland / Spicer	S55/1310	1.063"	2-94-28X	-	2-7-29	2-7-99
5-1201X	Cleveland	S55	1.063" X 1.125"	2-94-58X	-	2-7-29	2-7-99
5-1203X	Cleveland / Spicer	P55/1330	1.063"	2-94-28X	-	2-7-29	2-7-99
5-1204X	Cleveland / Spicer	P55/1330	1.063" X 1.125"	2-94-58X	-	2-7-29	2-7-99
5-1205X	Cleveland / Spicer	R55/1350	1.188"	3-94-18X	3-70-28X	3-7-39	3-7-99
5-1206X	Cleveland / Spicer	O55/1410	1.188"	3-94-18X	3-70-28X	3-7-39	3-7-99
5-1306X	Detroit	7260	1.078"	-	2-70-38X	-	2-7-99
5-1309X	Detroit	7290	1.125"	-	-	-	2-7-299
5-2011X	Mechanics	2R	1.000"	-	2-70-18X	-	230093
5-3011X	Mechanics	3R	1.125"	-	2-70-28X	-	2-7-299
5-3022X	Mechanics	3R	1.063" X 1.125"	-	-	2-7-29	2-7-299
5-3147X	Saginaw / Mechanics	3R	1.125"	-	2-70-48X	-	2-7-299




MSC

G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
1.732	.811	1.732	.811	SPICER ITALCARDANO	44-B			N	050576000
1.850	.732	1.850	.732	SPICER ITALCARDANO	47-B			Y	050560000
2.046	.750	2.046	.750	SPICER ITALCARDANO	U-30			Y	050910000
2.126	.866	2.126	.866	BONDIOLI PAVESI	SERIES 1			Y	5-3200X
2.165	.866	2.165	.866	WALTERSCHEID	2100				040116•
2.409	.938	2.409	.938	SPICER	1100-SG			Y	5-102X•
2.411	.938	2.411	.938	SPICER ITALCARDANO	61-B OR 1100			Y	050701000
2.411	.938	2.411	.938	SPICER	1100			N	5-101X
2.411	.938	2.411	.938	SPICER	1100			Y	5-111X
									5-111X was replaced by 5-101X
2.438	1.062	2.438	1.062	SPICER	1210			Y	5-443X
2.438	1.062	2.438	1.062	SPICER	1210			N	Lube fitting in brg. cap
2.438	1.062	2.438	1.062	SPICER	1210				5-526X
2.438	1.062	2.438	1.062	SPICER	1210			N	5-547X
2.438	1.062	2.438	1.062	SPICER	1210				5-547X was replaced by 5-443X; Has metal back seals
2.438	1.062	2.438	1.062	SPICER	1210			Y	5-554X
2.438	1.062	2.438	1.062	SPICER	1210				Lube fitting in brg. cap, Has metal back seals
2.498	.984	2.498	.984	DODGE COLT				N	5-736X•
2.679	1.125	2.679	1.125	ROCKWELL	L14N			Y	5-1503X
2.931	.882	2.931	.882	ROCKWELL	1FR-AG	1240	L14N	Y	5-129X
									Y
									5-264X
									4-round knurled caps; No brgs in brg cap
2.933	1.063	2.933	1.063	WALTERSCHEID	2300				044444•
2.937	1.063	2.937	1.063	BONDIOLI PAVESI	SERIES 4				5-3204X
2.938	1.063	2.938	1.063	SPICER	1300			Y	5-4X•
2.939	1.062	2.939	1.062	SPICER ITALCARDANO	75-B			Y	050585000
2.993	1.260	2.993	1.260	WALTERSCHEID	2400				312410•
3.207	1.250	3.207	1.250	ROCKWELL	35N	1340	35N	Y	5-243X
3.219	1.062	3.219	1.062	SPICER	1310/SPL22			N	SPL22-1X
									SPL22-1X was replaced by 5-1310X
3.219	1.062	3.219	1.062	SPICER	1310/SPL22			N	SPL22-2X
									SPL22-2X was replaced by 5-1310X; Coated bearing caps

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




MSC

G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
3.219	1.062	3.219	1.062	SPICER	SPL22 <i>SPL22-7X was replaced by 5-1310-1X; Spicer Life Series</i>				SPL22-7X
3.219	1.062	3.219	1.062	SPICER	1310/SPL22			N	5-1310X
3.219	1.062	3.219	1.062	SPICER	1310			Y	5-153X
3.219	1.062	3.219	1.062	SPICER	1310 <i>5-255X was replaced by 5-153X; Has metal back seals</i>			Y	5-255X
3.219	1.062	3.219	1.062	SPICER	1310 <i>5-278X was replaced by 5-153X; Flush lube fitting in cross</i>			Y	5-278X
3.219	1.062	3.219	1.062	SPICER	1310 <i>Coated bearing caps; Spicer Life Series</i>			N	5-3613X▲
3.219	1.062	3.219	1.062	SPICER	1310 <i>5-419X will be replaced by 5-153X when supply is exhausted; Has metal back seals</i>			Y	5-419X
3.219	1.062	3.219	1.062	SPICER	1310-CV <i>5-433-1X was replaced by 5-153X; Lube fitting in brg. cap</i>			Y	5-433-1X
3.219	1.062	3.219	1.062	SPICER	1310 <i>5-477X will be replaced by 5-153X when supply is exhausted; Same as 5-153X except has black seals</i>			Y	5-477X
3.219	1.062	3.219	1.062	SPICER	1310 <i>5-511X will be replaced by 5-153X when supply is exhausted; Has long grease zerk</i>			Y	5-511X
3.219	1.062	3.219	1.062	SPICER	1310 <i>Includes various thickness snap rings</i>			N	5-611-1X•
3.219	1.062	3.219	1.062	SPICER	1310 <i>5-785X was replaced by 5-1310X; Spicer Life Series</i>			N	5-785X
3.219	1.062	3.219	1.062	SPICER	1310 <i>5-786X was replaced by 5-785X; Coated bearing caps; Spicer Life Series</i>			N	5-786X
3.219	1.062	3.219	1.062	SPICER	1310 <i>5-810X was replaced by 5-1310-1X; Lube fitting in brg. cap; Spicer Life Series</i>			Y	5-810X
3.219	1.062	3.219	1.125	SPICER	1310SPEC/SPL22	S55	SPL22	N	SPL22-3X <i>SPL22-3X was replaced by 5-7439X</i>
3.219	1.062	3.219	1.125	SPICER	1310SPEC			Y	5-1201X <i>5-1201X was replaced by 5-7439X</i>
3.219	1.062	3.219	1.125	SPICER	1310SPEC			Y	5-719X•
3.219	1.062	3.219	1.125	SPICER	1310SPEC			N	5-787X <i>5-787X was replaced by 5-7439X; Spicer Life Series</i>
3.219	1.062	3.625	1.062	SPICER		1310	1330	Y	5-134X
3.219	1.062	3.625	1.188	SPICER		1310	1350	Y	5-460X
3.503	1.417	3.503	1.417	WALTERSCHEID	2500				312209•
3.612	1.188	3.612	3.612	AAM	AAM 1355				5-3208X
3.622	1.181	3.622	1.181	WALTERSCHEID	W220				041662•

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
3.625	1.062	3.625	1.062	SPICER	1330/SPL25			N	SPL25-1X <i>SPL25-1X was replaced by 5-1330X</i>
3.625	1.062	3.625	1.062	SPICER	1330/SPL25			N	SPL25-2X <i>SPL25-2X was replaced by 5-3614X; Coated bearing caps</i>
3.625	1.062	3.625	1.062	SPICER	1330			Y	5-1203X <i>5-1203X will be replaced by 5-213X when supply is exhausted</i>
3.625	1.062	3.625	1.062	SPICER	1330/SPL25			N	5-1330X
3.625	1.062	3.625	1.062	SPICER	1330			Y	5-213X
3.625	1.062	3.625	1.062	SPICER	1330			Y	5-273X <i>5-273X was replaced by 5-213X; Has metal back seals</i>
3.625	1.062	3.625	1.062	SPICER	1330			N	5-3614X <i>Coated bearing caps; Spicer Life Series</i>
3.625	1.062	3.625	1.062	SPICER	1330			N	5-790X <i>5-790X was replaced by 5-1330X; Spicer Life Series</i>
3.625	1.062	3.625	1.062	SPICER	1330			N	5-791X <i>5-791X was replaced by 5-790X; Coated bearing caps; Spicer Life Series</i>
3.625	1.062	3.625	1.062	SPICER	SPL25/1330			Y	5-812X <i>5-812X was replaced by 5-1330-1X; Lube fitting in brg. cap Spicer Life Series</i>
3.625	1.062	3.625	1.062	SPICER	SPL25			N	5001919 <i>Lube fitting in brg. cap</i>
3.625	1.062	3.625	1.125	SPICER	1330SPEC/SPL25			N	SPL25-3X <i>SPL25-3X will be replaced by 5-7438X when supply is exhausted</i>
3.625	1.062	3.625	1.125	SPICER	1330SPEC			Y	5-1204X
3.625	1.062	3.625	1.125	SPICER	1330SPEC			N	5-792X <i>5-792X was replaced by 5-7438X; Spicer Life Series</i>
3.625	1.062	3.625	1.188	SPICER	1330	1350		Y	5-648X
3.625	1.188	3.625	1.188	SPICER	1350/SPL30			N	SPL30-1X <i>SPL30-1X was replaced by 5-1350X</i>
3.625	1.188	3.625	1.188	SPICER	SPL30			N	SPL30-2X <i>SPL30-2X was replaced by 5-3615X; Coated bearing caps</i>
3.625	1.188	3.625	1.188	SPICER	1350/SPL30			N	SPL30-3X• <i>2-Coated bearing caps, 2-Uncoated</i>
3.625	1.188	3.625	1.188	SPICER	1350/SPL30			N	SPL30-4X•
3.625	1.188	3.625	1.188	SPICER	1350/SPL30			N	5-1350X
3.625	1.188	3.625	1.188	SPICER	1350			Y	5-174X <i>5-174X was replaced by 5-178X; Has metal back seals</i>
3.625	1.188	3.625	1.188	SPICER	1350WJ			N	5-282X <i>5-282X was replaced by 5-1350X; Has metal back seals</i>

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately

MSC




MSC

G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
3.625	1.188	3.625	1.188	SPICER	1350			N	5-3615X <i>Coated bearing caps; Spicer Life Series</i>
3.625	1.188	3.625	1.188	SPICER	1350			N	5-447X <i>5-447X was replaced by 5-3615X; Coated bearing caps</i>
3.625	1.188	3.625	1.188	SPICER	1350			N	5-471X <i>5-471X was replaced by 5-178X; Has metal back seals - spec for US govt.</i>
3.625	1.188	3.625	1.188	SPICER	1350			Y	5-480X•
3.625	1.188	3.625	1.188	SPICER	1350			Y	5-542X <i>5-542X was replaced by 5-1350-1X; Has metal back seals</i>
3.625	1.188	3.625	1.188	SPICER	1350			Y	5-584X <i>5-584X was replaced by 5-178X; Same as 5-178X except includes 45° Zerk</i>
3.625	1.188	3.625	1.188	SPICER	1350			N	5-800X <i>5-800X was replaced by 5-1350X; Coated bearing caps; Spicer Life Series</i>
3.625	1.188	3.625	1.188	SPICER	1350WJ			N	5-86X <i>5-86X was replaced by 5-1350X; Used in closed end Spicer front axle; no bearing cap seals</i>
3.625	1.188	3.625	1.188	SPICER	1350			Y	5-178X
3.625	1.188	3.625	1.188	SPICER	1350			N	5-799X <i>5-799X was replaced by 5-1350X; Spicer Life Series</i>
3.767	1.260	3.767	1.260	ITALCARDANO SPICER	96-B			Y	050207000
3.787	1.066	3.787	1.066	VISTEON SPECIAL	STAKED REPLACEMENT			N	5-3203X
3.900	1.005	3.900	1.005	BORG WARNER	3DR			Y	5-265X <i>No needle brg; 4-round knurled caps - No hardware incl.</i>
4.178	1.188	4.178	1.188	AAM	AAM 1415			N	5-3207X
4.178	1.375	4.178	1.375	AAM	AAM 1485			N	5-3206X
4.188	1.188	4.188	1.188	SPICER	1410/SPL36			N	SPL36-1X <i>SPL36-1X will be replaced by 5-1410X when supply is exhausted</i>
4.188	1.188	4.188	1.188	SPICER	1410/SPL36			N	SPL36-2X <i>SPL36-2X was replaced by SPL36-1X; Coated bearing caps</i>
4.188	1.188	4.188	1.188	SPICER	1410/SPL36			N	SPL36-3X <i>SPL36-3X was replaced by 5-1410X</i>
4.188	1.188	4.188	1.188	SPICER	1410/SPL36			N	SPL36-4X•
4.188	1.188	4.188	1.188	SPICER	1410/SPL36			N	5-1410X
4.188	1.188	4.188	1.188	SPICER	1410			Y	5-160X
4.188	1.188	4.188	1.188	SPICER	1410			N	5-3616X <i>Coated bearing caps; Spicer Life Series</i>
4.188	1.188	4.188	1.188	SPICER	1410			N	5-429X• <i>Has metal back seals</i>

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




MSC

G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
4.188	1.188	4.188	1.188	SPICER	1410			Y	5-462X <i>5-462X was replaced by 5-160X; Has metal back seals</i>
4.188	1.188	4.188	1.188	SPICER	1410			Y	5-481X <i>5-481X will be replaced by 5-160X when supply is exhausted</i>
4.188	1.188	4.188	1.188	SPICER	1410			N	5-641X <i>5-641X was replaced by 5-1410X</i>
4.188	1.188	4.188	1.188	SPICER	1410			N	5-801X <i>5-801X was replaced by 5-1410X; Spicer Life Series</i>
4.188	1.375	4.188	1.375	SPICER	1480/SPL55			Y	SPL55-1X
4.188	1.375	4.188	1.375	SPICER	1480/SPL55			N	SPL55-2X•
4.188	1.375	4.188	1.375	SPICER	1480/SPL55			N	SPL55X
4.188	1.375	4.188	1.375	WALTERSCHEID	2200			Y	044439•
4.188	1.375	4.188	1.375	SPICER	1480			Y	5-188X
4.188	1.375	4.188	1.375	SPICER	1480			Y	5-263X <i>5-263X will be replaced by 5-188X when supply is exhausted</i>
4.188	1.375	4.188	1.375	SPICER	1480			N	5-319X <i>5-319X was replaced by 5-188X; Has metal back seals</i>
4.188	1.375	4.188	1.375	SPICER	1480			Y	5-482X <i>5-482X was replaced by 5-188X</i>
4.188	1.375	4.188	1.375	SPICER	1480			N	5-803X <i>5-803X was replaced by SPL55X; Spicer Life Series</i>
4.188	1.375	4.188	1.375	SPICER	SPL55/1480			Y	5-804X <i>5-804X was replaced by SPL55-1X; Spicer Life Series</i>
4.312	1.531	4.312	1.531	ROCKWELL	55N			Y	5-432X•
4.957	1.625	4.957	1.625	SPICER	SPL100			Y	SPL100-1X <i>Dimensionally same as SPL90X</i>
4.957	1.625	4.957	1.625	SPICER	SPL90			Y	SPL90X <i>SPL90X was replaced by SPL100-1X</i>
4.964	1.375	4.964	1.375	SPICER	1550/SPL70			Y	SPL70-1X
4.964	1.375	4.964	1.375	SPICER	1550/SPL70			N	SPL70X
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-155X
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-275X <i>5-275X will be replaced by 5-155X when supply is exhausted; Has metal back seals</i>
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-304X <i>OEM Kit</i>
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-483X <i>5-483X was replaced by 5-155X</i>
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-543X <i>Has metal back seals</i>

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




MSC

G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-546X• <i>2-Snap rings & 2-Thrust plates w/metric bolts</i>
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-778X <i>Same as 5-275X but has 45° zerk, and metal back seals</i>
4.964	1.375	4.964	1.375	SPICER	1550			N	5-808X <i>5-808X was replaced by SPL70X; Spicer Life Series</i>
5.590	1.625	5.590	1.623	SPICER	1650			Y	5-165X
6.011	1.980	6.011	1.980	ITALCARDANO				Y	050967100 <i>Has three hole plates instead of snap rings</i>
8.092	2.186	8.092	2.186	SPICER	1850			Y	5-185X•

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




K1 Between Snap Rings	D1 Bearing cap Diameter	K2 Between Snap Rings	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
1.400	.867	1.400	.867	TOYOTA/NISSAN	STAKED REPLACEMENT				5-3202X <i>Lube fitting in brg cap</i>
1.445	.971	1.445	.971	ROCKWELL	L6N			Y	5-92X
1.482	.886	1.482	.886	MAZDA				N	5-1514X
1.496	.787	1.496	.787	DAT-TOY				N	5-1500X
1.500	.938	1.445	.971	ROCKWELL	L6N	1000	L6N	Y	5-430X
1.500	.938	1.500	.938	SPICER	1000			N	5-110X
1.500	.938	1.500	.938	SPICER	1000SG			Y	5-755X• <i>Used in aluminum steering shafts</i>
1.500	.938	1.500	.938	SPICER	1000			Y	5-170X <i>Used in PTO shafts</i>
1.500	.938	1.500	.938	SPICER	1000			Y	5-170-1X <i>Lube fitting in brg. cap</i>
1.500	.938	1.500	.938	SPICER	1000SG			Y	5-103X <i>Used in steel steering shafts</i>
1.640	1.062	1.640	1.062	SPICER	1210WJ			N	5-456X•
1.718	1.000	1.718	1.000	SPICER	1100			Y	5-105X
1.723	.984	1.723	.984	MAZDA				N	5-1504X•
1.734	.984	1.734	.984	DATSON				N	5-1501X
1.828	1.062	1.828	1.062	ROCKWELL	L12N	1140	L12N	Y	5-242X
1.900	.947	1.900	.947	BMW/MAZDA	STAKED REPLACEMENT				5-3201X <i>Lube fitting in brg cap</i>
2.047	1.142	2.047	1.142	TOYOTA				N	5-1510X
2.080	1.142	2.080	1.142	CHEV LUV				Y	5-1515X
2.125	1.078	2.125	1.078	DETROIT		7260		N	5-789X <i>Spicer Life Series</i>
2.125	1.078	2.125	1.078	DETROIT		7260		N	SPL22-8X <i>SPL22-8X was replaced by 5-789X</i>
2.125	1.078	2.125	1.078	DETROIT		7260		Y	5-1306-1X <i>5-1306-1X will be replaced by 5-789X when supply is exhausted; Lube fitting in brg. cap</i>
2.125	1.078	2.125	1.078	DETROIT		7260		Y	5-1306X <i>5-1306X will be replaced by 5-789X when supply is exhausted</i>
2.125	1.078	2.125	1.078	MERCRAUISER		7260		Y	5-589X• <i>Mercury kit</i>
2.125	1.078	2.625	1.125	DETROIT		7260	7290	Y	5-527X•
2.188	1.062	2.188	1.062	SPICER		1310WJ		N	5-260X

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately

MSC

Inside Snap Ring (ISR) Style
K350

MSC


K1 Between Snap Rings	D1 Bearing cap Diameter	K2 Between Snap Rings	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
2.188	1.062	2.188	1.062	SPICER	1310WJ			Y	5-260-1X
						5-260-1X was replaced by 5-260X; Lube fitting in brg. cap			
2.188	1.062	2.188	1.062	SPICER	1310WJ			N	5-74X
						5-74X was replaced by 5-260X; Used in closed end, Spicer front axle			
2.188	1.188	2.188	1.188	SPICER	1310WJ			N	5-760X
2.188	1.188	2.188	1.188	SPICER	1310WJ			Y	5-297-1X
						5-297-1X was replaced by 5-760X; Lube fitting in brg. cap			
2.188	1.188	2.188	1.188	SPICER	1310WJ			N	5-297X
						5-297X was replaced by 5-760X			
2.200	1.025	2.200	1.025	TOYOTA				Y	5-1508X
2.208	1.102	2.208	1.102	DATSON				Y	5-1505X
2.409	1.188	2.409	1.188	SPICER	SPL30				5004891
2.343	1.062	2.343	1.062	SPICER	1310			Y	5-350X*
2.344	1.000	2.344	1.000	MECHANICS	2R			Y	5-2011X*
2.375	1.062	2.375	1.062	CLEVELAND	S55			Y	5-718X
									Coated bearing caps
2.375	1.062	2.375	1.062	CLEVELAND	S55			Y	5-1200X
						5-1200X will be replaced by 5-153X when supply is exhausted			
2.453	1.497	2.453	1.497	MERCEDES				Y	5-1506X*
2.520	1.260	2.520	1.260	TOYOTA				Y	5-1511X*
2.556	1.125	2.556	1.125	MECHANICS	S44			Y	5-3147X
2.556	1.125	2.556	1.125	MECHANICS	S44			N	SPL25-6X
						SPL25-6X will be replaced by 5-795X when supply is exhausted			
2.556	1.125	2.556	1.125	SPICER	SPL25/S44			N	5-795X
									Spicer Life Series
2.563	1.188	2.563	1.188	CLEVELAND	R55			Y	5-1205X*
2.625	1.125	2.625	1.125	DETROIT	7290			N	SPL25-9X
									SPL25-9X was replaced by 5-811X
2.625	1.125	2.625	1.125	DETROIT	7290			N	5-811X
									Spicer Life Series
2.625	1.125	2.625	1.125	DETROIT	7290			Y	5-1309X
						5-1309X will be replaced by 5-811X when supply is exhausted			
2.635	1.125	2.556	1.125	DETROIT/SAGINAW	7290/S44			N	5-3163X*
2.781	1.312	2.781	1.312	ROCKWELL	44R			Y	5-431X
2.920	1.375	2.920	1.375	AAM	1485WJ			N	5006813
									Spicer Life Series

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately

Inside Snap Ring (ISR) Style




K1 Between Snap Rings	D1 Bearing cap Diameter	K2 Between Snap Rings	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
3.000	1.231	3.000	1.231	DETROIT	5380			Y	5-1301X
3.000	1.375	3.000	1.375	SPICER	1480WJ			N	5-88X
						5-88X was replaced by SPL55-3X; Used in closed end, Spicer front axle			
3.000	1.375	3.000	1.375	SPICER	SPL55/1480WJ			Y	5-807X
						5-807X was replaced by SPL55-4X; Wheel Joint, Same as SPL55-4X			
3.000	1.375	3.000	1.375	SPICER	SPL55/1480WJ			N	5-806X
						5-806X was replaced by SPL55-3X; Wheel Joint, Same as SPL55-3X			
3.000	1.375	3.000	1.375	SPICER	1480WJ			N	5-332X
						5-332X was replaced by SPL55-3X; Can use 5-806X			
3.000	1.375	3.000	1.375	SPICER	SPL55/1480WJ			Y	SPL55-4X
						Wheel Joint, Same as 5-807X			
3.000	1.375	3.000	1.375	SPICER	SPL55/1480WJ			N	SPL55-3X
						Wheel Joint, Same as 5-806X			
3.125	1.188	3.125	1.188	CLEVELAND	O55			Y	5-1206X
						5-1206X was replaced by 5004989			
3.125	1.188	3.125	1.188	SPICER	SPL36/055			N	5004989
						Includes 4 inside and 4 outside snap rings			
3.250	1.125	3.250	1.125	MECHANICS	4R			Y	5-4015X
3.780	1.375	3.780	1.375	SPICER	SPL70WJ			N	SPL70-3X
						SPL70-3X was replaced by SPL70-4X			
3.780	1.375	3.780	1.375	SPICER	SPL70WJ			Y	SPL70-4X

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




MSC

K	D1	G	D2	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
Inside Snap Ring Dimension	Inside Bearing cap Diameter	Outside Snap Ring Dimension	Outside Bearing cap Diameter						
1.719	1.000	2.438	1.062	SPICER	1110/1210	1110	1210	Y	5-248X <i>Grease zerk in center of cross</i>
1.719	1.000	2.438	1.062	SPICER	1110 SPEC			Y	5-249X <i>5-249X was replaced by 5-248X</i>
2.049	1.142	3.219	1.062	TOYOTA			1310		5-721X•
2.125	1.078	3.219	1.062	DETROIT	7260	7260	1310	Y	5-353X <i>5-353X was replaced by 5-788X</i>
2.125	1.078	3.219	1.062	DETROIT	7260	7260	1310	N	5-634X <i>5-634X was replaced by 5-788X</i>
2.125	1.078	3.219	1.062	DETROIT	7260	7260	1310	N	5-647X• <i>Coated bearing caps</i>
2.125	1.078	3.219	1.062	DETROIT	7260	7260	1310	N	5-788X <i>Spicer Life Series</i>
2.125	1.078	3.220	1.062	DETROIT	7260	7260	1310/SPL22	N	SPL22-4X <i>SPL22-4X was replaced by 5-788X</i>
2.125	1.078	3.625	1.062	DETROIT	7260	7260	1330	Y	5-599X•
2.125	1.125	3.219	1.062	MECHANICS			1310		5-2530X <i>Plug in center of cross lube fitting not included</i>
2.344	1.000	3.219	1.062	SPICER			2R	Y	5-2140X•
2.344	1.000	3.219	1.125	MECHANICS	2CL		1260	Y	5-2173X•
2.375	1.062	3.625	1.062	CLEVELAND	S55			Y	5-1202X•
2.556	1.125	3.219	1.062	SAGINAW	S44		1310	Y	5-3022X
2.556	1.125	3.625	1.062	SAGINAW	S44	1330/SPL25	N		SPL25-4X <i>SPL25-4X will be replaced by 5-7436X when supply is exhausted</i>
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330/SPL25	N	SPL25-5X <i>SPL25-5X was replaced by SPL25-4X; Outside snap ring caps are coated</i>
2.556	1.125	3.625	1.062	SAGINAW	S44		1330	Y	5-212X
2.556	1.125	3.625	1.062	SPICER	1330/S44	S44		N	5-541X <i>5-541X was replaced by 5-793X</i>
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330	N	5-619X <i>5-619X was replaced by 5-793X</i>

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




MSC

K	D1	G	D2	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
Inside Snap Ring Dimension	Inside Bearing cap Diameter	Outside Snap Ring Dimension	Outside Bearing cap Diameter						
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330 5-621X was replaced by 5-793X	N	5-621X
2.556	1.125	3.625	1.062	SPICER	1330/S44	S44	1330	N	5-793X Spicer Life Series
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330	N	5-794X 5-794X was replaced by 5-793X; Outside snap ring caps are coated; Spicer Life Series
2.556	1.125	3.625	1.062	CLEVELAND	P55	S44	1330	Y	5003097
2.556	1.125	3.625	1.125	SAGINAW	1350/S44	S44	P55	Y	5-1312X•
2.556	1.125	3.625	1.188	DETROIT	7290	7290	1350	Y	5-3205X
2.625	1.125	3.219	1.062	DETROIT	7290	7290	1310	Y	5-354X•
2.625	1.125	3.625	1.062	DETROIT	7290	7290	1330/SPL25 SPL25-7X was replaced by 5-7437X	N	SPL25-7X
2.625	1.125	3.625	1.062	DETROIT	7290	7290	1330/SPL25 SPL25-8X was replaced by 5-7437X; Coated bearing caps	N	SPL25-8X
2.625	1.125	3.625	1.062	DETROIT	7290	7290	1330 5-637X was replaced by 5-7437X	N	5-637X
2.625	1.125	3.625	1.062	DETROIT	7290	7290	1330 5-672X was replaced by 5-7437X	N	5-672X
2.625	1.125	3.625	1.062	DETROIT	7290	7290	1330 5-796X was replaced by 5-7437X; Spicer Life Series	N	5-796X
2.767	1.062	3.625	1.125	SPICER	1330	1330SPEC	N	Y	5-538X•
2.767	1.125	3.625	1.188	CLEVELAND	1350	P55	Y	Y	5-1313X•
3.000	1.231	4.188	1.188	DETROIT	5380	5380	1410	Y	5-357X

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




MSC

G Over Caps	D Bearing cap Diameter	C Pilot Diameter	S Between Bolt Holes	WB Cap Type	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
3.219	1.062	3.125	1.312	TBC	2C	1310	Y	5-291X
3.219	1.062	3.562	1.438	TBC	3C	1310	Y	5-356X•
3.625	1.062	3.562	1.438	LWT	3C	1330/P55	Y	5-688X•
3.625	1.062	3.562	1.438	TBC	3C	1330	Y	5-314X•
3.625	1.188	3.562	1.438	LWT	3C	1350	Y	5-689X•
3.625	1.188	3.562	1.438	HWD	3C	1350	Y	5-698X•
4.188	1.188	4.250	1.438	HWD	4C	1410	Y	5-345X
4.188	1.188	4.250	1.438	LWT	4C	1410	Y	5-346X•
4.188	1.375	4.531	1.688	HWD	5C	1480	Y	5C-3X
4.188	1.375	4.531	1.688	HWT	5C	1480	Y	5C-5X
4.188	1.375	4.531	1.688	HWD	5C	1480	Y	5-347X
								5-347X was replaced by 5C-3X
4.188	1.375	4.531	1.688	HWT	5C	1480	Y	5-348X
								5-348X was replaced by 5C-5X
4.969	1.375	5.312	1.938	HWD	58WB	1550	Y	5-328X
4.969	1.375	5.312	1.938	LWT	58WB	1550	Y	5-693X•
4.969	1.375	5.312	1.938	HWT	58WB	1550	Y	5-329X•
4.969	1.375	5.531	1.688	HWD	6C/62N	1550	Y	5-221X
								5-221X was replaced by 6C-3X
4.969	1.375	5.531	1.688	HWD	6C/62N	1550	Y	6C-3X
4.969	1.375	5.531	1.688	HWT	6C/62N	1550	Y	6C-5X
4.969	1.375	5.531	1.688	HWT	6C/62N	1550	Y	5-220X
								5-220X was replaced by 6C-5X
5.594	1.625	5.844	1.938	HWT	7C/72N/68WB	1650	Y	5-331X•
5.594	1.625	5.844	1.938	HWD	7C/72N/68WB	1650	Y	5-330X
8.092	2.186	8.250	2.812	HWT	9C/92N/88WB	1850	Y	5-187X
8.092	2.186	8.250	2.812	HWD	9C/92N/88WB	1850	Y	5-186X•

• Part is discontinued

■ Part is available until supply is exhausted ▲ Not sold separately






MSC

K Between Snap Rings	D Bearing cap Diameter	C Pilot Diameter	S Between Bolt Holes	WB Cap Type	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
2.125	1.078	.000	1.750	LWD	7260	SPECIAL	Y	5-1304X•
2.344	1.000	3.125	1.312	LWD	2CRL	2R	Y	5-2033X
						5-2033X was replaced by 050021000		
2.344	1.000	3.125	1.312	TBC	2CRL	2R	Y	5-2031X
2.562	1.125	3.562	1.438	TBC	3CRL	S44	Y	5-3012X•
3.250	1.125	4.250	1.438	LWD	4CSRL	4R	Y	5-4016X•
3.250	1.125	4.250	1.438	LWT	4CRL	4D	Y	5-4014X
3.312	1.312	4.531	1.688	LWD	5CSRL	5R	Y	5-5015X
3.312	1.312	4.531	1.688	LWT	5CRL	5C	Y	5-5008X•

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately



MSC


C1	S1	WB (1)	C2	S2	WB (2)	OE Manufacturer	Series	Greasable (Y=yes N=no)	Spicer Part Number
Pilot Diameter	Centerline to Centerline	Cap Type	Pilot Diameter	Centerline to Centerline	Cap Type				
3.125	1.312	LWT	3.125	1.312	LWT	ITALCARDANO	2C	Y	5-781X <i>Lube fitting in brg cap</i>
3.125	1.312	LWD	3.125	1.312	LWD	ITALCARDANO	2C	N	050239000 <i>050239000 was replaced by 050239010</i>
3.125	1.312	LWD	3.125	1.312	LWD	ITALCARDANO	2C	Y	050239010 <i>Lube fitting in brg cap</i>
3.125	1.312	LWD	3.125	1.312	LWD	ITALCARDANO	2C	N	050238000•
3.125	1.312	LWD	3.125	2.387	TBC	MECHANICS	2C	Y	5-2116X•
3.125	1.312	TBC	3.125	1.312	TBC	MECHANICS	2C	Y	5-2002X
3.562	1.438	LWT	3.562	1.438	LWT	MECHANICS	3C	Y	5-3000X
4.250	1.438	HWD	4.250	1.438	HWD	ITALCARDANO	4C	Y	050742010 <i>Aftermarket Kit; Bolt part number 81530001, not included</i>
4.250	1.438	LWT	4.250	1.438	LWT	MECHANICS	4C	Y	5-4002X
4.250	1.438	HWD	4.250	1.438	HWD	MECHANICS	4C	Y	5-4143X•
4.250	1.438	HWD	4.250	1.438	HWT	MECHANICS	4C	Y	5-4140X
4.250	1.438	HWD	4.250	1.438	HWD	ITALCARDANO	4C	N	050742020 <i>OEM Kit; Bolt part number 81530001, not included</i>
4.250	1.438	HWD	4.250	1.438	HWD	ITALCARDANO	4C	Y	050742000 <i>OEM Kit; Bolt part number 81530001, not included</i>
4.531	1.688	HWD	4.531	1.688	HWD	MECHANICS	5C	Y	5C-1X•
4.531	1.688	HWD	4.531	1.688	HWD	ITALCARDANO	5C	Y	050776020 <i>OEM Kit; Bolt part number 81530007, not included</i>
4.531	1.688	HWD	4.531	1.688	HWD	ITALCARDANO	5C	Y	050776010 <i>Aftermarket Kit; Bolt part number 81530007, not included</i>
4.531	1.688	HWD	4.531	1.688	HWD	ITALCARDANO	5C	N	050370000 <i>OEM Kit; Bolt part number 81530007, not included</i>
4.531	1.688	LWD	4.531	1.688	LWT	MECHANICS	5C	Y	5-5121X
4.531	1.688	HWD	4.531	1.688	HWD	MECHANICS	5C	Y	5-5177X <i>5-5177X was replaced by 5C-1X</i>
4.531	1.688	TBC	4.531	1.688	LWT	MECHANICS	5C	Y	5-5000X•
5.312	1.938	HWD	5.312	1.938	HWD	ROCKWELL	58WB	Y	5-5800X•
5.531	1.688	LWT	5.531	1.688	LWT	MECHANICS/ROCKWELL	6C/62N	Y	5-6000X
5.531	1.688	LWT	5.531	1.688	HWD	MECHANICS/ROCKWELL	6C/62N	Y	5-6102X <i>5-6102X was replaced by 6C-9X</i>

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately

Note: Bolts are not included with Italcardano joints unless noted; Contact manufacturer






C1	S1	WB (1)	C2	S2	WB (2)	OE Manufacturer	Series	Greasable (Y=yes N=no)	Spicer Part Number
Pilot Diameter	Centerline to Centerline	Cap Type	Pilot Diameter	Centerline to Centerline	Cap Type				
5.531	1.688	HWD	5.531	1.688	HWD	ITALCARDANO	6C/62N	Y	050380000
5.531	1.688	LWT	5.531	1.688	HWD	MECHANICS/ROCKWELL	6C/62N	Y	6C-9X•
5.531	1.688	HWD	5.531	1.688	HWD	MECHANICS/ROCKWELL	6C/62N	Y	5-6106X <i>5-6106X was replaced by 050138000</i>
5.531	1.688	HWD	5.531	1.688	HWD	ITALCARDANO	6C/62N	N	050273000 <i>Bolt part number 81530007, not included</i>
5.531	1.688	HWD	5.531	1.688	HWD	ITALCARDANO	6C/62N	Y	050223000
5.531	1.688	HWD	5.531	1.688	HWD	ITALCARDANO	6C/62N	Y	050138010 <i>Bolt part number 81530007, not included</i>
5.531	1.688	HWD	5.531	1.688	HWD	MECHANICS/ROCKWELL	6C/62N	Y	050138000 <i>OEM Kit; Bolt part number 81530007, not included</i>
5.531	1.688	TBC	5.844	1.938	HWD	MECHANICS/ROCKWELL	6C/7C	Y	5-6109X•
5.531	1.688	TBC	5.844	1.938	TBC	MECHANICS/ROCKWELL	6C/7C	Y	5-6108X•
5.844	1.938	TBC	5.844	1.938	HWD	MECHANICS/ROCKWELL	7C/72N	Y	5-7202X
5.844	1.938	LWT	5.844	1.938	LWT	MECHANICS/ROCKWELL	7C/72N	Y	5-7000X
5.844	1.938	HWD	5.844	1.938	HWD	MECHANICS/ROCKWELL	7C/72N	Y	5-7105X
5.844	1.938	HWD	5.844	1.938	HWD	ITALCARDANO	7C/72N	N	050915222
5.844	1.938	HWD	5.844	1.938	HWD	ITALCARDANO	7C/72N	Y	050915010 <i>Aftermarket Kit; Bolt Part Number 81530014, not included</i>
5.844	1.938	HWD	5.844	1.938	HWD	ITALCARDANO	7C/72N	Y	050915000 <i>OEM Kit; Bolt Part Number 81530014, not included</i>
5.844	1.938	HWD	5.844	1.938	HWD	ITALCARDANO	7C/72N	N	050280000 <i>Bolt Part Number 81530014, not included</i>
6.500	2.812	HWD	6.500	2.812	HWD	ITALCARDANO	8.5C	N	050281000 <i>Bolt Part Number 81530015, not included</i>
6.500	2.812	LWD	6.500	2.812	LWD	ITALCARDANO	8.5C	Y	050964000
6.500	2.812	HWD	6.500	2.812	HWD	ITALCARDANO	8.5C	Y	050246000 <i>OEM Kit; Dual zerk in ctr of cross; Bolt# 81530015, not incl.</i>
8.125	1.938	HWD	8.125	1.938	HWD	ITALCARDANO	8C/82N	Y	050509000 <i>050509000 was replaced by 050A62000; OEM Kit; Bolt Part Number 81530014, not included</i>
8.125	1.938	TBC	8.125	1.938	HWD	MECHANICS/ROCKWELL	8C/82N	Y	5-8202X
8.125	1.938	HWD	8.125	1.938	HWD	MECHANICS/ROCKWELL	8C/82N	Y	5-8105X
8.125	1.938	HWD	8.125	1.938	HWD	ITALCARDANO	8C/82N	Y	050509010 <i>Aftermarket Kit; Bolt Part Number 81530014, not included</i>

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately

Note: Bolts are not included with Italcardano joints unless noted; Contact manufacturer



MSC


C1	S1	WB (1)	C2	S2	WB (2)	OE Manufacturer	Series	Greasable (Y=yes N=no)	Spicer Part Number
Pilot Diameter	Centerline to Centerline	Cap Type	Pilot Diameter	Centerline to Centerline	Cap Type				
8.125	1.938	HWD	8.125	1.938	HWD	ITALCARDANO OEM Kit; Bolt Part Number 815300014, not included	8C/82N	N	050A64000
8.125	1.938	LWT	8.125	1.938	LWT	MECHANICS/ROCKWELL	8C/82N	Y	5-8200X
8.250	2.812	HWD	8.250	2.812	HWD	MECHANICS/ROCKWELL	9C/92N	Y	5-9001X
8.250	2.812	HWD	8.250	2.812	HWD	MECHANICS/ROCKWELL	9C/92N	Y	5-643X (2) 45° zerks
8.250	2.812	HWT	8.250	2.812	HWD	MECHANICS/ROCKWELL	9C/92N	Y	5-9002X
8.250	2.812	HWT	8.250	2.812	HWT	MECHANICS/ROCKWELL	9C/92N	Y	5-9000X
8.250	2.812	HWD	8.250	2.812	HWD	ITALCARDANO OEM Kit; Bolt Part Number 815300015, not included	9C/92N	N	050427000
8.250	2.812	HWD	8.250	2.812	HWD	ITALCARDANO OEM Kit; Two zerks in cross; Bolt Part# 815300015, not incl.	9C/92N	Y	050231000
8.374	3.626	HWD	8.374	3.626	HWD	ITALCARDANO OEM Kit; Two zerks in cross; Bolt Part# 815300017, not incl.	10C	Y	050242000
8.374	3.626	HWD	8.374	3.626	HWD	ITALCARDANO 050417000 was replaced by 050A53000	10C	N	050417000
8.374	3.626	HWD	8.374	3.626	HWD	ITALCARDANO OEM Kit; Bolt part # 815300017, not incl.	10C	N	050A53000
8.374	3.626	HWD	8.374	3.626	HWD	ITALCARDANO Two 45° zerks in cross	10C	Y	050A58000
8.750	3.500	HWD	8.750	3.500	HWD	TW DISC	J490	Y	5-10490X
8.750	3.500	HWD	8.750	3.500	HWD	ITALCARDANO 050435000 was replaced by 050A55000; Has two zerks in cross	11C	Y	050435000
8.750	3.500	HWD	8.750	3.500	HWD	ITALCARDANO OEM Kit; Bolt part # 815300004, not incl.	11C	N	050A56000
8.750	3.500	HWD	8.750	3.500	HWD	ITALCARDANO OEM Kit; Bolt part # 815300004, not incl.	11C	Y	050A55000
9.685	3.228	HWD	9.685	3.228	HWD	ITALCARDANO Has two zerks in cross; includes bolts	246-M210	Y	050781200
10.235	3.936	HWD	10.235	3.936	HWD	ITALCARDANO Has two zerks in cross; OEM kit	15C	Y	050523001
11.024	3.622	HWD	11.024	3.622	HWD	ITALCARDANO OEM Kit; Two zerks in cross; Bolt Part# 81518001, not incl.	12.5C	Y	050518000

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately

Note: Bolts are not included with Italcardano joints unless noted; Contact manufacturer



MSC


C1	S1	WB (1)	C2	S2	WB (2)	OE Manufacturer	Series	Greaseable (Y=yes N=no)	Spicer Part Number
Pilot Diameter	Centerline to Centerline	Cap Type	Pilot Diameter	Centerline to Centerline	Cap Type				
11.374	3.326	HWD	11.374	3.626	HWD	SPICER ITALCARDANO <i>Low temp grease; Bolt# 815180001 not incl.</i>	12C	Y	050A89000
11.374	3.626	HWD	11.374	3.626	HWD	ITALCARDANO <i>Has two zerks in cross; OEM Kit; Bolt# 815180001, not incl.</i>	12C	Y	050A54000
11.374	3.626	HWD	11.374	3.626	HWD	ITALCARDANO <i>OEM Kit; Bolt part # 815180001, not incl.</i>	12C	N	050111000
11.374	3.626	HWD	11.374	3.626	HWD	ITALCARDANO <i>Two 90° zerks in cross; OEM kit; bolt# 815180001, not incl.</i>	12C	Y	050A68000
12.204	4.213	HWD	12.204	4.213	HWD	ITALCARDANO	14.5C	N	050421000 <i>OEM Kit</i>
13.339	5.310	HWD	13.339	5.310	HWD	ITALCARDANO <i>Bolt Part Number 814930001, not included</i>	14C	N	050101000
13.339	5.310	HWD	13.339	5.310	HWD	ITALCARDANO <i>OEM Kit; Dual zerk in ctr of cross; Bolt# 814930001, not incl.</i>	14C	Y	050A51000
13.339	5.310	HWD	13.339	5.310	HWD	SPICER ITALCARDANO <i>Bolt# 814930001 not incl.; zerk in ctr of cross; Low temp grease</i>	14C	Y	050A85000

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately

Note: Bolts are not included with Italcardano joints unless noted; Contact manufacturer




MSC

E Between Caps	D Bearing cap Diameter	C Pilot Diameter	S Between Holes	WB Cap Type	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
5.312	1.875	5.606	2.400	HWD	BRADLEY	1610 <i>Bradley Military Vehicle (PAINTED)</i>	Y	5012401
5.312	1.875	5.606	2.400	HWD	BRADLEY	1610 <i>Bradley Military Vehicle</i>	Y	5-450X
6.094	1.938	6.375	2.438	HWD	1710	J210	Y	5-705X•
6.094	1.938	6.500	2.812	HWD	1710	8.5C/85WB	Y	5-704X•
7.547	1.938	8.250	2.812	HWD	1810	9C/92N	Y	5-324X
7.547	1.938	8.250	2.812	HWD	1810	9C/92N	Y	5-727X
7.547	1.938	8.250	2.812	LWT	1810	9C/92N	Y	5-696X•
8.094	2.188	8.250	2.812	HWT	1880	9C/92N	Y	5-327X
8.094	2.188	8.250	2.812	HWD	1880	9C/92N	Y	5-642X (2) 45° zerks
8.094	2.188	8.250	2.812	HWD	1880	9C/92N	Y	5-326X

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




MSC

E Over Caps (mm)	E Over Caps (std)	D Bearing cap Diameter (mm)	D Bearing cap Diameter (std)	OE Series	Spicer OE Series	Greasable (Y=yes N=no)	Spicer Part Number
138.71	5.461	49.20	1.937	SPICER	SPL140	Y	SPL140X
164.00	6.456	55.00	2.165	SPICER	SPL170	Y	SPL170-3X
164.00	6.456	55.00	2.165	SPICER	SPL170	Y	SPL170X <i>SPL170X was replaced by SPL170-3X</i>
163.00	.000	60.00	.000	SPICER	SPL250	--	SPL250-3X
163.00	.000	60.00	.000	SPICER	SPL250	--	SPL250X <i>SPL250X was replaced by SPL250-3X</i>

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




MSC

E Between Caps	D Bearing cap Diameter	OE Mfg.	OE Series	Greasable (Y=yes N=no)	Spicer Part Number
4.562	1.562	SPICER	1500	Y	5-115X•
5.312	1.875	SPICER	1610	Y	5-279X
6.094	1.938	SPICER	1710	Y	5-280-4X• <i>Four lube fittings in journal</i>
6.094	1.938	SPICER	1710	Y	5-280X
6.594	2.312	SPICER	1800	Y	5-124X•
7.000	1.938	SPICER	1760	Y	5-407X
7.547	1.938	SPICER	1810	Y	5-281X
7.547	1.938	SPICER	1810	Y	5-281-4X• <i>Has four zerks in cross</i>
8.094	2.188	SPICER	1880		5-308X
8.781	2.812	SPICER	1900	Y	5-54X• <i>Has four bolt holes in bearing plate</i>

• Part is discontinued

■ Part is available until supply is exhausted ▲ Not sold separately

Half Round (HR) Style




E1 Between Caps	D1 Bearing cap Diameter	E2 Over Bearing Caps	D2 Bearing cap Diameter	OE Mfg	OE Series	Greasable (Y=yes N=no)	Spicer Part Number
5.312	1.875	5.312	1.875	SPICER	1610	Y	5-674X <i>Includes strap kit</i>
5.312	1.875	5.312	1.875	SPICER	1610	N	5001247 <i>Has (2) plugs in place of the zerks</i>
5.312	1.875	5.312	1.875	SPICER	1610	N	5-610X
5.312	1.875	5.312	1.875	SPICER	1610	Y	5-777X <i>Same as 5-674X w/out strap kit</i>
5.312	1.875	5.312	1.875	SPICER	1610	Y	5-585XM <i>Metric bolts w/lock strap; Grease zerk in center of cross</i>
5.312	1.875	5.312	1.875	SPICER	1610	Y	5-438X <i>5-438X was replaced by 5-674X</i>
5.312	1.875	5.312	1.875	SPICER	1610	Y	5-423X <i>Grease zerk in center of cross</i>
6.094	1.938	6.094	1.938	SPICER	1710	Y	5-746X <i>Includes metric bolts used on bearing cap</i>
6.094	1.938	6.094	1.938	SPICER	1710	Y	5-773X <i>Same as 5-675X but uses/includes strap with metric bolts</i>
6.094	1.938	6.094	1.938	SPICER	1710	Y	5-671X <i>Thrustwashers in bearing cap</i>
6.094	1.938	6.094	1.938	SPICER	1710	Y	5-675X <i>Includes strap kit</i>
6.094	1.938	6.094	1.938	SPICER	1710	Y	5-515X <i>5-515X was replaced by 5-675X</i>
7.000	1.938	7.000	1.938	SPICER	1760	Y	5-469X <i>5-469X was replaced by 5-677X</i>
7.000	1.938	7.000	1.938	SPICER	1760	Y	5-677X <i>Includes strap kit</i>
7.547	1.938	5.547	1.938	SPICER	1810	Y	5-510X <i>5-510X was replaced by 5-676X</i>
7.547	1.938	7.547	1.938	SPICER	1810	Y	5-676X <i>Includes strap kit</i>

• Part is discontinued

■ Part is available until supply is exhausted


▲ Not sold separately



MSC

A Flange Diameter	B Pin Length	C Pin Diameter	D Ball Diameter	E Ball Thickness	Spicer Part Number
3.625	2.969	.562	1.031	.609	5-1407X•
4.000	2.875	.562	1.031	.609	5-1405X•

- Part is discontinued
- Part is available until supply is exhausted
- ▲ Not sold separately




MSC

Over Caps	D Bearing cap Diameter	Thread Size	OE Series	Greasable (Y=yes N=no)	Spicer Part Number
2.934	1.125	.938-20	CHEV	Y	5-3031X

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately



MSC

E Over Caps	D1 Bearing cap Diameter	S Bolt Hole C-Line to C-Line	OE Mfg.	OE Series	Greasable (Y=yes N=no)	Spicer Part Number
4.188	1.375	1.750	CLEVELAND	D56	Y	5-1214X• <i>Bearing plates not supplied with kit</i>

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately




**Figure 1****Figure 2**
MSC

Figure 1		Figure 2		OE Series	Spicer OE Series	Greaseable (Y=yes N=no)	Spicer Part Number
E	D1	K	D2				
Over Caps	Bearing cap Diameter	Between Snap Rings	Bearing cap Diameter				
—	—	5.665	2.565	SPICER	1910	Y	5-316X•
10.046	3.062	—	—	SPICER	1950	Y	5-339X•
12.343	3.812	—	—	SPICER	2050	Y	5-340X•

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately



MSC

G Over Caps	D Bearing cap Diameter	OE Mfg.	OE Series
1.614	.591	SPICER GWB	473.10
1.937	.748	SPICER GWB	473.20
1.976	.866	SPICER GWB	373.20
2.323	.866	SPICER GWB	473.30
2.409	.937	SPICER GWB	687.10
2.748	1.024	SPICER GWB	287.00
2.933	1.063	SPICER GWB	687.15
3.220	1.181	SPICER GWB	287.10
3.220	1.189	SPICER GWB	687.20
3.622	1.374	SPICER GWB	687.25
3.811	1.378	SPICER GWB	287.20
3.811	1.378	SPICER GWB	587.10
4.114	1.654	SPICER GWB	587.15
4.165	1.496	SPICER GWB	387.20
4.198	1.374	SPICER GWB	687.30

G Over Caps	D Bearing cap Diameter	OE Mfg.	OE Series
4.587	1.890	SPICER GWB	587.20
4.701	1.654	SPICER GWB	687.35
4.913	1.732	SPICER GWB	287.30
5.236	2.047	SPICER GWB	587.30
5.322	1.874	SPICER GWB	687.40
5.669	2.244	SPICER GWB	587.35
5.745	2.047	SPICER GWB	687.45
5.984	2.244	SPICER GWB	687.55
5.987	2.244	SPICER GWB	587.42
6.024	1.969	SPICER GWB	287.40
6.457	2.165	SPICER GWB	387.40
6.602	2.323	SPICER GWB	687.60
6.772	2.559	SPICER GWB	687.65
6.772	2.559	SPICER GWB	587.48
7.283	2.835	SPICER GWB	587.50
8.534	2.913	SPICER GWB	587.55
9.110	3.267	SPICER GWB	587.60

• Part is discontinued

■ Part is available until supply is exhausted

▲ Not sold separately

Note: For reference only; these u-joint kits are not serviced by Dana Spicer Service Parts.

These service u-joint kits can be obtained by contacting Dana Driveshaft Products Group,
Products of Spicer Gelenkwellenbau, (419) 866-2621.

MSC

Obsolete Part Number	Series / Model	Status	Replaced By (where applicable)	Obsolete Part Number	Series / Model	Status	Replaced By (where applicable)
50239000	2C	Superseded	050239010	5-546X	1550	Obsolete	No Replacement
050435000	11C	Superseded	050A55000	5-599X	1330/7260	Obsolete	No Replacement
050509000	8C	Superseded	050A62000	5-6102X	6C	Superseded	No Replacement
5-111X	1100	Superseded	5-101X	5-611-1X	1310	Obsolete	No Replacement
5-1200X	1310	Superseded	5-153X	5-626X	1310	Superseded	5-3613X
5-1201X	S55	Superseded	5-7439X	5-634X	1310/7260	Superseded	5-788X
5-1205X	R55	Obsolete	No Replacement	5-641X	1410	Superseded	5-1410X
5-1206X	1410	Superseded	5004989	5-647X	1310/7260	Obsolete	No Replacement
5-124X	1800	Obsolete	No Replacement	5-722X	1410	Superseded	5-1410X
5-1306X	7260	Superseded	5-789X	5-726X	1410	Superseded	5-1410X
5-174X	1350	Superseded	5-178X	5-739X	1410	Superseded	5-1410-1X
5-185X	1850	Obsolete	No Replacement	5-744X	1330	Superseded	5-7436X
5-2011X	2R	Obsolete	No Replacement	5-749X	1330/7290	Superseded	5-7437X
5-220X	1550/6C	Superseded	6C-5X	5-74X	1310	Superseded	5-260X
5-255X	1310	Superseded	5-1310-1X	5-754X	1330	Superseded	5-811X
5-260-1X	1310	Superseded	5-260X	5-755X	1000	Obsolete	No Replacement
5-263X	1480	Superseded	SPL55-1X	5-761X	1410/4C	Superseded	5-345X
5-273X	1330	Superseded	5-1330-1X	5-774X	9300	Superseded	5-781X
5-275X	1550	Superseded	SPL70-1X	5-785X	1310	Superseded	5-1310X
5-278X	1310	Superseded	5-1310-1X	5-786X	1310	Superseded	5-3613X
5-282X	1350	Superseded	5-1350X	5-787X	1310 SPEC	Superseded	5-7439X
5-297-1X	1310	Superseded	5-760X	5-790X	1330	Superseded	5-1330X
5-319X	1480	Superseded	SPL55-1X	5-791X	1330 ALUM	Superseded	5-3614X
5-332X	1480	Superseded	SPL55-3X	5-792X	1330	Superseded	5-7438X
5-350X	1310	Obsolete	No Replacement	5-796X	1330/7290	Superseded	5-7437X
5-354X	1310/7290	Obsolete	No Replacement	5-797X	SPL25	Superseded	5-7437X
5-432X	55N	Obsolete	No Replacement	5-799X	1350	Superseded	5-1350X
5-433-1X	1310	Superseded	5-1310-1X	5-801X	1410	Superseded	5-1410X
5-447X	1350	Superseded	5-3615X	5-802X	1410	Superseded	5-3616X
5-462X	1410	Superseded	5-1410-1X	5-803X	1480	Superseded	SPL55X
5-471X	1350	Superseded	5-1350-1X	5-804X	1480	Superseded	SPL55-1X
5-481X	1410	Superseded	5-160X	5-806X	1480 WJ	Superseded	SPL55-3X
5-482X	1480	Superseded	5-188X	5-807X	1480 WJ	Superseded	SPL55-4X
5-483X	1550	Superseded	5-155X	5-808X	1550	Superseded	SPL70X
5-4X	1300	Obsolete	No Replacement	5-809X	1550	Superseded	SPL70-1X
5-5000X	5C	Obsolete	No Replacement	5-810X	1310	Superseded	5-1310-1X
5-5177X	5C	Superseded	050776020	5-812X	1330	Superseded	5-1330-1X
5-526X	1210	Superseded	5-443X	5-86X	1350	Superseded	5-1350X
5-527X	7260-7290	Obsolete	No Replacement	5-88X	1480	Superseded	SPL55-3X
5-538X	1330 SPEC	Obsolete	No Replacement	5C-1X	5C	Obsolete	050776020
5-542X	1350	Superseded	5-1350-1X	6C-1X	6C	Superseded	050138000
5-544X	1310/3R	Obsolete	No Replacement	SPL170X	SPL170	Superseded	SPL170-4X

MSC

Obsolete Part Number	Series / Model	Status	Replaced By (where applicable)
SPL170-3X	SPL170	Superseded	SPL170-4X
SPL22-1X	SPL22	Superseded	5-1310X
SPL22-2X	SPL22	Superseded	5-3613X
SPL22-3X	SPL22	Superseded	5-7439X
SPL22-7X	SPL22	Superseded	5-1310-1X
SPL250X	SPL250	Superseded	SPL250-3X
SPL25-1X	SPL25	Superseded	5-1330X
SPL25-2X	SPL25	Superseded	5-3614X
SPL25-3X	SPL25	Superseded	5-7438X
SPL25-4X	SPL25	Superseded	5-7436X
SPL25-7X	SPL25	Superseded	5-7437X
SPL30-1X	SPL30	Superseded	5-1350X
SPL30-2X	SPL30	Superseded	5-3615X
SPL30-3X	SPL30	Obsolete	No Replacement
SPL36-1X	SPL36	Superseded	5-1410X
SPL36-2X	SPL36	Superseded	5-3616X
SPL70-3X	SPL70-WJ	Superseded	SPL70-4X
SPL90X	SPL90	Superseded	SPL100-1X



Genuine Spicer®

Bearing Strap and U-Bolt Kits

**The parts you need.
The name you trust.**

Spicer U-joints and end yokes deliver top performance and value—count on Spicer bearing strap and U-bolt kits to keep it all together. These strap and U-bolt kits are manufactured to the same high standards you've come to expect from the most reliable name in driveshaft parts.



Dana Holding Corporation
Aftermarket Group
PO Box 321
Toledo, Ohio 43697-0321

Phone: 1-800-SAY-DANA (729-3262)

www.spicerparts.com

