



1076

(Front Panel)

DEXOL

GOPHER
GASSER (R)

GAS GOPHERS MOLES
GROUND SQUIRRELS

Active Ingredients:

Potassium Nitrate	45.0%
Sulphur	45.0%
Carbon	8.0%
Dextrin	2.0%
Total:	100.0%

KEEP OUT OF REACH OF CHILDREN
WARNING
See Back Panel for Additional
Precautionary Statements

Net Weight 4.5 oz.


ACCEPTED
with COMMENTS
in EPA Letter Dated:

AUG 8 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

192-49

BEST DOCUMENT AVAILABLE



192-49

(Back Panel)
DEXOL GOPHER GASSER(R)

DEXOL GOPHER GASSER(R) provides quick, reliable, effective control of pocket gophers and moles in lawns, golf courses, gardens; ground squirrels on lawns, golf courses and rangelands. The toxic gas produced by DEXOL GOPHER GASSER(R) will penetrate the lair and exterminate the pests. DEXOL GOPHER GASSER(R) will not control tree squirrels.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING

After ignition, cartridge produces toxic gasses. Fumes may be harmful if inhaled.

STATEMENT OF PRACTICAL TREATMENT

If inhaled and person has poison symptoms (headache, nausea, dizziness, and weakness), transfer victim to fresh air. Have victim lie down and keep warm. If respiration is adequate, recovery will be rapid. If breathing has stopped use artificial respiration. If available, pure oxygen should be given. CALL PHYSICIAN IMMEDIATELY.

ENVIRONMENTAL HAZARDS

This product is highly toxic to wildlife. Check all burrows for signs of nontargets. If present, do not treat burrows. See enclosed "Endangered Species Considerations" insert.

CHEMICAL HAZARDS

Once ignited by the fuse, this cartridge will burn vigorously until completely spent and is capable of causing severe burns to exposed skin and clothes, and of igniting dry grass, leaves and other combustible materials.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in cool, dry place away from fire, heat and direct sunlight.

PESTICIDE DISPOSAL: To dispose of unused cartridges, soak in water, crush and bury at least 6" in loose soil.

CONTAINER DISPOSAL: Place in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SEE INSERT FOR COMPLETE DIRECTIONS FOR USE, USE RESTRICTIONS AND ENDANGERED SPECIES CONSIDERATION.

EPA Reg. No. 192-49-AA

EPA Est. No. 192-CA-1

Manufactured by
DEXOL INDUSTRIES

Made in Taiwan

Torrance, CA. 90501

BEST DOCUMENT AVAILABLE

192-42

(Labeling Insert)

DEXOL GOPHER GASSER (R)

READ ALL PRECAUTIONS ON BACK SIDE OF PACKAGE BEFORE USING THIS PRODUCT.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Only use inside of burrows and never inside of buildings.

POCKET GOPHERS and MOLES:

Burrow Preparation - In order for gas producing cartridges to be effective on the pest species, a sufficient concentration of gas over a period of time must be retained in the burrow system. Damp soil tends to retain toxic gasses within a burrow system better than does dry soil, and hence may increase the degree of control.

Pocket gophers and moles produce different types of burrows. Both, however, dig their most used runways (burrows) at a deeper level than the shallow runways (burrows) used for feeding purposes, which may not be reused on a regular basis, if at all. Short lateral runways connecting the deeper burrows with the surface of the ground may also be used for only short periods when soil is being excavated from runways. It is natural for pocket gophers and moles to plug the lateral runways and feeding runways with soil. Such soil plugs preclude the toxic gasses from reaching the animal.


For best results with any toxic gas, it must be released in the deeper, more frequently used runways and in a sufficient number of locations within the burrow system to assure that a lethal concentration of gas reaches the pest animal.

Locating the main runway necessitates the use of a sharpened broom handle or metal probe which can be pushed perpendicularly into the soil somewhere midway between two fresh earth mounds. Connecting runways between mounds generally can be found at depths of 8 to 12 inches below the soil surface and are detectable by the sudden give felt on the probe because of the lack of soil friction as it enters the runway.

With the main runway located, a shovel or trowel may be used to dig down the runway and clear away the loose soil.

Burrow Treatment

Before Lighting Fuse: Insure that cartridge will pass easily into opening and make sure that enough material is on hand to close burrows.



BEST DOCUMENT AVAILABLE

112-47

/

(Insert Copy Cont'd)

Hold a DEXOL GOPHER GASSER(R) cartridge away from your body and light the fuse (minimum fuse burn time is 5 seconds). DO NOT INHALE THE TOXIC FUMES. When lit, carefully insert the cartridge, fuse-end first, into one side of the open runway.

Immediately plug the opening with a board or a shovelful of sod, tamp tightly with soil to prevent gasses from escaping. If smoke is seen escaping from other holes, plug them firmly with soil.

After the first cartridge has burned to completion (approximately 5 minutes), from 1 to 3 additional cartridges should be used following the same procedures as previously described but in different portions of the burrow system. Generally, cartridges need not be inserted closer than 8 feet apart.

Should fresh mounds reappear after approximately 5 days, the gassing process should be repeated. New animals frequently take over vacant burrow systems.

GROUND SQUIRRELS: Collect plenty of dirt and other material for closing burrow openings. Treat each burrow opening by lighting fuse (minimum fuse burn time is 5 seconds) and inserting cartridge fuse end first into hole. (Make sure hole is large enough for easy insertion before lighting fuse). Cover hole immediately, taking care not to smother cartridge with loose dirt. Immediately cover all other openings from which gas escapes. Proceed to the next closest burrow and treat as above.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in cool, dry place away from fire, heat and direct sunlight.

PESTICIDE DISPOSAL: To dispose of unused cartridges, soak in water, crush and bury at least 6" in loose soil.

CONTAINER DISPOSAL: Place in trash collection.


Endangered Species Considerations:

1. Black-Footed Ferret: Do not use this product in the range of the Black-Footed Ferret. Contact the nearest U.S. Fish and Wildlife Service Office (Endangered Species Specialist) before the product is used. They will arrange for a survey of the proposed use site.
2. Utah Prairie Dog: Do not use this product in the range of the Utah Prairie dog, which occurs only in Utah.

BEST DOCUMENT AVAILABLE

(Insert Copy Cont'd)

3. San Joaquin Kit Fox: This pesticide should not be used within 1 mile of active dens of the San Joaquin Kit Fox in the following California counties: Kern, Kings, Fresno, San Luis Obispo, Merced, Monterey, Santa Barbara, Ventura, Tulare, and San Benito. Prior to use, contact the California Department of Fish and Game for recommendations.
4. Blunt-Nosed Leopard Lizard: This pesticide should not be used in the range of the Blunt-nosed Leopard Lizard in the following California Counties: Kern, Fresno, Kings, Madera, Merced and Tulare. Prior to use, contact the California Department of Fish and Game for recommendations.
5. Eastern Indigo Snake: Do not use this product in the range of the Eastern Indigo Snake in the following states: Mississippi, Alabama, South Carolina, Georgia and Florida.
6. Desert Tortoise: This pesticide should not be used in the critical habitat of the Beaver Dam slope population of the Desert Tortoise in Utah. This comprises an area extending from the southwest facing slope of the Beaver Dam Mountains, across Highway 91, west along the Arizona border and 10 miles to the Nevada border.



(Wrap-around copy on individual cartridges)

IMPORTANT: SEE PRECAUTIONARY
STATEMENTS ON BACK OF PACKAGE
AND FOLLOW ENTIRE DIRECTIONS
FOR USE ON ENCLOSED INSERT
BEFORE USING.

WARNING: After ignition,
cartridge produces toxic
gasses. Fumes may be harmful
if inhaled.

NET WT. 3/4 oz.

MADE IN TAIWAN
DEXOL INDUSTRIES
Torrance, California 90501

DEXOL
GOPHER GASSER
AID TO RODENT CONTROL
KEEP OUT OF REACH OF
CHILDREN

WARNING

Active Ingredients:
Potassium Nitrate ... 45.0%
Sulphur 45.0%
Carbon 8.0%
Dextrin 2.0%
Total: 100.0%

EPA Reg. No. 192-49-AA
EPA Reg. No. 192-CA-1

BEST DOCUMENT AVAILABLE

8 AUG 1984

$\frac{306}{18}$ $\frac{123,433}{18}$
 $\frac{306}{18}$ $\frac{126,512}{18}$

Certified Mail

Dexol Industries
1450 W. 228th Street
Torrance, CA 90501

Gentlemen:

Subject: Dexol Gopher Gasser
EPA Registration No. 192-49
Your Letters of June 5 and July 2, 1984

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(5), is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. Label for Outer Container

- (1) Under "STATEMENT OF PRACTICAL TREATMENT" add comma after "stopped" and delete "d" from "used."
- (2) Under "STORAGE" after "sunlight" add "and inaccessible to children and pets."
- (3) Under "CONTAINER DISPOSAL" add "Securely wrap in newspaper and" before "place in trash collection."
- (4) Add "s" to "CONSIDERATION"

b. Label for Insert

- (1) Add the registration number to the insert.
- (2) Make the same two changes to the "Storage & Disposal" statements here that were made on the label for the outer container above.

c. Label for Cartridge

- (1) The cartridge label is acceptable.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

BEST DOCUMENT AVAILABLE

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							



122-47

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:Miller:DCR-29740:WANG-0094L:adb:Raven:479-2013:8/3/84/Del.8/20/84

BEST DOCUMENT AVAILABLE

Reg # 192-149

PM-14

8 AUG 1984

19 13

Certified Mail

Dexol Industries
1450 W. 228th Street
Torrance, CA 90501

Gentlemen:

Subject: Dexol Gopher Gasser
EPA Registration No. 192-49
Your Letters of June 5 and July 2, 1984

$\frac{306}{18}$ $\frac{123,433}{18}$
 $\frac{306}{18}$ $\frac{126,512}{18}$

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(5), is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Label for Outer Container
 - (1) Under "STATEMENT OF PRACTICAL TREATMENT" add comma after "stopped" and delete "d" from "used."
 - (2) Under "STORAGE" after "sunlight" add "and inaccessible to children and pets."
 - (3) Under "CONTAINER DISPOSAL" add "Securely wrap in newspaper and" before "place in trash collection."
 - (4) Add "s" to "CONSIDERATION"
 - b. Label for Insert
 - (1) Add the registration number to the insert.
 - (2) Make the same two changes to the "Storage & Disposal" statements here that were made on the label for the outer container above.
 - c. Label for Cartridge
 - (1) The cartridge label is acceptable.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

BEST DOCUMENT AVAILABLE

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:Miller:DCR-29740:WANG-0094L:adb:Raven:479-2013:8/3/84/Del.8/20/84

BEST DOCUMENT AVAILABLE

1984 3 of 15

(Front Panel)

DEXOL

GOPHER
GASSER (R)

GAS GOPHERS MOLES
GROUND SQUIRRELS

Active Ingredients:

Potassium Nitrate	45.0%
Sulphur	45.0%
Carbon	8.0%
Dextrin	2.0%
Total:	100.0%

KEEP OUT OF REACH OF CHILDREN
WARNING
See Back Panel for Additional
Precautionary Statements

Net Weight 4.5 oz.

ACCEPTED
with **COMMENTS**
in EPA Letter Dated:

AUG 8 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

192-49

BEST DOCUMENT AVAILABLE

192-49
4 of 13

(Back Panel)
DEXOL GOPHER GASSER(R)

DEXOL GOPHER GASSER(R) provides quick, reliable, effective control of pocket gophers and moles in lawns, golf courses, gardens; ground squirrels on lawns, golf courses and rangelands. The toxic gas produced by DEXOL GOPHER GASSER(R) will penetrate the lair and exterminate the pests. DEXOL GOPHER GASSER(R) will not control tree squirrels.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING

After ignition, cartridge produces toxic gasses. Fumes may be harmful if inhaled.

STATEMENT OF PRACTICAL TREATMENT

If inhaled and person has poison symptoms (headache, nausea, dizziness, and weakness), transfer victim to fresh air. Have victim lie down and keep warm. If respiration is adequate, recovery will be rapid. If breathing has stopped use artificial respiration. If available, pure oxygen should be given. CALL PHYSICIAN IMMEDIATELY.

ENVIRONMENTAL HAZARDS

This product is highly toxic to wildlife. Check all burrows for signs of nontargets. If present, do not treat burrows. See enclosed "Endangered Species Considerations" insert.

CHEMICAL HAZARDS

Once ignited by the fuse, this cartridge will burn vigorously until completely spent and is capable of causing severe burns to exposed skin and clothes, and of igniting dry grass, leaves and other combustible materials.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in cool, dry place away from fire, heat and direct sunlight.

PESTICIDE DISPOSAL: To dispose of unused cartridges, soak in water, crush and bury at least 6" in loose soil.

CONTAINER DISPOSAL: Place in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SEE INSERT FOR COMPLETE DIRECTIONS FOR USE, USE RESTRICTIONS AND ENDANGERED SPECIES CONSIDERATIONS.

EPA Reg. No. 192-49-AA

EPA Est. No. 192-CA-1

Manufactured by
DEXOL INDUSTRIES

Made in Taiwan

Torrance, CA. 90501

BEST DOCUMENT AVAILABLE

3
192-44 59 13
(Labeling Insert)

DEXOL GOPHER GASSER (R)

READ ALL PRECAUTIONS ON BACK SIDE OF PACKAGE BEFORE USING THIS PRODUCT.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Only use inside of burrows and never inside of buildings.

POCKET GOPHERS and MOLES:

Burrow Preparation - In order for gas producing cartridges to be effective on the pest species, a sufficient concentration of gas over a period of time must be retained in the burrow system. Damp soil tends to retain toxic gasses within a burrow system better than does dry soil, and hence may increase the degree of control.

Pocket gophers and moles produce different types of burrows. Both, however, dig their most used runways (burrows) at a deeper level than the shallow runways (burrows) used for feeding purposes, which may not be reused on a regular basis, if at all. Short lateral runways connecting the deeper burrows with the surface of the ground may also be used for only short periods when soil is being excavated from runways. It is natural for pocket gophers and moles to plug the lateral runways and feeding runways with soil. Such soil plugs preclude the toxic gasses from reaching the animal.

For best results with any toxic gas, it must be released in the deeper, more frequently used runways and in a sufficient number of locations within the burrow system to assure that a lethal concentration of gas reaches the pest animal.

Locating the main runway necessitates the use of a sharpened broom handle or metal probe which can be pushed perpendicularly into the soil somewhere midway between two fresh earth mounds. Connecting runways between mounds generally can be found at depths of 8 to 12 inches below the soil surface and are detectable by the sudden give felt on the probe because of the lack of soil friction as it enters the runway.

With the main runway located, a shovel or trowel may be used to dig down the runway and clear away the loose soil.

Burrow Treatment

Before Lighting Fuse: Insure that cartridge will pass easily into opening and make sure that enough material is on hand to close burrows.

BEST DOCUMENT AVAILABLE

4
172-47 69 13
(Insert Copy Cont'd)

Hold a DEXOL GOPHER GASSER(R) cartridge away from your body and light the fuse (minimum fuse burn time is 5 seconds). DO NOT INHALE THE TOXIC FUMES. When lit, carefully insert the cartridge, fuse-end first, into one side of the open runway.

Immediately plug the opening with a board or a shovelful of sod, tamp tightly with soil to prevent gasses from escaping. If smoke is seen escaping from other holes, plug them firmly with soil.

After the first cartridge has burned to completion (approximately 5 minutes), from 1 to 3 additional cartridges should be used following the same procedures as previously described but in different portions of the burrow system. Generally, cartridges need not be inserted closer than 8 feet apart.

Should fresh mounds reappear after approximately 5 days, the gassing process should be repeated. New animals frequently take over vacant burrow systems.

GROUND SQUIRRELS: Collect plenty of dirt and other material for closing burrow openings. Treat each burrow opening by lighting fuse (minimum fuse burn time is 5 seconds) and inserting cartridge fuse end first into hole. (Make sure hole is large enough for easy insertion before lighting fuse). Cover hole immediately, taking care not to smother cartridge with loose dirt. Immediately cover all other openings from which gas escapes. Proceed to the next closest burrow and treat as above.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in cool, dry place away from fire, heat and direct sunlight.

PESTICIDE DISPOSAL: To dispose of unused cartridges, soak in water, crush and bury at least 6" in loose soil.

CONTAINER DISPOSAL: Place in trash collection.

Endangered Species Considerations:

1. **Black-Footed Ferret:** Do not use this product in the range of the Black-Footed Ferret. Contact the nearest U.S. Fish and Wildlife Service Office (Endangered Species Specialist) before the product is used. They will arrange for a survey of the proposed use site.
2. **Utah Prairie Dog:** Do not use this product in the range of the Utah Prairie dog, which occurs only in Utah.

BEST DOCUMENT AVAILABLE

5
192-49 7 13
(Insert Copy Cont'd)

3. San Joaquin Kit Fox: This pesticide should not be used within 1 mile of active dens of the San Joaquin Kit Fox in the following California counties: Kern, Kings, Fresno, San Luis Obispo, Merced, Monterey, Santa Barbara, Ventura, Tulare, and San Benito. Prior to use, contact the California Department of Fish and Game for recommendations.
4. Blunt-Nosed Leopard Lizard: This pesticide should not be used in the range of the Blunt-nosed Leopard Lizard in the following California Counties: Kern, Fresno, Kings, Madera, Merced and Tulare. Prior to use, contact the California Department of Fish and Game for recommendations.
5. Eastern Indigo Snake: Do not use this product in the range of the Eastern Indigo Snake in the following states: Mississippi, Alabama, South Carolina, Georgia and Florida.
6. Desert Tortoise: This pesticide should not be used in the critical habitate of the Beaver Dam slope population of the Desert Tortoise in Utah. This comprises an area extending from the southwest facing slope of the Beaver Dam Mountains, across Highway 91, west along the Arizona border and 10 miles to the Nevada border.

BEST DOCUMENT AVAILABLE

(Wrap-around copy on individual cartridges)

IMPORTANT: SEE PRECAUTIONARY
STATEMENTS ON BACK OF PACKAGE
AND FOLLOW ENTIRE DIRECTIONS
FOR USE ON ENCLOSED INSERT
BEFORE USING.

WARNING: After ignition,
cartridge produces toxic
gasses. Fumes may be harmful
if inhaled.

NET WT. 3/4 oz.

MADE IN TAIWAN
DEXOL INDUSTRIES
Torrance, California 90501

DEXOL

GOPHER GASSER

AID TO RODENT CONTROL

KEEP OUT OF REACH OF
CHILDREN

WARNING

Active Ingredient
Potassium Nitrate
Sulphur
Carbon
Dextrin
Total:

EPA Reg. No. 192-
EPA Reg. No. 192-

BEST DOCUMENT AVAILABLE


Dexol CONTENTS: 6 GASSERS

Dexol

**GOPHER
GASSER**

Dexol
GAS GOPHERS • MOLES • GROUND SQUIRRELS

GAS GOPHERS • MOLES
GROUND SQUIRRELS



10 9 13
Outside Label
(back)

Dexol
GAS GOPHERS • MOLES • GROUND SQUIRRELS

DEXOL GOPHER GASSER

DEXOL GOPHER GASSER(R) provides quick, reliable, effective control of pocket gophers and moles in lawns, golf courses, gardens, ground squirrels on lawns, golf courses and rangelands. The toxic gas produced by DEXOL GOPHER GASSER(R) will penetrate the lair and exterminate the pests. DEXOL GOPHER GASSER (R) will not control tree squirrels.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING

After ignition, cartridge produces toxic gasses. Fumes may be harmful if inhaled.

STATEMENT OF PRACTICAL TREATMENT

If inhaled and person has poison symptoms (headache, nausea, dizziness, and weakness), transfer victim to fresh air. Have victim lie down and keep warm. If respiration is adequate, recovery will be rapid. If breathing has stopped, use artificial respiration. If available, pure oxygen should be given. **CALL PHYSICIAN IMMEDIATELY.**

ENVIRONMENTAL HAZARDS

This product is highly toxic to wildlife. Check all burrows for signs of non-targets. If present, do not treat burrows. See enclosed "Endangered Species Considerations" insert.

CHEMICAL HAZARDS

Once ignited by the fuse, this cartridge will burn vigorously until completely spent and is capable of causing severe burns to exposed skin and clothes, and of igniting dry grass, leaves and other combustible materials.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in cool, dry place away from fire, heat and direct sunlight and inaccessible to children and pets.

PESTICIDE DISPOSAL: To dispose of unused cartridges, soak in water, crush and bury at least 6" in loose soil.

CONTAINER DISPOSAL: Securely wrap in newspaper and place in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SEE INSERT FOR COMPLETE DIRECTIONS FOR USE, USE RESTRICTIONS AND ENDANGERED SPECIES CONSIDERATIONS

EPA Reg. No. 192-49-AA Manufactured for EPA Est. No. 192-CI-01

DEXOL INDUSTRIES - TORRANCE, CALIF. 90501

MADE IN TAIWAN

B. N. 852010

Dexol GAS GOPHERS • MOLES
GROUND SQUIRRELS



DEXOL GOPHER GASSER

READ ALL PRECAUTIONS ON BACK SIDE OF PACKAGE BEFORE USING THIS PRODUCT.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Only use inside of burrows and never inside of buildings.

POCKET GOPHERS and MOLES:

Burrow Preparation - In order for gas producing cartridges to be effective on the pest species, a sufficient concentration of gas over a period of time must be retained in the burrow system. Damp soil tends to retain toxic gasses within a burrow system better than does dry soil, and hence may increase the degree of control.

Pocket gophers and moles produce different types of burrows. Both, however, dig their most used runways (burrows) at a deeper level than the shallow runways (burrows) used for feeding purposes, which may not be reused on a regular basis, if at all. Short lateral runways connecting the deeper burrows with the surface of the ground may also be used for only short periods when soil is being excavated from runways. It is natural for pocket gophers and moles to plug the lateral runways and feeding runways with soil. Such soil plugs preclude the toxic gasses from reaching the animal.

For best results with any toxic gas, it must be released in the deeper, more frequently used runways and in a sufficient number of locations within the burrow system to assure that a lethal concentration of gas reaches the pest animal.

Locating the main runway necessitates the use of a sharp probe or metal probe which can be pushed perpendicularly in the soil where midway between two fresh earth mounds. Connections between mounds generally can be found at depths of 8 to 12 inches from soil surface and are detectable by the sudden give felt on the probe due to the lack of soil friction as it enters the runway.

With the main runway located, a shovel or trowel may be used to clear the runway and clear away the loose soil.

Burrow Treatment

Before Lighting Fuse: Insure that cartridge will pass easily through the opening. Make sure that enough material is on hand to close burrow after treatment.

Hold a DEXOL GOPHER GASSER (R) cartridge away from the opening and light the fuse (minimum fuse burn time is 5 seconds). **DO NOT BREATHE TOXIC FUMES.** When lit, carefully insert the cartridge, fuse end first, into the side of the open runway.

Immediately plug the opening with a board or a shovel full of soil to prevent gasses from escaping. If smoke is seen from other holes plug them firmly with soil.

After the first cartridge has burned to completion (approximately 5 seconds) from 1 to 3 additional cartridges should be used following the procedure as previously described but in different portions of the burrow system. Generally, cartridges need not be inserted closer than 8 inches apart.

Should fresh mounds reappear after approximately 5 days, the process should be repeated. New animals frequently take over the system.

GROUND SQUIRRELS: Collect plenty of dirt and other material from burrow openings. Treat each burrow opening by lighting the fuse (minimum fuse burn time is 5 seconds) and inserting cartridge fuse end first. (Make sure hole is large enough for easy insertion before lighting.) Cover hole immediately, taking care not to smother cartridge. Immediately cover all other openings from which gas escapes. Plug the next closest burrow and treat as above.

Endangered Species Considerations:

1. **Black-Footed Ferret:** Do not use this product in the range of the Black-Footed Ferret. Contact the nearest U. S. Fish and Wildlife Service Office. (Endangered Species Specialist) before the product is used. They will arrange for a survey of the proposed use site.
2. **Utah Prairie Dog:** Do not use this product in the range of the Utah Prairie dog, which occurs only in Utah.
3. **San Joaquin Kit Fox:** This pesticide should not be used within 1 mile of active dens of the San Joaquin Kit Fox in the following California counties: Kern, Kings, Fresno, San Luis Obispo, Merced, Monterey, Santa Barbara, Ventura, Tulare, and San Benito. Prior to use, contact the California Department of Fish and Game for recommendations.
4. **Blunt-Nosed Leopard Lizard:** This pesticide should not be used in the range of the Blunt-Nosed Leopard Lizard in the following California Counties: Kern, Fresno, Kings, Madera, Merced and Tulare. Prior to use, contact the California Department of Fish and Game for recommendations.
5. **Eastern Indigo Snake:** Do not use this product in the range of the Eastern Indigo Snake in the following states: Mississippi, Alabama, South Carolina, Georgia and Florida.
6. **Desert Tortoise:** This pesticide should not be used in the critical habitat of the Beaver Dam slope population of the Desert Tortoise in Utah. This comprises an area extending from the southwest facing slope of the Beaver Dam Mountains, across Highway 91, west along the Arizona border and 10 miles to the Nevada border.

3.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in cool, dry place away from fire, heat and direct sunlight and inaccessible to children and pets.
PESTICIDE DISPOSAL: To dispose of unused cartridges, soak in water, crush and bury at 6" in loose soil.
CONTAINER DISPOSAL: Securely wrap in newspaper and place in trash collection.

EPA Reg. No. 192-49-AA

EPA Est. No. 192-CI-01

Manufactured for

DEXOL INDUSTRIES — TORRANCE CALIF. 90501


MADE IN TAIWAN

Insert Label
(9384)
12913

Purries may be harmful if inhaled.

NET WT. ½ OZ.

MADE IN TAIWAN
DEXOL INDUSTRIES
Torrance, California 90501



FPA Reg. No. 192-49-AA
EPA Reg. No. 192-CI-01