United States Environmental Protection Ager Washington, DC 20460			•	Form Ap	Proved V	Registra Amend Other N	ation ment	OPP Identifier Number
		Applicati	on for Pestic	ide - Sec	tion	1		
1. Company/Product Number 70051-2				2. EPA Product Manager /Branch Chief Sheryl Reilly  3. Proposed Classification Restricts				
4. Company/Product (Name) Neem Oil 70%			PM# Bioch	PM# Biochemical Pesticides Branch				
5. Name and Address of A Certis USA, L.L.C. 9145 Guilford Road Columbia, Maryland Check if to	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  Product Name							
			Section -					
Notification - Expla  Explanation: Use addition o Choice Fruit and Vegetable 3 Certis USA has identified this regulations at 40 CFR 152.46	in below.  ional page(s) if necessar f the following Alternate Br -in-1 Spray Concentrate, Gas action as a Notification, no , and no other changes have lly make any false statemen	ry. (For section and Names: Greated ardener's Choice of subject to fees been made to that to EPA. I further	en Light Rose Defense Rose and Flower 3-in- under PRIA. This noti e labeling or the confi- er understand that if th	Agency lett "Me Too" A Other - Exp , Green Light N 1 Spray Concer fication is considential statemer is notification is	leem Contrate, a sistent with of forms not constructed.	Date Replayed oncentrate, 3-ind Ultra Stop with the provisional of this possistent with the possistent with the provision of	otiewed ved By in-1 Garden Fruit Tree 3 ions of PR N roduct. I under the terms of	lotice 98-10 and EPA derstand that it is a violation of PR Notice 98-10 and 40 CFR
			Section - I					
1. Material This Product V	Vill Be Packaged In:					· · · · · · · · · · · · · · · · · · ·		
Child-Resistant Packaging Yes No * Certification must submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per . container	Water Soluble F Yes No If "Yes" Package wgt	No. per container		2. Type of	Metal Plastic Glass Paper	specify)
			tail Container 00 gallons, 16 & 2	Container  5. Location of Label Directions  gallons, 16 & 20 fl. oz.  on container				
6. Manner in Which Label is Affixed to Product			ograph Other					
			Section - I'	V	, , , , , , , , , , , , , , , , , , , ,			
1. Contact Point (Complet	te items directly below I	for identification	n of individual to b	e contacted, i	if nece	ssary, to pr	ocess this	application.)
Name Christine A. Dively			Title Director of Regulatory Affairs				Telephone No. (Include Area Code) 301-483-3806	
	tements I have made on any knowlinglly false or e law.		all attachments the					6. Date Application Received (Stamped)
Christine A. Devely			3. Title Director of Regulatory Affairs					
. Т <b>уреd Name</b> Christine A. Dively		5. Date  Dec. 10, 7004						



Certis USA 9145 Guilford Road Suite 175 Columbia, MD 21046

(301) 604-7340

FAX (301) 604-7015 www.certisusa.com

December 9, 2004

Ms. Linda Hollis
Team Leader
Biochemical Pesticides Branch
Biopesticides & Pollution Prevention Division (7511C)
Office of Pesticide Programs
U.S. Environmental Protection Agency
1921 Jefferson Davis Hwy, Crystal Mall 2
Arlington, VA 22202

RE: Notification of Alternate Brand Names for Neem Oil 70%, EPA Reg. No. 70051-2 Not subject to Pesticide Registration Improvement Act (PRIA) fees

Dear Ms. Hollis:

In reviewing our files, it has come to our attention that we do not have documentation that shows the following alternate brand names were submitted to the Agency. Therefore, Certis USA, L.L.C. is respectfully submitting the enclosed Notification (EPA Form 8570-1) for Neem Oil 70% to ensure that these brand names are added to the registration. Please note, these brand names are for products sold by our supplemental distributors.

1) Green Light Rose Defense

2) Green Light Neem Concentrate

3) 3-in-1 Garden Spray Concentrate already in OPPIN under 70051-2

4) Gardener's Choice Fruit and Vegetable 3-in-1 Spray Concentrate abready in OPPIN under

5) Gardener's Choice Rose and Flower 3-in-1 Spray Concentrate

6) Ultra Stop Fruit Tree 3-in-1 Spray Concentrate: previously submitted to EPA on 6/3/04 as "Ultra Stop Fruit Tree 3-in-1 Concentrate", the word "Spray" was inadvertently omitted.

A copy of each product label is also enclosed for your files. Please feel free to contact me if you have any questions about this submission. I can be reached by telephone at (301)483-3896 or by email at cdively@certisusa.com.

Sincerely,

Christine A. Dively

Director of Regulatory Affairs

Enclosure

Reviewed By: CP

### Date Reviewed: 1-38-05 NOTIFICATION

Rose Defense

ACTIVE INGREDIENT:
Charled hydrophobic Estrand
ON New Divinity
INGREDIENTS:
TOTAL 100% KEEP OUT DE REACH OF CHILDREN
CAUTON See Back Parel lot Adminoral
CAUTON Precautionary Statements.
Net Contents ONE PINT (474 ml) Controls Blackspot, Powdery Mildew, Rusi, Spider Miles, Aphids, Scales, Whitefilies, and Other Pests on Roses and Ornamental Plants. PRECAUTIONARY
STATEMENTS
INAMENTS
INAMENTS
CAUTHON STATEMENTS
CAUTHON STATEMENTS
CAUTHON STATEMENTS
CAUTHON STATEMENT STATEMENT
STATEMENT STATEMENT STATEMENT
STATEMENT STATEMENT
STATEMENT STATEMENT
STATEMENT STATEMENT
STATEMENT STATEMENT
STATEMENT STATEMENT
STATEMENT STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMENT
STATEMEN

to organic condumer Stock in a forty place area from a forty place area from duffic years of the condumer stock and produced that a sand in conjumer stock and the condumer stock and the condumer stock and the condumer stock and produced the stand that and in conjumer and when the condumer stock and the condumer stock and the condumer stock and the condumer stock and produced and a stand that and in conjumer stock and the condumer stock and the condumer stock and the condumer stock and the condumer stock and and the condumer stock and the stock a

the rate of 2 unbespoons (1 ounce) per quiton of waste. Thoughly min s solution and Strape at 1944 statistics (encluding undersides of larens) under completely wit frequently may sciulion as you state.

INSECTICIDEMITICIDE USE: For use on ROSES, MUSEPLAMES, FLOWERS, FREES, SHREES, SHRE

ROSE DEFENSE® is a registered trademark of Green Light Company

SHRUSS
DebrayS and strict from the processing of Aev 07-21-2003 www.grzenightco.com Tel. (210) 494-3481 EPA Reg. No. 70051-2-869 (2007) Manutaciured for GREEN LIGHT COMPANY P.O. Box 17985 San Axtonio, TX 78217-0985 Developed by Certis, USA

### NOTIFICATION

Date Reviewed: 1-28-05

Reviewed by CP

### PRECAUTIONARY STATEMENTS

HAZAROS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

FIRST AID ti on skin or civilling: Take off contaminated clothian. Biose skin immediately with plenty of water for 15-20 minutes. If In eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if presen after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hot Line Number: 1-800-858-7378.

USER SAFETY RECOMMENDA-TIONS: Users should. Wash hands before sating, drinking, chewing journ, using tobacco, or using the bielt. Remove clothing immedialely if pesticade gets inside. Then wash thoroughly and put on clean colothing Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.



BEE NAZARD: This product is took to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area. PHYSICAL AND CHEMICAL HAZARDS: Do not use of store near heat or open frame.

DIRECTIONS FOR USE
IT IS A WIOLATION OF FEDERAL LAW
TO USE THIS PRODUCT IN A MANNER
INCONSISTENT WITH ITS LABELING.
DO not apply this product through any
type of irrigation system.

### STORAGE AND DISPOSA

Do not contaminate water, food, or feed by storage or disposal. Pesticide Storage: Keep in original container Store in a dry place, away from direct sunkight, feed, or foodstaffs. Keep container sightly sealed withen not uses. Do not store below 40°F (4°C). Container Disposal: H emight. Do not reuse this container, Place in trash or offer for moycling in available. He part in the property or 1-800-CLEAMUP for disposal in the structure of the store of the structure of the struct



### GENERAL INFORMATI

Kills eggs, tarvae, and adult insects. Prevents and controls black spot on roses, anthracnose, rust, and powdery mildew. SHARE WELL BEFORE USING. For best results, maintain constant agrication in spray equipment. For epitimal performance, do not into with pool water (less that a 575). Neem Concentrate is most effective when applied in early to mid-morning or its athermoon when adult pests, such as whiteflies, are normally sedentary on the undersides of the foliage. Use spray solutions within several hours of preparation for maximum effectiveness. Do not story diffused solution for later use. Do not apply to innown sensitive plant species, such as impaties flowers, furthers flowers, ribiscus flowers, some rose flowers, ornamental ofive trees, or some camation varieties without prior testing. When used in conjunction with beneficial insects, conduct a small trial to assure compatibility before using on a large scale. As with other oil-based products, care should be textricised in timing applications to early morning/tate evening to minimize the potential for leaf burn. Use with care on plants with broater dissue. Check for leaf burn in small scale trials prior to use. Keep unprotected persons out of freated area until sprays have dried.

### HOMEOWNER USE DIRECTIONS

Do not add adjuvants (spreaders, stickers, extenders, etc.) to Neem Concentrate.
 Stops powdery mildew in 24 hours.
 For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES, AND SHRUBS.

USE FOR	APPLICATION INSTRUCTIONS	MIXING INSTRUCTIONS			
	FUNGICIDE USE				
POWDERY MILDEW, BLACK SPOT, DOWNY MILDEW, ANTHRACNOSE, RUST, LEAF SPOT, BOTRYTIS, NEEDLE RUST, SCAB, BLIGHT, AND ALTERNARIA	As a preventative, apply Neem Concentrate on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease altraxily present, apply Neem Concentrate on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent nust leaf spot diseases, anthracrose, and scalb, beging policiations at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first distorted. Continue applications at the answer or when disease pressure no longer exists.	Mits: Neem: Concentrate at the rate of 2 tablespoors (1 ounce) per gallon of water. Thoroughly mix solution and spray all parts surfaces (including undersides of leaves) until completely well frequently mix solution as you spray.			
	INSECTICIDE/MITICIDE USE				
APHIOS, SPIDER MITES, SCALE, WHITEFLIES, BEETLES, LEAFROLLERS, AND OTHER INSECT PESTS	Apply Neem Concentrate at first sign of insects/mites. Neem Concentrate is most effective when applied every 7 to 14 days. For heavy insect population, spray on a 7 day schedule.	Mix Neem Concentrate at the rate of 2 table- spoons (1 ounce) per gallon of water. Thoroughly mix solution and spray all plant surfaces (including undersides of leaves) until completely wet. Frequently mix solution as you spray.			

### WARRANT

Green Light Company warrants that the material contained herein conforms to the description on the label and is nescorably lift for the purposes returned to in the Directions For Use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, incrempatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seler. Buyer assumes all risks of use, storage, or handling of this material not is find accordance with directions given herein. NO OTHER PRESS OR IMERICAL WARRANTY OF THE FITNESS OR MERICALANTABILITY IS MACE.

Manufactured for: GREEN LIGHT COMPANY P.O. Box 17985 • San Antonio, TX 78217-0985 www.greentightco.com Tel. (210) 494-3481 Developed by Certix, USA EPA Reg. No. 70051-2-869 EPA Est. No. 73273-TX-1





Use on Roses, Flowers, Vegetables, Trees, Fruits, Shrubs & Houseplants

BROAD SPECTRUM



### FUNGICIDE

Controls Fungal
 Diseases including
Black Spot, Mildews,

Kills Eggs, Larvas,
 and Adult Insects
 Including Whitelies,
 Aphide & Scales

Black Spot, Mittewy,
Rusts & Scale
ACTIVE INGREDIENT

Charified Hydrophobic Extract of Noem On., 70.00%

NORTH INGREDIENTS

10004

10007

TOTAL

VERY PREACH OF CHILDREN

INSECTICIDE

KEEP OUT OF REACH OF CHILDREN
CAUTION Ree back panel by additional
CAUTION Processionery Statements and First Aid.



### MITICIDE

+ Kills Mites Including Spider Mites & Other Makes up to 16 gallons!

www.victorpest.com HET CONTENTS TO FL. OZ. (473 ML)

GARDEN SPRAY

Woodstream Corporation and its subsidiaries will not accept liability for damage or injury resulting from use not in accordance with label instructions. For information on this pesticide product including health concerns, medical emergencies, or posticide incidents), call the National Pesticide Information Center at 1,000,050, 2729. 1-800-858-7378.

Distributed by Safer®, Inc., a wholly-owned subsidiary of Woodsheam Corporation

### Wwoodstream

60 North Locust Sheel Libra PA 175-13 800-800 1819 • 717-626-2125 EPA Reg. No. 700:51-2-42097 FPA Est. No. 44616 MO 001

Look for other Safer\* Brand products at www.victorpest.com

© Copyright 2002 Woodstream Corporation RMS458A

Hwass Shake Well Before Using

Peel open for Use Directions and further information. Net Contents 16 FL. 0Z.

SEE PREJAUTEURARY STATEMENTS AND FIRST AD INSIDE BOOKLET



Model No. 5458 Media in USA

BACK BOOK HERE AND RESEAL AFTER OPENING PEEL

### GARDEN SPRAY CONCININS 3-in-I

- Stops povidery middev in 24 hours.
- · Prevents and centrels black spot on roses, anthracterse, rest and powdery midera

  - For indoor/outdoor use, frome and residential landscape Kills eggs, farshe and adult insects.

### DIRECTIONS FOR USE:

Change use this product in a 2 It is a violation of Federal law inconsistent with its labeling.

### General Information;

mid-morning or late attentions when adult posts, such as solutelities, are namally settentiary on the undersides of the lottage. As with other of-based products, care should be exactised in timing applications to early montries eventing to morning the products to lead from 3 in 1 Garden Spray is most effective when applied in early to

Horough coverage is necessary to provide good disease and mille control 3-in 1 Garden Speay prevents fungla attack to plant issue and control 3-in 1 Garden Speay prevents fungla Avoid excessive runkit of speay reteniant for maximim control, by not apply to willed or otherwise stressed plants, or to newly transplanted materials print to root establishment. Use with care on plants with lender issue, Check for leaf binn in small scale trials pror to use

Shake well before using, for optimal performance, do not mix with cobi water (less than 45°F). Mannain constant agradient in spray equipment. Spray solithers should be used within several hours or preparation for maximum effectiveness. Do not store diable softhburs for fater use.

# Fungicide Use on Fruits, Nuts. Vegetables, Herbs, Spices, Roses, Houseplants, Flowers, Trees, and Shrubs:

### Mixing Instructions:

Min 3 in 1 Garden Spray at the rate of 2 tablespuerts (1 H oz.) per giblen of water. Horoughly ries solution and spray all plant surfaces. including undersides of leaves) until completely well frequently mix solution as you spray.

### Application Instructions:

3 in-1 Carden Spray should be applied on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present apply 3 in-1 Carden Spray on a 7 day schedule until disease pressure is elinuvaled. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring, to prevent rust, leaf spot diseases, anthracringe and scab, begin application at the first sign of spring budding. To prevent providery misley, apply in mid summer or when disease is thist detected. Application should 3-in-1 Garden Spray is an effective fungicate for the prevention and control of various fungal diseases including Powdery Mildew, Black Spot, Downy Middew, Anthracnose, Rust, Leaf Spot, Botrytis, Needle Rust, Scab and Flower/Iwig/Tip Blight, and Alternaria. As a preventative, continue until disease pressure no longer exists.

# Insecticide/Miticide use on Fruits, Nuts, Vegetables, Herbs, Spices, Roses, Houseplants, Flowers, Trees, and Shrubs:

Mixing Instructions:
Mix 3-in 1 Garden Spay at the rate of 2 tablespoons (1 If o.z.) per gallon of water Thoroughly mix solution and spray all plant surfaces (inclinding undersities of leaves) until completely wer. Frequently mix Solution as you spray

### Application Instructions:

Appr 3 in Liberton Stary at test sign of inserts-miles. For control of Aphids, Spider Miles, Scale, Whitelites, Beetles, Leafrollers, and other insert pests, 3 in Cardial Stary is those checkre when applied every 7 to 34 days, for theory insect populations, spray on a flags schedule.

## PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

eye intation. Acod contact with stan eyes, or cicioting Wash theroughly with soap and water after handling Kecp outscated persons out or tocated area units sprays have dreid. CAUTION: Harnitul if absorbed through skin, Causes moderate

If in Eyes: Hush eyes with plenty of water class a physician if innerkin persists. If on Skin; Wash with plenty of scap and water Get medical attention

ENVIRONMENTAL HAZARDS:

Be not apply directly to water to not contaminate water when despesing of equipment washwaters or results

Bee Hazards: This product is loss; exposed to direct testiment. By not apply this product while bees are actively willing the treatment area.

Physical or Chemical Hazards: Do not store near heat or open tlame.

STORAGE AND DISPOSAL:
Do not containingle water, band, or lead by storage or disposal.

Pesticide Storage: Keep in original container Store in a dry place away from direct stratight, feed, or hoodstuffs, Keep container lightly sealed when not in use, the not store below 40.0 (4.6).

Securely wrap original container is several layers of newspaper and discard in trach Pesticide and Container Disposal: Do not reuse empty container

### 3:10 GARDEN SPRAY

CONCENITATE

Mways Shake Well Refore Using

Safer

Ped open for Use Directions and further information.

SE INCOCIONAM SALAMENS AND IRST NO ROSE FORMET Net Contents 16 Ft. 02.

Woodstream Corporation and its separations will not accept itability for darmage or injury resulting from use not in accordance with label institutions or in in accordance with label institutions of in reformation no this speaked product (including health concerns, medical emerance or pesticate incidents), call the National Pesticite indomation Center of 1800-658-7338.

Patributed by Sarer<sup>3</sup>, inc. a whiley conediscribed Wordsham Conscience

\*\* woodstream

69,1981) 889-741 626 205 188,1981) 889-741 626 205 148 Pay No. 2895-2 45697 178 Est No. 44695-860 (6)

Model No. 5458 Marte in USA

A852546

LOW TO PERSONAL SHALL BEEN SHALL SHA

4. Copyright 2002 Woodstream Corporation



**Adult Insects** 

Stops Powdery Mildew in 24 Hours

**ACTIVE INGREDIENT:** 

Clarified Hydrophobic Extract of Neem Oil., 70% Inert ingredients.....

This product contains 5.46 lb of clarified hydrophobic extract of neem oil per US gallon.

Composition covered by U.S. Parents 3.298,251; 5,356,629; 5,372,817; 5.405,612; and 5,409,708

**NET CONTENTS** 16 fl. oz. (473 ml)

KEEP OUT OF REACH OF CHILDREN CAUTION See back panel for Additional Precautions.

- PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through the skin. Causes moderate eye, irritation. Avoid contact with skin, eyes, or clothing. Washi horoughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

VF ON SKIAS Wash with plenty of soap and water. Get medical attention. IF IN EYES: Flush eyes with plenty of water. Call physician if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

BEE HAZARD

Ihis product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the preatment area.


PHYSICAL AND CHEMICAL HAZARDS Do not use or store near heat or open flame

STORAGE AND DISPOSAL

Posticide Storage: Keep in original container. Storage or disposal. | Pesticide Storage: Keep in original container. Store in a dry place away from direct sunlight, leed or foodstuffs. Keep container lightly sealed when not in use. Do not store below 40°F (4°C). Pesticide and Container Disposal: Do not reuse empty container. Securely wrap original container in several layers of pewspaper and discard in trash. Do not contaminate water, food, or feed by storage or disposal.

Distributed by Value Garden Supply PO Box 585, St. Joseph, MO 64502-0585 1952) 884-6477 RM# 17083

**Base Label** 



Front Cover

schedule until disease pressure is eliminated. Then continue screenie until disease pressure is eliminated: International praying on a 14 day schedule to prevent the disease from reoccuring. To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Applications should recommend the processor of the procesor of the processor of the processor of the processor of the proc continue until disease pressure no longer exists.

MIXING INSTRUCTIONS

Mix Fruit & Vegetable 3-lin-1 Spray at the rate of 2 tablespoons 1) ounce) per gallon of water. Thoroughly mix solution and pray all plant surfaces (including undersides of leaves) intil completely wet. Frequently mix solution as you spray, I

INSECTICIDE/MITICIDE USE

for use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES, SHRUBS

APPLICATION INSTRUCTIONS

Apply Fruit & Vegetable 3-In-1 Spary at first sign of insectymites. For control of aphids, spider mites, scale, whitellies, beetls, learnollers, and other insect pests. This product is most effective when applied very 7 in 14 days, for heavy insect populations, spray on a 7 day school.

MIXING INSTRUCTIONS

Mix Fruit & Vegetable 3-In-1 Spray at the false or 2 autespoons; 1 ounce) per gallon of water. Thoroughly mix solution and spray all plant surfaces (including undersides of leaves) until completely wet. Frequently mix solution, all you spray.

**Back of Front Cover** 



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION Harmful if absorbed through the skin. Causes moderate eye, irritation. Avoid contact with skin, eyes, or clothing. Wash horoughly with soap and water after handling STATEMENT OF PRACTICAL TREATMENT STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical
attention. IF IN EYES: Flush eyes with plenty of water. Call
physician if irritation persists.


ENVIRONMENTAL HAZARDS Do not apply directly to water. Do not contaminate wat when disposing of equipment washwaters or rinsate. BEE HAZARD This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area. PHYSICAL AND CHEMICAL HAZARDS Do not use or store near heat or open flame STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage or disposal. Pesticide Storage: Keep in original container. Store in a dry place, away from direct sunlight, feed or foodstuffs. Keep container lightly sealed when not in use. Do not store below 40°F (4°C). Pesticide and Container Disposal: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash. EPA Reg No. 70051-2-192 EPA Est. No. 44616-MO-1 Distributed by Value Garden Supply PO Box 585, St. Joseph, MO 64502-0585 1952) 884-6477 RM# 17075

Base Label

RM# 17075

NOTIFICATION Date Reviewed: 1-28-05

Reviewed By: \_\_\_\_\_P



Front Cover

schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Applications should continue until disease pressure no longer exists.

### MIXING INSTRUCTIONS

Mix Rose & Flower 3-In-1 Spray at the rate of 2! tablespoons (1 ounce) per gallon of water. Thoroughly, mix solution and spray all plant surfaces (including indersides of leaves) until completely wet. Frequently mix solution as you spray.

INSECTICIDE/MITICIDE USE For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES, SHRUBS

### APPLICATION INSTRUCTIONS

Apply Rose & Flower 3-In-1 Spray at first sign of insects/mites. For control of aphids, spider mites, scale, whiteflies, beetles, leafrollers, and other insect pests. This product is most effective when applied "vn"; 7 °c 1 °days. For heavy insect populations, spray on . 7 day checule.

### MIXING INSTRUCTIONS

Mix Rose & Flower 3-In-1 Spray at the race of 2 tablespoons (1 ounce) per gallon of water. Thoroughly mix solution and spray all plant surfaces (including undersides of leaves) until complete! "ver. Surquently including a participation of the property of mix solution as you spray.

**Back of Front Cover** 

### NOTIFICATIO:

Date Reviewed: 1-28-05

Reviewed By: \_\_\_Cp

## Wurston!

CONCENTRATE

Prevents and Controls Black Spot on Rose, Anthracnose, Rust and Powdery Mildew

### Kills Insects and Their Eggs

ACTIVE INGREDIENT: Total . This product contains 5.46 fb. of clarified hydrophobic

extract of neem oil per U.S. gallon.
Composition covered by US Patents 5,298,251;
5,356,629; 5,372,817; 5,405,612; and 5,409,708. KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for Additional Precautions

NET 16 OZ. (946 ml) 341 1023

HERE TO OPEN ▶

### UltraSion Fruit Tree 3-In-1 Spray PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

IT ON SION OR CLOTHING: Take off contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes. IF ME EYEs: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue missing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hot time Number: 1-800-255-3924.

### ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This product is texic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the

### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

EPA Reg. No. 70051-2-192 EPA Est. No. 44616-MO-1 Distributed by: Value Garden Supply P.O. Box 585 St. Joseph, MO 64502-0585 (952) 884-6477 RM 10027



UltraStol Fruit Tree 3-In-I Spray

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. Do not apply this product through any type of irrigation system. Keep unprotected persons out of treated area until sprays have dried.

### GENERAL INFORMATION

- · Do not add adjuvants (spreaders, stickers, extenders, etc.) to Fruit Tree 3-in-1 Spray.
- Stops powdery mildew in 24-hours.

### MIXING INSTRUCTIONS

Mix Fruit Tree 3-In-1 Spray at the rate of 2 tablespoons (1 ounce) per gallon of water. Thoroughly mix solution and spray all plant surfaces (including undersides of leaves) until completely wet. Frequently mix solution as you spray.

### FUNGICIDE USE

For use on Fruits, Nuts, Vegetables, Herbs, Spices, Roses, Houseplants, Flowers, Trees, and Shrubs.

### APPLICATION INSTRUCTIONS

Fruit Tree 3-In-1 Spray is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot, downy

EPA Reg, No. 70051-2-192 EPA Est. No. 44616-MO-1 Distributed by: Value Garderi Supply P.O. Box 585, St. Joseph, MO 64502-0585 (952) 884-6477 RM 10027



mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab and flower, twig, tip blight, and alternaria. As a preventative, apply Fruit Tree 3-in-1 Spray on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply Fruit Tree 3-in-1 Spray on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Continue applications until disease pressure no longer exists.

### INSECTICIDE/MITICIDE USE

use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES, SHRUBS

### APPLICATION INSTRUCTIONS

Apply Fruit Tree 3-In-1 Spray at first sign of insects/mites. For control of aphids, spider mites, scale, whiteflies, beetles, leafrollers, and other insect pests. This product is most effective when applied every 7 to 14 days. Continue applications until disease pressure no longer exists

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Keep in original container. Store in a dry place away from direct sunlight, feed or foodstuffs. Keep container tightly "saled when not in use. Do not store below 40°F (4°C). M Empty: Do not .cusc. this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANL? for disposal instructions. Never place unused product down any incoor or