



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

	Ŭ	•		
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

SECTION 1. IDENTIFICATION

Product name : Product code :	ULTRA PALMOLIVE ANTIBACTERIAL DISH LIQUID / ULTRA PALMOLIVE ANTIBACTERIAL B02941120006 20000035885	
Manufacturer or supplier's det	tails	
Company name of supplier :	Colgate-Palmolive Co 300 Park Avenue New York, NY 10022	
Telephone :	US: Consumer Affairs - 1-800-468-6502	
Emergency telephone num- : ber	For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.	
	Global-CHEMTREC- +1 703-741-5970	

Recommended use of the chemical and restrictions on use

Recommended use	:	dishwashing	liquid
-----------------	---	-------------	--------

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accord Flammable liquids	dance with 29 CFR 1910.1200 : Category 3
Skin irritation	: Category 2
Serious eye damage	: Category 1
GHS label elements Hazard pictograms	
Signal word	: Danger





This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

Hazard statements :	H226 Flammable liquid and vapour. H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements :	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/ lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection.
	 Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
	Storage: P403 + P235 Store in a well-ventilated place. Keep cool.
	Disposal: P501 Dispose of contents/ container to an approved waste dis- posal plant.
Other hazards	

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C12-13, branched and line-	161074-79-9	>= 10 - < 20
ar, ethoxylated, sulfates, sodium salts		
3-Lauroylamidopropyl betaine	4292-10-8	>= 1 - < 5
SODIUM DODECYL BENZENE	25155-30-0	>= 1 - < 5



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016

SULFONATE (LINEAR)		
ETHANOL (ETHYL ALCOHOL)	64-17-5	>= 1 - < 5
Lactic acid	79-33-4	>= 1 - < 5
SODIUM XYLENE SULFONATE	1300-72-7	>= 1 - < 5
METHANOL	67-56-1	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	Causes skin irritation. Causes serious eye damage.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

1		,		
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

NA GHS

Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored sepa- rately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Neutralize with chalk, alkali solution or ammonia. Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

	0 0		
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016

		Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	:	No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	Do not store near acids.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
ETHANOL (ETHYL ALCOHOL)	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
METHANOL	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		ST	250 ppm	NIOSH REL



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

	v			
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

	325 mg/m3	
TWA	200 ppm	OSHA Z-1
	260 mg/m3	
STEL	250 ppm	OSHA P0
	325 mg/m3	
TWA	200 ppm	OSHA P0
	260 mg/m3	

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
METHANOL	67-56-1	Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	orange



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

рН	:	3.25
Flash point	:	109 °F / 43 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 148.34 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg

Components:

3-Lauroylamidopropyl betaine:

Acute oral toxicity	:	LD50 (Rat): 2,335 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402

SODIUM DODECYL BENZENE SULFONATE (LINEAR):

Acute oral toxicity : LD50 (Rat): 1,080 - 1,980 mg/kg

Method: Calculation method



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

	Ŭ	a 11		
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

		Method: No information available.
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402
ETHANOL (ETHYL ALCOHO	DL):	
Acute oral toxicity	:	LD50 (Rat): 10,470 mg/kg
Acute inhalation toxicity	:	LC50 (Rabbit): 124.7 mg/l Exposure time: 4 h Test atmosphere: No information available. Method: No information available.
Acute dermal toxicity	:	LD50 (Rat): > 15,800 mg/kg Method: No information available.
Lactic acid:		
Acute oral toxicity	:	LD50 (Rat): 3,730 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 7.94 mg/l Exposure time: 4 h Test atmosphere: No information available. Method: No information available.
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: No information available.
SODIUM XYLENE SULFONA	ATE:	
Acute oral toxicity	:	LD50 (Rat): > 7,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rabbit): > 6.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: No information available.
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402
METHANOL:		
Acute oral toxicity	:	LD50: 100 mg/kg Method: Acute toxicity estimate
Acute inhalation toxicity	:	LC50: 3 mg/l Exposure time: 4 h





This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

	Ų	e	· · · · ·	
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

	Test atmosphere: vapour Method: Converted acute toxicity point estimate
Acute dermal toxicity :	LD50: 300 mg/kg Method: Converted acute toxicity point estimate
Skin corrosion/irritation Causes skin irritation.	
<u>Components:</u>	
Alcohols, C12-13, branched an	d linear, ethoxylated, sulfates, sodium salts:
Result :	Severe skin irritation
3-Lauroylamidopropyl betaine: Result	Skin irritation
SODIUM DODECYL BENZENE	SULFONATE (LINEAR):
Result :	Irritating to skin.
ETHANOL (ETHYL ALCOHOL):	
	No skin irritation
Lactic acid:	
Assessment :	Causes severe burns.
SODIUM XYLENE SULFONATE:	
Result :	Mild skin irritation
METHANOL: Result :	No skin irritation
Result .	NO SKITTITIAION
Serious eye damage/eye irritat	ion
Causes serious eye damage.	
Components:	
Alcohols, C12-13, branched an	d linear, ethoxylated, sulfates, sodium salts:
Result :	Irreversible effects on the eye
3-Lauroylamidopropyl betaine: Result :	Moderate eye irritation



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

SODIUM DODECYL BENZE Result	NE SULFONATE (LINEAR): : Corrosive		
ETHANOL (ETHYL ALCOH Species Result	DL): : Rabbit : Moderate eye irritation		
Lactic acid: Result	: Risk of serious damage to eyes.		
SODIUM XYLENE SULFON	ATE:		
Result	: Irritation to eyes, reversing within 7 days		
METHANOL: Result	: No eye irritation		
Respiratory or skin sensitis	sation		
Skin sensitisation Not classified based on availa	able information.		
Respiratory sensitisation Not classified based on avail	able information.		
<u>Components:</u>			
3-Lauroylamidopropyl beta	ine:		
Exposure routes Result	InhalationDoes not cause respiratory sensitisation.		
Exposure routes Result	DermalDoes not cause skin sensitisation.		
SODIUM DODECYL BENZE	NE SULFONATE (LINEAR):		
Exposure routes Remarks	InhalationNo data available		
Exposure routes Result	DermalDoes not cause skin sensitisation.		
ETHANOL (ETHYL ALCOHOL):			
Exposure routes Remarks	: Inhalation : No data available		
Exposure routes	: Dermal		



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

1	0 0		
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016

Result	:	Does not cause skin sensitisation.	
Lactic acid:			
Exposure routes Result	:	Inhalation Does not cause respiratory sensitisation.	
Exposure routes Result	:	Dermal Does not cause skin sensitisation.	
SODIUM XYLENE SULFONA	TE:		
Exposure routes Remarks	:	Inhalation No data available	
Exposure routes Result	:	Dermal Does not cause skin sensitisation.	
METHANOL:			
Exposure routes Remarks	:	Inhalation No data available	
Exposure routes Result	:	Dermal Does not cause skin sensitisation.	
Germ cell mutagenicity			
Not classified based on available information.			
Carcinogenicity			

Carcinogenicity

Not classified based on available information.

IARC	Group 1: Carcinogenic to humans This finished consumer prod- uct is not expected to exhibit carcinogenic effects. Exposure through ingestion of Ethanol (64-17-5) is not applicable to the intended use of this product.		
	ETHANOL (ETHYL ALCOHOL)	64-17-5	
OSHA	No component of this product p equal to 0.1% is on OSHA's list	present at levels greater than or of regulated carcinogens.	
NTP		present at levels greater than or known or anticipated carcinogen	

Reproductive toxicity

Not classified based on available information.



NA GHS

ULTRA PALMOLIVE ANTIBACTERIAL DISH LIQUID / ULTRA PALMOLIVE ANTIBACTERIAL

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

STOT - single exposure

Not classified based on available information.

Components:

METHANOL:

Target Organs Assessment

Eyes, Central nervous system Causes damage to organs. :

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks

This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

SECTION 12. ECOLOGICAL INFORMATION

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental Occupational Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemi- cal or used container. Send to a licensed waste management company.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

1				
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

NA GHS

Contaminated packaging	: Empty remaining contents. Dispose of as unused product.
	Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

DOT	:
	NA 1993 Combustible liquid, n.o.s. (Ethanol), 3, III Non Bulk: Not Regulated. Marine Pollutant: No.
TDG	:
	UN 1993 Flammable Liquid, n.o.s. (Ethanol), 3, III
ΙΑΤΑ	:
	UN 1993 Flammable Liquid, n.o.s. (Ethanol), 3, III
IMDG	:
	UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III.
ADR	:
	UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
METHANOL	67-56-1	100	100 (F003)
SODIUM DODECYL BENZENE	25155-30-0	1000	*
SULFONATE (LINEAR)			



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

	Ų	a 11		
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ	
		(lbs)	(lbs)	
SULFURIC ACID	7664-93-9	1000	*	
*: Calculated BO exceeds reasonably attainable upper limit				

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation Serious eye damage or eye irritation
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

ETHANOL (ETHYL 64-17-5 ALCOHOL)

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

SODIUM DODECYL 25155-30-0 BENZENE SULFONATE (LINEAR) BUTYL ACETATE 123-86-4 ISOAMYL ACETATE 123-92-2 SULFURIC ACID 7664-93-9

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

SODIUM DODECYL 25155-30-0 BENZENE SULFONATE (LINEAR) BUTYL ACETATE 123-86-4 SULFURIC ACID 7664-93-9

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

		•	
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016

US State Regulations

Massachusetts Right To Know	
SODIUM DODECYL BENZENE SULFONATE (LINEAR) ETHANOL (ETHYL ALCOHOL) SULFURIC ACID	25155-30-0 64-17-5 7664-93-9
Pennsylvania Right To Know	
WATER	7732-18-5
Alcohols, C12-13, branched and linear, ethoxylated, sulfates, sodium salts	161074-79-9
3-Lauroylamidopropyl betaine	4292-10-8
SODIUM DODECYL BENZENE SULFONATE (LINEAR)	25155-30-0
ETHANOL (ETHYL ALCOHOL)	64-17-5
METHANOL	67-56-1
SODIUM SULFATE	7757-82-6
BUTYL ACETATE	123-86-4

The components of this product are reported in the following inventories:

TSCA

All ingredients in this product are listed on the TSCA Inventory or are not required to be listed on the TSCA Inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population;




This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

	0	• • • •		
Version	Revision Date:	SDS Number:	Date of last issue: 06/17/2019	
1.6	06/17/2019	66000001345	Date of first issue: 06/09/2016	

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Further information



HMIS® IV:

HEALTH	1	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 06/17/2019 US / EN