
### Unit 1 : Numbers to 10,000

(�)


# **Friendly Notes**

#### Thousands, Hundreds, Tens, and Ones

1. Count the thousands, hundreds, tens, and ones in this chart.



2,000 + 600 + 80 + 5 = 2,685 2,685 is the **standard form** of 2,685. 2,000 + 600 + 80 + 5 is the **expanded form** of 2,685.



We write 2,685 in words as two thousand six hundred eighty-five.



In 2,685:

the digit 2 is in the thousands place. Its value is 2,000. the digit 6 is in the hundreds place. Its value is 600. the digit 8 is in the tens place. Its value is 80. the digit 5 is in the ones place. Its value is 5.

( )


© 2014 Marshall Cavendish Education Pte Ltd

۲

Π

Compare the numbers 3,012, 3,210, and 4,906.
 Which is the greatest number?
 Which is the smallest number?

 $(\mathbf{0})$ 



Arranging the numbers in order beginning with the smallest, we have 3,012, 3,210, 4,096.

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

2

 $( \bullet )$ 

#### **Number Patterns**

In a number pattern, we first find out how the given numbers are related to one another to find the missing numbers.

 $(\mathbf{0})$ 

1. 1,20**2**, 1,20**4**, 1,20**6**, \_\_\_\_\_

We add 2 to get the next number. So, the missing number is 1,208.

2. 2,**8**94, 2,**7**94, 2,**6**94, \_\_\_


We subtract one hundred to get the next number. So, the missing number is 2,594.





#### **Rounding Numbers**

1. Round 306 to the nearest ten.



306 is 310 when rounded to the nearest ten.


( )

© 2014 Marshall Cavendish Education Pte Ltd

۲

5/19/14 9:23 PM


2. Round 3,450 to the nearest hundred.



۲

3,450 is 3,500 when rounded to the nearest hundred.

3. Round 9,488 to the nearest thousand.



9,488 is 9,000 when rounded to the nearest thousand.

۲

 $\bullet$ 

### **Unit 2 : Addition and Subtraction**


( )


# **Friendly Notes**

#### **Mental Calculation**

We add two numbers to find the sum.


1. Find the sum of 33 and 4.







2. Find the sum of 47 and 8.




۲

© 2014 Marshall Cavendish Education Pte Ltd

۲


3. Find the sum of 36 and 26.




۲

36 + 26 = 62

4. Add 47 and 15.



5. Add 35 and 59.



۲



۲


Primary Mathematics (Common Core Edition) Extra Practice 3

© 2014 Marshall Cavendish Education Pte Ltd

We subtract the smaller number from the greater number to find the **difference**.

۲


6. Find the difference between 22 and 8.



22 - 8 = 14

۲

7. Find the difference between 49 and 24.



۲

© 2014 Marshall Cavendish Education Pte Ltd

17


Primary Mathematics (Common Core Edition) Extra Practice 3

#### **Sum and Difference**

To add two 3-digit numbers, we add the ones first, followed by the tens, and then the hundreds.

۲

1. Find the sum of 362 and 259.



۲

18


۲

Primary Mathematics (Common Core Edition) Extra Practice 3

To find the difference between two 3-digit numbers, we subtract the ones first, followed by the tens, and then the hundreds.

۲

2. Find the difference between 362 and 259.



<sup>© 2014</sup> Marshall Cavendish Education Pte Ltd

۲

19

 $( \bullet )$ 

Primary Mathematics (Common Core Edition) Extra Practice 3

۲

#### Adding Ones, Tens, Hundreds, and Thousands

To find the sum of two 4-digit numbers: Step 1: Add the ones. Step 2: Add the tens. Step 3: Add the hundreds. Step 4: Add the thousands.

Change 10 ones for 1 ten, 10 tens for 1 hundred, or 10 hundreds for 1 thousand, when we have more than 10 ones, 10 tens, or 10 hundreds to add.

Find the sum of 3,098 and 2,386.

Estimate the value by rounding each number to the nearest thousand and the addina. 3,098 is about 3,000. 2,386 is about 2,000. 3,000 + 2,000 = 5,000The answer should be around 5,000. Add the ones. Add the tens. Add the hundreds. Add the thousands. 3, 0 9 8 3, 0 9 8 3, 0 9 8 3, 0 9 8 2,386 2,386 2,386 2,386 + 5.484 84 **4**84 Change 10 ones Change 10 tens for 1 hundred. for 1 ten.

( )

5,484 is close to the estimated answer of 5,000. So, the answer is reasonable.

04\_(M)PMCCEdn\_EP3\_02.indd 20

20

۲

5/17/14 1:03 AM

( )

#### Subtracting Ones, Tens, Hundreds, and Thousands

۲

To find the difference between two 4-digit numbers:

Step 1: Subtract the ones.


Step 2: Subtract the tens.

Step 3: Subtract the hundreds.

Step 4: Subtract the thousands.

Change 1 ten for 10 ones, 1 hundred for 10 tens, or 1 thousand for 10 hundreds, when we do not have enough ones, tens, or hundreds to take away from.

Find the difference between 4,098 and 1,795.



© 2014 Marshall Cavendish Education Pte Ltd

۲


5/17/14 1:03 AM

#### **Two-step Word Problems**

Models can help us solve addition and subtraction word problems more easily.

(�)

There are 472 animals at Zoo B. There are 97 fewer animals at Zoo A than Zoo B. How many animals are there altogether?



22

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

### **Unit 3 : Multiplication and Division**


۲

## **Friendly Notes**

#### Word Problems

Models can also help us solve multiplication and division word problems.


 There are 5 English books.
 There are 4 times as many mathematics books as English books.
 How many mathematics books are there?



۲

5 × 4 = 20

There are 20 Mathematics books.




© 2014 Marshall Cavendish Education Pte Ltd

۲

43


Mrs. Simpson bought 18 cartons of milk.
 She gave the milk equally to 6 children.
 How many cartons of milk did each child get?



۲

How much less money does Joni have than Jack?

۲



 $10 \times 3 = 30$ 

Jack has \$30.

30 - 10 = 20

Joni has \$20 less than Jack.

Primary Mathematics (Common Core Edition) Extra Practice 3


3.

۲

**Multiplying Ones, Tens, and Hundreds** 


To find the **product** of two numbers, we multiply them.

۲



To multiply a 2-digit number by a 1-digit number: Step 1: Multiply the ones by the 1-digit number. Step 2: Multiply the tens by the 1-digit number.

2. Find the product of 35 and 4.



© 2014 Marshall Cavendish Education Pte Ltd


۲


۲

To multiply a 3-digit number by a 1-digit number: Step 1: Multiply the ones by the 1-digit number. Step 2: Multiply the tens by the 1-digit number. Step 3: Multiply the hundreds by the 1-digit number.

۲

3. Multiply 248 by 2.






 $248 \times 2 = 496$ 

46

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

۲




(�)

#### **Quotient and Remainder**

When a number cannot be divided by another number exactly, there is a **remainder**.

 $18 \div 7 = 2$  remainder 4

When 18 is divided by 7, the quotient is 2 and the remainder is 4.



۲

## Unit 4 : Multiplying and Dividing by 6, 7, 8, and 9

۲

## **Friendly Notes**

#### Multiplying and Dividing by 6

Remembering the multiplication table of 6 shown below helps us to multiply and divide by 6 easily.

[	
$1 \times 6 = 6$ $6 \div 6 = 1$	
$2 \times 6 = 12$ 12 ÷ 6 = 2	
$3 \times 6 = 18$ 18 ÷ 6 = 3	
$4 \times 6 = 24$ 24 ÷ 6 = 4	
$5 \times 6 = 30$ 30 ÷ 6 = 5	
$6 \times 6 = 36$ $36 \div 6 = 6$	
7 × 6 = <b>42</b> 42 ÷ 6 = 7	
8 × 6 = <b>48</b> 48 ÷ 6 = 8	
9 × 6 = <b>54</b> 54 ÷ 6 = 9	
$10 \times 6 = 60$ $60 \div 6 = 10$	

© 2014 Marshall Cavendish Education Pte Ltd

۲


 $( \bullet )$ 

1. Multiply 532 by 6.

	Multiply the ones by 6.	Multiply the tens by 6.	Multiply the hundreds by 6.
532 × 6	5 3 2 × 6 2	$\xrightarrow{\begin{array}{c} 5 \\ 5 \\ 3 \\ 2 \\ \hline 9 \\ 2 \end{array}}$	$\stackrel{1}{\longrightarrow} \times \frac{6}{3, 192}$

۲





532 is 500 rounded to the nearest hundred.

500 × 6 = 3,000

3,192 is close to 3,000.

So, the answer is reasonable.

۲


( )



Remembering the multiplication table of 7 shown below helps us to multiply and divide by 7 easily.

۲

$1 \times 7 = 7$	
7 ÷ 7 = 1	
$2 \times 7 = 14$ 14 ÷ 7 = 2	
3 × 7 = <b>21</b> 21 ÷ 7 = 3	
4 × 7 = <b>28</b> 28 ÷ 7 = 4	
5 × 7 = <b>35</b> 35 ÷ 7 = 5	
6 × 7 = <b>42</b> 42 ÷ 7 = 6	
7 × 7 = <b>49</b> 49 ÷ 7 = 7	
8 × 7 = <b>56</b> 56 ÷ 7 = 8	
9 × 7 = <b>63</b> 63 ÷ 7 = 9	
10 × 7 = <b>70</b> 70 ÷ 7 = 10	



۲

68

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

© 2014 Marshall Cavendish Education Pte Ltd


## **Multiplying and Dividing by 8**

Remembering the multiplication table of 8 shown below helps us to multiply and divide by 8 easily.

۲

1 × 8 = <b>8</b> 8 ÷ 8 = 1	
2 × 8 = <b>16</b> 16 ÷ 8 = 2	
$3 \times 8 = 24$ 24 ÷ 8 = 3	
$4 \times 8 = 32$ $32 \div 8 = 4$	
$5 \times 8 = 40$ $40 \div 8 = 5$	
6 × 8 = <b>48</b> 48 ÷ 8 = 6	
7 × 8 = <b>56</b> 56 ÷ 8 = 7	
8 × 8 = <b>64</b> 64 ÷ 8 = 8	
9 × 8 = <b>72</b> 72 ÷ 8 = 9	
10 × 8 = <b>80</b> 80 ÷ 8 = 10	

 $\begin{array}{r}
 10 \times 8 = 80 \\
 9 \times 8 = 80 - 8
 \end{array}$ 



$$5 \times 8 = 40$$
  
 $6 \times 8 = 40 + 8$ 

70

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

© 2014 Marshall Cavendish Education Pte Ltd

۲



## Multiplying and Dividing by 9

Remembering the multiplication table of 9 shown below helps us to multiply and divide by 9 easily.

1 × 9 = <b>9</b> 9 ÷ 9 = 1	
2 × 9 = <b>18</b> 18 ÷ 9 = 2	
$3 \times 9 = 27$ 27 ÷ 9 = 3	
$4 \times 9 = 36$ $36 \div 9 = 4$	
5 × 9 = <b>45</b> 45 ÷ 9 = 5	
6 × 9 = <b>54</b> 54 ÷ 9 = 6	
$7 \times 9 = 63$ 63 ÷ 9 = 7	
8 × 9 = <b>72</b> 72 ÷ 9 = 8	
9 × 9 = <b>81</b> 81 ÷ 9 = 9	
10 × 9 = <b>90</b> 90 ÷ 9 = 10	

If the sum of the digits in a number is 9, the number can be divided by 9 exactly.  $243 \div 9 = 27$ 2 + 4 + 3 = 9



© 2014 Marshall Cavendish Education Pte Ltd

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

۲

## Unit 5 : Length

۲


# Friendly Notes

#### **Meters and Centimeters**

The meter (m) and centimeter (cm) are units of length.

1 m = 100 cm

1. Write 2 m 64 cm in cm.




۲

 $2 \text{ m} = 2 \times 100 \text{ cm}$ = 200 cm 2 m 64 cm = 200 cm + 64 cm



2 m 64 cm = 264 cm

2. Write 839 cm in m and cm.




93

( )

07\_(M)PMCCEdn\_EP3\_05.indd 93

5/19/14 3:46 PM

3. Find the sum of 2 m 35 cm and 60 cm.




۲

4. Find the difference between 3 m 18 cm and 1 m 30 cm.

3 m 18 cm = 318 cm 1 m 30 cm = 130 cm

318 cm - 130 cm = 188 cm = 1 m 88 cm



۲

( )

#### **Kilometers**


The kilometer (km) is another unit of length.

We use the kilometer to measure long distances such as the length of a road or the distance we travel from one place to another.

۲


1 km = 1,000 m

1. Write 4 km 208 m in m.



4 km 208 m = 4,208 m


2. Write 7,090 m in km and m.



© 2014 Marshall Cavendish Education Pte Ltd

۲


3. Find the sum of 1 km 206 m and 1 km 590 m.



۲

4. Find the difference between 2 km and 1 km 207 m.

۲



۲

Primary Mathematics (Common Core Edition) Extra Practice 3

#### Yards, Feet, and Inches

The yard (yd), foot (ft), and inch (in.) are other units of length.

۲

1 yd is shorter than a meter.

1 yd = 3 ft 1 ft = 12 in.

1. Write 12 yd in feet.

12 yd = 36 ft

$$1 \text{ yd} = 3 \text{ ft}$$

$$12 \text{ yd} = 12 \times 3 \text{ ft}$$

$$= 36 \text{ ft}$$

2. Write 15 yd 4 ft in feet.

1 yd = 3 ft  $15 \text{ yd} = 15 \times 3 \text{ ft}$  = 45 ft 15 yd 4 ft = 49 ft15 yd 4 ft = 49 ft
Write 134 ft in yards. 134 ft 132 ft 2 ft 44 yd

۲

134 ft = 44 yd 2 ft

© 2014 Marshall Cavendish Education Pte Ltd

3.

۲


Primary Mathematics (Common Core Edition) Extra Practice 3

4. Write 2 ft 8 in. in inches.

 $\begin{array}{c}
1 \text{ ft} = 12 \text{ in.} \\
2 \text{ ft} = 2 \times 12 \text{ in.} \\
2 \text{ ft} 8 \text{ in.} = 24 + 8 \text{ in.} \\
= 32 \text{ in.} \\
\end{array}$ 2 ft 8 in. = 32 in.

( )

5. Find the value of 2 yd 4 ft + 3 yd 5 ft in yards.



98

۲


Primary Mathematics (Common Core Edition) Extra Practice 3

© 2014 Marshall Cavendish Education Pte Ltd

- 7. A water hose is 5 ft 8 in. long.A rope is 1 ft 11 in. longer than the water hose.

  - (a) Find the length of the rope.
  - (b) Find the total length of the water hose and the rope.

۲



۲

© 2014 Marshall Cavendish Education Pte Ltd


۲

#### **Miles**

The mile (mi) is another unit of length. One mile is longer than 1 km. We measure long distances in miles.


1 mile = 5,280 ft

1. Write 1 mile in yd.



۲

2. Find the distance between Joshua's house and the school.



The distance between Joshua's house and the school is 9 mi.

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

Unit 6 : Mass and Weight

۲

## Friendly Notes


#### **Comparing Mass**

We use these words to compare the mass of two or more objects.


as light as as heavy as

۲

lighter than heavier than the lightest the heaviest



The mango is **lighter than** the papaya. The papaya is **heavier than** the mango.




۲

The doll is **as heavy as** the toy car. The toy car is **as light as** the doll.

© 2014 Marshall Cavendish Education Pte Ltd

109



(�)

The mass of the alarm clock is **4** units. The mass of the plum is **1** unit.

The plum is **lighter than** the mango and the alarm clock.

The plum is the **lightest**.

The mango is **heavier than** the alarm clock and the plum.

( )

The mango is the **heaviest**.

110




The kilogram and gram are units for measuring mass. We write **kg** for kilogram and **g** for gram. 1 kilogram is heavier than 1 gram.

(�)

1 kg = 1,000 g

1. Measure the mass of these objects in kilograms.



The bag of beans has mass of 1 kg.




The watermelon has mass of 3 kg.

( )


۲

2. Are the grapes heavier or lighter than 2 kg?




The grapes are heavier than 2 kg.

- 3. (a) Measure the mass of these objects in grams.
  - (b) Which is lighter, the bread or the butter?




- (a) The butter has a mass of 560 g. The bread has a mass of 750 g.
- (b) The butter is lighter.



Primary Mathematics (Common Core Edition) Extra Practice 3

112

 $( \bullet )$ 



The bag of onions has a mass of 2 kg 300 g.

۲

The bag of onions weighs 2,300 g.

2 kg = 2,000 g 2 kg 300 g = 2,000 g + 300 g




۲

© 2014 Marshall Cavendish Education Pte Ltd

۲

۲



The bag of potatoes has a mass of 3 kg 100 g.

3 kg = 3,000 g 3 kg 100 g = 3,000 g + 100 g

۲

۲

The bag of potatoes weighs 3,100 g.

3,100 - 2,300 = 800

The bag of potatoes is 800 g heavier than the bag of onions.




### Measuring Weight in Pounds and Ounces


The pound and ounce are units for measuring weight. We write **Ib** for pound and **oz** for ounce. 1 pound is heavier than 1 ounce. 1 ounce is heavier than 1 gram.

( )

- 1 pound is lighter than 1 kilogram.
- 1. Measure the weight of the boxes in pounds. Which box is heavier?









Box A weighs 12 lb. Box B weighs 8 lb.


Box A weighs 4 lb more than Box B. Box A is heavier.

© 2014 Marshall Cavendish Education Pte Ltd

۲

2. Measure the weight of the pencil in ounces.

۲



The pencil weighs 3 oz.

- Mr. Brown weighs 140 lb.
   Mrs. Brown weighs 30 lb less than Mr. Brown.
  - (a) What is Mrs. Brown's weight?
  - (b) What is their total weight?
  - (a) 140 lb 30 lb = 110 lb Mrs. Brown's weight is 110 lb.
  - (b) 140 lb + 110 lb = 250 lb Their total weight is 250 lb.

۲


Primary Mathematics (Common Core Edition) Extra Practice 3

### **Pounds and Ounces**

The pound (lb) and ounce (oz) are units of weight.

۲

1 lb = 16 oz




1 lb = 16 oz  
2 lb = 16 
$$\times$$
 2  
= 32 oz  
2 lb 5 oz = 32 oz + 5 oz

The weight of the bananas is 2 lb 5 oz.

The bananas weigh 37 oz.





۲

The weight of the bag of apples is 1 lb 14 oz.

1 lb = 16 oz

1 lb 14 oz = 16 oz + 14 oz



The bag of apples weighs 30 oz.

37 - 30 = 7

The bananas weigh 7 oz more than the bag of apples.

© 2014 Marshall Cavendish Education Pte Ltd

۲

#### Word Problems

We can use models to solve word problems on mass and weight.


 The mass of a bottle of chilli sauce is 1 kg 200 g. The mass of a bottle of tomato sauce is 1 kg 450 g. The mass of a each empty bottle is 450 g.

۲

- (a) How many grams of chilli sauce are there in the bottle?
- (b) How much heavier is the bottle of tomato sauce than the chilli sauce?
- (a) 1 kg 200 g = 1,000 g + 200 g = 1,200 g

1,200 g - 450 g = 750 g

There are 750 g of chilli sauce in the bottle.



1 kg 450 g – 1 kg 200 g = 250 g

The bottle of tomato sauce is 250 g heavier than the bottle of chilli sauce.

118

۲


۲

2. A chicken pie weighs 11 oz.

A pizza is 8 times as heavy as the chicken pie.

۲

- (a) What is the weight of the pizza in pounds and ounces?
- (b) What is the total weight of the chicken pie and pizza in ounces?



(b) 11 oz + 88 oz = 99 oz

The total weight of the chicken pie and the pizza is 99 oz.


۲


۲

\_

 Lilian is 12 kg 268 g heavier than Jean. Jean's mass is 35 kg 380 g. Lilian is 5 kg 230 g lighter than Susan. Find Susan's mass in kilograms and grams.

۲





35 kg 380 g + 12 kg 268 g = 47 kg 648 g

Lilian's mass is 47 kg 648 g.

47 kg 648 g + 5 kg 230 g = 52 kg 878 g.

Susan's mass is 52 kg 878 g.

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

( )

## Unit 8 : Money

(�)

## **Friendly Notes**

### **Dollars and Cents**

The dollar (\$) and cent (¢) are units of money. 100 cents is needed to make one dollar.

\$1 = 100¢

DUND

We write 6 dollars 20 cents as \$6.20. The dot (.) separates the cents from the dollars.

Write \$12.08 in cents.
 \$12.08 = 1,208¢

\$12.08 = \$12 + 8¢ $\$12 = 12 \times 100¢$ = 1,200¢

2. Write  $367\phi$  in dollars and cents.  $367\phi = $3.67$   $$1 = 100\phi$  $$3 = 300\phi$ 

© 2014 Marshall Cavendish Education Pte Ltd

۲

#### Addition

We add different amounts of money in the same way we add whole numbers.

۲

Then we put in the dot at the right place, to separate the dollars and the cents.


1. Find the value of \$4.05 and \$26.85.



\$26.85 <sup>+</sup> \$4</sup> → \$30.85 <sup>+ 5¢</sup> → \$30.90

\$4.05 + \$26.85 = \$30.90

We can also add like this:



160


۲

Primary Mathematics (Common Core Edition) Extra Practice 3

© 2014 Marshall Cavendish Education Pte Ltd

 $( \blacksquare )$ 

Jorge bought a storybook for \$39.90.
 He had \$4.70 left.
 How much money did he have at first?



\$39.90 + \$4.70 = \$44.60

Jorge had \$44.60 at first.

#### Subtraction

۲

We subtract different amounts of money in the same way we subtract whole numbers.

۲


Then we put in the dot to separate the dollars and the cents.

1. Subtract \$15.75 from \$23.60.

\$23.60 <sup>- \$15</sup>→ \$8.60 <sup>- 75¢</sup>→ \$7.85

\$23.60 - \$15.75 = \$7.85

We can also subtract like this:



161

۲

Primary Mathematics (Common Core Edition) Extra Practice 3


© 2014 Marshall Cavendish Education Pte Ltd

 $( \bullet )$ 

2. A wallet costs \$32.50.

A pair of shorts costs \$12.90. How much more does the wallet cost than the pair of shorts?

۲



\$32.50 - \$12.90 = \$19.60

The wallet costs \$19.60 more than the pair of shorts.

162

۲


## **Unit 9 : Fractions**

۲

# Friendly Notes

### Fraction of a Whole

- 1 whole = 2 halves =  $\frac{2}{2}$
- 1 whole = 3 thirds =  $\frac{3}{3}$
- 1 whole = 4 fourths =  $\frac{4}{4}$
- 1 whole = 5 fifths =  $\frac{5}{5}$




© 2014 Marshall Cavendish Education Pte Ltd

1 out of 6 equal parts is shaded.

 $\frac{1}{6}$  of the circle is shaded.

 $\frac{1}{6}$  = one-sixth

1 whole = 6 sixths =  $\frac{1}{6} + \frac{1}{6} + \frac{1$ 



Primary Mathematics (Common Core Edition) Extra Practice 3

۲

۲

For fractions with a common denominator, the fraction with the greatest numerator is the greatest.

۲

Arrange the fractions in order. Begin with the smallest.

<u>1</u> 7				
<u>3</u> 7				
<u>5</u> 7				

 $\frac{5}{7}$  is the greatest.


 $\frac{1}{7}$  is the smallest.

Arranging the fractions in order beginning with the

smallest, we have  $\frac{1}{7}$ ,  $\frac{3}{7}$ ,  $\frac{5}{7}$ .

Primary Mathematics (Common Core Edition) Extra Practice 3

© 2014 Marshall Cavendish Education Pte Ltd



We compare the size

176

۲

 $( \bullet )$ 

Arrange the fractions in order. We compare the size of Begin with the smallest. the shaded parts. 1 3 1 4 1 9  $\frac{1}{3}$  is the greatest.  $\frac{1}{9}$  is the smallest. Arranging the fractions in order beginning with the smallest, we have  $\frac{1}{9}$ ,  $\frac{1}{4}$ ,  $\frac{1}{3}$ . We can represent fractions on number lines What fraction does each letter represent? 25 Ζ Х Y 0 1 The number line has 5 equal parts. Each part represents  $\frac{1}{5}$ .  $\bigcirc$  $X = \frac{1}{5}, Y = \frac{3}{5}, Z = \frac{4}{5}$ © 2014 Marshall Cavendish Education Pte Ltd Primary Mathematics (Common Core Edition) Extra Practice 3 11\_(M)PMCCEdn\_EP3\_09.indd 177 ( )


(�)

For fractions with a common numerator, the fraction

with the greatest denominator is the smallest.

۲





۲

From the bars above, we can see that the following fractions are equal.

$$\frac{1}{2} = \frac{2}{4} = \frac{3}{6} = \frac{4}{8} = \frac{5}{10} = \frac{6}{12}$$

Equivalent fractions have different numerators and denominators. But they are equal in value.

 $\frac{1}{2}$ ,  $\frac{2}{4}$ ,  $\frac{3}{6}$ ,  $\frac{4}{8}$ ,  $\frac{5}{10}$ , and  $\frac{6}{12}$  are **equivalent fractions**.



178


۲

Primary Mathematics (Common Core Edition) Extra Practice 3

To find an equivalent fraction, we can either multiply or divide the numerator and denominator by the same number.


۲

Find an equivalent fraction of  $\frac{1}{3}$  and  $\frac{6}{10}$ .



We can express a fraction in its simplest form.


Express  $\frac{8}{12}$  in its simplest form.



 $\frac{\frac{8}{12}}{\frac{2}{3}} = \frac{\frac{4}{6}}{\frac{2}{3}} = \frac{2}{3}$   $\frac{\frac{2}{3}}{\frac{2}{3}}$  is the simplest form of  $\frac{\frac{8}{12}}{\frac{1}{3}}$ .

© 2014 Marshall Cavendish Education Pte Ltd

۲



۲

Primary Mathematics (Common Core Edition) Extra Practice 3


#### **Fractions and Mesurement**

We can represent different mesurement using fractions.

۲


1. A rod is  $\frac{1}{2}$  m long.

How long are 5 such rods placed end to end?




They are  $2\frac{1}{2}$  m long.

2. Each block has a mass of  $\frac{1}{2}$  kg. What is the mass of the package?



The mass of the package is  $4\frac{1}{2}$  kg.

3. How many halves are there in 3 in.?




 $\frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} = 3$ 

There are 6 halves in 3 in.


© 2014 Marshall Cavendish Education Pte Ltd


Fraction of a Set



۲

- 3 out of 12 fruits are pears.  $\frac{3}{12}$  of the fruits are pears.
- 3 out of 12 fruits are mangoes.
- $\frac{3}{12}$  of the fruits are mangoes.
- 6 out of 12 fruits are apples.  $\frac{6}{12}$  of the fruits are apples.





182


۲

5/19/14 5:26 PM


There are 10 balloons.
 3 of these balloons are red.
 4 of these balloons are green.
 The remaining balloons are white.
 What fraction of the balloons are white?

۲

Red balloons



Green balloons



White balloons

10 - 3 - 4 = 3

 $\frac{3}{10}$  of the balloons are white.

© 2014 Marshall Cavendish Education Pte Ltd

۲

۲

2. Leila has 3 quarters, 5 dimes, 2 nickels, and 2 pennies.

۲



- (a) What fraction of her coins are quarters?
- (b) What fraction of her coins are nickels?
- (c) What fraction of her coins are dimes?

There are 12 coins altogether.

(a)  $\frac{3}{12} = \frac{1}{4}$  $\frac{1}{4}$  of her coins are quarters.

(b) 
$$\frac{2}{12} = \frac{1}{6}$$

 $\frac{1}{6}$  of her coins are nickels.

(c) 5 out of 12 coins are dimes.

 $\frac{5}{12}$  of her coins are dimes.

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

184

## Unit 10 : Time

( )


## Friendly Notes

### **Hours and Minutes**

The hour (h) and minute (min) are units of time.

#### 1 h = 60 min


A.M. means after 12:00 midnight and before 12:00 noon. P.M. means after 12:00 noon and before 12:00 midnight.



We read 7:45 as seven forty-five. 7:45 is 15 minutes before 8 o'clock. It is fifteen minutes to eight.



( )





We read 9:15 as nine fifteen. 9:15 is 15 minutes past 9 o'clock. It is fifteen minutes past nine.




Primary Mathematics (Common Core Edition) Extra Practice 3

199

Kenny started doing his homework at 7:45 P.M.
 He finished doing it at 9:15 P.M.
 How many minutes did he take to complete his homework?

۲




He took 1 h 30 min to complete his homework.

1 h 30 min = 60 min + 30 min = 90 min

He took 90 min to complete his homework.

 Philip started swimming at 8:20 A.M. He swam for 1 h 45 min. What time did he stop swimming?



He stopped swimming at 10:05 A.M.

۲


Primary Mathematics (Common Core Edition) Extra Practice 3

### **Other Units of Time**

The second (s) is another unit of time. 1 min = 60 s The year, month, week, and day are other units of time. 1 year = 12 months 1 week = 7 days


۲

1. (a) Write 8 min 30 s in seconds.



8 min 30 s = 510 s

(b) Write 125 s in minutes and seconds.




125 s = 2 min 5 s

Primary Mathematics (Common Core Edition) Extra Practice 3

© 2014 Marshall Cavendish Education Pte Ltd


۲



( )

4 weeks 5 days = 33 days

(b) Write 41 days in weeks and days.



Primary Mathematics (Common Core Edition) Extra Practice 3

202

۲

### Unit 11 : Data Analysis

۲

## Friendly Notes

### **Presenting Data**

We can present data in the form of a table, bar graph, or line plot.

Mrs. Li took a survey of the favorite fruits of the students in her class.

She presented the results of her survey in a table as shown below.

Favorite fruit	Number of students
Banana	5
Pear	8
Apple	10
Orange	14
Grapefruit	3

From the table,

- (a) the greatest number of students like oranges.
- (b) the least number of students like grapefruits.

۲

(c) 5 + 8 + 10 + 14 + 3 = 40
 There are 40 students in the class.

© 2014 Marshall Cavendish Education Pte Ltd


۲

213

The results of the survey can also be presented in a bar graph as shown below.

۲

()	Favorite fruit	Number of students
)	Banana	5
	Pear	8
	Apple	10
	Orange	14
	Grapefruit	3



۲

214

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

A survey was carried out to find the number of pets in each family. The data collected is shown below.


۲

0	2	2	1	1	0	3
5	4	2	2	1	3	3
0	0	0	1	1	1	1
2	1	1	4	2	0	0
2	2	1	3	1	0	0
0	2	1	1	3	2	2

The results of a survey can be recorded in a tally chart in order to make the counting data easier.

۲

Number of pets in the family	Number of families	
0	++++ ++++	10
1	++++ ++++	13
2	++++ ++++	11
3	++++	5
4	//	2
5	/	1



© 2014 Marshall Cavendish Education Pte Ltd


۲

215

 $( \bullet )$ 

The results of the survey can also be presented in a line plot as shown below.

۲



The number of pets in most families is 1.



۲

Primary Mathematics (Common Core Edition) Extra Practice 3

۲

## Unit 12 : Geometry

۲

# Friendly Notes

### **Right Angles**

We can make a right angle by folding a piece of paper twice as shown below:



Some angles are smaller than a right angle.



Some angles are greater than a right angle.




### **Shapes**


۲

- A quadrilateral is a figure with 4 sides.
- A rectangle and a square have 4 right angles each.

	Г
 Rectangle	



۲





221

 $( \blacksquare )$ 


© 2014 Marshall Cavendish Education Pte Ltd

Primary Mathematics (Common Core Edition) Extra Practice 3

14\_(M)PMCCEdn\_EP3\_12.indd 221

5/19/14 8:17 PM

A **rhombus** is a quadrilateral with 4 equal sides.



rhombus

A square is a special kind of rhombus.

۲



### Angles

Polygon	Number of sides	Number of inside angles
Quadrilateral	4	4
Pentagon	5	5
Hexagon	6	6
Octagon	8	8

۲

Primary Mathematics (Common Core Edition) Extra Practice 3

۲