Name



☞ Due Test Day!

## Pretest: Unit 4 Covalent Bonding

The following is an overview of the concepts, ideas, and problems we have covered in this unit. You are, however, responsible for <u>all</u> material covered, regardless if found here or not! Therefore, be sure to review <u>all</u> your notes, worksheets, assignments, handouts, readings, labs, problems, etc.. On the day of the test you will want to be well-acquainted with the material <u>and</u> organized, you will not want to waste time trying to understand an idea or searching for some needed information. Arrive prepared!

Text References:

- Introduction to Chemical Bonding (6.1)
- · Covalent Bonding (6.2)
- Molecular Geometry (6.5)
- · Naming Molecular Compounds (7.1, pages 215-219)

## Know the following vocabulary terms listed below:

• acids	Formal charge	multiple bond
<ul> <li>binary compound</li> </ul>	<ul> <li>hybridization</li> </ul>	<ul> <li>nonpolar covalent bond</li> </ul>
<ul> <li>bond energy</li> </ul>	• Lewis structure	<ul> <li>polar covalent bond</li> </ul>
<ul> <li>chemical bond</li> </ul>	<ul> <li>molecular compound</li> </ul>	resonance
<ul> <li>covalent bonding</li> </ul>	<ul> <li>molecular formula</li> </ul>	<ul> <li>single bond</li> </ul>
• dipole	molecule	<ul> <li>structural formula</li> </ul>
		<ul> <li>VSEPR theory</li> </ul>

1. Explain what is wrong with the following Lewis structures, then rewrite each one correctly!

## Practice Problems

1.) Draw Lewis dot structures for:

а	H <sub>2</sub> O	
b	CO <sub>2</sub>	
С	PF <sub>3</sub>	
d	H₂S	
e	CN	
f	CF4	
g	C <sub>2</sub> H <sub>3</sub> O2 <sup>–</sup> (CH <sub>3</sub> COO <sup>-</sup> ) (you've had this one before!)	

2.) Name each of the following compounds:

a.) N <sub>2</sub> O <sub>3</sub>	
b.) FeP	
c.) H <sub>3</sub> PO <sub>4</sub>	
d.) PBr <sub>3</sub>	
e.) HCl	
f.) MgCl <sub>2</sub>	
g.) OF <sub>2</sub>	
3.) Write formulas	for the following compounds:
a.) aluminum hydro	oxide
b.) chromium(II) ch	nloride
c.) phosphorus per	ntoxide
d.) hydrobromic ac	id
e.) tetraphosphoru	s decoxide
f.) sulfurous acid	

4.) With words and a diagram, describe the bond that occurs between chlorine and hydrogen in HCl. (Note a similar example was done in class... Check your notes!)

5.) Using the electronegativity values found on the last page of this packet, label each bond below as nonpolar covalent, polar covalent, or ionic. For polar covalent bonds, correctly add  $\delta$ + and  $\delta$ -to indicate the bond's polarity.

a.)	H F	 d.)	Mg O	
b.)	N N	 e.)	Cl P	
c.)	N O	 f.)	S Cl	

6.) In terms of bonding, why does the element oxygen always appear as a diatomic element  $(O_2 \text{ not just } O)$ ? Explain thoroughly, using labeled orbital diagrams in your discussion.

7.) Use an orbital diagram to show how carbon creates four identical hybrid orbitals. (What are these orbitals called? Why are they called this?)

8.) i. Draw a proper Lewis structure for each of the following ions, then circle the one that has the shortest and strongest N-O bonding.

NO<sub>2</sub>- NO<sub>3</sub>- NO<sup>+</sup>

ii. Which compound(s) from part i has a N-O bond that is composed of 1 pi bond and 1 sigma bond?

a		١
J	•	J

Valence e <sup>.</sup> Total	Lewis Dot Structure	Molecular Shape & Bond Angle	Name of Shape	Molecular Polarity
NO3-				
BrCN				
SO3				
C <sub>2</sub> HF				
HNO <sub>2</sub> (oxyacid)			(with respect to N) (with respect to O)	
BF3				
НСООН			(with respect to C) (with respect to the O with 2 bonds)	

10.) Which compound(s) in problem #9 (above) contain polar bonds, but is/are nonpolar due to symmetry?

11.) Draw the three resonance structures for the nitrate ion,  $NO_3^-$ .

12.) Use Lewis structures and arrows to show the coordinate covalent bonding that forms between  $\mathsf{BF}_3$  and  $\mathsf{NH}_3.$ 

13.) Use the table below to calculate the energy need to break all the bonds in the following compounds:

a. CCl<sub>4</sub>


b. HCOOH

Bond	Average bond energy (kJ/mol)	Bond	Average bond energy (kJ/mol)	Bond	Average bond energy (kJ/mol)	Bond	Average bond energy (kJ/mo
H-H	436	C-C	346	C-C	346	C-0	358
F-F	159	C-N	305		010	0 0	000
CI-CI	243	C-0	358	C=C	612	C=0	732
Br-Br	193	C-H	418	C≡C	835	C≡0	1072
I-I	151	C-CI	327	C-N	305	N-N	163
H-F	569	C-Br	285	0-1	505	N-N	105
H-CI	432	N-N	163	C = N	615	N=N	418
H-Br	366	N-H	386	C≡N	887	N≡N	945
H—I	299	0-H	459				

## 14.) Circle the correct answers.

1.	The common name of Si a. silane tetraiodide	I4 is tetraiodisilane. What is it b. silane tetraiodine	•	
2.	Which of the following case. $CO_2$	ompounds contains at least of b. CHCl <sub>3</sub>	ne pi bond? c. Asl₃	d. BeF <sub>2</sub>
3.	The Lewis structure for a. Si = S:	silicon disulfide is b. S = Si = S	cs : Si : s:	d.:S = Si = S:
4.	surround the central Se	atom?		ctet. How many electron pairs
	a. 4	b. 5	c. 6	d. 7
5.				e chloroform molecule contains
	26 valence electrons in t	_		
	a. 26	b. 13	C. 8	d. 4
6.	a. 26	b. 13	c. 8	d. 4
6.	a. 26	_	c. 8	d. 4
	a. 26 All of the following comp	b. 13 bounds have bent molecular sl b. H <sub>2</sub> S	c. 8 hapes EXCEPT	d. 4
	a. 26 All of the following comp a. $BeH_2$	b. 13 bounds have bent molecular sl b. H <sub>2</sub> S	c. 8 hapes EXCEPT	d. 4
7.	a. 26 All of the following comp a. $BeH_2$ Which of the following c a. $H_2S$	<ul> <li>b. 13</li> <li>bounds have bent molecular sl</li> <li>b. H<sub>2</sub>S</li> <li>ompounds is NOT polar?</li> </ul>	c. 8 hapes EXCEPT c. H <sub>2</sub> O c. SiH <sub>3</sub> Cl	<ul> <li>d. 4</li> <li>d. SeH<sub>2</sub></li> <li>d. AsH<sub>3</sub></li> </ul>

15.) Use the concept of Formal Charge to determine which of the following is the most likely structure for sulfuric acid,  $H_2SO_{4.}$ 



					roiwu			
Group 18 1 He	10 2	ne "		-			86 2.4 2.4	
	Group 17 9	<b>L</b> 9.4	ະວ	3.0	28 <b>B</b> 35	53 <b>—</b> 53	<b>At</b> 2.2	117
	Group 16 8	3.5	β	2.5	34 Se <sup>34</sup>	23 <b>B</b> 23	20 <b>8</b> 4	116
	Group 15 7	<b>3</b> .0	÷С	2.1	<b>AS</b> 2.0	SD 19 19	83 <b>8 5</b>	115
	Group 14 6	55 C	Si <sup>14</sup>	1.8	32 18 18	Sn 50	Pb <sup>82</sup>	114
	Group 13 5	<b>8</b> 3	A <sup>13</sup>	1.5	31 1.6 1.6	49 11	50 <b>⊟</b> 8	113
				Group 12	2n 1.6	6d <sup>48</sup>	© <mark>₩</mark> 6	<b>G</b> 112
				Group 11	33 19 53 19 19 19 19 19 19 19 19 19 19 19 19 19	<b>Ag</b> 1.9	Au 2.4	Bg
				Group 10	28 1.8	Pd 22	88 <b>₽</b> 23	<b>D</b> <b>D</b>
		5		Group 9	52 18	45 22 22	<mark>1</mark> 4	Mt
		r Values	Group 8	26 1.8	<b>BU</b> <sup>44</sup>	00 00 22	<b>H</b> 108	
			ativity	Group 7	Mn <sup>25</sup>	<sup>43</sup> ∎	75 1.9	107 Bh
			onega	<u> </u>	24 1.6	M0 1.8	74 V 1.7	<b>Sg</b>
			Electronegativity	~	23 1.6	1.6 Nb 1.6	73 1.5	<b>Db</b>
		L	ш	9			<b>H</b> 13	
				Group 3	<sup>13</sup> SC <sup>21</sup>	5 <b>≺</b> 3	11 <b>La</b>	<sup>30</sup> SC
	Group 2 4	Be	Mg	1.2	S <sup>2</sup> 3	ی ۳%	88 09 09 09 09 09 09 09 00	<b>88 8</b> 8
- <b>T</b>	Group 1	9	≓Na	0.9	₽ <b>₩</b>	37 80 80 80	SS SS	87 0.7
	2	3		4	5	9		