

Unit 4B - Nomenclature

Covalent Naming

Writing chemical formulas is a fundamental skill in chemistry. Mastery of this unit is REQUIRED as it will be used in EVERY subsequent unit. Chemists have agreed in every nation on rules to name and write the chemical formulas of compounds. Chemists are able to communicate in a common language based on these rules and it is an important step in becoming a chemist.

Chemical nomenclature is a set of rules to generate **systematic names** for **chemical compounds**. The nomenclature used most frequently worldwide is the one created and developed by the **International Union of Pure and Applied Chemistry (IUPAC)**.

The IUPAC's rules for naming **organic and inorganic compounds** are contained in two publications, known as the Blue Book and the Red Book, respectively.

The primary function of chemical nomenclature is to ensure that a spoken or written chemical name leaves no ambiguity concerning which chemical compound the name refers to: each chemical name **should refer to a single substance**.

There are **two** types of nomenclature. The IUPAC has a set of rules for naming organic chemicals and inorganic chemicals.

Covalent Naming

- Binary covalent compounds are characterized by having two nonmetals. Naming these compounds involves the use of numerical prefixes:

Prefix	Number	Prefix	Number
mono	1	hexa	6
di	2	hepta	7
tri	3	octa	8
tetra	4	nona	9
penta	5	deca	10

- If there is only ONE atom of the first element, you DON'T need a prefix. The FIRST element is named as a normal element.
- The SECOND element **has an -IDE ending**.

<ul style="list-style-type: none"> ○ N_2O_4 dinitrogen tetraoxide ○ XeF_4 xenon tetrafluoride ○ N_2O_5 dinitrogen pentaoxide ○ CO carbon monoxide ○ CBr_4 carbon tetrabromide 	<ul style="list-style-type: none"> ○ Diarsenic pentoxide As_2O_5 ○ Phosphorous pentabromide PBr_5 ○ Carbon tetraiodide CI_4 ○ Trisilicon tetranitride Si_3N_4 ○ Tetrphosphorous decoxide P_4O_{10}
--	---

Naming Polyatomic Ions

You have memorized several polyatomic ions, but there are some you don't know, but can figure out:

- Use *chlorate* (ClO_3^-) as an example
- If the ion has 1 more oxygen atom than the base ion (ClO_3^-), it is named by a prefix per- and a suffix -ate.
 - ClO_4^- is perchlorate
- If the ion has 1 less oxygen atom than the base ion (ClO_3^-), then it is named by the suffix -ite.
 - ClO_2^- is chlorite
- If the ion has 2 less oxygen atoms than the base ion (ClO_3^-), then it is named by the prefix hypo- and a suffix -ite.
 - ClO^- is hypochlorite


Name the following:

- | | |
|------------------------------------|-----------------------------------|
| 1. SO_3^{2-} <u>Sulfite</u> | 3. SO_2^{2-} <u>Hyposulfite</u> |
| 2. PO_3^{3-} <u>Phosphite</u> | 4. CO_2^{2-} <u>Carbonite</u> |
| 5. PO_5^{3-} <u>Perphosphate</u> | 6. CrO_3^{2-} <u>Chromite</u> |

Balancing Charges

Overall

1. Balance charge with **+ and - ions**
2. Write the positive ion of metal **first**, and the negative ion **second**



3. Write the number of ions needed as subscripts



Naming Binary Ionic Formulas

1. The Cation is named and written first, then anion and the Monatomic cation = name of the element



2. The monatomic anion = root and the ending is changed to -ide




Criss-Cross rule

1. Write out symbols and charge of elements
2. **Criss-Cross** charges as subscripts

(Swap and Drop)

3. Combine as a formula unit




Equation For Balancing Charges

$$(\text{Number of Cations}) \times (\text{Cation Charge}) + (\text{Number of Anions}) \times (\text{Anion Charge}) = \underline{0}$$

$$(1)(+3) + (X)(-1) = 0, x = 3$$

- EX: Aluminum and Oxygen



- EX: Barium and Oxygen



- Balancing Charges Practice:
 - Lithium Iodide **Li I**
 - Strontium Chloride **SrCl₂**
 - Aluminum Nitride **Al N**
 - Sodium Sulfide **Na₂S**

Ionic Compound Naming Notes

- To name ionic compounds:
 - Name the **Metal (cation)** first.
 - Name the **Non-Metal (anion)** second- change the ending to **ide**.
 - Al₂O₃ **Aluminum Oxide**
 - BaCl₂ **Barium Chloride**
 - Ca₃N₂ **Calcium Nitride**
 - KF **Potassium Fluoride**
- Ionic Compounds with transition metals:
 - Transition metals and p-block metals can have multiple oxidation states.
 - **Silver (Ag) is always +1**
 - **Zinc (Zn) is always +2**
 - **Cadmium (Cd) is always +2**
 - Roman numerals are used in naming transition metals with more than one charge, we have to specify which charge is involved.

Roman numeral	Charge
I	+1
II	+2
III	+3
IV	+4

- Some elements, such as iron, form two or more cations with different charges. We use **Roman numerals** to indicate the ion's charge. For

example, Fe^{+2} would be named **Iron (II)** and Fe^{+3} would be named **Iron (III)**. If an element does *not* form more than one charge, then you do not use a Roman numeral in its name.

- Iron (III) Oxide **Fe_2O_3**
- PbO_2 **Lead (IV) Oxide**
- Fe_2S_3 **Iron (III) Sulfide**

- The one you are responsible for are as follows:

<u>Name</u>	<u>Symbol</u>	<u>Name</u>	<u>Symbol</u>
lead (II)	Pb^{+2}	mercury (II)	Hg^{+2}
lead (IV)	Pb^{+4}	tin (II)	Sn^{+2}
mercury (I)	Hg^{+1}	tin (IV)	Sn^{+4}
copper (I)	Cu^{+1}	iron (II)	Fe^{+2}
copper (II)	Cu^{+2}	iron (III)	Fe^{+3}
chromium (II)	Cr^{+2}	chromium (III)	Cr^{+3}

Naming Acids

- If the compound begins with Hydrogen, it is an acid. If the acid does not contain a polyatomic ion, write the prefix **hydro-**, then name the second element and change the ending to **-ic**.
 - HCl
Hydrochloric acid
 - HBr
Hydrobromic acid
 - H_2S
Hydrosulfuric acid

Naming Acids with Polyatomic Ions

The polyatomic ions you have memorized have *-ate* as the ending, so you name the polyatomic ion and change the ending to *-ic*.

Use sulfate (SO_4^{2-}) as the example

- H_2SO_4 is sulfuric acid
- If the ion has one more oxygen atom than the base (SO_4^{2-}), then the ion is named by adding the prefix *per-* and the suffix *-ic*
 - H_2SO_5 is **persulfuric acid**
- If the ion has one less oxygen atom than the base (SO_4^{2-}), then the ion is named with the suffix *-ous*.
 - H_2SO_3 is **sulfurous acid**
- If the ion has two less oxygen atoms than the base (SO_4^{2-}), then the ion is named with the prefix *hypo-* and the suffix *-ous*.
 - H_2SO_2 is **hyposulfurous acid**

Name the following:

- | | | | |
|----------------------------|-----------------------------|----------------------------|-------------------------|
| 1. H_2CO_3 | Carbonic acid | 3. HClO_4 | Perchloric acid |
| 2. H_3PO_2 | Hypophosphorous acid | 4. H_3PO_3 | Phosphorous acid |

Hydrated Compounds

- These are Ionic compounds that produce water when decomposed by heating.
- The compound is named using the ionic compound, a dot •, H_2O , and the ending hydrate.
- The number of water molecules are indicated using previous prefixes of "di", "tri", etc.

Practice Name Formula

- | | |
|--|---|
| 1. $\text{CuSO}_4 \bullet 5\text{H}_2\text{O}$ | Copper (II) sulfate pentahydrate |
| 2. $\text{ZnCl}_2 \bullet 6\text{H}_2\text{O}$ | Zinc chloride hexahydrate |

Naming Summary Sheet:

Naming Ionic Compounds: Metal and Nonmetal

Rules:

- 1. The first element (the cation) is named first, using the elements name.
- 2. Second element (the anion) is named change the ending of the anion to -ide (unless a polyatomic ion) (suffix "-ide")
- Example: CaF_2 – calcium fluoride
- If a metal has more than one possible charge, use roman numerals to describe the charge of the metal.
 - Fe_2S_3 – iron (III) sulfide

Transition Metals with Single Charges:

- Ag^{+1} - Cd^{+2} - Zn^{+2}

Transition Metals with Multiple Charges:

- Cu^{+1} or Cu^{+2}
- Cr^{+2} or Cr^{+3}
- Co^{+2} or Cr^{+3}
- Fe^{+2} or Fe^{+3}
- Pb^{+2} or Pb^{+4}
- Sn^{+2} or Sn^{+4}

Naming a Covalent Compounds: 2 Nonmetals

Rules:

- 1. Prefixes are used to denote the number of atoms
- 2. "Mono" is not used to name the first element

Note: when the addition of the Greek prefix places two vowels adjacent to one another, the "a" (or the "o") at the end of the Greek prefix is usually dropped; e.g., "nonaoxide" would be written as "nonoxide", and "monooxide" would be written as "monoxide". The "i" at the end of the prefixes "di-" and "tri-" are never dropped

Prefix	Number	Prefix	Number
Mono	1	Hex(a)	6
Di	2	Hept(a)	7
Tri	3	Oct(a)	8
Tetr(a)	4	Non(a)	9
Pent(a)	5	Dec(a)	10

- If there is only ONE atom of the first element, you DON'T need a prefix. The FIRST element is named as a normal element. The SECOND element has an -IDE ending.
- Example: CBr_4 – carbon tetrabromide

Naming Polyatomics and Acids: Only Nonmetals

Base Polyatomics:

ClO_3^{-1}	Chlorate	IO_3^{-1}	Iodate
NO_3^{-1}	Nitrate	SO_4^{-2}	Sulfate
CO_3^{-2}	Carbonate	PO_4^{-3}	Phosphate
BrO_3^{-1}	Bromate	CrO_4^{-2}	Chromate

To determine name, look at how the compound compares to the base, with an -ate ending.

Number of Oxygen:	Polyatomics	Example	Acids	Example
1 more than base	Per -ate	$-\text{SO}_5$ - persulfate	Per -ic acid	HClO_4 – perchloric acid
Base	-ate	$-\text{SO}_4$ - sulfate	-ic acid	HClO_3 - chloric acid
1 less than base	-ite	$-\text{SO}_3$ - sulfite	-ous acid	HClO_2 - chlorous acid
2 less than base	Hypo-ite	$-\text{SO}_2$ - hyposulfite	Hypo-ous acid	HClO – hypochlorous acid
Binary (no oxygen present)	-ide	-S - sulfide	Hydro-ic acid	HCl – hydrochloric acid

Note: When Group is used, it is referring to all of the elements in the groups on the periodic table.

Condensed List of Common Ions and their charges

1. Cations:

+1 charge		+2 charge		+3 charge		+4 charge	
Group 1 Ex: sodium	Ex: Na ⁺¹	Group 2 Ex: calcium	Ex: Ca ⁺²	aluminum	Al ⁺³		
hydrogen	H ⁺¹	cadmium	Cd ⁺²				
silver	Ag ⁺¹	zinc	Zn ⁺²				
hydronium	H ₃ O ⁺¹	copper (II)	Cu ⁺²				
ammonium	NH ₄ ⁺¹	chromium (II)	Cr ⁺²	chromium (III)	Cr ⁺³		
copper (I)	Cu ⁺¹	cobalt (II)	Co ⁺²	cobalt (III)	Co ⁺³		
gold(I)	Au ⁺¹	iron (II)	Fe ⁺²	iron (III)	Fe ⁺³		
		lead (II)	Pb ⁺²			lead (IV)	Pb ⁺⁴
		mercury (I)	Hg ₂ ⁺²				
		mercury (II)	Hg ⁺²				
		tin (II)	Sn ⁺²			tin (IV)	Sn ⁺⁴

2. Anions

Required Ions							
-1				-2		-3	
Name	Symbol	Name	Symbol	Name	Symbol	Name	Symbol
Group 17 Ex: Chloride	Ex: Cl ⁻	Cyanide	CN ⁻¹	Group 16 Ex: Oxide	Ex: O ⁻²	*Group 15 Ex: nitride	Ex: N ⁻³
*perchlorate	ClO ₄ ⁻¹	hydroxide	OH ⁻¹	carbonate	CO ₃ ⁻²	phosphate	PO ₄ ⁻³
chlorate	ClO ₃ ⁻¹	*bicarbonate	HCO ₃ ⁻¹	sulfate	SO ₄ ⁻²	phosphite	PO ₃ ⁻³
*chlorite	ClO ₂ ⁻¹	hydride	H ⁻¹	*sulfite	SO ₃ ⁻²		
*hypochlorite	ClO ⁻¹	acetate	C ₂ H ₃ O ₂ ⁻¹				
nitrate	NO ₃ ⁻¹						
*nitrite	NO ₂ ⁻¹						
Optional Ions (May appear in extra credit or in AP Chemistry)							
-1				-2		-3	
Name	Symbol	Name	Symbol	Name	Symbol	Name	Symbol
hypochlorite	ClO ⁻¹	perbromate	BrO ₄ ⁻¹	oxalate	C ₂ O ₄ ⁻²	arsenate	AsO ₄ ⁻³
permanganate	MnO ₄ ⁻¹	bromate	BrO ₃ ⁻¹	peroxide	O ₂ ⁻²		
Periodate	IO ₄ ⁻¹	bromite	BrO ₂ ⁻¹	silicate	SiO ₃ ⁻²		
iodate	IO ₃ ⁻¹	hypobromite	BrO ⁻¹	tellurate	TeO ₄ ⁻²		
iodite	IO ₂ ⁻¹			selenate	SeO ₄ ⁻²		
hypoiodite	IO ⁻¹			chromate	CrO ₄ ⁻²		
				dichromate	Cr ₂ O ₇ ⁻²		

* - indicates ion can be determined by using additional information (see below).

Bolded Ions- Indicates the most important of the required ions for students to know

3. Additional Information

- a. All cations not listed will use Roman numerals to indicate charges
- b. Anions with different numbers of oxygens other than the “ate” form
 - i. 1 more O “per”-----“ate” Ex: FO_4^{-1} = perfluorate
 - ii. 1 less O -----“ite” Ex: FO_2^{-1} = fluorite
 - iii. 2 less O “hypo”-----“ite” Ex: FO^{-1} = hypofluorite
- c. Anions which have a hydrogen added to them take a “bi-“ or “hydrogen” prefix AND the charges increases by +1
 - i. Ex. HCO_3^{-1} = bicarbonate or hydrogen carbonate
- d. Some transition metals can be named in another ways, using their Latin name as a root.
 - i. An “ous” ending has the lower possible oxidation state
 - ii. An “ic” ending indicates the higher possible oxidation state
 - iii. This naming system is no longer commonly used and can be found on older bottles of compounds.

		FYI only
Name	Symbol	Latin Name
lead (II)	Pb⁺²	plumbous
lead (IV)	Pb⁺⁴	plumbic
mercury (I)	Hg⁺¹	mercurous
mercury (II)	Hg⁺²	mercuric
tin (II)	Sn⁺²	stannous
tin (IV)	Sn⁺⁴	stannic
copper (I)	Cu⁺¹	cuprous
copper (II)	Cu⁺²	cupric
iron (II)	Fe⁺²	ferrous
iron (III)	Fe⁺³	ferric
chromium (II)	Cr⁺²	chromous
chromium (III)	Cr⁺³	chromic

Covalent Naming Worksheet

Name the compound

CO₂ Carbon dioxide

N₂O dinitrogen monoxide

NI₃ Nitrogen triiodide

As₂O₅ diarsenic pentoxide

CO Carbon monoxide

N₂O₃ dinitrogen trioxide

SiBr₄ Silicon tetra bromide

Cl₂S₇ dichloride heptasulfide

PCl₅ Phosphorus pentachloride

B₂Cl₄ diboron tetrachloride

SF₆ Sulfur hexaflouride

P₄O₁₀ tetraphosphorous decoxide

Give the formula for each compound

nitrogen dioxide NO₂

phosphorus trifluoride PF₃

sulfur hexabromide SBr₆

dibromine heptaoxide Br₂O₇

carbon diselenide CSe₂

dinitrogen tetrasulfide N₂S₄

diphosphorus trioxide P₂O₃

xenon hexafluoride XeF₆

silicon tetrachloride SiCl₄

arsenic pentafluoride AsF₅

Practice Ionic

- Tin (II) Chloride **SnCl₂**
- Iron (III) Nitride **FeN**
- Copper (I) Bromide **CuBr**
- Circle the correct chemical formula for each compound below. Make sure the positive and negative charges are balanced.
 - calcium oxide **CaO** Ca₂O CaO₂
 - magnesium fluoride MgF Mg₂F **MgF₂**
 - sodium sulfide NaS **Na₂S** NaS₂
 - barium nitride BaN Ba₂N₃ **Ba₃N₂**

- PbCl₂ **Lead (II) Chloride**
- Co₂O₃ **Colbalt (III) Oxide**
- SnS **Tin (II) Sulfide**

Naming Acids

- If the compound begins with Hydrogen, it is an acid. If the acid does not contain a polyatomic ion, write the prefix *hydro-*, then name the second element and change the ending to *-ic*.
 - HCl **Hydrochloric acid**
 - HBr **Hydrobromic acid**
 - H₂S **Hydrosulfuric acid**

Naming Acids with Polyatomic Ions

The polyatomic ions you have memorized have *-ate* as the ending, so you name the polyatomic ion and change the ending to *-ic*.

Use sulfate (SO₄²⁻) as the example

- H₂SO₄ is **sulfuric acid**
- If the ion has one more oxygen atom than the base (SO₄²⁻), then the ion is named by adding the prefix *per-* and the suffix *-ic*
 - H₂SO₅ is **persulfuric acid**
- If the ion has one less oxygen atom than the base (SO₄²⁻), then the ion is named with the suffix *-ous*.
 - H₂SO₃ is **sulfurous acid**
- If the ion has two less oxygen atoms than the base (SO₄²⁻), then the ion is named with the prefix *hypo-* and the suffix *-ous*.
 - H₂SO₂ is **hyposulfurous acid**

Name the following:

H ₂ CO ₃	H ₃ PO ₂	HClO ₄	H ₃ PO ₃
Carbonic acid	Hypophosphorous acid	Perchloric acid	Phosphorous acid

Ionic Naming Worksheet 2

Fill in the table below with the correct ionic formula. Write the name of the compound in the box as well. The first one has been done for you as an example. Don't forget that certain cations use Roman numerals in their names.

	Cl⁻	O⁻²	N⁻³
Na⁺	NaCl sodium chloride	Na₃ O Sodium Oxide	Na₃N Sodium Nitride
Cu⁺	Cu Cl Copper (I) Chloride	Cu₂ O Copper (I) Oxide	Cu₃ N Copper (I) Nitride
Cu⁺²	Cu Cl₂ Copper (II) Chloride	Cu O Copper (II) Oxide	Cu₃ N₂ Copper (II) Nitride
Mg⁺²	Mg Cl₂ Chloride	Mg O Oxide	Mg₃ N₂ Nitride
Al⁺³	Al Cl₃ Aluminum Chloride	Al₂ O₃ Aluminum Oxide	Al N Aluminum Nitride
Fe⁺³	Fe Cl₃ Iron (III) Chloride	Fe₂ O₃ Iron (III) Oxide	Fe N Iron (III) Nitride
Cd⁺²	Cd Cl₂ Cadmium (Chloride)	Cd O Cadmium Oxide	Cd₃ N₂ Cadmium Nitride

Ionic Naming Worksheet 3

I. Write the formula for each of the compounds.

- | | | | |
|----------------------------|--|-------------------------|---|
| 1) Copper (II) sulfate | CuSO₄ | 10) barium hydroxide | Ba(OH)₂ |
| 2) Ammonium nitrate | NH₄NO₃ | 11) calcium chlorate | Ca(ClO₃)₂ |
| 3) Lithium chloride | LiCl | 12) aluminum sulfite | Al₂(SO₃)₃ |
| 4) Magnesium acetate | Mg(C₂H₃O₂)₂ | 13) chromium(II) oxide | CrO |
| 5) Sodium bromide | NaBr | 14) potassium iodide | KI |
| 6) Chromium (II) hydroxide | Cr(OH)₂ | 15) sodium hypochlorite | NaClO |
| 7) Lead (II) sulfate | PbSO₄ | 16) ammonium oxide | (NH₄)₂O |
| 8) Tin (IV) phosphate | Sn₃(PO₄)₄ | 17) potassium sulfide | K₂S |
| 9) Sodium bicarbonate | NaHCO₃ | 18) lithium perchlorate | LiClO₄ |

II. Give the name of the following compounds.

- | | | | |
|--|------------------------------------|-------------------------------------|--------------------------------|
| 1) Fe ₂ (SO ₄) ₃ | Iron (III) sulfate | 10) Ag ₂ SO ₄ | Silver sulfate |
| 2) Na ₃ PO ₄ | Sodium phosphate | 11) Co(OH) ₂ | Cobalt Hydroxide |
| 3) Pb(NO ₃) ₂ | Lead (II) Nitrate | 12) AgClO ₃ | Silver Chlorate |
| 4) FeCl ₃ | Iron (III) Chloride | 13) K ₂ SO ₃ | Potassium Sulfite |
| 5) KIO₃ | Potassium Iodate | 14) CrCO ₃ | Chromium (II) Carbonate |
| 6) CaF ₂ | Calcium fluoride | 15) K ₂ CO ₃ | Potassium Carbonate |
| 7) Na ₂ SO ₄ | Sodium Sulfate | 16) CaO | Calcium Oxide |
| 8) CuSO ₃ | Copper (II) Sulfite | 17) ZnCO ₃ | Zinc Carbonate |
| 9) PbF ₂ | Lead (II) Fluoride | 18) CuS | Copper (II) Sulfide |

Acid Naming Worksheet 4

Complete the table by providing the name of formula for the following acids.


1. HNO_3	Nitric acid
2. HCl	Hydrochloric acid
3. H_2SO_4	Sulfuric acid
4. H_2SO_3	Sulfurous acid
5. $\text{HC}_2\text{H}_3\text{O}_2$	Acetic acid
6. HBr	Hydrobromic acid
7. HNO_2	Nitrous acid
8. H_3PO_4	Phosphoric acid
9. H_2S	Hydrosulfuric acid
10. H_2CO_3	Carbonic acid
11. HI	Hydroiodic acid
12. HF	Hydrofluoric acid
13. HClO_3	Chloric acid
14. HClO	hypochlorous acid
15. H_3PO_3	Phosphorous acid
H_2SO_4	16. Sulfuric Acid
HNO_3	17. Nitric Acid
HCl	18. Hydrochloric Acid
$\text{HC}_2\text{H}_3\text{O}_2$	19. Acetic Acid
HF	20. Hydrofluoric Acid
HClO	21. Hypochlorous Acid
H_3PO_3	22. Phosphorous Acid
HNO_2	23. Nitrous Acid
H_2CO_3	24. Carbonic Acid
H_2S	25. Hydrosulfuric Acid

Organic Naming

- Organic molecules can in general be either chains (also known as acyclic) or cyclic or a combination of both.
- Chain of carbon atoms to determine the basic **root name** of the compound.
- The prefix provides the number of carbons, the middle provides the bonds between the carbons (*saturated* single bonds, *unsaturated* double or triple bonds) the ending describes the functional group.

Summary:

Prefix	Number	Prefix	Number
Meth	1	Hex	6
Eth	2	Hept	7
Prop	3	Oct	8
But	4	Non	9
Pent	5	Dec	10



Types of Organic Compounds:

Compound Type	Ending	Example	Properties
<i>Alkane</i>	<i>ane</i>	$ \begin{array}{ccc} \text{H} & \text{H} & \text{H} \\ & & \\ \text{H}-\text{C} & -\text{C} & -\text{C}-\text{H} \\ & & \\ \text{H} & \text{H} & \text{H} \end{array} $	<p>Propane</p> <p><i>Saturated hydrocarbons since they have only single bonds with no extra electrons</i></p>
<i>Alkene</i>	<i>ene</i>	$ \begin{array}{ccc} \text{H} & \text{H} & \text{H} \\ & & \\ \text{H}-\text{C} & -\text{C} & =\text{C}-\text{H} \\ & & \\ \text{H} & & \text{H} \end{array} $	<p>Propene</p> <p><i>Alkenes contain a double bond and are referred to as unsaturated hydrocarbons. The electrons could be available for bonding additional atoms. The suffix for alkenes is ene.</i></p>
<i>Alkyne</i>	<i>yne</i>	$ \begin{array}{ccc} & & \text{H} \\ & & \\ \text{H}-\text{C} & \equiv \text{C} & -\text{C}-\text{H} \\ & & \\ & & \text{H} \end{array} $	<p>Propyne</p> <p><i>Alkynes are unsaturated hydrocarbons containing a triple bond. The two sets electrons could be available for bonding additional atoms. The suffix for alkynes is yne.</i></p>
<i>Alcohol</i>	<i>ol</i>	$ \begin{array}{ccc} \text{H} & \text{H} & \text{H} \\ & & \\ \text{H}-\text{C} & -\text{C} & -\text{C}-\text{O}-\text{H} \\ & & \\ \text{H} & \text{H} & \text{H} \end{array} $	<p>Propanol</p> <p><i>Alcohols are compounds that have an OH group (hydroxyl) bonded to hydrocarbon chains. The suffix for alcohols is ol.</i></p>
<i>Carboxylic Acid</i>	<i>oic</i>	$ \begin{array}{ccc} \text{H} & \text{H} & \text{O} \\ & & \\ \text{H}-\text{C} & -\text{C} & -\text{C} \\ & & \\ \text{H} & \text{H} & \text{O}-\text{H} \end{array} $	<p>Propanoic acid</p> <p><i>Carboxylic acids have a hydrocarbon group attached to the carboxylic acid group,</i></p> <p><i>The suffix for carboxylic acid is oic acid</i></p> $ \begin{array}{c} \text{O} \\ \\ -\text{COH} \end{array} $

Unit 4B

Unit 4B Test Review

Write the formula for the following compounds

1. Aluminum Bromide **AlBr₃**
2. Ammonium Fluoride **NH₄F**
3. Copper (I) Chloride **CuCl**
4. Dinitrogen Tetroxide **N₂O₄**
5. Iron (II) Sulfate **FeSO₄**
6. Carbon Dioxide **CO₂**

Name the following compounds

7. NaHCO₃ **Sodium Bicarbonate**
8. H₂S **HydroSulfic acid**
9. Fe₂(SO₄)₂ **Iron (II) Sulfate**
10. MgO **Magnesium Oxide**
11. N₂O₃ . **Dinitrogen Trioxide**
12. CuCl₂ **Copper (II) Chloride**

Name the following compounds:

- | | | |
|--|---|--|
| 13. HBr
Hydrobromic acid | 14. BaSO ₃
Barium Sulfite | 15. Al ₂ (SO ₄) ₃
Aluminum Sulfate |
| 16. H ₂ CO ₃
Carbonic acid | 17. HI
Hydro iodic acid | 18. Ca(SO ₃) ₂
Calcium Sulfite |
| 19. Pb(NO ₃) ₂
Lead (II) Pernitrate | 20. Zn ₃ (PO ₂) ₂
Zinc Hypophosphite | 21. Ca ₃ (PO ₄) ₂
Calcium Phosphate |
| 22. H ₂ SO ₃
Sulfurous acid | 23. HC ₂ H ₃ O ₂
Acetic acid | 24. K ₂ CrO ₃
Potassium Chromite |
| 25. H ₂ SO ₄
Sulfuric acid | 26. Ra(C ₂ H ₃ O ₂) ₂
Radium acetate | 27. NiClO
Nickel Hypochlorite |
| 28. HNO ₃
Nitric acid | 29. H ₃ P
Hydrophosphic acid | 30. H ₃ PO ₄
Phosphoric acid |
| 31. HNO ₂
Nitrous acid | 32. Fe(ClO ₄) ₃
Iron (III) perchlorate | 33. K ₂ O
Potassium Oxide |
| 34. HNO ₃
Nitric acid | 35. SnO
Tin (II) Oxide | 36. H ₂ SO ₃
Sulfurous acid |
| 37. ZnSO ₂
Zinc hyposulfite | 38. Al(ClO) ₃
Aluminum hypochlorite | 39. HI
Hydro iodic acid |
| 40. Hg ₂ Cl ₂
Mercury (I) Chloride | 41. Fe(OH) ₂
Iron (II) Hydroxide | 42. Fe ₂ (CrO ₄) ₃
Iron (III) chromate |
| 43. Ba(ClO ₂) ₂
Barium Chlorite | 44. Li ₃ PO ₃
Lithium Phosphite | 45. KMnO ₄
Potassium permanganate |
| 46. N ₂ O ₄
Dinitrogen Tetraoxide | 47. Cl ₂ S ₇
Dichloride heptasulfide | 48. PbO ₂
Lead (IV) Oxide |
| 49. Rb ₂ CO ₃
Rubidium carbonate | 50. HClO
hypochlorous acid | 51. Fe(OH) ₃
Iron (III) hydroxide |


Write the chemical formula for the following compounds:

52. Hydrochloric Acid
53. Copper (II) Perchlorate
54. Strontium Nitrate


- | | | |
|--|---|---|
| 55. Sodium Hypochlorite
HCl
NaClO | 56. Phosphoric Acid
Cu(ClO₄)₂
H₃PO₄ | 57. Lead(IV) Oxide
Sr(NO₃)₂
PbO₂ |
| 58. Sulfurous Acid
H₂SO₃ | 59. Tin(II) Fluoride
SnF₂ | 60. Potassium Permanganate
KMnO₄ |
| 61. Aluminum Hyponitrite
Al(NO)₃ | 62. Chromous Acid
H₂CrO₃ | 63. Sodium Phosphate
NaPO₄ |
| 64. Mercury (II) Sulfide
HgS | 65. Sodium Sulfite
Na₂SO₃ | 66. Ammonium Phosphate
(NH₄)₃PO₄ |
| 67. Tin(IV) Fluoride
SnF₄ | 68. Iron Nitrate
Fe(NO₃)₂ | 69. Calcium Perchromate
Ca(ClO₅)₂ |
| 70. Hyposulfurous Acid
H₂SO₃ | 71. Copper(I) Sulfide
Cu₂S | 72. Titanium (III) Chlorate
Ti(ClO₄)₃ |
| 73. Calcium Hydroxide
Ca(OH)₂ | 74. Sodium Bicarbonate
NaHCO₃ | 75. Aluminum Hypophospite
Al(PO₂)₃ |
| 76. Lithium Hyposulfite
Li₂SO₂ | 77. Cobalt (III) Sulfite
Co₂(SO₃)₃ | 78. Tin(IV) Nitrite
Sn(NO₂)₄ |
| 79. Calcium Fluoride
CaF₂ | 80. Lead(IV) Acetate
Pb(C₂H₃O₂)₄ | 81. Ammonium Phosphite
(NH₄)₃PO₃ |
| 82. Iron(III) Oxide
Fe₂O₃ | 83. Hydrosulfuric Acid
H₂S | 84. Iron(II) Chromate
FeCrO₄ |
| 85. Potassium Cyanide
KCN | 86. Ammonium Sulfate
(NH₄)₂SO₄ | 87. Calcium Chloride
CaCl₂ |
| 88. Barium Hydroxide
Ba(OH)₂ | 89. Mercury(II) Sulfide
HgS | 90. Silver Chlorate
Ag(ClO₃)₂ |
| 91. Lead (II) Sulfate
PbSO₄ | 92. Potassium Permanganate
KMnO₄ | 93. Silicon Dioxide
SiO₂ |

94. Draw the condensed structural diagram of the following types of compounds


a. Alkane




b. Alkene




c. Alkyne



d. Alcohol



e. Carboxylic acid



95. Name the following compounds:

a. CH_3OH **Methanol**

b. $\text{CH}_3\text{CH}_2\text{CH}_3$ **Propane**


c. $\text{CH}_3\text{CH}_2\text{CH}_2\text{CHCHCH}_2\text{CH}_3$ **Heptene**

96. Determine the formula of the following compounds:


a. Nonane **C_9H_{20}**

or

$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_3$



b. Methane **CH_4**



c. Ethanol

$\text{C}_2\text{H}_5\text{OH}$

or

$\text{CH}_3\text{CH}_2\text{OH}$

