





An exceptional line up of technologies and laboratory solutions

Our commitment: to help you attain the maximum value from our high-quality laboratory solutions.

Every Thermo Scientific product is backed by our worldwide customer support and service. We are always ready to help you gain the maximum advantages from our high-quality laboratory solutions.



Thermo Scientific products include:

1300 Series A2 Biological Safety Cabinets

NEW! Revco® UxF Ultra-Low Temperature Freezers

Revco High Performance Lab Refrigerators and Freezers

NEW! Forma® 88000 Series and Double Door Ultra-Low Temperature Freezers

Locator® Plus LN₂ Cryogenic Storage

Heratherm® Advanced Protocol Security Microbiological Incubators

Heracell® 150i CO₂ Incubators

Forma® CO₂ Incubators

Savant® DNA 120 SpeedVac Concentrators

MaxQ[™] Orbital Shakers

Barnstead® Nanopure™ Water Purification Systems

Sorvall® Legend® Micro 21 Microcentrifuges

Sorvall Primo and CL 10 Compact Benchtop Centrifuges

Sorvall Legend and Sorvall ST General Purpose Centrifuge Series

VisionMate® Reader (Highspeed, SR or ST) and VisionTracker Storage Tracking Database

Barcoded Cryotube and VisionTracker Storage Tracking Database



SmartPort vacuum accessory package includes a vacuum valve, hanging shelf for a flask or supplies, and retaining clips to keep tubing and cable from work area.

Thermo Scientific 1300 Series A2 Biological Safety Cabinets

Smart features and packages tor your next generation BSC!

- SmartFlow[™] exclusively provides real-time compensation and balancing of airflow, ensuring protection everyday
- SmartPort[™] allows easy and safe side routing of tubing and cables
- SmartPromise 5 year warranty on parts and labor

packaged savings!

A 1300 A2 series package includes stand, arm rests, and timed UV light (at no additional cost) with choice of sizes, interior walls, and sash working height Savings of \$200.

special offers

To maximize the side access of the SmartPort, add the **SmartPort vacuum accessory package** (Cat. No. 19-114-14) for only \$97.

Purchase a BSC and receive **a case of Nalgene 0.2 micron filter units** at no additional cost (Cat. No. 09-741-02) Total savings over \$250.



NEW! Thermo Scientific Revco UxF Ultra-Low Temperature Freezers

Performance

Outstanding BTU (British thermal unit) reserve, leading to fast door opening recovery

Safety and Security

Innovative touch-screen featuring 24/7 health monitor, event log and access settings

Capacity

Innovative design allows for up to 30% MORE storage area per footprint compared to previous models

value ▶ up to \$2400

Packaged savings when you purchase a Revco UxF ultra-low temperature (ULT) freezer using one of the **five special-priced packages below** – a value up to \$2400!

- 1 ULT and 2 shelves of racks
- 2 ULT, LN₂ back-up system and 2 shelves of racks
- 3 ULT, CO, back-up system and 2 shelves of racks
- 4 ULT, HID Access Card Lock and 2 shelves of racks
- **5** ULT, with 5-year "bumper to bumper" parts and labor warranty

See ordering table for special package part numbers!

Thermo Scientific Revco High Performance Lab Refrigerators and Freezers

Peace of Mind

Advanced microprocessor-controlled set-points for precise temperature regulation

Temperature Uniformity

Directional airflow for uniform temperature at all points

Dependability

Key-operated alarms, set point security and non-invasive defrost provide optimal sample security and safety

value ▶ up to \$1800

Take advantage of one of our **special packaged offers below** for your cold storage needs.

- 1 High Performance Refrigerator and 5.6 cu. ft. undercounter value refrigerator
- 2 High Performance Refrigerator and 5.6 cu. ft. undercounter value freezer
- 3 High Performance Freezer and 5.6 cu. ft. undercounter value refrigerator
- **4** High Performance Freezer and 5.6 cu. ft. undercounter value freezer

See ordering table for special package part numbers!

NEW! Thermo Scientific Forma 88000 Series and Double Door Ultra-Low Temperature Freezers

Performance

Designed for maximum heat removal that provides outstanding cooling and temperature recovery after door openings

Sample Protection

Vacuum panels combined with water-blown foam and the 47 door gasket provide high insulting "R" factor

Versatility

Choose from five new capacities in the 88000 Series or unique double-door in the 900 Series

packaged savings!

Take advantage of packaged savings when you purchase Thermo Scientific Forma ULT's by using one of the **special-priced packages below.**

- 1 88000 Series ULT and 2 shelves of rack
- 2 88000 Series ULT, with 5 year "bumper to bumper" parts and labor warranty
- **3** 900 Series double door, 17 cu. ft. or larger and 2 shelves of racks





Thermo Scientific Locator Plus LN₂ Cryogenic Storage

Versatile

Available in four sizes, suited for both manual and computerized inventory record-keeping methods

Convenient

Unique hanging rack and gridded box design allow for vial inventory tracking and easy sample retrieval

Cost-Effective

Vacuum insulation minimizes liquid nitrogen evaporation and reduces operating costs

value ▶ up to \$1000

Packaged savings when you purchase a Locator Plus LN₂ storage system using one of the **two special priced packages below** – a value up to \$1000!

- 1 Locator Plus and wheeled cart (dolly)
- 2 Locator Plus and level monitor

Capacities up to **6,000 vials**

Thermo Scientific Heratherm Advanced Protocol Security Microbiological Incubators

- Unique "Dual Convection" air flow technology
- Certified 140°C decontamination cycle
- Small external footprint to conserve valuable laboratory space

value vover \$600

Purchase any Heratherm Advanced Protocol Security Incubator and **receive a Heratherm IMC-18 compact incubator at no additional cost** – over a \$600 value



Unmatched choice. Advanced technology. Proven results.



Thermo Scientific Nalgene PES Filter Units

Culture Tip

0.1 micron final filtration of your media, serum and buffers provides a last line of defense against mycoplasma contamination.



Thermo Scientific Heracell 150i CO₂ Incubators

- with 100% Pure Copper Interior

Top five reasons your next incubators should be 100% pure antimicrobial copper:

- Proven effective against contamination, including bacteria, fungi, and mycoplasma
- Easy to maintain, requiring no special handling
- Always working with continuous decontamination
- Antimicrobial properties improve over time with natural oxidation
- Safe for cells

special offer

Experience the continuous protection of 100% solid copper and save up to \$3000 with special pricing.

Thermo Scientific Forma CO₂ Incubators

Proven protection from the benchmark in CO₂ incubators

- Protect from airborne contamination with our in-chamber HEPA filtration system, providing Class 100 air quality
- Includes antimicrobial copper humidity pan for added protection
- On the Steri-Cycle model, on-demand 140°C sterilization cycle is proven effective in eliminating microbial contamination

special offer

Packaged savings up to \$3000 on special dual stack packages of either Forma 3110 water jacket or Steri-Cycle direct heat model. Package includes two stackable chambers with rollerbase and copper humidity pan.

Targeted solutions for **DNA** and **RNA applications**





Thermo Scientific Savant DNA 120 SpeedVac Concentrators

Consistent Performance

Designed to ensure drying time and reproducible results

Simplicity

A single program is all you need to support your DNA/RNA application

Sample Protection

Option of drying at ambient temperatures or very low heat to ensure maximum sample protection

value ▶ up to \$997

Purchase any Savant DNA SpeedVac and receive a **RD2MP rotor with two shallow-well microplate carriers** at no additional cost.



Thermo Scientific MaxQ Orbital Shakers

Reliability

Our triple eccentric drive mechanism allows continuous 24-hour operation and ensures smooth and uniform stirring of large and uneven loads

Simplicity


Precise adjustment of temperature, speed and time with all three parameters shown simultaneously on individual control displays to prevent the risk of error when establishing run conditions

Flexibility

Bench-top, floor and stackable models are available, fully equipped with incubation, refrigeration and water bath options to accommodate various applications and budgets

value ▶ up to \$1500

Purchase any MaxQ shaker listed in this brochure and receive a **platform and a clamp starter kit at no additional cost. Kit includes the following Erlenmeyer flask clamps** (2 x 125mL, 4 x 250mL, 4 x 500mL, 2 x 1L and 2 x 2L) and a microwell plate clamp.



Expertise

Unique Thermo Scientific $\rm H_2O$ Select Analysis Kit program will analyze your feed water to match the best water system to your applications.

Value

Key features come standard, and low cost-of-ownership means reduced equipment and consumables costs

Quality

Water quality has been validated by independent labs to ensure that your most stringent application requirements are met

special offer!*

Select one of our water system kits and receive your Nanopure high-purity water system, and at no additional charge, receive a cartridge pack and Accudispense all in one package

*Offer ends 4/1/2012. Please contact your Fisher Scientific Representative after 4/1/12 to learn about our new offers.

more samples. more speed. your answers faster.










Thermo Scientific Sorvall Legend Micro 21 Microcentrifuges

High Productivity

Generous capacity holds 36 x 0.5mL microtubes, 24 x 2mL tubes or 8 x 8 PCR strips

Safety and Convenience

Thermo Scientific ClickSeal biocontainment lid "clicks" to indicate proper sealing



Order one of our Sorvall Legend Micro 21 or 21R special packages including:

- 1 Sorvall Legend Micro 21 or 21R and 24-place rotor with ClickSeal® biocontainment lid and dual row rotor package for application versatility and save up to 30%.
- 2 Sorvall Legend Micro 21 or 21R and 24-place rotor wit ClickSeal biocontainment lid at the price of Sorvall Legend Micro 17 or 17R save up to 20%.

Plus with these two packages, you can redeem an additional two year warranty at no additional charge.

3 Sorvall Legend Micro 21 or 21R and 24-place rotor with ClickSeal biocontainment lid and Finnpipettes® Pipetting kit – for reliable and repeatable pipetting performance and save up to 40%.

Reliable Performance: Thermo Scientific Finnpipette F1 manual pipettes offer operation with set and forget volume adjustment.

Thermo Scientific Sorvall Primo and CL 10 Compact Benchtop Centrifuges

Compact Footprint

Optimizes laboratory bench space

Certified Lids

Ensure sample protection

Simplified Operation

Meets the everyday needs of even the most demanding laboratories



special offer

Special pricing on clinical centrifuge packages

designed for blood, urine and body fluid separation as well as fluid analysis, DNA/RNA separations and PCR work-up.



Thermo Scientific Sorvall Legend and Sorvall ST General Purpose Centrifuge Series

Exceptional Throughput

Process 4 to 40 x 50mL conical tubes or from 32 to 196 x 5/7mL blood tubes, all with certified ClickSeal biocontainment sealing options

Application Versatility

Extensive rotor selection, including Thermo Scientific Fiberlite rotors for higher G-force (up to 25,000 xg) and faster speeds

Breakthrough Technologies

Advanced Thermo Scientific solutions including Auto-Lock, for easy and secure rotor exchange in less than 3 seconds



special offer

Save more than 30% on complete centrifuge

packages designed to meet your application needs – cell culture, clinical or genomics and proteomics.

5-Year Centrifuge Warranty!

Purchase a Sorvall general purpose centrifuge package and we will extend the standard warranty for your centrifuge to 5 years! Restrictions apply. Please see **www.thermoscientific.com/spinitwarranty** for complete warranty offer and coverage details.



Thermo Scientific VisionMate Reader (Highspeed, SR or ST) and VisionTracker Storage Tracking Database

- Enhance sample storage and traceability with 2D barcoded technology
- Full storage solution including consumables, 2D reader, and new database software
- Compatible with a range of cryogenic and biological storage applications

new package offer:

Purchase any VisionMate Reader (Highspeed, SR or ST) and VisionTracker Storage Tracking Database and **receive a case of any 2.0mL or 5.0mL Thermo Scientific Nunc Cryobank tubes** at no additional charge.



Thermo Scientific Barcoded Cryotubes and VisionTracker Storage Tracking Database

- Enhance sample storage and traceability with barcoded cryotubes
- Full storage solution including consumables, reader, and new database software
- Compatible with a range of cryogenic and biological storage applications

new package offer:

Purchase any Barcoded Cryotubes and VisionTracker Storage Tracking Database and receive a Handheld Linear Barcode Scanner product at no additional charge.

Offer includes linear barcode reader at no additional charge with full-price purchase of case of barcoded cryotubes and VisionTracker database.

*Available mid-February

| Cat. No. | Description | Model No. | Offer includes: | |
|-----------------------------------|--|--------------|---|--|
| 1300 A2 Biological Safety Cabinet | | | | |
| Packages – (| Cabinet with coated interior walls and 8 inch window wo | rking height | | |
| 13-261-340 | 1300 Series A2 Biological Safety Cabinet; 3 feet | 1340 | | |
| 13-261-314 | 1300 Series A2 Biological Safety Cabinet; 4 feet | 1395 | | |
| 13-261-344 | 1300 Series A2 Biological Safety Cabinet; 5 feet | 1351 | | |
| 13-261-315 | 1300 Series A2 Biological Safety Cabinet; 6 feet | 1397 | | |
| | Cabinet with stainless steel interior walls indow working height | | | |
| 13-261-342 | 1300 Series A2 Biological Safety Cabinet; 3 feet | 1342 | | |
| 13-261-312 | 1300 Series A2 Biological Safety Cabinet; 4 feet | 1335 | | |
| 13-261-346 | 1300 Series A2 Biological Safety Cabinet; 5 feet | 1353 | | |
| 13-261-313 | 1300 Series A2 Biological Safety Cabinet; 6 feet | 1337 | | |
| | Cabinet with coated interior walls window working height | | Package includes manual adjustable stand, factory-installed | |
| 13-261-332 | 1300 Series A2 Biological Safety Cabinet; 3 feet | 1321 | UV light, and one set of armrests. | |
| 13-261-304 | 1300 Series A2 Biological Safety Cabinet; 4 feet | 1385 | | |
| 13-261-336 | 1300 Series A2 Biological Safety Cabinet; 5 feet | 1369 | | |
| 13-261-306 | 1300 Series A2 Biological Safety Cabinet; 6 feet | 1387 | | |
| | Cabinet with stainless steel interior walls window working height | | | |
| 13-261-334 | 1300 Series A2 Biological Safety Cabinet; 3 feet | 1323 | | |
| 13-261-222 | 1300 Series A2 Biological Safety Cabinet; 4 feet | 1375 | | |
| 13-261-338 | 1300 Series A2 Biological Safety Cabinet; 5 feet | 1371 | | |
| 13-261-223 | 1300 Series A2 Biological Safety Cabinet; 6 feet | 1377 | | |
| 1911414 | Smartport vacuum accessory package includes a vacuum valve, hanging shelf for a flask or supplies, and retaining clips to keep tubing and cable from work area | 1911414 | | |

Please order using these special part numbers to take advantage of package pricing. To redeem your case of 500ml Nalgene 0.2 micron filter units at no additional cost (Cat No.09-741-02), please visit www.thermoscientific.com/fisheroffers

| Cat. No. | at. No. Description | | Offer includes: |
|------------|---|-----------|--|
| | tific Revco UxF Low Temperature Freezers | Model No. | Special Package Pricing on the ULT, LN2 Back-Up and TWO shevles of inventory racks for 2" boxes |
| 13-987-139 | -86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V | UxF70086D | 14 Sliding Drawer Racks (2 Kits No. RSK700SD5) |
| 13-987-136 | -86°C UxF600, 600 Box, 28.6 cu. ft., 115V | UxF60086A | 12 Sliding Drawer Racks |
| 13-987-137 | -86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V | UxF60086D | (2 Kits No. RSK600SD5) |
| 13-987-133 | -86°C UxF500, 500 Box, 24 cu. ft., 115V | UxF50086A | 10 Sliding Drawer Racks |
| 13-987-134 | -86°C UxF500, 500 Box, 24 cu. ft., 208-230V | UxF50086D | (2 Kits No. RSK500SD5) |
| 13-987-130 | -86°C UxF400, 400 Box, 19.3 cu. ft., 115V | UxF40086A | 8 Sliding Drawer Racks |
| 13-987-131 | -86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V | UxF40086D | (2 Kits No. RSK400SD5) |

Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on the ULT, racks and factory installed LN2 back-up. No redemption necessary, racks and factory installed LN2 back-up ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.

| Cat. No. | Description | | Offer includes: |
|------------|---|-----------|---|
| | ntific Revco UxF Low Temperature Freezers | Model No. | Special Package Pricing on the ULT and TWO shelves of inventory racks for 2" boxes |
| 13-987-078 | -86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V | UxF70086D | 14 Sliding Drawer Racks (2 Kits No. RSK700SD5) |
| 13-987-075 | -86°C UxF600, 600 Box, 28.6 cu. ft., 115V | UxF60086A | 12 Sliding Drawer Racks |
| 13-987-076 | -86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V | UxF60086D | (2 Kits No. RSK600SD5) |
| 13-987-072 | -86°C UxF500, 500 Box, 24 cu. ft., 115V | UxF50086A | 10 Sliding Drawer Racks |
| 13-987-073 | -86°C UxF500, 500 Box, 24 cu. ft., 208-230V | UxF50086D | (2 Kits No. RSK500SD5) |
| 13-987-069 | -86°C UxF400, 400 Box, 19.3 cu. ft., 115V | UxF40086A | 8 Sliding Drawer Racks |
| 13-987-070 | -86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V | UxF40086D | (2 Kits No. RSK400SD5) |
| 13-987-066 | -86°C UxF300, 300 Box, 14.8 cu. ft., 115V | UxF30086A | 6 Sliding Drawer Racks |
| 13-987-067 | -86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V | UxF30086D | (2 Kits No. RSK300SD5) |

Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on ULT and racks. No redemption necessary, racks ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.

for redemption instructions. • Proof of purchase required. Product to be shipped separately from order when applicable.

| Cat. No. | Description | | Offer includes: |
|------------|---|-----------|---|
| | ntific Revco UxF -Low Temperature Freezers | Model No. | Special Package Pricing on the ULT, CO ₂ Back-Up and TWO shevles of inventory racks for 2" boxes. |
| 13-987-150 | -86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V | UxF70086D | 14 Sliding Drawer Racks (2 Kits No. RSK700SD5) |
| 13-987-147 | -86°C UxF600, 600 Box, 28.6 cu. ft., 115V | UxF60086A | 12 Sliding Drawer Racks |
| 13-987-148 | -86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V | UxF60086D | (2 Kits No. RSK600SD5) |
| 13-987-144 | -86°C UxF500, 500 Box, 24 cu. ft., 115V | UxF50086A | 10 Sliding Drawer Racks |
| 13-987-145 | -86°C UxF500, 500 Box, 24 cu. ft., 208-230V | UxF50086D | (2 Kits No. RSK500SD5) |
| 13-987-141 | -86°C UxF400, 400 Box, 19.3 cu. ft., 115V | UxF40086A | 8 Sliding Drawer Racks |
| 13-987-142 | -86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V | UxF40086D | (2 Kits No. RSK400SD5) |

Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on the ULT, racks and factory installed CO2 back-up. No redemption necessary, racks and factory installed CO2 back-up ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.

| Cat. No. | Cat. No. Description | | Offer includes: |
|------------|---|-----------|--|
| | entific Revco UxF a-Low Temperature Freezers | Model No. | Special Package Pricing on the ULT, HID access card lock and TWO shevles of inventory racks for 2" boxes. |
| 13-987197 | -86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V | UxF70086D | 14 Sliding Drawer Racks (2 Kits No. RSK700SD5) |
| 13-987-195 | -86°C UxF600, 600 Box, 28.6 cu. ft., 115V | UxF60086A | 12 Sliding Drawer Racks |
| 13-987-194 | -86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V | UxF60086D | (2 Kits No. RSK600SD5) |
| 13-987-192 | -86°C UxF500, 500 Box, 24 cu. ft., 115V | UxF50086A | 10 Sliding Drawer Racks |
| 13-987-191 | -86°C UxF500, 500 Box, 24 cu. ft., 208-230V | UxF50086D | (2 Kits No. RSK500SD5) |
| 13-987-189 | -86°C UxF400, 400 Box, 19.3 cu. ft., 115V | UxF40086A | 8 Sliding Drawer Racks |
| 13-987-188 | -86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V | UxF40086D | (2 Kits No. RSK400SD5) |
| 13-987-186 | -86°C UxF300, 300 Box, 14.8 cu. ft., 115V | UxF30086A | 6 Sliding Drawer Racks |
| 13-987-185 | -86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V | UxF30086D | (2 Kits No. RSK300SD5) |

Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on ULT, racks and HID Access Card Lock. No redemption necessary, racks and factory installed HID access card lock ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers.

| Cat. No. | Description | | Offer includes: |
|-------------------------------------|---|-----------|--|
| Thermo Scientif Upright Ultra-Lo | iic Revco UxF w Temperature Freezers | Model No. | Special Package Pricing on the ULT with 5 year parts and labor warranty. |
| 13-990-609 | -86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V | UxF70086D | |
| 13-990-607 | -86°C UxF600, 600 Box, 28.6 cu. ft., 115V | UxF60086A | |
| 13-990-608 | -86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V | UxF60086D | |
| 13-990-614 | -86°C UxF500, 500 Box, 24 cu. ft., 115V | UxF50086A | |
| 13-990-606 | -86°C UxF500, 500 Box, 24 cu. ft., 208-230V | UxF50086D | 5 Year Parts and Labor Warranty |
| 13-990-612 | -86°C UxF400, 400 Box, 19.3 cu. ft., 115V | UxF40086A | |
| 13-990-613 | -86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V | UxF40086D | |
| 13-990-610 | -86°C UxF300, 300 Box, 14.8 cu. ft., 115V | UxF30086A | |
| 13-990-611 | -86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V | UxF30086D | |

Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on ULT with 5 years parts and labor warranty. No redemption necessary, warrenty is registered automatically at the factory when shipped.

| Cat. No. | Description | Offer includes: | | | |
|----------------|---|--|--|--|--|
| Thermo Scien | Thermo Scientific Revco High-Performance Lab Refrigerators and Freezers | | | | |
| REL2304REF | 23 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V | 5.6 cu. ft. | | | |
| REL3004REF | 29.2 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V | Thermo Scientific under counter | | | |
| REL4504REF | 45 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V | refrigerator (model 3751) | | | |
| REL2304FRZ | 23 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V | 5.6 cu. ft. | | | |
| REL3004FRZ | 29.2 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V | Thermo Scientific under counter freezer | | | |
| REL4504FRZ | 45 cu. ft. Thermo Scientific Revco HP lab refrigerator, 115V | (model 3752) | | | |
| UGL2320REF | 23 cu. ft. Thermo Scientific Revco HP manual defrost -20°C freezer, 115V | 5.6 cu. ft. | | | |
| ULT2330REF | 23 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V | Thermo Scientific under counter | | | |
| ULT2330REF | 29.2 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V | refrigerator (model 3751) | | | |
| UGL2320FRZ | 23 cu. ft. Thermo Scientific Revco HP manual defrost -20°C freezer, 115V | Thermo Scientific under counter freezer | | | |
| ULT2330FRZ | 23 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V | | | | |
| ULT3030FRZ | 29.2 cu. ft. Thermo Scientific Revco HP auto defrost -30°C freezer, 115V | | | | |
| Please order u | Please order using these special Fisher Scientific catalog numbers. No redemption necessary, undercounter | | | | |

refrigerator or freezers ships automatically with the high-performance lab refrigerator or freezer.

| Cat. No. Description | | | Offer includes: | |
|----------------------|--|--------|---|--|
| | tific Forma Upright nperature Freezers | Model | Special Package Pricing on the ULT and TWO shelves of inventory racks for 2" boxes. | |
| 993RAK | -86°C Forma Double-Door 993, holds 288 2" boxes, 17.3 cu., ft., 120V | 993 | 8 Sliding Drawer Racks (2 Kits No. | |
| 988RAK | -86°C Forma Double-Door 988, holds 288 2" boxes, 17.3 cu., ft., 208-230V | 988 | RSK17SD4) | |
| 990RAK | -86°C Forma Double-Door 990, holds 360 2" boxes, 23 cu. ft., 120V | 990 | 10 Sliding Drawer Racks (2 Kits No. | |
| 989RAK | -86°C Forma Double-Door 989, holds 360 2" boxes, 23 cu. ft., 208-230V | 989 | RSK23SD4) | |
| 88300ARAK | -86°C Forma 88300, holds 300 2" boxes, 14.8 cu., ft., 120V | 88300A | 6 Sliding Drawer Racks (2 Kits No. | |
| 88300DRAK | -86°C Forma 88300, holds 300 2" boxes, 14.8 cu., ft., 208-230V | 88300D | RSK300SD4) | |
| 88400ARAK | -86°C Forma 88400, holds 400 2" boxes, 19.3 cu., ft., 120V | 88400A | 8 Sliding Drawer Racks (2 Kits No. | |
| 88400DRAK | -86°C Forma 88400, holds 400 2" boxes, 19.3 cu., ft., 208-230V | 88400D | RSK400SD4) | |
| 88500ARAK | -86°C Forma 88500, holds 500 2" boxes, 24 cu., ft., 120V | 88500A | 10 Sliding Drawer | |
| 88500DRAK | -86°C Forma 88500, holds 500 2" boxes, 24 cu., ft., 208-230V | 88500D | Racks (2 Kits No. RSK500SD4) | |
| 88600ARAK | -86°C Forma 88600, holds 600 2" boxes, 28.6 cu. ft., 115V | 88600A | 12 Sliding Drawer | |
| 88600DRAK | -86°C Forma 88600, holds 600 2" boxes, 28.6 cu. ft., 208-230V | 88600D | Racks (2 Kits No. RSK600SD4) | |
| 88700DRAK | Forma 88700, holds 700 2" boxes, 33.3 cu. ft., 208-230V | 88700D | 14 Sliding Drawer Racks (2 Kits No. RSK700SD4) | |

Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing. No redemption necessary, racks ship automatically with the freezer. Rack kits contain sliding drawer racks for 2" boxes and also contain 2" cryoboxes with 100 count cell dividers. Racks for double-door freezer are for bottom half of freezer.

| Cat. No. | Cat. No. Description | | Offer includes: | |
|-------------|---|--------|--|--|
| | fic Forma 88000 ow Temperature Freezers | Model | Special Package Pricing on the ULT with 5 year parts and labor warranty. | |
| 88700D5BB | -86°C UxF700, 700 Box, 33.3 cu. ft., 208-230V | 88700D | | |
| 88600A5BB | -86°C UxF600, 600 Box, 28.6 cu. ft., 115V | 88600A | | |
| 88600D5BB | -86°C UxF600, 600 Box, 28.6 cu. ft., 208-230V | 88600D | | |
| 88500A5BB | -86°C UxF500, 500 Box, 24 cu. ft., 115V | 88500A |] | |
| 88500D5BB | -86°C UxF500, 500 Box, 24 cu. ft., 208-230V | 88500D | 5 Year Parts and Labor Warranty | |
| 88400A5BB | -86°C UxF400, 400 Box, 19.3 cu. ft., 115V | 88400A | Labor Warranty | |
| 88400D5BB | -86°C UxF400, 400 Box, 19.3 cu. ft., 208-230V | 88400D | | |
| 88300A5BB | -86°C UxF300, 300 Box, 14.8 cu. ft., 115V | 88300A | | |
| 88300D5BB | -86°C UxF300, 300 Box, 14.8 cu. ft., 208-230V | 88300D |] | |
| Diana andan | th | | -i | |

Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing on ULT with 5 years parts and labor warranty. No redemption necessary, warranty is registered automatically at the factory when shipped.

for redemption instructions. • Proof of purchase required. Product to be shipped separately from order when applicable.

| Cat. No. | Description | Model No | Offer includes: |
|-----------------------------|--|------------|-----------------------------|
| Thermo Scientific Locator I | Plus LN ₂ Cryogenic Storage | | |
| 04-979-258 | Locator Jr. Plus with 2-inch box racks and cart | CY50925-70 | |
| 04-979-260 | Locator 4 Plus with 2-inch box racks and cart | CY50935-70 |] |
| 04-979-259 | Locator 6 Plus with 2-inch box racks and cart | CY50985-70 | Locator Jr, 4 and 8 Plus |
| 04-979-261 | Locator 8 Plus with 2-inch box racks and cart | CY50945-70 | (cart model |
| 04-979-262 | Locator Jr. Plus with level monitor/120 V and cart | CY509106 | AY509X1); 6 Plus |
| 04-979-263 | Locator 4 Plus with level monitor/120 V and cart | CY509108 | (cart model AY509X1-70) |
| 04-979-264 | Locator 6 Plus with level monitor/120 V and cart | CY509109 | A1303X1-70) |
| 04-979-265 | Locator 8 Plus with level monitor/120 V and cart | CY509111 | |
| 13-687-530 | Locator Jr. Plus (71 L) with level monitor upgrade | CY50925-70 | |
| 13-687-531 | Locator 4 Plus (121 L) with level monitor upgrade | CY50935-70 | Special |
| 13-687-533 | Locator 8 Plus (121 L) with level monitor upgrade | CY50985-70 | Package Pricing |
| 13-687-532 | Locator 6 Plus (184 L) with level monitor upgrade | CY50945-70 | |

Please order using these special Fisher Scientific catalog numbers to take advantage of package pricing

| Cat. No. | Description | Model No | Offer includes: | |
|--|---|----------|--|--|
| Thermo Scienti | fic Heratherm Micorbiological Incubator | | | |
| 51028069H | 2.3 cu. ft. – Heratherm Advanced Protocol Security Microbiological Incubator | IMH60-S | | |
| 51028070H | 3.6 cu. ft. – Heratherm Advanced Protocol Security Microbiological Incubator | IMH100-S | IMC-18 Heratherm compact incubator – part number 50125590H | |
| 51028111H | 6.3 cu. ft. – Heratherm Advanced Protocol Security Microbiological Incubator | IMH180-S | | |
| Visit www.thermoscientific.com/fisheroffers to redeem your incubator at no additional cost | | | | |

| Cat. No. Description | | Offer includes: | | |
|---|--|-----------------|--|--|
| Thermo Scientific I | Heracell i CO ₂ Incubators | | | |
| MPP51026283 | Heracell 150i single copper chamber, TCD sensor, ContraCon high temperature decontamination, 120V | 100% Copper | | |
| MPP50116050 Heracell 150i dual-stack copper chambers with roller dolly, TCD sensor, ContraCon, 120V Protection at special price | | | | |
| Please order with these Fisher Scientific catalog numbers to receive your savings. | | | | |

| Description | Model No | Offer includes: |
|--|--|---|
| Thermo Scientific Forma CO ₂ Incubator | | |
| Includes 2 each Forma 3110 water jacket incubators with copper pan, stacking kit, and roller dolly, 120V | 2023110 | Dual stack |
| Includes 2 each of the Forma 370 direct heat incubator with copper pan, and sterilization cycle, and stacking kit and roller dolly, 120V | 203370 | packages at special price |
| | Includes 2 each Forma 3110 water jacket incubators with copper pan, stacking kit, and roller dolly, 120V Includes 2 each of the Forma 370 direct heat incubator with copper pan, and sterilization cycle, | Includes 2 each Forma 3110 water jacket incubators with copper pan, stacking kit, and roller dolly, 120V Includes 2 each of the Forma 370 direct heat incubator with copper pan, and sterilization cycle, 203370 |

| Cat. No. | Description | Offer includes: |
|---|--|--|
| Thermo Scientific Savant DNA 120 SpeedVac Concentrators | | |
| 20-548-130 | Savant DNA SpeedVac (model DNA120-115) | RD2MP rotor with microplate carriers at no additional cost |
| Visit www.thermoscientific.com/fisheroffers to redeem your accessories. | | |

| Cat. No. | Description | Offer includes: | |
|--|---|--------------------------------|--|
| Thermo Scie | Thermo Scientific MaxQ Orbital Shakers | | |
| 11-676-063 | MaxQ 2000 Orbital Small Capacity Open Air Shaker, Analog, 120V | | |
| 11-676-066 | MaxQ 2000 Orbital Small Capacity Open Air Shaker, Digital, 120V | | |
| 11-676-064 | MaxQ 2506 Reciprocating Small Capacity Open Air Shaker, Analog, 120V | | |
| 11-676-065 | MaxQ 2508 Dual Action Orbital/Reciprocating Open Air Shaker, Analog, m120V | | |
| 11-676-068 | MaxQ 3000 Orbital Large Capacity Open Air Shaker, Analog, 120V | | |
| 11-676-067 | MaxQ 3000 Orbital Large Capacity Open Air Shaker, Digital, 120V | | |
| 11-676-069 | MaxQ 4450 Orbital Small Bench-Top Incubated Shaker, Analog, 120V | | |
| 11-676-071 | MaxQ 4450 Orbital Small Bench-Top Incubated Shaker, Digital, 120V | | |
| 11-676-072 | MaxQ 4450 Orbital Small Bench-Top Incubated Shaker with cooling coil, Digital, 120V | | |
| 11-676-073 | MaxQ 4000 Orbital Large Bench-Top Incubated Shaker, Analog, 120V | | |
| 11-676-074 | MaxQ 4000 Orbital Large Bench-Top High Temperature Incubated Shaker, Analog, 120V | | |
| 11-676-075 | MaxQ 4000 Orbital Large Bench-Top Incubated/Refrigerated Shaker, Analog, 120V | Platform | |
| 11-676-076 | MaxQ 4000 Orbital Large Bench-Top Incubated Shaker, Digital, 120V | and Clamp Starter Kit at no | |
| 11-676-077 | MaxQ 4000 Orbital Large Bench-Top High Temperature Incubated Shaker, Digital, 120V | additional cost | |
| 11-676-078 | MaxQ 4000 Orbital Large Bench-Top Incubated/Refrigerated Shaker, Digital, 120V | | |
| 11-676-079 | MaxQ 5000 Orbital Incubated Floor Shaker, Analog, 120V | | |
| 11-676-080 | MaxQ 5000 Orbital Incubated/Refrigerated Floor Shaker, Analog, 120V | | |
| 11-676-081 | MaxQ 5000 Orbital Incubated Floor Shaker, Digital, 120V | | |
| 11-676-082 | MaxQ 5000 Orbital Incubated/Refrigerated Floor Shaker, Digital, 120V | | |
| 11-676-083 | MaxQ 6000 Orbital Incubated Stackable Shaker, Digital, 120V | | |
| 11-676-084 | MaxQ 6000 Orbital Incubated/Refrigerated Stackable Shaker, Digital, 120V | | |
| 11-676-085 | MaxQ 7000 Orbital Water Bath Shaker, Analog, 120V | | |
| 11-676-086 | MaxQ 7000 Orbital Water Bath Shaker, Digital, 120V | | |
| 11-676-087 | MaxQ 8000 Orbital Incubated Stackable Shaker, 120V | | |
| 11-676-088 | MaxQ 8000 Orbital Incubated/Refrigerated Stackable Shaker, 120V | | |
| Please order with these Fisher Scientific catalog numbers to receive your free platform and clamp starter kit. | | | |

| Cat. No. | Description | Offer includes: | |
|--|---|---|--|
| Thermo Scientific Barnstead Nanopure Water System Kits | | | |
| 13-687-550 | Barnstead Nanopure Analytical Promo Kit DI Feed | | |
| 13-687-552 | Barnstead Nanopure Analytical Promo Kit RO/Distilled Feed | | |
| 13-687-551 | Barnstead Nanopure Analytical TOC Promo Kit DI Feed | | |
| 13-687-553 | Barnstead Nanopure Analytical TOC Promo Kit RO/Distilled Feed | | |
| 13-687-554 | Barnstead Nanopure UV Promo Kit DI Feed | | |
| 13-687-556 | Barnstead Nanopure UV Promo Kit RO/Distilled Feed | Select one of our water system | |
| 13-687-555 | Barnstead Nanopure UV TOC Promo Kit DI Feed | kits and receive your Nanopure | |
| 13-687-557 | Barnstead Nanopure UV TOC Promo Kit RO/Distilled Feed | high-purity water system, and at no additional charge | |
| 13-687-558 | Barnstead Nanopure UF Promo Kit DI Feed | receive a cartridge pack | |
| 13-687-560 | Barnstead Nanopure UF Promo Kit RO/Distilled Feed | and Accudispense all in | |
| 13-687-559 | Barnstead Nanopure UF TOC Promo Kit DI Feed | one package | |
| 13-687-561 | Barnstead Nanopure UF TOC Promo Kit RO/Distilled Feed | | |
| 13-687-562 | Barnstead Nanopure UV/UF Promo Kit DI Feed | | |
| 13-687-564 | Barnstead Nanopure UV/UF Promo Kit RO/Distilled Feed | | |
| 13-687-563 | Barnstead Nanopure UV/UF TOC Promo Kit DI Feed | | |
| 13-687-565 | Barnstead Nanopure UV/UF TOC Promo Kit RO/Distilled Feed | | |

| Cat. No. | Description | Offer includes: |
|--------------|---|--|
| Thermo Scier | ntific Sorvall Legend Micro 21 Microcentrifuges | |
| 75-772-488 | Sorvall Legend Micro 21 Microcentrifuge, 120V | 24 x 1.5/2.0mL rotor with ClickSeal biocontainment lid and dual row 18 x 0.5 |
| 75-772-490 | Sorvall Legend Micro 21R Microcentrifuge, 120V | and 18 x 2.0mL rotor with screw-on lid |
| 75-772-436 | Sorvall Legend Micro 21 Microcentrifuge, 120V | 24 x 1.5/2.0mL rotor with ClickSeal |
| 75-772-446 | Sorvall Legend Micro 21R Microcentrifuge, 120V | biocontainment lid at price of equivalent Sorvall Legend Micro 17 microcentrifuge |

Please order with these Fisher Scientific catalog numbers to receive the package.
For a two year warranty extension at no additional cost, visit www.thermoscientific.com/fisheroffers

| Cat. No. | Description | Offer includes: |
|--|---|---|
| Thermo Scientific Sorvall Legend Micro 21 Microcentrifuges & Finnpipetting Kit | | |
| 50130287 | Sorvall Legend Micro 21 Microcentrifuge, 120 V | 24 x 1.5/2.0mL rotor with ClickSeal biocontainment lid, Finnpipette F1, 2-20µL Finnpipette F1, 20-200µL Finnpipette F1, 100-1000µL |
| 50130289 | Sorvall Legend Micro 21R, Microcentrifuge, 120 V | Flex tips 10 x 96: (2) 200µL; (1) 100-1000µL F-stand, 6-position Disposable reservoir demo pack, 15 assorted Good Laboratory Pipetting Guide |

Please order with these Fisher Scientific catalog numbers to receive the package.

13

| Cat. No. | Description | Offer includes: |
|---|----------------------------------|---|
| Thermo Scientific Sorvall Primo and CL 10 Compact Benchtop Centrifuges | | |
| 75-849-998 | Sorvall Primo Centrifuge, 120V | 4x100mL Swinging Bucket Rotor, 100mL Round Buckets (4), |
| 75-489-998 | Sorvall Primo R Centrifuge, 120V | Aerosol-tight Caps for Round Buckets (4), Adapters 5x5/7mL Blood Collection (4) |
| 11-019-264 | CL 10 Centrifuge, 120V | 4x135mL 0-G26/1 Swinging Bucket Rotor (includes set of 4 buckets), Sealing Lids for Round Buckets (4), Adapters 4x5/7mL Blood Collection (4) |
| Please order with these Fisher Scientific catalog numbers to receive the package. | | rs to receive the package. |

| Cat. No. | Description | Offer includes: |
|-------------------------|--|---|
| Thermo Scie | ntific Sorvall Legend and Sorvall Centrifuge | |
| Cell Culture | | |
| 75-218-382 | Sorvall Legend X1 Centrifuge, 120V | TX-400 Swinging Bucket Rotor, |
| 75-618-382 | Sorvall Legend X1R Centrifuge, 120V | 400mL Round Buckets, |
| 75-418-382 | Sorvall ST 16 Centrifuge, 120V | 4x50mL Conical Adapters (4), |
| 75-818-382 | Sorvall ST 16R Centrifuge, 120V | 9x15mL Conical Adapters (4) |
| 75-103-839 | Sorvall ST 40 Centrifuge, 120V | |
| 75-253-839 | Sorvall ST 40R Centrifuge, 120V | TX-750 Swinging Bucket Rotor, |
| 75-063-839 | Sorvall Legend XT Centrifuge, 120V | 750mL Round Buckets (4), |
| 75-213-839 | Sorvall Legend XTR Centrifuge, 120V | 7x50mL Conical Adapters (4), 14x15mL Conical Adapters (4) |
| 75-333-839 | Sorvall Legend XF Centrifuge, 120V | 14x15iiiL Collical Adapters (4) |
| 75-393-839 | Sorvall Legend XFR Centrifuge, 120V | |
| 75-067-473 | Sorvall Legend XT Centrifuge, 120V | BIOLiner Swinging Bucket Rotor, BIOLiner Buckets (4), |
| 75-217-473 | Sorvall Legend XTR Centrifuge, 120V | 10x50mL Conical Adapters (4), 22x15mL Conical Adapters |
| Clinical | | |
| 75-410-885 | Sorvall ST 16 Centrifuge, 120V | TX-200 Swinging Bucket Rotor, 200mL Round Bucke |
| 75-810-885 | Sorvall ST 16R Centrifuge, 120V | (4), ClickSeal Lids (4), 7x15/10mL Blood Collection Adapters (4), 8x 5/7mL Blood Collection Adapters (4) |
| 75-418-180 | Sorvall ST 16 Centrifuge, 120V | TX-400 Swinging Bucket Rotor, 400mL Round Bucket |
| 75-818-180 | Sorvall ST 16R Centrifuge, 120V | (4), ClickSeal Lids (4), 14x15/10mL Blood Collection Adapters (4), 19x5/7mL Blood Collection Adapters (4 |
| 75-101-923 | Sorvall ST 40 Centrifuge, 120V | TX-750 Swinging Bucket Rotor, 750mL Round Bucket |
| 75-251-923 | Sorvall ST 40R Centrifuge, 120V | (4), 21x10mL Blood Collection Adapters (4), 27x5/7m Blood Collection Adapters (4) |
| 75-107-271 | Sorvall ST 40 Centrifuge, 120V | |
| 75-257-271 | Sorvall ST 40R Centrifuge, 120V | BIOLiner Swinging Bucket Rotor, BIOLiner Buckets (4 |
| 75-337-271 | Sorvall Legend XF Centrifuge, 120V | ClickSeal Lids (4); 37x10mL Blood Collection Adapter (4), 49x5/7mL Blood Collection Adapters |
| 75-397-271 | Sorvall Legend XFR Centrifuge, 120V | |
| Proteomics and Genomics | | |
| 75-212-452 | Sorvall Legend X1 Centrifuge, 120V | M CO Missaudala Balan |
| 75-612-452 | Sorvall Legend X1R Centrifuge, 120V | M-20 Microplate Rotor |
| 75-060-817 | Sorvall Legend XT Centrifuge, 120V | TX-750 Swinging Bucket Rotor, Carriers for |
| 75-210-817 | Sorvall Legend XTR Centrifuge, 120V | Microplates and T-75 Horizontal Flasks |
| 75-066-770 | Sorvall Legend XT Centrifuge, 120V | |
| 75-216-770 | Sorvall Legend XTR Centrifuge, 120V | Bioliner Swinging Bucket Rotor, |
| 75-336-770 | Sorvall Legend XF Centrifuge, 120V | Carriers for Microplates |
| 75-396-770 | Sorvall Legend XFR Centrifuge, 120V | |

| Cat No | Description | |
|-----------------|---|--|
| Purchase one | VisionMate Reader | |
| 14387231 | VisionMate SR 2D Barcode Reader | |
| 14387230 | VisionMate ST 2D Barcode Reader | |
| AB-1850 | VisionMate High Speed 2D Barcode Reader | |
| And purchase | e new VisionTrack Software | |
| 14386429 | VisionTracker* Storage Tracking Database Software | |
| Get a complir | nentary case of Nunc 2 or 5mL 2D Cryobank Tubes | |
| 12-565-280 | 5mL Cryobank 2D code racked Sterile 5mL | |
| 12-565-281 | 2mL Cryobank 2D code racked Sterile 2mL | |
| 12-565-282 | 5mL Cryobank non coded racked sterile 5mL | |
| 12-565-283 | 2mL Cryobank non coded racked sterile 2mL | |
| 12-570-225 | 2mL 2D Cryobank, Bulk Pack, Sterile | |
| 12-570-227 | 2mL Cryobank, Bulk Pack, Sterile, No Barcode | |
| 12-570-228 | 5mL Cryobank, Bulk Pack, Sterile, No Barcode | |
| 12-570-226 | 5mL Cryobank, Bulk Pack, Sterile, Barcoded | |
| To redeem you | ur complimentary products visit www.thermoscientific.com/SSTpromo | |
| * Available mid | * Available mid-February | |

| Cat No | Description | |
|---|---|--|
| Purchase one case of Barcoded Cryo Tubes | | |
| 12-566-002 | Nunc Starfoot Barcoded Cryotube, 1.8mL | |
| 03-390-110 | Nalgene Cryogenic Vial with Bar-Code Sterile PP 1.2mL | |
| 03-390-113 | Nalgene Cryogenic Vial with Bar-Code Sterile PP 2mL | |
| 03-390-112 | Nalgene Cryogenic Vial with Bar-Code Sterile PP 5mL | |
| 03-390-113 | Nalgene System 100 Cryogenic Vial with Barcode Sterile PP 1.5mL | |
| And purchase | new VisionTracker Software | |
| 14386429 | VisionTracker* Storage Tracking Database Software | |
| Get a complimentary Nunc Barcode Scanner | | |
| 12-565-001 | Handheld Barcode Scanner, USB | |
| To redeem your complimentary products visit www.thermoscientific.com/SSTpromo | | |
| * Available mid-February | | |

ACT NOW!

Special Limited Time Offers!

Order any products listed by contacting Fisher Scientific at 1-800-766-7000 Visit www.thermoscientific.com/fisheroffers for redemption instructions.

Proof of purchase required. Complimentary product will be shipped separately from order when applicable.

Valid only in the U.S. in connection with the purchase of product numbers listed herein and only while supplies last. Thermo Scientific Barnstead Nanopure Water System Kits promotion valid for orders placed between January 1, 2012 and April 1, 2012. All other promotions herein valid for orders placed between January 1, 2012 and December 15, 2012. Void where prohibited by Jaw. Not valid in connection with any other offers, contracts or agreements. Some offers require redemption; please see details in Ordering Information herein for redemption instructions. All redemptions for promotional products must be made by January 15, 2013. Promotional warranties extend standard limited warranty applicable to eligible products, and may require registration by customer. Additional details and terms regarding promotional warranties are available at HYPERLINK "http://www.thermoscientific.com/fisheroffers. Except as specified in the standard warranty applicable to products, Thermo Fisher Scientific makes no additional warranties, express or implied. Please note that the value of the specific offer(s) the customer may receive from the manufacturer under this program is a "discount or other reduction in price" to the customer under section 1128B(b)(3)(A) of the Social Security Act [42 U.S.C. 1320a-7b (b)(3)(a)]. Accordingly, the customer shall disclose this and any other discounts or other reduction in price received under this program under any state or federal program which provides cost or charge-based reimbursements to the customer for the products or services purchased under this program. By participating in this promotion, you warrant that you are not a "Health Care Practitioner" or "Health Care Professional" as defined under 18 V.S.A. § 4631, or a healthcare professional as defined under any similar federal, state or local law or regulation

© 2012 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries. Specifications, terms and pricing are subject to change.



For customer service, call 1-800-766-7000. To fax an order, use 1-800-926-1166. To order online: www.fishersci.com



Part of Thermo Fisher Scientific

BN1222111 PFLEFISHER16 0112