



Spare parts for:

**COFFEE MACHINES**

# Vibrating pumps



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.



# Vibrating pumps



Suitable for:

## 1030001 ELECTRICAL CONNECTOR C1A

with built-in diode  
cable length 550 mm.  
for vibratory pump fluid o tech



Suitable for:

## 1120023 SAFETY VALVE FOR VIBRATORY PUMP

for SAECO TWIN-VIA VENEZIA



GAGGIA

SAECO 229451000

## 1120031 SAFETY VALVE FOR VIBRATORY PUMP

for SAECO ROYAL-MAGIC-STRATOS  
for SAECO ROYALOFFICE



## 1122001 SAFETY VALVE FOR VIBRATORY PUMP

for SAECO MAGIC DELUXE-ROYAL DIGITAL



SAECO 9079.A27

SAECO 9079.A30

## 1122607 VIBRATORY PUMP FLUID-O-TECH 70W 110V

110V 60Hz - fittings  $\varnothing$  1/8"  
with by-pass  
C-UL approved



## 1030001 ELECTRICAL CONNECTOR C1A

with built-in diode  
cable length 550 mm.  
for vibratory pump fluid o tech




GAGGIA

## 1122609 BYPASS - CONNECTIONS $\varnothing$ 1/8"



## 1122740 VIBRATORY PUMP EX5 48W 24V 50/60Hz

fittings  $\varnothing$  1/8" countersunk -  $\varnothing$  6 mm  
pressure max 15 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm



ULKA 1.01.326.07/PS

## 1331002 VIBRATORY PUMP FLUID-O-TECH 70W 240V

220/240V 50Hz - fittings  $\varnothing$  1/8"  
without by-pass



## 1331004 VIBRATORY PUMP FLUID-O-TECH 45W 24V

24V 50/60Hz - fittings  $\varnothing$  1/8"  
without by-pass




DUCALE VENDING 30009016



Suitable for:

**1331013 VIBRATORY PUMP PHOENIX 50N 230V 53W**

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
 pressure max 15 bar  
 temperatura dell'acqua max 35°C  
 lead connector 6.35x0.8 mm  
 N.S.F. approved



Suitable for:

**1331015 VIBRATORY PUMP FLUID-O-TECH 70W 240V**

220/240V 50Hz - fittings  $\varnothing$  1/8"  
 with by-pass  
 for RHEA EUROPA2-LUCE-MAXI-MIDI2-MODA



RHEA VENDORS 0110004002R

**1331020 VALVE S3BP**


back pressure self-priming  
 boiler and bypass atmospheric pressure reset  
 and by-pass



ULKA 1.06.215.05/BP

**1331021 VIBRATORY PUMP HF 22W 230V 50Hz**


hose-end fitting  $\varnothing$  6.6 mm -  $\varnothing$  6.6 mm  
 max pressure 2.6 bar  
 water temperature max 20°C  
 integrated diode (1N 4007P)  
 lead connector 4.7x0.8 mm



ULKA 1.01.001.HF

**1331025 VIBRATORY PUMP NME 1 16W 230/240V 50Hz**

hose-end fitting  $\varnothing$  6.6 mm -  $\varnothing$  5 mm  
 max pressure 2.5 bar  
 water temperature max 20°C  
 integrated diode (1N 4007P)  
 lead connector 4.7x0.8 mm



ULKA 1.02.500.01

**1331026 VIBRATORY PUMP EP5 48W 230V 50Hz**

countersunk fitting  $\varnothing$  1/8" -  $\varnothing$  6 mm  
 max. pressure 15 bar  
 max water temperature 20°C  
 integrated diode (1N 4007P)  
 lead connection 6.3x0.8 mm



ULKA

**1331027 VIBRATORY PUMP FLUID-O-TECH 70W 240V**

220/240V 50Hz - fittings  $\varnothing$  1/8"  
 with by-pass  
 for SAECO SG700-SG500-GROUP500



SAECO 9070.040.00A

**1331030 VIBRATORY PUMP FLUID-O-TECH 70W 220V**

220/240V 50Hz - fittings  $\varnothing$  1/8"  
 without by-pass - piston 10 mm





# Vibrating pumps



Suitable for:

## 1331034 SELF-IGNITION VALVE $\varnothing$ 1/8" M

for vibratory pump - corner outlet  
quick coupling for pipe  $\varnothing$  4 mm



Suitable for:

## 1410501 THERMO FUSE 155°C

for ULKA pumps



## 1410502 THERMO FUSE 100°C

for ULKA pumps  
adaptable for SAECO



## 1410503 THERMO FUSE 77°C

for ULKA pumps



RIEBER 33062501

## 1331001 VIBRATORY PUMP FLUID-O-TECH 50W 240V

208/240V 50/60Hz - fittings  $\varnothing$  1/8"  
without by-pass



ASTORIA CMA 26304  
FAEMA F533197400  
GRIMAC MG044

ASTORIA CMA 26312  
GAGGIA

CIMBALI 442-544-002  
GRIMAC 1220300001

## 1030001 ELECTRICAL CONNECTOR C1A


with built-in diode  
cable length 550 mm.  
for vibratory pump fluid o tech



GAGGIA

## 1391001 SUPPORT 23036 L MODEL

support for pump fixing



ASTORIA CMA 26306  
LAVAZZA 10086005

BIANCHI VENDING 07016416  
NECTA VENDING 098697

GAGGIA




Suitable for:

Suitable for:

## 1122735 VIBRATORY PUMP EX5 48W 230V 50Hz

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
 pressure max 15 bar  
 water temperature max 20°C  
 integrated diode (1N 4007P)  
 lead connector 6.3x0.8 mm



ASTORIA CMA 26316001  
 ELEKTRA 00254035  
 FAEMA F533195900  
 GRIMAC 1220300004  
 PAVONI 0P187720958  
 SPAZIALE 07640  
 ULKA 1.01.320.07/PAEX5

BIANCHI VENDING 27003316  
 ELOMA 772550  
 FIORENZATO C.S. A1900042  
 GRIMAC MG071  
 RDL 14200040  
 SPM 04.HB0126.001  
 WEGA WY26316001

BRASILIA 07548.2.00.08  
 EXPOBAR 60000040  
 GAGGIA  
 PAVONI 451001  
 SAECO 187720958  
 ULKA 1.01.320.07/PA

## 1391001 SUPPORT 23036 L MODEL

support for pump fixing




ASTORIA CMA 26306  
 LAVAZZA 10066005

BIANCHI VENDING 07016416  
 NECTA VENDING 098697

GAGGIA

## 1122737 VIBRATORY PUMP EP5 48W 230V 50Hz

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
 pressure max 15 bar  
 water temperature max 20°C  
 integrated diode (1N 4007P)  
 lead connector 6.3x0.8 mm




ASTORIA CMA 26316  
 GAGGIA DM1594/230240  
 RANCILIO 34011026  
 ULKA 1.01.302.05/PAEP5

BRASILIA 00606.4.00.08  
 INOXTREND C5770-00  
 SANTOS 75742  
 WHIRLPOOL 483286002395

FAEMA  
 PAVONI 451013  
 ULKA 1.01.302.05/PA

## 1122738 VIBRATORY PUMP EP5 48W 24V 50/60Hz

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
 pressure max 15 bar  
 water temperature max 20°C  
 integrated diode (1N 4007P)  
 lead connector 6.3x0.8 mm  
 for ALICE CLUB INCONTRONEW-NOIDUE



ALICE CLUB ET5158  
 SAECO 9070.035.00P

BRASILIA 08731.4.00.08  
 ULKA 1.01.308.05/PAEP5

GAGGIA  
 ULKA 1.01.308.05/PA

## 1331023 SQUARE DAMPER EX-EP-EK-EA




ALICE CLUB ET5159  
 GRIMAC MG225  
 ULKA 8.01.022

BRASILIA 01436.0.00.02  
 GRIMAC 1220600003

GAGGIA WGADY0003  
 RDL 13170010

## 1122747 VIBRATORY PUMP EX4 48W 24V 50/60HZ

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
 pressure max 18 bar  
 water temperature max 20°C  
 integrated diode (1N 4007P)  
 lead connector 6.3x0.8 mm



CIMBALI 531-195-900

CIMBALI 537-025-100

ULKA 1.01.361.12




# Vibrating pumps



Suitable for:

## 1122601 VIBRATORY PUMP EX5 41W 120V 60Hz

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
pressure max 15 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm  
for SAECO 3P-5P  
for ELEKTRA MINIVERTICALE  
for GRIMAC CAFFÈ CIALDA NUVOLA-TERRY



BEZZERA 7731011  
GRIMAC 1220300006


ELEKTRA 00255035  
SAECO 9070.026.00F

GRIMAC MG072  
ULKA 1.01.323.07/PA

Suitable for:

## 1122736 VIBRATORY PUMP EX5 48W 24V 50/60Hz

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
pressure max 15 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm



BIANCHI VENDING 27003326  
ULKA 1.01.326.07/PA

GAGGIA  
ULKA 1.01.326.07/PAEX5

SAECO 187720950

## 1122741 VIBRATORY PUMP INVENSYS

65W 230V 50Hz  
fittings  $\varnothing$  1/8"  
built-in diode



BOURGEOIS POMP001

GAGGIA 187721758

## 1349651 PIPETTE FITTING 90°

SANTOPRENE  
internal pump connection  $\varnothing$  6 mm  
hose-end fitting  $\varnothing$  7.5 mm



EXPOBAR 30400070  
GAGGIA 147920150  
RENEKA 9005852

GAGGIA B0095  
GRIMAC 1230200004  
SAECO 147920150

GAGGIA DM1596  
GRIMAC MG187  
ULKA 8.01.033

## 1331003 VIBRATORY PUMP FLUID-O-TECH 50W 240V

208/240V 50/60Hz - fittings  $\varnothing$  1/8"  
with by-pass




GAGGIA

GRIMAC 1220300001

GRIMAC MG044

## 1331017 VIBRATORY PUMP NME 3S 16W 230V 50Hz

hose-end fitting  $\varnothing$  6 mm -  $\varnothing$  5 mm  
pressure max 2.5 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
connector lead 4.7x0.8 mm  
for GRIMAC COFFEE POD NUVOLA



GRIMAC MG558

GRIMAC 1220500001

ULKA 1.02.530.03



Suitable for:

**1331018 VIBRATORY PUMP EP4 48W 230V 50Hz**

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
 pressure max 20 bar  
 water temperature max 20°C  
 integrated diode (1N 4007P)  
 lead connector 6.3x0.8 mm



BRASILIA 20970.4.00.08


LAVAZZA 10070122

ULKA 1.01.339.10

Suitable for:

**1331006 VIBRATORY PUMP EX5GW 48W 230V 50Hz**

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
 max pressure 15 bar  
 max water temperature 35°C  
 integrated diode (1N 4007P)  
 lead connector 6.3x0.8 mm  
 for NECTA VENDING ASTRO-ASTROP-BRIO250-BRIO3-BRIO3-COLIBRI-GRANMATTINO-KIKKO-OBLO-SPAZIO-VENEZIA ZENITH  
 for LAVAZZA LB3000ASTRO-LB3200COLIBRI-LB3400ZENITH BRIO3-BLUEKIKKO  
 for SAECO QUARZO500-QUARZO700-COMBISNACK-FS400 SG200E-AMBRA-CRISTALLO600



LAVAZZA 10063322

NECTA VENDING 098760

SAECO 9070.042.00A

ULKA 1.01.320.GW/PA

**1331031 THERMAL PROTECTION 90°C**

for vibratory pump



LAVAZZA 10063323

NECTA VENDING 098815

**1391009 WIRE SUPPORT**

pump fastening support



LAVAZZA 10063826

NECTA VENDING 0V0191

**1391010 SHOCK ABSORBER FOR VIBRATORY PUMP**

for wire support



LAVAZZA 10064076

NECTA VENDING 093091

**1349652 90° FITTING  $\varnothing$  1/8 F**



GAGGIA

NUOVA SIMONELLI 07300369

PAVONI 453206

ULKA 17.01.024

**1120029 SAFETY VALVE FOR VIBRATORY PUMP**

for SAECO CAFÉ NOVA-VIENNA




SAECO 11012279

SAECO 229451300

**1122002 VIBRATORY PUMP EP5GW 48W 230V 50/60Hz**

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
 pressure max 15 bar  
 temperatura dell'acqua max 20°C  
 integrated diode (1N 4007P)  
 lead connector 6.3x0.8 mm  
 for SAECO ROYAL OFFICE



SAECO 11005213

SAECO 12000132

SAECO 9070.026.00A

SAECO 9070.035.00A

ULKA



# Vibrating pumps



Suitable for:

## 1331005 VIBRATORY PUMP FLUID-O-TECH 70W 220V

220V 50Hz - fittings  $\varnothing$  1/8"  
without by-pass  
for SAECO SG200E  
for BIANCHI



BIANCHI VENDING

SAECO 9070.051.00A

Suitable for:

## 1331032 SAFETY VALVE FOR VIBRATORY PUMP

for SAECO PHEDRA-RUBINO200



SAECO 11005590

SAECO 21000470

## 1331099 BRASS PUMP S.A 220V

connections:  $\varnothing$  1/8"  $\varnothing$  6 mm 220V 70W 50Hz  
to be used with a 1N4007 diode (or similar)  
lead connection 5x0.7 mm



SAECO 9070.012.00A

SAECO 9070012

## 1410001 THERMAL PROTECTION 120°C

for vibratory pump  
for SAECO SG200E-QUARZO500-QUARZO700  
for SAECO AROMA-ARMONIA-GRANCREMA



SAECO 289200100

SAECO 289200300

## 1122746 VIBRATORY PUMP EX4 48W 230V 50Hz

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
pressure max 18 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm  
for RDL MINICAP  
for SPM




RDL 14200070

SPM 04.HC0019.001

ULKA 1.01.355.12

## 1120025 VIBRATORY PUMP EX7 48W 230V 50Hz

fittings  $\varnothing$  1/8" countersunk -  $\varnothing$  6 mm  
pressure max 15 bar  
temperatura dell'acqua max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm




SAECO 187720958EX7

TOURNUS 262081

ULKA 1.01.329.08/PA

## 1122739 VIBRATORY PUMP EX5 48W 230V 50Hz

fittings  $\varnothing$  1/8" countersunk -  $\varnothing$  6 mm  
pressure max 15 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm



CIMBALI 533-197-400

ULKA 1.01.320.07/PS

## 1122748 VIBRATORY PUMP EK 230V 50Hz 54W

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
pressure max 15 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm



ULKA EK

ULKA 1.01.337.09/PA





Suitable for:

**1331014 VALVE S3**

back-pressure automatic start  
boiler pressure reset  
with safety valve



SAECO 149452450

ULKA 1.06.215.05

Suitable for:

**1331016 VIBRATORY PUMP EX7GW 48W 230V 50Hz**

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
pressure max 15 bar  
temperatura dell'acqua max 20°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm  
for RHEA XSE-XSH



RHEA VENDORS 0110004021

ULKA 1.01.329.GW/PA

**1331019 VALVE S2**

back pressure self-priming



MITACA 2899/094

ULKA 1.06.210.05

ULKA 1.06.210.05/L

**1331022 SQUARE DAMPER HF**



GRIMAC 1220600027

ULKA 8.01.045

**1331024 VIBRATORY PUMP NME 4 16W 230/240V 50Hz**

hose-end fitting  $\varnothing$  6.6 mm -  $\varnothing$  5 mm  
pressure max 2.5 bar  
water temperature max 20°C  
integrated diode (1N 4007P)  
lead connector 4.7x0.8 mm



NECTA VENDING 253701

ULKA 1.02.535.04

**1331028 VIBRATORY PUMP EP8GW 26W 230V 50Hz**

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
max pressure 15 bar  
max water temperature 35°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm  
for NECTA PICCOLOMATTINO



NECTA VENDING 099893

ULKA EP8GW-26W230V

**1331029 VIBRATORY PUMP EX4GW 48W 230V 50/60Hz**

fittings  $\varnothing$  1/8" -  $\varnothing$  6 mm  
max pressure 15 bar  
max water temperature 35°C  
integrated diode (1N 4007P)  
lead connector 6.3x0.8 mm  
for LAVAZZA EL3200-EVOLUZIONE-PINIFARINA-MATINEE  
LB1000BLUEFAMILY



LAVAZZA 10079944

ULKA EX4GW

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



**LF SpA**

via Voltri, 80 - 47522 Cesena (FC) ITALIA  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [www.lfricambi724.mobi](mailto:info@lfricambi.it)  
[info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](mailto:info@lfspareparts724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)

**FRANCE**



**EPGC Sas**

13, rue des Forts - 59960 Neuville en Ferrain  
Tél. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)

**DEUTSCHLAND**



**LF GmbH**

Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)

**SCHWEIZ**



**LF GmbH Verkaufsbüro**

Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)

**ESPAÑA**



**LF Repuestos Horeca S.I.U**

Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tlf. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos724.es](http://www.lfrepuestos724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)

**UNITED KINGDOM**



**LF Spare Parts Ltd.**

A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)

**RUSSIA**



**OOO LF**

ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)

**CHINA**



**LF China**

Room 102, House 8, Lane 725, Mao Tai Rd.  
Changning Dist. - 200336 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)